Document Generated: 2023-08-10

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7

Regulation 11(1)

PART I


PRIMARY ROUTE DIRECTIONAL SIGNS

SCHEDULE 7 PART I PRIMARY ROUTE DIRECTIONAL SIGNS


- 75 min

300 max

Regulation 11(1)




2001 Junction shead of two primary routes



2002


Junction ahead of a primary route with a non-primary route which is the recommended alternative route avoiding a low bridge on the primary route

Item	
1	Regulations: None
2	Directions: 11(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 3, 5, 16, 18, 19, 20, 21, 23, 24, 25, 26, 27, 30, 31, 32, 34, 35, 36
5	Illumination requirements: Schedule 17, item 4



2003 Same as diagram 2002


item	,
1	Regulations: None
2	Directions: 7, 11(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 3, 5, 12, 16, 19, 20, 21, 23, 24, 25, 26, 27, 29, 30, 31, 32, 34, 35, 36
5	Illumination requirements: Schedule 17, item 4



2004

Junction at named crossroads ahead between a primary route leading to a motorway and two non-primary routes, one of which also leads to a tourist attraction

ltem	
1	Regulations: None
2	Directions: 11(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, Items 3, 5, 16, 18, 19, 20, 21, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 36 Junction name may be omitted or shown on 2 lines
5	Illumination requirements: Schedule 17, item 4




2005 Same as diagram 2004

Item	
1	Regulations: None
2	Directions: 11(1)
3	Diagrams: None
4	Permitted varients: Schedule 16, Items 3, 5, 12, 16, 19, 20, 21, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 36 Junction name may be omitted or be shown on one line.
5	filumination requirements: Schedule 17, item 4




2006 Junction ahead with a non-primary route

ltem:	
1	Regulations: None
2	Directions: 11(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 3, 5, 12, 19 20, 23, 24, 25, 26, 27, 30, 31, 32, 34
5	illumination requirements: Schedule 17, Item 4



Staggered junctions ahead between a primary route leading to a car ferry, a primary route which is the recommended route for goods vehicles to take to the docks, a non-primary route and a read to which entry is prohibited, in the village, town or suburb whose name is indicated at the top of the sign



2008 Staggered junction ahead at which a dual carriageway primary route is crossed by a non-primary route

Item	
1	Regulations: None
2	Directions: 11(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 3, 5, 16, 16, 19, 20, 21, 23, 24, 25, 28, 27, 30, 31, 32, 34, 35, 36
5	Illumination requirements: Schedule 17, item 4

184




2009

Gyratory system ahead on a primary route which has junctions with a non-primary route and with another road along which there is a prohibition on vehicle entry at a specified distance from the junction

Item	
1	Regulations: None
2	Directions: 7, 11(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 3, 5, 16, 18, 19, 20, 21, 23, 24, 25, 26, 27, 30, 31, 32, 34, 35, 36
5	Illumination requirements: Schedule 17, Item 4

300 min 1200 max



76 min 300 max

75 min 300 max

Item	
1	Regulations: None
2	Directions: 7, 11(1)
. 3	Diagrams: None
4	Permitted variants: Schadule 16, Items 6, 16, 18, 19, 20, 23, 24, 25, 26, 27, 30, 34 The diagram 612 symbol may be varied to a diagram 613 or 614 symbol
5	lliumination requirements: Schedule 17, item 4


2010
Distance to a prohibited movement and direction to the destination shown, avoiding that prohibition



100 min 300 max


2011 Grade separated junction 1/2 mile ahead of a primary route with another primary route which leads to an airport and which forms part of an emergency diversion route

	5 .
Item	
1	Regulations: None
2	Directions: 11(1)
3	Dlagrams; None
4	Permitted variants: Schedule 16, items 7, 19, 20, 21, 23, 24, 25, 26, 31, 34, 35
5	Illumination requirements: Schedule 17, item 4



Two grade separated junctions in quick succession 1/2 mile ahead, one with a primary route which leads to a non-primary route and the other with a motorway at the junction whose name is indicated at the top of the sign

Item	
1	Regulations: None
2	Directions: 11(f)
3	Diagrams: None
4	Permitted variants: Schedule 18, items 7, 18, 20, 21, 23, 24, 25, 26, 30, 31, 34 Junction name may be omitted or shown on two lines.
ő	lifumination requirements; Schedule 17, fiem 4



Grade separated junction 1/2 mile shead of a primary route with another primary route which leads to a motorway and with a non-primary route


ltem	-
1	Regulations: None
2	Directions: 11(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 7, 19, 20, 21, 23, 24, 25, 26, 30, 31, 34, 35
5	illumination requirements: Schedule 17, Item 4



2014 Grade separated junction of a primary route with a non-primary route

Item	
1	Regulations: None
2	Directions: 11(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 19, 20, 21, 23, 24, 25, 26, 30, 31, 32, 34
5	illumination requirements: Schedule 17, item 4


186



2015

Grade separated junction shead of a primary route, which leads directly onto a motorway, with another primary route which should be followed by traffic not wishing or permitted to use the motorway

item	
1	Regulations: None
2	Directions: 11(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 19, 20, 21, 23, 24, 26, 26, 90, 31, 32, 34, 35 Distance to junction may be added.
5	lilumination requirements: Schedule 17, item 4



300 max


Junction 1/2 mile ahead where one lane of a primary route leaves that route and leads to another primary route

item	
1	Regulations: None
2	Directions: 11(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 7, 16, 13, 20, 21, 23, 24, 25, 26, 27, 30, 31, 32, 34, 35, 36
5	Illumination requirements: Schedule 17, item 4



2016 Same as diagram 2015


item	
1	Regulations: None
2	Directions: 11(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 19, 20, 21, 23, 24, 25, 26, 30, 31, 32, 34, 35
5	Illumination requirements: Schedule 17, item 4



2018

Junction where one lane of a primary route leaves that route and leads to a non-primary route


Regulations: None
Directions: 11(1)
Diagrams: None
Permitted veriants: Schedule 18, items 18, 19, 20, 21, 23, 24, 25, 26, 27, 30, 31, 32, 34
Illumination requirements: Schedule 17, Item 4



2019

Junction where one lane of a primary route is reserved for traffic turning onto a non-primary route; the primary route leads to a motorway

item	
1	Regulations: None
2	Directions: 11(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 12, 16, 19, 20, 21, 23, 24, 25, 26, 27, 30, 31, 32, 34, 35, 36
õ	Illumination requirements: Schedule 17, item 4



– 150 min – 300 max

(M11 South) London, Endsbury A1


2020

Grade separated junction shead of a primary route, which leads to one carriageway of a motorway, with another primary route, which leads to the other carriageway of the motorway, and with a non-primary route; the number of lanes on the main carriageway remains the same through the lungition.

the junction (Gantry-mounted sign)

ltem	
1	Regulations: None
2	Directions: 11(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, Items 7, 9, 19, 20, 21, 23, 30, 34, 35
5	Illumination requirements: Schedula 17, item 4


188



2021


Named grade separated junction on a primary route at a specified distance shead where the left hand lane leads to a primary route, leading in turn to one carriageway of a motorway, and to a non-primary route, and the two right hand lenes continue on the main primary route and also lead to the other carriageway of the motorway, at the junction whose name is indicated at the top of the sign (Gantry-mounted sign)

item:	
de	Regulations: None
2	Directions: 11(1)
3	Diagrams: None
4	Permittied variants: Schedule 16, Items 7, 9, 15, 19, 20, 21, 23, 30, 34 Junction name may be omitted
5	Humination requirements: Schedule 17, item 4



Roundabout ahead at the junction of two primary routes


item	
1	Regulations: None
2	Directions: 11(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 3, 5, 16, 18, 19, 20, 21, 23, 24, 25, 26, 27, 30, 31, 32, 94, 85, 36
5	lliumination requirements: Schedule 17, Item 4



2023

Named roundabout ahead on a primary route with exits to a non-primary route in two directions, a primary route which leads to a motorway, and a motorway which leads to another motorway and an airport

Item	
1	Regulations: None
2	Directions: 11(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 3, 5, 18, 18, 19, 20, 21, 23, 24, 25, 26, 27, 30, 31, 32, 34, 36 Junction name may be omitted or shown on one line
5	illumination requirements: Schedule 17, item 4



2024

Mini-roundabout ahead with exits to a primary route, leading to a non-primary route, and a non-primary route, leading to another primary route

ltem:	
1	Regulations; None
2	Directions: 11(1)
3	Diagrame: None
4	Permitted variants: Schedule 16, items 3, 5, 16, 16, 19, 20, 21, 23, 24, 25, 26, 27, 30, 31, 32, 34, 35, 36
â	Illumination requirements: Schedule 17, item 4



2026
Direction to a primary route which leads to a motorway and a non-primary route

item	
1	Regulations: None
2	Directions: 11(2)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 3, 5, 15, 19, 20, 21, 24, 25, 26, 30, 31, 32, 34
5	tilumination requirements: Schedule 17, Item 4

Junction ahead of a primary route with a non-primary route through a town or village that has been by-passed

ltem	
1	Regulations: None
2	Directions: 11(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, Items 3, 5, 18, 18, 19, 20, 21, 23, 24, 31, 32, 34, 35
5	lliumination requirements: Schedule 17, item 4




202?
Direction to a primary route along which there is a low bridge

Item	
1	Regulations: None
2	Directions: 11(2)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 3, 5, 15, 19, 20, 21, 24, 25, 26, 29, 30, 31, 32, 34
5	flumination requirements: Schedule 17, Item 4



2028 Direction to a primary route





2029 Directions to a primary route and a non-primary route

item	
1	Regulations: None
2	Directions: 11(2)
3	Diagrams: None
4	Permitted variants: Schedule 16, Items 3, 5, 12, 16, 19, 20, 21, 23, 24, 25, 26, 30, 31, 32, 34
5	illumination requirements: Schedule 17, item 4



The number of a primary route with distances to destinations along or reached from that route

Regulations: None
Directions: 11(1)
Diagrams: None
Permitted variants: Schedule 16, items 5, 19, 20, 30
Illumination requirements: Schedule 17, item 4



Same as diagram 2030 but with the number of another primary route reached from that route and leading to a named destination

Item	
1	Regulations: None
2	Directions: 11(1)
3	Diagrams: None
¢,	Permitted variants: Schedule 16, items 5, 19, 20, 30
5	Illumination requirements: Schedule 17, item 4

250 max

60 min


- 250 max

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART I PRIMARY ROUTE DIRECTIONAL SIGNS (contd.)





2031 The number of a primary route



Primary route forming part of a ring road

item	
1	Regulations: None
2	Directions: 12(3)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 20, 21 Brackets may be added round the route number to Indicate that the road on which the sign is sited leads to the route shown
5	iliumination requirements: Schedule 17, item 4





Crossroads ahead between a primary route and a ring road which is a non-primary route

OUV HEAV	follow The NORTH (A1)
	2034 Junction ahead indicating the route to be followed

- 75 min

Item	
1	Regulations: None
2	Directions: 11(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 3, 5, 16, 16, 19, 20, 21, 23, 24, 25, 26, 27, 30, 31, 32, 34, 35, 36
5	illumination requirements: Schedule 17, item 4

for destinations that are not otherwise signed at that junction

ltem	
1	Regulations: None
2	Directions: 11(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 19, 20, 30, 34 "follow" and the route may be varied to "leave at next junction" or "leave at" and the name of a junction
5	Illumination requirements: Schedule 17, item 4

193


Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

PART II

NON-PRIMARY ROUTE DIRECTIONAL SIGNS

SCHEDULE 7 PART II NON-PRIMARY ROUTE DIRECTIONAL SIGNS

Regulation 11(1)



2101 Junction ahead of two non-primary routes

1234 Rickwell B1555	- 250 max	75 min —— 300 max ——	Belminster A 233

2101.1 Grade separated junction ahead of a non-primary route and a primary route


ltem	
1	Regulations: None
2	Directions: 12(1)
3	Diagrams: None
4	Permitted variants: Schedula 16, items 3, 5, 16, 18, 19, 20, 21, 22, 24, 25, 28, 27, 30, 31, 32, 34, 35, 36
5	litumination requirements: Schedule 17, Item 4

item	
1	Regulations: None
2	Directions: 12(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 7, 19, 20, 21, 22, 24, 25, 26, 27, 30, 31, 32, 34, 35
ő	Illumination regulrements: Schedule 17, item 4



2101.2 Grade separated junction of a non-primary route leading to a motorway with another non-primary route leading to a primary route

ltem	
1	Regulations: None
2	Directions: 12(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, Items 19, 20, 21, 22, 24, 25, 28, 27, 30, 31, 32, 34
ä	illumination requirements: Schedule 17, item 4




2102 Junction ahead of two non-primary routes, one of which leads to a primary route

item	
1	Regulations: None
5	Directions: 12(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 3, 5, 16, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 30, 31, 32, 34, 35, 36
6	!ilumination requirements: Schedule 17, item 4

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.


SCHEDULE 7 PART II NON-PRIMARY ROUTE DIRECTIONAL SIGNS (contd.)

— 60 min — 250 max



| Regulations: None | 2 | Directions: 12(1) | 3 | Diagrams: None | 4 | Permitted verlants: Schedule 16, Items 5, 9, 12, 16, 19, 20, 21, 22, 24, 25, 26, 27, 30, 31, 32, 34, 35, 36 | Illumination requirements: Schedule 17, Item 4

2103 Junction ahead of two non-primary routes, one of which leads to a primary route and a motorway



2104
Junction ahead of a non-primary route with a motorway at the junction whose number is specified


item	
1	Regulations: None
2	Directions: 12(1)
3	Diagrams; None
4	Permitted variants: Schedule 16, items 3, 5, 16, 18, 19, 20, 21, 22, 24, 25, 26, 27, 30, 31, 32, 54, 35, 36
5	illumination requirements: Schedule 17, Item 4

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART II NON-PRIMARY ROUTE DIRECTIONAL SIGNS (contd.)




2105
Junction ahead of a non-primary route with an alternative route for pedal cycles




2106
Junction ahead of a non-primary route with an alternative route for pedal cycles and a route leading to parking for cars and buses

item	
1	Regulations: 24(1)
2	Directions: 12(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 5, 9, 12, 16, 19, 20, 21, 22, 24, 25, 26, 28, 29, 30, 31, 32, 34, 35, 36
5	Illumination requirements: Schedule 17, item 4



Junction ahead of a non-primary route with a route leading to a tourist ettraction and another non-primary route on which there is a height restriction



2108


Junction ahead of two non-primary routes, on one of which there is a weight restriction, and the other is the alternative route to avoid the weight restriction

item	
1	Regulations: None
2	Directions: 7, 12(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, Items 3, 5, 16, 18, 19, 20, 21, 22, 24, 25, 26, 27, 28, 30, 31, 32, 34, 35, 36
5	illumination requirements: Schedule 17, item 4


2109

Junction ahead of two non-primary routes, one of which leads to a primary route, and a route leading to a tourist attraction

Item	
1	Regulations: None
2	Directions: 12(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 3, 5, 16, 18, 19, 20, 21, 22, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36
5	Illumination requirements: Schedule 17, item 4




2110
Junction at named crossroads shead of a non-primary route with a primary route, on which in one direction there is a lifting bridge and which in the other direction leads to a motorway




2111
Junction at crossroads ahead of a non-primary route with a primary route, on which in one direction there is a lifting bridge and which in the other direction leads to a motorway

Item	
. 1	Regulations: None
2	Directions: 12(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, Items 3, 5, 12, 16 19, 20, 21, 22, 24, 25, 26, 27, 28, 30, 31, 32, 34, 35, 38
- 5	Illumination requirements: Schedule 17, item 4



2112
Staggered junctions ahead between four non-primary routes leading to various destinations including parking for a tourist attraction, short stay parking and a London Regional Transport railway station

item	
i	Regulations: None
2	Directions: 12(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 3, 5, 9, 16, 18, 19, 20, 21, 22, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36
5	Illiumination requirements: Schedule 17, item 4



2113

Staggered junctions ahead between four non-primary routes leading to various destinations, including a Ministry of Defence establishment, a hospital with accident and emergency facilities and public toilets with facilities for disabled people

item	
1	Regulations: None
2	Directions: 12(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 3, 5, 16, 18, 19, 20, 21, 22, 24, 25, 27, 28, 29, 30, 31, 32, 34, 35, 36
5	Iliumination requirements: Schedule 17, item 4



2113.1


Junction at crossroads ahead between a non-primary route and a primary route which is a ring road and which also leads to a railway station and free parking in one direction and to a tourist attraction in the other in the other

lem	
4	Regulations: None
2	Directions: 12(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 3, 5, 16, 18, 19, 20, 21, 22, 25, 26, 27, 26, 29, 30, 31, 32, 33, 34, 35, 36
5	Illumination requirements: Schedule 17, item 4




2114 Junction ahead where one lane of a non-primary route is reserved for traffic turning to the right


ltem	
1	Regulations: None
2	Directions: 12(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, Items 12, 16, 19, 20, 21, 22, 24, 25, 28, 27, 30, 31, 32, 34, 35, 36
5	illumination requirements: Schedule 17, item 4



Grade separated junction 1/2 mile ahead where one lane of a non-primary route is reserved for traffic turning onto another non-primary route



- 75 min




Grade separated junction where one lane of a non-primary route is reserved for traffic turning onto another non-primary route

item	
1	Regulations: None
2	Directions: 12(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, fizms 16, 19, 20, 21, 22, 24, 25, 26, 27, 30, 31, 32, 34
5	Illumination requirements: Schedule 17, item 4

202

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART II NON-PRIMARY ROUTE DIRECTIONAL SIGNS (contd.)



2116
Grade separated junction ahead of two non-primary Grace separated junction anead or two non-primary routes, both of which lead to a primary route and the number of lanes on the main carriageway remains the same through the junction (Gantry-mounted sign)

item	
1	Regulations: None
2	Directions: 12(1)
3	Diagrams: None
4	Permitted variants: Schedule 18, Items 7, 9, 19, 20, 21, 22, 30, 34, 35
5	litumination requirements: Schedule 17, item 4






300 max

Grade separated junction shead where the left hand lane of a non-primary route leads to another non-primary route, which in turn leads to a primary route and the two right hand lanes lead along the main route to another primary route (Gantry-mounted sign)


Item	-
1	Regulations: None
2 ·	Directions: 12(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, Items 7, 9, 16, 19, 20, 21, 22, 30, 34, 35
5	Illumination requirements: Schedule 17, Item 4




2118

Roundabout ahead with a declicated lane to a primary route which leads to a motorwey and exits to two non-primary routes, one of which leads to car parking in the town centre and to a British Rall station


ltem	
1	Regulations: None
2	Directions: 12(1)
3	Diagrams: Nona
4	Permitted variants: Schedule 16, items 3, 5, 16, 18, 19, 20, 21, 22, 24, 25, 26, 27, 29, 30, 31, 32, 34, 35, 36
ő	litumination requirements: Schedule 17, Item 4



204



2120
Double mini-roundabout ahead with exits to three non-primary routes, one of which leads to a car ferry and another is an advisory lorry route




2121
Junction shead of a non-primary route with another non-primary route leading to a town or village that has been bypassed

item.	
1	Regulations: None
2	Directions: 12(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 3, 5, 18, 18, 19, 20, 21, 22, 24, 31, 32, 34, 35
5	illumination requirements: Schedule 17, item 4

2122 Sharp bend in main route at a junction ahead with a minor road

Item	
1	Regulations: None
2	Directions: 12(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 3, 5, 16, 18, 19, 20, 21, 22, 24, 25, 26, 27, 30, 31, 32, 34
5	Illumination requirements: Schedule 17, item 4



2123
Distance to a prohibited movement and direction to the destination shown avoiding that prohibition

tem	
1	Regulations: None
2	Directions: 7, 12(1)
3	Diagrams: None
4.	Permitted variants: Schedule 16, items 6, 16, 18, 19, 21, 22, 24, 25, 26, 27, 30, 34 The diagram 612 symbol may be varied to a diagram 613 or 614 symbol
5	illumination requirements: Schedule 17, item 4

2124
Direction to the destination shown avoiding a prohibited movement ahead

item	
1	Regulations: None
2	Directions: 7, 12(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 16, 18, 19, 21, 22, 24, 25, 26, 27, 30, 34 The diagram 612 symbol may be varied to a diagram 613 or 614 symbol
5	lilumination requirements: Schedule 17, item 4




2125 Direction and distance to a destination on a non-primary route

ltem.	
1	Regulations; None
2	Directions: 12(2)
3	.Diagrams: None
4	Permitted variants: Schedule 16, items 5, 9, 15, 19, 20, 21, 22, 24, 30, 31, 32, 34
5	illumination requirements: Schedule 17, item 4

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART II NON-PRIMARY ROUTE DIRECTIONAL SIGNS (contd.)



2126

Direction and distances to a destination on a non-primary route and to a tourist attraction

Item	
1	Regulations: None
2	Directions: 12(2)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 5, 9, 15, 19, 20, 21, 22, 24, 30, 31, 32, 34
5	Numination requirements: Schedule 17, Itam 4

50 mln-----250 max----



Directions to non-primary and primary routes

Item	
1	Regulations: None
2	Directions: 12(2)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 3, 5, 12, 16, 19, 20, 21, 22, 24, 25, 26, 27, 30, 31, 32, 34 Place names may be omitted when the sign is varied to indicate only one direction
5	Illumination requirements: Schedule 17, item 4

B4040 (AB) Potten End 2 3 Gaddesden 14 Aylesbury

- 60 min

B 2284


--- 80 min ---- 250 max

2128
The number of a non-primary route leading to a primary route with destinations and distances

item	
1	Regulations: None
2	Directions: 12(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 5, 19, 20, 21, 22, 30
5	Illumination requirements: Schedule 17, Item 4

2129
The number of a non-primary route

lism	
ą	Regulations: None
2	Directions: 12(3)
3	Diagrams: None
4	Permitted varients: Schedule 18, items 20, 21, 22 Brackets may be added round the route number to Indicate that the road on which the sign is afted leads to the route shown
5	Illumination requirements: Schedule 17, item 4



2130 Non-primary route forming part of a ring road



2131
Alternative route from junction ahead to place named

item	
1	Regulations: 12(8)
2	Directions: 12(1)
3	Diagrams: None
4	Permitted variants: None
5	filumination requirements: Schedule 17. flem 4

Item	
1	Regulations: None
2	Directions: 12(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, Items 3, 5, 12, 19, 20, 21, 22, 32
5	litumination requirements: Schedule 17, item 4



2132 Direction of alternative route to place named




2133 Junction ehead leading to a London Regional Transport railway station

item	
1	Regulations: None
2	Directions: 12(2)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 3, 5, 15, 19, 20, 21, 22, 32
5	Illumination requirements: Schedule 17, item 4

Item	
7	Regulations: None
2	Directions: 12(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, fiems S. S. 12, 19, 29. The London Transport symbol may be replaced by the British Rail or a PTE symbol. The British Rail symbol may be used in addition to the London Transport or a PTE symbol.
5	lilumination requirements: Schedule 17, item 4





2134 Direction to a railway station

ltem	
1	Regulations: None
2	Directions: 12(2)
3	Diagrams: None
4	Permitted variants: Schedule 18, items 3, 6, 15, 19,29 The PTE symbol may be replaced by another PTE symbol or London Transport symbol or crifited. The British Rail symbol may be omitted.
5	liumination requirements: Schedule 17, item 4

2135 Junction ahead leading to a car ferry

Item	
1	Regulations: None
2	Directions: 12(1)
3	Diagrams; None
4	Permitted varients: Schedule 16, items 12, 28 The left hand car symbol may be replaced by the lorry symbol. The two symbols may be omitted and the words "Pedestrian terry" added on the boet symbol. The name of the ferry or quay may be added above the boat symbol.
õ	Illumination requirements:



150 min 750 max

2136 Direction to a vehicle ferry

item	
1	Regulations: None
2	Directions: 12(2)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 15, 28 The right hand symbol may be varied to a car symbol The two symbols may be unitted and the words "Pedestrian ferry" added on the boat symbol. The name of the ferry or quay may be added above the boat symbol.
5	lliumination requirements: Schedule 17, item 4



max 50

2137

Direction to a shopping area which provides a "Shopmobility" service for the disabled approved by the National Federation of Shopmobility

item	
1	Regulations: None
2	Directions: 12(2)
3	Diagrama: None
4	Permitted variants: Schedule 18, frems 15, 28, 29
5	Illumination requirements: Schedule 17, item 4

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART II NON-PRIMARY ROUTE DIRECTIONAL SIGNS (contd.)



2138
Indication of route to be followed at junction ahead
for destinations that are not otherwise shown on
the signs at that junction

ltem	
1	Regulations: None
2	Directions: 12(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 19, 20, 21, 22, 30, 34 "foliow" and the route may be varied to "leave at next junction" or "leave at" and the name of a junction
8	lliumination requirements: Schedule 17, item 4

210

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

PART III


TOURIST ATTRACTION SIGNS

(other than on motorways or for pedestrians)

SCHEDULE 7 PART III

Regulation 11(1)

TOURIST ATTRACTION SIGNS (other than on motorways or for pedestrians)





2201 Distance ahead to a tourist attraction 2202

Junction ahead leading to a tourist attraction

ltem	
1	Regulations: None
2	Directions: 12(3)
3	Diagrams: None
4	Permitted varients: Schedule 16, items 6, 10, 11, 19, 28, 33
5	Illiumination requirements: Schedule 17, item 8

Item	
1	Regulations: None
2	Directions: 12(3)
3	Diagrams: None
4	Permitted variants: Schedule 16, Items 6, 9, 12, 19, 28, 29, 31, 32, 33, 34
5	filumination requirements: Schedule 17, item 9






2203 Direction and distance to a tourist attraction

Item	
1	Regulations: None
2	Directions: 12(3)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 6, 9, 15, 19, 24, 31, 32, 34
5	Humination requirements:

2204
Direction and distance to a Tourist Information Point or Centre

Item	
1	Regulations: None
2	Directions: 12(3)
3	Diegrams: None
4	Permitted variants: Schedule 16, items 6, 9, 15, 29 The word "centre" may be added
5	Illumination requirements: Schedule 17, Item 9

SCHEDULE 7 PART III TOURIST ATTRACTION SIGNS (contd.)





2205 Location of a Tourist Information Point or Centre

item	
٦	Regulations: None
2	Directions: 12(3)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 3, 6, 11 The word "centre" may be added. The name of a geographical area may be added.
5	Illumination requirements: Schedule 17, hern 9

2206 Junction shead leading to a tourist attraction where the route is subsequently indicated by a symbol

Item	
1	Regulations: None
2	Directions: 12(3)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 5, 9, 12, 19, 28, 33
5	Illumination requirements: Schedule 17, Item 9



___ 50 min 250 max

150 min 750 max

2207 Direction and distance to a tourist attraction where the route is subsequently indicated by a symbol

item .	
1	Regulations: None
2	Directions: 12(3)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 5, 9, 15, 19, 28, 33
5	illumination requirements: Schedule 17, item 9

2208 Direction to a tourist attraction indicated by a symbol

Item	
ĭ	Regulations: 12(8)
2	Directions: 12(3)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 15, 28, 33
5	filumination requirements: Schedule 17, item 9

212

SCHEDULE 7 PART III TOURIST ATTRACTION SIGNS (contd.)

__60 min 250 max





2209 Distance ahead to a tourist attraction

ltem	
1	Regulations: None
2	Directions: 12(3)
3	Diagrams: None
4	Permitted variants: Schedule 16, Items 5, 19, 33 Opening times may be added. The distance may be replaced by the word "CLOSED"
õ	Illumination requirements: Schedule 17, item 9

2210

Junction ahead leading to or along a route passing through places of interest

item	
1	Regulations: None
2	Directions: 12(3)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 12, 19, 29, 33 The rose symbol may be varied to the thistle symbol in Scotland or the dragon symbol in Wates. The cycle symbol may be added.
5	Illumination requirements: Schedule 17, item 9





2211
Direction to or along a route passing through places of interest

Item	
1	Regulations: None
2	Directions: 12(3)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 15, 19, 29, 33 Same as diagram 2210
5	Illumination requirements: Schedule 17, Item 9

2212 Direction along a route passing through places of interest

item	
1	Regulations: None
2	Directions: 12(3)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 15, 33 Same as diagram 2210
5	Illumination requirements: Schedule 17, item 9


SCHEDULE 7 PART III TOURIST ATTRACTION SIGNS (contd.)

____60 min 300 max



2213
Junction ahead leading to a route of special Interest to tourists

item	иналичная при
1	Regulations: Nons
2	Directions: 12(3)
3	Diagrams: None
4	Permitted variants: Schsdule 16, items 3, 5, 12, 19, 29, 33 The place name and the word "to" may be omitted or replaced by a geographical or historical title. Tourist" may be varied to "Scenio" or "Coastal". The rose symbol may be varied to the thistile symbol in Soctland or the dragen symbol in Soctland or the dragen symbol in Vales. "route" may be varied to "trait" in Sociland.
ŝ	Illumination requirements: Scheduse 17, flam 9



2215
Junction ahead leading to a form or geographical area in England or Scotland containing several tourist attractions and a Tourist Information Point or Centre

item	
1	Regulations: None
2	Directions: 12(3)
3	Diagrams: None
4	Permitted variants: Schadule 16, items 12, 19, 28, 29, 33
ô	illumination requirements: Schedule 17, item 9



2214
Direction to or along a route of special interest to tourists

terr	
1	Regulations: None
2	Directions: 12(3)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 3, 5, 15, 18, 28, 33 Same as diagram 2213
ā	Illumination requirements: Schedule 17, item 9



2216
Junction ahead leading to tourist attractions and a Tourist Information Point or Centre reached in different directions

item	
1	Regulations: None
2	Directions: 12(3)
3	Diagrams: None
4	Permitted variants: Schedule 18, Items 3, 6, 12, 16, 19, 28, 29, 33
5	Numination requirements: Schedule 17, Item 8

214

Regulation 11(1)


PART IV

SERVICES SIGNS

(other than on motorways)

SCHEDULE 7 PART IV SERVICES SIGNS (other than on motorways)

Regulation 11(1)



250 max



2301


Distance ahead to a camping and caravan site licensed under the Caravan Sites and Control of Development Act 1960 and/or the Public Health Act 1936 and having a minimum of 20 pitches for casual overnight use

Item	
1	Regulations: None
2	Directions: 12(3)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 6, 10, 11 Either the caravan or the tent symbol may be omitted
5	litumination requirements: Schedule 17, item 4



Direction and distance to a camping and caravan site as defined in the caption under diagram 2301

ltem	
1	Regulations: None
2	Directions: 12(3)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 6, 9, 15 Same as diagram 2301
5	Illumination requirements: Schedule 17, item 4





2303


Distance ahead to a hostel managed by the Youth Hostels Association or the Scottish Youth Hostels Association

Item	
1	Regulations: Nane
2	Directions: 12(3)
3	Diagrams: None
4	Permitted variants: Schedule 16, ilems 8, 10, 11
5	Illumination requirements: Schedule 17, Item 4

2304 Direction and distance to a hostel as defined in the caption under diagram 2303

item	
1	Regulations: None
2	Directions: 12(3)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 6, 9, 15, 29
5	Illumination requirements: Schedule 17, item 4

SCHEDULE 7 PART IV SERVICES SIGNS (contd.)



2305 Distance ahead to a pionic area

item	
1	Regulations: None
2	Directions: 12(3)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 6, 10, 11
5	Illumination requirements: Schedule 17, item 4




2306 Direction and distance to a picnic area


ltem	
1	Regulations: None
2	Directions: 12(3)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 6, 9, 15, 29
6	Illumination requirements: Schedule 17, item 4



300 max

Junction ahead leading to a small town or village not on a main through route, which provides parking, public toilets, refreshments and fuel during normal shop opening hours at least





2307 Distance ahead to a parking place with public toilets, Tourist Information Point or Centra, pionic site, public telephone and viewpoint

Item	
1	Regulations: None
2	Directions: 12(3)
3	Diagrams: None
A	Permitted variants: Schedule 16, items 6, 10 The AA or RAC logo may be added alongside the telephone symbol. Any of the symbols except the "P" and the "F" may be omitted. The name of a geographical area may be added at the lop.
5	Illumination requirements: Schedule 17, item 4




125 min 250 max

2309

Direction and distance to a small town or village offering the services indicated on the sign in diagram 2308


Item	
1	Regulations: None
2	Directions: 12(3)
3	Diagrams: None
4.	Permitted variants: Schedule 16, Items 5, 9, 15, 19 Place name may be omitted
5	Illumination requirements: Schedule 17. Item 4



2311

Direction to services on a non-primary route at which fuel, parking, refreshments, telephones and toilets are available for vehicles other than goods vehicles at all times except Christmas Day, Boxing Day and New Year's Day

item	
1	Regulations: None
2	Directions: 12(1)
3	Diagrams: None
4	Permitted variants: Schedule 18, Item 12 The torry symbol with the red bar shall be omitted where facilities are provided for all classes of traffic. The torry symbol shown in diagram 2310 and the words "Lorries only" shall be substituted for the iorry symbol with the red bar where the facilities provided are primarily for heavy goods vehicles. The cup symbol (denoting light refreshments) may be substituted for the spoon and fork symbol. The wheelchair and tourist 1" symbol shall be omitted where these facilities are not provided. The bad symbol (denoting hotel) may be added. The phrase "not 24 hrs" shall be added in a panel at the bottom of the sign as shown in diagram 2310 where the facilities are available between at least 8am and 8pm.
5	Illumination requirements: Schedule 17, Item 4



2012

Distance aread to services on a non-primary route at which fuel, parking, refreshments, telephones and toilets are available for goods vehicles at least between 8 am and 8 pm on every day except Christmas Day, Boxing Day

Item	
1	Regulations: None
2	Directions: 12(1)
3	Diagrams: None
4	Permitted variants: Schedule 15, item 7 The spoon and forir symbol (denoting restaurant) may be subetitubed for the cup symbol. The bed symbol (denoting hotel) and wheelchair symbol (denoting disabled facilities) may be added. The tourist information "I" symbol ishall be orntited where this facility is not provided. The lorny symbol and the words "Lorries only" shall be omitted where facilities are provided for all classes of traffic. The lorny symbol with the red bar shown in diagram 2311 snall be substituted for the lorny symbol shown and the words "Lories only" omitted where there are no facilities for goods vehicles. The phrase "not 24 hrs" snall be omitted when the facilities are available at all times except Christmas Dey, Boxing Day and New Year's Day
5	Illumination requirements: Schedule 17, item 4




Entrance to services indicated by a sign shown in diagram 2310 or 2311

ltem	
1	Regulations: None
2	Directions: 12(1)
3	Diagrams: None
4	Permitted variants: Schedule 18, item 15
5	Illumination requirements: Schedule 17, Item 4



2312.1 Same as diagram 2312


meti	
1	Regulations: None
2	Directions: 12(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, Item 12
5	litumination requirements: Schedule 17, item 4



2314

Direction to services on a primary route at which fuel, parking, refreshments, telephones and tollets are available for vehicles other than goods vehicles at all times on every day except Christmas Day, Boxing Day and New Year's Day

Item	
1	Regulations: None
2	Directions: 11(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, item 12 Same as diagram 2311
5	Illumination requirements: Schedule 17, item 4



Distance ahead to services on a primary route at which fuel, parking, refreshments, telephones and toilets are available at least between 8 am and 8 om on every day except Christmas Day.

Boxing Day and New Year's Day

Item	
1	Regulations: None
2	Directions: 11(1)
3	Diagrams; None
4	Permitted variants: Schedule 16, Item 7 Same as diagram 2310
5	filumination requirements; Schedule 17, item 4





2315 Entrance to services indicated by a sign shown in diagram 2313 or 2314

item		
1	Regulations: None	
2	Directions: 11(1)	
3	Diagrams: None	
4	Permitted variants: Schedule 16, item 15	
Б	Illumination requirements: Schedule 17, item 4	



2315.1 Same as diagram 2315





2316
Junction ahead leading to an Automobile Association service centre

item	
1	Regulations: None
2	Directions: 12(3)
3	Diegrams: None
4	Permitted variants: Schedule 16, tems 6, 9, 13, 14, 28 The word "Service" may be omitted
5	Illumination requirements: Schedule 17, item 9



2317
Direction and distance to an Automobile Association service centre

item	
1	Regulations: None
2	Directions: 12(3)
3	Diagrams: None
4	Permittad variants: Schedule 16, Itama 6, 9, 15, 28, 29
5	Illumination requirements: Schedule 17, item 9



2318 Direction and distance to an Automobile Association telephone

ltem	
1	Regulations: None
2	Directions: (2(3)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 5, 9, 15, 28, 29
5	tiumination requirements: Schedule 17, item 9





2319 Distance ahead to a Royal Automobile Club service centre

item	
1	Regulations: None
2	Directions: 12(3)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 6, 9, 10, 11, 28 The words "Service Centre" may be omitted
ő	Illumination requirements: Schedule 17, item 9

2320 Direction and distance to a Royal Automobile Club service centre

ltem	
1	Regulations: None
2	Directions: 12(3)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 6, 9, 15, 28, 29
5	illumination requirements: Schedule 17, item 9



2921 Direction and distance to a Royal Automobile Club telephone

item	
3	Regulations: None
2	Directions: 12(3)
3	Diagrams: None
4	Permitted varients: Schedule 16, Items 6, 9, 15, 28, 29
5	illumination requirements: Schedule 17, ftem 9



2322 Direction to a public telephone

Item	
1	Regulations: None
2	Directions: 12(2)
3	Diagrams: None
4	Permitted variants: Schadule 16, items 3, 6, 15, 28, 29 "Payphone" may be omitted or varied to "Caraphone"
õ	lliumination requirements: Schedule 17, item 9



2323 Direction to public toilets with facilities for disabled people

Item	
1	Regulations: None
2	Directions: 12(2)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 3, 6, 15, 28 The wheelchair symbol may be omitted. The words "Ladies" or "Gents" may be added
5	illumination requirements: Schedule 17, item 9

PART V BOUNDARY SIGNS

(other than on motorways)

SCHEDULE 7 PART V BOUNDARY SIGNS (other than on motorways)



2401 County or (in Scotland) regional boundary

item	
1	Regulations: 13(1), 13(4)
2	Directions: 12(3)
3	Diagrams: None
4	Permitted variants: Schadule 18, item 19 The creat or logo may be omitted or variad as appropriate. The name of the county may be varied to 'England', 'Scotland' or "Walse'. A message of welcome, or a phrase dending an Item of local geographical or historical interest, not exceeding 4 words may be added. The latters, border and background may be in any contrasting coloure except red. The border may be omitted. In Scotland a reference to not more than two places outside the United Kingdom with which it eScotlath local euthority is twinned may be added as shown in diagram 2403
5	illumination requirements: Schedule 17, item 9


SCHEDULE 7 PART V BOUNDARY SIGNS (contd.)



CAPITAL LETTER HEIGHT not more than 50% of lower legend

2402 Name of a town or village commencing immediately ahead

item	
1	Regulations: 13(1), 13(4)
2	Directions: 12(3)
3	Diagrams: None
4	Permitted variants: Scheduls 16, Item 19 The place name may be varied to the name of a river, inland waterway, bridge, tunnel, or road junction. A crest or logo may be added when the sign indicates the name of a place. The District Council name may be varied to that of a London Borrough or ornithed. The District Council name shall be omitted when the sign is varied to Indicate a name office than that of a place. The name of a District Council or London Borrough shall not be used without the place name. The letters, border and background may be in any contresting colours except red. The border may be omitted.
5	lilumination requirements: Schedule 17, Item 9



message

1100111	
1	Regulations: 13(1), 13(4)
2	Directions: 12(3)
3	Diagrams: None
4	Permitted variants: Schedule 18, item 19 The crest may be omitted, varied as appropriate, or varied to a logo or pictorial representation of a local landmark or historical feature. "Welcome to" may be omitted. Please drive cursitily" may be omitted or varied to another road safety message, or phrase denoting an item of local geographical or historical interest, not exceeding 4 works. "Iwinned with" may be varied to "Twin town" or "Twin towns". The name of the twin town shall be varied as apopropriate. The name of a second twin town may be omitted. The starts of a second twin town may be omitted. The starts of the twin towns may be omitted. The starts and background may be in any contrasting colour except red. The border may be omitted.
5	Illumination requirements: Schedule 17, item 9

223

PART VI


DIRECTIONAL SIGNS TO PARKING PLACES

SCHEDULE 7 PART VI DIRECTIONAL SIGNS TO PARKING PLACES




2501 Distance to a parking place ahead

ltem	
1	Regulations: None
2	Directions: 12(3)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 6, 9, 10
5	Illumination requirements: Schedule 17, Item 4



2502
Distance to a commercial vehicles parking place ahead with public tollets and telephones

ltem	
1	Regulations: None
2	Directions: 12(3)
3	Diagrams; None
4	Permitted variants: Schedule 18, items 3, 10 The forry or "WC" or telephone symbol may be omitted. The AA or RAC logos may be added atongside the telephone symbol
5	flumination requirements: Schedule 17, item 4



2503 Distance to a parking place ahead from which a 'Park and Ride' schems operates


tem	
1	Regulations: None
2	Directions: 12(3)
3	Diagrams: None
4	Permitted variants: Schedule 16, Items 6, 10, 11, 28. The days of operation may be added. The bus symbol may be varied to the fram symbol shown in diagram 953.1 or the British Rail or London Transport symbol or a PTE symbol.
5	Illumination requirements: Schedule 17, item 4




2504 Direction to a parking place from which a 'Park and Ride' scheme operates

ltem	
1	Regulations: None
2	Directions: 12(3)
S	Diagrams: None
4	Permitted varients: Schedule 18, items 3, 8, 15, 28 Same as diagram 2502
5	lilumination requirements: Schedule 17, Item 4

SCHEDULE 7 PART VI DIRECTIONAL SIGNS TO PARKING PLACES (contd.)



2505 Directions to different types of parking place from a junction ahead





2506 Direction to a parking place for shoppers and showing the total number of parking places

ltem	
1	Regulations; None
2	Directions: 12(3)
3	Diagrams: None
ů,	Permitted variants: Schedule 16, items 3, 6, 12, 25, 36 The number of spaces may be varied or omitted. Same as diagram 2505
5	Illumination requirements: Schedule 17, item 4




2507 Direction to a parking place available only on the day specified

Item	
1	Regulations: None
2	Directions: 12(3)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 3, 6, 15, 28, 37, 38 Same as clagram 2505
5	Illumination requirements: Schedule 17, Item 4

SCHEDULE 7 PART VI DIRECTIONAL SIGNS TO PARKING PLACES (contd.)





2508 Direction and distance to a multi-storey parking place

item	
1	Regulations: None
2	Directions: 12(3)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 6, 9, 13, 28, 38 Same as diagram 2505
5	Illumination requirements: Schedule 17, Item 4

2509
Directions to several alternative parking places with an indication of the availability of parking spaces at each one

tem	
1	Regulations: None
2	Directions: 12(3), 49
3	Diagrams: None
4	Permitted variants: Schedule 16, items 12, 18, 19 The name of a place may be added to or substituted for the words "Town centre". The legends 'Long stay" or "Short stay" may be added to or substituted for each of the geographical names. The word "FULL" may be varied to "CLOSED" in red latters. The arrow symbols may remain displayed when the legends "FULL" or "CLOSED" are shown. The word "Spaces" in black or green letters or 'Nearly full" in black letters may be displayed in addition to the arrow symbols
5	Illumination requirements: Schedule 17, item 4

PART VII

DIRECTIONAL SIGNS FOR CYCLISTS AND PEDESTRIANS

SCHEDULE 7 PART VII DIRECTIONAL SIGNS FOR CYCLISTS AND PEDESTRIANS

Regulation 11(1)






2801 Junction ahead where route to destination shown recommended for pedal cycles differs from that for other traffic

Item	
1	Regulations: None
2	Directions: 12(3)
3	Diagrams: Nona
4	Permitted variants: Schedule 16, items 5, 9, 12, 19, 28, 29, 34
8	lliumination requirements: Schedule 17, item 9

2602

Direction and distance to destination shown of route recommended for pedal cycles, which differs from that for other traffic

ltem	
1	Regulations: None
2	Directions: 12(3)
3	Diagrams; None
Ġ	Permitted variants: Schedule 16, items 5, 9, 15, 19, 28, 29, 34
5	(Itumination requirements: Schedule 17, item 9



2603 Junction ahead leading to a parking place for pedal cycles

item	
1	Regulations: None
2	Directions: 12(3)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 3, 6, 12, 28, 29
5	Burnination requirements: Schedule 17, item 9




2604 Direction and distance to a free parking place for pedal cycles

Item	
1	Regulations: None
2	Directions: 12(3)
3	Diagrams: None
4	Permitted variants: Schedule 18, items 6, 9, 15, 28, 29 The word "Free" may be omitted.
5	Illumination requirements: Schedule 17, item 9

SCHEDULE 7 PART VII DIRECTIONAL SIGNS FOR CYCLISTS AND PEDESTRIANS (confd.)





2605 Direction of route to destination shown for pedestrians

ltem	
1	Regulations: None
2	Directions: 12(3)
3	Diagrams: None
4	Permitted variants: Schedule 16, Items 3, 6, 15, 19, 28, 29, 30, 34
5	Illumination requirements: Schedule 17, item 9

2606 Direction of route to railway station for pedestrians and pedal cycles

tem	
1	Regulations: None
2	Directions: 12(3)
3	Diagrams: None
4	Permitted variants: Schedule 15, items 3, 6, 15, 26, 29 The British Rail or London Transport symbols may be omitted or varied to the symbol of a PTE. The British Rail symbol may be used with a PTE symbol. The cycle or pe
5	lliumination requirements: Schedule 17, item 9





2607 Same as diagram 2605

item	
1	Regulations: 13(1), 13(4)
2	Directions: 12(3)
8	Diagrams: None
4	Permitted variants: Sonedule 16, items 3, 6, 15, 19 24, 28, 29, 34 A border and chevron may be edded, the colours may be verfed to: 1, White on a blue background 3, Gold on a black background 4, White on a brown background
5	flumination requirements: Schedule 17, item 9

2808 Direction of route to a tourist attraction for pedestrians

ltem	
1	Regulations: None
2	Directions: 12(3)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 3, 6, 15, 18, 28, 28, 33
5	illiumination requirements: Schedule 17, item 9

SCHEDULE 7 PART VII DIRECTIONAL SIGNS FOR CYCLISTS AND PEDESTRIANS (contd.)





2609

Direction of route for pedestrians to a parking place associated with a tourist attraction

tem	
1	Regulations: None
2	Directions: 12(3)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 3, 6, 15, 28, 29
ő	lilumination requirements: Schedule 17, item 9




2610.1 Same as diagram 2610

Item	
1	Regulations: 13(1), 13(4)
2	Directions: 12(3), 36, 37
3	Diegrams: None
4	Permitted variants: Schedule 18, Items 3, 6, 9, 13, 19, 28 The border may be omitted. The background, border, symbol and lettering may be any contrasting colours except red. The walking figure symbol may be omitted or varied to the ridder horse shown in diagram \$22.6 or other appropriate symbol. The name of the losatination may be varied to the name of the route or omitted. The words "Public Pootpath", "Footpath" or "Safdieway" may be added to or substituted for the destination. An indication that a footpath over a level crossing is closed and the direction of the alternative route may be added.
5	Illumination requirements: Schedule 17, item 9



2810 Direction to or along a public footpath or bridleway

Nem	
1	Regulations: 13(1), 13(4)
2	Directions: 12(3), 36, 37
3	Diagrams: None
4	Permitted variants: Schedule 16, items 9, 6, 15, 26, 29 The border and chevron may be omitted. The background, border, symbol and lettering may be any contrasting colours except red. The walking figure symbol may be omitted or varied to the ridden horse shown in diagram 622.6 or other appropriate symbol. The word "Public" may be omitted. The word "Pootpath" may be varied to "Bridleway". The name of the route or destination may be added to or substituted for the legend "Public Pootpath". An indication that a footpath over a relieve level crossing is closed and of the



illumination requirements: Schedule 17, item 9

2610.2 Direction along a footpath, bridleway or byway indicated by waymarks

nem	
Ť	Regulations: 13(1), 13(4)
2	Directions: 12(3), 36, 37
3	Diagrams: None
4	Permitted variants: Schadule 16, items 3, 6, 12 The colour of the errow may be varied to blue to incloste bridleways, or red to indicate byways open to ell treffic. The name of a destination or route or the identifying symbol of a route may be added on or adjacent to the arrow. The background and any lettering may be any contresting colours except red or yellow.
5	liumination requirements: Schadule 17, item 9

229

PART VIII


TEMPORARY AND EMERGENCY DIRECTIONAL SIGNS

SCHEDULE 7 PART VIII TEMPORARY AND EMERGENCY DIRECTIONAL SIGNS

Regulation 11(1)



2701 Direction to a new housing development



2702 Start of temporary diversion route

Item	
1	Regulations: None
2	Directions: 12(3), 33(2)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 3, 6, 15, 19, 28 The lorry symbol in diagram 804.1 may be added
â	Illumination requirements: Schedule 17, item 6

Item	
ĭ	Regulations: None
2	Directions: 12(3)
3	Diagrams: None
4	Permitted variants: Schedule 15, item 12 The arrow symbol may be replaced by the word "ends" or a distance in yards up to 400 yards to the nearest 10 yards.
5	illumination requirements: Schedule 17, item 4



2703 Direction of temporary diversion route from junction ahead


ltern	
1	Regulations: None
2	Directions: 12(3)
3	Diagrams: None
4	Permitted variants: Schedule 16, item 12 Route number may be added. Any symbol shown in Part VII of Schedule 13 may be substituted for "Diverted traffic".
5	liumination requirements: Schedule 17, item 4




2704 Direction of temporary diversion route

ltem		
1	Regulations: None	~~~~
2	Directions: 12(3)	
3	Diagrams: None	
4	Permitted variants: Schedule 16, item 15 Same as diagram 2703	
5	Illumination requirements: Schedule 17, item 4	18871188.

SCHEDULE 7 PART VIII TEMPORARY AND EMERGENCY DIRECTIONAL SIGNS (contd.)






2705

Junction ahead leading to temporary diversion routes to the destinations shown

Item	
1	Regulations: None
2	Directions: 12(3)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 3, 5, 12, 16, 19, 29, 30
5	Illumination requirements: Schedule 17, item 4

2708
Roundabout ahead leading to a temporary diversion route to the destination shown

ìtem	
1	Regulations: None
2	Directions: 12(3)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 3, 5, 16, 19, 20, 30
5	Illumination requirements: Schedule 17, item 4





2707
Direction of temporary diversion route to destination shown


ltem	
1	Regulations: None
2	Directions: 12(3)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 3, 5, 15, 19, 20, 30
5	Illumination requirements: Schedule 17, item 4

2708

Junction ahead leading to route for emergency vehicles to a temporary incident control point

ltem	
1	Regulations: 12(8)
2	Directions: 12(3)
3	Diagrams: None
4	Permitted variants: Schedule 16, Item 12 "EMERGENCY VEHICLES" may be varied to "INCIDENT CONTROL"
5	tilumination requirements: Schedule 17, item 4

SCHEDULE 7 PART VIII TEMPORARY AND EMERGENCY DIRECTIONAL SIGNS (contd.)




2709 Direction of route for emergency vehicles to an emergency services incident point

item	
1	Regulations: None
2	Directions: 12(3)
3	Diagrems: None
4	Permitted variants; Schedule 16, Item 12 Place name may be added
5	Illumination requirements: Schedule 17, item 4




2710 Direction of route for emergency vehicles to an emergency services incident point

ltem	
1	Regulations: None
2	Diractions: 12(3)
3	Diagrams: None
4),	Permitted variants: Schedula 16, Item 15 Place name may be added
5	Illumination requirements: Schedule 17, item 4



2711 Direction to emergency exit for pedestrians from a tunnel


item	
1	Regulations: 12(8)
2	Directions: None
3	Diagrams: None
4	Permitted variants: Schedule 16, flems 13, 28 Symbols may be arranged vertically
5	Illumination requirements: Schedule 17, item 2



2712 Location of fire rendezvous point


ttem	
1	Regulations: 12(8)
2	Directions: 12(3)
3	Diagrams: None
4	Permitted variants: The legend "No. 1" may be varied to another number, a letter or a compass point. "F.R.P." may be varied to "F.V.P."
5	Siumination requirements: Schedule 17, item 9

SCHEDULE 7 PART VIII TEMPORARY AND EMERGENCY DIRECTIONAL SIGNS (contd.)




2713
Direction to nearest emergency telephone box on same side of the road

tem	
1	Regulations: 12(8)
2	Directions: Nane
3	Diagrams: None
4	Permitted variants: Schedule 16, item 15
5	iflumination requirements: Schedule 17, item 9




2714 Side of emergency telephone box

tem	
1	Regulations: 12(8), 19(4)
2	Directions: None
3	Diagrams: None
4	Permitted variants: The identification number may be varied as appropriate. The colour of the legend and symbol may be varied to black
5	illumination requirements: Schedule 17, item 15



2713.1 Distance ahead to emergency telephone in a lay-by

Item	
1	Regulations; None
2	Directions: 12(3)
3	Diagrams: 642.2, 1016.1
4	Permitted variants: Schedule 16, items 6, 9, 11, 28 The "P" symbol may be placed to the left of the orange panel or omitted
5	Illumination requirements: Schedule 17, item 4



2715 Back of emergency telephone box

item	
1	Regulations: 12(8), 19(4)
2	Directions: None
3	Diegrams: None
4	Permitted variants: Same as diagram 2714
5	Illumination requirements: Schedule 17, item 15

SCHEDULE 7 PART VIII TEMPORARY AND EMERGENCY DIRECTIONAL SIGNS (contd.)



2716
Junction ahead leading to a temporary diversion route, the direction along which is indicated by a symbol shown in Part VII of Schedule 13

ltem	
1	Regulations: None
2	Directions: None
3	Diagrams: None
4	Permitted variants: Schedule 18, item 20 The diversion symbol may be varied to any of those shown in Part VII of Schedule 18 or to a route number or numbers in whitor case the legend may be on an extra line; "follow" may be omitted when route numbers are shown
3	lliumination requirements: Schedule 17, item 4


PART IX

OTHER NON-MOTORWAY DIRECTIONAL SIGNS

SCHEDULE 7 PART IX OTHER NON-MOTORWAY DIRECTIONAL SIGNS

Regulation 11(1)





2801 Junction ahead leading to Department of Transport testing station for goods vehicles

Item	
1	Regulations: None
2	Directions: 12(3)
8	Diagrams: None
4	Permitted variants: Schedule 16, items 3, 6, 12, 29
5	Illumination requirements: Schedule 17, item 9

2802 Direction to Department of Transport testing station for goods vehicles

ltem	
1	Regulations: None
2	Directions: 12(3)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 3, 6, 15, 29
5	Illumination requirements: Schedule 17, item 9



2803 Junction ahead leading to routes to Ministry of Defence establishments

Item	
1	Regulations: None
2	Directions: 12(3)
3	Diagrams: None
4	Permitted variants: Schedule 16, Items 3, 5, 12, 16, 19
5	Illumination requirements: Schedule 17, item 4

2804 Direction to a Ministry of Defence establishment

Lille

ltem		
1	Regulations: None	
2	Directions: 12(3)	
3	Diagrams: None	
4	Permitted variants: Schedule 18, items 3, 5, 15, 19	
5	litumination requirements: Schedule 17, item 4	

SCHEDULE 7 PART IX OTHER NON-MOTORWAY DIRECTIONAL SIGNS (contd.)





2805 Junction ahead leading to route advised for goods vehicles, which differs from that for other traffic

Item	
i	Regulatione: None
2	Directions: 12(3)
3	Diagrams: None
4	Permitted variants: Schedule 16, Items 12, 16, 20, 21, 22, 28 Destinations may be added to or substituted for the route numbers. Non-primary route numbers shall be shown in white characters on the black background.
ā	illumination requirements: Schedule 17, item 4

2806 Direction to destination shown of route advised for goods vehicles, which differs from that for other traffic

Item	
1	Regulations: None
2	Directiona: 12(3)
3	Diegrams: None
4	Permitted variants: Schedule 18, Items 15, 19, 20, 21, 22, 28 Route numbers may be added to or substituted for the destination. Non-primary route numbers shall be shown in white characters on the black background.
5	Illumination requirements: Schedule 17, item 4



2807 Direction to destination shown along minor rural roads

Item	
1	Regulations: None
2	Directions: 12(2)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 3, 5, 15, 19
5	Illumination requirements: Schedule 17, item 9

236

PART X

MOTORWAY SIGNS


SCHEDULE 7 PART X MOTORWAY SIGNS

Regulation 11(1)



2901 Regulations in force under section 17 of the 1984 Act start to apply to the road at this point

ltem	
1	Regulations: None
2	Directions: 13(1)
3	Diagrams: None
Ą	Permitted variants: Schedule 16, item 20
5	Illumination requirements: Schedule 17, item 1



2902

Direction to a motorway at the junction shown, indicating route number and destination reached along the motorway

item	
1	Regulations: None
2	Directions: 13(2)
3	Diagrams: None
4	Permitted varients: Schedule 16, items 15, 19, 20, 29, 30 The motorway regulations symbol shall be ornitized and the letters and numerate in Part I of Schedule 13 used for the motorway route humber where that part of the function leads indirectly to the motorway.
5	Iliumination requirements: Schedule 17, item 1

2902.1


Direction to a motorway at the junction shown, indicating route number and destination

ltem	
1	Regulations: None
2	Directions: 18(2)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 12, 20, 29,
5	Illumination requirements: Schedule 17, Item 1




2903
Motorway junction ahead, identified by the number shown on a black background, leading to the destination and route shown. The number of lanes on the motorway remains the same through the junction

Item	
1	Regulations: None
2	Directions: 19(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 7, 19, 20, 30, 94
5	flumination requirements: Schedule 17, Item 1




2904
Motorway junction shead, identified by the number shown on a black background, where the left hand lane of a motorway leads to another motorway and the other two lanes continue along the main motorway route

item	
1	Regulations: 13(2)
2	Directions: 13(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 7, 16, 19, 20, 80, 34
5	litumination requirements: Schedule 17, item 1



2904.1
Motorway junction identified by the number shown on a black background, where the left hand lane of a motorway leads to another motorway and the other two lanes portitives along the main motorway route

Item	
1	Regulations: 18(2)
2	Directions: 13(1)
3	Diagrama: None
4	Permitted variants. Schedule 16, items 16, 19, 20, 30, 34
5	lliumination requirements: Schedule 17, item 1



4	Regulations: 13(2)
2	Directions: 13(1)
3	Diagrams: None
4]	Permitted variants: Schedule 18, items 7, 9, 19, 20, 90, 34
5	Liliumination requirements: Schedule 17, item 1

Two motorway junctions ahead in quick succession, identified by the number shown on a black background, leading to the destinations and routes shown. The number of lanes on the motorway remains the same through the junction

SCHEDULE 7 PART X MOTORWAY SIGNS (contd.)



ltem	
1	Regulations: 13(2)
2	Directions: 13(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, ftems 19, 20, 30, 34
5	Illumination requirements: Schedule 17, item 1


2906 Motorway junction, identified by the number shown on a black background, leading to the destination and route shown and with an indication of the destinations reached by remaining on the motorway.

The number of lanes on the motorway remains the same through the junction.



2908 Motorway junction ahead, identified by the number wiscorway junction aneao, icentimed by the number shown on a black background, leading to the destinations and routes shown and with an indication of the destinations reached by remaining on the motorway. The number of lanes on the motorway remains the same through the junction

item	
1	Regulations: 13(2)
2	Directions: 13(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 7, 8, 19, 20, 30, 34
5	Illumination requirements: Schedule 17, Item 1



Motorway junction ahead, identified by the number shown on a black background, where the left hand lane of a motorway leads to the route and destination shown and the other two lanes continue along the main motorway route to the destinations shown

item	
1	Regulations: 13(2)
2	Directions: 13(1)
3	Diagrams: None
4	Permitted variants: Schedule 15, items 7, 9, 16, 19, 20, 30, 34
5	Illumination requirements: Schedule 17, item 1






- 200 min - 400 max

2910 Number of route reached from a motorway exit road

item	
1	Regulations: None
2	Directions: 13(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, item 20 The word "Services" may be added below the route number.
5	illumination requirements: Schedule 17, item 1

2910.1 Same as diagram 2910

Item	
1	Regulations: None
2	Directions: 13(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, item 20 The word "Services" may be added below the route number.
5	litumination requirements: Schedule 17, item 1



2911


Route number of the motorway with destinations and distances to places along or reached from that route

item	
1	Regulations: None
2	Directions: 13(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, Itaris 4, 19, 20, 30
5	litumination requirements: Schedule 17, item 1




2912 Junction ahead with another motorway

ltem	
1	Regulations: None
2	Directions: 13(1)
3	Diagrams: None
4.	Permitted variants: Schedula 16, items 4, 20
5	Illumination recuirements: Schedule 17, item 1



2913
Roundabout ahead leading from a motorway exit slip road to a primery and a non-primary route

item	
1	Regulations' 13(2)
2	Directions: 13(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 16, 18, 19, 20, 21, 22, 23, 24, 25, 26, 30, 31, 32, 34
5	tiumination requirements: Schedule 17, item 4



Termination of a motorway at a roundabout ahead leading to two primary routes and a non-primary route

item	
1	Regulations: 13(2)
2	Directions: 13(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, Items 16, 18, 19, 20, 21, 22, 23, 24, 25, 26, 30, 31, 32, 34
5	Illumination requirements: Schedule 17, Itam 4



Wotorway function ahead indicating the route to be followed for destinations not otherwise signed at that junction


item	
1	Regulations: None
2	Directions: 13(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 19, 20, 30, 34 "follow" and the route may be varied to "leave at next junction" or "leave at Junction" and the junction number; 'Junction' may be varied to "J".
Ş	lliumination requirements: Schedule 17, item 1



- 250 mln

2916
Absence of hard shoulder for the distance shown

Item	
1	Regulations: None
2	Directions: 13(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, Items 6 Legend may be shown on four lines
ε	llumination requirements: Schedule 17, Item 4




2917 Availability of motorway service areas ahead with distances and names of operators

		2918		
Distance to	next	motorway	service	area

ltem	
1	Regulations: None
2	Directions: 13(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 4, 19, 20
5	illumination requirements: Schedule 17, item 1

item .	
1	Regulations: None
2	Directions: 13(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, item 4, 20 Legend may be varied to "No services on motorway" or "No services on" and a motorway route number. When the sign is varied in either of these ways the sign may be placed on a road leading to the motorway.
5	Illumination requirements: Schedule 17, item 1



2919

Distance ahead to a named motorway service area at which fuel, parking, toilets, telephones, refreshments, facilities for disabled people, overnight accommodation and a Tourist Information Point or Centre are available 24 hours a day throughout the year, and showing the name of the operator and the price per littre of unleaded petrol

ltem	
1	Regulations: 13(1), 13(4)
2	Directions: 13(1)
3	Diagrams: None
4	Permitted variants: Schedule 18, item 8, 19 The name of the operator may be varied or omitted. Either or both of the second row of symbols may be omitted. The petrol price row may be omitted. The green pump symbol on a white panel may be replaced by a four star symbol. The price where shown shall accord with that currently being charged for 1 litre of unleaded or 4 star petrol as appropriate.
5	llumination requirements: Schedule 17, item 1






2920 Direction to a named motorway service area and showing the name of the operator

Item	
1	Regulations: 13(1), 13(4)
2	Directions: 13(1)
3	Diagrams: None
4	Permitted variants: Schedule 18, item 19 The name of the operator may be varied or omitted
5	lilumination requirements: Schedule 17, item 1

2921 Entrance to motorway service area

Item	
1	Regulations: None
2	Directions: None
3	Diagrams: None
4	Permitted variants: Schedule 16, item 15
5	Illumination requirements: Schedule 17, item 1





2922 Entrance for works traffic only

Item	
ĭ	Regulations: 12(8)
2	Directions: 13(1)
3	Diagrams: None
4	Permitted variants: None
5	litumination requirements: Schedule 17, item 4

2923 Waiting place for police vehicles only

Item	
1	Regulations: 12(8)
2	Directions: 13(1)
3	Diagrams: None
4	Permitted variants: None
5	Illumination requirements: Schedule 17, item 4




2924 Motorway junction ahead leading to the tourist attractions shown

ltem	
1	Regulations: None
2	Directions: 13(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, Items 19, 39
5	illumination requirements: Schedule 17, item 4




2925
Roundabout ahead leading from a motorway exit site road to the tourist attractions shown

Item	
1	Regulations: None
2	Directions: 13(1)
3	Diagrame: None
4	Permitted variants: Schedule 16, Items 5, 6, 16, 16, 16, 19, 28, 31, 32, 33
5	lliumination requirements: Schedula 17, item 4



2926
Junction ahead from a motorway exit slip road to the tourist attractions shown


item	
1	Regulations: None
2	Directions: 19(1)
3	Diagrams: None
4	Permitted variants: Schedule 18, items 5, 12, 16, 19, 28, 29, 31, 32, 33
õ	Illumination requirements: Schedule 17, item 4



2927
Motorway junction ahead leading to a town or geographical area in England or Scotland containing a Tourist information Point or Centre and several tourist attractions

Item	
1	Regulations: None
2	Directions: 13(1)
3	Diagrams: None
4	Permitted variants: Schedule 18, items 19, 33
5	Illumination requirements: Schedule 17, Item 4






2928 County or (in Scotland) regional boundary

Item	
1	Regulations: None
2	Directions: 13(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, item 19 The country's crest and either a message of welcome or a phrase denoting an item of local geographical or historical interest, not exceeding 3 words in either case, may be added
ő	lilumination requirements: Schadule 17, item 4

2929


Motorway junction ahead leading to route advised for goods vehicles to the destination shown, which differs from that for other traffic

Item	
1	Regulations: None
2	Directions: 13(1)
3	Diagrams: None
4	Permitted variants: Schedule 16, items 12, 18, 20, 28 Route numbers shall be shown in white characters on the black background
5	Illumination requirements: Schedule 17, Item 1



2930 Regulations referred to in the caption under diagram 2901 cease to apply ahead

Item	
1	Regulations: None
2	Directions: 19(1)
3	Diegrems; None
4	Permitted variants: "I mile" may be varied to "1/2 mile"
5	Illumination requirements: Schedule 17, Item 1



2931
Regulations referred to in the caption under diagram 2901 cease to apply at this point

Item	
1	Regulations: None
2	Directions: 13(1)
3	Diagrams: None
4	Permitted variants: None
5	Illumination requirements: Schedule 17, item 1

SCHEDULE 7 PART X MOTORWAY SIGNS (contd.)



2932
Entrance to motorway service area, maintenance compound or similer facility contained within the length of a motorway and indicating that the Regulations referred to in the capiton under diagram 2901 cease to apply at this point

Item	
1	Regulations: 12(8)
2	Directions: 13(1)
3	Diagrame: None
4	Permitted variants: None
5	Illumination requirements: Schedule 17, Item 4