STATUTORY INSTRUMENTS

1997 No. 567

AGRICULTURE PESTICIDES

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Amendment) Regulations 1997

Made - - - - 4th March 1997

Laid before Parliament 5th March 1997

Coming into force - - 30th April 1997

The Minister of Agriculture, Fisheries and Food and the Secretary of State, being Ministers designated(1) for the purposes of section 2(2) of the European Communities Act 1972(2) in relation to the common agricultural policy of the European Community, acting jointly in exercise of the powers conferred on them by the said section 2(2), and of all other powers enabling them in that behalf, hereby make the following Regulations:

Title, commencement and interpretation

- 1.—(1) These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Amendment) Regulations 1997 and shall come into force on 30th April 1997.
- (2) In these Regulations "the principal Regulations" means the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) Regulations 1994(3).

Amendment of the principal Regulations

- **2.** The principal Regulations shall be amended in accordance with regulations 3 to 6 of these Regulations.
 - 3. In Schedule 1 to the principal Regulations—
 - (a) there shall be inserted in column 1 in their appropriate alphabetically ordered positions the pesticides stated in column 1 of Schedule 1 to these Regulations and, in relation to each such pesticide, there shall be entered in column 2 the residues stated in column 2 of Schedule 1 to these Regulations opposite that pesticide;

⁽¹⁾ S.I. 1972/1811.

^{(2) 1972} c. 68.

⁽³⁾ S.I. 1994/1985, amended by S.I. 1995/1483 and 1996/1487.

- (b) for the residues stated in column 2 opposite the pesticide Dicofol there shall be substituted the words "sum of P, P' and O, P' isomers".
- **4.** In Part 1 of Schedule 2 to the principal Regulations—
 - (a) all of the maximum levels of the pesticide Diazinon per kilogramme of the products specified in that Part shall be deleted, except for the maximum levels per kilogramme stated opposite the names of the products Early potatoes, Ware potatoes, Meat, fats and preparations of meats, Milk and Dairy produce,
 - (b) all of the maximum levels of the pesticide Dicofol per kilogramme of the products specified in that Part shall be deleted, except for the maximum levels per kilogramme stated opposite the names of the products Apricots, Peaches (including nectarines and similar hybrids), Plums, Currants (red, black and white), Garlic and Cultivated mushrooms,
 - (c) all of the maximum levels of the pesticide Endosulfan per kilogramme of the products specified in that Part shall be deleted, except for the maximum levels per kilogramme stated opposite the names of the products Strawberries (other than wild), Blackberries, Currants (red, black and white), Gooseberries, Early potatoes and Ware potatoes, and
 - (d) all of the maximum levels of the pesticide Triazophos per kilogramme of the products specified in that Part shall be deleted, except for the maximum levels per kilogramme stated opposite the names of the products Garlic, Onions, Shallots, Brussels sprouts, Head cabbage, Early potatoes and Ware potatoes.
- **5.** In Part 2 of Schedule 2 to the principal Regulations there shall be inserted, in the appropriate place to preserve the alphabetical ordering from left to right, references to each pesticide stated at the head of a column in Schedule 2 to these Regulations together with the figures stated below the statement of that pesticide so that those figures will appear opposite such groups of products or such individual products in Part 2 of Schedule 2 to the principal Regulations as they appear opposite those products in Schedule 2 to these Regulations.
- **6.** The maximum levels of pesticides per kilogramme of the individual products stated opposite the names of such products in Schedule 3 to these Regulations shall be substituted for the corresponding maximum levels specified for those products in Part 2 of Schedule 2 to the principal Regulations.

Angela Browning
Parliamentary Secretary, Ministry of Agriculture,
Fisheries and Food

3rd March 1997

Parliamentary Under Secretary of State, Scottish
Office

4th March 1997

SCHEDULE 1

 $Regulation \ 3$

Column 1	Column 2
Pesticide	Residues
Chlormequat	chlormequat
Disulfoton	sum of disulfoton, disulfoton sulphoxide and disulfoton sulphone expressed as disulfoton
Fenbutatin oxide	fenbutatin oxide
Fentin	fentin expressed as triphenyltin cation
Mecarbam	mecarbam
Phorate	sum of phorate, its osygen analogue and their sulfoxides and sulphones expressed as phorate
Propoxur	propoxur
Propyzamide	propyzamide
Triforine	triforine

SCHEDULE 2

Regulation 5

Group to	Groups include	Chlorm	eq Dit zino	n Dicofol	Disulfot	orEndosu	lfa h enbuta Oxide	tilFentin	Mecarbam
which	the								
food	following	g							
belongs									
	, fresh, dr	ried or ur	icoooked,	preserve	d by freez	ing not co	ontaining	added su	gar:
nuts									
	T Kita pefru UIT	i0.05*	0.5	2	0.02*	1	0.05*	2	
	Lemons	0.05*	0.5	2	0.02*	1		0.05*	2
	Limes	0.05*	0.5	2	0.02*	1		0.05*	2
	Mandarir (incl clementin & similar hybrids)		0.5	2	0.02*	1		0.05*	2
	Oranges	0.05*	0.5	2	0.02*	1		0.05*	2
	Pomelos	0.05*	0.5	2	0.02*	1		0.05*	2
	Others	0.05*	0.5	2	0.02*	1		0.05*	2
(ii) TR	EE								

NUTS (shelled

Group to	Groups Chlormeq Diu zinon Dicofol include the					otorEndos	ulfa F ienbut Oxide	tati k entin	Mecarbam
which food	tne followin	g							
belongs	products								
or uns	helled)								
	Almonds	s 0.1*	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*
	Brazil nuts	0.1*	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*
	Cashew nuts	0.1*	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*
	Chestnut	s0.1*	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*
	Coconuts	s 0.1*	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*
	Hazelnut	s0.1*	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*
	Macadan nuts	n 0a 1*	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*
	Pecans	0.1*	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*
	Pine nuts	0.1*	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*
	Pistachio	s0.1*	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*
	Walnuts	0.1*	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*
	Others	0.1*	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*
(iii) PO FR	ME UIT								
	Apples		0.5	1	0.02*	1	2	0.05*	0.05*
	Pears	3	0.5	1	0.02*	1	2	0.05*	0.05*
	Quinces	0.05*	0.5	1	0.02*	1	2	0.05*	0.05*
	Others	0.05*	0.5	1	0.02*	1	2	0.05*	0.05*
(iv) STO	ONE UIT								
	Apricots	0.05*	0.5		0.02*	1		0.05*	0.05*
	Cherries	0.05*	0.5		0.02*	1		0.05*	0.05*
	Peaches (incl nectarine & similar hybrids)		0.5		0.02*	1		0.05*	0.05*
	Plums	0.05*	0.5		0.02*	1		0.05*	0.05*
	Others	0.05*	0.5		0.02*	1		0.05*	0.05*

Group to which food	Groups Chlorme include the following	eq Diu zino	n Dicofol	Disulfoto	onEndosuļ	fa F ienbuta Oxide	tilFentin	Mecarbam
	products							
(v) BEI								
AN								
SM. FRU	ALL IIT							
TIX								
	Taab)le (a) &							
	wine							
	grapes							
	Tabl è grapes	0.5	1	0.02*	1	2	0.05*	0.05*
	Win e grapes	0.5	1	0.02*	1	2	0.05*	0.05*
St	rawbe(ties (b) (other than wild)	0.5	2				0.05*	0.05*
	Came (c)							
	Fruit (other than wild)							
	Blackber*ies	0.5	0.02*	0.02*		0.05*	0.05*	0.05*
	Dewth 0fi tes	0.5	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*
	Log anos *ries	0.5	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*
	Ras øb@fr*i es	0.5	0.02*	0.02*	1	0.05*	0.05*	0.05*
	Others05*	0.5	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*
	Other (d) small fruit & berries (other than wild)							
	Bilb 010i& \$	0.2	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*
	Cran b0fi* es	0.02*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*
	Curr a.015 * (red, black	0.2		0.02*		0.05*	0.05*	0.05*

Group to	Groups include	Chlorme	eq Dát zin	on Dicofol	Disulfo	otorEndosi	tatiÆentin	n Mecarbam	
which food	the followin	Q							
belongs	products								
	& wh	ite)							
		o 0eD& *ries	0.2	0.02*	0.02*		0.05*	0.05*	0.05*
		netrs05*	0.02*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*
		d0.0 6e)	0.02*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*
	(12)	berries & wild fruit	0.02	0.02	0.02	0.05	0.02	0.03	0.03
	SCELLAI UIT	NEOUS							
	Avocado	s0.05*	0.02*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*
	Bananas	0.05*	0.5	2	0.02*			0.05*	0.05*
	Dates	0.05*	0.02*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*
	Figs	0.05*	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*
	Kiwi fruit	0.05*	0.5	0.02*	0.02*	1	0.05*	0.05*	0.05*
	Kumquat	ts0.05*	0.02*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*
	Litchis	0.05*	0.02*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*
	Mangoes	0.05*	0.02*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*
	Olives	0.1*	0.5	0.02*	0.02*	1	0.05*	0.05*	0.05*
	Passion fruit	0.05*	0.02*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*
	Pineapple	eØ.05*	0.02*	0.02*		0.05*	0.05*	0.05*	0.05*
	Pomegra	n@1 0 5*	0.02*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*
	Others	0.05*	0.02*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*
(i) RC AN TU	TOO		ooked, f	rozen or d	ry				
	Beetroot	0.05*	0.5	0.02*	0.02*	0.2	0.05*	0.05*	0.05*
	Carrots	0.05*	0.5	0.02*		0.2	0.05*	0.05*	0.05*
	Celeriac	0.05*	0.5	0.02*	0.02*	0.2	0.05*	0.05*	0.05*
	Horserad	i ⊗ b05*	0.5	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*

Group to which food	Groups include the followin		eq Dit izin	on Dicofol	Disulfo	otorEndosi	ılfa F ienbu Oxide	tati F entin	Mecarban
belongs	<i>products</i> Jerusalen		0.02*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*
	artichoke		0.02	0.02	0.02	0.03	0.03	0.03	0.03
	Parsnips	0.05*	0.5	0.02*		0.05*	0.05*	0.05*	0.05*
	Parsley root	0.05*	0.02*	0.02*	0.02*	0.2	0.05*	0.05*	0.05*
	Radishes	0.05*	0.5	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*
	Salsify	0.05*	0.02*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*
	Sweet potatoes	0.05*	0.02*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*
	Swedes	0.05*	0.5	0.02*	0.02*	0.2	0.05*	0.05*	0.05*
	Turnips	0.05*	0.5	0.02*	0.02*	0.2	0.05*	0.05*	0.05*
	Yams	0.05*	0.02*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*
	Others	0.05*	0.02*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*
(ii) BU VE	LB GETABL	ES							
	Garlic	0.05*	0.5		0.02*	0.05*	0.05*	0.05*	0.05*
	Onions	0.05*	0.5	0.02*	0.02*	1	0.05*	0.05*	0.05*
	Shallots	0.05*	0.5	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*
	Spring onions	0.05*	0.5	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*
	Others	0.05*	0.5	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*
	UITING GETABL	ES							
	(a)	(a) S	olanacea						
	Tor	natoes	0.5	0.5	0.02*	1		0.05*	0.05*
	Pep	ppe0s*	0.5	0.5	0.02*	1		0.05*	0.05*
	Au	b 0 r Q5 r*es	0.5	0.02*	0.02*	1		0.05*	0.05*
	Oth	n e rs05*	0.5	0.02*	0.02*	1		0.05*	0.05*
	Cucurthins	edible peel							
	Cue	c 0 m 05č rs	0.5	0.5	0.02*	1	0.5*	0.05*	0.05*
	Gh	e6k015s*	0.5	0.5	0.02*	1		0.05*	0.05*
	Cor	ufg eft ës	0.5	0.5	0.02*	1		0.05*	0.05*

Group to which	Groups Chlorm include the	eq Dit izinoi	n Dicofol	DisulfotorEndosulfaFenbutatiFentin Oxide				Mecarban
food	following							
belongs	Others 5*	0.5	0.5	0.02*	1		0.05*	0.05*
	Cucur (cit)s- (c) inedible peel	0.3	0.5	0.02	1		0.03	0.03
	Mel 0 n35*	0.5	0.5	0.02*	1		0.05*	0.05*
	Squ : 0s b:6 s*	0.5	0.5		1		0.05*	0.05*
	Wat Or Or fellons	s 0.5	0.5	0.02*	1		0.05*	0.05*
	Other 95*	0.5	0.5	0.02*	1		0.05*	0.05*
	Sweet (d) corn							
0.05*	0.5 0.02*	0.02*	0.05*	0.05*	0.05*	0.05*		
	RASSICA EGETABLES							
	Flowe(ain)g (a) Brassica	S						
	Bro@61*	0.5	0.02*		1	0.05*	0.05*	0.05*
	Caullf 05 ter	0.5	0.02*		1	0.05*	0.05*	0.05*
	Others05*	0.5	0.02*	0.02*	1	0.05*	0.05*	0.05*
	H(b)ad (b) Brassica	s						
	Bru &d5* sprouts	0.5	0.02*		1	0.05*	0.05*	0.05*
	Hea 0 .05* cabbage	0.5	0.02*		1	0.05*	0.05*	0.05*
	Oth@s05*	0.5	0.02*	0.02*	1	0.05*	0.05*	0.05*
	L ¢a) fy (c) Brassica	S						
	Chine 95* cabbage	0.5	0.02*	0.02*	1	0.05*	0.05*	0.05*
	Kale0.05*	0.5	0.02*	0.02*	1	0.05*	0.05*	0.05*
	Others 5*	0.5	0.02*	0.02*	1	0.05*	0.05*	0.05*
	(d) 0.0 6 d*) K		0.02*		0.05*	0.05*	0.05*	0.05*

8

VEGETABLES

AND

Group to which food	Groups Chlorn include the following products	neq Dit zino	n Dicofol	Disulfor	torEndosu	lfa F enbute Oxide	ati r entin	Mecarbam
FRI	ESH							
HE	RBS							
	Let(n)ce (a) &							
	similar							
	Cres 3.05*	0.5	0.02*	0.02*	1	0.05*	0.05*	0.05*
	Lam b .05* lettuce	0.5	0.02*	0.02*	1	0.05*	0.05*	0.05*
	Lett 0c@ 5*	0.5	0.02*	0.02*	1	0.05*	0.05*	0.05*
	Scar 0.10 5*	0.5	0.02*	0.02*	1	0.05*	0.05*	0.05*
	Other \$0.5*	0.5	0.02*	0.02*	1	0.05*	0.05*	0.05*
	Spin(b) (b) & similar							
	Spinach*	0.5	0.02*	0.02*	1	0.05*	0.05*	0.05*
	Beet0.05* leaves (chard)	0.5	0.02*	0.02*	1	0.05*	0.05*	0.05*
	Others:05*	0.5	0.02*	0.02*	1	0.05*	0.05*	0.05*
	(c) 0.066 V	Watteress	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*
	(d) 0.06d) \	Wi 0l.6 of	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*
	(e) (e) I	Herbs						
	Chefx 0 5*	0.5	0.02*		0.05*	0.05*	0.05*	0.05*
	Chive 05*	0.5	0.02*		0.05*	0.05*	0.05*	0.05*
	Pars 0e0 5*	0.5	0.02*		0.05*	0.05*	0.05*	0.05*
	Celeby05* leaves	0.5	0.02*		0.05*	0.05*	0.05*	0.05*
	Others:05*	0.5	0.02*		0.05*	0.05*	0.05*	0.05*
(vi) LEO VEO (fre	GETABLES							
	Beans (with pods)	0.5	0.5		1		0.05*	0.05*
	Beans (without pods)	0.5	0.5		1		0.05*	0.05*

Group to which food	Groups include the following		eq Dit zino	n Dicofol	Disulfot	orEndosuļ	fa F ienbuta Oxide	tilFentin	Mecarbam
belongs	Peas (with		0.5	0.5		1	0.05*	0.05*	0.05*
	pods) Peas (without pods)		0.5	0.5	0.02*	1	0.05*	0.05*	0.05*
	Others	0.05*	0.5	0.02*		1	0.05*	0.05*	0.05*
(vii) ST	EM GETABL	ES							
, 12	Asparagu		0.5	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*
	Cardoons		0.02*	0.02*	0.02*	1	0.05*	0.05*	0.05*
	Celery	0.05*	0.5	0.02*		1	0.05*	0.05*	0.05*
	Fennel	0.05*	0.02*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*
	Globe artichoke	0.05*	0.5		0.02*	1	0.05*	0.05*	0.05*
	Leeks	0.05*	0.5	0.02*	0.02*	1	0.05*	0.05*	0.05*
	Rhubarb	0.05*	0.02*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*
	Others	0.05*	0.02*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*
(viii) FU	NGI								
	Cultiv(at)	d (a) mushroo	0.5 oms		0.02*	1	0.05*	0.05*	0.05*
	(idly	d0.0 (b) mushroo	0.02* oms	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*
3. PU	LSES								
	Beans	0.05*				0.05*	0.05*	0.05*	0.05*
	Lentils	0.05*		0.02*	0.02*	0.05*	0.05*	0.05*	0.05*
	Peas	0.05*		0.02*	0.02*	0.05*	0.05*	0.05*	0.05*
	Others	0.05*		0.02*	0.02*	0.05*	0.05*	0.05*	0.05*
4. OI	LSEEDS								
	Linseed		0.05*	0.05*	0.02*		0.05*	0.05*	0.05*
	Peanuts	0.1*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*
	Poppy seed	0.1*	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*
	Sesame seed	0.1*	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*

Group to which	Groups include the	Chlorn	neq Dit zino	n Dicofol	Disulf	cotonEndosu	ılfa F enbu Oxide	tati F entin	Mecarban
food belongs	following								
veiongs	Sunflower seed	0.1*		0.05*	0.02*		0.05*	0.05*	0.05*
	Rape seed		0.05*	0.05*	0.02*		0.05*	0.05*	0.05*
	Soya bean	0.1*	0.05*	0.05*	0.02*		0.05*	0.05*	0.05*
	Mustard seed	0.1*	0.05*	0.05*	0.02*		0.05*	0.05*	0.05*
	Cotton seed			0.1	0.05	0.3		0.05*	0.05*
	Others	0.1*	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*
5. PO	TATOES								
	Early potatoes			0.02*			0.05*	0.1	0.05*
	Ware potatoes			0.02*			0.05*	0.1	0.05*
6. TE	ÄA								
	(black tea, processed from the leaves of Camellia sinensis)	0.1*	0.05*		0.05*		0.1*	0.1*	0.05*
7. HC									
(dried)									
	including hop pellets & unconcent powder			50				0.5	0.1*
Group to which for belongs		de the wing	Phorate	Prope	oxur	Propyzam	ide Triaz	ophos Ti	riforine

^{1.} Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts

Group to which food belongs	Groups include the following products	Phorate	Propoxur	Propyzamide	Triazophos	Triforine
(i) CITRU FRUIT						
	Grapefruit	0.05*	3	0.02*		0.05*
	Lemons	0.05*	3	0.02*		0.05*
	Limes	0.05*	3	0.02*		0.05*
	Mandarins (incl clementines & similar hybrids)	0.05*	3	0.02*		0.05*
	Oranges	0.05*	3	0.02*		0.05*
	Pomelos	0.05*	3	0.02*		0.05*
	Others	0.05*	3	0.02*		0.05*
(ii) TREE NUTS (shelled or unshell						
	Almonds	0.05*	0.05*	0.02*		
	Brazil nuts	0.05*	0.05*	0.02*	0.02*	0.05*
	Cashew nuts	0.05*	0.05*	0.02*	0.02*	0.05*
	Chestnuts	0.05*	0.05*	0.02*	0.02*	0.05*
	Coconuts	0.05*	0.05*	0.02*	0.02*	0.05*
	Hazelnuts	0.05*	0.05*	0.02*		0.05*
	Macadamia nuts	0.05*	0.05*	0.02*	0.02*	0.05*
	Pecans	0.05*	0.05*	0.02*	0.02*	0.05*
	Pine nuts	0.05*	0.05*	0.02*	0.02*	0.05*
	Pistachios	0.05*	0.05*	0.02*		0.05*
	Walnuts	0.05*	0.05*	0.02*	0.02*	0.05*
	Others	0.05*	0.05*	0.02*	0.02*	0.05*
(iii) POME FRUIT						
	Apples	0.05*	3	0.02*		2
	Pears	0.05*	3	0.02*		2

Group to which food belongs	Groups include the following products	Phorate	Propoxur	Propyzamide	e Triazophos	Triforine
	Quinces	0.05*	3	0.02*		2
	Others	0.05*	3	0.02*		2
(iv) STONI FRUIT						
	Apricots	0.05*	3	0.02*		
	Cherries	0.05*	3	0.02*	0.02*	2
	Peaches (incl nectarines & similar hybrids)	0.05*	3	0.02*		
	Plums	0.05*	3	0.02*	0.02*	1
	Others	0.05*	3	0.02*	0.02*	0.05*
(v) BERRI AND SMAL FRUIT	L	e(a)				
	wi	ne apes				
	Table grapes	0.05*	3	0.02*	0.02*	
	Wine grapes	0.05*	3	0.02*	0.02*	
	tha	ther	3			
	tha	uit :her				
	Blackb	efti@5*	3	0.02*	0.02*	0.05*
	Dewbe	ri0e05*	0.05*	0.02*	0.02*	0.05*
	Loganl	oe0r0€s*	0.05*	0.02*	0.02*	0.05*
	Raspbe	erflæ5*	3	0.02*	0.02*	0.05*
	Others	0.05*	0.05*	0.02*	0.02*	0.05*

Group to which food belongs	Groups include the following products	Phorate	Propoxur	Propyzamide	? Triazophos	Triforine
	(d)there small fruit & ber (other than will will be small fruit & ber (other than will be small fruit & ber (other than ber	all it ries ner n				
	Bilberri	63 .05*	0.05*	0.02*	0.02*	0.05*
	Cranbe	n0e95*	0.05*	0.02*	0.02*	0.05*
	Currants0.05* (red, black & white)		0.2		0.02*	2
	Gooseb	e0r0 5 s*	0.2		0.02*	2
	Others	0.05*	0.05*	0.02*	0.02*	0.05*
	(e)Wild(e).05* berries & wild fruit			0.02*	0.02*	0.05*
(vi) MISCE FRUIT	LLANEOUS					
	Avocados	0.05*	0.05*	0.02*	0.02*	0.05*
	Bananas	0.05*	0.05*	0.02*	0.02*	0.05*
	Dates	0.05*	0.05*	0.02*	0.02*	0.05*
	Figs	0.05*	0.05*	0.02*	0.02*	0.05*
	Kiwi fruit	0.05*	0.05*	0.02*	0.02*	0.05*
	Kumquats	0.05*	0.05*	0.02*	0.02*	0.05*
	Litchis	0.05*	0.05*	0.02*	0.02*	0.05*
	Mangoes	0.05*	0.05*	0.02*	0.02*	0.05*
	Olives	0.05*	3	0.02*		0.05*
	Passion fruit	0.05*	0.05*	0.02*	0.02*	0.05*
	Pineapples	0.05*	0.05*	0.02*	0.02*	0.05*
	Pomegranate	s0.05*	0.05*	0.02*	0.02*	0.05*
	Others	0.05*	0.05*	0.02*	0.02*	0.05*

Group to which food belongs	Groups include the following products	Phorate	Propoxur	Propyzamido	? Triazophos	Triforine
(i) ROOT AND TUBER VEGET	R TABLES					
	Beetroot		3	0.02*		0.05*
	Carrots		0.05*	0.02*	1	0.05*
	Celeriac	0.05*	3	0.02*		0.05*
	Horseradish	0.05*	0.05*	0.02*	0.02*	0.05*
	Jerusalem artichokes	0.05*	0.05*	0.02*	0.02*	0.05*
	Parsnips		0.05*	0.02*	1	0.05*
	Parsley root	0.05*	0.05*	0.02*	0.02*	0.05*
	Radishes	0.05*	0.05*	0.02*	0.02*	0.05*
	Salsify	0.05*	0.05*	0.02*	0.02*	0.05*
	Sweet potatoes	0.05*	0.05*	0.02*	0.02*	0.05*
	Swedes	0.05*	0.05*	0.02*	0.02*	
	Turnips	0.05*	0.05*	0.02*	0.02*	0.05*
	Yams	0.05*	0.05*	0.02*	0.02*	0.05*
	Others	0.05*	0.05*	0.02*	0.02*	0.05*
(ii) BULB VEGET	TABLES					
	Garlic	0.05*	0.05*	0.02*		
	Onions	0.05*	0.05*	0.02*		
	Shallots	0.05*	0.05*	0.02*		
	Spring onions	0.05*	0.05*	0.02*	0.02*	
	Others	0.05*	0.05*	0.02*	0.02*	
(iii) FRUIT VEGET	ING FABLES					
	(a)	(a) Solanacea	ı			
	Tomato	oes		0.02*	0.02*	
	Pepper	S	3	0.02*	0.02*	
	Auberg	gines	3	0.02*	0.02*	
	Others		3	0.02*	0.02*	

Group to which food belongs	Groups include the following products	Phorate	Propoxur	Propyzamide	Triazophos	Triforine
	Cualbribits-	ble				
	Cucum	b 0 r 0 5*		0.02*		0.5
	Gherki	ns	3	0.02*		0.5
	Courge	ettes		0.02*		0.5
	Others		3	0.02*		0.5
	Cuc(ma)bits- ine pee	dible				
	Melons	s 0.05*	3	0.02*		
	Squash	eØ.05*	3	0.02*		
	Watern	neOofs*	3	0.02*		
	Others	0.05*	3	0.02*		
	(8)weet cor		0.05*	0.02*	0.02*	0.05*
(iv) BRASS VEGET	SICA FABLES					
	Flo(me)ring Bra	(a) assicas				
	Brocco	li	3	0.02*		
	Caulifle	ower	3	0.02*		
	Others		3	0.02*		
	(bhlead Bra	(b) assicas				
	Brussel sprouts		3	0.02*		
	Head cabbag	e	3			
	Others		3	0.02*		
	(d)eafy Bra	(c) assicas				
	Chinese cabbage		3	0.02*		
	Kale		3	0.02*		
	Others		3	0.02*		

Group to which food belongs	Groups include the following products	Phorate	Propoxur	Propyzamide	r Triazophos	Triforine
	(d)	(d),0 K *bhlrabi	3	0.02*	0.02*	
(v) LEAF VEGET AND FRESH HERBS						
	I(æ) tuce & sii	e(a) milar				
	Cress		0.05*		0.02*	
	Lamb'		3		0.02*	0.05*
	Lettuc	e	3		0.02*	0.05*
	Scarol	e	3		0.02*	0.05*
	Others	}	3		0.02*	0.05*
	S (bi) nach & sir	n(b) milar				
	Spinac	ch 0.05*	3	0.02*	0.02*	
	Beet leaves (chard		3	0.02*	0.02*	0.05*
	Others	0.05*	3	0.02*	0.02*	0.05*
	(c)	(d).0Watercres	s 0.05*	0.02*	0.02*	0.05*
	(d)	(10).05% itloof	0.05*	0.02*	0.02*	0.05*
	(e)	(e) Herbs				
	Chervi	il .	3		0.02*	0.05*
	Chives	3	3		0.02*	0.05*
	Parsle	y	3		0.02*	
	Celery leaves	,	3		0.02*	0.05*
	Others	i	3		0.02*	0.05*
(vi) LEGUN VEGET (fresh)	ME TABLES					
	Beans (with pods)		3			

Group to which food belongs	Groups include the following products	Phorate	Propoxur	Propyzamide	Triazophos	Triforine
	Beans (without pods)		0.05*			
	Peas (with pods)		3	0.02*		
	Peas (without pods)		0.05*	0.02*		
	Others		0.05*	0.02*	0.02*	
(vii) STEM VEGE	ΓABLES					
	Asparagus	0.05*	0.05*	0.02*		
	Cardoons	0.05*	3	0.02*	0.02*	0.05*
	Celery		3	0.02*		
	Fennel	0.05*	3	0.02*		0.05*
	Globe artichokes	0.05*	3			
	Leeks	0.05*	1	0.02*		
	Rhubarb	0.05*	0.05*	0.02*		0.05*
	Others	0.05*	0.05*	0.02*	0.02*	0.05*
(viii) FUNG	I					
	Cul(in)ated mu	(a).05* shrooms	0.05*	0.02*	0.02*	0.05*
	(b)Wild mu	(16),05* shrooms	0.05*	0.02*	0.02*	0.05*
3. PULSI	ES					
	Beans		0.05*	0.02*	0.02*	0.05*
	Lentils	0.05*	0.05*	0.02*	0.02*	0.05*
	Peas	0.05*	0.05*	0.02*	0.02*	0.05*
	Others	0.05*	0.05*	0.02*	0.02*	0.05*
4. OILSE	EDS					
	Linseed		0.05*	0.05*		0.05*
	Peanuts	0.1	0.05*		0.02*	0.05*
	Poppy seed	0.05*	0.05*	0.02*	0.02*	0.05*
	Sesame seed	0.05*	0.05*	0.02*	0.02*	0.05*

Group to which food belongs	Groups d include th following products		Propo	oxur	Propyzam	nide Triazop	phos Tr	iforine
	Sunflower seed	0.05*	0.05*		0.02*	0.02*	0.0	5*
	Rape seed		0.05*				0.0	5*
	Soya bean	0.05*	0.05*		0.02*	0.02*	0.0	5*
	Mustard seed	0.05*	0.05*		0.02*		0.0	5*
	Cotton see	ed 0.05*	0.05*			0.1	0.0	5*
	Others	0.05*	0.05*		0.02*	0.02*	0.0	5*
5. POTA	ATOES							
	Early potatoes		0.05*		0.02*		0.0	5*
	Ware potatoes		0.05*		0.02*		0.0	5*
6. TEA								
	(black tea, processed from the leaves of Camellia sinensis)	0.1*	0.1*		0.05*	0.05*	0.1	*
7. HOP (dried)	S							
	including hop pellets & unconcent powder	0.1*	0.1*		0.05*	3	0	
to i	nclude he following	ormeq Dit zino	on Dicofol	Disulf	cotorEndosi	ulfa h enbutat Oxide	ti T entin	Mecarba
8. CER	EALS							
V	Wheat 2	0.05	0.02*	0.1	0.1	0.05*	0.05*	0.05*
R	ye 2	0.05	0.02*	0.02*	0.1	0.05*	0.05*	0.05*
Е	arley 2	0.05	0.02*	0.2	0.1	0.05*	0.05*	0.05*
S	orghum 0.05	* 0.05	0.02*	0.2	0.05*	0.05*	0.05*	0.05*
C	oats 5	0.05	0.02*	0.02*	0.1	0.05*	0.05*	0.05*

os Chlori le	meq Dat zino	n Dicofol	Disul	fotorEndosi	ılfa F enbui Oxide	tati F entin	Mecarban
ring cts							
le 2	0.05	0.02*	0.02*	0.1	0.05*	0.05*	0.05*
	0.05	0.02*	0.02*	0.2	0.05*	0.05*	0.05*
heat.05*	0.02*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*
0.05*	0.02*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*
0.05*	0.05	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*
0.05*	0.05	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*
ΓS							
ations		0.5()	0.02*	0.1()	0.05*	0.05*	
		0.1()					
		0.05*()					
		1()					
and e()		0.02	0.02	0.004	0.05*	0.05*	
		0.05*	0.02*		0.05*	0.05*	
roups clude the llowing oducts	Phorate	Propo	oxur	Propyzam	ide Triaz	ophos T	riforine
5							
heat	0.05*	0.05*		0.02*		0.	1
			2	20	20	20	20

Group to which food belongs	Groups include the following products	Phorate	Propoxur	Propyzamide	? Triazophos	Triforine
	Rye	0.05*	0.05*	0.02*		0.1
	Barley	0.05*	0.05*	0.02*		0.1
	Sorghum	0.05*	0.05*	0.02*	0.02*	0.05*
	Oats	0.05*	0.05*	0.02*		0.1
	Triticale	0.05*	0.05*	0.02*		0.1
	Maize		0.05*	0.02*		0.05*
	Buckwheat	0.05*	0.05*	0.02*	0.02*	0.05*
	Millet	0.05*	0.05*	0.02*	0.02*	0.05*
	Rice ⁽¹⁾	0.05*	0.05*	0.02*	0.02*	0.05*
	Other cereals ⁽²⁾	0.05*	0.05*	0.02*	0.02*	0.05*
9. PROD OF ANIMAL ORIGIN	UCTS					
	Meat, fat & preparations of meat ⁽³⁾	0.05*	0.05*	0.05*(12)(14)	0.01*(8)	0.05*
				$0.02^{*(13)(14)}$		
	Milk ⁽⁴⁾ and Dairy produce ⁽⁵⁾	0.02*	0.05*	0.01*(14)	0.01*	0.05*
	Eggs ⁽⁶⁾	0.05*	0.05*	$0.02^{*(14)}$		0.05*

- (1) Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
- (2) Other cereals do not include rice.
- (3) Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.
- (4) These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
- (5) For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk or a combination, the following levels apply:
 - if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
 - if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
- (6) Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
- (7) Poultry meat only.
- (8) Other than poultry meat.
- (9) Meat of cattle, sheep and goats.
- (10) Other than meat or liver of cattle, sheep and goats, and poultry meat.

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

- (11) Liver of cattle, sheep and goats. The residue definition for this MRL is: 1,1-bis-(parachlorophenol)-2,2-dichloroethanol (PP'-FW152), expressed as dicofol.
- (12) Fat, liver and kidney.
- (13) Other than fat, liver and kidney.
- (14) The residue definition for these MRLs is: sum of propyzamide and all metabolites containing the 3,5-dichlorobenzoic acid fraction expressed as propyzamide.
- (15) Footnotes 3, 5 and 6 do not apply in cases where the lower limit of analytical determination is indicated.

SCHEDULE 3

Regulation 6

Product	Carbendazin	Fenarimol	Glyphosate	Iprodione
Bananas		0.3(4)		
Courgettes	0.3(5)			
Rhubarb	2.0(6)			0.2(7)
Soya bean			20(8)	

EXPLANATORY NOTE

(This note is not part of the Regulations)

These Regulations, which do not extend to Northern Ireland, are made under section 2(2) of the European Communities Act 1972 and amend the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) Regulations 1994 ("the principal Regulations") (S.I. 1994/1985, amended by S.I. 1995/1483 and 1996/1487).

The Regulations specify maximum levels of pesticides residues which may be left in crops, food and feeding stuffs in implementation of Council Directives 96/32/EC (OJNo. L144, 18.6.96, p. 12) and 96/33/EC (OJ No. L144, 18.6.96, p. 35) which set Community maximum residue levels for the pesticides concerned for the first time (regulations 3 and 5) or replace Community maximum residue levels which have been set previously (regulation 6).

Additionally, the Regulations remove certain maximum levels which were included in Part I of Schedule 2 to the principal Regulations by virtue of powers contained in the Food and Environment Protection Act 1985 and which have been replaced by the Community maximum residue levels now included in Part 2 of that Schedule (regulation 4).

Maximum levels in these Regulations which are followed by * will, when inserted into Part 2 of Schedule 2 to the principal Regulations, connect with the explanation of that symbol given there.

See under the group "1(vi). MISCELLANEOUS FRUIT" in Schedule 2 to S.I. 1995/1483.

See under the group "2(iii)(b). FRUITING VEGETABLES" in Schedule 2 to S.I. 1995/1483.

⁽⁶⁾ See under the group "2(vii). STEM VEGETABLES" in Schedule 2 to S.I. 1995/1483.
(7) See under the group "2(vii). STEM VEGETABLES" in Part II of Schedule 2 to S.I. 1994/1985.

⁽⁸⁾ See under the group "4. OILSEEDS" in Part II of Schedule 2 to S.I. 1994/1985.

Document Generated: 2023-05-25

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

A compliance cost assessment has been prepared and a copy has been placed in the library of each House of Parliament. Copies of the compliance cost assessment can be obtained from the Pesticides Safety Directorate of the Ministry of Agriculture, Fisheries and Food, Room 312, Mallard House, Kings Pool, 3 Peasholme Green, York YO1 2PX.