STATUTORY INSTRUMENTS

1999 No. 1109

AGRICULTURE

PESTICIDES

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Amendment) Regulations 1999

Made - - - - 8th April 1999
Laid before Parliament 12th April 1999
Coming into force - - 1st August 1999

The Minister of Agriculture, Fisheries and Food and the Secretary of State, being Ministers designated(1) for the purposes of section 2(2) of the European Communities Act 1972(2) in relation to the common agricultural policy of the European Community, acting jointly in exercise of the powers conferred on them by the said section 2(2), and of all other powers enabling them in that behalf, hereby make the following Regulations:

Title, commencement and interpretation

- 1.—(1) These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Amendment) Regulations 1999 and shall come into force on 1st August 1999.
- (2) In these Regulations "the principal Regulations" means the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) Regulations 1994(3).

Amendment of the principal Regulations

- **2.** The principal Regulations shall be amended in accordance with regulations 3 to 7 of these Regulations.
 - 3. In Schedule 1 to the principal Regulations, there shall be inserted—
 - (a) in column 1 in their appropriate alphabetically ordered positions the pesticides stated in column 1 of Schedule 1 to these Regulations; and

⁽¹⁾ S.I. 1972/1811.

^{(2) 1972} c. 68.

⁽³⁾ S.I. 1994/1985, amended by S.I. 1995/1483, 1996/1487, 1997/567 and 1998/2922.

- (b) in relation to each such pesticide, in column 2 the residues stated in column 2 of Schedule 1 to these Regulations opposite that pesticide.
- **4.** In Part 1 of Schedule 2 to the principal Regulations, all of the references to the maximum levels of the pesticides listed in column 1 of Schedule 2 to these Regulations per kilogramme of the individual products or group of products stated opposite each such pesticide in column 2 of that Schedule, shall be deleted from that Part.
- **5.** In Part 2 of Schedule 2 to the principal Regulations there shall be inserted, in the appropriate place to preserve the alphabetical ordering from left to right, references to each pesticide stated at the head of a column in Schedule 3 to these Regulations together with the figure stated below the statement of that pesticide so that those figures will appear opposite the references to the product "TEA" in Part 2 of Schedule 2 to the principal Regulations as they appear opposite the reference to that product in Schedule 3 to these Regulations.
- **6.** The maximum levels of pesticides per kilogramme of an individual product stated opposite the name of each product in Schedule 4 to these Regulations shall be substituted for the corresponding maximum levels specified for each of those products in Part 2 of Schedule 2 to the principal Regulations.
 - 7. In column 2 of Schedule 3 to the principal Regulations—
 - (a) additional references to the products "Olives (table consumption)†" and "Olives (oil extract)†" shall be inserted after the reference to the product "Olives†" in that column; and
 - (b) additional references to the products "Sunflower seed (with shell)" and "Sunflower seed (without shell)" shall be inserted after the reference to the product "Sunflower seed*" in that column.

Jeff Rooker
Minister of State, Ministry of Agriculture,
Fisheries and Food

1st April 1999

Sam Galbraith
Parliamentary Under Secretary of State, Scottish
Office

8th April 1999

SCHEDULE 1

Regulation 3

Column 1	Column 2
Pesticide	Residues
Biphenthrin	Biphenthrin
Monocrotophos	Monocrotophos
Propargite	Propargite
Phosmet	Phosmet
Quinalphos	Quinalphos

SCHEDULE 2

Regulation 4

Column 1	,Column 2
Pesticide	Group of products/individual product
Chlorpyrifos methyl	Cereals
Carbendazim	Apricots
	Cherries
	Peaches
	Plums
	Table grapes
	Wine grapes
	Currants (red, black and white)
	Onions
	Tomatoes
	Cucumbers
	Brussels sprouts
	Lettuce
	Celery
	Potatoes

SCHEDULE 3

Regulation 5

to in which to food food	Groups Bipher nclude he ôllowing oroducts	nthr G ypermet l	Düc hlorvoDic	cofol Fenitro	othi &n nvaler	a le ala	athionMonocre
le an st fe or or	dried 5 eaves and ealks, ermented r therwise, amellia nensis)	0.5 0	.1*1 20	0.5	10	0.5	0.1*
Group to which food belongs	Groups l include the following products	Permethrin	Phosmet	Phoxim	Proparş	gite	Quinalphos
TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	2	0.1*	0.1*	5		2

SCHEDULE 4

Regulation 6

Group	Groups	Acephate	Carbendaz@hlorothal@hlorpyrif@hlorpyrif@ypermeth@hltamethrin
to	include		methyl
which	the		
food	following		
belongs	products		
1.			

Fruit,

fresh, dried

or

uncooked,

preserved

by

freezing

not

containing

Group to	Groups include	Acephate	Carbendo	az ın loroth	al 6hil orpyr	if G shlorpyrif G sypermeth Fm ltamethrin methyl
which food	the following					
	products					
added	1					
	i uts TRUS RUIT					
	Lemons				0.2	0.3
	Mandarins (inc clementine & similar hybrids)				2	1
	Oranges					0.5
(ii) PC FF	OME RUIT					
	Apples	1		1		
	Pears	1		1		
	Quinces	1		1		
	Others	1		1		
(iii) ST FF	ONE RUIT					
	Apricots		1	1		
	Cherries		0.1*	0.01*	0.3	
	Peaches (incl nectarines & similar hybrids)	0.2	1	1	0.2	0.5
	Plums	2	0.5			
Al SN	ERRIES ND MALL RUIT					
a)	Table & wine grapes					
	Table grapes		2			
	Wine grapes		2	3		

Groups Acepho include the following products				hlorpyrif 6 Sypermeth Pn ltamethr ethyl
Strawberries (other than wild)		3		0.05*
Cane Fruit (other than wild)				
Blackberries	0.1*	10	0.5	0.5
Dewberries	0.1*	10	0.05*	0.05*
Loganberries	0.1*	10	0.05*	0.05*
Raspberries	0.1*	10	0.5	0.5
Others	0.1*	10	0.05*	0.05*
Other small fruit & berries (other than wild)				
Cranberries			0.05*	
Currants (red, black & white)	0.1*	10	1	
Gooseberries	0.1*	10	1	
SCELLANEOUS UIT				
Bananas		0.2	3	
Figs				0.05*
les, ed,				
ָ ֭֭֭֓֞	the following products Strawberries (other than wild) Cane Fruit (other than wild) Blackberries Dewberries Loganberries Raspberries Others Other small fruit & berries (other than wild) Cranberries Currants (red, black & white) Gooseberries SCELLANEOUS UIT Bananas Figs	the following products Strawberries (other than wild) Cane Fruit (other than wild) Blackberries 0.1* Dewberries 0.1* Loganberries 0.1* Raspberries 0.1* Others 0.1* Other small fruit & berries (other than wild) Cranberries Currants (other than wild) Cranberries Currants (red, black & white) Gooseberries 0.1* SCELLANEOUS UIT Bananas Figs les,	the following products Strawberries (other than wild) Cane Fruit (other than wild) Blackberries 0.1* 10 Dewberries 0.1* 10 Loganberries 0.1* 10 Raspberries 0.1* 10 Others 0.1* 10 Other 0.1* 10 Other 10 Other 10 Cranberries 0.1* 10 Other 10 Other 11 Gother 11 Gother 11 Fuit & berries (other than wild) Cranberries 0.1* 10 Cranberries 0.1* 10 Cred, black & white) Gooseberries 0.1* 10 SCELLANEOUS UIT Bananas 0.2 Figs les,	the following products Strawberries (other than wild) Cane Fruit (other than wild) Blackberries 0.1* 10 0.5 Dewberries 0.1* 10 0.05* Loganberries 0.1* 10 0.5 Others 0.1* 10 0.5 Others 0.1* 10 0.5 Other small fruit & berries (other than wild) Cranberries 0.1* 10 1 Cranberries 0.1* 10 1 SCELLANEOUS UIT Bananas 0.2 3 Figs

Group to which	Groups 2 include the	Acephate	Carbendo	az Gh loroth	al &hil orpyri	f & shlorpyr methyl	if & yperme	th De ltamethrin
food	following							
belongs TUI	products BER							
	GETABLES							
	Carrots		0.1*	1				
	Celeriac		0.1*	0.5				
	Radishes				0.2			
	Salsify		0.1*					
	Swedes		0.1*					
	Turnips		0.1*					
(ii) BUI VEO	LB GETABLES							
	Onions		0.1*		0.2			
	Spring onions			5			0.05*	0.1
(iii) FRU VEO	JITING GETABLES							
a)	Solanacea							
	Tomatoes		0.5					
	Peppers 0	.02*	0.1*					
	Aubergines0	.5						
b)	Curcurbits —edible peel							
	Cucumbers0	.02*	0.5					
	Gherkins		0.1*	5				
	Courgettes			0.01*				
	Others			0.01*				
c)	Curcurbits							
	inedible peel							
	Melons			1			0.2	
	Squashes			1			0.2	
	Watermelon	S		1			0.2	
	Others			1			0.2	

Group to which food	Groups include the following		Carbendo	azWhloroth	al Ghl orpyrif G hlo meth	eth Pu ltamethrin
d)	products Sweet					0.05*
ŕ	corn					
	ASSICA GETABLES					
a)	Flowering Brassicas					
	Broccoli	2	0.1*	3	0.05*	
	Cauliflow	e ž	0.1*	3	0.05*	
	Others	2	0.1*	3	0.05*	
b)	Head Brassicas					
	Brussels sprouts		0.5		0.05*	
	Head cabbage		3	3	1	
	Others		3		0.05*	
c)	Leafy Brassicas					
	Chinese cabbage	0.02*		0.01*	0.5	
	Kale	0.02*		0.01*	0.05*	
	Others	0.02*		0.01*	0.05*	
AN FRI	GETABLES					
a)	Lettuce & similar					
	Cress		0.1*			
	Lamb's lettuce		0.1*		0.05*	
	Lettuce		5			
	Scarole		0.1*		0.05*	
	Others		0.1*			
b)	Spinach & similar					

Group to which	Groups include the	Acephate	Carbendo	az Gh loroth	al 6hil orpyr	rif 6 Shlorpyr methyl	if & yperme	th Pu ltamethrin
food belongs	following products							
	Spinach		0.1*					
	Others		0.1*	0.01*	0.05*	0.05*	0.5	0.5
c)	Witloof						0.05*	0.05*
d)	Herbs							
	Chervil			5	0.05*			
	Chives			5	0.05*			
	Parsley			5	0.05*			
	Celery leaves			5	0.05*			
	Others			5	0.05*			
(vi) LEO VEO (free	GETABLES							
	Beans (with pods)	3	0.1*	0.01*	0.05*			
	Beans (without pods)	0.02*	0.1*	0.05	0.05*		0.05*	0.05*
	Peas (with pods)	3	0.1*		0.05*		0.5	
	Peas (without pods)	0.02*	0.1*	0.01*	0.05*		0.05*	
	Others		0.1*		0.05*			
(vii) STE VEO	EM GETABLES							
	Asparagus				0.05*			
	Cardoons				0.05*			
	Celery		2	10	0.05*		0.05*	
	Fennel				0.05*			
	Globe artichokes	0.2			1	0.05*	2	0.1
	Leeks	0.02*		10	0.05*			0.2
	Rhubarb				0.05*			

Group to which	Groups include the		Carben	daz ın lorot	hal Ghil orpy	vrif & hlorpy methyl	vrifGsypern	neth Pæ ltamethr
food belongs	following products							
belongs	Others		,		0.05*			
(viii) FUI					0.02			
a)	Cultivated mushroom			2				
3.	musmoon	15						
PULSES	S							
	Beans	0.02*	2					
	Lentils						0.05*	
	Peas	0.02*	0.1*				0.05*	
4.	TDC							
OILSEE	Peanuts			0.05				
	Rape seed			0.02		0.05*		
5. POTATO								
TOTAL	Early potatoes		3					
	Ware potatoes		3					0.5
6. HOPS (dried)								
	including hop pellets & unconcent powder			50				
7.	1							
CEREA						2	0.054	
	Wheat					3	0.05*	
	Rye					3	0.05*	
	Barley		0.1*		0.2	3	0.2	
	Sorghum					3		
	Oats					3	0.2	
	Triticale					3		
	Maize					3		
	Buckwhea	ıt				3		

Group to which food belongs	Groups include the following products	Acephate	Carbendaz Gh loroth	al Ghil orpyr	ifGhlorpyrif methyl	Gsypermeth Pæ ltamethri
belongs	Millet				3	
	Rice (1)				3	
	Other				3	
	cereals (2)				3	
8. PRODUOF ANIMA	CTS L					
ORIGIN	Meat, fat & preparation of meat (3)	15				0.05* (5)
Group to which food belongs	Groups include the following products	Fenvalera	t&lyphosat&mazalil	Iprodione	maneb, mancozeb, metiram, propineb, zineb	Methamido Paon ethrin
1. Fruit, fresh, dried or uncooke preserve by freezing not containin added sugar:nu (i) CIT FRU	ng nts RUS ЛТ					
	Grapefruit	0.05*			5	
	Lemons	0.05*		5	5	
	Limes	0.05*			5	
	Mandarins (inc clementine			2	5	

Group to which food belongs	Groups include the following products	Fenvalerat&lyphosatelmaz	alil Iprodione	Maneb, mancozeb, metiram, propineb, zineb	Methamido phon ethrin
	& similar hybrids)				
	Oranges	0.05*		5	
	Pomelos	0.05*		5	
	Others	0.05*		5	
or					
	Hazelnuts		0.2		
(iii) POI FRI	ME UIT				
	Apples			3	0.05
	Pears			3	0.05
	Quinces			3	0.05
	Others			3	0.05
(iv) STO FRI	ONE UIT				
	Apricots	0.05*			0.1
	Peaches (incl nectarines & similar hybrids)	0.05*			0.05
	Plums				0.3
	Others				0.01*
a)	Strawberri (other than wild)	es 0.02*			1
b)	Cane Fruit (other				

Group to which food belongs	Groups include the following products	Fenvalerat&lyphosateImazalil	Iprodione	Maneb, Methamido Phon ethrin mancozeb, metiram, propineb, zineb
	than wild)			
	Dewberrie	S		0.05*
	Other small fruit & berries (other than wild)			
c)	Currants (red, black & white)			5
	Gooseberr	ies		5
(vi) MIS FRU	SCELLANE JIT	OUS		
	Bananas		3	
	Olives (table consumption	0.1* on)		
	Olives (oil extract)	2		
2. Vegetable fresh or uncooke frozen or dry				
	Beetroot		0.5	
	Carrots		0.3	0.2
	Horseradis	h	0.1	
	Parsnips		0.1	0.05*
	Radishes		0.3	0.2

Group to which food belongs	Groups include the following products	Fenvalerat & lyphoso	atelmazalil	Iprodione	Maneb, mancozel metiram, propineb, zineb	<i>b</i> ,	do Phon ethrin
	Salsify				0.2		
(ii) BUI VE	LB GETABLES						
	Onions						0.05*
	Shallots						0.05*
	Spring onions			3	0.05*		0.05*
(iii) FRU VEO	JITING GETABLES						
a)	Solanacea						
	Tomatoes		0.5		3		
	Peppers					0.01*	
b)	Curcurbits —edible peel						
	Gherkins				2		
	Courgettes	}			2		
c)	Curcurbits						
	inedible peel						
	Melons		2	0.3	0.5		
	Squashes				0.5		
	Watermelo	ons			0.5		
	Others				0.5		
	ASSICA GETABLES						
a)	Flowering Brassicas						
	Broccoli			0.05	1	0.5	
	Cauliflowe	er		0.05	1	0.5	
	Others			0.05	1	0.5	
b)	Head Brassicas						
	Brussels sprouts	0.05*		0.5	1		0.05*

VEGETABLES

Group to which food belongs	Groups include the following products		rat&lyphos	ateImazalil	Iprodione	Maneb, mancozel metiram, propineb, zineb	<i>b</i> ,	ido penn ethrin
	Head cabbage	0.05*				1		1
	Others	0.05*				1		0.05*
c)	Leafy Brassicas							
	Chinese cabbage				5	0.5		
	Kale	0.05*			0.02*	0.5		
	Others				0.02*	0.5		
d)	Kohlrabi	0.05*				0.1*		
AN FRI	GETABLES	S						
a)	Spinach & similar							
	Others	0.05*	0.1*	0.02*	0.02*	0.05*		1
b)	Watercress	S				0.3		
c)	Witloof				2			
(vi) LEO VEO (fre	GETABLES	S						
	Beans (with pods)	0.05*			5	1	0.5	
	Beans (without pods)	0.05*			0.02*	0.1	0.01*	
	Peas (with pods)	0.05*			1	1	0.5	
	Peas (without pods)	0.05*			0.2	0.1	0.01*	
	Others	0.05*				0.05*		
(vii) STE	EM	,						

Group to which food belongs	Groups include the following products		erat&lyphosateImazalil	Iprodion	e Maneb, mancozeb metiram, propineb, zineb	<i>b</i> ,
	Celery				0.5	
	Fennel			0.02*		
	Globe artichokes	1				0.1
	Leeks				3	0.01*
3. PULSES	S					
	Beans	0.05*	2		0.05*	0.01*
	Lentils	0.05*			0.05*	
	Peas	0.05*	3		0.05*	0.01*
	Others	0.05*			0.05*	
4. OILSEE	EDS					
	Linseed			0.1		
	Rape seed				0.5	
	Mustard seed		10	0.02*		
5. CEREA	LS					
	Wheat				1	
	Rye	0.05*			1	
	Barley	0.2		1	2	
	Sorghum		20		0.05*	
	Oats	0.2			2	
	Triticale	0.05*			0.05*	
	Buckwhea	ıt			0.05*	
	Millet				0.05*	
	Rice (1)			3		
	Other cereals (2)				0.05*	
6. PRODU OF ANIMA	CTS L					

ORIGIN

Group	Groups	Fenvalerat@lyphosateImazalil	Iprodione	Maneb,	Methamido Penan ethri
to	include			mancozeb,	
which	the			metiram,	
food	following			propineb,	
belongs	products			zineb	
	Meat, fat	0.05* (5)			_
	&				
	preparation	n9.5 (6)			
	of meat				
	(3)				
	Eggs (4)	0.05*			

Group to which food belongs

Groups include the following products

Procymidone

Vinclozolin

1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar:nuts

(i) POME FRUIT

Units: Maximum residue levels (MRLs) are expressed in milligrams of residue per kilogram of foodKey:

determination **FOOTNOTES:**

- **1.** Paddy or rough rice, husked rice and semi-milled or wholly milled rice
- **2.** Other cereals do not include rice
- 3. Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg
- **4.** Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared)
- 5. Poultrymeat only
- 6. Other meat products

17

¹ Level at or about the limit of

Group to which food belongs	Groups include the following products	Procymidone	Vinclozolin
	Pears	1	
(ii) STONE FRUIT			
	Apricots	2	
	Cherries	0.02*	
	Peaches (incl nectarines & similar hybrids)	2	
	Plums	2	2
	Others	2	
(v) BERRIES AND SMALL FRUIT			
a)	Other small fruit & berries (other than wild)		
	Currants (red, black & white)		10

Units: Maximum residue levels (MRLs) are expressed in milligrams of residue per kilogram of foodKey:

FOOTNOTES:

- **1.** Paddy or rough rice, husked rice and semi-milled or wholly milled rice
- **2.** Other cereals do not include rice
- 3. Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg
- **4.** Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared)
- 5. Poultrymeat only
- 6. Other meat products

¹ Level at or about the limit of determination

Group to which food belongs	Groups include the following products	Procymidone	Vinclozolin
(vi) MISCELLANEO FRUIT	US		
	Kiwi fruit		10
2. Vegetables, fresh or uncooked, frozen or dry (i) ROOT AND TUBER VEGETABLES			
	Carrots		0.5
	Horseradish		0.05*
	Radishes		0.05*
	Swedes		0.05*
(ii) LEAF VEGETABLES AND FRESH HERBS			

Units: Maximum residue levels (MRLs) are expressed in milligrams of residue per kilogram of foodKey:

FOOTNOTES:

- **1.** Paddy or rough rice, husked rice and semi-milled or wholly milled rice
- **2.** Other cereals do not include rice
- 3. Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg
- **4.** Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared)
- 5. Poultrymeat only
- 6. Other meat products

¹ Level at or about the limit of determination

Group to which food belongs	Groups include the following products	Procymidone	Vinclozolin
a)	Spinach & similar		
	Others	0.02*	
b)	Witloof	2	
(iii) LEGUME VEGETABLES (fresh)			
	Beans (without pods)	0.02*	0.5
	Peas (with pods)	1	
	Peas (without pods)	0.3	0.3
(iv) STEM VEGETABLES			
	Celery		0.05*
3. PULSES			
	Beans	0.02*	0.5
	Lentils	0.02*	0.05*

Units: Maximum residue levels (MRLs) are expressed in milligrams of residue per kilogram of foodKey:

FOOTNOTES:

- **1.** Paddy or rough rice, husked rice and semi-milled or wholly milled rice
- **2.** Other cereals do not include rice
- 3. Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg
- 4. Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared)
- 5. Poultrymeat only
- 6. Other meat products

¹ Level at or about the limit of determination

Group to which food belongs	1 0		Vinclozolin
	Peas	0.2	0.5
	Others	0.02*	0.05*

Units: Maximum residue levels (MRLs) are expressed in milligrams of residue per kilogram of foodKey:

FOOTNOTES:

- **1.** Paddy or rough rice, husked rice and semi-milled or wholly milled rice
- **2.** Other cereals do not include rice
- 3. Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg
- 4. Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared)
- 5. Poultrymeat only
- 6. Other meat products

EXPLANATORY NOTE

(This note is not part of the Regulations)

These Regulations, which do not extend to Northern Ireland, are made under section 2(2) of the European Communities Act 1972 and amend the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) Regulations 1994 ("the principal Regulations") (S.I.1994/1985, amended by S.I. 1995/1483, 1996/1487, 1997/567 and 1998/2922).

The Regulations specify maximum levels of pesticide residues which may be left in crops, food and feeding stuffs in implementation of Commission Directive 98/82/EC (OJNo. L290, 29.10.98, p. 25) which sets for the first time Community maximum residue levels for the particular pesticides which

¹ Level at or about the limit of determination

may be left in tea (regulations 3 and 5 and Schedules 1 and 3) and replaces Community maximum residue levels which have been set previously (regulation 6 and Schedule 4).

Additionally, the Regulations remove certain maximum levels which were included in Part I of Schedule 2 to the principal Regulations by virtue of powers contained in the Food and Environment Protection Act 1985 and which have been replaced by the Community maximum residue levels now included in Part 2 of that Schedule (regulation 4 and Schedule 2).

The Regulations also amend Schedule 3 to the principal Regulations by introducing new subcategories for olives and sunflower seeds, which are listed as products in that Schedule, to reflect the categories specified in Directive 98/82/EC (regulation 7).

Maximum levels in these Regulations which are followed by * will, when inserted into Part 2 of Schedule 2 to the principal Regulations, connect with the explanation of that symbol given there.

Additionally, references in regulation 7 to † or * will, when inserted into Schedule 3 to the principal Regulations, connect with the explanations of those symbols given there.