#### STATUTORY INSTRUMENTS

## 1999 No. 1148

# The Water Supply (Water Fittings) Regulations 1999

## **PART II**

## REQUIREMENTS

## Restriction on installation etc. of water fittings

- 3.—(1) No person shall—
  - (a) instal a water fitting to convey or receive water supplied by a water undertaker, or alter, disconnect or use such a water fitting; or
- (b) cause or permit such a water fitting to be installed, altered, disconnected or used, in contravention of the following provisions of this Part.
- (2) No water fitting shall be installed, connected, arranged or used in such a manner that it causes or is likely to cause—
  - (i) waste, misuse, undue consumption or contamination of water supplied by a water undertaker; or
  - (ii) the erroneous measurement of water supplied by a water undertaker.
- (3) No water fitting shall be installed, connected, arranged or used which by reason of being damaged, worn or otherwise faulty, causes or is likely to cause—
  - (i) waste, misuse, undue consumption or contamination of water supplied by a water undertaker; or
  - (ii) the erroneous measurement of water supplied by a water undertaker.

### Requirements for water fittings etc.

- **4.**—(1) Every water fitting shall—
  - (a) be of an appropriate quality and standard; and
  - (b) be suitable for the circumstances in which it is used.
- (2) For the purposes of this regulation, a water fitting is of an appropriate quality or standard only if—
  - (a) it bears an appropriate CE marking in accordance with the Directive;
  - (b) it conforms to an appropriate harmonized standard or European technical approval;
  - (c) it conforms to an appropriate British Standard or some other national specification of an EEA State which provides an equivalent level of protection and performance; or
  - (d) it conforms to a specification approved by the regulator.
- (3) Every water fitting shall comply with the requirements of Schedule 2 to these Regulations as it applies to that fitting.

- (4) Where any requirement of Schedule 2 relates to a water system, every water fitting which forms part of that system shall be fitted or, as the case may be, altered or replaced so as to comply with that requirement.
- (5) Every water fitting shall be installed, connected, altered, repaired or disconnected in a workmanlike manner.
- (6) For the purposes of this regulation, a water fitting is installed, connected, altered, repaired or disconnected in a workmanlike manner only if the work is carried out so as to conform—
  - (a) to an appropriate British Standard, a European technical approval or some other national specification of an EEA State which provides an equivalent level of protection and performance;
  - (b) to a specification approved by the regulator; or
  - (c) to a method of installation approved by the water undertaker.

#### **Notification**

- **5.**—(1) Subject to paragraph (2), any person who proposes to instal a water fitting in connection with any of the operations listed in the Table below–
  - (a) shall give notice to the water undertaker that he proposes to begin work;
  - (b) shall not begin that work without the consent of that undertaker which shall not be withheld unreasonably; and
  - (c) shall comply with any conditions to which the undertaker's consent is subject.

#### **TABLE**

- 1. The erection of a building or other structure, not being a pond or swimming pool.
- 2. The extension or alteration of a water system on any premises other than a house.
- **3.** A material change of use of any premises.
- 4. The installation of—
  - (a) a bath having a capacity, as measured to the centre line of overflow, of more than 230 litres;
  - (b) a bidet with an ascending spray or flexible hose;
  - (c) a single shower unit (which may consist of one or more shower heads within a single unit), not being a drench shower installed for reasons of safety or health, connected directly or indirectly to a supply pipe which is of a type specified by the regulator;
  - (d) a pump or booster drawing more than 12 litres per minute, connected directly or indirectly to a supply pipe;
  - (e) a unit which incorporates reverse osmosis;
  - (f) a water treatment unit which produces a waste water discharge or which requires the use of water for regeneration or cleaning;
  - (g) a reduced pressure zone valve assembly or other mechanical device for protection against a fluid which is in fluid category 4 or 5;
  - (h) a garden watering system unless designed to be operated by hand; or
  - (i) any water system laid outside a building and either less than 750mm or more than 1350mm below ground level.

- **5.** The construction of a pond or swimming pool with a capacity greater than 10,000 litres which is designed to be replenished by automatic means and is to be filled with water supplied by a water undertaker.
- (2) This regulation does not apply to the installation by an approved contractor of a water fitting falling within paragraph 2, 4(b) or 4(g) in the Table.
  - (3) The notice required by paragraph (1) shall include or be accompanied by-
    - (a) the name and address of the person giving the notice, and (if different) the name and address of the person on whom notice may be served under paragraph (4) below;
    - (b) a description of the proposed work or material change of use, and
    - (c) particulars of the location of the premises to which the proposal relates, and the use or intended use of those premises;
    - (d) except in the case of a fitting falling within paragraph (1)(d)(iii)–(v) or (1)(e) above–
      - (i) a plan of those parts of the premises to which the proposal relates, and
      - (ii) a diagram showing the pipework and fitting to be installed; and
    - (e) where the work is to be carried out by an approved contractor, the name of the contractor.
- (4) The water undertaker may withhold consent required under paragraph (1), or grant it subject to conditions, by a notice given before the expiry of the period of ten working days commencing with the day on which notice under that paragraph was given.
- (5) If no notice is given by the water undertaker within the period mentioned in paragraph (4), the consent required under paragraph (1) shall be deemed to have been granted unconditionally.

#### Contractor's certificate

- **6.**—(1) Where a water fitting is installed, altered, connected or disconnected by an approved contractor, the contractor shall upon completion of the work furnish a signed certificate stating whether the water fitting complies with the requirements of these Regulations to the person who commissioned the work.
- (2) In the case of a fitting for which notice is required under paragraph 5 above, the contractor shall send a copy of the certificate to the water undertaker.