
STATUTORY INSTRUMENTS

2001 No. 1113

**AGRICULTURE, ENGLAND AND WALES
PESTICIDES**

**The Pesticides (Maximum Residue Levels in
Crops, Food and Feeding Stuff) (England
and Wales) (Amendment) Regulations 2001**

<i>Made</i>	- - - -	<i>21st March 2001</i>
<i>Laid before Parliament</i>		<i>22nd March 2001</i>
<i>Coming into force</i>	- -	<i>15th April 2001</i>

The Minister of Agriculture, Fisheries and Food and the National Assembly for Wales, acting jointly (the National Assembly for Wales acting in relation to Wales only), being designated⁽¹⁾ for the purposes of section 2(2) of the European Communities Act 1972⁽²⁾ in relation to the Common Agricultural Policy of the European Community, in exercise of the powers conferred on them by that section, and of all other powers enabling them in that behalf, make the following Regulations:

Title, commencement and extent

1. These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) Regulations 2001; they extend to England and Wales only, and shall come into force on 15th April 2001.

Amendment to the Pesticides (Maximum Residue Levels in Crops, Food and Feedingstuffs) (England and Wales) Regulations 1999

2.—(1) The Pesticides (Maximum Residue Levels in Crops, Food and Feedingstuffs) (England and Wales) Regulations 1999⁽³⁾ shall be amended in accordance with this regulation.

(2) After paragraph (2) of regulation 4 there shall be inserted—

“(2A) Where there is a changing date at the top of a column in Part 2 of Schedule 2, and an entry is shown in both italic and non-italic type, the figure in italic type is the level until the changing date, and the figure in non-italic type is the level on and after that date.”.

(1) S.I. 1972/1811 in the case of the Minister and S.I. 1999/2788 in the case of the National Assembly for Wales.
(2) 1972 c. 68.
(3) S.I. 1999/3483.

(3) In Schedule 1 there shall be inserted at the appropriate place in columns 1 and 2 the following:

Column 1 <i>Pesticide</i>	Column 2 <i>Residues</i>
Aldicarb	sum of aldicarb, its sulfoxide and its sulfone, expressed as aldicarb
Aminotriazole (Amitrole)	aminotriazole
Amitraz	amitraz plus its metabolites containing 2,4-dimethylaniline, expressed as amitraz
Aramite	aramite
Azoxystrobin	azoxystrobin
Barban	barban
Bromopropylate	bromopropylate
Chlorbenside	chlorbenside
Chlorbufam	chlorbufam
Chlorfenson	chlorfenson
Chloroxuron	chloroxuron
Diallate	diallate
1,1-dichloro-2,2-bis (4-ethyl-phenyl-) ethane	1,1-dichloro-2,2-bis (4-ethyl-phenyl-) ethane
Fenvalerate and esfenvalerate	fenvalerate and esfenvalerate (sum of isomers)
Flucythrinate	sum of isomers
Folpet	folpet
Kresoxim-methyl	kresoxim-methyl (for plants) 2-methoxyimino-2[2-(O-tolyloxymethyl)phenyl] acetic acid (for meat, liver, fat and 2-[2-(4-hydroxy-2-methylphenoxy)methyl)phenyl]-2-methoxy-iminoacetic acid (for milk)
Methidathion	methidathion
Methomyl thiodicarb	sum of methomyl and thiodicarb expressed as methomyl
Methoxychlor	methoxychlor
Phoxim	phoxim
Profenophos	profenophos

(4) In Part I of Schedule 2 to those Regulations, the entry for the pesticide in column 1 of the following table shall be deleted in relation to the crop opposite in column 2 on the date specified in column 3:

<i>Column 1</i> Pesticide	<i>Column 2</i> Crop	<i>Column 3</i> Date of deletion
Carbendazim	strawberries (other than wild)	1 July 2001
	raspberries (other than wild)	1 April 2001
Chlorobenzilate	Citrus fruit (the whole group)	1 April 2001
Diazinon	early and ware potatoes	1 July 2001
Dicofol	apricots	1 July 2001
	peaches (incl nectarines and similar hybrids)	
	plums	
	currants (other than wild) (red, black and white)	
	garlic	
	cultivated mushrooms	
Endosulfan	strawberries (other than wild)	1 July 2001
	blackberries (other than wild)	
	currants (other than wild) (red, black and white)	
	gooseberries (other than wild)	
	early and ware potatoes	
Metalaxyl	citrus (whole group)	1 July 2001
Thiabendazole	early potatoes	1 July 2001
Triazophos	garlic/onions and shallots	1 July 2001
	brussels sprouts	
	head cabbage	
	early and ware potatoes	
Vinclozolin	celery	1 April 2001

(5) For Part 2 of Schedule 2 there shall be substituted the Schedule to these Regulations.

(6) In Schedule 3—

- (a) in paragraph 1(vi) opposite the Group of products “Miscellaneous fruit” there shall be inserted “Papaya” in the appropriate place in column 2;
- (b) in paragraph 2(iii) opposite the Group of products “Fruiting vegetables” in “(a) Solanacea” there shall be inserted “Chilli peppers” between Peppers and Aubergines in column 2.

21st March 2001

Helen Hayman
Minister of State, Ministry of Agriculture,
Fisheries and Food

15th March 2001

Elis Thomas
The Presiding Officer of the National Assembly
for Wales

SCHEDULE

Regulation 2(5)

“SCHEDULE 2

Regulation 4(1)

PART 2

Group to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin & dieldrin	Aminotriazolin (Amitrole)	Azinphos	Aramite	Atrazine	Azoxystrobin
		(changing 1 July 2001)	(changing 1 July 2001)		(changing 1 July 2001)				
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts									
i) CITRUS FRUIT									
	Grapefruit		0.2	0.05*	no MRL 0.02*		0.01*	0.1*	0.05*
	Lemons 1		0.2	0.05*	no MRL 0.02*		0.01*	0.1*	0.05*
	Limes 1		0.2	0.05*	no MRL 0.02*		0.01*	0.1*	0.05*
	Mandarins (inc clementines & similar hybrids)		0.2	0.05*	no MRL 0.02*		0.01*	0.1*	0.05*
	Oranges 1		0.2	0.05*	1		0.01*	0.1*	0.05*
	Pomelos 1		0.2	0.05*	no MRL 0.02*		0.01*	0.1*	0.05*
	Others 1		0.2	0.05*	no MRL 0.02*		0.01*	0.1*	0.05*
ii) TREE NUTS (shelled or unshelled)									
	Almonds	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.1*	
	Brazil nuts	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.1*	
	Cashew nuts	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.1*	

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Accephate	Aldicarb	Aldrin & dieldrin	Aminotriazole (Amitrole)	Amilraz	Aramite	Atrazine	Azoxystrobin
		(changing 1 July 2001)	(changing 1 July 2001)		(changing 1 July 2001)				
	Chestnuts	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.1*
	Coconuts	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.1*
	Hazelnuts	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.1*
	Macadamia nuts	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.1*
	Pecans	0.02*	0.2		0.05*	0.02*	0.01*	0.1*	0.1*
	Pine nuts	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.1*
	Pistachios	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.1*
	Walnuts	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.1*
	Others	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.1*
iii) POME FRUIT									
	Apples	1	0.05*		0.05*	1	0.01*	0.1*	0.05*
	Pears	1	0.05*		0.05*	1	0.01*	0.1*	0.05*
	Quinces	1	0.05*		0.05*	1	0.01*	0.1*	0.05*
	Others	1	0.05*		0.05*	1	0.01*	0.1*	0.05*
iv) STONE FRUIT									
	Apricots	0.02*	0.05*		0.05*	no MRL 0.02*	0.01*	0.1*	0.05*
	Cherries	0.02*	0.05*		0.05*	no MRL 0.02*	0.01*	0.1*	0.05*
	Peaches (incl nectarines & similar hybrids)	0.2 0.02*	0.05*		0.05*	1	0.01*	0.1*	0.05*
	Plums	2	0.05*		0.05*	no MRL 0.02*	0.01*	0.1*	0.05*

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin & dieldrin	Aminotriazole (Amitrole)	Azinphos	Aramite	Atrazine	Azoxystrobin
		(changing 1 July 2001)	(changing 1 July 2001)		(changing 1 July 2001)				

Others	0.02*	0.05*		0.05*	no MRL 0.02*		0.01*	0.1*	0.05*
--------	-------	-------	--	-------	-----------------	--	-------	------	-------

v) BERRIES AND SMALL FRUIT

a)	Table & wine grapes								
	Table grapes	0.02*	0.05*		0.05*	no MRL 0.02*	0.01*	0.1*	2
	Wine grapes	0.02*	0.05*		0.05*	no MRL 0.02*	0.01*	0.1*	2
b)	Strawberries (other than wild)	0.02*	no MRL 0.05*		0.05*	no MRL 0.02*	0.01*	0.1*	0.05*
c)	Cane Fruit (other than wild)								
	Blackberries	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Dewberries	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Loganberries	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Raspberries	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Others	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
d)	Other small fruit & berries (other than wild)								
	Bilberries	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Cranberries	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Acophate	Aldicarb	Aldrin & dieldrin	Aminotriazole (Amitrole)	Azinphos	Aramite	Atrazine	Azoxystrobin
		(changing 1 July 2001)	(changing 1 July 2001)		(changing 1 July 2001)				
e)	Currants (red, black & white)	0.02*	0.05*		0.05*	no MRL 0.02*	0.01*	0.1*	0.05*
	Gooseberries	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Others	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Wild berries & wild fruit	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
vi) MISCELLANEOUS FRUIT									
	Avocado	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Bananas	0.02*	no MRL 0.1		0.05*	0.02*	0.01*	0.1*	2
	Dates	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Figs	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Kiwi fruit	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Kumquat	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Litchis	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Mangoes	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Olives (table consumption)	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Olives (oil extract)	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Papaya		no MRL 0.05*			no MRL 0.02*			
	Passion fruit	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Pineapples	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*

Group to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin & dieldrin	Aminotriazole (Amitrole)	Azinphos	Aramite	Atrazine	Azoxystrobin
		(changing 1 July 2001)	(changing 1 July 2001)		(changing 1 July 2001)				
	Pomegranates	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Others	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
2. Vegetables, fresh or uncooked, frozen or dry									
i) ROOT AND TUBER VEGETABLES									
	Beetroot	0.02*	<i>no MRL</i> 0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Carrots	0.02*	<i>no MRL</i> 0.1		0.05*	0.02*	0.01*	0.1*	0.05*
	Celeriac	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Horseradish	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Jerusalem artichokes	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Parsnips	0.02*	<i>no MRL</i> 0.1		0.05*	0.02*	0.01*	0.1*	0.05*
	Parsley root	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Radishes	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Salsify	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Sweet potatoes	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Swedes	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Turnips	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Yams	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Others	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
ii) BULB VEGETABLES									
	Garlic	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Onions	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Shallots	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Accephate	Aldicarb	Aldrin & dieldrin	Aminotriazole (Amitrole)	Azinphos	Aramite	Atrazine	Azoxystrobin
		(changing 1 July 2001)	(changing 1 July 2001)		(changing 1 July 2001)				
	Spring onions	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Others	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
iii) FRUITING VEGETABLES									
a)	Solanacea								
	Tomatoes	0.5	no MRL 0.05*		0.05*	0.5	0.01*	0.1*	2
	Peppers	0.02*	no MRL 0.05*		0.05*	no MRL 0.02*	0.01*	0.1*	0.05*
	Chilli peppers						0.01*		
	Aubergines	0.5	0.05*		0.05*	no MRL 0.02*	0.01*	0.1*	0.05*
	Others	0.02*	0.05*		0.05*	no MRL 0.02*	0.01*	0.1*	0.05*
b)	Cucurbits-edible peel								
	Cucumbers	0.02*	0.05*		0.05*	no MRL 0.02*	0.01*	0.1*	1
	Gherkins	0.02*	0.05*		0.05*	no MRL 0.02*	0.01*	0.1*	1
	Courgettes	0.02*	0.05*		0.05*	no MRL 0.02*	0.01*	0.1*	1
	Others	0.02*	0.05*		0.05*	no MRL 0.02*	0.01*	0.1*	1

Group to which food belongs	Groups include the following products	Accephate	Aldicarb	Aldrin & dieldrin	Aminotriazole (Amitrole)	Azinphos	Aramite	Atrazine	Azoxystrobin
		(changing 1 July 2001)	(changing 1 July 2001)		(changing 1 July 2001)				
c)	Cucurbits-inedible peel								
	Melons	0.02*	0.05*		0.05*	no MRL 0.02*	0.01*	0.1*	0.5
	Squashes	0.02*	0.05*		0.05*	no MRL 0.02*	0.01*	0.1*	0.5
	Watermelons	0.02*	0.05*		0.05*	no MRL 0.02*	0.01*	0.1*	0.5
	Others	0.02*	0.05*		0.05*	no MRL 0.02*	0.01*	0.1*	0.5
d)	Sweet corn	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
iv) BRASSICA VEGETABLES									
a)	Flowering Brassicas								
	Broccoli	2	no MRL 0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Cauliflower	2	0.2		0.05*	0.02*	0.01*	0.1*	0.05*
	Others	2	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
b)	Head Brassicas								
	Brussels sprouts	2	0.2		0.05*	0.02*	0.01*	0.1*	0.05*
	Head cabbage	2	no MRL 0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Others	2	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
c)	Leafy Brassicas								

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin & dieldrin	Aminotriazoles (Amitrole)	Azinphos	Aramite	Atrazine	Azoxystrobin
		(changing 1 July 2001)	(changing 1 July 2001)		(changing 1 July 2001)				
	Chinese cabbage	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Kale	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Others	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
d)	Kohlrabi	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
v) LEAF VEGETABLES AND FRESH HERBS									
a)	Lettuce & similar								
	Cress	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Lamb's lettuce	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Lettuce 1		0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Scarole	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Others	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
b)	Spinach & similar								
	Spinach	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Beet leaves (chard)	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Others	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
c)	Watercress	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
d)	Witloof	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
e)	Herbs								
	Chervil	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Chives	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Parsley	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Celery leaves	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Others	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*

Group to which food belongs	Groups include the following products	Acephate		Aldicarb & dieldrin		Aldrin		Aminotriazoles (Amitrole)		Azinphos		Aramite		Atrazine		Azoxystrobin	
		(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)
vi) LEGUME VEGETABLES (fresh)																	
	Beans (with pods)	3	0.05*			0.05*	0.02*	0.01*	0.1*	0.05*							
	Beans (without pods)	0.02*	0.05*			0.05*	0.02*	0.01*	0.1*	0.05*							
	Peas (with pods)	3	0.05*			0.05*	0.02*	0.01*	0.1*	0.05*							
	Peas (without pods)	0.02*	0.05*			0.05*	0.02*	0.01*	0.1*	0.05*							
	Others		0.05*			0.05*	0.02*	0.01*	0.1*	0.05*							
vii) STEM VEGETABLES																	
	Asparagus	0.02*	0.05*			0.05*	0.02*	0.01*	0.1*	0.05*							
	Cardoon	0.02*	0.05*			0.05*	0.02*	0.01*	0.1*	0.05*							
	Celery	0.02*	0.05*			0.05*	0.02*	0.01*	0.1*	0.05*							
	Fennel	0.02*	0.05*			0.05*	0.02*	0.01*	0.1*	0.05*							
	Globe artichokes	0.2	0.05*			0.05*	0.02*	0.01*	0.1*	0.05*							
	Leeks	0.02*	<i>no MRL</i> 0.05*			0.05*	0.02*	0.01*	0.1*	0.05*							
	Rhubarb	0.02*	0.05*			0.05*	0.02*	0.01*	0.1*	0.05*							
	Others	0.02*	0.05*			0.05*	0.02*	0.01*	0.1*	0.05*							
viii) FUNGI																	
a)	Cultivated mushrooms	0.02*	0.05*			0.05*	0.02*	0.01*	0.1*	0.05*							
b)	Wild mushrooms	0.02*	0.05*			0.05*	0.02*	0.01*	0.1*	0.05*							
3. PULSES																	
	Beans	0.02*	0.05*			0.05*	0.02*	0.01*	0.1*	0.05*							

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Acaphate	Aldicarb	Aldrin & dieldrin	Aminotriazole (Amitrole)	Azinphos	Aramite	Atrazine	Azoxystrobin
		(changing 1 July 2001)	(changing 1 July 2001)			(changing 1 July 2001)			
	Lentils	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Peas	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Others	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
4. OILSEEDS									
	Linseed	0.02*	<i>no MRL</i> 0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Peanuts	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Poppy seed	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Sesame seed	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Sunflower seed	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Rape seed	0.02*	<i>no MRL</i> 0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Soya bean	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Mustard seed	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Cotton seed	0.02*	<i>no MRL</i> 0.05*		0.05*	<i>no MRL</i> 1	0.01*	0.1*	0.05*
	Others	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
5. POTATOES									
	Early potatoes	0.02*	<i>no MRL</i> 0.5		0.05*	0.02*	0.01*	0.1*	0.05*
	Ware potatoes	0.02*	<i>no MRL</i> 0.5		0.05*	0.02*	0.01*	0.1*	0.05*
6. TEA	(dried leaves and	0.1*	0.05*	0.02	0.1*	0.1*	0.1*	0.1*	0.1*

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin & dieldrin	Aminotriazole (Amitrole)	Azinphos	Aramite	Atrazine	Azoxystrobin
		(changing 1 July 2001)	(changing 1 July 2001)		(changing 1 July 2001)				

7. HOPS (dried)	stalks, fermented or otherwise, Camellia sinensis) including hop pellets & unconcentrated powder	0.1*	no MRL 0.05*		0.1*	50	0.1*	0.1*	0.1*
-----------------	--	------	--------------	--	------	----	------	------	------

Group to which food belongs	Groups include the following products	Barban	Benalax	Benfurac	Carbapac	Biphenyl	Brimop	Busathyl	Cyfluthrin	Chlorfiprole (Toxaphene)
				(changing 1 July 2001)	(changing 1 July 2001)					

1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts

i) CITRUS FRUIT

Grapefruit	0.05*	0.05*	no MRL 0.05*	0.05*		0.05*		0.1*
Lemons	0.05*	0.05*	no MRL 0.05*	0.05*		0.05*		0.1*
Limes	0.05*	0.05*	no MRL 0.05*	0.05*		0.05*		0.1*
Mandarin (inc clementines & similar hybrids)	0.05*	0.05*	no MRL 0.05*	0.05*		0.05*		0.1*

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups to include the following products	(changing 1 July 2001)		Cinopac	Biphenyl	Brimop	Etoxyl	Cyfluthrin	Chloro	(Toxaphene)
		Barban	Benalaxyl							
	Oranges	0.05*	0.05*	no MRL 0.05*	0.05*	0.05*				0.1*
	Pomelos	0.05*	0.05*	no MRL 0.05*	0.05*	0.05*				0.1*
	Others	0.05*	0.05*	no MRL 0.05*	0.05*	0.05*				0.1*
ii) TREE NUTS (shelled or unshelled)										
	Almonds	0.05*	0.05*	0.05*	0.05*	0.05*				0.1*
	Brazil nuts	0.05*	0.05*	0.05*	0.05*	0.05*				0.1*
	Cashew nuts	0.05*	0.05*	0.05*	0.05*	0.05*				0.1*
	Chestnuts	0.05*	0.05*	0.05*	0.05*	0.05*				0.1*
	Coconuts	0.05*	0.05*	0.05*	0.05*	0.05*				0.1*
	Hazelnuts	0.05*	0.05*	no MRL 0.05*	0.05*	0.05*				0.1*
	Macadamia nuts	0.05*	0.05*	0.05*	0.05*	0.05*				0.1*
	Pecans	0.05*	0.05*	0.05*	0.05*	0.05*				0.1*
	Pine nuts	0.05*	0.05*	0.05*	0.05*	0.05*				0.1*
	Pistachios	0.05*	0.05*	0.05*	0.05*	0.05*				0.1*
	Walnuts	0.05*	0.05*	0.05*	0.05*	0.05*				0.1*
	Others	0.05*	0.05*	0.05*	0.05*	0.05*				0.1*
iii) POME FRUIT										
	Apples	0.05*	0.05*	0.05*	0.05*	0.05*				0.1*
	Pears	0.05*	0.05*	0.05*	0.05*	0.05*				0.1*
	Quinces	0.05*	0.05*	0.05*	0.05*	0.05*				0.1*
	Others	0.05*	0.05*	0.05*	0.05*	0.05*				0.1*

Group to which food belongs	Groups to include the following products	(changing 1 July 2001)		(changing 1 July 2001)		Dinopropylchlor (Toxaphene)	
		Barban	Benalax	Benfurac	Carbapac		Biphent
iv) STONE FRUIT							
	Apricots	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Cherries	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Peaches (incl nectarines & similar hybrids)	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Plums	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
v) BERRIES AND SMALL FRUIT							
a)	Table & wine grapes						
	Table grapes	0.05*	0.2	0.05*	0.05*	0.05*	0.1*
	Wine grapes	0.05*	0.2	0.05*	0.05*	0.05*	0.1*
b)	Strawberries (other than wild)	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
c)	Cane Fruit (other than wild)						
	Blackberries	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Dewberries	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Loganberries	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Raspberries	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
d)	Other small						

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups to include the following products	(changing 1 July 2001)		(changing 1 July 2001)		(changing 1 July 2001)	
		Barban	Benalax	Benfura	Binpac	Biphent	Binmop
	fruit & berries (other than wild)						
	Bilberries	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Cranberries	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Currants (red, black & white)	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Gooseberries	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
e)	Wild berries & wild fruit	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
vi) MISCELLANEOUS FRUIT							
	Avocado	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Bananas	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Dates	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Figs	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Kiwi fruit	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Kumquat	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Litchis	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Mangoes	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Olives (table consumption)	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Olives (oil extract)	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*

Group to which food belongs	Groups include the following products	(changing 1 July 2001)		Cinopac	Biphenyl	Brimop	Esothyl	Copolychlor (Toxaphene)
		Barban	Benalaxyl					
	Papaya	<i>no MRL</i>	<i>no MRL</i>					
	Passion fruit	0.05*	0.05*	0.05*	0.05*	0.05*		0.1*
	Pineapples	0.05*	0.05*	0.05*	0.05*	0.05*		0.1*
	Pomegranates	0.05*	0.05*	0.05*	0.05*	0.05*		0.1*
	Others	0.05*	0.05*	0.05*	0.05*	0.05*		0.1*
2. Vegetables, fresh or uncooked, frozen or dry								
i) ROOT AND TUBER VEGETABLES								
	Beetroot	0.05*	0.05*	0.05*	0.05*	0.05*		0.1*
	Carrots	0.05*	0.05*	0.05*	0.05*	0.05*		0.1*
	Celeriac	0.05*	0.05*	0.05*	0.05*	0.05*		0.1*
	Horseradish	0.05*	0.05*	0.05*	0.05*	0.05*		0.1*
	Jerusalem artichokes	0.05*	0.05*	0.05*	0.05*	0.05*		0.1*
	Parsnips	0.05*	0.05*	0.05*	0.05*	0.05*		0.1*
	Parsley root	0.05*	0.05*	0.05*	0.05*	0.05*		0.1*
	Radishes	0.05*	0.05*	0.05*	0.05*	0.05*		0.1*
	Salsify	0.05*	<i>no MRL</i>	0.05*	0.05*	0.05*		0.1*
	Sweet potatoes	0.05*	0.05*	0.05*	0.05*	0.05*		0.1*
	Swedes	0.05*	0.05*	0.05*	0.05*	0.05*		0.1*
	Turnips	0.05*	0.05*	0.05*	0.05*	0.05*		0.1*
	Yams	0.05*	0.05*	0.05*	0.05*	0.05*		0.1*
	Others	0.05*	0.05*	0.05*	0.05*	0.05*		0.1*
ii) BULB VEGETABLES								
	Garlic	0.05*	0.05*	0.05*	0.05*	0.05*		0.1*
	Onions	0.05*	0.2	0.05*	0.05*	0.05*		0.1*

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups to include the following products	(changing 1 July 2001)		Benfuracil	Cinopac	Biphenyl	Brimop	Esothyl	Cophene	Dichloro (Toxaphene)
		Barban	Benalaxyl							
	Shallots	0.05*	0.05*	0.05*	0.05*		0.05*			0.1*
	Spring onions	0.05*	0.05*	0.05*	0.05*		0.05*			0.1*
	Others	0.05*	0.05*	0.05*	0.05*		0.05*			0.1*
iii) FRUITING VEGETABLES										
a)	Solanacea									
	Tomatoes	0.05*	0.2	0.05*	0.05*		0.05*			0.1*
	Peppers	0.05*	0.2	0.05*	0.05*		0.05*			0.1*
	Chilli peppers	0.05*								
	Aubergines	0.05*	0.05* 0.2	0.05*	0.05*		0.05*			0.1*
	Others	0.05*	0.05*	0.05*	0.05*		0.05*			0.1*
b)	Cucurbits-edible peel									
	Cucumbers	0.05*	0.05*	0.05*	0.05*		0.05*			0.1*
	Gherkins	0.05*	0.05*	0.05*	0.05*		0.05*			0.1*
	Courgettes	0.05*	0.05*	0.05*	0.05*		0.05*			0.1*
	Others	0.05*	0.05*	0.05*	0.05*		0.05*			0.1*
c)	Cucurbits-inedible peel									
	Melons	0.05*	no MRL 0.1	no MRL 0.05*	0.05*		0.05*			0.1*
	Squashes	0.05*	0.05*	no MRL 0.05*	0.05*		0.05*			0.1*
	Watermelons	0.05*	no MRL 0.1	no MRL 0.05*	0.05*		0.05*			0.1*

Group to which food belongs	Groups to include the following products	Barban	Benalaxyl	Benfuracil	Carbapac	Biphenyl	Binmop	Busathyl	Cyfluthrin	Chlorfiprole (Toxaphene)
		(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)
	Others	0.05*	0.05*	no MRL 0.05*	0.05*		0.05*		0.1*	
d)	Sweet corn	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	
iv) BRASSICA VEGETABLES										
a)	Flowering Brassicas									
	Broccoli	0.05*	0.05*	no MRL 0.05*	0.05*		0.05*		0.1*	
	Cauliflower	0.05*	0.05*	no MRL 0.05*	0.05*		0.05*		0.1*	
	Others	0.05*	0.05*	no MRL 0.05*	0.05*		0.05*		0.1*	
b)	Head Brassicas									
	Brussels sprouts	0.05*	0.05*	no MRL 0.05*	0.05*		0.05*		0.1*	
	Head cabbage	0.05*	0.05*	no MRL 0.05*	0.05*		0.05*		0.1*	
	Others	0.05*	0.05*	no MRL 0.05*	0.05*		0.05*		0.1*	
c)	Leafy Brassicas									
	Chinese cabbage	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	
	Kale	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	
	Others	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	
d)	Kohlrabi	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups to include the following products	Barban	Benalax	Benfurac	Carapac	Biphen	Binmop	Bruthyl	Copha	Chlor (Toxaphene)
		(changing 1 July 2001)	(changing 1 July 2001)							
v) LEAF VEGETABLES AND FRESH HERBS										
a)	Lettuce & similar									
	Cress	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	
	Lamb's lettuce	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	
	Lettuce	0.05*	no MRL 0.05	0.05*	0.05*		0.05*		0.1*	
	Scarole	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	
	Others	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	
b)	Spinach & similar									
	Spinach	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	
	Beet leaves (chard)	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	
	Others	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	
c)	Watercress	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	
d)	Witloof	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	
e)	Herbs									
	Chervil	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	
	Chives	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	
	Parsley	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	
	Celery leaves	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	
	Others	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	
vi) LEGUME VEGETABLES (fresh)										
	Beans (with pods)	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	

Group to which food belongs	Groups to include the following products	(changing 1 July 2001)		(changing 1 July 2001)		0.05*	0.1*
		Barban	Benalax	Benfura	Carapac		
	Beans (without pods)	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Peas (with pods)	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Peas (without pods)	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
vii) STEM VEGETABLES							
	Asparagus	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Cardoons	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Celery	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Fennel	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Globe artichokes	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Leeks	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Rhubarb	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
viii) FUNGI							
a)	Cultivated mushrooms	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
b)	Wild mushrooms	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
3. PULSES							
	Beans	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Lentils	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Peas	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
4. OILSEEDS							
	Linseed	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups to include the following products	Barban	Benalax	Benfurac	Carbapac	Biphenyl	Brimop	Busathyl	Cyfluthrin	Chlor
				(changing 1 July 2001)	(changing 1 July 2001)					(Toxaphene)
	Peanuts	0.05*	0.05*	0.05*	0.05*		0.05*			0.1*
	Poppy seed	0.05*	0.05*	0.05*	0.05*		0.05*			0.1*
	Sesame seed	0.05*	0.05*	0.05*	0.05*		0.05*			0.1*
	Sunflower seed	0.05*	0.05*	0.05*	0.05*		0.05*			0.1*
	Rape seed	0.05*	<i>no MRL</i> 0.05*	0.05*	0.05*		0.05*			0.1*
	Soya bean	0.05*	<i>no MRL</i> 0.05*	<i>no MRL</i> 0.05*	0.05*		0.05*			0.1*
	Mustard seed	0.05*	0.05*	0.05*	0.05*		0.05*			0.1*
	Cotton seed	0.05*	0.05*	<i>no MRL</i> 0.05*	0.05*		0.05*			0.1*
	Others	0.05*	0.05*	0.05*	0.05*		0.05*			0.1*
5. POTATOES										
	Early potatoes	0.05*	0.05*	0.05*	0.05*		0.05*			0.1*
	Ware potatoes	0.05*	0.05*	0.05*	0.05*		0.05*			0.1*
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	0.1*	0.1*	0.1*	5	0.1*	0.1*		0.1*
7. HOPS (dried)	including hop pellets &	0.1*	0.1*	5	0.1*		0.1*			0.1*

Group to which food belongs	Groups include the following products	Barban	Benalax	Benfura	Carbapac	Biphen	Binmop	Busathyl	Copphlor (Toxaphene)
		(changing 1 July 2001)		(changing 1 July 2001)		(changing 1 July 2001)		(changing 1 July 2001)	
	unconcentrated powder								
Group to which food belongs	Groups include the following products	Captafol	Carbenda	Zinbofur	Carbosulfar	Cartap	Chlorben	Silborbufam	
		(changing 1 July 2001)		(changing 1 July 2001)		(changing 1 July 2001)		(changing 1 July 2001)	

1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts

i) CITRUS FRUIT

Grapefruit	0.02*	5	<i>no MRL</i>	<i>no MRL</i>		0.01*	0.05*
			0.3	0.05*			
Lemons	0.02*	5	<i>no MRL</i>	<i>no MRL</i>		0.01*	0.05*
			0.3	0.05*			
Limes	0.02*	5	<i>no MRL</i>	<i>no MRL</i>		0.01*	0.05*
			0.3	0.05*			
Mandarin (inc clementines & similar hybrids)	0.02*	5	<i>no MRL</i>	<i>no MRL</i>		0.01*	0.05*
			0.3	0.05*			
Oranges	0.02*	5	<i>no MRL</i>	<i>no MRL</i>		0.01*	0.05*
			0.3	0.05*			
Pomelos	0.02*	5	<i>no MRL</i>	<i>no MRL</i>		0.01*	0.05*
			0.3	0.05*			
Others	0.02*	5	<i>no MRL</i>	<i>no MRL</i>		0.01*	0.05*
			0.3	0.05*			

ii) TREE NUTS (shelled or unshelled)

Almonds	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
Brazil nuts	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
Cashew nuts	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Captafol	Carbendazim	Zinbafur	Carbosulfuron	Cartap	Chlorbenzilate	Silbubufam
		(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)
	Chestnuts	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Coconuts	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Hazelnuts	0.02*	0.1*	no MRL 0.1*	0.05*		0.01*	0.05*
	Macadamia nuts	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Pecans	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Pine nuts	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Pistachios	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Walnuts	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
iii) POME FRUIT								
	Apples	0.02*	2	no MRL 0.1*	no MRL 0.05*		0.01*	0.05*
	Pears	0.02*	2	no MRL 0.1*	no MRL 0.05*		0.01*	0.05*
	Quinces	0.02*	2	no MRL 0.1*	no MRL 0.05*		0.01*	0.05*
	Others	0.02*	2	no MRL 0.1*	no MRL 0.05*		0.01*	0.05*
iv) STONE FRUIT								
	Apricots	0.02*	1	no MRL 0.1*	no MRL 0.05*		0.01*	0.05*
	Cherries	0.02*	0.1*	no MRL 0.1*	no MRL 0.05*		0.01*	0.05*
	Peaches (incl nectarines & similar hybrids)	0.02*	1	no MRL 0.1*	no MRL 0.05*		0.01*	0.05*
	Plums	0.02*	0.5	no MRL 0.1*	no MRL 0.05*		0.01*	0.05*

Group to which food belongs	Groups include the following products	Captafol	Carbendazim	Zimbufenox	Carbosulfuron	Cartap	Chlorbenzilate	Silbubufam
		(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)
	Others	0.02*	0.1*	no MRL 0.1*	no MRL 0.05*		0.01*	0.05*
v) BERRIES AND SMALL FRUIT								
a)	Table & wine grapes							
	Table grapes	0.02*	2	0.1*	0.05*		0.01*	0.05*
	Wine grapes	0.02*	2	0.1*	0.05*		0.01*	0.05*
b)	Strawberries (other than wild)	0.02*	no MRL 0.1*	no MRL 0.1*	0.05*		0.01*	0.05*
c)	Cane Fruit (other than wild)							
	Blackberries	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Dewberries	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Loganberries	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Raspberries	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
d)	Other small fruit & berries (other than wild)							
	Bilberries	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Cranberries	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Currants (red, black & white)	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Captafol	Carbendazim	Zinbafur	Carbosulfuron	Cartap	Chlorbentaz	Siltorbufam
		(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)
e)	Gooseberries	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Wild berries & wild fruit	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
vi) MISCELLANEOUS FRUIT								
	Avocados	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Bananas	0.02*	1	0.1*	0.05*		0.01*	0.05*
	Dates	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Figs	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Kiwi fruit	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Kumquats	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Litchis	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Mangoes	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Olives (table consumption)	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Olives (oil extract)	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Papaya		<i>no MRL</i> 0.1*	<i>no MRL</i> 0.1*	<i>no MRL</i> 0.05*			
	Passion fruit	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Pineapples	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Pomegranates	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*

2. Vegetables, fresh or uncooked, frozen or dry

i) ROOT AND TUBER VEGETABLES

Beetroot	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
Carrots	0.02*	0.1*	0.3	0.1		0.01*	0.05*

Group to which food belongs	Groups include the following products	Captafol	Carbendazim	Zinbafur	Carbosulfuron	Cartap	Chlorbenzilate	Silbubufam
		(changing 1 July 2001)			(changing 1 July 2001)			
	Celeriac	0.02*	0.1*	no MRL 0.1*	0.05*		0.01*	0.05*
	Horseradish	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Jerusalem artichokes	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Parsnips	0.02*	0.1*	0.3	0.1		0.01*	0.05*
	Parsley root	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Radishes	0.02*	0.1*	0.5	0.05*		0.01*	0.05*
	Salsify	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Sweet potatoes	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Swedes	0.02*	0.1*	no MRL 0.2	no MRL 0.05*		0.01*	0.05*
	Turnips	0.02*	0.1*	no MRL 0.2	no MRL 0.05*		0.01*	0.05*
	Yams	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
ii) BULB VEGETABLES								
	Garlic	0.02*	0.1*	0.3	0.05*		0.01*	0.05*
	Onions	0.02*	0.1*	0.3	no MRL 0.05*		0.01*	0.05*
	Shallots	0.02*	0.1*	0.3	0.05*		0.01*	0.05*
	Spring onions	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
iii) FRUITING VEGETABLES								
a)								
	Solanacea							
	Tomatoes	0.02*	0.5	0.1*	0.05*		0.01*	0.05*
	Peppers	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Chilli peppers						0.01*	0.05*
	Aubergines	0.02*	0.5	0.1*	0.05*		0.01*	0.05*

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Captafol	Carbendazim	Cyflufenfur	Carbosulfuron	Cartap	Chlorbenzilate	Silborbufam
		(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
b)	Cucurbits-edible peel							
	Cucumbers	0.02*	0.5	0.1*	0.05*		0.01*	0.05*
	Gherkins	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Courgettes	0.02*	0.3	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
c)	Cucurbits-inedible peel							
	Melons	0.02*	0.5	no MRL 0.2	no MRL 0.05*		0.01*	0.05*
	Squashes	0.02*	0.5	0.1* 0.2	no MRL 0.05*		0.01*	0.05*
	Watermelons	0.02*	0.1*	0.1* 0.2	no MRL 0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1* 0.2	no MRL 0.05*		0.01*	0.05*
d)	Sweet corn	0.02*	0.1*	no MRL 0.1*	0.05*		0.01*	0.05*
iv) BRASSICA VEGETABLES								
a)	Flowering Brassicas							
	Broccoli	0.02*	0.1*	0.2	no MRL 0.05*		0.01*	0.05*
	Cauliflowers	0.02*	0.1*	0.2	no MRL 0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.2	no MRL 0.05*		0.01*	0.05*
b)	Head Brassicas							
	Brussels sprouts	0.02*	0.5	no MRL 0.1*	no MRL 0.05*		0.01*	0.05*

Group to which food belongs	Groups include the following products	Captafol	Carbendazim	(changing 1 July 2001)		Chlorbenzilate	Siltorbufam	
				Carbendazim	Carbosulfuron			
c)	Head cabbage	0.02*	3	no MRL 0.1*	no MRL 0.05*	0.01*	0.05*	
	Others	0.02*	3	no MRL 0.1*	no MRL 0.05*	0.01*	0.05*	
	Leafy Brassicas							
	Chinese cabbage	0.02*	0.1*	no MRL 0.1*	no MRL 0.05*	0.01*	0.05*	
	Kale	0.02*	0.1*	no MRL 0.1*	no MRL 0.05*	0.01*	0.05*	
	Others	0.02*	0.1*	no MRL 0.1*	no MRL 0.05*	0.01*	0.05*	
	d)	Kohlrabi	0.02*	0.1*	0.2	0.2 0.05*	0.01*	0.05*
	v) LEAF VEGETABLES AND FRESH HERBS							
	a)	Lettuce & similar						
		Cress	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*
Lamb's lettuce		0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
Lettuce		0.02*	5	0.1*	0.05*	0.01*	0.05*	
Scarole		0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
Others		0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
b)	Spinach & similar							
	Spinach	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
	Beet leaves (chard)	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
	Others	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
c)	Watercress	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
d)	Witloof	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Captafol	Carbendazim	Zinbafur	Carbosulfuron	Cartap	Chlorbenzilate	Siltorbufam
		(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)
e)	Herbs							
	Chervil	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Chives	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Parsley	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Celery leaves	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
vi)	LEGUME VEGETABLES (fresh)							
	Beans (with pods)	0.02*	0.1*	<i>no MRL</i> 0.1*	0.05*		0.01*	0.05*
	Beans (without pods)	0.02*	0.1*	<i>no MRL</i> 0.1*	0.05*		0.01*	0.05*
	Peas (with pods)	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Peas (without pods)	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
vii)	STEM VEGETABLES							
	Asparagus	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Cardoons	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Celery	0.02*	2	<i>no MRL</i> 0.1*	<i>no MRL</i> 0.05*		0.01*	0.05*
	Fennel	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Globe artichokes	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Leeks	0.02*	0.1*	<i>no MRL</i> 0.1*	<i>no MRL</i> 0.05*		0.01*	0.05*
	Rhubarb	0.02*	2	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
viii)	FUNGI							

Group to which food belongs	Groups include the following products	Captafol	(changing 1 July 2001)			Chlorbenz	Siltorbufam
			Carbendazim	Zinbafur	Carbosulfur		
a)	Cultivated mushrooms	0.02*	1	0.1*	0.05*	0.01*	0.05*
b)	Wild mushrooms	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*
3. PULSES							
	Beans	0.02*	2	<i>no MRL</i> 0.1*	0.05*	0.01*	0.05*
	Lentils	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*
	Peas	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*
4. OILSEEDS							
	Linseed	0.02*	0.1*	<i>no MRL</i> 0.1*	0.05*	0.01*	0.05*
	Peanuts	0.02*	0.1*	<i>no MRL</i> 0.1*	0.05*	0.01*	0.05*
	Poppy seed	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*
	Sesame seed	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*
	Sunflower seed	0.02*	0.1*	<i>no MRL</i> 0.1*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Rape seed	0.02*	0.1*	<i>no MRL</i> 0.1*	0.05*	0.01*	0.05*
	Soya bean	0.02*	0.2*	<i>no MRL</i> 0.1*	0.05*	0.01*	0.05*
	Mustard seed	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*
	Cotton seed	0.02*	0.1*	<i>no MRL</i> 0.1*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*
5. POTATOES							
	Early potatoes	0.02*	3 0.1*	<i>no MRL</i> 0.1*	0.05*	0.01*	0.05*

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Chlordan	Chlorfens	Chlormec	Chlorobenz	Chlorthal	Chloroxu	Chlorpyrifos
		0.02*	3 0.1*	no MRL	0.05*		0.01*	0.05*
6. TEA	Ware potatoes			0.1*	0.1*	0.1*	0.1*	0.1*
	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	0.1*	0.2*	0.1*	0.1*	0.1*	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.1*	0.1*	10	no MRL 1		0.1*	0.1*

Group to which food belongs	Groups include the following products	Chlordan	Chlorfens	Chlormec	Chlorobenz	Chlorthal	Chloroxu	Chlorpyrifos
				(changing 1 July 2001)	(changing 1 July 2001)			
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts								
i) CITRUS FRUIT								
	Grapefruit	0.01*	0.05*	0.02*	0.01*	0.05*	0.3	
	Lemons	0.01*	0.05*	0.02*	0.01*	0.05*	0.2	
	Limes	0.01*	0.05*	0.02*	0.01*	0.05*	0.3	
	Mandarins (inc clementines & similar hybrids)	0.01*	0.05*	0.02*	0.01*	0.05*	2	
	Oranges	0.01*	0.05*	0.02*	0.01*	0.05*	0.3	
	Pomelos	0.01*	0.05*	0.02*	0.01*	0.05*	0.3	

Group to which food belongs	Groups include the following products	Chlordane	Chlorfens	Chlormec	Chlorobenz	Chlorthal	Chloroxu	Chlorpyrifos
			(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)		
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.3	
ii) TREE NUTS (shelled or unshelled)								
	Almonds	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Brazil nuts	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Cashew nuts	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Chestnuts	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Coconuts	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Hazelnuts	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Macadamia nuts	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Pecans	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Pine nuts	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Pistachios	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Walnuts	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Others	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
iii) POME FRUIT								
	Apples	0.01*	<i>no MRL</i> 0.05*	0.02*	1	0.05*	0.5	
	Pears	0.01*	3 0.05*	0.02*	1	0.05*	0.5	
	Quinces	0.01*	0.05*	0.02*	1	0.05*	0.5	
	Others	0.01*	0.05*	0.02*	1	0.05*	0.5	
iv) STONE FRUIT								
	Apricots	0.01*	0.05*	0.02*	1	0.05*	0.05*	
	Cherries	0.01*	0.05*	0.02*	0.01*	0.05*	0.3	
	Peaches (incl nectarines & similar hybrids)	0.01*	0.05*	0.02*	1	0.05*	0.2	

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Chlordane	Chlorfens	Chlormec	Chlorobenz	Chlorthal	Chloroxu	Chlorpyrifos
			(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)
	Plums	0.01*	0.05*	0.02*	0.01*	0.05*	0.2	
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
v) BERRIES AND SMALL FRUIT								
a)	Table & wine grapes							
	Table grapes	0.01*	1 0.05*	0.02*	1	0.05*	0.5	
	Wine grapes	0.01*	1 0.05*	0.02*	3	0.05*	0.5	
b)	Strawberries (other than wild)	0.01*	no MRL 0.05*	0.02*	3	0.05*	0.2	
c)	Cane Fruit (other than wild)							
	Blackberries	0.01*	0.05*	0.02*	10 0.01*	0.05*	0.5	
	Dewberries	0.01*	0.05*	0.02*	10 0.01*	0.05*	0.05*	
	Loganberries	0.01*	0.05*	0.02*	10 0.01*	0.05*	0.05*	
	Raspberries	0.01*	0.05*	0.02*	10	0.05*	0.5	
	Others	0.01*	0.05*	0.02*	10 0.01*	0.05*	0.05*	
d)	Other small fruit & berries (other than wild)							
	Bilberries	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Cranberries	0.01*	0.05*	0.02*	2	0.05*	0.05*	

Group to which food belongs	Groups include the following products	Chlordane	Chlorfens	Chlormec	Chlorobenz	Chlorthal	Chloroxu	Chlorpyrifos
				(changing 1 July 2001)		(changing 1 July 2001)		
e)	Currants (red, black & white)	0.01*	0.05*	0.02*	10	0.05*	1	
	Gooseberries	0.01*	0.05*	0.02*	10	0.05*	1	
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Wild berries & wild fruit	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
vi) MISCELLANEOUS FRUIT								
	Avocados	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Bananas	0.01*	0.05*	0.02*	2	0.05*	3	
	Dates	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Figs	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Kiwi fruit	0.01*	0.05*	0.02*	0.01*	0.05*	2	
	Kumquats	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Litchis	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Mangoes	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Olives (table consumption)	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Olives (oil extract)	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Papaya		<i>no MRL</i> 0.05*		<i>no MRL</i> 0.01*			
	Passion fruit	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Pineapples	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Pomegranates	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	

2. Vegetables, fresh or uncooked, frozen or dry

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Chlordane	Chlorfensulfon	Chlormequat	Chlorobenzilate	Chlorothaloxyl	Chlorpyrifos
			(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)
i) ROOT AND TUBER VEGETABLES							
	Beetroot	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Carrots	0.01*	0.05*	0.02*	1	0.05*	0.1
	Celeriac	0.01*	0.05*	0.02*	0.5	0.05*	0.05*
	Horseradish	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Jerusalem artichokes	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Parsnips	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Parsley root	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Radishes	0.01*	0.05*	0.02*	0.01*	0.05*	0.2
	Salsify	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Sweet potatoes	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Swedes	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Turnips	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Yams	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
ii) BULB VEGETABLES							
	Garlic	0.01*	0.05*	0.02*	0.5	0.05*	0.05*
	Onions	0.01*	0.05*	0.02*	0.5	0.05*	0.2
	Shallots	0.01*	0.05*	0.02*	0.5	0.05*	0.05*
	Spring onions	0.01*	0.05*	0.02*	5	0.05*	0.05*
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
iii) FRUITING VEGETABLES							
a)	Solanacea						
	Tomatoes	0.01*	no MRL 0.05*	0.02*	2	0.05*	0.5
	Peppers	0.01*	0.05*	0.02*	2	0.05*	0.5
	Chilli peppers	0.01*		0.02*		0.05*	

Group to which food belongs	Groups include the following products	Chlordane	Chlorfens	Chlormec	Chlorobenz	Chlorthal	Chloroxu	Chlorpyrifos
				(changing 1 July 2001)		(changing 1 July 2001)		
	Aubergines	0.01*	0.05*	0.02*	2	0.05*	0.5	
	Others	0.01*	0.05*	0.02*	2	0.05*	0.5	
b)	Cucurbits-edible peel							
	Cucumbers	0.01*	0.05*	0.02*	1	0.05*	0.05*	
	Gherkins	0.01*	0.05*	0.02*	5	0.05*	0.05*	
	Courgettes	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
c)	Cucurbits-inedible peel							
	Melons	0.01*	0.05*	0.02*	1	0.05*	0.05*	
	Squashes	0.01*	0.05*	0.02*	1	0.05*	0.05*	
	Watermelons	0.01*	0.05*	0.02*	1	0.05*	0.05*	
	Others	0.01*	0.05*	0.02*	1	0.05*	0.05*	
d)	Sweet corn	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
iv) BRASSICA VEGETABLES								
a)	Flowering Brassicas							
	Broccoli	0.01*	0.05*	0.02*	3	0.05*	0.05*	
	Cauliflower	0.01*	0.05*	0.02*	3	0.05*	0.05*	
	Others	0.01*	0.05*	0.02*	3	0.05*	0.05*	
b)	Head Brassicas							
	Brussels sprouts	0.01*	0.05*	0.02*	0.5	0.05*	0.05*	
	Head cabbage	0.01*	0.05*	0.02*	3	0.05*	1	
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
c)	Leafy Brassicas							

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Chlordane	Chlorfenvinphos	Chlorpyrifos	Chlorobenzene	Chlorothaloxene	Chlorpyrifos
			(changing 1 July 2001)	(changing 1 July 2001)			
	Chinese cabbage	0.01*	0.05*	0.02*	0.01*	0.05*	0.5
	Kale	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
d)	Kohlrabi	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
v) LEAF VEGETABLES AND FRESH HERBS							
a)	Lettuce & similar						
	Cress	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Lamb's lettuce	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Lettuce	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Scarole	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
b)	Spinach & similar						
	Spinach	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Beet leaves (chard)	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
c)	Watercress	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
d)	Witloof	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
e)	Herbs						
	Chervil	0.01*	0.05*	0.02*	5	0.05*	0.05*
	Chives	0.01*	0.05*	0.02*	5	0.05*	0.05*
	Parsley	0.01*	0.05*	0.02*	5	0.05*	0.05*
	Celery leaves	0.01*	0.05*	0.02*	5	0.05*	0.05*
	Others	0.01*	0.05*	0.02*	5	0.05*	0.05*

vi) LEGUME VEGETABLES (fresh)

Group to which food belongs	Groups include the following products	Chlordane	Chlorfensulfon	Chlormequat	Chlorobenzilate	Chlorothaloxyl	Chlorpyrifos
			(changing 1 July 2001)		(changing 1 July 2001)		
	Beans (with pods)	0.01*	no MRL 0.05*	0.02*	0.01*	0.05*	0.05*
	Beans (without pods)	0.01*	no MRL 0.05*	0.02*	0.05	0.05*	0.05*
	Peas (with pods)	0.01*	no MRL 0.05*	0.02*	2	0.05*	0.05*
	Peas (without pods)	0.01*	no MRL 0.05*	0.02*	0.01* 0.3	0.05*	0.05*
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
vii) STEM VEGETABLES							
	Asparagus	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Cardoons	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Celery	0.01*	0.05*	0.02*	10	0.05*	0.05*
	Fennel	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Globe artichokes	0.01*	0.05*	0.02*	0.01*	0.05*	1
	Leeks	0.01*	0.05*	0.02*	10	0.05*	0.05*
	Rhubarb	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
viii) FUNGI							
a)	Cultivated mushrooms	0.01*	no MRL 0.05*	0.02*	2	0.05*	0.05*
b)	Wild mushrooms	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
3. PULSES							
	Beans	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Lentils	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Peas	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Chlordane	Chlorfensulfone	Chlormequat	Chlorobenzilate	Chlorothaloxyl	Chloroxyfop	Chlorpyrifos
			(changing 1 July 2001)		(changing 1 July 2001)			
4. OILSEEDS								
	Linseed	0.01*	no MRL 0.1*	0.02*	0.01*	0.05*	0.05*	
	Peanuts	0.01*	0.1*	0.02*	0.05	0.05*	0.05*	
	Poppy seed	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Sesame seed	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Sunflower seed	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Rape seed	0.01*	no MRL 0.1*	0.02*	0.01*	0.05*	0.05*	
	Soya bean	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Mustard seed	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Cotton seed	0.01*	no MRL 0.1*	0.02*	0.01*	0.05*	0.05*	
	Others	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
5. POTATOES								
	Early potatoes	0.01*	no MRL 0.05*	0.02*	0.01*	0.05*	0.05*	
	Ware potatoes	0.01*	no MRL 0.05*	0.02*	0.01*	0.05*	0.05*	
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.02*	0.1*	0.1*	0.1*	0.1*	0.1*	
7. HOPS (dried)	including hop pellets &	0.1*	0.1*	0.1*	50	0.1*	0.1*	

Group to which food belongs	Groups include the following products	Chlordane	Chlorfens	Chlormec	Chlorobenz	Chlorthal	Chloroxu	Chlorpyrifos
				(changing 1 July 2001)		(changing 1 July 2001)		
	unconcentrated powder							
Group to which food belongs	Groups include the following products	Chlorpyrifos	Cyfluthrin	Imperme	Diminon	DDT	Deltameth	Diazinon
								(changing 1 July 2001)
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts								
i) CITRUS FRUIT								
	Grapefruit	0.05*	0.02*	2	0.02*	0.05*	0.05*	0.5 1
	Lemons	0.3	0.02*	2	0.02*	0.05*	0.05*	0.5 0.02*
	Limes	0.05*	0.02*	2	0.02*	0.05*	0.05*	0.5 0.02*
	Mandarins (inc clementines & similar hybrids)		0.02*	2	0.02*	0.05*	0.05*	0.5 0.02*
	Oranges	0.5	0.02*	2	0.02*	0.05*	0.05*	0.5 1
	Pomelos	0.05*	0.02*	2	0.02*	0.05*	0.05*	0.5 1
	Others	0.05*	0.02*	2	0.02*	0.05*	0.05*	0.5 0.02*
ii) TREE NUTS (shelled or unshelled)								
	Almonds	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
	Brazil nuts	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
	Cashew nuts	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
	Chestnuts	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
	Coconuts	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Chlorpyrifos	Cyfluthrin	Imidacloprid	Permethrin	Thiamethoxam	DDT	Deltamethrin	Malathion	Diazinon
		(changing 1 July 2001)								
	Hazelnuts	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Macadamia nuts	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Pecans	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Pine nuts	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Pistachios	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Walnuts	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Others	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
iii) POME FRUIT										
	Apples	0.5	0.2	1	0.02*	0.05*	0.1	0.05*	0.5	0.3
	Pears	0.5	0.2	1	0.02*	0.05*	0.1	0.05*	0.5	0.3
	Quinces	0.5	0.2	1	0.02*	0.05*	0.1	0.05*	0.5	0.02*
	Others	0.5	0.2	1	0.02*	0.05*	0.1	0.05*	0.5	0.02*
iv) STONE FRUIT										
	Apricots	0.05*	no MRL 0.5	2	0.02*	0.05*	0.1	0.05*	0.5	0.02*
	Cherries	0.05*	0.2	1	0.02*	0.05*	0.1	0.05*	0.5	0.3
	Peaches (incl nectarines & similar hybrids)	0.5	no MRL 0.5	2	0.02*	0.05*	0.1	0.05*	0.5	0.02*
	Plums	0.05*	0.2	1	0.02*	0.05*	0.1	0.05*	0.5	0.1
	Others	0.05*	no MRL 0.02*	0.05*	0.02*	0.05*	0.1	0.05*	0.5	0.02*
v) BERRIES AND SMALL FRUIT										

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Chlorpyrifos	Cyfluthrin	Imidacloprid	Permethrin	Thiamethoxam	DDT	Deltamethrin	Diathionon	Diazinon
		(changing 1 July 2001)								
a)	Table & wine grapes									
	Table grapes	0.2	0.3	0.5	0.02*	0.05*	0.1	0.05*	0.5	0.02*
	Wine grapes	0.2	0.3	0.5	0.02*	0.05*	0.1	0.05*	0.5	0.02*
b)	Strawberries (other than wild)	0.5	<i>no MRL</i> 0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5	0.02*
c)	Cane Fruit (other than wild)									
	Blackberries	0.05*	0.02*	0.5	0.02*	0.05*	0.5	0.05*	0.5	0.02*
	Dewberries	0.05*	0.02*	0.5	0.02*	0.05*	0.05*	0.05*	0.5	0.02*
	Loganberries	0.05*	0.02*	0.5	0.02*	0.05*	0.05*	0.05*	0.5	0.02*
	Raspberries	0.05*	0.02*	0.5	0.02*	0.05*	0.5	0.05*	0.5	0.02*
	Others	0.05*	0.02*	0.5	0.02*	0.05*	0.05*	0.05*	0.5	0.02*
d)	Other small fruit & berries (other than wild)									
	Bilberries	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.2	
	Cranberries	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Chlorpyrifos	Cyfluthrin	Imidacloprid	Permethrin	Thiamethoxam	DDT	Deltamethrin	Malathion	Diazinon
			(changing 1 July 2001)							(changing 1 July 2001)
e)	Currants (red, black & white)	0.05*	<i>no MRL</i> 0.02*	0.05*	0.02*	0.05*	0.2	0.05*	0.2	
	Gooseberries	0.05*	<i>no MRL</i> 0.02*	0.05*	0.02*	0.05*	0.2	0.05*	0.2	
	Others	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	
	Wild berries & wild fruit	0.05*	0.02*	2	0.02*	0.05*	0.05*	0.05*	0.02*	
vi) MISCELLANEOUS FRUIT										
	Avocado	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	
	Bananas	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*	
	Dates	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	
	Figs	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	
	Kiwi fruit	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.2	
	Kumquat	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	
	Litchis	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	
	Mangoes	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	
	Olives (table consumption)	0.05*	0.02*	0.05*	0.02*	0.05*	0.1*	0.05*	0.5 0.02*	
	Olives (oil extract)	0.05*	0.02*	0.05*	0.02*	0.05*	0.1*	0.05*	0.5 0.02*	
	Papaya		<i>no MRL</i> 0.02*						<i>no MRL</i> 0.02*	
	Passion fruit	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	

Group to which food belongs	Groups to include the following products	Pesticides							(changing 1 July 2001)
		Chlorpyrifos	Cyfluthrin	Imidacloprid	Permethrin	Thiamethoxam	DDT	Deltamethrin	
	Pineapples	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Pomegranates	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Others	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
2. Vegetables, fresh or uncooked, frozen or dry									
i) ROOT AND TUBER VEGETABLES									
	Beetroot	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	Carrots	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.2
	Celeriac	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	Horseradish	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	Jerusalem artichokes	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Parsnips	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	Parsley root	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Radishes	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	Salsify	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Sweet potatoes	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Swedes	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	Turnips	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	Yams	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Others	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
ii) BULB VEGETABLES									
	Garlic	0.05*	0.02*	0.1	0.02*	0.05*	0.1	0.05*	0.5 0.02*

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Chlorpyrifos	Cyfluthrin	Imidacloprid	Permethrin	Thiamethoxam	DDT	Deltamethrin	Diathionon	Diazinon
			(changing 1 July 2001)							(changing 1 July 2001)
	Onions	0.05*	0.02*	0.1	0.02*	0.05*	0.1	0.05*	0.5	0.02*
	Shallots	0.05*	0.02*	0.1	0.02*	0.05*	0.1	0.05*	0.5	0.02*
	Spring onions	0.05*	0.02*	0.05*	0.02*	0.05*	0.1	0.05*	0.5	0.02*
	Others	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5	0.02*
iii) FRUITING VEGETABLES										
a)	Solanacea									
	Tomatoes	0.5	0.05	0.5	0.02*	0.05*	0.2	0.05*	0.5	
	Peppers	0.5	<i>no MRL</i> 0.3	0.5	0.02*	0.05*	0.2	0.05*	0.5	
	Chilli peppers							0.05*		
	Aubergines	0.5	0.02*	0.5	0.02*	0.05*	0.2	0.05*	0.5	
	Others	0.5	0.02*	0.5	0.02*	0.05*	0.2	0.05*	0.5	
b)	Cucurbits-edible peel									
	Cucumbers	0.05*	<i>no MRL</i> 0.1	0.2	0.02*	0.05*	0.1	0.05*	0.5	0.02*
	Gherkins	0.05*	<i>no MRL</i> 0.02*	0.2	0.02*	0.05*	0.1	0.05*	0.5	0.02*
	Courgettes	0.05*	<i>no MRL</i> 0.02*	0.2	0.02*	0.05*	0.1	0.05*	0.5	0.02*
	Others	0.05*	<i>no MRL</i> 0.02*	0.2	0.02*	0.05*	0.1	0.05*	0.5	0.02*

Group to which food belongs	Groups include the following products	Chlorpyrifos	Cyfluthrin	Imidacloprid	Permethrin	Thiamethoxam	DDT	Deltamethrin	Diathionon	Diazinon
		(changing 1 July 2001)								
c)	Cucurbits-inedible peel									
	Melons	0.05*	0.02*	0.2	0.02*	0.05*	0.05*	0.05*	0.5	0.02*
	Squashes	0.05*	0.02*	0.2	0.02*	0.05*	0.05*	0.05*	0.5	0.02*
	Watermelons	0.05*	0.02*	0.2	0.02*	0.05*	0.05*	0.05*	0.5	0.02*
	Others	0.05*	0.02*	0.2	0.02*	0.05*	0.05*	0.05*	0.5	0.02*
d)	Sweet corn	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5	0.02*
iv) BRASSICA VEGETABLES										
a)	Flowering Brassicas									
	Broccoli	0.05*	<i>no MRL</i> 0.05	0.5	0.02*	0.05*	0.1	0.05*	0.5	0.02*
	Cauliflowers	0.05*	0.05	0.5	0.02*	0.05*	0.1	0.05*	0.5	0.02*
	Others	0.05*	0.02* 0.05	0.5	0.02*	0.05*	0.1	0.05*	0.5	0.02*
b)	Head Brassicas									
	Brussels sprouts	0.05*	0.2	0.5	0.02*	0.05*	0.1	0.05*	0.5	0.02*
	Head cabbage	0.05*	0.2	0.5	0.02*	0.05*	0.1	0.05*	0.5	0.02*
	Others	0.05*	0.2	0.5	0.02*	0.05*	0.1	0.05*	0.5	0.02*
c)	Leafy Brassicas									

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Chlorpyrifos	Cyfluthrin	Imidacloprid	Permethrin	Thiamethoxam	DDT	Deltamethrin	Diathionon	Diazinon
			(changing 1 July 2001)							(changing 1 July 2001)
	Chinese cabbage	0.05*	no MRL 0.3	1	0.02*	0.05*	0.5	0.05*	0.5	0.02*
	Kale	0.05*	no MRL 0.3	1	0.02*	0.05*	0.5	0.05*	0.5	0.02*
	Others	0.05*	no MRL 0.3	1	0.02*	0.05*	0.5	0.05*	0.5	0.02*
d)	Kohlrabi	0.05*	0.02*	0.2	0.02*	0.05*	0.05*	0.05*	0.5	0.02*
v) LEAF VEGETABLES AND FRESH HERBS										
a)	Lettuce & similar									
	Cress	0.05*	0.5	2	0.02*	0.05*	0.5	0.05*	0.5	0.02*
	Lamb's lettuce	0.05*	0.5	2	0.02*	0.05*	0.5	0.05*	0.5	0.02*
	Lettuce	0.05*	0.5	2	0.02*	0.05*	0.5	0.05*	0.5	0.02*
	Scarole	0.05*	0.5	2	0.02*	0.05*	0.5	0.05*	0.5	0.02*
	Others	0.05*	0.5	2	0.02*	0.05*	0.5	0.05*	0.5	0.02*
b)	Spinach & similar									
	Spinach	0.05*	0.02*	0.5	0.02*	0.05*	0.5	0.05*	0.5	0.02*
	Beet leaves (chard)	0.05*	0.02*	0.5	0.02*	0.05*	0.5	0.05*	0.5	0.02*
	Others	0.05*	0.02*	0.5	0.02*	0.05*	0.5	0.05*	0.5	0.02*

Group to which food belongs	Groups include the following products	Chlorpyrifos	Cyfluthrin	Imidacloprid	Permethrin	Thiamethoxam	DDT	Deltamethrin	Diazinon
		0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5
			(changing 1 July 2001)						(changing 1 July 2001)
c)	Watercress	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
d)	Witloof	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
e)	Herbs								
	Chervil	0.05*	0.02*	2	0.02*	0.05*	0.5	0.05*	0.5 0.02*
	Chives	0.05*	0.02*	2	0.02*	0.05*	0.5	0.05*	0.5 0.02*
	Parsley	0.05*	0.02*	2	0.02*	0.05*	0.5	0.05*	0.5 0.02*
	Celery leaves	0.05*	0.02*	2	0.02*	0.05*	0.5	0.05*	0.5 0.02*
	Others	0.05*	0.02*	2	0.02*	0.05*	0.5	0.05*	0.5 0.02*
vi)	LEGUME VEGETABLES (fresh)								
	Beans (with pods)	0.05*	0.05	0.5	0.02*	0.05*	0.2	0.05*	0.5 0.02*
	Beans (without pods)	0.05*	0.05	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	Peas (with pods)	0.05*	0.05	0.5	0.02*	0.05*	0.1	0.05*	0.5 0.02*
	Peas (without pods)	0.05*	0.05	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	Others	0.05*	0.05	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
vii)	STEM VEGETABLES								
	Asparagus	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	Cardoon	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups to include the following products	Chlorpyrifos	Cyfluthrin	Imidacloprid	Permethrin	Thiamethoxam	DDT	Deltamethrin	Diathionon	Diazinon
			(changing 1 July 2001)							(changing 1 July 2001)
	Celery	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5	0.02*
	Fennel	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*
	Globe artichokes	0.05*	0.02*	2	0.02*	0.05*	0.1	0.05*	0.5	0.02*
	Leeks	0.05*	no MRL 0.02*	0.5	0.02*	0.05*	0.2	0.05*	0.5	0.02*
	Rhubarb	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*
	Others	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*
viii) FUNGI										
	a) Cultivated mushrooms	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5	0.02*
	b) Wild mushrooms	0.05*	0.02*	1	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*
3. PULSES										
	Beans	0.05*	0.02*	0.05*	0.02*	0.05*	1	0.05*	no MRL 0.02*	
	Lentils	0.05*	0.02*	0.05*	0.02*	0.05*	1	0.05*	no MRL 0.02*	
	Peas	0.05*	0.02*	0.05*	0.02*	0.05*	1	0.05*	no MRL 0.02*	
	Others	0.05*	0.02*	0.05*	0.02*	0.05*	1	0.05*	no MRL 0.02*	
4. OILSEEDS										
	Linseed	0.05*	0.02*	0.2	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Peanuts	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	no MRL 0.05*	
	Poppy seed	0.05*	0.02*	0.2	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Chlorpyrifos	Cyfluthrin	Imidacloprid	Permethrin	Thiamethoxam	DDT	Deltamethrin	Diathionon	Diazinon
		(changing 1 July 2001)							(changing 1 July 2001)	
	Sesame seed	0.05*	0.02*	0.2	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Sunflower seed	0.05*	0.02*	0.2	0.05*	0.05*	0.05*	0.05*	no MRL	0.05*
	Rape seed	0.05*	0.05	0.2	0.05*	0.05*	0.1	0.05*	0.05*	0.05*
	Soya bean	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Mustard seed	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Cotton seed	0.05*	0.02*	0.2	0.05*	0.05*	0.05*	0.05*	no MRL	0.05*
	Others	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
5. POTATOES										
	Early potatoes	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	no MRL	0.02*
	Ware potatoes	0.05*	0.02*	0.05*	0.02*	0.05*	0.5	0.05*	no MRL	0.02*
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	no MRL	0.5	0.1*	0.2	5	0.1*	0.05*	0.05*
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.1*	20	30	0.1*	0.05*	5	0.1*	no MRL	0.05*

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	1,2-Dibromoethane	Dichlorodiphenylmethane	Dichlorodiphenylmethane	Dicofol	1,1-Dichloro-2,2-bis-(4-ethyl-phenyl)-ethane	Dimethoate	Cinoseb
						(changing 1 July 2001)		
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts								
i) CITRUS FRUIT								
	Grapefruit	0.01*	0.05*		2	0.01*		0.05*
	Lemons	0.01*	0.05*		2	0.01*		0.05*
	Limes	0.01*	0.05*		2	0.01*		0.05*
	Mandarin (inc clementines & similar hybrids)	0.01*	0.05*		2	0.01*		0.05*
	Oranges	0.01*	0.05*		2	0.01*		0.05*
	Pomelos	0.01*	0.05*		2	0.01*		0.05*
	Others	0.01*	0.05*		2	0.01*		0.05*
ii) TREE NUTS (shelled or unshelled)								
	Almonds	0.01*	0.05*		0.05*	0.01*		0.05*
	Brazil nuts	0.01*	0.05*		0.05*	0.01*		0.05*
	Cashew nuts	0.01*	0.05*		0.05*	0.01*		0.05*
	Chestnuts	0.01*	0.05*		0.05*	0.01*		0.05*
	Coconuts	0.01*	0.05*		0.05*	0.01*		0.05*
	Hazelnuts	0.01*	0.05*		0.05*	0.01*		0.05*
	Macadamia nuts	0.01*	0.05*		0.05*	0.01*		0.05*
	Pecans	0.01*	0.05*		0.05*	0.01*		0.05*
	Pine nuts	0.01*	0.05*		0.05*	0.01*		0.05*
	Pistachios	0.01*	0.05*		0.05*	0.01*		0.05*
	Walnuts	0.01*	0.05*		0.05*	0.01*		0.05*
	Others	0.01*	0.05*		0.05*	0.01*		0.05*

Group to which food belongs	Groups include the following products	1,2-Dibromoethane	Dichlorodibromomethane	Dichlorodibromomethane	Dicofol	1,1-Dichloro-2,2-bis-(4-ethyl-phenyl)-ethane (changing 1 July 2001)	Dimethoate	Binoseb
iii) POME FRUIT								
	Apples	0.01*	0.05*		1	0.02*	0.01*	0.05*
	Pears	0.01*	0.05*		1	0.02*	0.01*	0.05*
	Quinces	0.01*	0.05*		1	0.02*	0.01*	0.05*
	Others	0.01*	0.05*		1	0.02*	0.01*	0.05*
iv) STONE FRUIT								
	Apricots	0.01*	0.05*			no MRL 0.02*	0.01*	0.05*
	Cherries	0.01*	0.05*			no MRL 0.02*	0.01*	0.05*
	Peaches (incl nectarines & similar hybrids)	0.01*	0.05*			no MRL 0.02*	0.01*	0.05*
	Plums	0.01*	0.05*			no MRL 0.02*	0.01*	0.05*
	Others	0.01*	0.05*			no MRL 0.02*	0.01*	0.05*
v) BERRIES AND SMALL FRUIT								
a)	Table & wine grapes							
	Table grapes	0.01*	0.05*		1	0.02*	0.01*	0.05*
	Wine grapes	0.01*	0.05*		1	2	0.01*	0.05*
b)	Strawberries (other than wild)	0.01*	0.05*		2	0.02*	0.01*	0.05*

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups 1,2- include the following products	Dichlorodibromoethane	Dichlorodibromodichloroethane	Dicofol	1,1-Dichloro-2,2-bis-(4-ethyl-phenyl)-ethane	Dimethoate	Binoseb
				(changing 1 July 2001)			
c)	Cane Fruit (other than wild)						
	Blackberries	0.01*	0.05*		0.02*	0.01*	0.05*
	Dewberries	0.01*	0.05*		0.02*	0.01*	0.05*
	Loganberries	0.01*	0.05*		0.02*	0.01*	0.05*
	Raspberries	0.01*	0.05*		0.02*	0.01*	0.05*
	Others	0.01*	0.05*		0.02*	0.01*	0.05*
d)	Other small fruit & berries (other than wild)						
	Bilberries	0.01*	0.05*		0.02*	0.01*	0.05*
	Cranberries	0.01*	0.05*		0.02*	0.01*	0.05*
	Currants (red, black & white)	0.01*	0.05*		no MRL 0.02*	0.01*	0.05*
	Gooseberries	0.01*	0.05*		0.02*	0.01*	0.05*
	Others	0.01*	0.05*		0.02*	0.01*	0.05*
e)	Wild berries & wild fruit	0.01*	0.05*		0.02*	0.01*	0.05*
vi)	MISCELLANEOUS FRUIT						
	Avocados	0.01*	0.05*		0.02*	0.01*	0.05*
	Bananas	0.01*	0.05*		2 0.02*	0.01*	0.05*
	Dates	0.01*	0.05*		0.02*	0.01*	0.05*

Group to which food belongs	Groups include the following products	1,2-Dibromoethane	Dichlorodibromodiphenylethane	Dichlorodiphenylethane	Dicofol	1,1-Dichloro-2,2-bis-(4-ethyl-phenyl)-ethane	Dimethoate	Binoseb
					(changing 1 July 2001)			
	Figs	0.01*	0.05*		no MRL 0.02*	0.01*		0.05*
	Kiwi fruit	0.01*	0.05*		0.02*	0.01*		0.05*
	Kumquats	0.01*	0.05*		0.02*	0.01*		0.05*
	Litchis	0.01*	0.05*		0.02*	0.01*		0.05*
	Mangoes	0.01*	0.05*		0.02*	0.01*		0.05*
	Olives (table consumption)	0.01*	0.05*		0.02*	0.01*		0.05*
	Olives (oil extract)	0.01*	0.05*		0.02*	0.01*		0.05*
	Papaya				no MRL 0.02*			
	Passion fruit	0.01*	0.05*		0.02*	0.01*		0.05*
	Pineapple	0.01*	0.05*		0.02*	0.01*		0.05*
	Pomegranates	0.01*	0.05*		0.02*	0.01*		0.05*
	Others	0.01*	0.05*		0.02*	0.01*		0.05*

2. Vegetables, fresh or uncooked, frozen or dry

i) ROOT AND TUBER VEGETABLES

Beetroot	0.01*	0.05*		0.02*	0.01*		0.05*
Carrots	0.01*	0.05*		0.02*	0.01*		0.05*
Celeriac	0.01*	0.05*		0.02*	0.01*		0.05*
Horseradish	0.01*	0.05*		0.02*	0.01*		0.05*
Jerusalem artichokes	0.01*	0.05*		0.02*	0.01*		0.05*
Parsnips	0.01*	0.05*		0.02*	0.01*		0.05*
Parsley root	0.01*	0.05*		0.02*	0.01*		0.05*

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	1,2-Dibromoethane	Dichlorodibromodichloroethane	Dicofol	1,1-Dichloro-2,2-bis-(4-ethyl-phenyl)-ethane	Dimethoate	Binoseb
				(changing 1 July 2001)			
	Radishes	0.01*	0.05*	0.02*	0.01*		0.05*
	Salsify	0.01*	0.05*	0.02*	0.01*		0.05*
	Sweet potatoes	0.01*	0.05*	0.02*	0.01*		0.05*
	Swedes	0.01*	0.05*	0.02*	0.01*		0.05*
	Turnips	0.01*	0.05*	0.02*	0.01*		0.05*
	Yams	0.01*	0.05*	0.02*	0.01*		0.05*
	Others	0.01*	0.05*	0.02*	0.01*		0.05*
ii) BULB VEGETABLES							
	Garlic	0.01*	0.05*	<i>no MRL</i> 0.02*	0.01*		0.05*
	Onions	0.01*	0.05*	0.02*	0.01*		0.05*
	Shallots	0.01*	0.05*	0.02*	0.01*		0.05*
	Spring onions	0.01*	0.05*	0.02*	0.01*		0.05*
	Others	0.01*	0.05*	0.02*	0.01*		0.05*
iii) FRUITING VEGETABLES							
a)	Solanacea						
	Tomatoes	0.01*	0.05*	0.5 0.02*	0.01*		0.05*
	Peppers	0.01*	0.05*	0.5 0.02*	0.01*		0.05*
	Chilli peppers				0.01*		
	Aubergines	0.01*	0.05*	0.02*	0.01*		0.05*
	Others	0.01*	0.05*	0.02*	0.01*		0.05*
b)	Cucurbits-edible peel						
	Cucumbers	0.01*	0.05*	0.5 0.2	0.01*		0.05*

Group to which food belongs	Groups include the following products	1,2-Dibromoethane	Dichlorodibromomethane	Dichlorodibromomethane	Dicofol	1,1-Dichloro-2,2-bis-(4-ethyl-phenyl)-ethane	Dimethoate	Dinoseb	(changing 1 July 2001)
	Gherkins	0.01*	0.05*		0.5 0.2	0.01*		0.05*	
	Courgettes	0.01*	0.05*		0.5 0.2	0.01*		0.05*	
	Others	0.01*	0.05*		0.5 0.2	0.01*		0.05*	
c)	Cucurbits-inedible peel								
	Melons	0.01*	0.05*		0.5	0.01*		0.05*	
	Squashes	0.01*	0.05*		0.5	0.01*		0.05*	
	Watermelons	0.01*	0.05*		0.5	0.01*		0.05*	
	Others	0.01*	0.05*		0.5	0.01*		0.05*	
d)	Sweet corn	0.01*	0.05*		0.02*	0.01*		0.05*	
iv) BRASSICA VEGETABLES									
a)	Flowering Brassicas								
	Broccoli	0.01*	0.05*		0.02*	0.01*		0.05*	
	Cauliflower	0.01*	0.05*		0.02*	0.01*		0.05*	
	Others	0.01*	0.05*		0.02*	0.01*		0.05*	
b)	Head Brassicas								
	Brussels sprouts	0.01*	0.05*		0.02*	0.01*		0.05*	
	Head cabbage	0.01*	0.05*		0.02*	0.01*		0.05*	
	Others	0.01*	0.05*		0.02*	0.01*		0.05*	
c)	Leafy Brassicas								
	Chinese cabbage	0.01*	0.05*		0.02*	0.01*		0.05*	
	Kale	0.01*	0.05*		0.02*	0.01*		0.05*	
	Others	0.01*	0.05*		0.02*	0.01*		0.05*	

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	1,2-Dibromoethane	Dichlorodibromodiphenyl ether	Dichlorodiphenyl ether	Dicofol	1,1-Dichloro-2,2-bis-(4-ethyl-phenyl)-ethane	Dimethoate	Di-noseb
					(changing 1 July 2001)			
d)	Kohlrabi	0.01*	0.05*		0.02*	0.01*		0.05*
v) LEAF VEGETABLES AND FRESH HERBS								
a)	Lettuce & similar							
	Cress	0.01*	0.05*		0.02*	0.01*		0.05*
	Lamb's lettuce	0.01*	0.05*		0.02*	0.01*		0.05*
	Lettuce	0.01*	0.05*		0.02*	0.01*		0.05*
	Scarole	0.01*	0.05*		0.02*	0.01*		0.05*
	Others	0.01*	0.05*		0.02*	0.01*		0.05*
b)	Spinach & similar							
	Spinach	0.01*	0.05*		0.02*	0.01*		0.05*
	Beet leaves (chard)	0.01*	0.05*		0.02*	0.01*		0.05*
	Others	0.01*	0.05*		0.02*	0.01*		0.05*
c)	Watercress	0.01*	0.05*		0.02*	0.01*		0.05*
d)	Witloof	0.01*	0.05*		0.02*	0.01*		0.05*
e)	Herbs							
	Chervil	0.01*	0.05*		0.02*	0.01*		0.05*
	Chives	0.01*	0.05*		0.02*	0.01*		0.05*
	Parsley	0.01*	0.05*		0.02*	0.01*		0.05*
	Celery leaves	0.01*	0.05*		0.02*	0.01*		0.05*
	Others	0.01*	0.05*		0.02*	0.01*		0.05*
vi) LEGUME VEGETABLES (fresh)								

Group to which food belongs	Groups to include the following products	1,2-Dibromoethane	Dichlorodiphenylmethane	Dichlorodiphenylmethane (changing 1 July 2001)	Dicofol	1,1-Dichloro-2,2-bis-(4-ethyl-phenyl) ethane	Dimethoate	Binoseb
	Beans (with pods)	0.01*	0.05*	0.5 0.02*	0.01*	0.05*		
	Beans (without pods)	0.01*	0.05*	0.5 0.02*	0.01*	0.05*		
	Peas (with pods)	0.01*	0.05*	0.5 0.02*	0.01*	0.05*		
	Peas (without pods)	0.01*	0.05*	0.5 0.02*	0.01*	0.05*		
	Others	0.01*	0.05*	0.02*	0.01*	0.05*		
vii) STEM VEGETABLES								
	Asparagus	0.01*	0.05*	0.02*	0.01*	0.05*		
	Cardoons	0.01*	0.05*	0.02*	0.01*	0.05*		
	Celery	0.01*	0.05*	0.02*	0.01*	0.05*		
	Fennel	0.01*	0.05*	0.02*	0.01*	0.05*		
	Globe artichokes	0.01*	0.05*	<i>no MRL</i> 0.02*	0.01*	0.05*		
	Leeks	0.01*	0.05*	0.02*	0.01*	0.05*		
	Rhubarb	0.01*	0.05*	0.02*	0.01*	0.05*		
	Others	0.01*	0.05*	0.02*	0.01*	0.05*		
viii) FUNGI								
a)	Cultivated mushrooms	0.01*	0.05*	<i>no MRL</i> 0.02*	0.01*	0.05*		
b)	Wild mushrooms	0.01*	0.05*	0.02*	0.01*	0.05*		
3. PULSES								
	Beans	0.01*	0.05*	<i>no MRL</i> 0.02*	0.01*	0.05*		
	Lentils	0.01*	0.05*	0.02*	0.01*	0.05*		

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	1,2-Dibromoethane	Dichlorophenyl	Dichlorodiphenyl	Dicofol	1,1-Dichloro-2,2-bis-(4-ethyl-phenyl)-ethane	Dimethoate	Binoseb
					(changing 1 July 2001)			
	Peas	0.01*	0.05*		0.02*	0.01*		0.05*
	Others	0.01*	0.05*		0.02*	0.01*		0.05*
4. OILSEEDS								
	Linseed	0.01*	0.05*		0.05*	0.01*		0.05*
	Peanuts	0.01*	0.05*		0.05*	0.01*		0.05*
	Poppy seed	0.01*	0.05*		0.05*	0.01*		0.05*
	Sesame seed	0.01*	0.05*		0.05*	0.01*		0.05*
	Sunflower seed	0.01*	0.05*		0.05*	0.01*		0.05*
	Rape seed	0.01*	0.05*		0.05*	0.01*		0.05*
	Soya bean	0.01*	0.05*		0.05*	0.01*		0.05*
	Mustard seed	0.01*	0.05*		0.05*	0.01*		0.05*
	Cotton seed	0.01*	0.05*		0.1	0.01*		0.05*
	Others	0.01*	0.05*		0.05*	0.01*		0.05*
5. POTATOES								
	Early potatoes	0.01*	0.05*		0.02*	0.01*		0.05*
	Ware potatoes	0.01*	0.05*		0.02*	0.01*		0.05*
6. TEA	(dried leaves and stalks, fermented or otherwise,	0.1*	0.1*	0.1*	20	0.1*	0.2	0.1*

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	1,2-Dibromoethane	Dichlorodiphenylmethane	Dichlorodiphenylmethane	Dicofol	1,1-Dichloro-2,2-bis-(4-ethyl-phenyl)-ethane	Dimethoate	Disinoseb
7. HOPS (dried)	Camellia sinensis) including hop pellets & unconcentrated powder	0.01*	0.1*		50	0.1*		0.1*

Group to which food belongs	Groups include the following products	Dioxathion	Diphenylmethane	Disulfoton	Endosulfan	Endrin	Ethion
-----------------------------	---------------------------------------	------------	-----------------	------------	------------	--------	--------

1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts

i) CITRUS FRUIT

Grapefruit	0.05*	0.05*	0.02*	1	0.5	0.01*	no MRL 0.05*
Lemons	0.05*	0.05*	0.02*	1	0.5	0.01*	no MRL 0.05*
Limes	0.05*	0.05*	0.02*	1	0.5	0.01*	no MRL 0.05*
Mandarin (inc clementines & similar hybrids)	0.05*	0.05*	0.02*	1	0.5	0.01*	no MRL 0.05*
Oranges	0.05*	0.05*	0.02*	1	0.5	0.01*	no MRL 0.05*
Pomelos	0.05*	0.05*	0.02*	1	0.5	0.01*	no MRL 0.05*

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Dioxathion	Diphenyl	Dimethoate	Endosulfan	Endrin	Ethion
		(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)
	Others	0.05*	0.05*	0.02*	1 0.5	0.01*	no MRL 0.05*
ii) TREE NUTS (shelled or unshelled)							
	Almonds	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*
	Brazil nuts	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*
	Cashew nuts	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*
	Chestnuts	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*
	Coconuts	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*
	Hazelnuts	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*
	Macadamia nuts	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*
	Pecans	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*
	Pine nuts	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*
	Pistachios	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*
	Walnuts	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*
	Others	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*
iii) POME FRUIT							
	Apples	0.05*	0.05*	0.02*	1 0.3	0.01*	3
	Pears	0.05*	0.05*	0.02*	1 0.3	0.01*	3
	Quinces	0.05*	0.05*	0.02*	1 0.3	0.01*	3
	Others	0.05*	0.05*	0.02*	1 0.3	0.01*	3
iv) STONE FRUIT							
	Apricots	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*
	Cherries	0.05*	0.05*	0.02*	1 0.05*	0.01*	3
	Peaches (incl nectarines & similar hybrids)	0.05*	0.05*	0.02*	1 0.5	0.01*	0.05*

Group to which food belongs	Groups include the following products	Dioxathion	Diphenyl Dimethyl	Endosulfan	Endrin	Ethion	
				(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	
	Plums	0.05*	0.05*	0.02*	1 0.05*	0.01* 0.05*	
	Others	0.05*	0.05*	0.02*	1 0.05*	0.01* 0.05*	
v) BERRIES AND SMALL FRUIT							
a)	Table & wine grapes						
	Table grapes	0.05*	0.05*	0.02*	1 0.5	0.01* no MRL 0.05*	
	Wine grapes	0.05*	0.05*	0.02*	1 0.5	0.01* no MRL 0.05*	
b)	Strawberries (other than wild)	0.05*	0.05*	no MRL 0.02*	no MRL 0.05*	0.01* 0.05*	
c)	Cane Fruit (other than wild)						
	Blackberries	0.05*	0.05*	0.02*	no MRL 0.05*	0.01* 0.05*	
	Dewberries	0.05*	0.05*	0.02*	0.05*	0.01* 0.05*	
	Loganberries	0.05*	0.05*	0.02*	0.05*	0.01* 0.05*	
	Raspberries	0.05*	0.05*	0.02*	1 0.05*	0.01* 0.05*	
	Others	0.05*	0.05*	0.02*	0.05*	0.01* 0.05*	
d)	Other small fruit & berries (other than wild)						
	Bilberries	0.05*	0.05*	0.02*	0.05*	0.01* 0.05*	
	Cranberries	0.05*	0.05*	0.02*	0.05*	0.01* 0.05*	
	Currants (red,	0.05*	0.05*	0.02*	no MRL 0.05*	0.01* 5	

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Dioxathion	Diphenyl Dimethyl	Disulfoton	Endosulfan	Endrin	Ethion
				(changing 1 July 2001)	(changing 1 July 2001)		(changing 1 July 2001)
	black & white)						
	Gooseberries	0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
e)	Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*
	Wild berries & wild fruit	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*
vi) MISCELLANEOUS FRUIT							
	Avocados	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*
	Bananas	0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Dates	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*
	Figs	0.05*	0.05*	0.02*	0.05*	0.01*	<i>no MRL</i> 0.05*
	Kiwi fruit	0.05*	0.05*	0.02*	<i>1</i> 0.05*	0.01*	0.05*
	Kumquats	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*
	Litchis	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*
	Mangoes	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*
	Olives (table consumption)	0.05*	0.05*	0.02*	<i>1</i> 0.05*	0.01*	<i>no MRL</i> 0.05*
	Olives (oil extract)	0.05*	0.05*	0.02*	<i>1</i> 0.05*	0.01*	<i>no MRL</i> 0.05*
	Papaya			<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*		<i>no MRL</i> 0.05*
	Passion fruit	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*
	Pineapples	0.05*	0.05*	<i>no MRL</i> 0.02*	0.05*	0.01*	<i>no MRL</i> 0.5
	Pomegranates	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*
	Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*

Group to which food belongs	Groups include the following products	Dioxathion	Diphenyl	Dimifoto	Endosulfan	Endrin	Ethephon	Ethion
2. Vegetables, fresh or uncooked, frozen or dry								
i) ROOT AND TUBER VEGETABLES								
	Beetroot	0.05*	0.05*	0.02*	0.2 0.05*	0.01*	0.05*	
	Carrots	0.05*	0.05*	no MRL 0.02*	0.2 0.05*	0.01*	0.05*	
	Celeriac	0.05*	0.05*	0.02*	0.2 0.05*	0.01*	0.05*	
	Horseradish	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Jerusalem artichokes	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Parsnips	0.05*	0.05*	no MRL 0.02*	0.05*	0.01*	0.05*	
	Parsley root	0.05*	0.05*	0.02*	0.2 0.05*	0.01*	0.05*	
	Radishes	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Salsify	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Sweet potatoes	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Swedes	0.05*	0.05*	0.02*	0.2 0.05*	0.01*	0.05*	
	Turnips	0.05*	0.05*	0.02*	0.2 0.05*	0.01*	0.05*	
	Yams	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
ii) BULB VEGETABLES								
	Garlic	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Onions	0.05*	0.05*	0.02*	1 0.05*	0.01*	no MRL 0.05*	
	Shallots	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Spring onions	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Dioxathion	Diphenyl	Dimethoate	Endosulfan	Endrin	Ethephon	Ethion
		(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)
iii) FRUITING VEGETABLES								
a)	Solanacea							
	Tomatoes	0.05*	0.05*	0.02*	1 0.5	0.01*	3	
	Peppers	0.05*	0.05*	0.02*	1 0.05*	0.01*	3	
	Chilli peppers							
	Aubergines	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	
b)	Cucurbits-edible peel							
	Cucumbers	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	
	Gherkins	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	
	Courgettes	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	
c)	Cucurbits-inedible peel							
	Melons	0.05*	0.05*	0.02*	1 0.3	0.01*	0.05*	
	Squashes	0.05*	0.05*	no MRL 0.02*	1 0.3	0.01*	0.05*	
	Watermelons	0.05*	0.05*	0.02*	1 0.3	0.01*	0.05*	
	Others	0.05*	0.05*	0.02*	1 0.3	0.01*	0.05*	
d)	Sweet corn	0.05*	0.05*	0.02*	0.05*	0.01*	no MRL 0.05*	
iv) BRASSICA VEGETABLES								
a)	Flowering Brassicas							
	Broccoli	0.05*	0.05*	no MRL 0.02*	1 0.05*	0.01*	0.05*	
	Cauliflowers	0.05*	0.05*	no MRL 0.02*	1 0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	

Group to which food belongs	Groups include the following products	Dioxathion	Diphenyl Dimethyl	Dimethoate	Endosulfan	Endrin	Ethion	Ethion
b)	Head Brassicas							
	Brussels sprouts	0.05*	0.05*	no MRL 0.02*	1 0.05*	0.01*	0.05*	
	Head cabbage	0.05*	0.05*	no MRL 0.02*	1 0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	
c)	Leafy Brassicas							
	Chinese cabbage	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	
	Kale	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	
d)	Kohlrabi	0.05*	0.05*	no MRL 0.02*	0.05*	0.01*	0.05*	

v) LEAF VEGETABLES AND FRESH HERBS

a)	Lettuce & similar							
	Cress	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	
	Lamb's lettuce	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	
	Lettuce	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	
	Scarole	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	
b)	Spinach & similar							
	Spinach	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	
	Beet leaves (chard)	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	
c)	Watercress	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Dioxathion	Diphenyl	Dimifoto	Endosulfan	Endrin	Ethephon	Ethion
				(changing 1 July 2001)	(changing 1 July 2001)		(changing 1 July 2001)	
d)	Witloof	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
e)	Herbs							
	Chervil	0.05*	0.05*	no MRL 0.02*	0.05*	0.01*	0.05*	
	Chives	0.05*	0.05*	no MRL 0.02*	0.05*	0.01*	0.05*	
	Parsley	0.05*	0.05*	no MRL 0.02*	0.05*	0.01*	0.05*	
	Celery leaves	0.05*	0.05*	no MRL 0.02*	0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	no MRL 0.02*	0.05*	0.01*	0.05*	
vi) LEGUME VEGETABLES (fresh)								
	Beans (with pods)	0.05*	0.05*	no MRL 0.02*	1 0.05*	0.01*	0.05*	
	Beans (without pods)	0.05*	0.05*	no MRL 0.02*	1 0.05*	0.01*	0.05*	
	Peas (with pods)	0.05*	0.05*	no MRL 0.02*	1 0.05*	0.01*	0.05*	
	Peas (without pods)	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	no MRL 0.02*	1 0.05*	0.01*	0.05*	
vii) STEM VEGETABLES								
	Asparagus	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Cardoons	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	
	Celery	0.05*	0.05*	no MRL 0.02*	1 0.05*	0.01*	0.05*	
	Fennel	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Globe artichokes	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	

Group to which food belongs	Groups include the following products	Dioxathion	Diphenyl	Dimofol	Endosulfan	Endrin	Ethion
		(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)
	Leeks	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*
	Rhubarb	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*
	Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*
viii) FUNGI							
a)	Cultivated mushrooms	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*
b)	Wild mushrooms	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*
3. PULSES							
	Beans	0.05*	0.05*	no MRL 0.02*	0.05*	0.01*	0.05*
	Lentils	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*
	Peas	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*
	Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*
4. OILSEEDS							
	Linseed	0.05*	0.05*	0.02*	no MRL 0.1*	0.01*	0.05*
	Peanuts	0.05*	0.05*	0.02*	0.1*	0.01*	0.05*
	Poppy seed	0.05*	0.05*	0.02*	0.1*	0.01*	0.05*
	Sesame seed	0.05*	0.05*	0.02*	0.1*	0.01*	0.05*
	Sunflower seed	0.05*	0.05*	0.02*	no MRL 0.1*	0.01*	0.05*
	Rape seed	0.05*	0.05*	0.02*	no MRL 0.1*	0.01*	0.05*
	Soya bean	0.05*	0.05*	0.02*	no MRL 0.5	0.01*	0.05*
	Mustard seed	0.05*	0.05*	0.02*	no MRL 0.1*	0.01*	0.05*
	Cotton seed	0.05*	0.05*	0.05 0.02*	0.3	0.01*	0.05* 2
	Others	0.05*	0.05*	0.02*	0.1*	0.01*	0.05*

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Dioxathion	Diphenyl	Disulfoton	Endosulfan	Endrin	Ethion	Ethion
		(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)
5. POTATOES								
	Early potatoes	0.05*	0.05*	no MRL 0.02*	no MRL 0.05*	0.01*	0.05*	
	Ware potatoes	0.05*	0.05*	no MRL 0.02*	no MRL 0.05*	0.01*	0.05*	
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	0.05*	0.05*	30	0.01*	0.1*	2
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.1*	0.05*	no MRL 0.05*	no MRL 0.1*	0.1*	0.1*	

Group to which food belongs	Groups include the following products	Fenarimol	Fenbutatin Oxide	Fenchlorfen	Fenitrothion	Fenitrothion	Fenvalerate and Esfenvalerate	Sum of RR and SS isomers	Sum of RS and SR isomers
		(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts									
i) CITRUS FRUIT									
	Grapefruit	0.02*	no MRL	0.01*		0.05*	0.05*()		
			5				0.02*	0.02*	

Group to which food belongs	Groups include the following products	Fenarimol	Penbutatin Oxide	Perchloroethylene	Propoxur	Permethrin	Fenvalerate and Esfenvalerate
		(changing 1 July 2001)	(changing 1 July 2001)				Sum of RR and SS isomers (changing 1 July 2001)
	Lemons	0.02*	no MRL 5	0.01*		0.05*	0.05* 0.02* 0.02*
	Limes	0.02*	no MRL 5	0.01*		0.05*	0.05* 0.02* 0.02*
	Mandarin (inc clementines & similar hybrids)	0.02*	no MRL 5	0.01*		0.05*	0.05* 0.02* 0.02*
	Oranges	0.02*	no MRL 5	0.01*		0.05*	0.05* 0.02* 0.02*
	Pomelos	0.02*	no MRL 5	0.01*		0.05*	0.05* 0.02* 0.02*
	Others	0.02*	no MRL 5	0.01*		0.05*	0.05* 0.02* 0.02*
ii) TREE NUTS (shelled or unshelled)							
	Almonds	0.02*	0.05*	0.01*		0.05*	0.05* 0.02* 0.02*
	Brazil nuts	0.02*	0.05*	0.01*		0.05*	0.05* 0.02* 0.02*
	Cashew nuts	0.02*	0.05*	0.01*		0.05*	0.05* 0.02* 0.02*
	Chestnuts	0.02*	0.05*	0.01*		0.05*	0.05* 0.02* 0.02*
	Coconuts	0.02*	0.05*	0.01*		0.05*	0.05*

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Fenarimol (changing 1 July 2001)	Fenbutatin Oxide (changing 1 July 2001)	Fenchlorolol (changing 1 July 2001)	Fenitrothion (changing 1 July 2001)	Fenfluramin (changing 1 July 2001)	Fenvalerate and Esfenvalerate		
							Sum of RR and SS isomers (changing 1 July 2001)	Sum of RS and SR isomers (changing 1 July 2001)	
							0.02*	0.02*	
	Hazelnuts	0.02*	0.05*	0.01*		0.05*	0.05*		
							0.02*	0.02*	
	Macadamia nuts	0.02*	0.05*	0.01*		0.05*	0.05*		
							0.02*	0.02*	
	Pecans	0.02*	0.05*	0.01*		0.05*	0.05*		
							0.02*	0.02*	
	Pine nuts	0.02*	0.05*	0.01*		0.05*	0.05*		
							0.02*	0.02*	
	Pistachios	0.02*	0.05*	0.01*		0.05*	0.05*		
							0.02*	0.02*	
	Walnuts	0.02*	0.05*	0.01*		0.05*	0.05*		
							0.02*	0.02*	
	Others	0.02*	0.05*	0.01*		0.05*	0.05*		
							0.02*	0.02*	
iii) POME FRUIT									
	Apples	0.3	2	0.01*		0.05*	1		
							0.05	0.02*	
	Pears	0.3	2	0.01*		0.05*	1		
							0.05	0.02*	
	Quinces	0.3	2	0.01*		0.05*	1		
							0.05	0.02*	
	Others	0.3	2	0.01*		0.05*	1		
							0.05	0.02*	
iv) STONE FRUIT									

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Fenarimol	fenbutatol Oxide	Fenchlorol	fenitrothion	Fenitrothion	Fenvalerate and Esfenvalerate
		(changing 1 July 2001)	(changing 1 July 2001)				Sum of RR and SS isomers (changing 1 July 2001)
	Apricots	<i>no MRL</i>	<i>no MRL</i>	0.01*		0.05*	0.05*
		0.5	0.05*				0.02* 0.02*
	Cherries	<i>no MRL</i>	<i>no MRL</i>	0.01*		0.05*	0.05*
		1	0.05*				0.02* 0.02*
	Peaches (inc nectarines & similar hybrids)	<i>no MRL</i>	<i>no MRL</i>	0.01*		0.05*	0.05*
		0.5	0.5*				0.02* 0.02*
	Plums	<i>no MRL</i>	<i>no MRL</i>	0.01*		0.05*	0.05*
		0.02*	0.05*				0.02* 0.02*
	Others	<i>no MRL</i>	<i>no MRL</i>	0.01*		0.05*	0.05*
		0.02*	0.05*				0.02* 0.02*

v) BERRIES AND SMALL FRUIT

a)	Table & wine grapes						
	Table grapes	0.3	2	0.01*		0.05*	1
							0.1 0.02*
	Wine grapes	0.3	2	0.01*		0.05*	1
							0.1 0.02*
	Strawberries (other than wild)	<i>no MRL</i>	<i>no MRL</i>	0.01*		0.05*	0.05*
			1				0.02* 0.02*

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Fenarimol (changing 1 July 2001)	Fenbutatin Oxide (changing 1 July 2001)	Fenchlorolol	Flusitrothion	Fenfluramin	Fenvalerate and Esfenvalerate	
							Sum of RR and SS isomers (changing 1 July 2001)	Sum of RS and SR isomers (changing 1 July 2001)
c)	Cane Fruit (other than wild)							
	Blackberries	0.02*	0.05*	0.01*		0.05*	0.05*	
							0.02*	0.02*
	Dewberries	0.02*	0.05*	0.01*		0.05*	0.05*	
							0.02*	0.02*
	Loganberries	0.02*	0.05*	0.01*		0.05*	0.05*	
						0.02*	0.02*	
	Raspberries	as MRL 0.1	0.05*	0.01*		0.05*	0.05*	
							0.02*	0.02*
	Others	0.02*	0.05*	0.01*		0.05*	0.05*	
							0.02*	0.02*
d)	Other small fruit & berries (other than wild)							
	Bilberries	0.02*	0.05*	0.01*		0.05*	0.05*	
							0.02*	0.02*
	Cranberries	0.02*	0.05*	0.01*		0.05*	0.05*	
							0.02*	0.02*
	Currants 1 (red, black & white)		0.05*	0.01*		0.05*	0.05*	
							0.02*	0.02*

Group to which food belongs	Groups include the following products	Fenarimol (changing 1 July 2001)	Fenbutatin Oxide (changing 1 July 2001)	Fenchlorfenchlor (changing 1 July 2001)	Permethrin (changing 1 July 2001)	Fenvalerate and Esfenvalerate (changing 1 July 2001)	Sum of RR and SS isomers (changing 1 July 2001)	Sum of RS and SR isomers (changing 1 July 2001)	
e)	Gooseberries		0.05*	0.01*		0.05*	0.05*		
							0.02*	0.02*	
	Others	0.02*	0.05*	0.01*		0.05*	0.05*		
							0.02*	0.02*	
	Wild berries & wild fruit	0.02*	0.05*	0.01*		0.05*	0.05*		
							0.02*	0.02*	
vi) MISCELLANEOUS FRUIT									
	Avocados	0.02*	0.05*	0.01*		0.05*	0.05*		
							0.02*	0.02*	
	Bananas	0.3	<i>no MRL</i>	0.01*		0.05*	0.05*		
			3				0.02*	0.02*	
	Dates	0.02*	0.05*	0.01*		0.05*	0.05*		
							0.02*	0.02*	
	Figs	0.02*	0.05*	0.01*		0.05*	0.05*		
							0.02*	0.02*	
	Kiwi fruit	0.02*	0.05*	0.01*		0.05*	0.05*		
							0.02*	0.02*	
	Kumquats	0.02*	0.05*	0.01*		0.05*	0.05*		
							0.02*	0.02*	
	Litchis	0.02*	0.05*	0.01*		0.05*	0.05*		
							0.02*	0.02*	
	Mangoes	0.02*	0.05*	0.01*		0.05*	0.05*		
							0.02*	0.02*	

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Fenarimol	fenbutatin Oxide	Fenchlorolol	fenitrothion	Fenfluramin	Fenvalerate and Esfenvalerate	
		(changing 1 July 2001)	(changing 1 July 2001)				Sum of RR and SS isomers (changing 1 July 2001)	Sum of RS and SR isomers (changing 1 July 2001)
	Olives (table consumption)	0.02*	0.05*	0.01*		0.05*	0.05*	
							0.02*	0.02*
	Olives (oil extract)	0.02*	0.05*	0.01*		0.05*	0.05*	
							0.02*	0.02*
	Papaya	<i>no MRL</i>	<i>no MRL</i>				<i>no MRL</i>	
		0.02*	0.05*				0.02*	0.02*
	Passion fruit	0.02*	0.05*	0.01*		0.05*	0.05*	
							0.02*	0.02*
	Pineapple	0.02*	0.05*	0.01*		0.05*	0.05*	
							0.02*	0.02*
	Pomegranate	0.02*	0.05*	0.01*		0.05*	0.05*	
							0.02*	0.02*
	Others	0.02*	0.05*	0.01*		0.05*	0.05*	
							0.02*	0.02*

2. Vegetables, fresh or uncooked, frozen or dry

i) ROOT AND TUBER VEGETABLES

Beetroot	0.02*	0.05*	0.01*		0.05*	0.05*		
							0.02*	0.02*
Carrots	0.02*	0.05*	0.01*		0.05*	0.05*		
							0.02*	0.02*
Celeriac	0.02*	0.05*	0.01*		0.05*	0.05*		
							0.02*	0.02*
Horseradish	0.02*	0.05*	0.01*		0.05*	0.05*		

Group to which food belongs	Groups include the following products	Fenarimol (changing 1 July 2001)	Fenbutatin Oxide (changing 1 July 2001)	Fenchlorol (changing 1 July 2001)	Fenitrothion (changing 1 July 2001)	Fenitrothion (changing 1 July 2001)	Fenvalerate and Esfenvalerate	
							Sum of RR and SS isomers (changing 1 July 2001)	Sum of RS and SR isomers (changing 1 July 2001)
							0.02*	0.02*
	Jerusalem artichokes	0.02*	0.05*	0.01*		0.05*	0.05*	
	Parsnips	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Parsley root	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Radishes	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Salsify	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Sweet potatoes	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Swedes	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Turnips	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Yams	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Others	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
ii) BULB VEGETABLES								
	Garlic	0.02*	0.05*	0.01*		0.05*	0.05*	0.02*

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Fenarimol	fenbutatol Oxide	Fenchlorol	fenitrothion	Fenflutin	Fenvalerate and Esfenvalerate	
		(changing 1 July 2001)	(changing 1 July 2001)				Sum of RR and SS isomers (changing 1 July 2001)	Sum of RS and SR isomers (changing 1 July 2001)
	Onions	0.02*	0.05*	0.01*		0.05*	0.05* 0.02* 0.02*	0.02*
	Shallots	0.02*	0.05*	0.01*		0.05*	0.05* 0.02* 0.02*	0.02*
	Spring onions	0.02*	0.05*	0.01*		0.05*	0.05* 0.02* 0.02*	0.02*
	Others	0.02*	0.05*	0.01*		0.05*	0.05* 0.02* 0.02*	0.02*
iii) FRUITING VEGETABLES								
a)	Solanacea							
	Tomatoes	<i>no MRL</i> 0.5	<i>no MRL</i> 1	0.01*		0.05*	<i>1</i> 0.05 0.2	0.02* 0.02*
	Peppers	<i>no MRL</i> 0.5	<i>no MRL</i> 0.05*	0.01*		0.05*	0.2 0.02* 0.02*	0.02*
	Chilli peppers							
	Aubergines	<i>no MRL</i> 0.02*	<i>no MRL</i> 1	0.01*		0.05*	0.05* 0.02* 0.02*	0.02*
	Others	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.01*		0.05*	0.05* 0.02* 0.02*	0.02*
b)	Cucurbits-edible peel							
	Cucumbers	<i>no MRL</i> 0.2	0.5* 0.05*	0.01*		0.05*	0.2 0.02* 0.02*	0.02*
	Gherkins	<i>no MRL</i> 0.2	<i>no MRL</i> 0.05*	0.01*		0.05*	0.05* 0.02* 0.02*	0.02*

Group to which food belongs	Groups include the following products	Fenarimol	fenbutatin Oxide	Fenchlorolol	fenitrothion	Fenfluramin	Fenvalerate and Esfenvalerate	
		(changing 1 July 2001)	(changing 1 July 2001)				Sum of RR and SS isomers (changing 1 July 2001)	Sum of RS and SR isomers (changing 1 July 2001)
c)	Courgettes	<i>no MRL</i>	<i>no MRL</i>	0.01*		0.05*	0.05*	
		0.2	0.5				0.02*	0.02*
	Others	<i>no MRL</i>	<i>no MRL</i>	0.01*		0.05*	0.05*	
		0.2	0.05*				0.02*	0.02*
	Cucurbits-inedible peel							
	Melons	<i>no MRL</i>	<i>no MRL</i>	0.01*		0.05*	0.2	
	0.05	0.05*				0.02*	0.02*	
	Squashes	<i>no MRL</i>	<i>no MRL</i>	0.01*		0.05*	0.5	
		0.05	0.05*				0.02*	0.02*
	Watermelons	<i>no MRL</i>	<i>no MRL</i>	0.01*		0.05*	0.5	
		0.05	0.05*				0.02*	0.02*
	Others	<i>no MRL</i>	<i>no MRL</i>	0.01*		0.05*	0.05*	
		0.05	0.05*				0.02*	0.02*
d)	Sweet corn	0.02*	0.05*	0.01*		0.05*	0.05*	
							0.02*	0.02*
iv) BRASSICA VEGETABLES								
a)	Flowering Brassicas							
	Broccoli	0.02*	0.05*	0.01*		0.05*	1	
							0.02*	0.02*
	Cauliflower	0.02*	0.05*	0.01*		0.05*	1	
							0.02*	0.02*
	Others	0.02*	0.05*	0.01*		0.05*	1	
							0.02*	0.02*

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Fenarimol (changing 1 July 2001)	Fenbutatin Oxide (changing 1 July 2001)	Fenchlorolol (changing 1 July 2001)	Fenitrothion (changing 1 July 2001)	Fenitrothion (changing 1 July 2001)	Fenvalerate and Esfenvalerate	
							Sum of RR and SS isomers (changing 1 July 2001)	Sum of RS and SR isomers (changing 1 July 2001)
b)	Head Brassicas							
	Brussels sprouts	0.02*	0.05*	0.01*		0.05*	0.05*	
							0.05	0.02*
	Head cabbage	0.02*	0.05*	0.01*		0.05*	0.05*	
							0.05	0.02*
	Others	0.02*	0.05*	0.01*		0.05*	0.05*	
							0.02*	0.02*
c)	Leafy Brassicas							
	Chinese cabbage	0.02*	0.05*	0.01*		0.05*	1	
							0.02*	0.02*
	Kale	0.02*	0.05*	0.01*		0.05*	0.05*	
							0.02*	0.02*
	Others	0.02*	0.05*	0.01*		0.05*	0.05*	
							0.02*	0.02*
d)	Kohlrabi	0.02*	0.05*	0.01*		0.05*	0.05*	
							0.02*	0.02*
v) LEAF VEGETABLES AND FRESH HERBS								
a)	Lettuce & similar							
	Cress	0.02*	0.05*	0.01*		0.05*	0.05*	
							0.02*	0.02*
	Lamb's lettuce	0.02*	0.05*	0.01*		0.05*	0.05*	

Group to which food belongs	Groups include the following products	Fenarimol (changing 1 July 2001)	Fenbutatin Oxide (changing 1 July 2001)	Fenchlorol (changing 1 July 2001)	Fenitrothion (changing 1 July 2001)	Fenitidin (changing 1 July 2001)	Fenvalerate and Esfenvalerate	
							Sum of RR and SS isomers (changing 1 July 2001)	Sum of RS and SR isomers (changing 1 July 2001)
							0.02*	0.02*
	Lettuce	0.02*	0.05*	0.01*		0.05*	0.05*	
							0.02*	0.02*
	Scarole	0.02*	0.05*	0.01*		0.05*	0.05*	
							0.02*	0.02*
	Others	0.02*	0.05*	0.01*		0.05*	0.05*	
							0.02*	0.02*
b)	Spinach & similar							
	Spinach	0.02*	0.05*	0.01*		0.05*	0.05*	
							0.02*	0.02*
	Beet leaves (chard)	0.02*	0.05*	0.01*		0.05*	0.05*	
							0.02*	0.02*
	Others	0.02*	0.05*	0.01*		0.05*	0.05*	
							0.02*	0.02*
c)	Watercress	0.02*	0.05*	0.01*		0.05*	0.05*	
							0.02*	0.02*
d)	Witloof	0.02*	0.05*	0.01*		0.05*	0.05*	
							0.02*	0.02*
e)	Herbs							
	Chervil	0.02*	0.05*	0.01*		0.05*	0.05*	
							0.02*	0.02*
	Chives	0.02*	0.05*	0.01*		0.05*	0.05*	
							0.02*	0.02*
	Parsley	0.02*	0.05*	0.01*		0.05*	0.05*	

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Fenarimol	fenbutatin Oxide	fenchlorolol	fenitrothion	fenitrothion	Fenvalerate and Esfenvalerate	
		(changing 1 July 2001)	(changing 1 July 2001)				Sum of RR and SS isomers (changing 1 July 2001)	Sum of RS and SR isomers (changing 1 July 2001)
							0.02*	0.02*
	Celery leaves	0.02*	0.05*	0.01*		0.05*	0.05*	
	Others	0.02*	0.05*	0.01*		0.05*	0.05*	0.02*
							0.02*	0.02*
vi) LEGUME VEGETABLES (fresh)								
	Beans (with pods)	0.02*	<i>no MRL</i>	0.01*		0.05*	0.05*	
			0.05*				0.02*	0.02*
	Beans (without pods)	0.02*	<i>no MRL</i>	0.01*		0.05*	0.05*	
			0.05*				0.02*	0.02*
	Peas (with pods)	<i>no MRL</i>	0.05*	0.01*		0.05*	0.05*	
		0.02*					0.02*	0.02*
	Peas (without pods)	<i>no MRL</i>	0.05*	0.01*		0.05*	0.05*	
		0.02*					0.02*	0.02*
	Others	0.02*	0.05*	0.01*		0.05*	0.05*	0.02*
							0.02*	0.02*
vii) STEM VEGETABLES								
	Asparagus	0.02*	0.05*	0.01*		0.05*	0.05*	
							0.02*	0.02*
	Cardoons	0.02*	0.05*	0.01*		0.05*	0.05*	

Group to which food belongs	Groups include the following products	Fenarimol (changing 1 July 2001)	Fenbutatin Oxide (changing 1 July 2001)	Fenchlorolol (changing 1 July 2001)	Fenitrothion (changing 1 July 2001)	Fenitrothion (changing 1 July 2001)	Fenvalerate and Esfenvalerate	
							Sum of RR and SS isomers (changing 1 July 2001)	Sum of RS and SR isomers (changing 1 July 2001)
							0.02*	0.02*
	Celery	0.02*	0.05*	0.01*		0.05*	0.05*	
							0.02*	0.02*
	Fennel	0.02*	0.05*	0.01*		0.05*	0.05*	
							0.02*	0.02*
	Globe artichokes	<i>no MRL</i>	0.05*	0.01*		0.05*	0.05*	
		0.02*					0.02*	0.02*
	Leeks	0.02*	0.05*	0.01*		0.05*	0.05*	
							0.02*	0.02*
	Rhubarb	0.02*	0.05*	0.01*		0.05*	0.05*	
							0.02*	0.02*
	Others	0.02*	0.05*	0.01*		0.05*	0.05*	
							0.02*	0.02*
viii) FUNGI								
	a) Cultivated mushrooms	0.02*	0.05*	0.01*		0.05*	0.05*	
							0.02*	0.02*
	b) Wild mushrooms	0.02*	0.05*	0.01*		0.05*	0.05*	
							0.02*	0.02*
3. PULSES								
	Beans	0.02*	0.05*	0.01*		0.05*	0.05*	
							0.02*	0.02*
	Lentils	0.02*	0.05*	0.01*		0.05*	0.05*	
							0.02*	0.02*
	Peas	0.02*	0.05*	0.01*		0.05*	0.05*	

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Fenarimol	fenbutatol Oxide	Fenchlorol	fenitrothion	Fenfluramin	Fenvalerate and Esfenvalerate	
		(changing 1 July 2001)	(changing 1 July 2001)				Sum of RR and SS isomers (changing 1 July 2001)	Sum of RS and SR isomers (changing 1 July 2001)
	Others	0.02*	0.05*	0.01*		0.05*	0.02* 0.05* 0.02*	0.02*
4. OILSEEDS								
	Linseed	0.02*	0.05*	0.01*		0.05*	0.1 0.05*	0.05*
	Peanuts	0.02*	0.05*	0.01*		0.05*	0.1 0.05*	0.05*
	Poppy seed	0.02*	0.05*	0.01*		0.05*	0.1 0.05*	0.05*
	Sesame seed	0.02*	0.05*	0.01*		0.05*	0.1 0.05*	0.05*
	Sunflower seed	0.02*	0.05*	0.01*		0.05*	0.1 0.05*	0.05*
	Rape seed	0.02*	0.05*	0.01*		0.05*	0.1 0.05*	0.05*
	Soya bean	0.02*	0.05*	0.01*		0.05*	0.1 0.05*	0.05*
	Mustard seed	0.02*	0.05*	0.01*		0.05*	0.1 0.05*	0.05*
	Cotton seed	0.02*	no MRL	0.01*		0.05*	0.1 0.05*	0.05*

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Fenarimol	fenbutatol Oxide	Fenchlorol	fenstrothrin	Fenflunixin	Fenvalerate and Esfenvalerate
		(changing 1 July 2001)	(changing 1 July 2001)				Sum of RR and SS isomers (changing 1 July 2001)
	Others	0.02*	0.05*	0.01*		0.05*	0.1 0.05* 0.05*
5. POTATOES	Early potatoes	0.02*	0.05*	0.01*		0.1	0.05* 0.02* 0.02*
	Ware potatoes	0.02*	0.05*	0.01*		0.1	0.05* 0.02* 0.02*
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.05*	0.1*	0.1*	0.5	0.1*	10 0.05* 0.05*
7. HOPS (dried)	including 5 hop pellets & unconcentrated powder		no MRL	0.1*		0.5	5 0.05* 0.05*

Group to which food belongs	Groups include the following products	Hexachlorocyclopentadiene (HCH) γ	Chlorpyrifos	Imidacloprid	Kresoxin-methyl	Acetamiprid	Malathion	Malathion	Mancozeb	Metiram	Propineb	Zineb
					(changing 1 July 2001)							
	Parsley root	0.02*	0.02*	0.05*	0.02*			1*				0.05*
	Radishes	0.02*	0.3	0.05*	0.02* 0.1			1*				0.2
	Salsify	0.02*	0.02*	0.05*	0.02*			1*				0.2
	Sweet potatoes	0.02*	0.02*	0.05*	0.02*			1*				0.05*
	Swedes	0.02*	0.02*	0.05*	0.02*			1*				0.05*
	Turnips	0.02*	0.02*	0.05*	0.02*			1*				0.05*
	Yams	0.02*	0.02*	0.05*	0.02*			1*				0.05*
	Others	0.02*	0.02*	0.05*	0.02*			1*				0.05*
ii) BULB VEGETABLES												
	Garlic	0.02*	5	0.05*	0.02*			10				0.5
	Onions	0.02*	5	0.05*	0.02*			10				0.5
	Shallots	0.02*	5	0.05*	0.02*			10				0.5
	Spring onions	0.02*	5	0.05*	no MRL 0.02*			1*				0.05*
	Others	0.02*	0.02*	0.05*	0.02*			10				0.05*
iii) FRUITING VEGETABLES												
a)												
	Solanacea											
	Tomatoes	0.5	5	0.5	no MRL 0.5			1*				3
	Peppers	0.02*	5	1	no MRL 0.1			1*				2
	Chilli peppers											
	Aubergines	0.02*	5	0.5	no MRL 0.5			1*				2

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Hexachlorocyclopentadiene (HCH) γ	Endosulfan	Imidacloprid	Chlorpyrifos	Resoxin	Carbofenthrin	Malathion	Phosphamidon	Malathion	Malathion	Mancozeb	Metiram	Propineb	Zineb
	Others	0.02*	5	0.05*	no MRL	0.02*	1*	2							
b)	Cucurbits-edible peel														
	Cucumbers	0.2	2	0.05*	0.1		1*	0.5							
	Gherkins	0.2	2	0.05*	0.1		1*	2							
	Courgettes	0.2	2	0.05*	0.1		1*	2							
	Others	0.2	2	0.05*	0.1		1*	0.05*							
c)	Cucurbits-inedible peel														
	Melons	2	0.3	0.2	no MRL	0.05	1*	0.5							
	Squashes	0.02*	0.02*	0.2	no MRL	0.05	1*	0.5							
	Watermelons	0.02*	0.02*	0.2	no MRL	0.05	1*	0.5							
	Others	0.02*	0.02*	0.2	no MRL	0.05	1*	0.5							
d)	Sweet corn	0.02*	0.02*	0.05*	0.02*		1*	0.05*							
iv) BRASSICA VEGETABLES															
a)	Flowering Brassicas														
	Broccoli	0.02*	0.05	0.05*	no MRL	0.1	1*	1							
	Cauliflower	0.02*	0.05	0.05*	no MRL	0.1	1*	1							

Group to which food belongs	Groups include the following products	Hexachlorocyclopentadiene (HCH) γ	Endosulfan	Imidacloprid	Kresoxin-methyl	Lambda-cyhalothrin	Malathion	Metidathion	Malathion	Maleichydrazide	Mandipropamide	Mancozeb	Metiram	Propineb	Zineb
						(changing 1 July 2001)									
	Others	0.02*	0.05	0.05*	no MRL	0.1	1*			1					
b)	Head Brassicas														
	Brussels sprouts	0.02*	0.5	0.05*	0.05		1*			1					
	Head cabbage	0.02*	5	0.05*	0.2		1*			1					
	Others	0.02*	0.02*	0.05*	0.02*		1*			1					
c)	Leafy Brassicas														
	Chinese cabbage	0.02*	5	0.05*	no MRL	0.02*	1*			0.5					
	Kale	0.02*	0.02*	0.05*	no MRL	0.02*	1*			0.5					
	Others	0.02*	0.02*	0.05*	no MRL	0.02*	1*			0.5					
d)	Kohlrabi	0.02*	0.1	0.05*	no MRL	0.02*	1*			0.1*					
v) LEAF VEGETABLES AND FRESH HERBS															
a)	Lettuce & similar														
	Cress	0.02*	10	0.05*	1		1*			5					
	Lamb's lettuce	0.02*	10	0.05*	1		1*			5					
	Lettuce	0.02*	10	0.05*	1		1*			5					
	Scarole	0.02*	10	0.05*	1		1*			5					
	Others	0.02*	10	0.05*	1		1*			5					

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Hexachlorocyclopentadiene (HCH) γ	Endosulfan	Imidacloprid	Kresoxin-methyl	Lambda-cyhalothrin	Malathion	Mancozeb	Metiram	Propineb	Zineb
					(changing 1 July 2001)						
b)	Spinach & similar										
	Spinach	0.02*	0.02*	0.05*	no MRL		1*			0.05*	
	Beet leaves (chard)	0.02*	0.02*	0.05*	no MRL		1*			0.05*	
	Others	0.02*	0.02*	0.05*	no MRL		1*			0.05*	
c)	Watercress	0.02*	0.02*	0.05*	0.02*		1*			0.3	
d)	Witloof	0.02*	2	0.05*	no MRL		1*			0.2	
e)	Herbs										
	Chervil	0.02*	10	0.05*	1		1*			5	
	Chives	0.02*	10	0.05*	1		1*			5	
	Parsley	0.02*	10	0.05*	1		1*			5	
	Celery leaves	0.02*	10	0.05*	1		1*			5	
	Others	0.02*	10	0.05*	1		1*			5	
vi)	LEGUME VEGETABLES (fresh)										
	Beans (with pods)	0.02*	5	0.05*	0.2		1*			1	
	Beans (without pods)	0.02*		0.05*	0.02*		1*			0.1	
	Peas (with pods)	0.02*	1	0.05*	0.2		1*			1	

Group to which food belongs	Groups include (HCH) the following products	Hexachlorocyclopentadiene γ	Chlorpyrifos	Imidacloprid	Kresoxin-methyl	Lambda-cyhalothrin	Malathion	Mancozeb	Metiram	Propineb	Zineb
					(changing 1 July 2001)						
	Peas (without pods)	0.02*	0.2	0.05*	0.02*		1*				0.1
	Others	0.02*	0.02*	0.05*	0.02*		1*				0.05*
vii) STEM VEGETABLES											
	Asparagus	0.02*	0.02*	0.05*	0.02*		1*				0.05*
	Cardoons	0.02*	0.02*	0.05*	no MRL 0.02*		1*				0.05*
	Celery	0.02*	0.02*	0.05*	no MRL 0.3		1*				0.5
	Fennel	0.02*	0.02*	0.05*	no MRL 0.02*		1*				0.05*
	Globe artichokes	0.02*	0.02*	0.05*	no MRL 0.02*		1*				0.05*
	Leeks	0.02*	0.02*	0.05*	no MRL 0.02*		1*				3
	Rhubarb	0.02*	0.2	0.05*	no MRL 0.02*		1*				0.05*
	Others	0.02*	0.02*	0.05*	no MRL 0.02*		1*				0.05*
viii) FUNGI											
a)	Cultivated mushrooms	0.02*	0.02*	0.05*	no MRL 0.02*		1*				0.05*
b)	Wild mushrooms	0.02*	0.02*	0.05*	0.02*		1*				0.05*
3. PULSES											
	Beans	0.02*	0.2	0.05*	0.02*		1*				0.05*

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Hexachlorocyclopentadiene (HCH) γ	Endosulfan	Prochloraz	Chlorpyrifos	Malathion	Phosphamidon	Malathion	Mancozeb	Metiram	Propineb	Zineb
								(changing 1 July 2001)				
	Lentils	0.02*	0.2	0.05*	0.02*			1*	0.05*			
	Peas	0.02*	0.2	0.05*	0.02*			1*	0.05*			
	Others	0.02*	0.2	0.05*	0.02*			1*	0.05*			
4. OILSEEDS												
	Linseed	0.02*	0.1	0.1*	0.02*			1*	0.1*			
	Peanuts	0.02*	0.02*	0.1*	0.02*			1*	0.1*			
	Poppy seed	0.02*	0.02*	0.1*	0.02*			1*	0.1*			
	Sesame seed	0.02*	0.02*	0.1*	0.02*			1*	0.1*			
	Sunflower seed	0.02*	0.02*	0.1*	0.02*			1*	0.1*			
	Rape seed	0.02*	0.5	0.1*	0.02*			1*	0.5			
	Soya bean	0.02*	0.02*	0.1*	0.02*			1*	0.1*			
	Mustard seed	0.02*	0.02*	0.1*	0.02*			1*	0.1*			
	Cotton seed	0.02*	0.02*	0.1*	0.02*			1*	0.1*			
	Others	0.02*	0.02*	0.1*	0.02*			1*	0.1*			
5. POTATOES												
	Early potatoes	0.02*	0.02*	0.05*	0.02*			1*	0.05*			
	Ware potatoes	5	0.02*	0.05*	0.02*			50	0.05*			
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.2	0.1*	0.1*	0.1*	1	0.5	1*	0.1*			

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Mecarbanil	Metalaxy	Methamidophos	Phosphamidon	Thiodicarb	Methoxychlor	Methyl bromide
		(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)
	Brazil nuts	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	
	Cashew nuts	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	
	Chestnuts	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	
	Coconuts	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	
	Hazelnuts	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	
	Macadamia nuts	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	
	Pecans	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	
	Pine nuts	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	
	Pistachios	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	
	Walnuts	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	
	Others	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	
iii) POME FRUIT								
	Apples	0.05*	1	0.05	0.3	1 0.2	0.01*	0.05*
	Pears	0.05*	1	0.05	0.3	no MRL 0.2	0.01*	0.05*
	Quinces	0.05*	1	0.05	0.3	0.05* 0.2	0.01*	0.05*
	Others	0.05*	1	0.05	0.3	0.05* 0.2	0.01*	0.05*
iv) STONE FRUIT								
	Apricots	0.05*	0.05*	0.1	0.2	no MRL 0.2	0.01*	
	Cherries	0.05*	no MRL 0.05*	0.01*	no MRL 0.02*	no MRL 0.1	0.01*	
	Peaches (incl nectarines & similar hybrids)	0.05*	no MRL 0.05*	0.05	0.2	no MRL 0.2	0.01*	

Group to which food belongs	Groups include the following products	Mecarban	Metalaxy	Methamid	Phos	thiodicarb	Methoxy	Methyl bromide
		(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)
	Plums	0.05*	0.05*	0.3	0.2	no MRL	0.01*	0.5
	Others	0.05*	0.05*	0.01*	0.2	no MRL	0.01*	0.05*
v) BERRIES AND SMALL FRUIT								
a)	Table & wine grapes							
	Table grapes	0.05*	2	0.01*	0.5	3	0.05*	0.01*
	Wine grapes	0.05*	1	0.01*	0.5	3	1	0.01*
b)	Strawberries (other than wild)	0.05*	0.5	0.01*	0.02*	0.05*	0.01*	0.05*
c)	Cane Fruit (other than wild)							
	Blackberries	0.05*	no MRL 0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Dewberries	0.05*	no MRL 0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Loganberries	0.05*	no MRL 0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Raspberries	0.05*	no MRL 0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Others	0.05*	no MRL 0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
d)	Other small fruit & berries (other than wild)							

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Mecarban	Metalaxy	Methamid	Opidat	Metomyl thiodicarb	Methoxy	Methyl bromide
		(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)
e)	Bilberries	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Cranberries	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Currants (red, black & white)	0.05*	0.05*	0.01*	0.02*	no MRL 0.05*	0.01*	0.05*
	Gooseberries	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Others	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Wild berries & wild fruit	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
vi) MISCELLANEOUS FRUIT								
	Avocados	0.05*	no MRL 0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Bananas	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Dates	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Figs	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	
	Kiwi fruit	0.05*	no MRL 0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Kumquats	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Litchis	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Mangoes	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Olives (table consumption)	0.05*	0.05*	0.01*	1	no MRL 0.05*	0.01*	0.05*
	Olives (oil extract)	0.05*	0.05*	0.01*	1	no MRL 0.05*	0.01*	0.05*
	Papaya	no MRL 0.05*	no MRL 0.05*		no MRL 0.02*	no MRL 0.05*		
	Passion fruit	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Pineapple	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*

Group to which food belongs	Groups include the following products	Mecarban	Metalaxy	Methamid	Opidat	Metomylthiodicarb	Methoxy	Methyl bromide
		(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)
	Pomegranate	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Others	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
2. Vegetables, fresh or uncooked, frozen or dry								
i) ROOT AND TUBER VEGETABLES								
	Beetroot	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Carrots	0.05*	0.1	0.01*	0.02*	0.05*	0.01*	0.05*
	Celeriac	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Horseradish	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Jerusalem artichokes	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Parsnips	0.05*	0.1	0.01*	0.02*	0.05*	0.01*	0.05*
	Parsley root	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Radishes	0.05*	0.05*	0.01*	0.02*	0.5	0.01*	0.05*
	Salsify	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Sweet potatoes	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Swedes	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Turnips	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Yams	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Others	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
ii) BULB VEGETABLES								
	Garlic	0.05*	no MRL 0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Onions	0.05*	no MRL 0.5	0.01*	no MRL 0.02*	0.05*	0.01*	0.05*
	Shallots	0.05*	no MRL 0.5	0.01*	no MRL 0.02*	0.05*	0.01*	0.05*
	Spring onions	0.05*	no MRL 0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Others	0.05*	no MRL 0.05*	0.01*	0.02*	0.05*	0.01*	0.05*

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Mecarban	Metalaxy	Methamid	04-phos	Metomyl	Methoxy	Methyl
		(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	thiodicarb	carb	bromide
iii) FRUITING VEGETABLES								
a)	Solanacea							
	Tomatoes	0.05*	<i>no MRL</i> 0.05*	0.5	0.02*	<i>no MRL</i> 0.5	0.01*	0.05*
	Peppers	0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Chilli peppers						0.01*	
	Aubergines	0.05*	0.05*	0.2	0.02*	<i>no MRL</i> 0.5	0.01*	0.05*
	Others	0.05*	0.05*	0.01*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
b)	Cucurbits-edible peel							
	Cucumbers	0.05*	<i>no MRL</i> 0.5	1	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Gherkins	0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Courgettes	0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Others	0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
c)	Cucurbits-inedible peel							
	Melons	0.05*	<i>no MRL</i> 0.2	0.01*	0.02*	0.2 0.05*	0.01*	0.05*
	Squashes	0.05*	0.05*	0.01*	0.02*	0.2 0.05*	0.01*	0.05*
	Watermelons	0.05*	<i>no MRL</i> 0.2	0.01*	0.02*	0.2 0.05*	0.01*	0.05*
	Others	0.05*	0.05*	0.01*	0.02*	0.2 0.05*	0.01*	0.05*
d)	Sweet corn	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*

Group to which food belongs	Groups include the following products	Mecarban	Metalaxy	Methamid	Opidat	Methomy	Methoxy	Methyl
		(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)
iv) BRASSICA VEGETABLES								
a)	Flowering Brassicas							
	Broccoli	0.05*	no MRL 0.1	0.5	0.02*	no MRL 0.05*	0.01*	0.05*
	Cauliflower	0.05*	no MRL 0.1	0.5	0.02*	no MRL 0.05*	0.01*	0.05*
	Others	0.05*	no MRL 0.1	0.5	0.02*	no MRL 0.05*	0.01*	0.05*
b)	Head Brassicas							
	Brussels sprouts	0.05*	0.05*	0.5	0.02*	no MRL 0.05*	0.01*	0.05*
	Head cabbage	0.05*	1	0.5	0.02*	no MRL 0.05*	0.01*	0.05*
	Others	0.05*	0.05*	0.5	0.02*	no MRL 0.05*	0.01*	0.05*
c)	Leafy Brassicas							
	Chinese cabbage	0.05*	no MRL 0.05*	0.01*	0.02*	no MRL 0.05*	0.01*	0.05*
	Kale	0.05*	no MRL 0.05*	0.01*	0.02*	no MRL 0.05*	0.01*	0.05*
	Others	0.05*	0.05*	0.01*	0.02*	no MRL 0.05*	0.01*	0.05*
d)	Kohlrabi	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
v) LEAF VEGETABLES AND FRESH HERBS								
a)	Lettuce & similar							
	Cress	0.05*	no MRL 0.05*	0.01*	0.02*	no MRL 0.05*	0.01*	0.05*
	Lamb's lettuce	0.05*	no MRL 0.05*	0.01*	0.02*	no MRL 0.05*	0.01*	0.05*

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Mecarban	Metalaxy	Methamid	Opflor	Methomy	Methoxy	Methyl
		(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	thiodicarb	thiodicarb	bromide
	Lettuce	0.05*	no MRL 1	0.2	0.02*	no MRL 2	0.01*	0.05*
	Scarole	0.05*	no MRL 0.05*	0.01*	0.02*	no MRL 0.05*	0.01*	0.05*
	Others	0.05*	no MRL 0.05*	0.01*	0.02*	no MRL 0.05*	0.01*	0.05*
b)	Spinach & similar							
	Spinach	0.05*	no MRL 0.05*	0.01*	0.02*	2	0.01*	0.05*
	Beet leaves (chard)	0.05*	no MRL 0.05*	0.01*	0.02*	2	0.01*	0.05*
	Others	0.05*	no MRL 0.05*	0.01*	0.02*	2	0.01*	0.05*
c)	Watercress	0.05*	no MRL 0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
d)	Witloof	0.05*	no MRL 0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
e)	Herbs							
	Chervil	0.05*	no MRL 0.05*	0.01*	0.02*	no MRL 2	0.01*	0.05*
	Chives	0.05*	no MRL 0.05*	0.01*	0.02*	no MRL 2	0.01*	0.05*
	Parsley	0.05*	no MRL 0.05*	0.01*	0.02*	no MRL 2	0.01*	0.05*
	Celery leaves	0.05*	no MRL 0.05*	0.01*	0.02*	no MRL 2	0.01*	0.05*
	Others	0.05*	no MRL 0.05*	0.01*	0.02*	no MRL 2	0.01*	0.05*
vi)	LEGUME VEGETABLES (fresh)							
	Beans (with pods)	0.05*	0.05*	0.5	0.02*	no MRL 0.05*	0.01*	0.05*

Group to which food belongs	Groups include the following products	Mecarban	Metalaxy	Methamid	Opidat	Monomythiodicarb	Methoxy	Methyl bromide
		(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)
	Beans (without pods)	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Peas (with pods)	0.05*	0.05*	0.5	0.02*	no MRL 0.05*	0.01*	0.05*
	Peas (without pods)	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Others	0.05*	0.05*		0.02*	0.05*	0.01*	0.05*
vii) STEM VEGETABLES								
	Asparagus	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Cardoons	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Celery	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Fennel	0.05*	0.05*	0.01*	0.02*	no MRL 0.05*	0.01*	0.05*
	Globe artichokes	0.05*	no MRL 0.05*	0.1	0.02*	no MRL 0.05*	0.01*	0.05*
	Leeks	0.05*	no MRL 0.2	0.01*	no MRL 0.02*	0.05*	0.01*	0.05*
	Rhubarb	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Others	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
viii) FUNGI								
a)	Cultivated mushrooms	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
b)	Wild mushrooms	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
3. PULSES								
	Beans	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	
	Lentils	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	
	Peas	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	
	Others	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	
4. OILSEEDS								

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Mecarban	Metalaxy	Methamid	Opidat	Methomy	Methoxy	Methyl
		(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)
	Linseed	0.05*	no MRL 0.05*	0.01*	0.02*	0.05*	0.01*	0.1*
	Peanuts	0.05*	0.05*	0.01*	0.02*	0.05* 0.1	0.01*	0.1*
	Poppy seed	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.1*
	Sesame seed	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.1*
	Sunflower seed	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.1*
	Rape seed	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	0.1*
	Soya bean	0.05*	0.05*	0.01*	0.02*	0.2 0.1	0.01*	0.1*
	Mustard seed	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.1*
	Cotton seed	0.05*	0.05*	0.01	no MRL 0.02*	0.5 0.1	0.01*	0.1*
	Others	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.1*
5. POTATOES	Early potatoes	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Ware potatoes	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.05* 0.1*	0.1*	0.1*	0.1*	0.1*	0.1*	0.05*
7. HOPS (dried)	including hop pellets &	0.1*	10	2	3	10	0.1*	0.05*

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Mecarban	Metalaxy	Methamid	Phos	thiodicarb	Methoxy	Methyl bromide
		(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)			
	unconcentrated powder							

Group to which food belongs	Groups include the following products	Monocro	Phos	Phos	Phos	Phos	Phos	Phos	Phos
				(changing 1 July 2001)			(changing 1 July 2001)		

1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts

i) CITRUS FRUIT

Grapefruit	0.05*	0.5	0.05*		1	0.02*
Lemons	0.05*	0.5	0.05*		1	0.02*
Limes	0.05*	0.5	0.05*		1	0.02*
Mandarins (inc clementines & similar hybrids)	0.05*	0.5	0.05*		2	0.02*
Oranges	0.05*	0.5	0.05*		1	0.02*
Pomelos	0.05*	0.5	0.05*		1	0.02*
Others	0.05*	0.5	0.05*		1	0.02*

ii) TREE NUTS (shelled or unshelled)

Almonds	0.05*	0.1	0.05*		<i>no MRL</i>	0.05*
Brazil nuts	0.05*	0.05*	0.05*		0.05*	0.05*
Cashew nuts	0.05*	0.05*	0.05*		0.05*	0.05*
Chestnuts	0.05*	0.05*	0.05*		0.05*	0.05*
Coconuts	0.05*	0.05*	0.05*		0.05*	0.05*

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups to include the following products	Monocrotophthal	Cyanhydr	Bisphenol A	Permethrin	Phorate	Phosmet	Phoxim	Pirimiphos	Pymeth	Cyfluthrin	(changing 1 July 2001)	
												MRL	0.05*
	Hazelnuts	0.05*	0.05*	0.05*					no MRL	0.05*			
	Macadamia nuts	0.05*	0.05*	0.05*					0.05*	0.05*			
	Pecans	0.05*	0.05*	0.05*					0.05*	0.05*			
	Pine nuts	0.05*	0.05*	0.05*					0.05*	0.05*			
	Pistachios	0.05*	0.05*	0.05*					no MRL	0.05*			
	Walnuts	0.05*	0.05*	0.05*					no MRL	0.05*			
	Others	0.05*	0.05*	0.05*					0.05*	0.05*			
iii) POME FRUIT													
	Apples	0.05*	1	0.05*					no MRL	0.02*			
	Pears	0.05*	1	0.05*					no MRL	1			
	Quinces	0.05*	1	0.05*					no MRL	0.02*			
	Others	0.05*	1	0.05*					no MRL	0.02*			
iv) STONE FRUIT													
	Apricots	0.05*	1	0.05*					no MRL	2			
	Cherries	0.05*	1	0.05*					no MRL	0.02*			

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups to include the following products	Monocrotophthal	Cyfluthrin	Permethrin	Phosmet	Phoxim	Prinotol	Pirimiphos	Formaldehyde
					(changing 1 July 2001)			(changing 1 July 2001)	
d)	Other small fruit & berries (other than wild)								
	Bilberries	0.05*	0.05*	0.05*				0.05*	0.02*
	Cranberries	0.05*	0.05*	0.05*				0.05*	0.02*
	Currants (red, black & white)	0.05*	0.05*	0.05*				0.05*	0.02*
	Gooseberries	0.05*	0.05*	0.05*				0.05*	0.02*
	Others	0.05*	0.05*	0.05*				0.05*	0.02*
e)	Wild berries & wild fruit	0.05*	0.05*	0.05*				0.05*	0.02*
vi)	MISCELLANEOUS FRUIT								
	Avocados	0.05*	0.05*	0.05*				0.05*	0.02*
	Bananas	0.05*	0.05*	0.05*				0.05*	0.02*
	Dates	0.05*	0.05*	0.05*				0.05*	0.02*
	Figs	0.05*	0.05*	0.05*				0.05*	0.02*
	Kiwi fruit	0.05*	1	0.05*				2	5
	Kumquats	0.05*	0.05*	0.05*				0.05*	0.02*
	Litchis	0.05*	0.05*	0.05*				0.05*	0.02*
	Mangoes	0.05*	0.05*	0.05*				0.05*	0.02*
	Olives (table consumption)	0.05*	0.05*	0.05*				no MRL	0.02*
								0.05*	

Group to which food belongs	Groups to include the following products	Monocrotophthal	Oxydemeton-methyl	Atrazine	Phorate	Phosmet	Phoxim	Pirimiphos-methyl	Fenitrothion	
										(changing 1 July 2001)
	Olives (oil extract)	0.05*	0.05*	0.05*				no MRL 0.05*	0.02*	
	Papaya				no MRL 0.05*			no MRL 0.05*		
	Passion fruit	0.05*	0.05*	0.05*				0.05*	0.02*	
	Pineapples	0.05*	0.05*	0.05*				0.05*	0.02*	
	Pomegranates	0.05*	0.05*	0.05*				0.05*	0.02*	
	Others	0.05*	0.05*	0.05*				0.05*	0.02*	
2. Vegetables, fresh or uncooked, frozen or dry										
i) ROOT AND TUBER VEGETABLES										
	Beetroot	0.05*	0.05*		no MRL 0.05*			0.05*	0.02*	
	Carrots	0.05*	0.05*		no MRL 0.05*		1		0.02*	
	Celeriac	0.05*	0.1	0.05*				0.05*	0.02*	
	Horseradish	0.05*	0.05*	0.05*				0.05*	0.02*	
	Jerusalem artichokes	0.05*	0.05*	0.05*				0.05*	0.02*	
	Parsnips	0.05*	0.05*		no MRL 0.05*			0.05*	0.02*	
	Parsley root	0.05*	0.05*	0.05*				0.05*	0.02*	
	Radishes	0.05*	0.1	0.05*				0.05*	0.02*	
	Salsify	0.05*	0.05*	0.05*				0.05*	0.02*	
	Sweet potatoes	0.05*	0.05*	0.05*				0.05*	0.02*	
	Swedes	0.05*	0.05*	0.05*				0.05*	0.02*	
	Turnips	0.05*	0.05*	0.05*				0.05*	0.02*	

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups to include the following products	Monocrotophosphate	Oxydemeton methyl	Atrazine	Terbufos	Phosmet	Phoxim	Pirimiphos	Fenathion	Cyfluthrin	(changing 1 July 2001)	
	Yams	0.05*	0.05*	0.05*				0.05*	0.02*			
	Others	0.05*	0.05*	0.05*				0.05*	0.02*			
ii) BULB VEGETABLES												
	Garlic	0.05*	0.05*	0.05*				<i>no MRL</i>	0.2			
	Onions	0.05*	0.05*	0.05*				<i>no MRL</i>	0.2			
	Shallots	0.05*	0.05*	0.05*				<i>no MRL</i>	0.2			
	Spring onions	0.05*	0.05*	0.05*				<i>no MRL</i>	0.02*			
	Others	0.05*	0.05*	0.05*				<i>no MRL</i>	0.02*			
iii) FRUITING VEGETABLES												
a) Solanacea												
	Tomatoes	0.05*	0.5	<i>no MRL</i>				<i>no MRL</i>	2			
	Peppers	0.05*	0.5	<i>no MRL</i>				<i>no MRL</i>	2			
	Chilli peppers								2			
	Aubergines	0.05*	0.5	<i>no MRL</i>				<i>no MRL</i>	2			
	Others	0.05*	0.5	<i>no MRL</i>				<i>no MRL</i>	0.05*			

Group to which food belongs	Groups to include the following products	Monocrotophthal	Oxydemeton aqua	Terbufos	Phorate	Phosmet	Phoxim	Pirimiphosmethyl	Fenprophate	(changing 1 July 2001)	
										MRL	1
b)	Cucurbits-edible peel										
	Cucumbers	0.05*	0.1		0.05*					no MRL 0.1	1
	Gherkins	0.05*	0.1		no MRL 0.05*					no MRL 0.05*	1
	Courgettes	0.05*	0.1		no MRL 0.05*					no MRL 0.05*	1
	Others	0.05*	0.1		no MRL 0.05*					no MRL 0.05*	1
c)	Cucurbits-inedible peel										
	Melons	0.05*	0.1		0.05*					no MRL 1	1
	Squashes	0.05*	0.1		0.05*					no MRL 0.05*	1
	Watermelons	0.05*	0.1		0.05*					no MRL 0.05*	1
	Others	0.05*	0.1		0.05*					no MRL 0.05*	1
d)	Sweet corn	0.05*	0.1		no MRL 0.05*					0.05*	0.02*
iv) BRASSICA VEGETABLES											
a)	Flowering Brassicas										

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups to include the following products	Monocro	Oxyfluor	Hydro	aquar	Permeth	Phorate	Phosme	Phoxim	Pirimip	Fenathio	Cybne	(changing	(changing			
													1	1			
													July	July			
													2001)	2001)			
	Chives												0.05*	2	no MRL 0.05*	no MRL 0.05*	0.02*
	Parsley												0.05*	2	no MRL 0.05*	no MRL 0.05*	0.02*
	Celery leaves												0.05*	2	no MRL 0.05*	no MRL 0.05*	0.02*
	Others												0.05*	2	no MRL 0.05*	no MRL 0.05*	0.02*
vi) LEGUME VEGETABLES (fresh)																	
	Beans (with pods)												0.05*	0.5	no MRL 0.05*	no MRL 0.05*	2
	Beans (without pods)												0.05*	0.05*	no MRL 0.05*	no MRL 0.05*	0.02*
	Peas (with pods)												0.05*	0.1	no MRL 0.05*	no MRL 0.05*	1
	Peas (without pods)												0.05*	0.05*	no MRL 0.05*	0.05*	0.3
	Others												0.05*	0.05*	no MRL 0.05*	no MRL 0.05*	0.02*
vii) STEM VEGETABLES																	
	Asparagus												0.05*	0.05*	0.05*	no MRL 0.05*	0.02*
	Cardoons												0.05*	0.05*	0.05*	no MRL 0.05*	0.02*

Group to which food belongs	Groups to include the following products	Monocrotophthal	Oxphthal	Bisphenol A	Permethrin	Phorate	Phosmet	Phoxim	Pirimiphos	Pronothione	Cyfluthrin	(changing 1 July 2001)	
												MRL	0.05*
	Celery	0.05*	2	no MRL	0.05*	no MRL	0.05*	no MRL	0.05*	0.02*			
	Fennel	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	no MRL	0.05*	0.02*			
	Globe artichokes	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	no MRL	0.05*	0.02*			
	Leeks	0.05*	0.5	0.05*	0.05*	0.05*	0.05*	no MRL	0.05*	0.02*			
	Rhubarb	0.05*	2	0.05*	0.05*	0.05*	0.05*	no MRL	0.05*	0.02*			
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	no MRL	0.05*	0.02*			
viii) FUNGI													
a)	Cultivated mushrooms	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	2	0.05*	0.02*			
b)	Wild mushrooms	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*			
3. PULSES													
	Beans	0.05*	0.05*	no MRL	0.05*	no MRL	0.05*	no MRL	0.05*	0.02*			
	Lentils	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	no MRL	0.05*	0.02*			
	Peas	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	no MRL	0.05*	0.2			
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	no MRL	0.05*	0.02*			

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups to include the following products	Monocrotophthal	Oxydemeton-methyl	Bifenthrin	Phosmet	Phoxim	Pirimiphos-methyl	Cyfluthrin	Cypermethrin	(changing 1 July 2001)	
4. OILSEEDS											
	Linseed	0.05*	0.05*	no MRL 0.05*				no MRL 0.05*		0.05*	
	Peanuts	0.05*	0.1	0.1				no MRL 0.05*		0.05*	
	Poppy seed	0.05*	0.05*	0.05*				0.05*		0.05*	
	Sesame seed	0.05*	0.05*	0.05*				0.05*		0.05*	
	Sunflower seed	0.05*	0.05*	0.05*				no MRL 0.05*		1/0.05*()	
	Rape seed	0.05*	0.1	no MRL 0.05*				no MRL 0.05*		1	
	Soya bean	0.05*	0.05*	0.05*				no MRL 0.05*		1	
	Mustard seed	0.05*	0.1	0.05*				0.05*		0.05*	
	Cotton seed	0.05*	0.2	0.05*				no MRL 0.05*		0.05*	
	Others	0.05*	0.05*	0.05*				0.05*		0.05*	
5. POTATOES											
	Early potatoes	0.05*	0.05*	no MRL 0.05*				0.05*		0.02*	
	Ware potatoes	0.05*	0.05*	no MRL 0.05*				0.05*		0.02*	

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Monocrotophos	Cyfluthrin	Chlorpyrifos	Permethrin	Phorate	Phosmet	Phoxim	Primapro	Thiobne
						(changing 1 July 2001)			(changing 1 July 2001)	
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	0.1	0.1*	2	0.1*	0.1*	0.1*	0.05*	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder			0.1*	0.1*	0.1*			0.05*	0.1*

Group to which food belongs	Groups include the following products	Profenop	Propargite	Propiconazole	Prohexur	Propyzan	Quinalphos	TEPP	Thiabendazole
				(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)		(changing 1 July 2001)

1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts

i) CITRUS FRUIT

Grapefruit	0.05*	3	0.05*	0.02*	no MRL 0.05*	0.01*	6	5
Lemons	0.05*	3	0.3	0.02*	no MRL 0.05*	0.01*	6	5
Limes	0.05*	3	0.3	0.02*	no MRL 0.05*	0.01*	6	5
Mandarins (inc clementines &	0.05*	3		0.02*	no MRL 0.05*	0.01*	6	5

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Profenophos (changing 1 July 2001)	Fluspargite (changing 1 July 2001)	Propiconazole (changing 1 July 2001)	Propoxur (changing 1 July 2001)	Propyzar (changing 1 July 2001)	Quinalphos (changing 1 July 2001)	TEPP (changing 1 July 2001)	Thiabendazole (changing 1 July 2001)
	similar hybrids)								
	Oranges	0.05*	3 0.05*	0.02*	no MRL	0.05*	0.01*	6 5	
	Pomelos	0.05*	3 0.05*	0.02*	no MRL	0.05*	0.01*	6 5	
	Others	0.05*	3 0.05*	0.02*	no MRL	0.05*	0.01*	6 5	
ii) TREE NUTS (shelled or unshelled)									
	Almonds	0.05*	0.05*	0.02*	no MRL	0.05*	0.01*	0.1*	
	Brazil nuts	0.05*	0.05*	0.02*	no MRL	0.05*	0.01*	0.1*	
	Cashew nuts	0.05*	0.05*	0.02*	no MRL	0.05*	0.01*	0.1*	
	Chestnuts	0.05*	0.05*	0.02*	no MRL	0.05*	0.01*	0.1*	
	Coconuts	0.05*	0.05*	0.02*	no MRL	0.05*	0.01*	0.1*	
	Hazelnuts	0.05*	0.05*	0.02*	no MRL	0.05*	0.01*	0.1*	
	Macadamia nuts	0.05*	0.05*	0.02*	no MRL	0.05*	0.01*	0.1*	
	Pecans	0.05*	0.05*	0.02*	no MRL	0.05*	0.01*	0.1*	

Group to which food belongs	Groups include the following products	Profenophos (changing 1 July 2001)	Propargite (changing 1 July 2001)	Propiconazole (changing 1 July 2001)	Propoxur (changing 1 July 2001)	Propyzar (changing 1 July 2001)	Quinalphos (changing 1 July 2001)	TEPP	Thiabendazole (changing 1 July 2001)
	Pine nuts	0.05*	0.05*	0.02*	<i>no MRL</i>	0.05*	0.01*	0.1*	
	Pistachios	0.05*	0.05*	0.02*	<i>no MRL</i>	0.05*	0.01*	0.1*	
	Walnuts	0.05*	0.05*	0.02*	<i>no MRL</i>	0.05*	0.01*	0.1*	
	Others	0.05*	0.05*	0.02*	<i>no MRL</i>	0.05*	0.01*	0.1*	
iii) POME FRUIT									
	Apples	0.05*	3 0.05*	0.02*	<i>no MRL</i>	0.05*	0.01*	5	
	Pears	0.05*	3 0.05*	0.02*	<i>no MRL</i>	0.05*	0.01*	5	
	Quinces	0.05*	3 0.05*	0.02*	<i>no MRL</i>	0.05*	0.01*	5 0.05*	
	Others	0.05*	3 0.05*	0.02*	<i>no MRL</i>	0.05*	0.01*	5 0.05*	
iv) STONE FRUIT									
	Apricots	0.2	3 0.05*	0.02*	<i>no MRL</i>	0.05*	0.01*	0.05*	
	Cherries	<i>no MRL</i>	3 0.05*	0.02*	<i>no MRL</i>	0.05*	0.01*	<i>no MRL</i>	
	Peaches (incl nectarines & similar hybrids)	0.2	3 0.05*	0.02*	<i>no MRL</i>	0.05*	0.01*	0.05*	

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Profenophos (changing 1 July 2001)	Fluspargite (changing 1 July 2001)	Propiconazole (changing 1 July 2001)	Propoxur (changing 1 July 2001)	Propyzar (changing 1 July 2001)	Quinalphos (changing 1 July 2001)	TEPP (changing 1 July 2001)	Thiabendazole (changing 1 July 2001)
	Plums	<i>no</i> <i>MRL</i> 0.05*	3	0.05*	0.02*	<i>no</i> <i>MRL</i> 0.05*	0.01*	0.05*	
	Others	0.05*	3	0.05*	0.02*	<i>no</i> <i>MRL</i> 0.05*	0.01*	0.05*	
v) BERRIES AND SMALL FRUIT									
a)	Table & wine grapes								
	Table grapes	0.5	3	0.05*	0.02*	<i>no</i> <i>MRL</i> 0.05*	0.01*	<i>no</i> <i>MRL</i> 0.05*	
	Wine grapes	0.5	3	0.05*	0.02*	<i>no</i> <i>MRL</i> 0.05*	0.01*	<i>no</i> <i>MRL</i> 0.05*	
b)	Strawberries (other than wild)	0.05*	3	0.05*	<i>no</i> <i>MRL</i> 0.02*	<i>no</i> <i>MRL</i> 0.05*	0.01*	5 0.05*	
c)	Cane Fruit (other than wild)								
	Blackberries	0.05*	3	0.05*	0.02*	<i>no</i> <i>MRL</i> 0.05*	0.01*	0.05*	
	Dewberries	0.05*	0.05*	0.02*		<i>no</i> <i>MRL</i> 0.05*	0.01*	0.05*	
	Loganberries	0.05*	0.05*	0.02*		<i>no</i> <i>MRL</i> 0.05*	0.01*	0.05*	
	Raspberries	0.05*	3	0.05*	0.02*	<i>no</i> <i>MRL</i> 0.05*	0.01*	<i>no</i> <i>MRL</i> 0.05*	

Group to which food belongs	Groups include the following products	Profenophos (changing 1 July 2001)	Propiconazole (changing 1 July 2001)	Propoxur (changing 1 July 2001)	Propyzar (changing 1 July 2001)	Quinalphos (changing 1 July 2001)	TEPP (changing 1 July 2001)	Thiabendazole (changing 1 July 2001)
	Others	0.05*	0.05*	0.02*	<i>no MRL</i>	0.01*	0.05*	
d)	Other small fruit & berries (other than wild)							
	Bilberries	0.05*	0.05*	0.02*	<i>no MRL</i>	0.01*	0.05*	
	Cranberries	0.05*	0.05*	0.02*	<i>no MRL</i>	0.01*	0.05*	
	Currants (red, black & white)	0.05*	0.2	<i>no MRL</i>	<i>no MRL</i>	0.01*	<i>no MRL</i>	
	Gooseberries	0.05*	0.2	<i>no MRL</i>	<i>no MRL</i>	0.01*	<i>no MRL</i>	
	Others	0.05*	0.05*	0.02*	<i>no MRL</i>	0.01*	0.05*	
e)	Wild berries & wild fruit	0.05*	0.05*	0.02*	<i>no MRL</i>	0.01*	0.05*	
vi)	MISCELLANEOUS FRUIT							
	Avocados	0.05*	0.05*	0.02*	<i>no MRL</i>	0.01*	0.05* 15	
	Bananas	0.1	0.05*	0.02*	<i>no MRL</i>	0.01*	3.5	

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Profenofos (changing 1 July 2001)	Propargite (changing 1 July 2001)	Propiconazole (changing 1 July 2001)	Propoxur (changing 1 July 2001)	Propyzar (changing 1 July 2001)	Quinalphos (changing 1 July 2001)	TEPP (changing 1 July 2001)	Thiabendazole (changing 1 July 2001)
	Dates	0.05*	0.05*	0.02*	<i>no</i>	<i>MRL</i>	0.01*	0.05*	
	Figs	0.05*	0.05*	0.02*	<i>no</i>	<i>MRL</i>	0.01*	0.05*	
	Kiwi fruit	0.05*	0.05*	0.02*	<i>no</i>	<i>MRL</i>	0.01*	0.05*	
	Kumquats	0.05*	0.05*	0.02*	<i>no</i>	<i>MRL</i>	0.01*	0.05*	
	Litchis	0.05*	0.05*	0.02*	<i>no</i>	<i>MRL</i>	0.01*	0.05*	
	Mangoes	0.05*	0.05*	0.02*	<i>no</i>	<i>MRL</i>	0.01*	0.05* 5	
	Olives (table consumption)	0.05*	3 0.05*	0.02*	<i>no</i>	<i>MRL</i>	0.01*	0.05*	
	Olives (oil extract)	0.05*	3 0.05*	0.02*	<i>no</i>	<i>MRL</i>	0.01*	0.05*	
	Papaya	<i>no</i>	<i>no</i>	<i>no</i>	<i>no</i>	<i>MRL</i>		<i>no</i>	
		0.05*	0.05*	0.02*	0.05*			10	
	Passion fruit	0.05*	0.05*	0.02*	<i>no</i>	<i>MRL</i>	0.01*	0.05*	
	Pineapples	0.05*	0.05*	0.02*	<i>no</i>	<i>MRL</i>	0.01*	0.05*	
	Pomegranates	0.05*	0.05*	0.02*	<i>no</i>	<i>MRL</i>	0.01*	0.05*	

Group to which food belongs	Groups include the following products	Profenopfos (changing 1 July 2001)	Propargite (changing 1 July 2001)	Propiconazole (changing 1 July 2001)	Propoxur (changing 1 July 2001)	Propyzar (changing 1 July 2001)	Quinalphos (changing 1 July 2001)	TEPP (changing 1 July 2001)	Thiabendazole (changing 1 July 2001)
	Others	0.05*	0.05*	0.02*	<i>no MRL</i>	0.01*	0.05*		
2. Vegetables, fresh or uncooked, frozen or dry									
i) ROOT AND TUBER VEGETABLES									
	Beetroot	0.05*	3 0.05*	0.02*	<i>no MRL</i>	0.01*	<i>no MRL</i>	0.05*	
	Carrots	0.05*	0.05*	0.02*	<i>no MRL</i>	0.01*	0.05*		
	Celeriac	0.05*	3 0.05*	0.02*	<i>no MRL</i>	0.01*	0.05*		
	Horseradish	0.05*	0.05*	0.02*	<i>no MRL</i>	0.01*	0.05*		
	Jerusalem artichokes	0.05*	0.05*	0.02*	<i>no MRL</i>	0.01*	0.05*		
	Parsnips	0.05*	0.05*	0.02*	<i>no MRL</i>	0.01*	0.05*		
	Parsley root	0.05*	0.05*	0.02*	<i>no MRL</i>	0.01*	0.05*		
	Radishes	0.05*	0.05*	0.02*	<i>no MRL</i>	0.01*	0.05*		
	Salsify	0.05*	0.05*	0.02*	<i>no MRL</i>	0.01*	0.05*		
	Sweet potatoes	0.05*	0.05*	0.02*	<i>no MRL</i>	0.01*	0.05*		
	Swedes	0.05*	0.05*	0.02*	<i>no MRL</i>	0.01*	0.05*		

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Profenophos (changing 1 July 2001)	Florspargite (changing 1 July 2001)	Propiconazole (changing 1 July 2001)	Propoxur (changing 1 July 2001)	Propyzar (changing 1 July 2001)	Quinalphos (changing 1 July 2001)	TEPP (changing 1 July 2001)	Thiabendazole (changing 1 July 2001)
	Turnips	0.05*		0.05*	0.02*	no MRL	0.05*	0.01*	0.05*
	Yams	0.05*		0.05*	0.02*	no MRL	0.05*	0.01*	0.05*
	Others	0.05*		0.05*	0.02*	no MRL	0.05*	0.01*	0.05*
ii) BULB VEGETABLES									
	Garlic	0.05*		0.05*	0.02*	no MRL	0.05*	0.01*	no MRL
	Onions	0.05*		0.05*	0.02*	no MRL	0.05*	0.01*	no MRL
	Shallots	0.05*		0.05*	0.02*	no MRL	0.05*	0.01*	no MRL
	Spring onions	0.05*		0.05*	0.02*	no MRL	0.05*	0.01*	0.05*
	Others	0.05*		0.05*	0.02*	no MRL	0.05*	0.01*	0.05*
iii) FRUITING VEGETABLES									
a)	Solanacea								
	Tomatoes	0.05*		no MRL	0.05*	0.02*	no MRL	0.05*	0.01*
	Peppers	no MRL		3 0.05*	0.02*	no MRL	0.05*	0.01*	no MRL
	Chilli peppers	0.05*				0.05*			0.05*

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups to include the following products	Profenop	Fluspargit	Propicon	Propoxu	Propyza	Quinalph	TEPP	Thiabendazole
		(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	
	Aubergines	0.05*	3 0.05*	0.02*	<i>no</i>	0.01*	0.05*		
	Others	0.05*	3 0.05*	0.02*	<i>no</i>	0.01*	0.05*		
b)	Cucurbits-edible peel								
	Cucumbers	<i>no</i>	<i>no</i>	0.02*	<i>no</i>	0.01*	<i>no</i>		
	Gherkins	<i>no</i>	3 0.05*	0.02*	<i>no</i>	0.01*	0.05*		
	Courgettes	<i>no</i>	<i>no</i>	0.02*	<i>no</i>	0.01*	0.05*		
	Others	<i>no</i>	3 0.05*	0.02*	<i>no</i>	0.01*	0.05*		
c)	Cucurbits-inedible peel								
	Melons	<i>no</i>	3 0.05*	0.02*	<i>no</i>	0.01*	<i>no</i>		
	Squashes	<i>no</i>	3 0.05*	0.02*	<i>no</i>	0.01*	0.05*		
	Watermelons	<i>no</i>	3 0.05*	0.02*	<i>no</i>	0.01*	<i>no</i>		
	Others	<i>no</i>	3 0.05*	0.02*	<i>no</i>	0.01*	0.05*		

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Profenophos (changing 1 July 2001)	Fluspargitol (changing 1 July 2001)	Propiconazole (changing 1 July 2001)	Propoxur (changing 1 July 2001)	Propyzar (changing 1 July 2001)	Quinalphos (changing 1 July 2001)	TEPP (changing 1 July 2001)	Thiabendazole (changing 1 July 2001)
d)	Sweet corn	0.05*		0.05*	0.02*	no MRL	0.05*	0.01*	0.05*
iv) BRASSICA VEGETABLES									
a)	Flowering Brassicas								
	Broccoli	0.05*		3 0.5	0.02*	no MRL	0.05*	0.01*	5
	Cauliflower	0.05*		3 0.5	0.02*	no MRL	0.05*	0.01*	0.05*
	Others	0.05*		3 0.5	0.02*	no MRL	0.05*	0.01*	0.05*
b)	Head Brassicas								
	Brussels sprouts	0.05*		3 0.05*	0.02*	no MRL	0.05*	0.01*	0.05*
	Head cabbage	0.05*		3 0.5	no MRL	no MRL	0.05*	0.01*	no MRL
	Others	0.05*		3 0.05*	0.02*	no MRL	0.05*	0.01*	0.05*
c)	Leafy Brassicas								
	Chinese cabbage	0.05*		3 0.05*	0.02*	no MRL	0.05*	0.01*	0.05*
	Kale	0.05*		3 0.05*	0.02*	no MRL	0.05*	0.01*	0.05*
	Others	0.05*		3 0.05*	0.02*	no MRL	0.05*	0.01*	0.05*

Group to which food belongs	Groups include the following products	Profenofos (changing 1 July 2001)	Florspargin (changing 1 July 2001)	Propiconazole (changing 1 July 2001)	Propoxur (changing 1 July 2001)	Propyzar (changing 1 July 2001)	Quinalphos (changing 1 July 2001)	TEPP (changing 1 July 2001)	Thiabendazole (changing 1 July 2001)
d)	Kohlrabi	0.05*	3 0.05*	0.02*	<i>no</i>	<i>no</i>	0.01*	0.05*	
					<i>MRL</i>	<i>MRL</i>		0.05*	
v) LEAF VEGETABLES AND FRESH HERBS									
a)	Lettuce & similar								
	Cress	0.05*	0.05*	<i>no</i>	<i>no</i>	<i>MRL</i>	0.01*	0.05*	
				<i>MRL</i>	<i>MRL</i>				
				0.05*	0.05*				
	Lamb's lettuce	0.05*	3 0.05*	<i>no</i>	<i>no</i>	<i>MRL</i>	0.01*	0.05*	
				<i>MRL</i>	<i>MRL</i>				
				0.05*	0.05*				
	Lettuce	0.05*	3 0.05*	<i>no</i>	<i>no</i>	<i>MRL</i>	0.01*	<i>no</i>	
				<i>MRL</i>	<i>MRL</i>			<i>MRL</i>	
				0.05*	0.05*			0.05*	
	Scarole	0.05*	3 0.05*	<i>no</i>	<i>no</i>	<i>MRL</i>	0.01*	0.05*	
				<i>MRL</i>	<i>MRL</i>				
				0.05*	0.05*				
	Others	0.05*	3 0.05*	<i>no</i>	<i>no</i>	<i>MRL</i>	0.01*	0.05*	
				<i>MRL</i>	<i>MRL</i>				
				0.05*	0.05*				
b)	Spinach & similar								
	Spinach	0.05*	3 0.05*	0.02*	<i>no</i>	<i>MRL</i>	0.01*	0.05*	
					<i>MRL</i>				
				0.05*	0.05*				
	Beet leaves (chard)	0.05*	3 0.05*	0.02*	<i>no</i>	<i>MRL</i>	0.01*	0.05*	
					<i>MRL</i>				
				0.05*	0.05*				
	Others	0.05*	3 0.05*	0.02*	<i>no</i>	<i>MRL</i>	0.01*	0.05*	
					<i>MRL</i>				
				0.05*	0.05*				
c)	Watercress	0.05*	0.05*	0.02*	<i>no</i>	<i>MRL</i>	0.01*	0.05*	
					<i>MRL</i>				
					0.05*				

Group to which food belongs	Groups include the following products	Profenophos (changing 1 July 2001)	Aspargite (changing 1 July 2001)	Propiconazole (changing 1 July 2001)	Propoxur (changing 1 July 2001)	Propyzar (changing 1 July 2001)	Quinalphos (changing 1 July 2001)	TEPP (changing 1 July 2001)	Thiabendazole (changing 1 July 2001)
	Asparagus	0.05*	0.05*	0.02*	<i>no</i>	<i>no</i>	0.01*	<i>no</i>	
					<i>MRL</i>	<i>MRL</i>	0.05*	0.05*	
	Cardoons	0.05*	3 0.05*	0.02*	<i>no</i>	<i>no</i>	0.01*	0.05*	
					<i>MRL</i>	<i>MRL</i>	0.05*		
	Celery	<i>no</i>	3 0.05*	0.02*	<i>no</i>	<i>no</i>	0.01*	<i>no</i>	
		<i>MRL</i>			<i>MRL</i>	<i>MRL</i>	0.05*	0.05*	
	Fennel	0.05*	3 0.05*	0.02*	<i>no</i>	<i>no</i>	0.01*	0.05*	
					<i>MRL</i>	<i>MRL</i>	0.05*		
	Globe artichokes	<i>no</i>	3 0.05*	<i>no</i>	<i>no</i>	<i>no</i>	0.01*	0.05*	
		<i>MRL</i>	0.05*	<i>MRL</i>	<i>MRL</i>	<i>MRL</i>			
	Leeks	0.05*	1	0.02*	<i>no</i>	<i>no</i>	0.01*	<i>no</i>	
					<i>MRL</i>	<i>MRL</i>	0.05*	0.05*	
	Rhubarb	0.05*	0.05*	0.02*	<i>no</i>	<i>no</i>	0.01*	0.05*	
					<i>MRL</i>	<i>MRL</i>	0.05*		
	Others	0.05*	0.05*	0.02*	<i>no</i>	<i>no</i>	0.01*	0.05*	
					<i>MRL</i>	<i>MRL</i>	0.05*		
viii) FUNGI									
a)	Cultivated mushrooms	0.05*	0.05*	0.02*	<i>no</i>	<i>no</i>	0.01*	<i>no</i>	
					<i>MRL</i>	<i>MRL</i>	0.05*	0.05*	
b)	Wild mushrooms	0.05*	0.05*	0.02*	<i>no</i>	<i>no</i>	0.01*	0.05*	
					<i>MRL</i>	<i>MRL</i>	0.05*		
3. PULSES									
	Beans	0.05*	0.05*	0.02*	<i>no</i>	<i>no</i>	0.01*	0.05*	
					<i>MRL</i>	<i>MRL</i>	0.05*		
	Lentils	0.05*	0.05*	0.02*	<i>no</i>	<i>no</i>	0.01*	0.05*	
					<i>MRL</i>	<i>MRL</i>	0.05*		

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Profenophos (changing 1 July 2001)	Propargite (changing 1 July 2001)	Propiconazole (changing 1 July 2001)	Propoxur (changing 1 July 2001)	Propyzar (changing 1 July 2001)	Quinalphos (changing 1 July 2001)	TEPP (changing 1 July 2001)	Thiabendazole (changing 1 July 2001)
	Peas	0.05*	0.05*	0.02*	<i>no MRL</i>	0.01*	0.05*	0.05*	
	Others	0.05*	0.05*	0.02*	<i>no MRL</i>	0.01*	0.05*	0.05*	
4. OILSEEDS									
	Linseed	<i>no MRL</i>	0.05*	0.05*	<i>no MRL</i>	0.01*	0.05*	0.05*	
	Peanuts	0.05*	0.05*	<i>no MRL</i>	<i>no MRL</i>	0.01*	0.05*	0.05*	
	Poppy seed	0.05*	0.05*	0.02*	<i>no MRL</i>	0.01*	0.05*	0.05*	
	Sesame seed	0.05*	0.05*	0.02*	<i>no MRL</i>	0.01*	0.05*	0.05*	
	Sunflower seed	0.05*	0.05*	0.02*	<i>no MRL</i>	0.01*	0.05*	0.05*	
	Rape seed	<i>no MRL</i>	0.05*	<i>no MRL</i>	<i>no MRL</i>	0.01*	0.05*	0.05*	
	Soya bean	0.05*	0.05*	0.02*	<i>no MRL</i>	0.01*	0.05*	0.05*	
	Mustard seed	0.05*	0.05*	0.02*	<i>no MRL</i>	0.01*	0.05*	0.05*	
	Cotton seed	0.05*	0.05*	<i>no MRL</i>	<i>no MRL</i>	0.01*	0.05*	0.05*	
	Others	0.05*	0.05*	0.02*	<i>no MRL</i>	0.01*	0.05*	0.05*	

5. POTATOES

Group to which food belongs	Groups include the following products	Profenophos	Propargite	Propiconazole	Propoxur	Propyzosin	Quinalphos	TEPP	Thiabendazole
				(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)		(changing 1 July 2001)
	Early potatoes			0.05*	0.05*	0.02*	no MRL 0.05*	0.01*	no MRL 0.05*
	Ware potatoes			0.05*	0.05*	0.02*	no MRL 0.05*	0.01*	5 15
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	5	0.1*	0.1*	0.05*	2 0.1*	0.02*	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder			0.1*	0.1*	no MRL 0.05*	no MRL 0.1*	0.02*	0.1*

Group to which food belongs	Groups include the following products	Triazophos	Triforine	2,4,5-T	Vinclozolin
		(changing 1 July 2001)	(changing 1 July 2001)		

1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts

i) CITRUS FRUIT

Grapefruit	no MRL 0.02*	0.05*	0.05*	0.05*
Lemons	no MRL 0.02*	0.05*	0.05*	0.05*
Limes	no MRL 0.02*	0.05*	0.05*	0.05*
Mandarins (inc clementines)	no MRL 0.02*	0.05*	0.05*	0.05*

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Triazophos (changing 1 July 2001)	Triforine (changing 1 July 2001)	2,4,5-T	Vinclozolin
	& similar hybrids)				
	Oranges	<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*
	Pomelos	<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*
	Others	<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*
ii) TREE NUTS (shelled or unshelled)					
	Almonds	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
	Brazil nuts	0.02*	0.05*	0.05*	0.05*
	Cashew nuts	0.02*	0.05*	0.05*	0.05*
	Chestnuts	0.02*	0.05*	0.05*	0.05*
	Coconuts	0.02*	0.05*	0.05*	0.05*
	Hazelnuts	<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*
	Macadamia nuts	0.02*	0.05*	0.05*	0.05*
	Pecans	0.02*	0.05*	0.05*	0.05*
	Pine nuts	0.02*	0.05*	0.05*	0.05*
	Pistachios	<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*
	Walnuts	0.02*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*
iii) POME FRUIT					
	Apples	<i>no MRL</i> 0.02*	2	0.05*	1
	Pears	<i>no MRL</i> 0.02*	2	0.05*	1
	Quinces	<i>no MRL</i> 0.02*	2	0.05*	1
	Others	<i>no MRL</i> 0.02*	2	0.05*	1

Group to which food belongs	Groups include the following products	Triazophos (changing 1 July 2001)	Triforine (changing 1 July 2001)	2,4,5-T	Vinclozolin
iv) STONE FRUIT					
	Apricots	<i>no MRL</i> 0.02*	<i>no MRL</i> 2	0.05*	2
	Cherries	0.02*	2	0.05*	0.5
	Peaches (incl nectarines & similar hybrids)	<i>no MRL</i> 0.02*	<i>no MRL</i> 2	0.05*	0.05*
	Plums	0.02*	1	0.05*	2
	Others	0.02*	0.05*	0.05*	0.05*
v) BERRIES AND SMALL FRUIT					
a)	Table & wine grapes				
	Table grapes	0.02*	<i>no MRL</i> 0.05*	0.05*	5
	Wine grapes	0.02*	<i>no MRL</i> 0.05*	0.05*	5
b)	Strawberries (other than wild)	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	5
c)	Cane Fruit (other than wild)				
	Blackberries	0.02*	0.05*	0.05*	5
	Dewberries	0.02*	0.05*	0.05*	5
	Loganberries	0.02*	0.05*	0.05*	5
	Raspberries	0.02*	0.05*	0.05*	5
	Others	0.02*	0.05*	0.05*	5
d)	Other small fruit & berries (other than wild)				
	Bilberries	0.02*	0.05*	0.05*	0.05*
	Cranberries	0.02*	0.05*	0.05*	0.05*

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Triazophos (changing 1 July 2001)	Triforine (changing 1 July 2001)	2,4,5-T	Vinclozolin
e)	Currants (red, black & white)	0.02*	2	0.05*	10
	Gooseberries	0.02*	2	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*
	Wild berries & wild fruit	0.02*	0.05*	0.05*	0.05*
vi) MISCELLANEOUS FRUIT					
	Avocados	0.02*	0.05*	0.05*	0.05*
	Bananas	0.02*	0.05*	0.05	0.05*
	Dates	0.02*	0.05*	0.05*	0.05*
	Figs	0.02*	0.05*	0.05*	0.05*
	Kiwi fruit	0.02*	0.05*	0.05*	10
	Kumquats	0.02*	0.05*	0.05*	0.05*
	Litchis	0.02*	0.05*	0.05*	0.05*
	Mangoes	0.02*	0.05*	0.05*	0.05*
	Olives (table consumption)	<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*
	Olives (oil extract)	<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*
	Papaya	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*		
	Passion fruit	0.02*	0.05*	0.05*	0.05*
	Pineapples	0.02*	0.05*	0.05*	0.05*
	Pomegranates	0.02*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*
2. Vegetables, fresh or uncooked, frozen or dry					
i) ROOT AND TUBER VEGETABLES					
	Beetroot	<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*
	Carrots	1 0.02*	0.05*	0.05*	0.5

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Triazophos (changing 1 July 2001)	Triforine (changing 1 July 2001)	2,4,5-T	Vinclozolin
	Celeriac	<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*
	Horseradish	0.02*	0.05*	0.05*	0.05*
	Jerusalem artichokes	0.02*	0.05*	0.05*	0.05*
	Parsnips	1 0.02*	0.05*	0.05*	0.05*
	Parsley root	0.02*	0.05*	0.05*	0.05*
	Radishes	0.02*	0.05*	0.05*	0.05*
	Salsify	0.02*	0.05*	0.05*	0.05*
	Sweet potatoes	0.02*	0.05*	0.05*	0.05*
	Swedes	0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
	Turnips	0.02*	0.05*	0.05*	0.05*
	Yams	0.02*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*
ii) BULB VEGETABLES					
	Garlic	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	1
	Onions	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	1
	Shallots	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	1
	Spring onions	0.02*	<i>no MRL</i> 0.05*	0.05*	1
	Others	0.02*	<i>no MRL</i> 0.05*	0.05*	1
iii) FRUITING VEGETABLES					
a)	Solanacea				
	Tomatoes	0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
	Peppers	0.02*	<i>no MRL</i> 0.05*	0.05*	3

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Triazophos (changing 1 July 2001)	Triforine (changing 1 July 2001)	2,4,5-T	Vinclozolin
	Chilli peppers				
	Aubergines	0.02*	<i>no MRL</i> 0.05*	0.05*	3
	Others	0.02*	<i>no MRL</i> 0.05*	0.05*	3
b)	Cucurbits-edible peel				
	Cucumbers	<i>no MRL</i> 0.02*	0.5	0.05*	1
	Gherkins	<i>no MRL</i> 0.02*	0.5	0.05*	1
	Courgettes	<i>no MRL</i> 0.02*	0.5	0.05*	1
	Others	<i>no MRL</i> 0.02*	0.5	0.05*	1
c)	Cucurbits-inedible peel				
	Melons	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	1
	Squashes	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	1
	Watermelons	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	1
	Others	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	1
d)	Sweet corn	0.02*	0.05*	0.05*	0.05*
iv) BRASSICA VEGETABLES					
a)	Flowering Brassicas				
	Broccoli	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
	Cauliflower	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Triazophos (changing 1 July 2001)	Triforine (changing 1 July 2001)	2,4,5-T	Vinclozolin
	Others	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
b)	Head Brassicas				
	Brussels sprouts	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
	Head cabbage	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
	Others	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
c)	Leafy Brassicas				
	Chinese cabbage	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	2
	Kale	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
	Others	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
d)	Kohlrabi	0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
v) LEAF VEGETABLES AND FRESH HERBS					
a)	Lettuce & similar				
	Cress	0.02*	<i>no MRL</i> 0.05*	0.05*	5
	Lamb's lettuce	0.02*	0.05*	0.05*	5
	Lettuce	0.02*	0.05*	0.05*	5
	Scarole	0.02*	0.05*	0.05*	5
	Others	0.02*	0.05*	0.05*	5
b)	Spinach & similar				
	Spinach	0.02*	0.05*	0.05*	0.05*
	Beet leaves (chard)	0.02*	0.05*	0.05*	0.05*

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Triazophos (changing 1 July 2001)	Triforine (changing 1 July 2001)	2,4,5-T	Vinclozolin
	Others	0.02*	0.05*	0.05*	0.05*
c)	Watercress	0.02*	0.05*	0.05*	0.05*
d)	Witloof	0.02*	0.05*	0.05*	2
e)	Herbs				
	Chervil	0.02*	0.05*	0.05*	0.05*
	Chives	0.02*	0.05*	0.05*	0.05*
	Parsley	0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
	Celery leaves	0.02*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*
vi) LEGUME VEGETABLES (fresh)					
	Beans (with pods)	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	2
	Beans (without pods)	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	0.5
	Peas (with pods)	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	2
	Peas (without pods)	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	0.3
	Others	0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
vii) STEM VEGETABLES					
	Asparagus	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
	Cardoons	0.02*	0.05*	0.05*	0.05*
	Celery	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
	Fennel	<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*
	Globe artichokes	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Triazophos (changing 1 July 2001)	Triforine (changing 1 July 2001)	2,4,5-T	Vinclozolin
	Leeks	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
	Rhubarb	<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*
viii) FUNGI					
a)	Cultivated mushrooms	0.02*	0.05*	0.05*	0.05*
b)	Wild mushrooms	0.02*	0.05*	0.05*	0.05*
3. PULSES					
	Beans	0.02*	0.05*	0.05*	0.5
	Lentils	0.02*	0.05*	0.05*	0.05*
	Peas	0.02*	0.05*	0.05*	0.5
	Others	0.02*	0.05*	0.05*	0.05*
4. OILSEEDS					
	Linseed	<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*
	Peanuts	0.02*	0.05*	0.05*	0.05*
	Poppy seed	0.02*	0.05*	0.05*	0.05*
	Sesame seed	0.02*	0.05*	0.05*	0.05*
	Sunflower seed	0.02*	0.05*	0.05*	0.05*
	Rape seed	<i>no MRL</i> 0.02*	0.05*	0.05*	1
	Soya bean	0.02*	0.05*	0.05*	0.05*
	Mustard seed	<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*
	Cotton seed	0.1	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*
5. POTATOES					
	Early potatoes	<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Triazophos (changing 1 July 2001)	Triforine (changing 1 July 2001)	2,4,5-T	Vinclozolin
6. TEA	Ware potatoes	<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*
	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.05*	0.1*	0.05*	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.05*	30	0.05*	40

Group to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin & Dieldrin	Amitraz	Aramite	Azoxystrobin	Barban
8. CEREALS								
	Wheat	0.02*	0.05*	0.01	0.02*	0.01*	0.3	0.05*
	Rye	0.02*	0.05*	0.01	0.02*	0.01*	0.3	0.05*
	Barley	0.02*	0.05*	0.01	0.02*	0.01*	0.3	0.05*
	Sorghum	0.02*	0.05*	0.01	0.02*	0.01*	0.05*	0.05*
	Oats	0.02*	0.05*	0.01	0.02*	0.01*	0.05*	0.05*
	Triticale	0.02*	0.05*	0.01	0.02*	0.01*	0.3	0.05*
	Maize	0.02*	0.05*	0.01	0.02*	0.01*	0.05*	0.05*
	Buckwheat	0.02*	0.05*	0.01	0.02*	0.01*	0.05*	0.05*
	Millet	0.02*	0.05*	0.01	0.02*	0.01*	0.05*	0.05*
	Rice()	0.02*	0.05*	0.01	0.02*	0.01*	5	0.05*
	Other cereals()	0.02*	0.05*	0.01	0.02*	0.01*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin & Dieldrin	Amitraz	Aramite	Azoxystrobin	Barban	
9. PRODUCTS OF ANIMAL ORIGIN									
	Meat, fat & preparations of meat()	0.02*	0.01*	0.2	0.02*()	0.01*	0.05*	0.05*	
	Milk() & Dairy produce()	0.02*	0.01*	0.006		0.01*	0.01*	0.05*	
	Eggs()	0.02*	0.01*	0.02	0.02*	0.01*()	0.05*	0.05*()	
Group to which food belongs	Groups include the following products	Benalaxyl	Benfuracarb	Claptafol	Carbaryl	Carbendazim	Carbofuran	Carbon disulphide	Carbon tetrachloride
			(changing 1 July 2001)			(changing 1 July 2001)			
8. CEREALS									
	Wheat	0.05*	0.05*	0.05*	0.5	0.1*	0.1*	0.1	0.1
	Rye	0.05*	0.05*	0.05*	0.5	0.1*	0.1*	0.1	0.1
	Barley	0.05*	0.05*	0.05*	0.5	0.1*	0.1*	0.1	0.1
	Sorghum	0.05*	0.05*	0.05*	0.5	0.1*	0.1*	0.1	0.1
	Oats	0.05*	0.05*	0.05*	0.5	0.1*	no MRL 0.1*	0.1	0.1
	Triticale	0.05*	0.05*	0.05*	0.5	0.1*	0.1*	0.1	0.1
	Maize	0.05*	no MRL 0.05*	0.05*	0.5	0.1*	0.1*	0.1	0.1
	Buckwheat	0.05*	0.05*	0.05*	0.5	0.1*	0.1*	0.1	0.1
	Millet	0.05*	0.05*	0.05*	0.5	0.1*	0.1*	0.1	0.1
	Rice()	0.05*	0.05*	0.05*	1	0.1*	no MRL 0.1*	0.1	0.1

0
0
0
0
0
0
0
0
0

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Benalaxyl	Benfuracarb	Claptafol	Carbaryl	Carbendazim	Carbofuran	Carbon disulphide	Carbon tetrachloride
			(changing 1 July 2001)				(changing 1 July 2001)		
	Other cereals()	0.05*	0.05*	0.05*	0.5	0.1*	0.1*	0.1	0.1
9. PRODUCTS OF ANIMAL ORIGIN									
	Meat, fat & preparations of meat()	0.05*	0.05*			0.1*	0.1*		
	Milk() & Dairy produce()	0.05*	0.05*			0.1*	0.1*		
	Eggs()	0.05*	0.05*			0.1*	0.1*		

Group to which food belongs	Groups include the following products	Carbosulfan	Chlorbufos	Chlordane	Chlorfensofos	Chlorobenzene	Chloroxuron	Chlorbenside
8. CEREALS								
	Wheat	0.05*	0.05*	0.02	0.01*	0.02*	0.05*	0.01*
	Rye	0.05*	0.05*	0.02	0.01*	0.02*	0.05*	0.01*
	Barley	0.05*	0.05*	0.02	0.01*	0.02*	0.05*	0.01*
	Sorghum	0.05*	0.05*	0.02	0.01*	0.02*	0.05*	0.01*
	Oats	0.05*	0.05*	0.02	0.01*	0.02*	0.05*	0.01*
	Triticale	0.05*	0.05*	0.02	0.01*	0.02*	0.05*	0.01*
	Maize	0.05*	0.05*	0.02	0.01*	0.02*	0.05*	0.01*
	Buckwheat	0.05*	0.05*	0.02	0.01*	0.02*	0.05*	0.01*
	Millet	0.05*	0.05*	0.02	0.01*	0.02*	0.05*	0.01*
	Rice()	0.05*	0.05*	0.02	0.01*	0.02*	0.05*	0.01*

0
0
0
0
0
0

Group to which food belongs	Groups include the following products	Carbosulfachlor	Chlorbufos	Chlordane	Chlorfenosulfon	Chlorobenzene	Chloroxuron	Chlorbenside
	Other cereals()	0.05*	0.05*	0.02	0.01*	0.02*	0.05*	0.01*
9. PRODUCTS OF ANIMAL ORIGIN								
	Meat, fat & preparations of meat()	0.05*	0.05*	0.05	0.05*	0.1*	0.05*	0.05*
	Milk() & Dairy produce()	0.05*	0.05*	0.002	0.05*	0.1*	0.05*	0.05*
	Eggs()	0.05*	0.05*()	0.005	0.05*()	0.1*()	0.05*()	0.05*()

Group to which food belongs	Groups include the following products	Chlormequat	Chlorothalipyrifos	Chlorpyrifos	Chlorpyrifos	Cyfluthrin	Cypermethrin	Diaminodithiophosphoramide	DDT
		(changing 1 July 2001)							

8. CEREALS

Wheat	2	0.1	0.05*	3	0.02*	0.05*	0.02*	0.05
Rye	2	0.1	0.05*	3	0.02*	0.05*	0.02*	0.05
Barley	2	0.1	0.2	3	0.02*	0.2	0.02*	0.05
Sorghum	0.05*	0.01*	0.05*	3	0.02*	0.05*	0.02*	0.05
Oats	5	0.1	0.05*	3	0.02*	0.2	0.02*	0.05
Triticale	2	0.1	0.05*	3	0.02*	0.05*	0.02*	0.05
Maize	<i>no MRL</i> 0.05*	0.01*	0.05*	3	0.02*	0.05*	0.02*	0.05
Buckwheat	0.05*	0.01*	0.05*	3	0.02*	0.05*	0.02*	0.05

0
0
0
0
0
0
0
0
0
0
0

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups to include the following products	Chloromequat	Chlorothaloxipyrifos	Chlorpyrifos	Chlorpyrifos	Cyfluthrin	Cypermethrin	Daminozide	DDT
		(changing 1 July 2001)							
	Millet	0.05*	0.01*	0.05*	3	0.02*	0.05*	0.02*	0.05
	Rice()	0.05*	0.01*	0.05*	3	0.02*	0.05*	0.02*	0.05
	Other cereals()	0.05*	0.01*	0.05*	3	0.02*	0.05*	0.02*	0.05

9. PRODUCTS OF ANIMAL ORIGIN

	Meat, fat & preparation of meat()	<i>no MRL</i> 0.05() 0.2() 0.1() 0.05*()	0.01*	0.05*()	0.05*	0.05	0.05*() 0.2()	0.05*	1
	Milk & Dairy produce()	<i>no MRL</i> 0.05	0.01*	0.01*	0.01*	0.02*	0.02	0.05*	0.04
	Eggs()	<i>no MRL</i> 0.05*	0.01*	0.01*	0.01*	0.02*	0.05*	0.05*	0.05

Group to which food belongs	Groups to include the following products	Deltamethrin-	trifluralin-2,2-bis (4-ethyl-phenyl)-ethane	Diallate	Diazinon	1,2-Dibromoethane	Dichlorvos	Dicofol	Disulfoton
		(changing 1 July 2001)							

8. CEREALS

0
0
0
0
0
0
0
0
0
0
0
0
0
0

Group to which food belongs	Groups include the following products	Deltamethrin	trihydro-dichloro-2,2-bis (4-ethyl-phenyl)-ethane	Diallate	Diazinon	1,2-Dibromoethane	Dichlorvos	Dicofol	Disulfoton
	Wheat	1	0.01*	0.05*	0.05 0.02*	0.01*	2	0.02*	0.1
	Rye	1	0.01*	0.05*	0.05 0.02*	0.01*	2	0.02*	0.02*
	Barley	1	0.01*	0.05*	0.05 0.02*	0.01*	2	0.02*	0.2
	Sorghum	1	0.01*	0.05*	0.05 0.02*	0.01*	2	0.02*	0.2
	Oats	1	0.01*	0.05*	0.05 0.02*	0.01*	2	0.02*	0.02*
	Triticale	1	0.01*	0.05*	0.05 0.02*	0.01*	2	0.02*	0.02*
	Maize	1	0.01*	0.05*	0.05 0.02*	0.01*	2	0.02*	0.02*
	Buckwheat		0.01*	0.05*	0.02*	0.01*	2	0.02*	0.02*
	Millet	1	0.01*	0.05*	0.02*	0.01*	2	0.02*	0.02*
	Rice()	1	0.01*	0.05*	0.05 0.02*	0.01*	2	0.02*	0.02*
	Other cereals()	1	0.01*	0.05*	0.05 0.02*	0.01*	2	0.02*	0.02*

9. PRODUCTS OF ANIMAL ORIGIN

Meat, fat & preparations of meat()	0.05*()	0.01*	0.2*					0.5() 0.1() 0.05*() 1()	0.02*
------------------------------------	---------	-------	------	--	--	--	--	----------------------------------	-------

0
0
0
0
0
0
0
0

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups to include the following products	Deltamethrin- dichloro-2,2-bis (4-ethyl-phenyl)- ethane	Diallate 2,2-	Diazinon	1,2-Dibromo ethane	DichlorvoDicolfol	Disulfoton
	Milk() & Dairy produce()	0.01*	0.2*	(changing 1 July 2001) <i>no MRL</i> 0.01*		0.02	0.02
	Eggs()	0.05*	0.01*()	0.2*()		0.05*	0.02*

Group to which food belongs	Groups to include the following products	Endosulfan	Endrin	Ethephon	Fenarimol	Fenbutatin oxide	Fentin	Fenvalerate and Esfenvalerate	
		(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)				Sum of RR and SS isomers (changing 1 July 2001)	Sum of RS and SR isomers (changing 1 July 2001)

8. CEREALS

Wheat	0.1 0.05*	0.01	0.2	<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*() 0.05	0.02*
Rye	0.1 0.05*	0.01	0.5	0.02*	0.05*	0.05*	0.05*	0.05
Barley	0.1 0.05*	0.01	0.5	<i>no MRL</i> 0.02*	0.05*	0.05*	0.2 0.2	0.05
Sorghum	0.05*	0.01	0.05*	0.02*	0.05*	0.05*	0.05* 0.02*	0.02*
Oats	0.1 0.05*	0.01	0.05*	0.02*	0.05*	0.05*	0.2 0.2	0.05
Triticale	0.1	0.01	0.2	0.02*	0.05*	0.05*	0.05*	

0
0
0
0
0
0

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups to include the following products	Endosulfan	Indrin	Ethephon	Fenarimol	Fenbutatin oxide	Fentin	Fenvalerate and Esfenvalerate	
		(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	Sum of RR and SS isomers (changing 1 July 2001)	Sum of RS and SR isomers (changing 1 July 2001)
		0.05*						0.05	0.02*
	Maize	0.2	0.01	no MRL	0.02*	0.05*	0.05*	0.05*	
		0.05*		0.05*				0.02*	0.02*
	Buckwheat	0.05*	0.01	0.05*	0.02*	0.05*	0.05*	0.05*	
								0.02*	0.02*
	Millet	0.05*	0.01	0.05*	0.02*	0.05*	0.05*	0.05*	
								0.02*	0.02*
	Rice()	0.05*	0.01	0.05*	0.02*	0.05*	0.05*	0.05*	
								0.02*	0.02*
	Other cereals()	0.05*	0.01	0.05*	0.02*	0.05*	0.05*	0.05*	
								0.02*	0.02*
9. PRODUCTS OF ANIMAL ORIGIN									
	Meat, fat & preparations of meat()	0.1()	0.05	0.05*	0.02*()	0.05*	0.05*	0.5()	
								0.2()	0.05()
								0.05*()	
								0.02*()	0.02*()

0
0
0
0
0
0
0
0
0
0

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Endosulfan	Endrin	Ethephon	Fenarimol	Fenbutatin oxide	Fentin	Fenvalerate and Esfenvalerate	
		(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	Sum of RR and SS isomers (changing 1 July 2001)	Sum of RS and SR isomers (changing 1 July 2001)
	Milk() & Dairy produce()	0.004	0.0008	0.05*	0.02*	0.05*	0.05*	0.05*	
	Eggs()	no MRL	0.005	0.05*	0.02*	0.05*	0.05*	0.05*	0.02* 0.02*
		0.1*()							0.02*() 0.02*()

Group to which food belongs	Groups include the following products	Furathiocarb	Glyphosate	Heptachlor	Hexachlorob (HCB)	Hexachloro (HCH)	Hexachloro (HCH)	Heptachlorocyclohexane
						α	β	
8. CEREALS								
	Wheat	0.05*	5	0.01	0.01	0.02 }		sum of alpha & beta
	Rye	0.05*	5	0.01	0.01	0.02 }		
	Barley	0.05*	20	0.01	0.01	0.02 }		
	Sorghum	0.05*	20	0.01	0.01	0.02 }		
	Oats	0.05*	20	0.01	0.01	0.02 }		
	Triticale	0.05*	5	0.01	0.01	0.02 }		
	Maize	0.05*	0.1*	0.01	0.01	0.02 }		
	Buckwheat	0.05*	0.1*	0.01	0.01	0.02 }		
	Millet	0.05*	0.1*	0.01	0.01	0.02 }		

0
0
0
0
0
0
0

Group to which food belongs	Groups include the following products	Furathiocarb	Glyphosate	Heptachlor	Hexachlorobenzene (HCB)	Hexachlorocyclohexane (HCH)	
						α	β
	Rice()	0.05*	0.1*	0.01	0.01	0.02 }	
	Other cereals()	0.05*	0.1*	0.01	0.01	0.02 }	
9. PRODUCTS OF ANIMAL ORIGIN							
	Meat, fat & preparations of meat()	0.05*	0.5() 2() 0.1*()	0.2	0.2	0.2	0.1
	Milk() & Dairy produce()	0.05*	0.1*	0.004	0.01	0.004	0.003
	Eggs()	0.05*	0.1*	0.02	0.02	0.02	0.01

Group to which food belongs	Groups include the following products	Hexachlorocyclohexane (HCH)	Hydrocyanide	Hydrogen phosphide	Imazalil	Inorganic bromide	Iprodione	Kresoxim-benzil	Lambda-cyhalothrin()

8. CEREALS

Wheat	0.1	15	0.1	0.02*	50	0.5	0.05*	0.02*
Rye	0.1	15	0.1	0.02*	50	0.02*	0.05*	0.02*
Barley	0.1	15	0.1	0.02*	50	1	0.05*	0.05
Sorghum	0.1	15	0.1	0.02*	50	0.02*	0.05*	0.02*
Oats	0.1	15	0.1	0.02*	50	0.02*	0.05*	0.02*
Triticale	0.1	15	0.1	0.02*	50	0.02*	0.05*	0.02*
Maize	0.1	15	0.1	0.02*	50	0.02*	0.05*	0.02*
Buckwheat	0.1	15	0.1	0.02*	50	0.02*	0.05*	0.02*
Millet	0.1	15	0.1	0.02*	50	0.02*	0.05*	0.02*

0
0
0
0
0
0
0
0
0
0
0

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Hexachlorocyclopentadiene (HCH)	Hydrocyanide	Hydrogen phosphide	Imazalil	Inorganic bromide	Iprodione	Kresoxim-methyl	Lambda-cyhalothrin()
	Rice()	0.1	15	0.1	0.02*	50	3	0.05*	0.02*
	Other cereals()	0.1	15	0.1	0.02*	50	0.02*	0.05*	0.02*

9. PRODUCTS OF ANIMAL ORIGIN

	Meat, fat & preparations of meat()	2() 1()			0.02*		0.05*	0.02*() 0.05()	0.5() 0.02*()
	Milk() & Dairy produce()	0.008			0.02*		0.05*	0.05*()	0.05
	Eggs()	0.1			0.02*		0.05*	0.02*	0.02*

Group to which food belongs	Groups include the following products	Malathion	Maneb Mancozeb Metiram Propineb Zineb	Mecarbam	Metalaxyl	Methamidophos	Methidathion	Methomyl thiodicarb
-----------------------------	---------------------------------------	-----------	---	----------	-----------	---------------	--------------	------------------------

8. CEREALS

	Wheat	8	1	0.05*	0.05*	0.01*	0.02*	0.05*
	Rye	8	1	0.05*	0.05*	0.01*	0.02*	0.05*
	Barley	8	2	0.05*	0.05*	0.01*	0.02*	0.05*
	Sorghum	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*
	Oats	8	2	0.05*	0.05*	0.01*	0.02*	0.05*

0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0
0

Group to which food belongs	Groups include the following products	Malathion	Maneb Mancozeb Metiram Propineb Zineb	Mecarbam	Metalaxyl	Methamidophos	Phosidathion	Methomyl thiodicarb
	Triticale	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*
	Maize	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*
	Buckwheat	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*
	Millet	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*
	Rice()	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*
	Other cereals()	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*

9. PRODUCTS OF ANIMAL ORIGIN

	Meat, fat & preparations of meat()		0.05*		0.05*	0.01*	0.02*	0.02
	Milk() & Dairy produce()		0.05*		0.05*	0.01*	0.02*	0.02
	Eggs()		0.05*		0.05*	0.01*	0.02*	0.02

Group to which food belongs	Groups include the following products	Methoxychlor	Methyl bromide	Permethrin	Phorate	Phosphamidon	Dimiphos	Pratylinidone
					(changing 1 July 2001)			

8. CEREALS

	Wheat	0.01*	0.1	2	0.05*	0.05	5	0.02*
	Rye	0.01*	0.1	2	0.05*	0.05	5	0.02*
	Barley	0.01*	0.1	2	0.05*	0.05	5	0.02*
	Sorghum	0.01*	0.1	2	0.05*	0.05	5	0.02*
	Oats	0.01*	0.1	2	0.05*	0.05	5	0.02*
	Triticale	0.01*	0.1	2	0.05*	0.05	5	0.02*

0
0
0
0
0
0

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Methoxychlor	Methyl bromide	Permethrin	Phorate	Phosphamidon	Dimiphos	Fenitrothion
	Maize	0.01*	0.1	0.2	(changing 1 July 2001) <i>no MRL</i> 0.05*	0.05	5	0.02*
	Buckwheat	0.01*	0.1	2	0.05*	0.05	5	0.02*
	Millet	0.01*	0.1	2	0.05*	0.05	5	0.02*
	Rice()	0.01*	0.1	2	0.05*	0.05	5	0.02*
	Other cereals()	0.01*	0.1	2	0.05*	0.05	5	0.02*
9. PRODUCTS OF ANIMAL ORIGIN								
	Meat, fat & preparations of meat()	0.01*		0.5	0.05*		0.05*	0.05*
	Milk() & Dairy produce()	0.01*		0.05	0.02*		0.05*	0.05*
	Eggs()	0.01*()		0.05	0.05*		0.05*	0.05*

Group to which food belongs	Groups include the following products	Propiconazole	Propoxur	Proprazine	Pyrethrin	Thiabendazole	Thiazophos	Trichlorfon
8. CEREALS								
	Wheat	0.05*	0.05*	0.02*	3	(changing 1 July 2001) <i>no MRL</i> 0.05*	(changing 1 July 2001) <i>no MRL</i> 0.02*	0.1
	Rye	0.05*	0.05*	0.02*	3	0.05*	<i>no MRL</i> 0.02*	0.1

0
0
0
0
0
0
0

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Propiconazole	Bifoxur	Propyzamide	Pyrethrins	Thiabendazole	Zinc phosphos		Trichlorfon
							(changing 1 July 2001)	(changing 1 July 2001)	
	Barley	0.05*	0.05*	0.02*	3	0.05*	<i>no MRL</i>	0.1	
	Sorghum	0.05*	0.05*	0.02*	3	0.05*	0.02*	0.1	
	Oats	0.05*	0.05*	0.02*	3	0.05*	<i>no MRL</i>	0.1	
	Triticale	0.05*	0.05*	0.02*	3	0.05*	0.02*	0.1	
	Maize	0.05*	0.05*	0.02*	3	0.05*	<i>no MRL</i>	0.1	
	Buckwheat	0.05*	0.05*	0.02*	3	0.05*	0.02*	0.1	
	Millet	0.05*	0.05*	0.02*	3	0.05*	0.02*	0.1	
	Rice()	0.05*	0.05*	0.02*	3	<i>no MRL</i>	0.02*	0.1	
	Other cereals()	0.05*	0.05*	0.02*	3	0.05*	0.02*	0.1	
9. PRODUCTS OF ANIMAL ORIGIN									
	Meat, fat & preparations of meat()	0.1()	0.05*	0.05*()		0.1()	0.01*()	0.02*	
	Milk() & Dairy produce()	0.01*	0.05*	0.01*()			0.01*	0.02*	
							0.01*	0.02*	

0
0
0
0
0
0
0
0
0
0
0
0
0
0

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Propiconazole	Propraxur	Propyzamide	Pyrethrins	Thiabendazole	Triazophos	Trichlorfon
						(changing 1 July 2001)	(changing 1 July 2001)	
	Eggs()	0.05*	0.05*	0.02*()		0.1*	no MRL 0.02*()	

Group to which food belongs	Groups include the following products	Triforine	Vinclozolin
8. CEREALS			
	Wheat	0.1	0.05*
	Rye	0.1	0.05*
	Barley	0.1	0.05*
	Sorghum	0.05*	0.05*
	Oats	0.1	0.05*
	Triticale	0.1	0.05*
	Maize	0.05*	0.05*
	Buckwheat	0.05*	0.05*
	Millet	0.05*	0.05*
	Rice ⁽¹⁾	0.05*	0.05*
	Other cereals ⁽²⁾	0.05*	0.05*
9. PRODUCTS OF ANIMAL ORIGIN			
	Meat, fat & preparations of meat ⁽³⁾	0.05*	0.05*
	Milk ⁽⁴⁾ & Dairy produce ⁽⁵⁾	0.05*	0.05*
	Eggs ⁽⁶⁾	0.05*	0.05*''

UNITS: Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

KEY: * Level at or about the limit of determination.

no MRL — refers to the particular active/commodity combination.

FOOTNOTES:

(1) Paddy or rough rice, husked rice and semi-milled or wholly milled rice.

(2) Other cereals do not include rice.

()
()
()

- (3) Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.
- (4) These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
- (5) For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk of a combination, the following levels apply:
 - if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
 - if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
- (6) Bird's eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
- (7) For eggs and egg products with a fat content higher than 10%, the maximum level is expressed in mg/kg fat. In this case, the maximum level is 10 times higher than the maximum level for fresh eggs.
- (8) All meat except poultrymeat.
- (9) Poultrymeat only.
- (10) Chicken liver.
- (11) Cattle kidney.
- (12) Cattle liver.
- (13) All meat except liver and kidney.
- (14) The residue definition for this MRL is: 2-methoxyimino-2-[2-(0-tolyloxymethyl)phenyl]acetic acid.
- (15) Meat, liver, fat.
- (16) Kidney.
- (17) Other meat products.
- (18) The residue definition for this MRL is: 2-[2-(4-hydroxy-2-methylphenoxyethyl)phenyl]-2-methoxy-iminoacetic acid.
- (19) With the exception of meat and other ovine, bovine and caprine products.
- (20) Footnotes 3, 5 and 6 do not apply in cases where the lower limit of analytical determination is indicated.
- (21) Meat of cattle, sheep and goats.
- (22) Other than meat or liver of cattle, sheep and goats, and poultrymeat.
- (23) Liver of cattle, sheep and goats. The residue definition for this MRL is: 1, 1-bis-(parachlorophenol)-2,2-dichloroethanol(PP'-FW152), expressed as dicofol.
- (24) Pig kidney.
- (25) Cattle, goat and sheep kidney.
- (26) Sheepmeat only.
- (27) All meat except sheepmeat.
- (28) For animal products MRLs relate to cyhalothrin (sum of isomers).
- (29) Ruminant liver.
- (30) All meat except ruminant liver.
- (31) Fat, liver and kidney.
- (32) Other than fat, liver and kidney.
- (33) The residues definition for these MRLs is: sum of propyzamide and all metabolites containing the 3,5-dichlorobenzoic acid fraction expressed as propyzamide.
- (34) Fenvalerate and esfenvalerate—the figure in italics set across the column refers to the MRL for fenvalerate only.
- (35) Procymidone: 1 mg/kg applies to whole seeds; 0.05 mg/kg applies to seed without shell.
- (36) Meat and meat products other than those at footnotes 10, 11 and 12.

EXPLANATORY NOTE

(This note is not part of the Regulations)

These Regulations, which extend to England and Wales only, are made under section 2(2) of the European Communities Act 1972 and amend the provisions of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) Regulations 1999 S.I.1999/3483.

The Regulations specify maximum levels of pesticide residues which crops, food and feeding stuffs may contain in implementation of Commission Directives [2000/24/EC](#) (OJNo. L107, 4.5.00), [2000/42/EC](#) (OJ No. L158, 30.6.00), [2000/48/EC](#) (OJ No. L197, 3.8.00), [2000/57/EC](#) (OJ No. L244, 29.9.00) and [2000/58/EC](#) (OJ No. L244, 29.9.00) and amend Community maximum residue levels which have been set previously (regulations 2(1), 2(2) and 5).

Further residue definitions are also introduced (regulation 2(3)).

Additionally, the Regulations remove certain maximum levels which were included in Part 1 of Schedule 2 to the Consolidated Regulations 1999 (S.I. 1999/3483) by virtue of powers contained in the Food and Environment Protection Act 1985 and which have been replaced by the Community maximum residue levels now included in Part 2 of that Schedule (regulation 2(4)).

The Regulations also amend Schedule 3 to the Consolidated Regulations 1999 by introducing the new products 'papaya' and 'chilli peppers' to reflect the categories specified in Directives [2000/42/EC](#) and [2000/24/EC](#) respectively (regulation 2(6)).

A regulatory impact assessment has been prepared in respect of these Regulations. Copies of this assessment can be obtained from the Pesticides Safety Directorate of the Ministry of Agriculture, Fisheries and Food, Room 313, Mallard House, Kings Pool, 3 Peasholme Green, York YO1 7PX.