

2001 No. 1113


AGRICULTURE, ENGLAND AND WALES
PESTICIDES, ENGLAND AND WALES

**The Pesticides (Maximum
Residue Levels in Crops, Food
and Feeding Stuff) (England
and Wales) (Amendment)
Regulations 2001**

Made - - - 21st March 2001

Laid before Parliament 22nd March 2001

Coming into force 15th April 2001



£10.50

2001 No. 1113

**AGRICULTURE, ENGLAND AND WALES
PESTICIDES, ENGLAND AND WALES**

The Pesticides (Maximum Residue Levels in Crops, Food
and Feeding Stuff) (England and Wales) (Amendment)
Regulations 2001

<i>Made</i>	-	-	-	<i>21st March 2001</i>
<i>Laid before Parliament</i>				<i>22nd March 2001</i>
<i>Coming into force</i>				<i>15th April 2001</i>

The Minister of Agriculture, Fisheries and Food and the National Assembly for Wales, acting jointly (the National Assembly for Wales acting in relation to Wales only), being designated^(a) for the purposes of section 2(2) of the European Communities Act 1972^(b) in relation to the Common Agricultural Policy of the European Community, in exercise of the powers conferred on them by that section, and of all other powers enabling them in that behalf, make the following Regulations:

Title, commencement and extent

1. These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) Regulations 2001; they extend to England and Wales only, and shall come into force on 15th April 2001.

Amendment to the Pesticides (Maximum Residue Levels in Crops, Food and Feedingstuffs) (England and Wales) Regulations 1999

2.—(1) The Pesticides (Maximum Residue Levels in Crops, Food and Feedingstuffs) (England and Wales) Regulations 1999^(c) shall be amended in accordance with this regulation.

(2) After paragraph (2) of regulation 4 there shall be inserted—

“(2A) Where there is a changing date at the top of a column in Part 2 of Schedule 2, and an entry is shown in both *italic* and non-*italic* type, the figure in *italic* type is the level until the changing date, and the figure in non-*italic* type is the level on and after that date.”

(3) In Schedule 1 there shall be inserted at the appropriate place in columns 1 and 2 the following:

^(a) S.I. 1972/1811 in the case of the Minister and S.I. 1999/2788 in the case of the National Assembly for Wales.

^(b) 1972 c.68.

^(c) S.I. 1999/3483.

Column 1 <i>Pesticide</i>	Column 2 <i>Residues</i>
Aldicarb	sum of aldicarb, its sulfoxide and its sulfone, expressed as aldicarb
Aminotriazole (Amitrole)	aminotriazole
Amitraz	amitraz plus its metabolites containing 2,4-dimethylaniline, expressed as amitraz
Aramite	aramite
Azoxystrobin	azoxystrobin
Barban	barban
Bromopropylate	bromopropylate
Chlorbenside	chlorbenside
Chlorbufam	chlorbufam
Chlorfenson	chlorfenson
Chloroxuron	chloroxuron
Diallate	diallate
1,1-dichloro-2,2-bis (4-ethyl-phenyl-) ethane	1,1-dichloro-2,2-bis (4-ethyl-phenyl-) ethane
Fenvalarate and esfenvalerate	fenvalerate and esfenvalerate (sum of isomers)
Flucythrinate	sum of isomers
Folpet	folpet
Kresoxim-methyl	kresoxim-methyl (for plants)
	2-methyloxyiminno-2-[2-(O-tolylloxymethyl)phenyl] acetic acid (for meat, liver, fat and 2-[2-(4-hydroxy-2-methylphenoxy)methyl)phenyl]-2-methoxy-iminoacetic acid (for milk)
Methidathion	methidathion
Methomyl thiodicarb	sum of methomyl and thiodicarb expressed as methomyl
Methoxychlor	methoxychlor
Phoxim	phoxim
Profenophos	profenophos

(4) In Part I of Schedule 2 to those Regulations, the entry for the pesticide in column 1 of the following table shall be deleted in relation to the crop opposite in column 2 on the date specified in column 3:

<i>Column 1</i>	<i>Column 2</i>	<i>Column 3</i>
Pesticide	Crop	Date of deletion
Carbendazim	strawberries (other than wild)	1 July 2001
Chlorobenzilate	raspberries (other than wild)	1 April 2001
Diazinon	Citrus fruit (the whole group)	1 April 2001
	early and ware potatoes	1 July 2001
Dicofol	apricots	1 July 2001
	peaches (incl nectarines and similar hybrids)	
	plums	
	currants (other than wild) (red, black and white)	

<i>Column 1</i>	<i>Column 2</i>	<i>Column 3</i>
Pesticide	Crop	Date of deletion
Endosulfan	garlic cultivated mushrooms strawberries (other than wild) blackberries (other than wild)	1 July 2001
Metalaxyl	currants (other than wild) (red, black and white) gooseberries (other than wild)	1 July 2001
Triabendazole	early and ware potatoes citrus (whole group)	1 July 2001
Triazophos	early potatoes garlic/onions and shallots brussels sprouts head cabbage early and ware potatoes	1 July 2001
Vincllozolin	celery	1 April 2001

(5) For Part 2 of Schedule 2 there shall be substituted the Schedule to these Regulations.

(6) In Schedule 3—

- (a) in paragraph 1(vi) opposite the Group of products “Miscellaneous fruit” there shall be inserted “Papaya” in the appropriate place in column 2;
- (b) in paragraph 2(iii) opposite the Group of products “Fruiting vegetables” in “(a) Solanacea” there shall be inserted “Chilli peppers” between Peppers and Aubergines in column 2.

21st March 2001

Hayman
Minister of State,
Ministry of Agriculture, Fisheries and Food

15th March 2001

Elis Thomas
The Presiding Officer of the National Assembly for Wales

SCHEDULE

Regulation 2(5)

SCHEDULE 2

Regulation 4(1)

PART 2

Group to which food belongs	Groups include the following products	Acephate (changing 1 July 2001)	Aldicarb (changing 1 July 2001)	Aldrin & dieldrin	Aminotriazole (Amitrole)	Amitraz (changing 1 July 2001)	Aramite	Atrazine	Azoxystrobin
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts									
i) CITRUS FRUIT									
	Grapefruit	1	0.2		0.05*	<i>no MRL</i> 0.02*	0.01*	0.1*	0.05*
	Lemons	1	0.2		0.05*	<i>no MRL</i> 0.02*	0.01*	0.1*	0.05*
	Limes	1	0.2		0.05*	<i>no MRL</i> 0.02*	0.01*	0.1*	0.05*
	Mandarins (inc clementines & similar hybrids)	1	0.2		0.05*	<i>no MRL</i> 0.02*	0.01*	0.1*	0.05*
	Oranges	1	0.2		0.05*	1	0.01*	0.1*	0.05*
	Pomelos	1	0.2		0.05*	<i>no MRL</i> 0.02*	0.01*	0.1*	0.05*
	Others	1	0.2		0.05*	<i>no MRL</i> 0.02*	0.01*	0.1*	0.05*
ii) TREE NUTS (shelled or unshelled)									
	Almonds	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.1*
	Brazil nuts	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.1*
	Cashew nuts	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.1*
	Chestnuts	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.1*
	Cocoonuts	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.1*
	Hazelnuts	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.1*
	Macadamia nuts	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.1*

Group to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin & dieldrin	Aminotriazole (Amitrole)	Amitraz	Aramite	Atrazine	Azoxystrobin
		(changing 1 July 2001)	(changing 1 July 2001)			(changing 1 July 2001)			
	Pecans	0.02*	0.2		0.05*	0.02*	0.01*	0.1*	0.1*
	Pine nuts	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.1*
	Pistachios	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.1*
	Walnuts	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.1*
	Others	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.1*
iii) POME FRUIT									
	Apples	1	0.05*		0.05*	1	0.01*	0.1*	0.05*
	Pears	1	0.05*		0.05*	1	0.01*	0.1*	0.05*
	Quinces	1	0.05*		0.05*	1	0.01*	0.1*	0.05*
	Others	1	0.05*		0.05*	1	0.01*	0.1*	0.05*
iv) STONE FRUIT									
	Apricots	0.02*	0.05*		0.05*	<i>no MRL</i> 0.02*	0.01*	0.1*	0.05*
	Cherries	0.02*	0.05*		0.05*	<i>no MRL</i> 0.02*	0.01*	0.1*	0.05*
	Peaches (incl nectarines & similar hybrids)	0.2 0.02*	0.05*		0.05*	1	0.01*	0.1*	0.05*
	Plums	2	0.05*		0.05*	<i>no MRL</i> 0.02*	0.01*	0.1*	0.05*
	Others	0.02*	0.05*		0.05*	<i>no MRL</i> 0.02*	0.01*	0.1*	0.05*
v) BERRIES AND SMALL FRUIT									
	a) Table & wine grapes								
	Table grapes	0.02*	0.05*		0.05*	<i>no MRL</i> 0.02*	0.01*	0.1*	2
	Wine grapes	0.02*	0.05*		0.05*	<i>no MRL</i> 0.02*	0.01*	0.1*	2
	b) Strawberries (other than wild)	0.02*	<i>no MRL</i> 0.05*		0.05*	<i>no MRL</i> 0.02*	0.01*	0.1*	0.05*
	c) Cane Fruit (other than wild)								
	Blackberries	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Dewberries	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*

Group to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin & dieldrin	Aminotriazole (Amitrole)	Amitraz	Aramite	Atrazine	Azoxystrobin
		(changing 1 July 2001)	(changing 1 July 2001)			(changing 1 July 2001)			
	Loganberries	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Raspberries	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Others	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
d)	Other small fruit & berries (other than wild)								
	Bilberries	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Cranberries	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Currants (red, black & white)	0.02*	0.05*		0.05*	<i>no MRL</i> 0.02*	0.01*	0.1*	0.05*
	Gooseberries	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Others	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
e)	Wild berries & wild fruit	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
9	vi) MISCELLANEOUS FRUIT								
	Avocados	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Bananas	0.02*	<i>no MRL</i> 0.1		0.05*	0.02*	0.01*	0.1*	2
	Dates	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Figs	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Kiwi fruit	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Kumquats	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Litchis	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Mangoes	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Olives (table consumption)	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Olives (oil extract)	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Papaya		<i>no MRL</i> 0.05*			<i>no MRL</i> 0.02*			
	Passion fruit	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Pineapples	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Pomegranates	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Others	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*

Group to which food belongs	Groups include the following products	Acephate (changing 1 July 2001)	Aldicarb (changing 1 July 2001)	Aldrin & dieldrin	Aminotriazole (Amitrole)	Amitraz (changing 1 July 2001)	Aramite	Atrazine	Azoxystrobin
2. Vegetables, fresh or uncooked, frozen or dry									
i) ROOT AND TUBER VEGETABLES									
	Beetroot	0.02*	<i>no MRL</i> 0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Carrots	0.02*	<i>no MRL</i> 0.1		0.05*	0.02*	0.01*	0.1*	0.05*
	Celeriac	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Horseradish	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Jerusalem artichokes	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Parsnips	0.02*	<i>no MRL</i> 0.1		0.05*	0.02*	0.01*	0.1*	0.05*
	Parsley root	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Radishes	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Salsify	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Sweet potatoes	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Swedes	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Turnips	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Yams	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Others	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
ii) BULB VEGETABLES									
	Garlic	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Onions	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Shallots	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Spring onions	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Others	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
iii) FRUITING VEGETABLES									
a) Solanacea									
	Tomatoes	0.5	<i>no MRL</i> 0.05*		0.05*	0.5	0.01*	0.1*	2
	Peppers	0.02*	<i>no MRL</i> 0.05*		0.05*	<i>no MRL</i> 0.02*	0.01*	0.1*	0.05*
	Chilli peppers						0.01*		
	Aubergines	0.5	0.05*		0.05*	<i>no MRL</i> 0.02*	0.01*	0.1*	0.05*

Group to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin & dieldrin	Aminotriazole (Amitrole)	Amitraz	Aramite	Atrazine	Azoxystrobin
		(changing 1 July 2001)	(changing 1 July 2001)			(changing 1 July 2001)			
	Others	0.02*	0.05*		0.05*	<i>no MRL</i> 0.02*	0.01*	0.1*	0.05*
	b) Cucurbits-edible peel								
	Cucumbers	0.02*	0.05*		0.05*	<i>no MRL</i> 0.02*	0.01*	0.1*	1
	Gherkins	0.02*	0.05*		0.05*	<i>no MRL</i> 0.02*	0.01*	0.1*	1
	Courgettes	0.02*	0.05*		0.05*	<i>no MRL</i> 0.02*	0.01*	0.1*	1
	Others	0.02*	0.05*		0.05*	<i>no MRL</i> 0.02*	0.01*	0.1*	1
	c) Cucurbits-inedible peel								
	Melons	0.02*	0.05*		0.05*	<i>no MRL</i> 0.02*	0.01*	0.1*	0.5
	Squashes	0.02*	0.05*		0.05*	<i>no MRL</i> 0.02*	0.01*	0.1*	0.5
	Watermelons	0.02*	0.05*		0.05*	<i>no MRL</i> 0.02*	0.01*	0.1*	0.5
	Others	0.02*	0.05*		0.05*	<i>no MRL</i> 0.02*	0.01*	0.1*	0.5
	d) Sweet corn	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	iv) BRASSICA VEGETABLES								
	a) Flowering Brassicas								
	Broccoli	2	<i>no MRL</i> 0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Cauliflower	2	0.2		0.05*	0.02*	0.01*	0.1*	0.05*
	Others	2	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	b) Head Brassicas								
	Brussels sprouts	2	0.2		0.05*	0.02*	0.01*	0.1*	0.05*
	Head cabbage	2	<i>no MRL</i> 0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Others	2	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*

Group to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin & dieldrin	Aminotriazole (Amitrole)	Amitraz	Aramite	Atrazine	Azoxystrobin
		(changing 1 July 2001)	(changing 1 July 2001)			(changing 1 July 2001)			
	c) Leafy Brassicas								
	Chinese cabbage	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Kale	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Others	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	d) Kohlrabi	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
v)	LEAF VEGETABLES AND FRESH HERBS								
	a) Lettuce & similar								
	Cress	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Lamb's lettuce	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Lettuce	1	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Scarole	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Others	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	b) Spinach & similar								
	Spinach	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Beet leaves (chard)	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Others	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	c) Watercress	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	d) Witloof	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	e) Herbs								
	Chervil	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Chives	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Parsley	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Celery leaves	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Others	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
vi)	LEGUME VEGETABLES (fresh)								
	Beans (with pods)	3	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Beans (without pods)	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Peas (with pods)	3	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Peas (without pods)	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Others		0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
vii)	STEM VEGETABLES								
	Asparagus	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*

Group to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin & dieldrin	Aminotriazole (Amitrole)	Amitraz	Aramite	Atrazine	Azoxystrobin
		(changing 1 July 2001)	(changing 1 July 2001)			(changing 1 July 2001)			
	Cardoons	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Celery	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Fennel	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Globe artichokes	0.2	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Leeks	0.02*	<i>no MRL</i> 0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Rhubarb	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Others	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
viii) FUNGI									
	a) Cultivated mushrooms	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	b) Wild mushrooms	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
3. PULSES									
	Beans	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Lentils	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Peas	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Others	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
4. OILSEEDS									
	Linseed	0.02*	<i>no MRL</i> 0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Peanuts	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Poppy seed	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Sesame seed	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Sunflower seed	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Rape seed	0.02*	<i>no MRL</i> 0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Soya bean	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Mustard seed	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Cotton seed	0.02*	<i>no MRL</i> 0.05*		0.05*	<i>no MRL</i> 1	0.01*	0.1*	0.05*
	Others	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*

Group to which food belongs	Groups include the following products	Acephate (changing 1 July 2001)	Aldicarb (changing 1 July 2001)	Aldrin & dieldrin	Aminotriazole (Amitrole)	Amitraz (changing 1 July 2001)	Aramite	Atrazine	Azoxystrobin
5. POTATOES	Early potatoes	0.02*	<i>no MRL</i> 0.5		0.05*	0.02*	0.01*	0.1*	0.05*
	Ware potatoes	0.02*	<i>no MRL</i> 0.5		0.05*	0.02*	0.01*	0.1*	0.05*
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0.1*	0.05*	0.02	0.1*	0.1*	0.1*	0.1*	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.1*	<i>no MRL</i> 0.05*		0.1*	50	0.1*	0.1*	0.1*

Group to which food belongs	Groups include the following products	Barban	Benalaxyl (changing 1 July 2001)	Benfuracarb (changing 1 July 2001)	Binapacryl	Biphenthrin	Bromophosethyl	Bromopropylate	Campheclor (Toxaphene)
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts									
i) CITRUS FRUIT									
	Grapefruit	0.05*	0.05*	<i>no MRL</i> 0.05*	0.05*		0.05*		0.1*
	Lemons	0.05*	0.05*	<i>no MRL</i> 0.05*	0.05*		0.05*		0.1*
	Limes	0.05*	0.05*	<i>no MRL</i> 0.05*	0.05*		0.05*		0.1*
	Mandarins (inc clementines & similar hybrids)	0.05*	0.05*	<i>no MRL</i> 0.05*	0.05*		0.05*		0.1*
	Oranges	0.05*	0.05*	<i>no MRL</i> 0.05*	0.05*		0.05*		0.1*
	Pomelos	0.05*	0.05*	<i>no MRL</i> 0.05*	0.05*		0.05*		0.1*
	Others	0.05*	0.05*	<i>no MRL</i> 0.05*	0.05*		0.05*		0.1*
ii) TREE NUTS (shelled or unshelled)									
	Almonds	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Brazil nuts	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Cashew nuts	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Chestnuts	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Coconuts	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Hazelnuts	0.05*	0.05*	<i>no MRL</i> 0.05*	0.05*		0.05*		0.1*
	Macadamia nuts	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Pecans	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Pine nuts	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Pistachios	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Walnuts	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Others	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
iii) POME FRUIT									
	Apples	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Pears	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*

Group to which food belongs	Groups include the following products	Barban	Benalaxyl (changing 1 July 2001)	Benfuracarb (changing 1 July 2001)	Binapacryl	Biphenthrin	Bromophosethyl	Bromopropylate	Campheclor (Toxaphene)
	Quinces	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Others	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
iv) STONE FRUIT									
	Apricots	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Cherries	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Peaches (incl nectarines & similar hybrids)	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Plums	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Others	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
v) BERRIES AND SMALL FRUIT									
	a) Table & wine grapes								
	Table grapes	0.05*	0.2	0.05*	0.05*		0.05*		0.1*
	Wine grapes	0.05*	0.2	0.05*	0.05*		0.05*		0.1*
	b) Strawberries (other than wild)	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	c) Cane Fruit (other than wild)								
	Blackberries	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Dewberries	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Loganberries	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Raspberries	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Others	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	d) Other small fruit & berries (other than wild)								
	Bilberries	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Cranberries	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Currants (red, black & white)	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Gooseberries	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Others	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	e) Wild berries & wild fruit	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
vi) MISCELLANEOUS FRUIT									
	Avocados	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Bananas	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*

Group to which food belongs	Groups include the following products	Barban	Benalaxyl (changing 1 July 2001)	Benfuracarb (changing 1 July 2001)	Binapacryl	Biphenthrin	Bromophosethyl	Bromopropylate	Campheclor (Toxaphene)
	Dates	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Figs	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Kiwi fruit	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Kumquats	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Litchis	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Mangoes	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Olives (table consumption)	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Olives (oil extract)	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Papaya		<i>no MRL</i> 0.05*	<i>no MRL</i> 0.05*					
	Passion fruit	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Pineapples	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Pomegranates	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Others	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
2. Vegetables, fresh or uncooked, frozen or dry									
i) ROOT AND TUBER VEGETABLES									
	Beetroot	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Carrots	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Celeriac	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Horseradish	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Jerusalem artichokes	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Parsnips	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Parsley root	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Radishes	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Salsify	0.05*	<i>no MRL</i> 0.05*	0.05*	0.05*		0.05*		0.1*
	Sweet potatoes	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Swedes	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Turnips	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Yams	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Others	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*

Group to which food belongs	Groups include the following products	Barban	Benalaxyl (changing 1 July 2001)	Benfuracarb (changing 1 July 2001)	Binapacryl	Biphenthrin	Bromophosethyl	Bromopropylate	Campheclor (Toxaphene)
ii) BULB VEGETABLES									
	Garlic	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Onions	0.05*	0.2	0.05*	0.05*		0.05*		0.1*
	Shallots	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Spring onions	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Others	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
iii) FRUITING VEGETABLES									
a) Solanacea									
	Tomatoes	0.05*	0.2	0.05*	0.05*		0.05*		0.1*
	Peppers	0.05*	0.2	0.05*	0.05*		0.05*		0.1*
	Chilli peppers	0.05*							
	Aubergines	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Others	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
b) Cucurbits-edible peel									
	Cucumbers	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Gherkins	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Courgettes	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Others	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
c) Cucurbits-inedible peel									
	Melons	0.05*	no MRL 0.1	no MRL 0.05*	0.05*		0.05*		0.1*
	Squashes	0.05*	0.05*	no MRL 0.05*	0.05*		0.05*		0.1*
	Watermelons	0.05*	no MRL 0.1	no MRL 0.05*	0.05*		0.05*		0.1*
	Others	0.05*	0.05*	no MRL 0.05*	0.05*		0.05*		0.1*
d) Sweet corn									
		0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
iv) BRASSICA VEGETABLES									
a) Flowering Brassicas									
	Broccoli	0.05*	0.05*	no MRL 0.05*	0.05*		0.05*		0.1*

Group to which food belongs	Groups include the following products	Barban	Benalaxyl (changing 1 July 2001)	Benfuracarb (changing 1 July 2001)	Binapacryl	Biphenthrin	Bromophosethyl	Bromopropylate	Campheclor (Toxaphene)
	Cauliflower	0.05*	0.05*	<i>no MRL</i> 0.05*	0.05*		0.05*		0.1*
	Others	0.05*	0.05*	<i>no MRL</i> 0.05*	0.05*		0.05*		0.1*
	b) Head Brassicas								
	Brussels sprouts	0.05*	0.05*	<i>no MRL</i> 0.05*	0.05*		0.05*		0.1*
	Head cabbage	0.05*	0.05*	<i>no MRL</i> 0.05*	0.05*		0.05*		0.1*
	Others	0.05*	0.05*	<i>no MRL</i> 0.05*	0.05*		0.05*		0.1*
	c) Leafy Brassicas								
	Chinese cabbage	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Kale	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Others	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	d) Kohlrabi	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
v) LEAF VEGETABLES AND FRESH HERBS									
	a) Lettuce & similar								
	Cress	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Lamb's lettuce	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Lettuce	0.05*	<i>no MRL</i> 0.05	0.05*	0.05*		0.05*		0.1*
	Scarole	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Others	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	b) Spinach & similar								
	Spinach	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Beet leaves (chard)	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Others	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	c) Watercress	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	d) Witloof	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	e) Herbs								
	Chervil	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Chives	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*

Group to which food belongs	Groups include the following products	Barban	Benalaxyl (changing 1 July 2001)	Benfuracarb (changing 1 July 2001)	Binapacryl	Biphenthrin	Bromophosethyl	Bromopropylate	Campheclor (Toxaphene)
	Parsley	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Celery leaves	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Others	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
vi) LEGUME VEGETABLES (fresh)									
	Beans (with pods)	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Beans (without pods)	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Peas (with pods)	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Peas (without pods)	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Others	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
vii) STEM VEGETABLES									
	Asparagus	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Cardoons	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Celery	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Fennel	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Globe artichokes	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Leeks	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Rhubarb	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Others	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
viii) FUNGI									
	a) Cultivated mushrooms	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	b) Wild mushrooms	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
3. PULSES									
	Beans	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Lentils	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Peas	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Others	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
4. OILSEEDS									
	Linseed	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Peanuts	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Poppy seed	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*

Group to which food belongs	Groups include the following products	Barban	Benalaxyl (changing 1 July 2001)	Benfuracarb (changing 1 July 2001)	Binapacryl	Biphenthrin	Bromophosethyl	Bromopropylate	Campheclor (Toxaphene)
	Sesame seed	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Sunflower seed	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Rape seed	0.05*	<i>no MRL</i> 0.05*	0.05*	0.05*		0.05*		0.1*
	Soya bean	0.05*	<i>no MRL</i> 0.05*	<i>no MRL</i> 0.05*	0.05*		0.05*		0.1*
	Mustard seed	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Cotton seed	0.05*	0.05*	<i>no MRL</i> 0.05*	0.05*		0.05*		0.1*
	Others	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
5. POTATOES	Early potatoes	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Ware potatoes	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0.1*	0.1*	0.1*	0.1*	5	0.1*	0.1*	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.1*	0.1*	5	0.1*		0.1*		0.1*

Group to which food belongs	Groups include the following products	Captafol	Carbendazim (changing 1 July 2001)	Carbofuran (changing 1 July 2001)	Carbosulfan (changing 1 July 2001)	Cartap	Chlorbenside	Chlorbufam
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts								
i) CITRUS FRUIT								
	Grapefruit	0.02*	5	<i>no MRL</i> 0.3	<i>no MRL</i> 0.05*		0.01*	0.05*
	Lemons	0.02*	5	<i>no MRL</i> 0.3	<i>no MRL</i> 0.05*		0.01*	0.05*
	Limes	0.02*	5	<i>no MRL</i> 0.3	<i>no MRL</i> 0.05*		0.01*	0.05*
	Mandarins (inc clementines & similar hybrids)	0.02*	5	<i>no MRL</i> 0.3	<i>no MRL</i> 0.05*		0.01*	0.05*
	Oranges	0.02*	5	<i>no MRL</i> 0.3	<i>no MRL</i> 0.05*		0.01*	0.05*
	Pomelos	0.02*	5	<i>no MRL</i> 0.3	<i>no MRL</i> 0.05*		0.01*	0.05*
	Others	0.02*	5	<i>no MRL</i> 0.3	<i>no MRL</i> 0.05*		0.01*	0.05*
ii) TREE NUTS (shelled or unshelled)								
	Almonds	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Brazil nuts	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Cashew nuts	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Chestnuts	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Coconuts	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Hazelnuts	0.02*	0.1*	<i>no MRL</i> 0.1*	0.05*		0.01*	0.05*
	Macadamia nuts	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Pecans	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Pine nuts	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Pistachios	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Walnuts	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
iii) POME FRUIT								
	Apples	0.02*	2	<i>no MRL</i> 0.1*	<i>no MRL</i> 0.05*		0.01*	0.05*

Group to which food belongs	Groups include the following products	Captafol	Carbendazim (changing 1 July 2001)	Carbofuran (changing 1 July 2001)	Carbosulfan (changing 1 July 2001)	Cartap	Chlorbenside	Chlorbufam
iv) STONE FRUIT	Pears	0.02*	2	<i>no MRL</i> 0.1*	<i>no MRL</i> 0.05*		0.01*	0.05*
	Quinces	0.02*	2	<i>no MRL</i> 0.1*	<i>no MRL</i> 0.05*		0.01*	0.05*
	Others	0.02*	2	<i>no MRL</i> 0.1*	<i>no MRL</i> 0.05*		0.01*	0.05*
	Apricots	0.02*	1	<i>no MRL</i> 0.1*	<i>no MRL</i> 0.05*		0.01*	0.05*
	Cherries	0.02*	0.1*	<i>no MRL</i> 0.1*	<i>no MRL</i> 0.05*		0.01*	0.05*
	Peaches (incl nectarines & similar hybrids)	0.02*	1	<i>no MRL</i> 0.1*	<i>no MRL</i> 0.05*		0.01*	0.05*
	Plums	0.02*	0.5	<i>no MRL</i> 0.1*	<i>no MRL</i> 0.05*		0.01*	0.05*
	Others	0.02*	0.1*	<i>no MRL</i> 0.1*	<i>no MRL</i> 0.05*		0.01*	0.05*
v) BERRIES AND SMALL FRUIT								
a) Table & wine grapes								
Table grapes	0.02*	2		0.1*	0.05*		0.01*	0.05*
Wine grapes	0.02*	2		0.1*	0.05*		0.01*	0.05*
b) Strawberries (other than wild)	0.02*		<i>no MRL</i> 0.1*	<i>no MRL</i> 0.1*	0.05*		0.01*	0.05*
c) Cane Fruit (other than wild)								
Blackberries	0.02*	0.1*		0.1*	0.05*		0.01*	0.05*
Dewberries	0.02*	0.1*		0.1*	0.05*		0.01*	0.05*
Loganberries	0.02*	0.1*		0.1*	0.05*		0.01*	0.05*
Raspberries	0.02*	0.1*		0.1*	0.05*		0.01*	0.05*
Others	0.02*	0.1*		0.1*	0.05*		0.01*	0.05*
d) Other small fruit & berries (other than wild)								
Bilberries	0.02*	0.1*		0.1*	0.05*		0.01*	0.05*
Cranberries	0.02*	0.1*		0.1*	0.05*		0.01*	0.05*
Currants (red, black & white)	0.02*	0.1*		0.1*	0.05*		0.01*	0.05*
Gooseberries	0.02*	0.1*		0.1*	0.05*		0.01*	0.05*

Group to which food belongs	Groups include the following products	Captafol	Carbendazim (changing 1 July 2001)	Carbofuran (changing 1 July 2001)	Carbosulfan (changing 1 July 2001)	Cartap	Chlorbenside	Chlorbufam
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	e) Wild berries & wild fruit	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
vi) MISCELLANEOUS FRUIT								
	Avocados	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Bananas	0.02*	1	0.1*	0.05*		0.01*	0.05*
	Dates	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Figs	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Kiwi fruit	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Kumquats	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Litchis	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Mangoes	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Olives (table consumption)	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Olives (oil extract)	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Papaya		<i>no MRL</i> 0.1*	<i>no MRL</i> 0.1*	<i>no MRL</i> 0.05*			
	Passion fruit	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Pineapples	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Pomegranates	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
2. Vegetables, fresh or uncooked, frozen or dry								
i) ROOT AND TUBER VEGETABLES								
	Beetroot	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Carrots	0.02*	0.1*	0.3	0.1		0.01*	0.05*
	Celeriac	0.02*	0.1*	<i>no MRL</i> 0.1*	0.05*		0.01*	0.05*
	Horseradish	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Jerusalem artichokes	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Parsnips	0.02*	0.1*	0.3	0.1		0.01*	0.05*
	Parsley root	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Radishes	0.02*	0.1*	0.5	0.05*		0.01*	0.05*
	Salsify	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Sweet potatoes	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*

Group to which food belongs	Groups include the following products	Captafol	Carbendazim (changing 1 July 2001)	Carbofuran (changing 1 July 2001)	Carbosulfan (changing 1 July 2001)	Cartap	Chlorbenside	Chlorbufam
	Swedes	0.02*	0.1*	<i>no MRL</i> 0.2	<i>no MRL</i> 0.05*		0.01*	0.05*
	Turnips	0.02*	0.1*	<i>no MRL</i> 0.2	<i>no MRL</i> 0.05*		0.01*	0.05*
	Yams	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
ii) BULB VEGETABLES								
	Garlic	0.02*	0.1*	0.3	0.05*		0.01*	0.05*
	Onions	0.02*	0.1*	0.3	<i>no MRL</i> 0.05*		0.01*	0.05*
	Shallots	0.02*	0.1*	0.3	0.05*		0.01*	0.05*
	Spring onions	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
iii) FRUITING VEGETABLES								
a) Solanacea								
	Tomatoes	0.02*	0.5	0.1*	0.05*		0.01*	0.05*
	Peppers	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Chilli peppers						0.01*	0.05*
	Aubergines	0.02*	0.5	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
b) Cucurbits-edible peel								
	Cucumbers	0.02*	0.5 1	0.1*	0.05*		0.01*	0.05*
	Gherkins	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Courgettes	0.02*	0.3	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
c) Cucurbits-inedible peel								
	Melons	0.02*	0.5	<i>no MRL</i> 0.2	<i>no MRL</i> 0.05*		0.01*	0.05*
	Squashes	0.02*	0.5	0.1* 0.2	<i>no MRL</i> 0.05*		0.01*	0.05*
	Watermelons	0.02*	0.1*	0.1* 0.2	<i>no MRL</i> 0.05*		0.01*	0.05*

Group to which food belongs	Groups include the following products	Captafol	Carbendazim (changing 1 July 2001)	Carbofuran (changing 1 July 2001)	Carbosulfan (changing 1 July 2001)	Cartap	Chlorbenside	Chlorbufam
	Others	0.02*	0.1*	0.1* 0.2	no MRL 0.05*		0.01*	0.05*
	d) Sweet corn	0.02*	0.1*	no MRL 0.1*	0.05*		0.01*	0.05*
iv) BRASSICA VEGETABLES								
	a) Flowering Brassicas							
	Broccoli	0.02*	0.1*	0.2	no MRL 0.05*		0.01*	0.05*
	Cauliflower	0.02*	0.1*	0.2	no MRL 0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.2	no MRL 0.05*		0.01*	0.05*
	b) Head Brassicas							
	Brussels sprouts	0.02*	0.5	no MRL 0.1*	no MRL 0.05*		0.01*	0.05*
	Head cabbage	0.02*	3	no MRL 0.1*	no MRL 0.05*		0.01*	0.05*
	Others	0.02*	3	no MRL 0.1*	no MRL 0.05*		0.01*	0.05*
	c) Leafy Brassicas							
	Chinese cabbage	0.02*	0.1*	no MRL 0.1*	no MRL 0.05*		0.01*	0.05*
	Kale	0.02*	0.1*	no MRL 0.1*	no MRL 0.05*		0.01*	0.05*
	Others	0.02*	0.1*	no MRL 0.1*	no MRL 0.05*		0.01*	0.05*
	d) Kohlrabi	0.02*	0.1*	0.2	0.2 0.05*		0.01*	0.05*
v) LEAF VEGETABLES AND FRESH HERBS								
	a) Lettuce & similar							
	Cress	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Lamb's lettuce	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Lettuce	0.02*	5	0.1*	0.05*		0.01*	0.05*
	Scarole	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*

Group to which food belongs	Groups include the following products	Captafol	Carbendazim (changing 1 July 2001)	Carbofuran (changing 1 July 2001)	Carbosulfan (changing 1 July 2001)	Cartap	Chlorbenside	Chlorbufam
	b) Spinach & similar							
	Spinach	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Beet leaves (chard)	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	c) Watercress	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	d) Witloof	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	e) Herbs							
	Chervil	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Chives	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Parsley	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Celery leaves	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	vi) LEGUME VEGETABLES (fresh)							
	Beans (with pods)	0.02*	0.1*	<i>no MRL</i> 0.1*	0.05*		0.01*	0.05*
	Beans (without pods)	0.02*	0.1*	<i>no MRL</i> 0.1*	0.05*		0.01*	0.05*
	Peas (with pods)	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Peas (without pods)	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	vii) STEM VEGETABLES							
	Asparagus	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Cardoons	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Celery	0.02*	2	<i>no MRL</i> 0.1*	<i>no MRL</i> 0.05*		0.01*	0.05*
	Fennel	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Globe artichokes	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Leeks	0.02*	0.1*	<i>no MRL</i> 0.1*	<i>no MRL</i> 0.05*		0.01*	0.05*
	Rhubarb	0.02*	2	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*

Group to which food belongs	Groups include the following products	Captafol	Carbendazim (changing 1 July 2001)	Carbofuran (changing 1 July 2001)	Carbosulfan (changing 1 July 2001)	Cartap	Chlorbenside	Chlorbufam
viii) FUNGI								
	a) Cultivated mushrooms	0.02*	1	0.1*	0.05*		0.01*	0.05*
	b) Wild mushrooms	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
3. PULSES								
	Beans	0.02*	2	<i>no MRL</i> 0.1*	0.05*		0.01*	0.05*
	Lentils	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Peas	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
4. OILSEEDS								
	Linseed	0.02*	0.1*	<i>no MRL</i> 0.1*	0.05*		0.01*	0.05*
	Peanuts	0.02*	0.1*	<i>no MRL</i> 0.1*	0.05*		0.01*	0.05*
	Poppy seed	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Sesame seed	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Sunflower seed	0.02*	0.1*	<i>no MRL</i> 0.1*	<i>no MRL</i> 0.05*		0.01*	0.05*
	Rape seed	0.02*	0.1*	<i>no MRL</i> 0.1*	0.05*		0.01*	0.05*
	Soya bean	0.02*	0.2*	<i>no MRL</i> 0.1*	0.05*		0.01*	0.05*
	Mustard seed	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Cotton seed	0.02*	0.1*	<i>no MRL</i> 0.1*	<i>no MRL</i> 0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
5. POTATOES								
	Early potatoes	0.02*	3 0.1*	<i>no MRL</i> 0.1*	0.05*		0.01*	0.05*
	Ware potatoes	0.02*	3 0.1*	<i>no MRL</i> 0.1*	0.05*		0.01*	0.05*

Group to which food belongs	Groups include the following products	Captafol	Carbendazim (changing 1 July 2001)	Carbofuran (changing 1 July 2001)	Carbosulfan (changing 1 July 2001)	Cartap	Chlorbenside	Chlorbufam
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.1*	0.1*	10	<i>No MRL</i> 1		0.1*	0.1*

Group to which food belongs	Groups include the following products	Chlordane	Chlorfenson	Chlormequat (changing 1 July 2001)	Chlorobenzilate	Chlorothalonil (changing 1 July 2001)	Chloroxuron	Chlorpyrifos
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts								
i) CITRUS FRUIT								
	Grapefruit	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	0.3
	Lemons	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	0.2
	Limes	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	0.3
	Mandarins (inc clementines & similar hybrids)	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	2
	Oranges	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	0.3
	Pomelos	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	0.3
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	0.3
ii) TREE NUTS (shelled or unshelled)								
	Almonds	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	0.05*
	Brazil nuts	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	0.05*
	Cashew nuts	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	0.05*
	Chestnuts	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	0.05*
	Coconuts	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	0.05*
	Hazelnuts	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	0.05*
	Macadamia nuts	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	0.05*
	Pecans	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	0.05*
	Pine nuts	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	0.05*
	Pistachios	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	0.05*
	Walnuts	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	0.05*
	Others	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	0.05*
iii) POME FRUIT								
	Apples	0.01*	<i>no MRL</i> 0.05*	0.02*	1	0.05*	0.05*	0.5
	Pears	0.01*	3 0.05*	0.02*	1	0.05*	0.05*	0.5
	Quinces	0.01*	0.05*	0.02*	1	0.05*	0.05*	0.5
	Others	0.01*	0.05*	0.02*	1	0.05*	0.05*	0.5

Group to which food belongs	Groups include the following products	Chlordane	Chlorfenson	Chlormequat	Chlorobenzilate	Chlorothalonil	Chloroxuron	Chlorpyrifos
				(changing 1 July 2001)		(changing 1 July 2001)		
iv) STONE FRUIT								
	Apricots		0.01*	0.05*	0.02*	1	0.05*	0.05*
	Cherries		0.01*	0.05*	0.02*	0.01*	0.05*	0.3
	Peaches (incl nectarines & similar hybrids)		0.01*	0.05*	0.02*	1	0.05*	0.2
	Plums		0.01*	0.05*	0.02*	0.01*	0.05*	0.2
	Others		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
v) BERRIES AND SMALL FRUIT								
	a) Table & wine grapes							
	Table grapes		0.01*	1 0.05*	0.02*	1	0.05*	0.5
	Wine grapes		0.01*	1 0.05*	0.02*	3	0.05*	0.5
	b) Strawberries (other than wild)		0.01*	no MRL 0.05*	0.02*	3	0.05*	0.2
	c) Cane Fruit (other than wild)							
	Blackberries		0.01*	0.05*	0.02*	10 0.01*	0.05*	0.5
	Dewberries		0.01*	0.05*	0.02*	10 0.01*	0.05*	0.05*
	Loganberries		0.01*	0.05*	0.02*	10 0.01*	0.05*	0.05*
	Raspberries		0.01*	0.05*	0.02*	10	0.05*	0.5
	Others		0.01*	0.05*	0.02*	10 0.01*	0.05*	0.05*
	d) Other small fruit & berries (other than wild)							
	Bilberries		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Cranberries		0.01*	0.05*	0.02*	2	0.05*	0.05*
	Currants (red, black & white)		0.01*	0.05*	0.02*	10	0.05*	1
	Gooseberries		0.01*	0.05*	0.02*	10	0.05*	1
	Others		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	e) Wild berries & wild fruit		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Chlordane	Chlorfenson	Chlormequat	Chlorobenzilate	Chlorothalonil	Chloroxuron	Chlorpyrifos
				(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	
vi) MISCELLANEOUS FRUIT								
	Avocados		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Bananas		0.01*	0.05*	0.02*	2	0.05*	3
	Dates		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Figs		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Kiwi fruit		0.01*	0.05*	0.02*	0.01*	0.05*	2
	Kumquats		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Litchis		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Mangoes		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Olives (table consumption)		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Olives (oil extract)		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Papaya			<i>no MRL</i>		<i>no MRL</i>		
				0.05*		0.01*		
	Passion fruit		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Pineapples		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Pomegranates		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Others		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
2. Vegetables, fresh or uncooked, frozen or dry								
i) ROOT AND TUBER VEGETABLES								
	Beetroot		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Carrots		0.01*	0.05*	0.02*	1	0.05*	0.1
	Celeriac		0.01*	0.05*	0.02*	0.5	0.05*	0.05*
	Horseradish		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Jerusalem artichokes		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Parsnips		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Parsley root		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Radishes		0.01*	0.05*	0.02*	0.01*	0.05*	0.2
	Salsify		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Sweet potatoes		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Swedes		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Turnips		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Yams		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Others		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Chlordane	Chlorfenson	Chlormequat	Chlorobenzilate	Chlorothalonil	Chloroxuron	Chlorpyrifos
				(changing 1 July 2001)		(changing 1 July 2001)		
ii) BULB VEGETABLES								
	Garlic		0.01*	0.05*	0.02*	0.5	0.05*	0.05*
	Onions		0.01*	0.05*	0.02*	0.5	0.05*	0.2
	Shallots		0.01*	0.05*	0.02*	0.5	0.05*	0.05*
	Spring onions		0.01*	0.05*	0.02*	5	0.05*	0.05*
	Others		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
iii) FRUITING VEGETABLES								
	a) Solanacea							
	Tomatoes		0.01*	<i>no MRL</i> 0.05*	0.02*	2	0.05*	0.5
	Peppers		0.01*	0.05*	0.02*	2	0.05*	0.5
	Chilli peppers		0.01*		0.02*		0.05*	
	Aubergines		0.01*	0.05*	0.02*	2	0.05*	0.5
	Others		0.01*	0.05*	0.02*	2	0.05*	0.5
	b) Cucurbits-edible peel							
	Cucumbers		0.01*	0.05*	0.02*	1	0.05*	0.05*
	Gherkins		0.01*	0.05*	0.02*	5	0.05*	0.05*
	Courgettes		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Others		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	c) Cucurbits-inedible peel							
	Melons		0.01*	0.05*	0.02*	1	0.05*	0.05*
	Squashes		0.01*	0.05*	0.02*	1	0.05*	0.05*
	Watermelons		0.01*	0.05*	0.02*	1	0.05*	0.05*
	Others		0.01*	0.05*	0.02*	1	0.05*	0.05*
	d) Sweet corn		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
iv) BRASSICA VEGETABLES								
	a) Flowering Brassicas							
	Broccoli		0.01*	0.05*	0.02*	3	0.05*	0.05*
	Cauliflower		0.01*	0.05*	0.02*	3	0.05*	0.05*
	Others		0.01*	0.05*	0.02*	3	0.05*	0.05*

Group to which food belongs	Groups include the following products	Chlordane	Chlorfenson	Chlormequat	Chlorobenzilate	Chlorothalonil	Chloroxuron	Chlorpyrifos
				(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)
	b) Head Brassicas							
	Brussels sprouts		0.01*	0.05*	0.02*	0.5	0.05*	0.05*
	Head cabbage		0.01*	0.05*	0.02*	3	0.05*	1
	Others		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	c) Leafy Brassicas							
	Chinese cabbage		0.01*	0.05*	0.02*	0.01*	0.05*	0.5
	Kale		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Others		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	d) Kohlrabi		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	v) LEAF VEGETABLES AND FRESH HERBS							
	a) Lettuce & similar							
	Cress		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Lamb's lettuce		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Lettuce		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Scarole		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Others		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	b) Spinach & similar							
	Spinach		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Beet leaves (chard)		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Others		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	c) Watercress		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	d) Witloof		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	e) Herbs							
	Chervil		0.01*	0.05*	0.02*	5	0.05*	0.05*
	Chives		0.01*	0.05*	0.02*	5	0.05*	0.05*
	Parsley		0.01*	0.05*	0.02*	5	0.05*	0.05*
	Celery leaves		0.01*	0.05*	0.02*	5	0.05*	0.05*
	Others		0.01*	0.05*	0.02*	5	0.05*	0.05*
	vi) LEGUME VEGETABLES (fresh)							
	Beans (with pods)		0.01*	<i>no MRL</i> 0.05*	0.02*	0.01*	0.05*	0.05*
	Beans (without pods)		0.01*	<i>no MRL</i> 0.05*	0.02*	0.05	0.05*	0.05*

Group to which food belongs	Groups include the following products	Chlordane	Chlorfenson	Chlormequat	Chlorobenzilate	Chlorothalonil	Chloroxuron	Chlorpyrifos
				(changing 1 July 2001)		(changing 1 July 2001)		
	Peas (with pods)		0.01*	<i>no MRL</i> 0.05*	0.02*	2	0.05*	0.05*
	Peas (without pods)		0.01*	<i>no MRL</i> 0.05*	0.02*	0.01* 0.3	0.05*	0.05*
	Others		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
vii) STEM VEGETABLES								
	Asparagus		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Cardoons		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Celery		0.01*	0.05*	0.02*	10	0.05*	0.05*
	Fennel		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Globe artichokes		0.01*	0.05*	0.02*	0.01*	0.05*	1
	Leeks		0.01*	0.05*	0.02*	10	0.05*	0.05*
	Rhubarb		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Others		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
viii) FUNGI								
	a) Cultivated mushrooms		0.01*	<i>no MRL</i> 0.05*	0.02*	2	0.05*	0.05*
	b) Wild mushrooms		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
3. PULSES								
	Beans		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Lentils		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Peas		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Others		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
4. OILSEEDS								
	Linseed		0.01*	<i>no MRL</i> 0.1*	0.02*	0.01*	0.05*	0.05*
	Peanuts		0.01*	0.1*	0.02*	0.05	0.05*	0.05*
	Poppy seed		0.01*	0.1*	0.02*	0.01*	0.05*	0.05*
	Sesame seed		0.01*	0.1*	0.02*	0.01*	0.05*	0.05*
	Sunflower seed		0.01*	0.1*	0.02*	0.01*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Chlordane	Chlorfenson	Chlormequat (changing 1 July 2001)	Chlorobenzilate	Chlorothalonil (changing 1 July 2001)	Chloroxuron	Chlorpyrifos
	Rape seed		0.01*	<i>no MRL</i> 0.1*	0.02*	0.01*	0.05*	0.05*
	Soya bean		0.01*	0.1*	0.02*	0.01*	0.05*	0.05*
	Mustard seed		0.01*	0.1*	0.02*	0.01*	0.05*	0.05*
	Cotton seed		0.01*	<i>no MRL</i> 0.1*	0.02*	0.01*	0.05*	0.05*
	Others		0.01*	0.1*	0.02*	0.01*	0.05*	0.05*
5. POTATOES	Early potatoes		0.01*	<i>no MRL</i> 0.05*	0.02*	0.01*	0.05*	0.05*
	Ware potatoes		0.01*	<i>no MRL</i> 0.05*	0.02*	0.01*	0.05*	0.05*
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0.02*	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder		0.1*	0.1*	0.1*	50	0.1*	0.1*

Group to which food belongs	Groups include the following products	Chlorpyrifos-methyl	Cyfluthrin (changing 1 July 2001)	Cypermethrin	Daminozide	DDT	Deltamethrin	Diallate	Diazinon (changing 1 July 2001)
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts									
i) CITRUS FRUIT									
	Grapefruit	0.05*	0.02*	2	0.02*	0.05*	0.05*	0.05*	0.5 1
	Lemons	0.3	0.02*	2	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	Limes	0.05*	0.02*	2	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	Mandarins (inc clementines & similar hybrids)	1	0.02*	2	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	Oranges	0.5	0.02*	2	0.02*	0.05*	0.05*	0.05*	0.5 1
	Pomelos	0.05*	0.02*	2	0.02*	0.05*	0.05*	0.05*	0.5 1
	Others	0.05*	0.02*	2	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
ii) TREE NUTS (shelled or unshelled)									
	Almonds	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Brazil nuts	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Cashew nuts	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Chestnuts	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Coconuts	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Hazelnuts	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Macadamia nuts	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Pecans	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Pine nuts	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Pistachios	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Walnuts	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Others	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
iii) POME FRUIT									
	Apples	0.5	0.2	1	0.02*	0.05*	0.1	0.05*	0.5 0.3

Group to which food belongs	Groups include the following products	Chlorpyrifos-methyl	Cyfluthrin (changing 1 July 2001)	Cypermethrin	Daminozide	DDT	Deltamethrin	Diallate	Diazinon (changing 1 July 2001)
	Pears	0.5	0.2	1	0.02*	0.05*	0.1	0.05*	0.5 0.3
	Quinces	0.5	0.2	1	0.02*	0.05*	0.1	0.05*	0.5 0.02*
	Others	0.5	0.2	1	0.02*	0.05*	0.1	0.05*	0.5 0.02*
iv) STONE FRUIT									
	Apricots	0.05*	<i>no MRL</i> 0.5	2	0.02*	0.05*	0.1	0.05*	0.5 0.02*
	Cherries	0.05*	0.2	1	0.02*	0.05*	0.1	0.05*	0.5 0.3
	Peaches (incl nectarines & similar hybrids)	0.5	<i>no MRL</i> 0.5	2	0.02*	0.05*	0.1	0.05*	0.5 0.02*
	Plums	0.05*	0.2	1	0.02*	0.05*	0.1	0.05*	0.5 0.1
	Others	0.05*	<i>no MRL</i> 0.02*	0.05*	0.02*	0.05*	0.1	0.05*	0.5 0.02*
v) BERRIES AND SMALL FRUIT									
	a) Table & wine grapes								
	Table grapes	0.2	0.3	0.5	0.02*	0.05*	0.1	0.05*	0.5 0.02*
	Wine grapes	0.2	0.3	0.5	0.02*	0.05*	0.1	0.05*	0.5 0.02*
	b) Strawberries (other than wild)	0.5	<i>no MRL</i> 0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	c) Cane Fruit (other than wild)								
	Blackberries	0.05*	0.02*	0.5	0.02*	0.05*	0.5	0.05*	0.5 0.02*
	Dewberries	0.05*	0.02*	0.5	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	Loganberries	0.05*	0.02*	0.5	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	Raspberries	0.05*	0.02*	0.5	0.02*	0.05*	0.5	0.05*	0.5 0.02*

Group to which food belongs	Groups include the following products	Chlorpyrifos-methyl	Cyfluthrin (changing 1 July 2001)	Cypermethrin	Daminozide	DDT	Deltamethrin	Diallate	Diazinon (changing 1 July 2001)
	Others	0.05*	0.02*	0.5	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	d) Other small fruit & berries (other than wild)								
	Bilberries	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.2
	Cranberries	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Currants (red, black & white)	0.05*	<i>no MRL</i> 0.02*	0.05*	0.02*	0.05*	0.2	0.05*	0.2
	Gooseberries	0.05*	<i>no MRL</i> 0.02*	0.05*	0.02*	0.05*	0.2	0.05*	0.2
	Others	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	e) Wild berries & wild fruit	0.05*	0.02*	2	0.02*	0.05*	0.05*	0.05*	0.02*
vi) MISCELLANEOUS FRUIT									
	Avocados	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Bananas	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	Dates	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Figs	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Kiwi fruit	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.2
	Kumquats	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Litchis	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Mangoes	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Olives (table consumption)	0.05*	0.02*	0.05*	0.02*	0.05*	0.1*	0.05*	0.5 0.02*
	Olives (oil extract)	0.05*	0.02*	0.05*	0.02*	0.05*	0.1*	0.05*	0.5 0.02*
	Papaya		<i>no MRL</i> 0.02*						<i>no MRL</i> 0.02*
	Passion fruit	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Pineapples	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Pomegranates	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Others	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*

Group to which food belongs	Groups include the following products	Chlorpyrifos-methyl	Cyfluthrin (changing 1 July 2001)	Cypermethrin	Daminozide	DDT	Deltamethrin	Diallate	Diazinon (changing 1 July 2001)
2. Vegetables, fresh or uncooked, frozen or dry									
i) ROOT AND TUBER VEGETABLES									
	Beetroot	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	Carrots	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.2
	Celeriac	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	Horseradish	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	Jerusalem artichokes	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Parsnips	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	Parsley root	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Radishes	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	Salsify	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Sweet potatoes	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Swedes	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	Turnips	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	Yams	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Others	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
ii) BULB VEGETABLES									
	Garlic	0.05*	0.02*	0.1	0.02*	0.05*	0.1	0.05*	0.5 0.02*
	Onions	0.05*	0.02*	0.1	0.02*	0.05*	0.1	0.05*	0.5 0.02*
	Shallots	0.05*	0.02*	0.1	0.02*	0.05*	0.1	0.05*	0.5 0.02*
	Spring onions	0.05*	0.02*	0.05*	0.02*	0.05*	0.1	0.05*	0.5 0.02*

Group to which food belongs	Groups include the following products	Chlorpyrifos-methyl	Cyfluthrin (changing 1 July 2001)	Cypermethrin	Daminozide	DDT	Deltamethrin	Diallate	Diazinon (changing 1 July 2001)
	Others	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
iii) FRUITING VEGETABLES									
	a) Solanacea								
	Tomatoes	0.5	0.05	0.5	0.02*	0.05*	0.2	0.05*	0.5
	Peppers	0.5	<i>no MRL</i> 0.3	0.5	0.02*	0.05*	0.2	0.05*	0.5
	Chilli peppers							0.05*	
	Aubergines	0.5	0.02*	0.5	0.02*	0.05*	0.2	0.05*	0.5
	Others	0.5	0.02*	0.5	0.02*	0.05*	0.2	0.05*	0.5
	b) Cucurbits-edible peel								
	Cucumbers	0.05*	<i>no MRL</i> 0.1	0.2	0.02*	0.05*	0.1	0.05*	0.5 0.02*
	Gherkins	0.05*	<i>no MRL</i> 0.02*	0.2	0.02*	0.05*	0.1	0.05*	0.5 0.02*
	Courgettes	0.05*	<i>no MRL</i> 0.02*	0.2	0.02*	0.05*	0.1	0.05*	0.5 0.02*
	Others	0.05*	<i>no MRL</i> 0.02*	0.2	0.02*	0.05*	0.1	0.05*	0.5 0.02*
	c) Cucurbits-inedible peel								
	Melons	0.05*	0.02*	0.2	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	Squashes	0.05*	0.02*	0.2	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	Watermelons	0.05*	0.02*	0.2	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	Others	0.05*	0.02*	0.2	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	d) Sweet corn	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
iv) BRASSICA VEGETABLES									
	a) Flowering Brassicas								
	Broccoli	0.05*	<i>no MRL</i> 0.05	0.5	0.02*	0.05*	0.1	0.05*	0.5 0.02*

Group to which food belongs	Groups include the following products	Chlorpyrifos-methyl	Cyfluthrin (changing 1 July 2001)	Cypermethrin	Daminozide	DDT	Deltamethrin	Diallate	Diazinon (changing 1 July 2001)
	Cauliflower	0.05*	0.05	0.5	0.02*	0.05*	0.1	0.05*	0.5 0.02*
	Others	0.05*	0.02* 0.05	0.5	0.02*	0.05*	0.1	0.05*	0.5 0.02*
b)	Head Brassicas								
	Brussels sprouts	0.05*	0.2	0.5	0.02*	0.05*	0.1	0.05*	0.5 0.02*
	Head cabbage	0.05*	0.2	0.5	0.02*	0.05*	0.1	0.05*	0.5 0.02*
	Others	0.05*	0.2	0.5	0.02*	0.05*	0.1	0.05*	0.5 0.02*
c)	Leafy Brassicas								
	Chinese cabbage	0.05*	no MRL 0.3	1	0.02*	0.05*	0.5	0.05*	0.5 0.02*
	Kale	0.05*	no MRL 0.3	1	0.02*	0.05*	0.5	0.05*	0.5 0.02*
	Others	0.05*	no MRL 0.3	1	0.02*	0.05*	0.5	0.05*	0.5 0.02*
d)	Kohlrabi	0.05*	0.02*	0.2	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
v) LEAF VEGETABLES AND FRESH HERBS									
a)	Lettuce & similar								
	Cress	0.05*	0.5	2	0.02*	0.05*	0.5	0.05*	0.5 0.02*
	Lamb's lettuce	0.05*	0.5	2	0.02*	0.05*	0.5	0.05*	0.5 0.02*
	Lettuce	0.05*	0.5	2	0.02*	0.05*	0.5	0.05*	0.5 0.02*
	Scarole	0.05*	0.5	2	0.02*	0.05*	0.5	0.05*	0.5 0.02*
	Others	0.05*	0.5	2	0.02*	0.05*	0.5	0.05*	0.5 0.02*

Group to which food belongs	Groups include the following products	Chlorpyrifos-methyl	Cyfluthrin (changing 1 July 2001)	Cypermethrin	Daminozide	DDT	Deltamethrin	Diallate	Diazinon (changing 1 July 2001)
	b) Spinach & similar Spinach	0.05*	0.02*	0.5	0.02*	0.05*	0.5	0.05*	0.5 0.02*
	Beet leaves (chard)	0.05*	0.02*	0.5	0.02*	0.05*	0.5	0.05*	0.5 0.02*
	Others	0.05*	0.02*	0.5	0.02*	0.05*	0.5	0.05*	0.5 0.02*
	c) Watercress	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	d) Witloof	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	e) Herbs								
	Chervil	0.05*	0.02*	2	0.02*	0.05*	0.5	0.05*	0.5 0.02*
	Chives	0.05*	0.02*	2	0.02*	0.05*	0.5	0.05*	0.5 0.02*
	Parsley	0.05*	0.02*	2	0.02*	0.05*	0.5	0.05*	0.5 0.02*
	Celery leaves	0.05*	0.02*	2	0.02*	0.05*	0.5	0.05*	0.5 0.02*
	Others	0.05*	0.02*	2	0.02*	0.05*	0.5	0.05*	0.5 0.02*
vi) LEGUME VEGETABLES (fresh)									
	Beans (with pods)	0.05*	0.05	0.5	0.02*	0.05*	0.2	0.05*	0.5 0.02*
	Beans (without pods)	0.05*	0.05	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	Peas (with pods)	0.05*	0.05	0.5	0.02*	0.05*	0.1	0.05*	0.5 0.02*
	Peas (without pods)	0.05*	0.05	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	Others	0.05*	0.05	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*

Group to which food belongs	Groups include the following products	Chlorpyrifos-methyl	Cyfluthrin (changing 1 July 2001)	Cypermethrin	Daminozide	DDT	Deltamethrin	Diallate	Diazinon (changing 1 July 2001)
vii) STEM VEGETABLES									
	Asparagus	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	Cardoons	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Celery	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	Fennel	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Globe artichokes	0.05*	0.02*	2	0.02*	0.05*	0.1	0.05*	0.5 0.02*
	Leeks	0.05*	<i>no MRL</i> 0.02*	0.5	0.02*	0.05*	0.2	0.05*	0.5 0.02*
	Rhubarb	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Others	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
viii) FUNGI									
	a) Cultivated mushrooms	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	b) Wild mushrooms	0.05*	0.02*	1	0.02*	0.05*	0.05*	0.05*	0.02*
3. PULSES									
	Beans	0.05*	0.02*	0.05*	0.02*	0.05*	1	0.05*	<i>no MRL</i> 0.02*
	Lentils	0.05*	0.02*	0.05*	0.02*	0.05*	1	0.05*	<i>no MRL</i> 0.02*
	Peas	0.05*	0.02*	0.05*	0.02*	0.05*	1	0.05*	<i>no MRL</i> 0.02*
	Others	0.05*	0.02*	0.05*	0.02*	0.05*	1	0.05*	<i>no MRL</i> 0.02*
4. OILSEEDS									
	Linseed	0.05*	0.02*	0.2	0.05*	0.05*	0.05*	0.05*	0.05*
	Peanuts	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	<i>no MRL</i> 0.05*
	Poppy seed	0.05*	0.02*	0.2	0.05*	0.05*	0.05*	0.05*	0.05*
	Sesame seed	0.05*	0.02*	0.2	0.05*	0.05*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Chlorpyrifos-methyl	Cyfluthrin (changing 1 July 2001)	Cypermethrin	Daminozide	DDT	Deltamethrin	Diallate	Diazinon (changing 1 July 2001)
	Sunflower seed	0.05*	0.02*	0.2	0.05*	0.05*	0.05*	0.05*	<i>no MRL</i> 0.05*
	Rape seed	0.05*	0.05	0.2	0.05*	0.05*	0.1	0.05*	0.05*
	Soya bean	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Mustard seed	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Cotton seed	0.05*	0.02*	0.2	0.05*	0.05*	0.05*	0.05*	<i>no MRL</i> 0.05*
	Others	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
5. POTATOES	Early potatoes	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	<i>no MRL</i> 0.02*
	Ware potatoes	0.05*	0.02*	0.05*	0.02*	0.05*	0.5	0.05*	<i>no MRL</i> 0.02*
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0.1*	<i>no MRL</i> 0.1*	0.5	0.1*	0.2	5	0.1*	0.05*
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.1*	20	30	0.1*	0.05*	5	0.1*	<i>no MRL</i> 0.05*

Group to which food belongs	Groups include the following products	1,2-Dibromoethane	Dichlorprop	Dichlorvos	Dicofol (changing 1 July 2001)	1,1-Dichloro-2,2-bis-(4-ethyl-phenyl)- ethane	Dimethoate	Dinoseb
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts								
i) CITRUS FRUIT								
	Grapefruit	0.01*	0.05*		2	0.01*		0.05*
	Lemons	0.01*	0.05*		2	0.01*		0.05*
	Limes	0.01*	0.05*		2	0.01*		0.05*
	Mandarins (inc clementines & similar hybrids)	0.01*	0.05*		2	0.01*		0.05*
	Oranges	0.01*	0.05*		2	0.01*		0.05*
	Pomelos	0.01*	0.05*		2	0.01*		0.05*
	Others	0.01*	0.05*		2	0.01*		0.05*
ii) TREE NUTS (shelled or unshelled)								
	Almonds	0.01*	0.05*		0.05*	0.01*		0.05*
	Brazil nuts	0.01*	0.05*		0.05*	0.01*		0.05*
	Cashew nuts	0.01*	0.05*		0.05*	0.01*		0.05*
	Chestnuts	0.01*	0.05*		0.05*	0.01*		0.05*
	Coconuts	0.01*	0.05*		0.05*	0.01*		0.05*
	Hazelnuts	0.01*	0.05*		0.05*	0.01*		0.05*
	Macadamia nuts	0.01*	0.05*		0.05*	0.01*		0.05*
	Pecans	0.01*	0.05*		0.05*	0.01*		0.05*
	Pine nuts	0.01*	0.05*		0.05*	0.01*		0.05*
	Pistachios	0.01*	0.05*		0.05*	0.01*		0.05*
	Walnuts	0.01*	0.05*		0.05*	0.01*		0.05*
	Others	0.01*	0.05*		0.05*	0.01*		0.05*
iii) POME FRUIT								
	Apples	0.01*	0.05*		1 0.02*	0.01*		0.05*
	Pears	0.01*	0.05*		1 0.02*	0.01*		0.05*
	Quinces	0.01*	0.05*		1 0.02*	0.01*		0.05*
	Others	0.01*	0.05*		1 0.02*	0.01*		0.05*

Group to which food belongs	Groups include the following products	1,2-Dibromoethane	Dichlorprop	Dichlorvos	Dicofol (changing 1 July 2001)	1,1-Dichloro-2,2-bis-(4-ethyl-phenyl)-ethane	Dimethoate	Dinoseb
iv) STONE FRUIT								
	Apricots	0.01*	0.05*		<i>no MRL</i> 0.02*	0.01*		0.05*
	Cherries	0.01*	0.05*		<i>no MRL</i> 0.02*	0.01*		0.05*
	Peaches (incl nectarines & similar hybrids)	0.01*	0.05*		<i>no MRL</i> 0.02*	0.01*		0.05*
	Plums	0.01*	0.05*		<i>no MRL</i> 0.02*	0.01*		0.05*
	Others	0.01*	0.05*		<i>no MRL</i> 0.02*	0.01*		0.05*
v) BERRIES AND SMALL FRUIT								
	a) Table & wine grapes							
	Table grapes	0.01*	0.05*		1 0.02*	0.01*		0.05*
	Wine grapes	0.01*	0.05*		1 2	0.01*		0.05*
	b) Strawberries (other than wild)	0.01*	0.05*		2 0.02*	0.01*		0.05*
	c) Cane Fruit (other than wild)							
	Blackberries	0.01*	0.05*		0.02*	0.01*		0.05*
	Dewberries	0.01*	0.05*		0.02*	0.01*		0.05*
	Loganberries	0.01*	0.05*		0.02*	0.01*		0.05*
	Raspberries	0.01*	0.05*		0.02*	0.01*		0.05*
	Others	0.01*	0.05*		0.02*	0.01*		0.05*
	d) Other small fruit & berries (other than wild)							
	Bilberries	0.01*	0.05*		0.02*	0.01*		0.05*
	Cranberries	0.01*	0.05*		0.02*	0.01*		0.05*
	Currants (red, black & white)	0.01*	0.05*		<i>no MRL</i> 0.02*	0.01*		0.05*
	Gooseberries	0.01*	0.05*		0.02*	0.01*		0.05*
	Others	0.01*	0.05*		0.02*	0.01*		0.05*

Group to which food belongs	Groups include the following products	1,2-Dibromoethane	Dichlorprop	Dichlorvos	Dicofol (changing 1 July 2001)	1,1-Dichloro-2,2-bis-(4-ethyl-phenyl)- ethane	Dimethoate	Dinoseb
	e) Wild berries & wild fruit	0.01*	0.05*		0.02*	0.01*		0.05*
vi) MISCELLANEOUS FRUIT								
	Avocados	0.01*	0.05*		0.02*	0.01*		0.05*
	Bananas	0.01*	0.05*		2 0.02*	0.01*		0.05*
	Dates	0.01*	0.05*		0.02*	0.01*		0.05*
	Figs	0.01*	0.05*		<i>no MRL</i> 0.02*	0.01*		0.05*
	Kiwi fruit	0.01*	0.05*		0.02*	0.01*		0.05*
	Kumquats	0.01*	0.05*		0.02*	0.01*		0.05*
	Litchis	0.01*	0.05*		0.02*	0.01*		0.05*
	Mangoes	0.01*	0.05*		0.02*	0.01*		0.05*
	Olives (table consumption)	0.01*	0.05*		0.02*	0.01*		0.05*
	Olives (oil extract)	0.01*	0.05*		0.02*	0.01*		0.05*
	Papaya				<i>no MRL</i> 0.02*			
	Passion fruit	0.01*	0.05*		0.02*	0.01*		0.05*
	Pineapples	0.01*	0.05*		0.02*	0.01*		0.05*
	Pomegranates	0.01*	0.05*		0.02*	0.01*		0.05*
	Others	0.01*	0.05*		0.02*	0.01*		0.05*
2. Vegetables, fresh or uncooked, frozen or dry								
i) ROOT AND TUBER VEGETABLES								
	Beetroot	0.01*	0.05*		0.02*	0.01*		0.05*
	Carrots	0.01*	0.05*		0.02*	0.01*		0.05*
	Celeriac	0.01*	0.05*		0.02*	0.01*		0.05*
	Horseradish	0.01*	0.05*		0.02*	0.01*		0.05*
	Jerusalem artichokes	0.01*	0.05*		0.02*	0.01*		0.05*
	Parsnips	0.01*	0.05*		0.02*	0.01*		0.05*
	Parsley root	0.01*	0.05*		0.02*	0.01*		0.05*
	Radishes	0.01*	0.05*		0.02*	0.01*		0.05*
	Salsify	0.01*	0.05*		0.02*	0.01*		0.05*

Group to which food belongs	Groups include the following products	1,2-Dibromoethane	Dichlorprop	Dichlorvos	Dicofol (changing 1 July 2001)	1,1-Dichloro-2,2-bis-(4-ethyl-phenyl)-ethane	Dimethoate	Dinoseb
	Sweet potatoes	0.01*	0.05*		0.02*	0.01*		0.05*
	Swedes	0.01*	0.05*		0.02*	0.01*		0.05*
	Turnips	0.01*	0.05*		0.02*	0.01*		0.05*
	Yams	0.01*	0.05*		0.02*	0.01*		0.05*
	Others	0.01*	0.05*		0.02*	0.01*		0.05*
ii) BULB VEGETABLES								
	Garlic	0.01*	0.05*		<i>no MRL</i> 0.02*	0.01*		0.05*
	Onions	0.01*	0.05*		0.02*	0.01*		0.05*
	Shallots	0.01*	0.05*		0.02*	0.01*		0.05*
	Spring onions	0.01*	0.05*		0.02*	0.01*		0.05*
	Others	0.01*	0.05*		0.02*	0.01*		0.05*
iii) FRUITING VEGETABLES								
a) Solanacea								
	Tomatoes	0.01*	0.05*		0.5 0.02*	0.01*		0.05*
	Peppers	0.01*	0.05*		0.5 0.02*	0.01*		0.05*
	Chilli peppers					0.01*		
	Aubergines	0.01*	0.05*		0.02*	0.01*		0.05*
	Others	0.01*	0.05*		0.02*	0.01*		0.05*
b) Cucurbits-edible peel								
	Cucumbers	0.01*	0.05*		0.5 0.2	0.01*		0.05*
	Gherkins	0.01*	0.05*		0.5 0.2	0.01*		0.05*
	Courgettes	0.01*	0.05*		0.5 0.2	0.01*		0.05*
	Others	0.01*	0.05*		0.5 0.2	0.01*		0.05*
c) Cucurbits-inedible peel								
	Melons	0.01*	0.05*		0.5	0.01*		0.05*

Group to which food belongs	Groups include the following products	1,2-Dibromoethane	Dichlorprop	Dichlorvos	Dicofol (changing 1 July 2001)	1,1-Dichloro-2,2-bis-(4-ethyl-phenyl)- ethane	Dimethoate	Dinoseb
	Squashes	0.01*	0.05*		0.5	0.01*		0.05*
	Watermelons	0.01*	0.05*		0.5	0.01*		0.05*
	Others	0.01*	0.05*		0.5	0.01*		0.05*
	d) Sweet corn	0.01*	0.05*		0.02*	0.01*		0.05*
iv) BRASSICA VEGETABLES								
	a) Flowering Brassicas							
	Broccoli	0.01*	0.05*		0.02*	0.01*		0.05*
	Cauliflower	0.01*	0.05*		0.02*	0.01*		0.05*
	Others	0.01*	0.05*		0.02*	0.01*		0.05*
	b) Head Brassicas							
	Brussels sprouts	0.01*	0.05*		0.02*	0.01*		0.05*
	Head cabbage	0.01*	0.05*		0.02*	0.01*		0.05*
	Others	0.01*	0.05*		0.02*	0.01*		0.05*
	c) Leafy Brassicas							
	Chinese cabbage	0.01*	0.05*		0.02*	0.01*		0.05*
	Kale	0.01*	0.05*		0.02*	0.01*		0.05*
	Others	0.01*	0.05*		0.02*	0.01*		0.05*
	d) Kohlrabi	0.01*	0.05*		0.02*	0.01*		0.05*
v) LEAF VEGETABLES AND FRESH HERBS								
	a) Lettuce & similar							
	Cress	0.01*	0.05*		0.02*	0.01*		0.05*
	Lamb's lettuce	0.01*	0.05*		0.02*	0.01*		0.05*
	Lettuce	0.01*	0.05*		0.02*	0.01*		0.05*
	Scarole	0.01*	0.05*		0.02*	0.01*		0.05*
	Others	0.01*	0.05*		0.02*	0.01*		0.05*
	b) Spinach & similar							
	Spinach	0.01*	0.05*		0.02*	0.01*		0.05*
	Beet leaves (chard)	0.01*	0.05*		0.02*	0.01*		0.05*
	Others	0.01*	0.05*		0.02*	0.01*		0.05*
	c) Watercress	0.01*	0.05*		0.02*	0.01*		0.05*
	d) Witloof	0.01*	0.05*		0.02*	0.01*		0.05*

Group to which food belongs	Groups include the following products	1,2-Dibromoethane	Dichlorprop	Dichlorvos	Dicofol (changing 1 July 2001)	1,1-Dichloro-2,2-bis-(4-ethyl-phenyl)- ethane	Dimethoate	Dinoseb
	e) Herbs							
	Chervil	0.01*	0.05*		0.02*	0.01*		0.05*
	Chives	0.01*	0.05*		0.02*	0.01*		0.05*
	Parsley	0.01*	0.05*		0.02*	0.01*		0.05*
	Celery leaves	0.01*	0.05*		0.02*	0.01*		0.05*
	Others	0.01*	0.05*		0.02*	0.01*		0.05*
	vi) LEGUME VEGETABLES (fresh)							
	Beans (with pods)	0.01*	0.05*		0.5 0.02*	0.01*		0.05*
	Beans (without pods)	0.01*	0.05*		0.5 0.02*	0.01*		0.05*
	Peas (with pods)	0.01*	0.05*		0.5 0.02*	0.01*		0.05*
	Peas (without pods)	0.01*	0.05*		0.5 0.02*	0.01*		0.05*
	Others	0.01*	0.05*		0.02*	0.01*		0.05*
	vii) STEM VEGETABLES							
	Asparagus	0.01*	0.05*		0.02*	0.01*		0.05*
	Cardoons	0.01*	0.05*		0.02*	0.01*		0.05*
	Celery	0.01*	0.05*		0.02*	0.01*		0.05*
	Fennel	0.01*	0.05*		0.02*	0.01*		0.05*
	Globe artichokes	0.01*	0.05*		no MRL 0.02*	0.01*		0.05*
	Leeks	0.01*	0.05*		0.02*	0.01*		0.05*
	Rhubarb	0.01*	0.05*		0.02*	0.01*		0.05*
	Others	0.01*	0.05*		0.02*	0.01*		0.05*
	viii) FUNGI							
	a) Cultivated mushrooms	0.01*	0.05*		no MRL 0.02*	0.01*		0.05*
	b) Wild mushrooms	0.01*	0.05*		0.02*	0.01*		0.05*

Group to which food belongs	Groups include the following products	1,2-Dibromoethane	Dichlorprop	Dichlorvos	Dicofol (changing 1 July 2001)	1,1-Dichloro-2,2-bis-(4-ethyl-phenyl)- ethane	Dimethoate	Dinoseb
3. PULSES								
	Beans	0.01*	0.05*		<i>no MRL</i> 0.02*	0.01*		0.05*
	Lentils	0.01*	0.05*		0.02*	0.01*		0.05*
	Peas	0.01*	0.05*		0.02*	0.01*		0.05*
	Others	0.01*	0.05*		0.02*	0.01*		0.05*
4. OILSEEDS								
	Linseed	0.01*	0.05*		0.05*	0.01*		0.05*
	Peanuts	0.01*	0.05*		0.05*	0.01*		0.05*
	Poppy seed	0.01*	0.05*		0.05*	0.01*		0.05*
	Sesame seed	0.01*	0.05*		0.05*	0.01*		0.05*
	Sunflower seed	0.01*	0.05*		0.05*	0.01*		0.05*
	Rape seed	0.01*	0.05*		0.05*	0.01*		0.05*
	Soya bean	0.01*	0.05*		0.05*	0.01*		0.05*
	Mustard seed	0.01*	0.05*		0.05*	0.01*		0.05*
	Cotton seed	0.01*	0.05*		0.1	0.01*		0.05*
	Others	0.01*	0.05*		0.05*	0.01*		0.05*
5. POTATOES								
	Early potatoes	0.01*	0.05*		0.02*	0.01*		0.05*
	Ware potatoes	0.01*	0.05*		0.02*	0.01*		0.05*
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0.1*	0.1*	0.1*	20	0.1*	0.2	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.01*	0.1*		50	0.1*		0.1*

Group to which food belongs	Groups include the following products	Dioxathion	Diphenylamine	Disulfoton (changing 1 July 2001)	Endosulfan (changing 1 July 2001)	Endrin	Ethephon (changing 1 July 2001)	Ethion
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts								
i) CITRUS FRUIT								
	Grapefruit	0.05*	0.05*	0.02*	1 0.5	0.01*	no MRL 0.05*	
	Lemons	0.05*	0.05*	0.02*	1 0.5	0.01*	no MRL 0.05*	
	Limes	0.05*	0.05*	0.02*	1 0.5	0.01*	no MRL 0.05*	
	Mandarins (inc clementines & similar hybrids)	0.05*	0.05*	0.02*	1 0.5	0.01*	no MRL 0.05*	
	Oranges	0.05*	0.05*	0.02*	1 0.5	0.01*	no MRL 0.05*	
	Pomelos	0.05*	0.05*	0.02*	1 0.5	0.01*	no MRL 0.05*	
	Others	0.05*	0.05*	0.02*	1 0.5	0.01*	no MRL 0.05*	
ii) TREE NUTS (shelled or unshelled)								
	Almonds	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*	
	Brazil nuts	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*	
	Cashew nuts	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*	
	Chestnuts	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*	
	Coconuts	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*	
	Hazelnuts	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*	
	Macadamia nuts	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*	
	Pecans	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*	
	Pine nuts	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*	
	Pistachios	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*	
	Walnuts	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*	
	Others	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*	
iii) POME FRUIT								
	Apples	0.05*	0.05*	0.02*	1 0.3	0.01*	3	
	Pears	0.05*	0.05*	0.02*	1 0.3	0.01*	3	

Group to which food belongs	Groups include the following products	Dioxathion	Diphenylamine	Disulfoton (changing 1 July 2001)	Endosulfan (changing 1 July 2001)	Endrin	Ethephon (changing 1 July 2001)	Ethion
iv) STONE FRUIT	Quinces	0.05*	0.05*	0.02*	1 0.3	0.01*	3	
	Others	0.05*	0.05*	0.02*	1 0.3	0.01*	3	
	Apricots	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	
	Cherries	0.05*	0.05*	0.02*	1 0.05*	0.01*	3	
	Peaches (incl nectarines & similar hybrids)	0.05*	0.05*	0.02*	1 0.5	0.01*	0.05*	
	Plums	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	
	v) BERRIES AND SMALL FRUIT							
a) Table & wine grapes								
Table grapes	0.05*	0.05*	0.02*	1 0.5	0.01*	no MRL 0.05*		
Wine grapes	0.05*	0.05*	0.02*	1 0.5	0.01*	no MRL 0.05*		
b) Strawberries (other than wild)	0.05*	0.05*	no MRL 0.02*	no MRL 0.05*	0.01*	0.05*		
c) Cane Fruit (other than wild)								
Blackberries	0.05*	0.05*	0.02*	no MRL 0.05*	0.01*	0.05*		
Dewberries	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
Loganberries	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
Raspberries	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*		
Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
d) Other small fruit & berries (other than wild)								
Bilberries	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		

Group to which food belongs	Groups include the following products	Dioxathion	Diphenylamine	Disulfoton	Endosulfan	Endrin	Ethephon	Ethion
				(changing 1 July 2001)	(changing 1 July 2001)		(changing 1 July 2001)	
	Cranberries	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Currants (red, black & white)	0.05*	0.05*	0.02*	<i>no MRL</i>	0.01*	5	
	Gooseberries	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	e) Wild berries & wild fruit	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
vi) MISCELLANEOUS FRUIT								
	Avocados	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Bananas	0.05*	0.05*	0.02*	<i>no MRL</i>	0.01*	0.05*	
	Dates	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Figs	0.05*	0.05*	0.02*	0.05*	0.01*	<i>no MRL</i>	
	Kiwi fruit	0.05*	0.05*	0.02*	<i>l</i>	0.01*	0.05*	
	Kumquats	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Litchis	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Mangoes	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Olives (table consumption)	0.05*	0.05*	0.02*	<i>l</i>	0.01*	<i>no MRL</i>	
	Olives (oil extract)	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Papaya			<i>no MRL</i>	<i>no MRL</i>		<i>no MRL</i>	
	Passion fruit	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Pineapples	0.05*	0.05*	<i>no MRL</i>	0.05*	0.01*	<i>no MRL</i>	
	Pomegranates	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	

Group to which food belongs	Groups include the following products	Dioxathion	Diphenylamine	Disulfoton (changing 1 July 2001)	Endosulfan (changing 1 July 2001)	Endrin	Ethephon (changing 1 July 2001)	Ethion
2. Vegetables, fresh or uncooked, frozen or dry								
i) ROOT AND TUBER VEGETABLES								
	Beetroot	0.05*	0.05*	0.02*	0.2 0.05*	0.01*	0.05*	
	Carrots	0.05*	0.05*	<i>no MRL</i> 0.02*	0.2 0.05*	0.01*	0.05*	
	Celeriac	0.05*	0.05*	0.02*	0.2 0.05*	0.01*	0.05*	
	Horseradish	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Jerusalem artichokes	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Parsnips	0.05*	0.05*	<i>no MRL</i> 0.02*	0.05*	0.01*	0.05*	
	Parsley root	0.05*	0.05*	0.02*	0.2 0.05*	0.01*	0.05*	
	Radishes	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Salsify	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Sweet potatoes	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Swedes	0.05*	0.05*	0.02*	0.2 0.05*	0.01*	0.05*	
	Turnips	0.05*	0.05*	0.02*	0.2 0.05*	0.01*	0.05*	
	Yams	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
ii) BULB VEGETABLES								
	Garlic	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Onions	0.05*	0.05*	0.02*	1 0.05*	0.01*	<i>no MRL</i> 0.05*	
	Shallots	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Spring onions	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
iii) FRUITING VEGETABLES								
	a) Solanacea							
	Tomatoes	0.05*	0.05*	0.02*	1 0.5	0.01*	3	

Group to which food belongs	Groups include the following products	Dioxathion	Diphenylamine	Disulfoton	Endosulfan	Endrin	Ethephon	Ethion
				(changing 1 July 2001)	(changing 1 July 2001)		(changing 1 July 2001)	
	Peppers	0.05*	0.05*	0.02*	1 0.05*	0.01*	3	
	Chilli peppers							
	Aubergines	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	
	b) Cucurbits-edible peel							
	Cucumbers	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	
	Gherkins	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	
	Courgettes	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	
	c) Cucurbits-inedible peel							
	Melons	0.05*	0.05*	0.02*	1 0.3	0.01*	0.05*	
	Squashes	0.05*	0.05*	no MRL 0.02*	1 0.3	0.01*	0.05*	
	Watermelons	0.05*	0.05*	0.02*	1 0.3	0.01*	0.05*	
	Others	0.05*	0.05*	0.02*	1 0.3	0.01*	0.05*	
	d) Sweet corn	0.05*	0.05*	0.02*	0.05*	0.01*	no MRL 0.05*	
iv) BRASSICA VEGETABLES								
	a) Flowering Brassicas							
	Broccoli	0.05*	0.05*	no MRL 0.02*	1 0.05*	0.01*	0.05*	
	Cauliflower	0.05*	0.05*	no MRL 0.02*	1 0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	

Group to which food belongs	Groups include the following products	Dioxathion	Diphenylamine	Disulfoton (changing 1 July 2001)	Endosulfan (changing 1 July 2001)	Endrin	Ethephon (changing 1 July 2001)	Ethion
	b) Head Brassicas							
	Brussels sprouts	0.05*	0.05*	<i>no MRL</i> 0.02*	<i>l</i> 0.05*	0.01*	0.05*	
	Head cabbage	0.05*	0.05*	<i>no MRL</i> 0.02*	<i>l</i> 0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	0.02*	<i>l</i> 0.05*	0.01*	0.05*	
	c) Leafy Brassicas							
	Chinese cabbage	0.05*	0.05*	0.02*	<i>l</i> 0.05*	0.01*	0.05*	
	Kale	0.05*	0.05*	0.02*	<i>l</i> 0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	0.02*	<i>l</i> 0.05*	0.01*	0.05*	
	d) Kohlrabi	0.05*	0.05*	<i>no MRL</i> 0.02*	0.05*	0.01*	0.05*	
v) LEAF VEGETABLES AND FRESH HERBS								
	a) Lettuce & similar							
	Cress	0.05*	0.05*	0.02*	<i>l</i> 0.05*	0.01*	0.05*	
	Lamb's lettuce	0.05*	0.05*	0.02*	<i>l</i> 0.05*	0.01*	0.05*	
	Lettuce	0.05*	0.05*	0.02*	<i>l</i> 0.05*	0.01*	0.05*	
	Scarole	0.05*	0.05*	0.02*	<i>l</i> 0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	0.02*	<i>l</i> 0.05*	0.01*	0.05*	
	b) Spinach & similar							
	Spinach	0.05*	0.05*	0.02*	<i>l</i> 0.05*	0.01*	0.05*	
	Beet leaves (chard)	0.05*	0.05*	0.02*	<i>l</i> 0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	0.02*	<i>l</i> 0.05*	0.01*	0.05*	
	c) Watercress	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	

Group to which food belongs	Groups include the following products	Dioxathion	Diphenylamine	Disulfoton	Endosulfan	Endrin	Ethephon	Ethion	
									(changing 1 July 2001)
d)	Witloof	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
e)	Herbs	0.05*	0.05*	<i>no MRL</i>	0.05*	0.01*	0.05*		
	Chervil			0.02*					
	Chives	0.05*	0.05*	<i>no MRL</i>	0.05*	0.01*	0.05*		
				0.02*					
	Parsley	0.05*	0.05*	<i>no MRL</i>	0.05*	0.01*	0.05*		
				0.02*					
	Celery leaves	0.05*	0.05*	<i>no MRL</i>	0.05*	0.01*	0.05*		
				0.02*					
	Others	0.05*	0.05*	<i>no MRL</i>	0.05*	0.01*	0.05*		
				0.02*					
vi) LEGUME VEGETABLES (fresh)									
	Beans (with pods)	0.05*	0.05*	<i>no MRL</i>	1	0.01*	0.05*		
				0.02*					
	Beans (without pods)	0.05*	0.05*	<i>no MRL</i>	1	0.01*	0.05*		
				0.02*					
	Peas (with pods)	0.05*	0.05*	<i>no MRL</i>	1	0.01*	0.05*		
				0.02*					
	Peas (without pods)	0.05*	0.05*	0.02*	1	0.01*	0.05*		
					0.05*				
	Others	0.05*	0.05*	<i>no MRL</i>	1	0.01*	0.05*		
				0.02*					
vii) STEM VEGETABLES									
	Asparagus	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
	Cardoons	0.05*	0.05*	0.02*	1	0.01*	0.05*		
					0.05*				
	Celery	0.05*	0.05*	<i>no MRL</i>	1	0.01*	0.05*		
				0.02*					
	Fennel	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
	Globe artichokes	0.05*	0.05*	0.02*	1	0.01*	0.05*		
					0.05*				
	Leeks	0.05*	0.05*	0.02*	1	0.01*	0.05*		
					0.05*				

Group to which food belongs	Groups include the following products	Dioxathion	Diphenylamine	Disulfoton	Endosulfan	Endrin	Ethephon	Ethion
viii) FUNGI	Rhubarb	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
3. PULSES	a) Cultivated mushrooms	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	
	b) Wild mushrooms	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
4. OILSEEDS	Beans	0.05*	0.05*	<i>no MRL</i> 0.02*	0.05*	0.01*	0.05*	
	Lentils	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Peas	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Linseed	0.05*	0.05*	0.02*	<i>no MRL</i> 0.1*	0.01*	0.05*	
	Peanuts	0.05*	0.05*	0.02*	0.1*	0.01*	0.05*	
	Poppy seed	0.05*	0.05*	0.02*	0.1*	0.01*	0.05*	
	Sesame seed	0.05*	0.05*	0.02*	0.1*	0.01*	0.05*	
	Sunflower seed	0.05*	0.05*	0.02*	<i>no MRL</i> 0.1*	0.01*	0.05*	
	Rape seed	0.05*	0.05*	0.02*	<i>no MRL</i> 0.1*	0.01*	0.05*	
5. POTATOES	Soya bean	0.05*	0.05*	0.02*	<i>no MRL</i> 0.5	0.01*	0.05*	
	Mustard seed	0.05*	0.05*	0.02*	<i>no MRL</i> 0.1*	0.01*	0.05*	
	Cotton seed	0.05*	0.05*	0.05	0.3	0.01*	0.05*	
	Others	0.05*	0.05*	0.02*	0.1*	0.01*	2 0.05*	
	Early potatoes	0.05*	0.05*	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*	

Group to which food belongs	Groups include the following products	Dioxathion	Diphenylamine	Disulfoton (changing 1 July 2001)	Endosulfan (changing 1 July 2001)	Endrin	Ethephon (changing 1 July 2001)	Ethion
6. TEA	Ware potatoes (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0.05*	0.05*	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*	
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.1*	0.05*	<i>no MRL</i> 0.05*	<i>no MRL</i> 0.1*	0.1*	0.1*	2

Group to which food belongs	Groups include the following products	Fenarimol	Fenbutatin Oxide	Fenchlorphos	Fenitrothion	Fentin	Fenvalerate and Esfenvalerate	
		(changing 1 July 2001)	(changing 1 July 2001)				Sum of RR and SS isomers (changing 1 July 2001)	Sum of RS and SR isomers
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts								
i) CITRUS FRUIT								
	Grapefruit	0.02*	<i>no MRL</i>	0.01*		0.05*		0.05 ⁽³⁴⁾
			5				0.02*	0.02*
	Lemons	0.02*	<i>no MRL</i>	0.01*		0.05*		0.05*
			5				0.02*	0.02*
	Limes	0.02*	<i>no MRL</i>	0.01*		0.05*		0.05*
			5				0.02*	0.02*
	Mandarins (inc clementines & similar hybrids)	0.02*	<i>no MRL</i>	0.01*		0.05*	0.02*	0.05*
			5				0.02*	0.02*
	Oranges	0.02*	<i>no MRL</i>	0.01*		0.05*		0.05*
			5				0.02*	0.02*
	Pomelos	0.02*	<i>no MRL</i>	0.01*		0.05*		0.05*
			5				0.02*	0.02*
	Others	0.02*	<i>no MRL</i>	0.01*		0.05*		0.05*
			5				0.02*	0.02*
ii) TREE NUTS (shelled or unshelled)								
	Almonds	0.02*	0.05*	0.01*		0.05*		0.05*
							0.02*	0.02*
	Brazil nuts	0.02*	0.05*	0.01*		0.05*		0.05*
							0.02*	0.02*

Group to which food belongs	Groups include the following products	Fenarimol	Fenbutatin Oxide	Fenchlorphos	Fenitrothion	Fentin	Fenvalerate and Esfenvalerate	
		(changing 1 July 2001)	(changing 1 July 2001)				Sum of RR and SS isomers (changing 1 July 2001)	Sum of RS and SR isomers
	Cashew nuts	0.02*	0.05*	0.01*		0.05*	0.02*	0.05*
	Chestnuts	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Coconuts	0.02*	0.05*	0.01*		0.05*	0.02*	0.05*
	Hazelnuts	0.02*	0.05*	0.01*		0.05*	0.02*	0.05*
	Macadamia nuts	0.02*	0.05*	0.01*		0.05*	0.02*	0.05*
	Pecans	0.02*	0.05*	0.01*		0.05*	0.02*	0.05*
	Pine nuts	0.02*	0.05*	0.01*		0.05*	0.02*	0.05*
	Pistachios	0.02*	0.05*	0.01*		0.05*	0.02*	0.05*
	Walnuts	0.02*	0.05*	0.01*		0.05*	0.02*	0.05*
	Others	0.02*	0.05*	0.01*		0.05*	0.02*	0.05*
iii) POME FRUIT								
	Apples	0.3	2	0.01*		0.05*	0.05	1
	Pears	0.3	2	0.01*		0.05*	0.05	1
	Quinces	0.3	2	0.01*		0.05*	0.05	1
	Others	0.3	2	0.01*		0.05*	0.05	1

Group to which food belongs	Groups include the following products	Fenarimol	Fenbutatin Oxide	Fenchlorphos	Fenitrothion	Fentin	Fenvalerate and Esfenvalerate	
		(changing 1 July 2001)	(changing 1 July 2001)				Sum of RR and SS isomers (changing 1 July 2001)	Sum of RS and SR isomers
iv) STONE FRUIT								
	Apricots	<i>no MRL</i>	<i>no MRL</i>	0.01*		0.05*	0.05*	
	Cherries	0.5 <i>no MRL</i>	0.05* <i>no MRL</i>	0.01*		0.05*	0.02* 0.05*	0.02*
	Peaches (inc nectarines & similar hybrids)	1 <i>no MRL</i>	0.05* <i>no MRL</i>	0.01*		0.05*	0.02* 0.05*	0.02*
	Plums	0.5 <i>no MRL</i>	0.5* <i>no MRL</i>	0.01*		0.05*	0.02* 0.05*	0.02*
	Others	0.02* <i>no MRL</i>	0.05* <i>no MRL</i>	0.01*		0.05*	0.02* 0.05*	0.02*
		0.02*	0.05*				0.02*	0.02*
v) BERRIES AND SMALL FRUIT								
	a) Table & wine grapes							
	Table grapes	0.3	2	0.01*		0.05*	0.1 1	0.02*
	Wine grapes	0.3	2	0.01*		0.05*	0.1 1	0.02*
	Strawberries (other than wild)	0.3	<i>no MRL</i> 1	0.01*		0.05*	0.02* 0.05*	0.02*
	c) Cane Fruit (other than wild)							
	Blackberries	0.02*	0.05*	0.01*		0.05*	0.02* 0.05*	0.02*
	Dewberries	0.02*	0.05*	0.01*		0.05*	0.02* 0.05*	0.02*
	Loganberries	0.02*	0.05*	0.01*		0.05*	0.02* 0.05*	0.02*

Group to which food belongs	Groups include the following products	Fenarimol	Fenbutatin Oxide	Fenchlorphos	Fenitrothion	Fentin	Fenvalerate and Esfenvalerate	
		(changing 1 July 2001)	(changing 1 July 2001)				Sum of RR and SS isomers (changing 1 July 2001)	Sum of RS and SR isomers
	Raspberries	<i>no MRL</i>	0.05*	0.01*		0.05*	0.05*	
	Others	0.1 0.02*	0.05*	0.01*		0.05*	0.02* 0.02*	0.02* 0.02*
	d) Other small fruit & berries (other than wild)							
	Bilberries	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Cranberries	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Currants (red, black & white)	1	0.05*	0.01*		0.05*	0.02*	0.02*
	Gooseberries	1	0.05*	0.01*		0.05*	0.02*	0.02*
	Others	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	e) Wild berries & wild fruit	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
vi) MISCELLANEOUS FRUIT								
	Avocados	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Bananas	0.3	<i>no MRL</i>	0.01*		0.05*	0.02*	0.02*
	Dates	0.02*	3 0.05*	0.01*		0.05*	0.02* 0.02*	0.02* 0.02*
	Figs	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Kiwi fruit	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*

Group to which food belongs	Groups include the following products	Fenarimol	Fenbutatin Oxide	Fenchlorphos	Fenitrothion	Fentin	Fenvalerate and Esfenvalerate	
		(changing 1 July 2001)	(changing 1 July 2001)				Sum of RR and SS isomers (changing 1 July 2001)	Sum of RS and SR isomers (changing 1 July 2001)
	Kumquats	0.02*	0.05*	0.01*		0.05*	0.02*	0.05* 0.02*
	Litchis	0.02*	0.05*	0.01*		0.05*	0.02*	0.05* 0.02*
	Mangoes	0.02*	0.05*	0.01*		0.05*	0.02*	0.05* 0.02*
	Olives (table consumption)	0.02*	0.05*	0.01*		0.05*	0.02*	0.05* 0.02*
	Olives (oil extract)	0.02*	0.05*	0.01*		0.05*	0.02*	0.05* 0.02*
	Papaya	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*				0.02*	<i>no MRL</i> 0.02*
	Passion fruit	0.02*	0.05*	0.01*		0.05*	0.02*	0.05* 0.02*
	Pineapples	0.02*	0.05*	0.01*		0.05*	0.02*	0.05* 0.02*
	Pomegranates	0.02*	0.05*	0.01*		0.05*	0.02*	0.05* 0.02*
	Others	0.02*	0.05*	0.01*		0.05*	0.02*	0.05* 0.02*
2. Vegetables, fresh or uncooked, frozen or dry								
i) ROOT AND TUBER VEGETABLES								
	Beetroot	0.02*	0.05*	0.01*		0.05*	0.02*	0.05* 0.02*
	Carrots	0.02*	0.05*	0.01*		0.05*	0.02*	0.05* 0.02*
	Celeriac	0.02*	0.05*	0.01*		0.05*	0.02*	0.05* 0.02*

Group to which food belongs	Groups include the following products	Fenarimol	Fenbutatin Oxide	Fenchlorphos	Fenitrothion	Fentin	Fenvalerate and Esfenvalerate	
		(changing 1 July 2001)	(changing 1 July 2001)				Sum of RR and SS isomers (changing 1 July 2001)	Sum of RS and SR isomers (changing 1 July 2001)
	Horseradish	0.02*	0.05*	0.01*		0.05*	0.02*	0.05*
	Jerusalem artichokes	0.02*	0.05*	0.01*		0.05*	0.02*	0.05*
	Parsnips	0.02*	0.05*	0.01*		0.05*	0.02*	0.05*
	Parsley root	0.02*	0.05*	0.01*		0.05*	0.02*	0.05*
	Radishes	0.02*	0.05*	0.01*		0.05*	0.02*	0.05*
	Salsify	0.02*	0.05*	0.01*		0.05*	0.02*	0.05*
	Sweet potatoes	0.02*	0.05*	0.01*		0.05*	0.02*	0.05*
	Swedes	0.02*	0.05*	0.01*		0.05*	0.02*	0.05*
	Turnips	0.02*	0.05*	0.01*		0.05*	0.02*	0.05*
	Yams	0.02*	0.05*	0.01*		0.05*	0.02*	0.05*
	Others	0.02*	0.05*	0.01*		0.05*	0.02*	0.05*
ii) BULB VEGETABLES								
	Garlic	0.02*	0.05*	0.01*		0.05*	0.02*	0.05*
	Onions	0.02*	0.05*	0.01*		0.05*	0.02*	0.05*
	Shallots	0.02*	0.05*	0.01*		0.05*	0.02*	0.05*
	Spring onions	0.02*	0.05*	0.01*		0.05*	0.02*	0.05*

Group to which food belongs	Groups include the following products	Fenarimol	Fenbutatin Oxide	Fenchlorphos	Fenitrothion	Fentin	Fenvalerate and Esfenvalerate	
		(changing 1 July 2001)	(changing 1 July 2001)				Sum of RR and SS isomers (changing 1 July 2001)	Sum of RS and SR isomers (changing 1 July 2001)
	Others	0.02*	0.05*	0.01*		0.05*	0.02* 0.05*	0.02*
iii) FRUITING VEGETABLES								
	a) Solanacea							
	Tomatoes	<i>no MRL</i>	<i>no MRL</i>	0.01*		0.05*	1	
		0.5	1				0.05	0.02*
	Peppers	<i>no MRL</i>	<i>no MRL</i>	0.01*		0.05*	0.2	
		0.5	0.05*				0.02*	0.02*
	Chilli peppers							
	Aubergines	<i>no MRL</i>	<i>no MRL</i>	0.01*		0.05*	0.05*	
		0.02*	1				0.02*	0.02*
	Others	<i>no MRL</i>	<i>no MRL</i>	0.01*		0.05*	0.05*	
		0.02*	0.05*				0.02*	0.02*
	b) Cucurbits-edible peel							
	Cucumbers	<i>no MRL</i>	0.5*	0.01*		0.05*	0.2	
		0.2					0.02*	0.02*
	Gherkins	<i>no MRL</i>	<i>no MRL</i>	0.01*		0.05*	0.05*	
		0.2	0.05*				0.02*	0.02*
	Courgettes	<i>no MRL</i>	<i>no MRL</i>	0.01*		0.05*	0.05*	
		0.2	0.5				0.02*	0.02*
	Others	<i>no MRL</i>	<i>no MRL</i>	0.01*		0.05*	0.05*	
		0.2	0.05*				0.02*	0.02*

Group to which food belongs	Groups include the following products	Fenarimol	Fenbutatin Oxide	Fenclorphos	Fenitrothion	Fentin	Fenvalerate and Esfenvalerate	
		(changing 1 July 2001)	(changing 1 July 2001)				Sum of RR and SS isomers (changing 1 July 2001)	Sum of RS and SR isomers (changing 1 July 2001)
	c) Cucurbits-inedible peel							
	Melons	<i>no MRL</i>	<i>no MRL</i>	0.01*		0.05*	0.2	
		0.05	0.05*				0.02*	0.02*
	Squashes	<i>no MRL</i>	<i>no MRL</i>	0.01*		0.05*	0.5	
		0.05	0.05*				0.02*	0.02*
	Watermelons	<i>no MRL</i>	<i>no MRL</i>	0.01*		0.05*	0.5	
		0.05	0.05*				0.02*	0.02*
	Others	<i>no MRL</i>	<i>no MRL</i>	0.01*		0.05*	0.05*	
		0.05	0.05*				0.02*	0.02*
	d) Sweet corn	0.02*	0.05*	0.01*		0.05*	0.05*	
							0.02*	0.02*
	iv) BRASSICA VEGETABLES							
	a) Flowering Brassicas							
	Broccoli	0.02*	0.05*	0.01*		0.05*	1	
							0.02*	0.02*
	Cauliflower	0.02*	0.05*	0.01*		0.05*	1	
							0.02*	0.02*
	Others	0.02*	0.05*	0.01*		0.05*	1	
							0.02*	0.02*
	b) Head Brassicas							
	Brussels sprouts	0.02*	0.05*	0.01*		0.05*	0.05*	
							0.05	0.02*
	Head cabbage	0.02*	0.05*	0.01*		0.05*	0.05*	
							0.05	0.02*
	Others	0.02*	0.05*	0.01*		0.05*	0.05*	
							0.02*	0.02*

Group to which food belongs	Groups include the following products	Fenarimol	Fenbutatin Oxide	Fenchlorphos	Fenitrothion	Fentin	Fenvalerate and Esfenvalerate	
		(changing 1 July 2001)	(changing 1 July 2001)				Sum of RR and SS isomers (changing 1 July 2001)	Sum of RS and SR isomers
	c) Leafy Brassicas							
	Chinese cabbage	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Kale	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Others	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	d) Kohlrabi	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	v) LEAF VEGETABLES AND FRESH HERBS							
	a) Lettuce & similar							
	Cress	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Lamb's lettuce	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Lettuce	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Scarole	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Others	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	b) Spinach & similar							
	Spinach	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Beet leaves (chard)	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Others	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	c) Watercress	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*

Group to which food belongs	Groups include the following products	Fenarimol	Fenbutatin Oxide	Fenchlorphos	Fenitrothion	Fentin	Fenvalerate and Esfenvalerate	
		(changing 1 July 2001)	(changing 1 July 2001)				Sum of RR and SS isomers (changing 1 July 2001)	Sum of RS and SR isomers
	d) Witloof	0.02*	0.05*	0.01*		0.05*	0.02*	0.05*
	e) Herbs							
	Chervil	0.02*	0.05*	0.01*		0.05*	0.02*	0.05*
	Chives	0.02*	0.05*	0.01*		0.05*	0.02*	0.05*
	Parsley	0.02*	0.05*	0.01*		0.05*	0.02*	0.05*
	Celery leaves	0.02*	0.05*	0.01*		0.05*	0.02*	0.05*
	Others	0.02*	0.05*	0.01*		0.05*	0.02*	0.05*
							0.02*	0.02*
vi) LEGUME VEGETABLES (fresh)								
	Beans (with pods)	0.02*	<i>no MRL</i>	0.01*		0.05*		0.05*
			0.05*				0.02*	0.02*
	Beans (without pods)	0.02*	<i>no MRL</i>	0.01*		0.05*		0.05*
			0.05*				0.02*	0.02*
	Peas (with pods)	<i>no MRL</i>	0.05*	0.01*		0.05*		0.05*
		0.02*					0.02*	0.02*
	Peas (without pods)	<i>no MRL</i>	0.05*	0.01*		0.05*		0.05*
		0.02*					0.02*	0.02*
	Others	0.02*	0.05*	0.01*		0.05*		0.05*
							0.02*	0.02*
vii) STEM VEGETABLES								
	Asparagus	0.02*	0.05*	0.01*		0.05*		0.05*
							0.02*	0.02*

Group to which food belongs	Groups include the following products	Fenarimol	Fenbutatin Oxide	Fenchlorphos	Fenitrothion	Fentin	Fenvalerate and Esfenvalerate		
		(changing 1 July 2001)	(changing 1 July 2001)				Sum of RR and SS isomers (changing 1 July 2001)	Sum of RS and SR isomers (changing 1 July 2001)	
	Cardoons	0.02*	0.05*	0.01*		0.05*	0.02*	0.05*	0.02*
	Celery	0.02*	0.05*	0.01*		0.05*	0.02*	0.05*	0.02*
	Fennel	0.02*	0.05*	0.01*		0.05*	0.02*	0.05*	0.02*
	Globe artichokes	<i>no MRL</i> 0.02*	0.05*	0.01*		0.05*	0.02*	0.05*	0.02*
	Leeks	0.02*	0.05*	0.01*		0.05*	0.02*	0.05*	0.02*
	Rhubarb	0.02*	0.05*	0.01*		0.05*	0.02*	0.05*	0.02*
	Others	0.02*	0.05*	0.01*		0.05*	0.02*	0.05*	0.02*
viii) FUNGI	a) Cultivated mushrooms	0.02*	0.05*	0.01*		0.05*	0.02*	0.05*	0.02*
	b) Wild mushrooms	0.02*	0.05*	0.01*		0.05*	0.02*	0.05*	0.02*
3. PULSES	Beans	0.02*	0.05*	0.01*		0.05*	0.02*	0.05*	0.02*
	Lentils	0.02*	0.05*	0.01*		0.05*	0.02*	0.05*	0.02*
	Peas	0.02*	0.05*	0.01*		0.05*	0.02*	0.05*	0.02*
	Others	0.02*	0.05*	0.01*		0.05*	0.02*	0.05*	0.02*

Group to which food belongs	Groups include the following products	Fenarimol	Fenbutatin Oxide	Fenchlorphos	Fenitrothion	Fentin	Fenvalerate and Esfenvalerate	
		(changing 1 July 2001)	(changing 1 July 2001)				Sum of RR and SS isomers (changing 1 July 2001)	Sum of RS and SR isomers
4. OILSEEDS								
	Linseed	0.02*	0.05*	0.01*		0.05*	0.1	0.05*
	Peanuts	0.02*	0.05*	0.01*		0.05*	0.1	0.05*
	Poppy seed	0.02*	0.05*	0.01*		0.05*	0.1	0.05*
	Sesame seed	0.02*	0.05*	0.01*		0.05*	0.1	0.05*
	Sunflower seed	0.02*	0.05*	0.01*		0.05*	0.1	0.05*
	Rape seed	0.02*	0.05*	0.01*		0.05*	0.1	0.05*
	Soya bean	0.02*	0.05*	0.01*		0.05*	0.1	0.05*
	Mustard seed	0.02*	0.05*	0.01*		0.05*	0.1	0.05*
	Cotton seed	0.02*	<i>no MRL</i> 0.05*	0.01*		0.05*	0.1	0.05*
	Others	0.02*	0.05*	0.01*		0.05*	0.1	0.05*
5. POTATOES								
	Early potatoes	0.02*	0.05*	0.01*		0.1	0.05*	
	Ware potatoes	0.02*	0.05*	0.01*		0.1	0.05*	0.02*

Group to which food belongs	Groups include the following products	Fenarimol	Fenbutatin Oxide	Fenclorphos	Fenitrothion	Fentin	Fenvalerate and Esfenvalerate	
		(changing 1 July 2001)	(changing 1 July 2001)				Sum of RR and SS isomers (changing 1 July 2001)	Sum of RS and SR isomers (changing 1 July 2001)
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0.05*	0.1*	0.1*	0.5	0.1*	10	0.05*
7. HOPS (dried)	including hop pellets & unconcentrated powder	5	<i>no MRL</i> 0.1*	0.1*		0.5	5	0.05*

Group to which food belongs	Groups include the following products	Flucythrinate	Folpet	Furathiocarb (changing 1 July 2001)	Glyphosate	Heptachlor	Hexachloro-benzene (HCB)	Hexachloro-cyclohexane (HCH) α	Hexachlorocyclohexane (HCH) β
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts									
i) CITRUS FRUIT									
	Grapefruit			0.05*	0.1*	0.01*			
	Lemons			0.05*	0.1*	0.01*			
	Limes			0.05*	0.1*	0.01*			
	Mandarins (inc clementines & similar hybrids)			0.05*	0.1*	0.01*			
	Oranges			0.05*	0.1*	0.01*			
	Pomelos			0.05*	0.1*	0.01*			
	Others			0.05*	0.1*	0.01*			
ii) TREE NUTS (shelled or unshelled)									
	Almonds			0.05*	0.1*	0.01*			
	Brazil nuts			0.05*	0.1*	0.01*			
	Cashew nuts			0.05*	0.1*	0.01*			
	Chestnuts			0.05*	0.1*	0.01*			
	Coconuts			0.05*	0.1*	0.01*			
	Hazelnuts			0.05*	0.1*	0.01*			
	Macadamia nuts			0.05*	0.1*	0.01*			
	Pecans			0.05*	0.1*	0.01*			
	Pine nuts			0.05*	0.1*	0.01*			
	Pistachios			0.05*	0.1*	0.01*			
	Walnuts			0.05*	0.1*	0.01*			
	Others			0.05*	0.1*	0.01*			
iii) POME FRUIT									
	Apples			0.05*	0.1*	0.01*			
	Pears			0.05*	0.1*	0.01*			
	Quinces			0.05*	0.1*	0.01*			
	Others			0.05*	0.1*	0.01*			
iv) STONE FRUIT									
	Apricots			0.05*	0.1*	0.01*			

Group to which food belongs	Groups include the following products	Flucythrinate	Folpet	Furathiocarb (changing 1 July 2001)	Glyphosate	Heptachlor	Hexachloro-benzene (HCB)	Hexachloro-cyclohexane (HCH) α	Hexachlorocyclo-hexane (HCH) β
	Cherries			0.05*	0.1*	0.01*			
	Peaches (incl nectarines & similar hybrids)			0.05*	0.1*	0.01*			
	Plums			0.05*	0.1*	0.01*			
	Others			0.05*	0.1*	0.01*			
v) BERRIES AND SMALL FRUIT									
	a) Table & wine grapes								
	Table grapes			0.05*	0.1*	0.01*			
	Wine grapes		10	0.05*	0.1*	0.01*			
	b) Strawberries (other than wild)			0.05*	0.1*	0.01*			
	c) Cane Fruit (other than wild)								
	Blackberries			0.05*	0.1*	0.01*			
	Dewberries			0.05*	0.1*	0.01*			
	Loganberries			0.05*	0.1*	0.01*			
	Raspberries			0.05*	0.1*	0.01*			
	Others			0.05*	0.1*	0.01*			
	d) Other small fruit & berries (other than wild)								
	Bilberries			0.05*	0.1*	0.01*			
	Cranberries			0.05*	0.1*	0.01*			
	Currants (red, black & white)			0.05*	0.1*	0.01*			
	Gooseberries			0.05*	0.1*	0.01*			
	Others			0.05*	0.1*	0.01*			
	e) Wild berries & wild fruit			0.05*	0.1*	0.01*			
vi) MISCELLANEOUS FRUIT									
	Avocados			0.05*	0.1*	0.01*			
	Bananas			0.05*	0.1*	0.01*			
	Dates			0.05*	0.1*	0.01*			
	Figs			0.05*	0.1*	0.01*			
	Kiwi fruit			0.05*	0.1*	0.01*			
	Kumquats			0.05*	0.1*	0.01*			

Group to which food belongs	Groups include the following products	Flucythrinate	Folpet	Furathiocarb (changing 1 July 2001)	Glyphosate	Heptachlor	Hexachloro-benzene (HCB)	Hexachloro-cyclohexane (HCH) α	Hexachlorocyclohexane (HCH) β
	Litchis			0.05*	0.1*	0.01*			
	Mangoes			0.05*	0.1*	0.01*			
	Olives (table consumption)			0.05*	0.1*	0.01*			
	Olives (oil extract)			0.05*	2	0.01*			
	Papaya			<i>no MRL</i> 0.05*					
	Passion fruit			0.05*	0.1*	0.01*			
	Pineapples			0.05*	0.1*	0.01*			
	Pomegranates			0.05*	0.1*	0.01*			
	Others			0.05*	0.1*	0.01*			
2. Vegetables, fresh or uncooked, frozen or dry									
i) ROOT AND TUBER VEGETABLES									
	Beetroot			0.05*	0.1*	0.01*			
	Carrots			0.05*	0.1*	0.01*			
	Celeriac			0.05*	0.1*	0.01*			
	Horseradish			0.05*	0.1*	0.01*			
	Jerusalem artichokes			0.05*	0.1*	0.01*			
	Parsnips			0.05*	0.1*	0.01*			
	Parsley root			0.05*	0.1*	0.01*			
	Radishes			0.05*	0.1*	0.01*			
	Salsify			0.05*	0.1*	0.01*			
	Sweet potatoes			0.05*	0.1*	0.01*			
	Swedes			0.05*	0.1*	0.01*			
	Turnips			0.05*	0.1*	0.01*			
	Yams			0.05*	0.1*	0.01*			
	Others			0.05*	0.1*	0.01*			
ii) BULB VEGETABLES									
	Garlic			0.05*	0.1*	0.01*			
	Onions			0.05*	0.1*	0.01*			
	Shallots			0.05*	0.1*	0.01*			

Group to which food belongs	Groups include the following products	Flucythrinate	Folpet	Furathiocarb (changing 1 July 2001)	Glyphosate	Heptachlor	Hexachloro-benzene (HCB)	Hexachloro-cyclohexane (HCH) α	Hexachlorocyclo-hexane (HCH) β
	Spring onions			0.05*	0.1*	0.01*			
	Others			0.05*	0.1*	0.01*			
iii) FRUITING VEGETABLES									
	a) Solanacea								
	Tomatoes			0.05*	0.1*	0.01*			
	Peppers			0.05*	0.1*	0.01*			
	Chilli peppers								
	Aubergines			0.05*	0.1*	0.01*			
	Others			0.05*	0.1*	0.01*			
	b) Cucurbits-edible peel								
	Cucumbers			0.05*	0.1*	0.01*			
	Gherkins			0.05*	0.1*	0.01*			
	Courgettes			0.05*	0.1*	0.01*			
	Others			0.05*	0.1*	0.01*			
	c) Cucurbits-inedible peel								
	Melons			0.05*	0.1*	0.01*			
	Squashes			0.05*	0.1*	0.01*			
	Watermelons			0.05*	0.1*	0.01*			
	Others			0.05*	0.1*	0.01*			
	d) Sweet corn			0.05*	0.1*	0.01*			
iv) BRASSICA VEGETABLES									
	a) Flowering Brassicas								
	Broccoli			0.1	0.1*	0.01*			
	Cauliflower			0.1	0.1*	0.01*			
	Others			0.1	0.1*	0.01*			
	b) Head Brassicas								
	Brussels sprouts			0.05*	0.1*	0.01*			
	Head cabbage			0.05*	0.1*	0.01*			
	Others			0.05*	0.1*	0.01*			
	c) Leafy Brassicas								
	Chinese cabbage			0.05*	0.1*	0.01*			

Group to which food belongs	Groups include the following products	Flucythrinate	Folpet	Furathiocarb (changing 1 July 2001)	Glyphosate	Heptachlor	Hexachloro- benzene (HCB)	Hexachloro- cyclohexane (HCH) α	Hexachlorocyclo- hexane (HCH) β
	Kale			0.05*	0.1*	0.01*			
	Others			0.05*	0.1*	0.01*			
	d) Kohlrabi			0.05*	0.1*	0.01*			
v) LEAF VEGETABLES AND FRESH HERBS									
	a) Lettuce & similar								
	Cress			0.05*	0.1*	0.01*			
	Lamb's lettuce			0.05*	0.1*	0.01*			
	Lettuce			0.05*	0.1*	0.01*			
	Scarole			0.05*	0.1*	0.01*			
	Others			0.05*	0.1*	0.01*			
	b) Spinach & similar								
	Spinach			0.05*	0.1*	0.01*			
	Beet leaves (chard)			0.05*	0.1*	0.01*			
	Others			0.05*	0.1*	0.01*			
	c) Watercress			0.05*	0.1*	0.01*			
	d) Witloof			0.05*	0.1*	0.01*			
	e) Herbs								
	Chervil			0.05*	0.1*	0.01*			
	Chives			0.05*	0.1*	0.01*			
	Parsley			0.05*	0.1*	0.01*			
	Celery leaves			0.05*	0.1*	0.01*			
	Others			0.05*	0.1*	0.01*			
vi) LEGUME VEGETABLES (fresh)									
	Beans (with pods)			<i>no MRL</i> 0.05*	0.1*	0.01*			
	Beans (without pods)			<i>no MRL</i> 0.05*	0.1*	0.01*			
	Peas (with pods)			0.05*	0.1*	0.01*			
	Peas (without pods)			0.05*	0.1*	0.01*			
	Others			0.05*	0.1*	0.01*			

Group to which food belongs	Groups include the following products	Flucythrinate	Folpet	Furathiocarb (changing 1 July 2001)	Glyphosate	Heptachlor	Hexachloro-benzene (HCB)	Hexachloro-cyclohexane (HCH)	Hexachlorocyclo-hexane (HCH)
								α	β
vii) STEM VEGETABLES									
	Asparagus			0.05*	0.1*	0.01*			
	Cardoons			0.05*	0.1*	0.01*			
	Celery			<i>no MRL</i> 0.05*	0.1*	0.01*			
	Fennel			0.05*	0.1*	0.01*			
	Globe artichokes			0.05*	0.1*	0.01*			
	Leeks			0.05*	0.1*	0.01*			
	Rhubarb			0.05*	0.1*	0.01*			
	Others			0.05*	0.1*	0.01*			
viii) FUNGI									
	a) Cultivated mushrooms			0.05*	0.1*	0.01*			
	b) Wild mushrooms			0.05*	50	0.01*			
3. PULSES									
	Beans			<i>no MRL</i> 0.05*	2	0.01*			
	Lentils			0.05*	0.1*	0.01*			
	Peas			0.05*	3	0.01*			
	Others			0.05*	0.1*	0.01*			
4. OILSEEDS									
	Linseed			0.05*	10	0.01*			
	Peanuts			0.05*	0.1*	0.01*			
	Poppy seed			0.05*	0.1*	0.01*			
	Sesame seed			0.05*	0.1*	0.01*			
	Sunflower seed			0.05*	0.1*	0.01*			
	Rape seed			<i>no MRL</i> 0.05*	10	0.01*			
	Soya bean			<i>no MRL</i> 0.05*	20	0.01*			
	Mustard seed			0.05*	10	0.01*			

Group to which food belongs	Groups include the following products	Flucythrinate	Folpet	Furathiocarb (changing 1 July 2001)	Glyphosate	Heptachlor	Hexachloro-benzene (HCB)	Hexachloro-cyclohexane (HCH) α	Hexachlorocyclo-hexane (HCH) β
	Cotton seed			<i>no MRL</i> 0.05*	10	0.01*			
	Others			0.05*	0.1*	0.01*			
5. POTATOES	Early potatoes			0.05*	0.1*	0.01*			
	Ware potatoes			0.05*	0.1*	0.01*			
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0.1*		0.1*	0.1*	0.02*	0.01*	0.2}	sum of alpha and beta
7. HOPS (dried)	including hop pellets & unconcentrated powder			5	0.1*	0.01*			

Group to which food belongs	Groups include the following products	Hexachloro-cyclohexane (HCH) γ	Imazalil	Iprodione	Kresoximmethyl	Lambdacyhalo-thrin (changing 1 July 2001)	Malathion	Maleichydrazide	Maneb Mancozeb Metiram Propineb Zineb
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts									
i) CITRUS FRUIT									
	Grapefruit		5	0.02*	0.05*	no MRL 0.02*		1*	5
	Lemons		5	5	0.05*	no MRL 0.02*		1*	5
	Limes		5	0.02*	0.05*	no MRL 0.02*		1*	5
	Mandarins (inc clementines & similar hybrids)		5	2	0.05*	no MRL 0.02*		1*	5
	Oranges		5	0.02*	0.05*	no MRL 0.02*		1*	5
	Pomelos		5	0.02*	0.05*	no MRL 0.02*		1*	5
	Others		5	0.02*	0.05*	no MRL 0.02*		1*	5
ii) TREE NUTS (shelled or unshelled)									
	Almonds		0.02*	0.02*	0.1*	0.05*		1*	0.1*
	Brazil nuts		0.02*	0.02*	0.1*	0.05*		1*	0.1*
	Cashew nuts		0.02*	0.02*	0.1*	0.05*		1*	0.1*
	Chestnuts		0.02*	0.02*	0.1*	0.05*		1*	0.1*
	Coconuts		0.02*	0.02*	0.1*	0.05*		1*	0.1*
	Hazelnuts		0.02*	0.2	0.1*	0.05*		1*	0.1*
	Macadamia nuts		0.02*	0.02*	0.1*	0.05*		1*	0.1*
	Pecans		0.02*	0.02*	0.1*	0.05*		1*	0.1*
	Pine nuts		0.02*	0.02*	0.1*	0.05*		1*	0.1*
	Pistachios		0.02*	0.02*	0.1*	0.05*		1*	0.1*
	Walnuts		0.02*	0.02*	0.1*	0.05*		1*	0.1*
	Others		0.02*	0.02*	0.1*	0.05*		1*	0.1*
iii) POME FRUIT									
	Apples		5	10	0.2	0.1		1*	3

Group to which food belongs	Groups include the following products	Hexachloro-cyclohexane (HCH) γ	Imazalil	Iprodione	Kresoximmethyl	Lambdacyhalo-thrin (changing 1 July 2001)	Malathion	Maleichydrazide	Maneb Mancozeb Metiram Propineb Zineb
	Pears		5	10	0.2	0.1		1*	3
	Quinces		5	10	0.2	0.1		1*	3
	Others		5	10	0.2	0.1		1*	3
iv) STONE FRUIT	Apricots		0.02*	5	0.05*	0.2		1*	2
	Cherries		0.02*	5	0.05*	0.1		1*	1
	Peaches (incl nectarines & similar hybrids)		0.02*	5	0.05*	0.2		1*	2
	Plums		0.02*	5	0.05*	0.1		1*	1
	Others		0.02*	5	0.05*	0.1		1*	0.05*
v) BERRIES AND SMALL FRUIT	a) Table & wine grapes								
	Table grapes		0.02*	10	1	0.2		1*	2
	Wine grapes		0.02*	10	1	0.2		1*	2
	b) Strawberries (other than wild)		0.02*	10	0.05*	<i>no MRL</i> 0.5		1*	2
	c) Cane Fruit (other than wild)								
	Blackberries		0.02*	5	0.05*	0.02*		1*	0.05*
	Dewberries		0.02*	5	0.05*	0.02*		1*	0.05*
	Loganberries		0.02*	5	0.05*	0.02*		1*	0.05*
	Raspberries		0.02*	5	0.05*	0.02*		1*	0.05*
	Others		0.02*	5	0.05*	0.02*		1*	0.05*
	d) Other small fruit & berries (other than wild)								
	Bilberries		0.02*	10	0.05*	0.02*		1*	0.05*
	Cranberries		0.02*	0.02*	0.05*	0.02*		1*	0.05*
	Currants (red, black & white)		0.02*	10	0.05*	0.1		1*	5
	Gooseberries		0.02*	10	0.05*	0.1		1*	5
	Others		0.02*	0.02*	0.05*	0.02*		1*	0.05*
	e) Wild berries & wild fruit		0.02*	0.02*	0.05*	0.02*		1*	0.05*

Group to which food belongs	Groups include the following products	Hexachloro-cyclohexane (HCH)	Imazalil	Iprodione	Kresoximmethyl	Lambdacyhalothrin	Malathion	Maleichydrazide	Maneb Mancozeb Metiram Propineb Zineb
		γ				(changing 1 July 2001)			
vi) MISCELLANEOUS FRUIT									
	Avocados		0.02*	0.02*	0.05*	0.02*		1*	0.05*
	Bananas		2	3	0.05*	0.02*		1*	0.05*
	Dates		0.02*	0.02*	0.05*	0.02*		1*	0.05*
	Figs		0.02*	0.02*	0.05*	0.02*		1*	0.05*
	Kiwi fruit		0.02*	5	0.05*	0.02*		1*	0.05*
	Kumquats		0.02*	0.02*	0.05*	0.02*		1*	0.05*
	Litchis		0.02*	0.02*	0.05*	0.02*		1*	0.05*
	Mangoes		0.02*	0.02*	0.05*	0.02*		1*	0.05*
	Olives (table consumption)		0.02*	0.02*	0.2	0.02*		1*	5
	Olives (oil extract)		0.02*	0.02*	0.2	0.02*		1*	5
	Papaya					<i>no MRL</i> 0.02*			
	Passion fruit		0.02*	0.02*	0.05*	0.02*		1*	0.05*
	Pineapples		0.02*	0.02*	0.05*	0.02*		1*	0.05*
	Pomegranates		0.02*	0.02*	0.05*	0.02*		1*	0.05*
	Others		0.02*	0.02*	0.05*	0.02*		1*	0.05*
2. Vegetables, fresh or uncooked, frozen or dry									
i) ROOT AND TUBER VEGETABLES									
	Beetroot		0.02*	0.5	0.05*	0.02*		1*	0.05*
	Carrots		0.02*	0.3	0.05*	0.02*		30	0.2
	Celeriac		0.02*	0.02*	0.05*	0.02*		1*	0.2
						0.1			
	Horseradish		0.02*	0.1	0.05*	0.02*		1*	0.05*
	Jerusalem artichokes		0.02*	0.02*	0.05*	0.02*		1*	0.05*
	Parsnips		0.02*	0.1	0.05*	0.02*		30	0.05*
	Parsley root		0.02*	0.02*	0.05*	0.02*		1*	0.05*
	Radishes		0.02*	0.3	0.05*	0.02*		1*	0.2
						0.1			

Group to which food belongs	Groups include the following products	Hexachloro-cyclohexane (HCH) γ	Imazalil	Iprodione	Kresoximmethyl	Lambdacyhalo-thrin (changing 1 July 2001)	Malathion	Maleichydrazide	Maneb Mancozeb Metiram Propineb Zineb
	Salsify		0.02*	0.02*	0.05*	0.02*		1*	0.2
	Sweet potatoes		0.02*	0.02*	0.05*	0.02*		1*	0.05*
	Swedes		0.02*	0.02*	0.05*	0.02*		1*	0.05*
	Turnips		0.02*	0.02*	0.05*	0.02*		1*	0.05*
	Yams		0.02*	0.02*	0.05*	0.02*		1*	0.05*
	Others		0.02*	0.02*	0.05*	0.02*		1*	0.05*
ii) BULB VEGETABLES									
	Garlic		0.02*	5	0.05*	0.02*		10	0.5
	Onions		0.02*	5	0.05*	0.02*		10	0.5
	Shallots		0.02*	5	0.05*	0.02*		10	0.5
	Spring onions		0.02*	5	0.05*	<i>no MRL</i> 0.02*		1*	0.05*
	Others		0.02*	0.02*	0.05*	0.02*		10	0.05*
iii) FRUITING VEGETABLES									
a) Solanacea									
	Tomatoes		0.5	5	0.5	<i>no MRL</i> 0.5		1*	3
	Peppers		0.02*	5	1	<i>no MRL</i> 0.1		1*	2
	Chilli peppers								
	Aubergines		0.02*	5	0.5	<i>no MRL</i> 0.5		1*	2
	Others		0.02*	5	0.05*	<i>no MRL</i> 0.02*		1*	2
b) Cucurbits-edible peel									
	Cucumbers		0.2	2	0.05*	0.1		1*	0.5
	Gherkins		0.2	2	0.05*	0.1		1*	2
	Courgettes		0.2	2	0.05*	0.1		1*	2
	Others		0.2	2	0.05*	0.1		1*	0.05*

Group to which food belongs	Groups include the following products	Hexachloro-cyclohexane (HCH) γ	Imazalil	Iprodione	Kresoximmethyl	Lambdacyhalothrin (changing 1 July 2001)	Malathion	Maleichydrazide	Maneb Mancozeb Metiram Propineb Zineb	
	c) Cucurbits-inedible peel									
	Melons		2	0.3	0.2	<i>no MRL</i> 0.05		1*	0.5	
	Squashes		0.02*	0.02*	0.2	<i>no MRL</i> 0.05		1*	0.5	
	Watermelons		0.02*	0.02*	0.2	<i>no MRL</i> 0.05		1*	0.5	
	Others		0.02*	0.02*	0.2	<i>no MRL</i> 0.05		1*	0.5	
	d) Sweet corn		0.02*	0.02*	0.05*	0.02*		1*	0.05*	
	iv) BRASSICA VEGETABLES									
	a) Flowering Brassicas									
	Broccoli		0.02*	0.05	0.05*	<i>no MRL</i> 0.1		1*	1	
	Cauliflower		0.02*	0.05	0.05*	<i>no MRL</i> 0.1		1*	1	
	Others		0.02*	0.05	0.05*	<i>no MRL</i> 0.1		1*	1	
	b) Head Brassicas									
	Brussels sprouts		0.02*	0.5	0.05*	0.05		1*	1	
	Head cabbage		0.02*	5	0.05*	0.2		1*	1	
	Others		0.02*	0.02*	0.05*	0.02*		1*	1	
	c) Leafy Brassicas									
	Chinese cabbage		0.02*	5	0.05*	<i>no MRL</i> 0.02*		1*	0.5	
	Kale		0.02*	0.02*	0.05*	<i>no MRL</i> 0.02*		1*	0.5	
	Others		0.02*	0.02*	0.05*	<i>no MRL</i> 0.02*		1*	0.5	
	d) Kohlrabi		0.02*	0.1	0.05*	<i>no MRL</i> 0.02*		1*	0.1*	

Group to which food belongs	Groups include the following products	Hexachloro-cyclohexane (HCH)	Imazalil	Iprodione	Kresoximmethyl	Lambdacyhalo-thrin	Malathion	Maleichydrazide	Maneb Mancozeb Metiram Propineb Zineb
		γ				(changing 1 July 2001)			
v) LEAF VEGETABLES AND FRESH HERBS									
	a) Lettuce & similar								
	Cress		0.02*	10	0.05*	1		1*	5
	Lamb's lettuce		0.02*	10	0.05*	1		1*	5
	Lettuce		0.02*	10	0.05*	1		1*	5
	Scarole		0.02*	10	0.05*	1		1*	5
	Others		0.02*	10	0.05*	1		1*	5
	b) Spinach & similar								
	Spinach		0.02*	0.02*	0.05*	<i>no MRL</i> 0.02*		1*	0.05*
	Beet leaves (chard)		0.02*	0.02*	0.05*	<i>no MRL</i> 0.02*		1*	0.05*
	Others		0.02*	0.02*	0.05*	<i>no MRL</i> 0.02*		1*	0.05*
	c) Watercress		0.02*	0.02*	0.05*	0.02*		1*	0.3
	d) Witloof		0.02*	2	0.05*	<i>no MRL</i> 0.02*		1*	0.2
	e) Herbs								
	Chervil		0.02*	10	0.05*	1		1*	5
	Chives		0.02*	10	0.05*	1		1*	5
	Parsley		0.02*	10	0.05*	1		1*	5
	Celery leaves		0.02*	10	0.05*	1		1*	5
	Others		0.02*	10	0.05*	1		1*	5
vi) LEGUME VEGETABLES (fresh)									
	Beans (with pods)		0.02*	5	0.05*	0.2		1*	1
	Beans (without pods)		0.02*		0.05*	0.02*		1*	0.1
	Peas (with pods)		0.02*	1	0.05*	0.2		1*	1
	Peas (without pods)		0.02*	0.2	0.05*	0.02*		1*	0.1
	Others		0.02*	0.02*	0.05*	0.02*		1*	0.05*
vii) STEM VEGETABLES									
	Asparagus		0.02*	0.02*	0.05*	0.02*		1*	0.05*
	Cardoons		0.02*	0.02*	0.05*	<i>no MRL</i> 0.02*		1*	0.05*

Group to which food belongs	Groups include the following products	Hexachloro-cyclohexane (HCH) γ	Imazalil	Iprodione	Kresoximmethyl	Lambdacyhalothrin (changing 1 July 2001)	Malathion	Maleichydrazide	Maneb Mancozeb Metiram Propineb Zineb
	Celery		0.02*	0.02*	0.05*	no MRL 0.3		1*	0.5
	Fennel		0.02*	0.02*	0.05*	no MRL 0.02*		1*	0.05*
	Globe artichokes		0.02*	0.02*	0.05*	no MRL 0.02*		1*	0.05*
	Leeks		0.02*	0.02*	0.05*	no MRL 0.02*		1*	3
	Rhubarb		0.02*	0.2	0.05*	no MRL 0.02*		1*	0.05*
	Others		0.02*	0.02*	0.05*	no MRL 0.02*		1*	0.05*
viii) FUNGI	a) Cultivated mushrooms		0.02*	0.02*	0.05*	no MRL 0.02*		1*	0.05*
	b) Wild mushrooms		0.02*	0.02*	0.05*	0.02*		1*	0.05*
3. PULSES	Beans		0.02*	0.2	0.05*	0.02*		1*	0.05*
	Lentils		0.02*	0.2	0.05*	0.02*		1*	0.05*
	Peas		0.02*	0.2	0.05*	0.02*		1*	0.05*
	Others		0.02*	0.2	0.05*	0.02*		1*	0.05*
4. OILSEEDS	Linseed		0.02*	0.1	0.1*	0.02*		1*	0.1*
	Peanuts		0.02*	0.02*	0.1*	0.02*		1*	0.1*
	Poppy seed		0.02*	0.02*	0.1*	0.02*		1*	0.1*
	Sesame seed		0.02*	0.02*	0.1*	0.02*		1*	0.1*
	Sunflower seed		0.02*	0.02*	0.1*	0.02*		1*	0.1*
	Rape seed		0.02*	0.5	0.1*	0.02*		1*	0.5
	Soya bean		0.02*	0.02*	0.1*	0.02*		1*	0.1*
	Mustard seed		0.02*	0.02*	0.1*	0.02*		1*	0.1*
	Cotton seed		0.02*	0.02*	0.1*	0.02*		1*	0.1*
	Others		0.02*	0.02*	0.1*	0.02*		1*	0.1*

Group to which food belongs	Groups include the following products	Hexachloro-cyclohexane (HCH)	Imazalil	Iprodione	Kresoximmethyl	Lambdacyhalothrin	Malathion	Maleichydrazide	Maneb Mancozeb Metiram Propineb Zineb
		γ				(changing 1 July 2001)			
5. POTATOES	Early potatoes		0.02*	0.02*	0.05*	0.02*		1*	0.05*
	Ware potatoes		5	0.02*	0.05*	0.02*		50	0.05*
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.2	0.1*	0.1*	0.1*	1	0.5	1*	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder		0.1*	0.1*	0.1*	10		1*	25

Group to which food belongs	Groups include the following products	Mecarbam (changing 1 July 2001)	Metalaxyl (changing 1 July 2001)	Methamidophos	Methidathion (changing 1 July 2001)	Methomyl thiodicarb (changing 1 July 2001)	Methoxychlor	Methyl bromide
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts								
i) CITRUS FRUIT								
	Grapefruit	2 0.05*	<i>no MRL</i> 0.5	0.2	2	<i>no MRL</i> 0.5	0.01*	0.05*
	Lemons	2 0.05*	<i>no MRL</i> 0.05*	0.2	2	<i>no MRL</i> 1	0.01*	0.05*
	Limes	2 0.05*	<i>no MRL</i> 0.05*	0.2	2	<i>no MRL</i> 1	0.01*	0.05*
	Mandarins (inc clementines & similar hybrids)	2 0.05*	<i>no MRL</i> 0.05*	0.2	2	<i>no MRL</i> 1	0.01*	0.05*
	Oranges	2 0.05*	<i>no MRL</i> 0.5	0.2	2	<i>no MRL</i> 0.5	0.01*	0.05*
	Pomelos	2 0.05*	<i>no MRL</i> 0.5	0.2	2	<i>no MRL</i> 0.5	0.01*	0.05*
	Others	2 0.05*	<i>no MRL</i> 0.05*	0.2	2	<i>no MRL</i> 0.05*	0.01*	0.05*
ii) TREE NUTS (shelled or unshelled)								
	Almonds	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	
	Brazil nuts	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	
	Cashew nuts	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	
	Chestnuts	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	
	Coconuts	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	
	Hazelnuts	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	
	Macadamia nuts	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	
	Pecans	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	
	Pine nuts	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	
	Pistachios	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	
	Walnuts	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	
	Others	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	
iii) POME FRUIT								
	Apples	0.05*	1	0.05	0.3	1 0.2	0.01*	0.05*

Group to which food belongs	Groups include the following products	Mecarbam	Metalaxyl	Methamidophos	Methidathion	Methomyl thiodicarb	Methoxychlor	Methyl bromide
		(changing 1 July 2001)	(changing 1 July 2001)		(changing 1 July 2001)	(changing 1 July 2001)		
iv) STONE FRUIT	Pears	0.05*	1	0.05	0.3	<i>no MRL</i>	0.01*	0.05*
	Quinces	0.05*	1	0.05	0.3	0.2 0.05*	0.01*	0.05*
	Others	0.05*	1	0.05	0.3	0.2 0.05*	0.01*	0.05*
	Apricots	0.05*	0.05*	0.1	0.2	<i>no MRL</i> 0.2	0.01*	
	Cherries	0.05*	<i>no MRL</i> 0.05*	0.01*	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.1	0.01*	
	Peaches (incl nectarines & similar hybrids)	0.05*	<i>no MRL</i> 0.05*	0.05	0.2	<i>no MRL</i> 0.2	0.01*	
	Plums	0.05*	0.05*	0.3	0.2	<i>no MRL</i> 0.5	0.01*	
	Others	0.05*	0.05*	0.01*	0.2	<i>no MRL</i> 0.05*	0.01*	
	v) BERRIES AND SMALL FRUIT							
a) Table & wine grapes								
Table grapes	0.05*	2	0.01*	0.5	3 0.05*	0.01*		
Wine grapes	0.05*	1	0.01*	0.5	3 1	0.01*		
b) Strawberries (other than wild)	0.05*	0.5	0.01*	0.02*	0.05*	0.01*	0.05*	
c) Cane Fruit (other than wild)								
Blackberries	0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	
Dewberries	0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	
Loganberries	0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	
Raspberries	0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	
Others	0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	

Group to which food belongs	Groups include the following products	Mecarbam (changing 1 July 2001)	Metalaxyl (changing 1 July 2001)	Methamidophos	Methidathion (changing 1 July 2001)	Methomyl thiodicarb (changing 1 July 2001)	Methoxychlor	Methyl bromide
	d) Other small fruit & berries (other than wild)							
	Bilberries	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Cranberries	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Currants (red, black & white)	0.05*	0.05*	0.01*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Gooseberries	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Others	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	e) Wild berries & wild fruit	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
vi) MISCELLANEOUS FRUIT								
	Avocados	0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Bananas	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Dates	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Figs	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Kiwi fruit	0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Kumquats	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Litchis	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Mangoes	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Olives (table consumption)	0.05*	0.05*	0.01*	1	<i>no MRL</i> 0.05*	0.01*	0.05*
	Olives (oil extract)	0.05*	0.05*	0.01*	1	<i>no MRL</i> 0.05*	0.01*	0.05*
	Papaya	<i>no MRL</i> 0.05*	<i>no MRL</i> 0.05*		<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*		
	Passion fruit	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Pineapples	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Pomegranates	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Others	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*

Group to which food belongs	Groups include the following products	Mecarbam (changing 1 July 2001)	Metalaxyl (changing 1 July 2001)	Methamidophos	Methidathion (changing 1 July 2001)	Methomyl thiodicarb (changing 1 July 2001)	Methoxychlor	Methyl bromide
2. Vegetables, fresh or uncooked, frozen or dry								
i) ROOT AND TUBER VEGETABLES								
	Beetroot	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Carrots	0.05*	0.1	0.01*	0.02*	0.05*	0.01*	0.05*
	Celeriac	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Horseradish	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Jerusalem artichokes	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Parsnips	0.05*	0.1	0.01*	0.02*	0.05*	0.01*	0.05*
	Parsley root	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Radishes	0.05*	0.05*	0.01*	0.02*	0.5	0.01*	0.05*
	Salsify	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Sweet potatoes	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Swedes	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Turnips	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Yams	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Others	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
ii) BULB VEGETABLES								
	Garlic	0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Onions	0.05*	<i>no MRL</i> 0.5	0.01*	<i>no MRL</i> 0.02*	0.05*	0.01*	0.05*
	Shallots	0.05*	<i>no MRL</i> 0.5	0.01*	<i>no MRL</i> 0.02*	0.05*	0.01*	0.05*
	Spring onions	0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Others	0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
iii) FRUITING VEGETABLES								
a) Solanacea								
	Tomatoes	0.05*	<i>no MRL</i> 0.05*	0.5	0.02*	<i>no MRL</i> 0.5	0.01*	0.05*
	Peppers	0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Chilli peppers						0.01*	

Group to which food belongs	Groups include the following products	Mecarbam (changing 1 July 2001)	Metalaxyl (changing 1 July 2001)	Methamidophos	Methidathion (changing 1 July 2001)	Methomyl thiodicarb (changing 1 July 2001)	Methoxychlor	Methyl bromide
	Aubergines	0.05*	0.05*	0.2	0.02*	<i>no MRL</i> 0.5	0.01*	0.05*
	Others	0.05*	0.05*	0.01*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	b) Cucurbits-edible peel							
	Cucumbers	0.05*	<i>no MRL</i> 0.5	1	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Gherkins	0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Courgettes	0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Others	0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	c) Cucurbits-inedible peel							
	Melons	0.05*	<i>no MRL</i> 0.2	0.01*	0.02*	0.2 0.05*	0.01*	0.05*
	Squashes	0.05*	0.05*	0.01*	0.02*	0.2 0.05*	0.01*	0.05*
	Watermelons	0.05*	<i>no MRL</i> 0.2	0.01*	0.02*	0.2 0.05*	0.01*	0.05*
	Others	0.05*	0.05*	0.01*	0.02*	0.2 0.05*	0.01*	0.05*
	d) Sweet corn	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
iv) BRASSICA VEGETABLES								
	a) Flowering Brassicas							
	Broccoli	0.05*	<i>no MRL</i> 0.1	0.5	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Cauliflower	0.05*	<i>no MRL</i> 0.1	0.5	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Others	0.05*	<i>no MRL</i> 0.1	0.5	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	b) Head Brassicas							
	Brussels sprouts	0.05*	0.05*	0.5	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*

Group to which food belongs	Groups include the following products	Mecarbam	Metalaxyl	Methamidophos	Methidathion	Methomyl thiodicarb	Methoxychlor	Methyl bromide
		(changing 1 July 2001)	(changing 1 July 2001)		(changing 1 July 2001)	(changing 1 July 2001)		
	Head cabbage	0.05*	1	0.5	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Others	0.05*	0.05*	0.5	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	c) Leafy Brassicas							
	Chinese cabbage	0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Kale	0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Others	0.05*	0.05*	0.01*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	d) Kohlrabi	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
v) LEAF VEGETABLES AND FRESH HERBS								
	a) Lettuce & similar							
	Cress	0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Lamb's lettuce	0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Lettuce	0.05*	<i>no MRL</i> 1	0.2	0.02*	<i>no MRL</i> 2	0.01*	0.05*
	Scarole	0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Others	0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	b) Spinach & similar							
	Spinach	0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	2	0.01*	0.05*
	Beet leaves (chard)	0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	2	0.01*	0.05*
	Others	0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	2	0.01*	0.05*
	c) Watercress	0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	d) Witloof	0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	0.05*	0.01*	0.05*

Group to which food belongs	Groups include the following products	Mecarbam (changing 1 July 2001)	Metalaxyl (changing 1 July 2001)	Methamidophos	Methidathion (changing 1 July 2001)	Methomyl thiodicarb (changing 1 July 2001)	Methoxychlor	Methyl bromide
	e) Herbs							
	Chervil	0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	<i>no MRL</i> 2	0.01*	0.05*
	Chives	0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	<i>no MRL</i> 2	0.01*	0.05*
	Parsley	0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	<i>no MRL</i> 2	0.01*	0.05*
	Celery leaves	0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	<i>no MRL</i> 2	0.01*	0.05*
	Others	0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	<i>no MRL</i> 2	0.01*	0.05*
	vi) LEGUME VEGETABLES (fresh)							
	Beans (with pods)	0.05*	0.05*	0.5	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Beans (without pods)	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Peas (with pods)	0.05*	0.05*	0.5	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Peas (without pods)	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Others	0.05*	0.05*		0.02*	0.05*	0.01*	0.05*
	vii) STEM VEGETABLES							
	Asparagus	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Cardoons	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Celery	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Fennel	0.05*	0.05*	0.01*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Globe artichokes	0.05*	<i>no MRL</i> 0.05*	0.1	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Leeks	0.05*	<i>no MRL</i> 0.2	0.01*	<i>no MRL</i> 0.02*	0.05*	0.01*	0.05*
	Rhubarb	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Others	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	viii) FUNGI							
	a) Cultivated mushrooms	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*

Group to which food belongs	Groups include the following products	Mecarbam	Metalaxyl	Methamidophos	Methidathion	Methomyl thiodicarb	Methoxychlor	Methyl bromide
		(changing 1 July 2001)	(changing 1 July 2001)		(changing 1 July 2001)	(changing 1 July 2001)		
	b) Wild mushrooms	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
3. PULSES								
	Beans	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	
	Lentils	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	
	Peas	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	
	Others	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	
4. OILSEEDS								
	Linseed	0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	0.05*	0.01*	0.1*
	Peanuts	0.05*	0.05*	0.01*	0.02*	0.05* 0.1	0.01*	0.1*
	Poppy seed	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.1*
	Sesame seed	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.1*
	Sunflower seed	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.1*
	Rape seed	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	0.1*
	Soya bean	0.05*	0.05*	0.01*	0.02*	0.2 0.1	0.01*	0.1*
	Mustard seed	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.1*
	Cotton seed	0.05*	0.05*	0.01	<i>no MRL</i> 0.02*	0.5 0.1	0.01*	0.1*
	Others	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.1*
5. POTATOES								
	Early potatoes	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Ware potatoes	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0.05*	0.1*	0.1*	0.1*	0.1*	0.1*	0.05*
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.1*	10	2	3	10	0.1*	0.05*

Group to which food belongs	Groups include the following products	Monocrotophos	Omethoate	Paraquat	Permethrin	Phorate (changing 1 July 2001)	Phosmet	Phoxim	Pirimiphos-methyl (changing 1 July 2001)	Procymidone
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts										
i) CITRUS FRUIT										
	Grapefruit			0.05*	0.5	0.05*			1	0.02*
	Lemons			0.05*	0.5	0.05*			1	0.02*
	Limes			0.05*	0.5	0.05*			1	0.02*
	Mandarins (inc clementines & similar hybrids)			0.05*	0.5	0.05*			2	0.02*
	Oranges			0.05*	0.5	0.05*			1	0.02*
	Pomelos			0.05*	0.5	0.05*			1	0.02*
	Others			0.05*	0.5	0.05*			1	0.02*
ii) TREE NUTS (shelled or unshelled)										
	Almonds			0.05*	0.1	0.05*			<i>no MRL</i> 0.05*	0.05*
	Brazil nuts			0.05*	0.05*	0.05*			0.05*	0.05*
	Cashew nuts			0.05*	0.05*	0.05*			0.05*	0.05*
	Chestnuts			0.05*	0.05*	0.05*			0.05*	0.05*
	Coconuts			0.05*	0.05*	0.05*			0.05*	0.05*
	Hazelnuts			0.05*	0.05*	0.05*			<i>no MRL</i> 0.05*	0.05*
	Macadamia nuts			0.05*	0.05*	0.05*			0.05*	0.05*
	Pecans			0.05*	0.05*	0.05*			0.05*	0.05*
	Pine nuts			0.05*	0.05*	0.05*			0.05*	0.05*
	Pistachios			0.05*	0.05*	0.05*			<i>no MRL</i> 0.05*	0.05*
	Walnuts			0.05*	0.05*	0.05*			<i>no MRL</i> 0.05*	0.05*
	Others			0.05*	0.05*	0.05*			0.05*	0.05*
iii) POME FRUIT										
	Apples			0.05*	1	0.05*			<i>no MRL</i> 0.05*	0.02*
	Pears			0.05*	1	0.05*			<i>no MRL</i> 0.05*	1
	Quinces			0.05*	1	0.05*			<i>no MRL</i> 0.05*	0.02*
	Others			0.05*	1	0.05*			<i>no MRL</i> 0.05*	0.02*

Group to which food belongs	Groups include the following products	Monocrotophos	Omethoate	Paraquat	Permethrin	Phorate (changing 1 July 2001)	Phosmet	Phoxim	Pirimiphos-methyl (changing 1 July 2001)	Procymidone
iv) STONE FRUIT										
	Apricots			0.05*	1	0.05*			<i>no MRL</i> 0.05*	2
	Cherries			0.05*	1	0.05*			<i>no MRL</i> 0.05*	0.02*
	Peaches (incl nectarines & similar hybrids)			0.05*	1	0.05*			<i>no MRL</i> 0.05*	2
	Plums			0.05*	1	0.05*			<i>no MRL</i> 0.05*	2
	Others			0.05*	1	0.05*			<i>no MRL</i> 0.05*	2
v) BERRIES AND SMALL FRUIT										
	a) Table & wine grapes									
	Table grapes			0.05*	1	0.05*			<i>no MRL</i> 0.05*	5
	Wine grapes			0.05*	1	0.05*			<i>no MRL</i> 2	5
	b) Strawberries (other than wild)			0.05*	1	<i>no MRL</i> 0.05*			<i>no MRL</i> 0.05*	5
	c) Cane Fruit (other than wild)									
	Blackberries			0.05*	0.05*	0.05*			0.05*	0.02*
	Dewberries			0.05*	0.05*	0.05*			0.05*	0.02*
	Loganberries			0.05*	0.05*	0.05*			0.05*	0.02*
	Raspberries			0.05*	0.05*	0.05*			0.05*	10
	Others			0.05*	0.05*	0.05*			0.05*	0.02*
	d) Other small fruit & berries (other than wild)									
	Bilberries			0.05*	0.05*	0.05*			0.05*	0.02*
	Cranberries			0.05*	0.05*	0.05*			0.05*	0.02*
	Currants (red, black & white)			0.05*	0.05*	0.05*			0.05*	0.02*
	Gooseberries			0.05*	0.05*	0.05*			0.05*	0.02*
	Others			0.05*	0.05*	0.05*			0.05*	0.02*
	e) Wild berries & wild fruit			0.05*	0.05*	0.05*			0.05*	0.02*

Group to which food belongs	Groups include the following products	Monocrotophos	Omethoate	Paraquat	Permethrin	Phorate (changing 1 July 2001)	Phosmet	Phoxim	Pirimiphos-methyl (changing 1 July 2001)	Procymidone
vi) MISCELLANEOUS FRUIT										
	Avocados			0.05*	0.05*	0.05*			0.05*	0.02*
	Bananas			0.05*	0.05*	0.05*			0.05*	0.02*
	Dates			0.05*	0.05*	0.05*			0.05*	0.02*
	Figs			0.05*	0.05*	0.05*			0.05*	0.02*
	Kiwi fruit			0.05*	1	0.05*			2	5
	Kumquats			0.05*	0.05*	0.05*			0.05*	0.02*
	Litchis			0.05*	0.05*	0.05*			0.05*	0.02*
	Mangoes			0.05*	0.05*	0.05*			0.05*	0.02*
	Olives (table consumption)			0.05*	0.05*	0.05*			<i>no MRL</i>	0.02*
									0.05*	
	Olives (oil extract)			0.05*	0.05*	0.05*			<i>no MRL</i>	0.02*
									0.05*	
	Papaya					<i>no MRL</i>			<i>no MRL</i>	
						0.05*			0.05*	
	Passion fruit			0.05*	0.05*	0.05*			0.05*	0.02*
	Pineapples			0.05*	0.05*	0.05*			0.05*	0.02*
	Pomegranates			0.05*	0.05*	0.05*			0.05*	0.02*
	Others			0.05*	0.05*	0.05*			0.05*	0.02*
2. Vegetables, fresh or uncooked, frozen or dry										
i) ROOT AND TUBER VEGETABLES										
	Beetroot			0.05*	0.05*	<i>no MRL</i>			0.05*	0.02*
						0.05*				
	Carrots			0.05*	0.05*	<i>no MRL</i>			1	0.02*
						0.05*				
	Celeriac			0.05*	0.1	0.05*			0.05*	0.02*
	Horseradish			0.05*	0.05*	0.05*			0.05*	0.02*
	Jerusalem artichokes			0.05*	0.05*	0.05*			0.05*	0.02*
	Parsnips			0.05*	0.05*	<i>no MRL</i>			0.05*	0.02*
						0.05*				
	Parsley root			0.05*	0.05*	0.05*			0.05*	0.02*
	Radishes			0.05*	0.1	0.05*			0.05*	0.02*
	Salsify			0.05*	0.05*	0.05*			0.05*	0.02*

Group to which food belongs	Groups include the following products	Monocrotophos	Omethoate	Paraquat	Permethrin	Phorate (changing 1 July 2001)	Phosmet	Phoxim	Pirimiphos-methyl (changing 1 July 2001)	Procymidone
	Sweet potatoes			0.05*	0.05*	0.05*			0.05*	0.02*
	Swedes			0.05*	0.05*	0.05*			0.05*	0.02*
	Turnips			0.05*	0.05*	0.05*			0.05*	0.02*
	Yams			0.05*	0.05*	0.05*			0.05*	0.02*
	Others			0.05*	0.05*	0.05*			0.05*	0.02*
ii) BULB VEGETABLES										
	Garlic			0.05*	0.05*	0.05*			<i>no MRL</i> 0.05*	0.2
	Onions			0.05*	0.05*	0.05*			<i>no MRL</i> 0.05*	0.2
	Shallots			0.05*	0.05*	0.05*			<i>no MRL</i> 0.05*	0.2
	Spring onions			0.05*	0.05*	0.05*			<i>no MRL</i> 0.05*	0.02*
	Others			0.05*	0.05*	0.05*			<i>no MRL</i> 0.05*	0.02*
iii) FRUITING VEGETABLES										
	a) Solanacea									
	Tomatoes			0.05*	0.5	<i>no MRL</i> 0.05*			<i>no MRL</i> 1	2
	Peppers			0.05*	0.5	<i>no MRL</i> 0.05*			<i>no MRL</i> 1	2
	Chilli peppers									2
	Aubergines			0.05*	0.5	<i>no MRL</i> 0.05*			<i>no MRL</i> 0.05*	2
	Others			0.05*	0.5	<i>no MRL</i> 0.05*			<i>no MRL</i> 0.05*	
	b) Cucurbits-edible peel									
	Cucumbers			0.05*	0.1	0.05*			<i>no MRL</i> 0.1	1
	Gherkins			0.05*	0.1	<i>no MRL</i> 0.05*			<i>no MRL</i> 0.05*	1
	Courgettes			0.05*	0.1	<i>no MRL</i> 0.05*			<i>no MRL</i> 0.05*	1
	Others			0.05*	0.1	<i>no MRL</i> 0.05*			<i>no MRL</i> 0.05*	1

Group to which food belongs	Groups include the following products	Monocrotophos	Omethoate	Paraquat	Permethrin	Phorate (changing 1 July 2001)	Phosmet	Phoxim	Pirimiphos-methyl (changing 1 July 2001)	Procymidone
	c) Cucurbits-inedible peel									
	Melons			0.05*	0.1	0.05*			no MRL 1	1
	Squashes			0.05*	0.1	0.05*			no MRL 0.05*	1
	Watermelons			0.05*	0.1	0.05*			no MRL 0.05*	1
	Others			0.05*	0.1	0.05*			no MRL 0.05*	1
	d) Sweet corn			0.05*	0.1	no MRL 0.05*			0.05*	0.02*
iv) BRASSICA VEGETABLES										
	a) Flowering Brassicas									
	Broccoli			0.05*	0.05*	no MRL 0.05*			no MRL 1	0.02*
	Cauliflower			0.05*	0.1	no MRL 0.05*			1	0.02*
	Others			0.05*	0.05*	no MRL 0.05*			1	0.02*
	b) Head Brassicas									
	Brussels sprouts			0.05*	0.05*	no MRL 0.05*			2	0.02*
	Head cabbage			0.05*	0.1	no MRL 0.05*			no MRL 0.05*	0.02*
	Others			0.05*	0.05*	no MRL 0.05*			no MRL 0.05*	0.02*
	c) Leafy Brassicas									
	Chinese cabbage			0.05*	1	no MRL 0.05*			no MRL 0.05*	0.02*
	Kale			0.05*	1	no MRL 0.05*			no MRL 0.05*	0.02*
	Others			0.05*	1	no MRL 0.05*			no MRL 0.05*	0.02*
	d) Kohlrabi			0.05*	0.05*	0.05*			no MRL 0.05*	0.02*

Group to which food belongs	Groups include the following products	Monocrotophos	Omethoate	Paraquat	Permethrin	Phorate (changing 1 July 2001)	Phosmet	Phoxim	Pirimiphos-methyl (changing 1 July 2001)	Procymidone
v) LEAF VEGETABLES AND FRESH HERBS										
	a) Lettuce & similar									
	Cress			0.05*	2	<i>no MRL</i> 0.05*			<i>no MRL</i> 0.05*	5
	Lamb's lettuce			0.05*	2	<i>no MRL</i> 0.05*			<i>no MRL</i> 0.05*	5
	Lettuce			0.05*	2	<i>no MRL</i> 0.05*			<i>no MRL</i> 0.05*	5
	Scarole			0.05*	2	<i>no MRL</i> 0.05*			<i>no MRL</i> 0.05*	5
	Others			0.05*	2	<i>no MRL</i> 0.05*			<i>no MRL</i> 0.05*	5
	b) Spinach & similar									
	Spinach			0.05*	1	0.05*			<i>no MRL</i> 0.05*	0.02*
	Beet leaves (chard)			0.05*	1	0.05*			<i>no MRL</i> 0.05*	0.02*
	Others			0.05*	1	0.05*			<i>no MRL</i> 0.05*	0.02*
	c) Watercress			0.05*	0.05*	0.05*			0.05*	0.02*
	d) Witloof			0.05*	0.05*	0.05*			0.05*	2
	e) Herbs									
	Chervil			0.05*	2	<i>no MRL</i> 0.05*			<i>no MRL</i> 0.05*	0.02*
	Chives			0.05*	2	<i>no MRL</i> 0.05*			<i>no MRL</i> 0.05*	0.02*
	Parsley			0.05*	2	<i>no MRL</i> 0.05*			<i>no MRL</i> 0.05*	0.02*
	Celery leaves			0.05*	2	<i>no MRL</i> 0.05*			<i>no MRL</i> 0.05*	0.02*
	Others			0.05*	2	<i>no MRL</i> 0.05*			<i>no MRL</i> 0.05*	0.02*
vi) LEGUME VEGETABLES (fresh)										
	Beans (with pods)			0.05*	0.5	<i>no MRL</i> 0.05*			<i>no MRL</i> 0.05*	2

Group to which food belongs	Groups include the following products	Monocrotophos	Omethoate	Paraquat	Permethrin	Phorate (changing 1 July 2001)	Phosmet	Phoxim	Pirimiphos-methyl (changing 1 July 2001)	Procymidone
	Beans (without pods)			0.05*	0.05*	<i>no MRL</i> 0.05*			<i>no MRL</i> 0.05*	0.02*
	Peas (with pods)			0.05*	0.1	<i>no MRL</i> 0.05*			<i>no MRL</i> 0.05*	1
	Peas (without pods)			0.05*	0.05*	<i>no MRL</i> 0.05*			0.05*	0.3
	Others			0.05*	0.05*	<i>no MRL</i> 0.05*			<i>no MRL</i> 0.05*	0.02*
vii) STEM VEGETABLES										
	Asparagus			0.05*	0.05*	0.05*			<i>no MRL</i> 0.05*	0.02*
	Cardoons			0.05*	0.05*	0.05*			<i>no MRL</i> 0.05*	0.02*
	Celery			0.05*	2	<i>no MRL</i> 0.05*			<i>no MRL</i> 0.05*	0.02*
	Fennel			0.05*	0.05*	0.05*			<i>no MRL</i> 0.05*	0.02*
	Globe artichokes			0.05*	0.05*	0.05*			<i>no MRL</i> 0.05*	0.02*
	Leeks			0.05*	0.5	0.05*			<i>no MRL</i> 0.05*	0.02*
	Rhubarb			0.05*	2	0.05*			<i>no MRL</i> 0.05*	0.02*
	Others			0.05*	0.05*	0.05*			<i>no MRL</i> 0.05*	0.02*
viii) FUNGI										
	a) Cultivated mushrooms			0.05*	0.05*	0.05*			2	0.02*
	b) Wild mushrooms			0.05*	0.05*	0.05*			0.05*	0.02*
3. PULSES										
	Beans			0.05*	0.05*	<i>no MRL</i> 0.05*			<i>no MRL</i> 0.05*	0.02*
	Lentils			0.05*	0.05*	0.05*			<i>no MRL</i> 0.05*	0.02*
	Peas			0.05*	0.05*	0.05*			<i>no MRL</i> 0.05*	0.2

Group to which food belongs	Groups include the following products	Monocrotophos	Omethoate	Paraquat	Permethrin	Phorate (changing 1 July 2001)	Phosmet	Phoxim	Pirimiphos-methyl (changing 1 July 2001)	Procymidone
4. OILSEEDS	Others			0.05*	0.05*	0.05*			<i>no MRL</i> 0.05*	0.02*
	Linseed			0.05*	0.05*	<i>no MRL</i> 0.05*			<i>no MRL</i> 0.05*	0.05*
	Peanuts			0.05*	0.1	0.1			<i>no MRL</i> 0.05*	0.05*
	Poppy seed			0.05*	0.05*	0.05*			0.05*	0.05*
	Sesame seed			0.05*	0.05*	0.05*			0.05*	0.05*
	Sunflower seed			0.05*	0.05*	0.05*			<i>no MRL</i> 0.05*	1/0.05*(35)
	Rape seed			0.05*	0.1	<i>no MRL</i> 0.05*			<i>no MRL</i> 0.05*	1
	Soya bean			0.05*	0.05*	0.05*			<i>no MRL</i> 0.05*	1
	Mustard seed			0.05*	0.1	0.05*			0.05*	0.05*
	Cotton seed			0.05*	0.2	0.05*			<i>no MRL</i> 0.05*	0.05*
Others			0.05*	0.05*	0.05*			0.05*	0.05*	
5. POTATOES	Early potatoes			0.05*	0.05*	<i>no MRL</i> 0.05*			0.05*	0.02*
	Ware potatoes			0.05*	0.05*	<i>no MRL</i> 0.05*			0.05*	0.02*
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0.1*	0.1	0.1*	2	0.1*	0.1*	0.1*	0.05*	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder			0.1*	0.1*	0.1*			0.05*	0.1*

Group to which food belongs	Groups include the following products	Profenophos	Propargite	Propiconazole (changing 1 July 2001)	Propoxur (changing 1 July 2001)	Propyzamide (changing 1 July 2001)	Quinalphos (changing 1 July 2001)	TEPP	Thiabendazole (changing 1 July 2001)
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts									
i) CITRUS FRUIT									
	Grapefruit			0.05*	3 0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	6 5
	Lemons			0.05*	3 0.3	0.02*	<i>no MRL</i> 0.05*	0.01*	6 5
	Limes			0.05*	3 0.3	0.02*	<i>no MRL</i> 0.05*	0.01*	6 5
	Mandarins (inc clementines & similar hybrids)			0.05*	3	0.02*	<i>no MRL</i> 0.05*	0.01*	6 5
	Oranges			0.05*	3 0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	6 5
	Pomelos			0.05*	3 0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	6 5
	Others			0.05*	3 0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	6 5
ii) TREE NUTS (shelled or unshelled)									
	Almonds			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.1*
	Brazil nuts			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.1*
	Cashew nuts			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.1*
	Chestnuts			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.1*
	Coconuts			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.1*
	Hazelnuts			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.1*
	Macadamia nuts			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.1*
	Pecans			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.1*
	Pine nuts			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.1*

Group to which food belongs	Groups include the following products	Profenophos	Propargite	Propiconazole (changing 1 July 2001)	Propoxur (changing 1 July 2001)	Propyzamide (changing 1 July 2001)	Quinalphos (changing 1 July 2001)	TEPP	Thiabendazole (changing 1 July 2001)
	Pistachios			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.1*
	Walnuts			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.1*
	Others			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.1*
iii) POME FRUIT	Apples			0.05*	3 0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	5
	Pears			0.05*	3 0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	5
	Quinces			0.05*	3 0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	5 0.05*
	Others			0.05*	3 0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	5 0.05*
iv) STONE FRUIT	Apricots			0.2	3 0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Cherries			<i>no MRL</i> 0.05*	3 0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	<i>no MRL</i> 0.05*
	Peaches (incl nectarines & similar hybrids)			0.2	3 0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Plums			<i>no MRL</i> 0.05*	3 0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Others			0.05*	3 0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
v) BERRIES AND SMALL FRUIT									
a)	Table & wine grapes								
	Table grapes			0.5	3 0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	<i>no MRL</i> 0.05*
	Wine grapes			0.5	3 0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	<i>no MRL</i> 0.05*
b)	Strawberries (other than wild)			0.05*	3 0.05*	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.01*	5 0.05*

Group to which food belongs	Groups include the following products	Profenophos	Propargite	Propiconazole (changing 1 July 2001)	Propoxur (changing 1 July 2001)	Propyzamide (changing 1 July 2001)	Quinalphos (changing 1 July 2001)	TEPP	Thiabendazole (changing 1 July 2001)
	c) Cane Fruit (other than wild)								
	Blackberries			0.05*	3 0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Dewberries			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Loganberries			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Raspberries			0.05*	3 0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	<i>no MRL</i> 0.05*
	Others			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	d) Other small fruit & berries (other than wild)								
	Bilberries			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Cranberries			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Currants (red, black & white)			0.05*	0.2	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.01*	<i>no MRL</i> 0.05*
	Gooseberries			0.05*	0.2	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.01*	<i>no MRL</i> 0.05*
	Others			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	e) Wild berries & wild fruit			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
vi) MISCELLANEOUS FRUIT									
	Avocados			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05* 15
	Bananas			0.1	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	3 5
	Dates			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Figs			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*

Group to which food belongs	Groups include the following products	Profenophos	Propargite	Propiconazole (changing 1 July 2001)	Propoxur (changing 1 July 2001)	Propyzamide (changing 1 July 2001)	Quinalphos (changing 1 July 2001)	TEPP	Thiabendazole (changing 1 July 2001)
	Kiwi fruit			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Kumquats			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Litchis			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Mangoes			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05* 5
	Olives (table consumption)			0.05*	3 0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Olives (oil extract)			0.05*	3 0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Papaya			<i>no MRL</i> 0.05*	<i>no MRL</i> 0.05*	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*		<i>no MRL</i> 10
	Passion fruit			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Pineapples			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Pomegranates			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Others			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
2. Vegetables, fresh or uncooked, frozen or dry									
i) ROOT AND TUBER VEGETABLES									
	Beetroot			0.05*	3 0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	<i>no MRL</i> 0.05*
	Carrots			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Celeriac			0.05*	3 0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Horseradish			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Jerusalem artichokes			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*

Group to which food belongs	Groups include the following products	Profenophos	Propargite	Propiconazole (changing 1 July 2001)	Propoxur (changing 1 July 2001)	Propyzamide (changing 1 July 2001)	Quinalphos (changing 1 July 2001)	TEPP	Thiabendazole (changing 1 July 2001)
	Parsnips			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Parsley root			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Radishes			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Salsify			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Sweet potatoes			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Swedes			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Turnips			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Yams			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Others			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
ii) BULB VEGETABLES									
	Garlic			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	<i>no MRL</i> 0.05*
	Onions			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	<i>no MRL</i> 0.05*
	Shallots			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	<i>no MRL</i> 0.05*
	Spring onions			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Others			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
iii) FRUITING VEGETABLES									
a)	Solanacea								
	Tomatoes			0.05*	<i>no MRL</i> 0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	<i>no MRL</i> 0.05*
	Peppers			<i>no MRL</i> 0.05*	3 0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	<i>no MRL</i> 0.05*

Group to which food belongs	Groups include the following products	Profenophos	Propargite	Propiconazole (changing 1 July 2001)	Propoxur (changing 1 July 2001)	Propyzamide (changing 1 July 2001)	Quinalphos (changing 1 July 2001)	TEPP	Thiabendazole (changing 1 July 2001)
	Chilli peppers								
	Aubergines			0.05*	3 0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Others			0.05*	3 0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
b)	Cucurbits-edible peel								
	Cucumbers			<i>no MRL</i> 0.05*	<i>no MRL</i> 0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	<i>no MRL</i> 0.05*
	Gherkins			<i>no MRL</i> 0.05*	3 0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Courgettes			<i>no MRL</i> 0.05*	<i>no MRL</i> 0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Others			<i>no MRL</i> 0.05*	3 0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
c)	Cucurbits-inedible peel								
	Melons			<i>no MRL</i> 0.05*	3 0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	<i>no MRL</i> 0.05*
	Squashes			<i>no MRL</i> 0.05*	3 0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Watermelons			<i>no MRL</i> 0.05*	3 0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	<i>no MRL</i> 0.05*
	Others			<i>no MRL</i> 0.05*	3 0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
d)	Sweet corn			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
iv)	BRASSICA VEGETABLES								
a)	Flowering Brassicas								
	Broccoli			0.05*	3 0.5	0.02*	<i>no MRL</i> 0.05*	0.01*	5
	Cauliflower			0.05*	3 0.5	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Others			0.05*	3 0.5	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*

Group to which food belongs	Groups include the following products	Profenophos	Propargite	Propiconazole (changing 1 July 2001)	Propoxur (changing 1 July 2001)	Propyzamide (changing 1 July 2001)	Quinalphos (changing 1 July 2001)	TEPP	Thiabendazole (changing 1 July 2001)
	b) Head Brassicas			0.05*	3	0.02*	<i>no MRL</i>	0.01*	0.05*
	Brussels sprouts				0.05*		0.05*		
	Head cabbage			0.05*	3	<i>no MRL</i>	<i>no MRL</i>	0.01*	<i>no MRL</i>
	Others			0.05*	3	0.02*	0.05*	0.01*	0.05*
					0.05*		0.05*		
	c) Leafy Brassicas			0.05*	3	0.02*	<i>no MRL</i>	0.01*	0.05*
	Chinese cabbage				0.05*		0.05*		
	Kale			0.05*	3	0.02*	<i>no MRL</i>	0.01*	0.05*
	Others			0.05*	3	0.02*	0.05*	0.01*	0.05*
					0.05*		<i>no MRL</i>		
	d) Kohlrabi			0.05*	3	0.02*	<i>no MRL</i>	0.01*	0.05*
					0.05*		0.05*		
v) LEAF VEGETABLES AND FRESH HERBS									
	a) Lettuce & similar			0.05*	0.05*	<i>no MRL</i>	<i>no MRL</i>	0.01*	0.05*
	Cress					1	0.05*		
	Lamb's lettuce			0.05*	3	<i>no MRL</i>	<i>no MRL</i>	0.01*	0.05*
					0.05*	1	0.05*		
	Lettuce			0.05*	3	<i>no MRL</i>	<i>no MRL</i>	0.01*	<i>no MRL</i>
					0.05*	1	0.05*		0.05*
	Scarole			0.05*	3	<i>no MRL</i>	<i>no MRL</i>	0.01*	0.05*
					0.05*	1	0.05*		
	Others			0.05*	3	<i>no MRL</i>	<i>no MRL</i>	0.01*	0.05*
					0.05*	1	0.05*		
	b) Spinach & similar			0.05*	3	0.02*	<i>no MRL</i>	0.01*	0.05*
	Spinach				0.05*		0.05*		
	Beet leaves (chard)			0.05*	3	0.02*	<i>no MRL</i>	0.01*	0.05*
					0.05*		0.05*		
	Others			0.05*	3	0.02*	<i>no MRL</i>	0.01*	0.05*
					0.05*		0.05*		
	c) Watercress			0.05*	0.05*	0.02*	<i>no MRL</i>	0.01*	0.05*
							0.05*		

Group to which food belongs	Groups include the following products	Profenophos	Propargite	Propiconazole	Propoxur	Propyzamide	Quinalphos	TEPP	Thiabendazole
				(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)
	d) Witloof			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	e) Herbs								
	Chervil			0.05*	3 0.05*	<i>no MRL</i> 1	<i>no MRL</i> 0.05*	0.01*	0.05*
	Chives			0.05*	3 0.05*	<i>no MRL</i> 1	<i>no MRL</i> 0.05*	0.01*	0.05*
	Parsley			0.05*	3 0.05*	<i>no MRL</i> 1	<i>no MRL</i> 0.05*	0.01*	0.05*
	Celery leaves			0.05*	3 0.05*	<i>no MRL</i> 1	<i>no MRL</i> 0.05*	0.01*	0.05*
	Others			0.05*	3 0.05*	<i>no MRL</i> 1	<i>no MRL</i> 0.05*	0.01*	0.05*
	vi) LEGUME VEGETABLES (fresh)								
	Beans (with pods)			0.05*	3 0.05*	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.01*	<i>no MRL</i> 0.05*
	Beans (without pods)			0.05*	0.05*	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.01*	<i>no MRL</i> 0.05*
	Peas (with pods)			0.05*	3 0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Peas (without pods)			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Others			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	vii) STEM VEGETABLES								
	Asparagus			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	<i>no MRL</i> 0.05*
	Cardoons			0.05*	3 0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Celery			<i>no MRL</i> 0.05*	3 0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	<i>no MRL</i> 0.05*
	Fennel			0.05*	3 0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Globe artichokes			<i>no MRL</i> 0.05*	3 0.05*	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*

Group to which food belongs	Groups include the following products	Profenophos	Propargite	Propiconazole (changing 1 July 2001)	Propoxur (changing 1 July 2001)	Propyzamide (changing 1 July 2001)	Quinalphos (changing 1 July 2001)	TEPP	Thiabendazole (changing 1 July 2001)
	Leeks			0.05*	1	0.02*	<i>no MRL</i> 0.05*	0.01*	<i>no MRL</i> 0.05*
	Rhubarb			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Others			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
viii) FUNGI	a) Cultivated mushrooms			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	<i>no MRL</i> 10
	b) Wild mushrooms			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
3. PULSES									
	Beans			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Lentils			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Peas			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Others			0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
4. OILSEEDS									
	Linseed			<i>no MRL</i> 0.05*	0.05*	0.05*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Peanuts			0.05*	0.05*	<i>no MRL</i> 0.05*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Poppy seed			0.05*	0.05*	0.02* 0.05*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Sesame seed			0.05*	0.05*	0.02* 0.05*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Sunflower seed			0.05*	0.05*	0.02* 0.05*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Rape seed			<i>no MRL</i> 0.05*	0.05*	<i>no MRL</i> 0.1	<i>no MRL</i> 0.05*	0.01*	0.05*

Group to which food belongs	Groups include the following products	Profenophos	Propargite	Propiconazole (changing 1 July 2001)	Propoxur (changing 1 July 2001)	Propyzamide (changing 1 July 2001)	Quinalphos (changing 1 July 2001)	TEPP	Thiabendazole (changing 1 July 2001)
5. POTATOES	Soya bean			0.05*	0.05*	0.02* 0.05*	no MRL 0.05*	0.01*	0.05*
	Mustard seed			0.05*	0.05*	0.02* 0.05*	no MRL 0.05*	0.01*	0.05*
	Cotton seed			0.05*	0.05*	no MRL 0.05*	no MRL 0.05*	0.01*	0.05*
	Others			0.05*	0.05*	0.02* 0.05*	no MRL 0.05*	0.01*	0.05*
	Early potatoes			0.05*	0.05*	0.02*	no MRL 0.05*	0.01*	no MRL 0.05*
	Ware potatoes			0.05*	0.05*	0.02*	no MRL 0.05*	0.01*	5 15
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	5	0.1*	0.1*	0.05*	2 0.1*	0.02*	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder			0.1*	0.1*	no MRL 0.05*	no MRL 0.1*	0.02*	0.1*

Group to which food belongs	Groups include the following products	Triazophos (changing 1 July 2001)	Triforine (changing 1 July 2001)	2,4,5-T	Vinclozolin
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts					
i) CITRUS FRUIT					
	Grapefruit	<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*
	Lemons	<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*
	Limes	<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*
	Mandarins (inc clementines & similar hybrids)	<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*
	Oranges	<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*
	Pomelos	<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*
	Others	<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*
ii) TREE NUTS (shelled or unshelled)					
	Almonds	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
	Brazil nuts	0.02*	0.05*	0.05*	0.05*
	Cashew nuts	0.02*	0.05*	0.05*	0.05*
	Chestnuts	0.02*	0.05*	0.05*	0.05*
	Coconuts	0.02*	0.05*	0.05*	0.05*
	Hazelnuts	<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*
	Macadamia nuts	0.02*	0.05*	0.05*	0.05*
	Pecans	0.02*	0.05*	0.05*	0.05*
	Pine nuts	0.02*	0.05*	0.05*	0.05*
	Pistachios	<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*
	Walnuts	0.02*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Triazophos (changing 1 July 2001)	Triforine (changing 1 July 2001)	2,4,5-T	Vinclozolin
iii) POME FRUIT	Apples	<i>no MRL</i> 0.02*	2	0.05*	1
	Pears	<i>no MRL</i> 0.02*	2	0.05*	1
	Quinces	<i>no MRL</i> 0.02*	2	0.05*	1
	Others	<i>no MRL</i> 0.02*	2	0.05*	1
iv) STONE FRUIT	Apricots	<i>no MRL</i> 0.02*	<i>no MRL</i> 2	0.05*	2
	Cherries	0.02*	2	0.05*	0.5
	Peaches (incl nectarines & similar hybrids)	<i>no MRL</i> 0.02*	<i>no MRL</i> 2	0.05*	0.05*
	Plums	0.02*	1	0.05*	2
	Others	0.02*	0.05*	0.05*	0.05*
v) BERRIES AND SMALL FRUIT	a) Table & wine grapes				
	Table grapes	0.02*	<i>no MRL</i> 0.05*	0.05*	5
	Wine grapes	0.02*	<i>no MRL</i> 0.05*	0.05*	5
	b) Strawberries (other than wild)	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	5
	c) Cane Fruit (other than wild)				
	Blackberries	0.02*	0.05*	0.05*	5
	Dewberries	0.02*	0.05*	0.05*	5
	Loganberries	0.02*	0.05*	0.05*	5
	Raspberries	0.02*	0.05*	0.05*	5
	Others	0.02*	0.05*	0.05*	5
	d) Other small fruit & berries (other than wild)				
	Bilberries	0.02*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Triazophos (changing 1 July 2001)	Triforine (changing 1 July 2001)	2,4,5-T	Vinclozolin
	Cranberries	0.02*	0.05*	0.05*	0.05*
	Currants (red, black & white)	0.02*	2	0.05*	10
	Gooseberries	0.02*	2	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*
	e) Wild berries & wild fruit	0.02*	0.05*	0.05*	0.05*
vi) MISCELLANEOUS FRUIT					
	Avocados	0.02*	0.05*	0.05*	0.05*
	Bananas	0.02*	0.05*	0.05	0.05*
	Dates	0.02*	0.05*	0.05*	0.05*
	Figs	0.02*	0.05*	0.05*	0.05*
	Kiwi fruit	0.02*	0.05*	0.05*	10
	Kumquats	0.02*	0.05*	0.05*	0.05*
	Litchis	0.02*	0.05*	0.05*	0.05*
	Mangoes	0.02*	0.05*	0.05*	0.05*
	Olives (table consumption)	<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*
	Olives (oil extract)	<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*
	Papaya	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*		
	Passion fruit	0.02*	0.05*	0.05*	0.05*
	Pineapples	0.02*	0.05*	0.05*	0.05*
	Pomegranates	0.02*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*
2. Vegetables, fresh or uncooked, frozen or dry					
i) ROOT AND TUBER VEGETABLES					
	Beetroot	<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*
	Carrots	1 0.02*	0.05*	0.05*	0.5
	Celeriac	<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Triazophos (changing 1 July 2001)	Triforine (changing 1 July 2001)	2,4,5-T	Vinclozolin
	Horseradish	0.02*	0.05*	0.05*	0.05*
	Jerusalem artichokes	0.02*	0.05*	0.05*	0.05*
	Parsnips	1 0.02*	0.05*	0.05*	0.05*
	Parsley root	0.02*	0.05*	0.05*	0.05*
	Radishes	0.02*	0.05*	0.05*	0.05*
	Salsify	0.02*	0.05*	0.05*	0.05*
	Sweet potatoes	0.02*	0.05*	0.05*	0.05*
	Swedes	0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
	Turnips	0.02*	0.05*	0.05*	0.05*
	Yams	0.02*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*
ii) BULB VEGETABLES					
	Garlic	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	1
	Onions	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	1
	Shallots	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	1
	Spring onions	0.02*	<i>no MRL</i> 0.05*	0.05*	1
	Others	0.02*	<i>no MRL</i> 0.05*	0.05*	1
iii) FRUITING VEGETABLES					
a)	Solanacea				
	Tomatoes	0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
	Peppers	0.02*	<i>no MRL</i> 0.05*	0.05*	3
	Chilli peppers				
	Aubergines	0.02*	<i>no MRL</i> 0.05*	0.05*	3

Group to which food belongs	Groups include the following products	Triazophos (changing 1 July 2001)	Triforine (changing 1 July 2001)	2,4,5-T	Vinclozolin
	Others	0.02*	<i>no MRL</i> 0.05*	0.05*	3
	b) Cucurbits-edible peel				
	Cucumbers	<i>no MRL</i> 0.02*	0.5	0.05*	1
	Gherkins	<i>no MRL</i> 0.02*	0.5	0.05*	1
	Courgettes	<i>no MRL</i> 0.02*	0.5	0.05*	1
	Others	<i>no MRL</i> 0.02*	0.5	0.05*	1
	c) Cucurbits-inedible peel				
	Melons	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	1
	Squashes	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	1
	Watermelons	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	1
	Others	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	1
	d) Sweet corn	0.02*	0.05*	0.05*	0.05*
iv) BRASSICA VEGETABLES					
	a) Flowering Brassicas				
	Broccoli	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
	Cauliflower	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
	Others	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
	b) Head Brassicas				
	Brussels sprouts	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
	Head cabbage	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Triazophos (changing 1 July 2001)	Triforine (changing 1 July 2001)	2,4,5-T	Vinclozolin
	Others	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
c)	Leafy Brassicas				
	Chinese cabbage	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	2
	Kale	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
	Others	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
d)	Kohlrabi	0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
v)	LEAF VEGETABLES AND FRESH HERBS				
a)	Lettuce & similar				
	Cress	0.02*	<i>no MRL</i> 0.05*	0.05*	5
	Lamb's lettuce	0.02*	0.05*	0.05*	5
	Lettuce	0.02*	0.05*	0.05*	5
	Scarole	0.02*	0.05*	0.05*	5
	Others	0.02*	0.05*	0.05*	5
b)	Spinach & similar				
	Spinach	0.02*	0.05*	0.05*	0.05*
	Beet leaves (chard)	0.02*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*
c)	Watercress	0.02*	0.05*	0.05*	0.05*
d)	Witloof	0.02*	0.05*	0.05*	2
e)	Herbs				
	Chervil	0.02*	0.05*	0.05*	0.05*
	Chives	0.02*	0.05*	0.05*	0.05*
	Parsley	0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
	Celery leaves	0.02*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Triazophos (changing 1 July 2001)	Triforine (changing 1 July 2001)	2,4,5-T	Vinclozolin
vi) LEGUME VEGETABLES (fresh)					
	Beans (with pods)	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	2
	Beans (without pods)	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	0.5
	Peas (with pods)	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	2
	Peas (without pods)	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	0.3
	Others	0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
vii) STEM VEGETABLES					
	Asparagus	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
	Cardoons	0.02*	0.05*	0.05*	0.05*
	Celery	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
	Fennel	<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*
	Globe artichokes	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
	Leeks	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
	Rhubarb	<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*
viii) FUNGI					
	a) Cultivated mushrooms	0.02*	0.05*	0.05*	0.05*
	b) Wild mushrooms	0.02*	0.05*	0.05*	0.05*
3. PULSES					
	Beans	0.02*	0.05*	0.05*	0.5
	Lentils	0.02*	0.05*	0.05*	0.05*
	Peas	0.02*	0.05*	0.05*	0.5
	Others	0.02*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Triazophos (changing 1 July 2001)	Triforine (changing 1 July 2001)	2,4,5-T	Vinclozolin
4. OILSEEDS					
	Linseed	<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*
	Peanuts	0.02*	0.05*	0.05*	0.05*
	Poppy seed	0.02*	0.05*	0.05*	0.05*
	Sesame seed	0.02*	0.05*	0.05*	0.05*
	Sunflower seed	0.02*	0.05*	0.05*	0.05*
	Rape seed	<i>no MRL</i> 0.02*	0.05*	0.05*	1
	Soya bean	0.02*	0.05*	0.05*	0.05*
	Mustard seed	<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*
	Cotton seed	0.1	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*
5. POTATOES					
	Early potatoes	<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*
	Ware potatoes	<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0.05*	0.1*	0.05*	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.05*	30	0.05*	40

Group to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin & Dieldrin	Amitraz	Aramite	Azoxystrobin	Barban
8. CEREALS								
	Wheat	0.02*	0.05*	0.01	0.02*	0.01*	0.3	0.05*
	Rye	0.02*	0.05*	0.01	0.02*	0.01*	0.3	0.05*
	Barley	0.02*	0.05*	0.01	0.02*	0.01*	0.3	0.05*
	Sorghum	0.02*	0.05*	0.01	0.02*	0.01*	0.05*	0.05*
	Oats	0.02*	0.05*	0.01	0.02*	0.01*	0.05*	0.05*
	Triticale	0.02*	0.05*	0.01	0.02*	0.01*	0.3	0.05*
	Maize	0.02*	0.05*	0.01	0.02*	0.01*	0.05*	0.05*
	Buckwheat	0.02*	0.05*	0.01	0.02*	0.01*	0.05*	0.05*
	Millet	0.02*	0.05*	0.01	0.02*	0.01*	0.05*	0.05*
	Rice ⁽¹⁾	0.02*	0.05*	0.01	0.02*	0.01*	5	0.05*
	Other cereals ⁽²⁾	0.02*	0.05*	0.01	0.02*	0.01*	0.05*	0.05*
9. PRODUCTS OF ANIMAL ORIGIN								
	Meat, fat & preparations of meat ⁽³⁾	0.02*	0.01*	0.2	0.02* ⁽⁹⁾	0.01*	0.05*	0.05*
	Milk ⁽⁴⁾ & Dairy produce ⁽⁵⁾	0.02*	0.01*	0.006		0.01*	0.01*	0.05*
	Eggs ⁽⁶⁾	0.02*	0.01*	0.02	0.02*	0.01* ⁽⁷⁾	0.05*	0.05* ⁽⁷⁾

Group to which food belongs	Groups include the following products	Benalaxyl	Benfuracarb (changing 1 July 2001)	Captafol	Carbaryl	Carbendazim	Carbofuran (changing 1 July 2001)	Carbon disulphide	Carbon tetrachloride
8. CEREALS									
	Wheat	0.05*	0.05*	0.05*	0.5	0.1*	0.1*	0.1	0.1
	Rye	0.05*	0.05*	0.05*	0.5	0.1*	0.1*	0.1	0.1
	Barley	0.05*	0.05*	0.05*	0.5	0.1*	0.1*	0.1	0.1
	Sorghum	0.05*	0.05*	0.05*	0.5	0.1*	0.1*	0.1	0.1
	Oats	0.05*	0.05*	0.05*	0.5	0.1*	<i>no MRL</i> 0.1*	0.1	0.1
	Triticale	0.05*	0.05*	0.05*	0.5	0.1*	0.1*	0.1	0.1
	Maize	0.05*	<i>no MRL</i> 0.05*	0.05*	0.5	0.1*	0.1*	0.1	0.1
	Buckwheat	0.05*	0.05*	0.05*	0.5	0.1*	0.1*	0.1	0.1
	Millet	0.05*	0.05*	0.05*	0.5	0.1*	0.1*	0.1	0.1
	Rice ⁽¹⁾	0.05*	0.05*	0.05*	1	0.1*	<i>no MRL</i> 0.1*	0.1	0.1
	Other cereals ⁽²⁾	0.05*	0.05*	0.05*	0.5	0.1*	0.1*	0.1	0.1
9. PRODUCTS OF ANIMAL ORIGIN									
	Meat, fat & preparations of meat ⁽³⁾	0.05*	0.05*			0.1*	0.1*		
	Milk ⁽⁴⁾ & Dairy produce ⁽⁵⁾	0.05*	0.05*			0.1*	0.1*		
	Eggs ⁽⁶⁾	0.05*	0.05*			0.1*	0.1*		

Group to which food belongs	Groups include the following products	Carbosulfan	Chlorbufam	Chlordane	Chlorfenson	Chlorobenzilate	Chloroxuron	Chlorbenside
8. CEREALS								
	Wheat	0.05*	0.05*	0.02	0.01*	0.02*	0.05*	0.01*
	Rye	0.05*	0.05*	0.02	0.01*	0.02*	0.05*	0.01*
	Barley	0.05*	0.05*	0.02	0.01*	0.02*	0.05*	0.01*
	Sorghum	0.05*	0.05*	0.02	0.01*	0.02*	0.05*	0.01*
	Oats	0.05*	0.05*	0.02	0.01*	0.02*	0.05*	0.01*
	Triticale	0.05*	0.05*	0.02	0.01*	0.02*	0.05*	0.01*
	Maize	0.05*	0.05*	0.02	0.01*	0.02*	0.05*	0.01*
	Buckwheat	0.05*	0.05*	0.02	0.01*	0.02*	0.05*	0.01*
	Millet	0.05*	0.05*	0.02	0.01*	0.02*	0.05*	0.01*
	Rice ⁽¹⁾	0.05*	0.05*	0.02	0.01*	0.02*	0.05*	0.01*
	Other cereals ⁽²⁾	0.05*	0.05*	0.02	0.01*	0.02*	0.05*	0.01*
9. PRODUCTS OF ANIMAL ORIGIN								
	Meat, fat & preparations of meat ⁽³⁾	0.05*	0.05*	0.05	0.05*	0.1*	0.05*	0.05*
	Milk ⁽⁴⁾ & Dairy produce ⁽⁵⁾	0.05*	0.05*	0.002	0.05*	0.1*	0.05*	0.05*
	Eggs ⁽⁶⁾	0.05*	0.05* ⁽⁷⁾	0.005	0.05* ⁽⁷⁾	0.1 ⁽⁷⁾	0.05* ⁽⁷⁾	0.05* ⁽⁷⁾

Group to which food belongs	Groups include the following products	Chlormequat (changing 1 July 2001)	Chlorothalonil	Chlorpyrifos	Chlorpyrifos-methyl	Cyfluthrin	Cypermethrin	Daminozide	DDT
8. CEREALS	Wheat	2	0.1	0.05*	3	0.02*	0.05*	0.02*	0.05
	Rye	2	0.1	0.05*	3	0.02*	0.05*	0.02*	0.05
	Barley	2	0.1	0.2	3	0.02*	0.2	0.02*	0.05
	Sorghum	0.05*	0.01*	0.05*	3	0.02*	0.05*	0.02*	0.05
	Oats	5	0.1	0.05*	3	0.02*	0.2	0.02*	0.05
	Triticale	2	0.1	0.05*	3	0.02*	0.05*	0.02*	0.05
	Maize	<i>no MRL</i> 0.05*	0.01*	0.05*	3	0.02*	0.05*	0.02*	0.05
	Buckwheat	0.05*	0.01*	0.05*	3	0.02*	0.05*	0.02*	0.05
	Millet	0.05*	0.01*	0.05*	3	0.02*	0.05*	0.02*	0.05
	Rice ⁽¹⁾	0.05*	0.01*	0.05*	3	0.02*	0.05*	0.02*	0.05
	Other cereals ⁽²⁾	0.05*	0.01*	0.05*	3	0.02*	0.05*	0.02*	0.05
9. PRODUCTS OF ANIMAL ORIGIN	Meat, fat & preparations of meat ⁽³⁾	<i>no MRL</i> 0.05 ⁽¹⁰⁾ 0.2 ⁽¹¹⁾ 0.1 ⁽¹²⁾ 0.05* ⁽³⁶⁾	0.01*	0.05* ⁽⁹⁾	0.05*	0.05	0.05* ⁽⁹⁾ 0.2 ⁽¹⁷⁾	0.05*	1
	Milk ⁽⁴⁾ & Dairy produce ⁽⁵⁾	<i>no MRL</i> 0.05	0.01*	0.01*	0.01*	0.02*	0.02	0.05*	0.04
	Eggs ⁽⁶⁾	<i>no MRL</i> 0.05*	0.01*	0.01*	0.01*	0.02*	0.05*	0.05*	0.05

Group to which food belongs	Groups include the following products	Deltamethrin	1,1-dichloro-2,2-bis (4-ethyl-phenyl)-ethane	Diallate	Diazinon (changing 1 July 2001)	1,2-Dibromol-ethane	Dichlorvos	Dicofol	Disulfoton
8. CEREALS									
	Wheat	1	0.01*	0.05*	0.05 0.02*	0.01*	2	0.02*	0.1
	Rye	1	0.01*	0.05*	0.05 0.02*	0.01*	2	0.02*	0.02*
	Barley	1	0.01*	0.05*	0.05 0.02*	0.01*	2	0.02*	0.2
	Sorghum	1	0.01*	0.05*	0.05 0.02*	0.01*	2	0.02*	0.2
	Oats	1	0.01*	0.05*	0.05 0.02*	0.01*	2	0.02*	0.02*
	Triticale	1	0.01*	0.05*	0.05 0.02*	0.01*	2	0.02*	0.02*
	Maize	1	0.01*	0.05*	0.05 0.02*	0.01*	2	0.02*	0.02*
	Buckwheat	1	0.01*	0.05*	0.02*	0.01*	2	0.02*	0.02*
	Millet	1	0.01*	0.05*	0.02*	0.01*	2	0.02*	0.02*
	Rice ⁽¹⁾	1	0.01*	0.05*	0.05 0.02*	0.01*	2	0.02*	0.02*
	Other cereals ⁽²⁾	1	0.01*	0.05*	0.05 0.02*	0.01*	2	0.02*	0.02*
9. PRODUCTS OF ANIMAL ORIGIN									
	Meat, fat & preparations of meat ⁽³⁾	0.05 ⁽⁹⁾	0.01*	0.2*				0.5 ⁽²¹⁾ 0.1 ⁽⁹⁾ 0.05 ^{*(22)} 1 ⁽²³⁾	0.02*
	Milk ⁽⁴⁾ & Dairy produce ⁽⁵⁾		0.01*	0.2*	no MRL 0.01*			0.02	0.02
	Eggs ⁽⁶⁾	0.05*	0.01 ^{*(7)}	0.2 ^{*(7)}				0.05*	0.02*

Group to which food belongs	Groups include the following products	Endosulfan	Endrin	Ethephon	Fenarimol	Fenbutatin oxide	Fentin	Fenvalerate and Esfenvalerate	
		(changing 1 July 2001)		(changing 1 July 2001)	(changing 1 July 2001)			Sum of RR and SS isomers (changing 1 July 2001)	Sum of RS and SR isomers (changing 1 July 2001)
8. CEREALS									
	Wheat	0.1 0.05*	0.01	0.2	no MRL 0.02*	0.05*	0.05*	0.05	0.05*(34) 0.02*
	Rye	0.1 0.05*	0.01	0.5	0.02*	0.05*	0.05*	0.05	0.05* 0.02*
	Barley	0.1 0.05*	0.01	0.5	no MRL 0.02*	0.05*	0.05*	0.2	0.2 0.05
	Sorghum	0.05*	0.01	0.05*	0.02*	0.05*	0.05*	0.02*	0.05* 0.02*
	Oats	0.1 0.05*	0.01	0.05*	0.02*	0.05*	0.05*	0.2	0.2 0.05
	Triticale	0.1 0.05*	0.01	0.2	0.02*	0.05*	0.05*	0.05	0.05* 0.02*
	Maize	0.2 0.05*	0.01	no MRL 0.05*	0.02*	0.05*	0.05*	0.02*	0.05* 0.02*
	Buckwheat	0.05*	0.01	0.05*	0.02*	0.05*	0.05*	0.02*	0.05* 0.02*
	Millet	0.05*	0.01	0.05*	0.02*	0.05*	0.05*	0.02*	0.05* 0.02*
	Rice ⁽¹⁾	0.05*	0.01	0.05*	0.02*	0.05*	0.05*	0.02*	0.05* 0.02*
	Other cereals ⁽²⁾	0.05*	0.01	0.05*	0.02*	0.05*	0.05*	0.02*	0.05* 0.02*
9. PRODUCTS OF ANIMAL ORIGIN									
	Meat, fat & preparations of meat ⁽³⁾	0.1 ⁽⁸⁾	0.05	0.05*	0.02* ⁽¹³⁾	0.05*	0.05*	0.2 ⁽⁸⁾	0.5 ⁽¹⁷⁾ 0.05 ⁽⁸⁾
								0.02* ⁽⁹⁾	0.02* ⁽⁹⁾

Group to which food belongs	Groups include the following products	Endosulfan	Endrin	Ethephon	Fenarimol	Fenbutatin oxide	Fentin	Fenvalerate and Esfenvalerate	
		(changing 1 July 2001)		(changing 1 July 2001)	(changing 1 July 2001)			Sum of RR and SS isomers	Sum of RS and SR isomers
								(changing 1 July 2001)	
	Milk ⁽⁴⁾ & Dairy produce ⁽⁵⁾	0.004	0.0008	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Eggs ⁽⁶⁾	<i>no MRL</i>	0.005	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*
		0.1 ⁽⁷⁾							0.02 ⁽⁷⁾

Group to which food belongs	Groups include the following products	Furathiocarb	Glyphosate	Heptachlor	Hexachlorobenzene (HCB)	Hexachlorocyclohexane (HCH) α	Hexachlorocyclohexane (HCH) β
8. CEREALS							
	Wheat	0.05*	5	0.01	0.01	0.02}	sum of alpha & beta
	Rye	0.05*	5	0.01	0.01	0.02}	
	Barley	0.05*	20	0.01	0.01	0.02}	
	Sorghum	0.05*	20	0.01	0.01	0.02}	
	Oats	0.05*	20	0.01	0.01	0.02}	
	Triticale	0.05*	5	0.01	0.01	0.02}	
	Maize	0.05*	0.1*	0.01	0.01	0.02}	
	Buckwheat	0.05*	0.1*	0.01	0.01	0.02}	
	Millet	0.05*	0.1*	0.01	0.01	0.02}	
	Rice ⁽¹⁾	0.05*	0.1*	0.01	0.01	0.02}	
	Other cereals ⁽²⁾	0.05*	0.1*	0.01	0.01	0.02}	
9. PRODUCTS OF ANIMAL ORIGIN							
	Meat, fat & preparations of meat ⁽³⁾	0.05*	0.5 ⁽²⁴⁾ 2 ⁽²⁵⁾ 0.1 ^{*(17)}	0.2	0.2	0.2	0.1
	Milk ⁽⁴⁾ & Dairy produce ⁽⁵⁾	0.05*	0.1*	0.004	0.01	0.004	0.003
	Eggs ⁽⁶⁾	0.05*	0.1*	0.02	0.02	0.02	0.01

Group to which food belongs	Groups include the following products	Hexachlorocyclohexane (HCH) γ	Hydrogen cyanide	Hydrogen phosphide	Imazalil	Inorganic bromide	Iprodione	Kresoximmethyl	Lambdacyhalothrin ⁽²⁸⁾
8. CEREALS									
	Wheat	0.1	15	0.1	0.02*	50	0.5	0.05*	0.02*
	Rye	0.1	15	0.1	0.02*	50	0.02*	0.05*	0.02*
	Barley	0.1	15	0.1	0.02*	50	1	0.05*	0.05
	Sorghum	0.1	15	0.1	0.02*	50	0.02*	0.05*	0.02*
	Oats	0.1	15	0.1	0.02*	50	0.02*	0.05*	0.02*
	Triticale	0.1	15	0.1	0.02*	50	0.02*	0.05*	0.02*
	Maize	0.1	15	0.1	0.02*	50	0.02*	0.05*	0.02*
	Buckwheat	0.1	15	0.1	0.02*	50	0.02*	0.05*	0.02*
	Millet	0.1	15	0.1	0.02*	50	0.02*	0.05*	0.02*
	Rice ⁽¹⁾	0.1	15	0.1	0.02*	50	3	0.05*	0.02*
	Other cereals ⁽²⁾	0.1	15	0.1	0.02*	50	0.02*	0.05*	0.02*
9. PRODUCTS OF ANIMAL ORIGIN									
	Meat, fat & preparations of meat ⁽³⁾	2 ⁽²⁶⁾			0.02*		0.05*	0.02* ⁽¹⁴⁾⁽¹⁵⁾	0.5 ⁽⁸⁾
		1 ⁽²⁷⁾						0.05 ⁽¹⁴⁾⁽¹⁶⁾	0.02* ⁽⁹⁾
	Milk ⁽⁴⁾ & Dairy produce ⁽⁵⁾	0.008			0.02*		0.05*	0.05* ⁽¹⁸⁾	0.05
	Eggs ⁽⁶⁾	0.1			0.02*		0.05*	0.02*	0.02*

Group to which food belongs	Groups include the following products	Malathion	Maneb Mancozeb Metiram Propineb Zineb	Mecarbam	Metalaxyl	Methamidophos	Methidathion	Methomyl thiodicarb
8. CEREALS								
	Wheat	8	1	0.05*	0.05*	0.01*	0.02*	0.05*
	Rye	8	1	0.05*	0.05*	0.01*	0.02*	0.05*
	Barley	8	2	0.05*	0.05*	0.01*	0.02*	0.05*
	Sorghum	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*
	Oats	8	2	0.05*	0.05*	0.01*	0.02*	0.05*
	Triticale	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*
	Maize	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*
	Buckwheat	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*
	Millet	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*
	Rice ⁽¹⁾	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*
	Other cereals ⁽²⁾	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*
9. PRODUCTS OF ANIMAL ORIGIN								
	Meat, fat & preparations of meat ⁽³⁾		0.05*		0.05*	0.01*	0.02*	0.02
	Milk ⁽⁴⁾ & Dairy produce ⁽⁵⁾		0.05*		0.05*	0.01*	0.02*	0.02
	Eggs ⁽⁶⁾		0.05*		0.05*	0.01*	0.02*	0.02

Group to which food belongs	Groups include the following products	Methoxychlor	Methyl bromide	Permethrin	Phorate (changing 1 July 2001)	Phosphamidon	Pirimiphosmethyl	Procymidone
8. CEREALS								
	Wheat	0.01*	0.1	2	0.05*	0.05	5	0.02*
	Rye	0.01*	0.1	2	0.05*	0.05	5	0.02*
	Barley	0.01*	0.1	2	0.05*	0.05	5	0.02*
	Sorghum	0.01*	0.1	2	0.05*	0.05	5	0.02*
	Oats	0.01*	0.1	2	0.05*	0.05	5	0.02*
	Triticale	0.01*	0.1	2	0.05*	0.05	5	0.02*
	Maize	0.01*	0.1	0.2	<i>no MRL</i> 0.05*	0.05	5	0.02*
	Buckwheat	0.01*	0.1	2	0.05*	0.05	5	0.02*
	Millet	0.01*	0.1	2	0.05*	0.05	5	0.02*
	Rice ⁽¹⁾	0.01*	0.1	2	0.05*	0.05	5	0.02*
	Other cereals ⁽²⁾	0.01*	0.1	2	0.05*	0.05	5	0.02*
9. PRODUCTS OF ANIMAL ORIGIN								
	Meat, fat & preparations of meat ⁽³⁾	0.01*		0.5	0.05*		0.05*	0.05*
	Milk ⁽⁴⁾ & Dairy produce ⁽⁵⁾	0.01*		0.05	0.02*		0.05*	0.05*
	Eggs ⁽⁶⁾	0.01* ⁽⁷⁾		0.05	0.05*		0.05*	0.05*

Group to which food belongs	Groups include the following products	Propiconazole	Propoxur	Propyzamide	Pyrethrins	Thiabendazole	Triazophos	Trichlorfon
						(changing 1 July 2001)	(changing 1 July 2001)	
8. CEREALS								
	Wheat	0.05*	0.05*	0.02*	3	<i>no MRL</i> 0.05*	<i>no MRL</i> 0.02*	0.1
	Rye	0.05*	0.05*	0.02*	3	0.05*	<i>no MRL</i> 0.02*	0.1
	Barley	0.05*	0.05*	0.02*	3	0.05*	<i>no MRL</i> 0.02*	0.1
	Sorghum	0.05*	0.05*	0.02*	3	0.05*	0.02*	0.1
	Oats	0.05*	0.05*	0.02*	3	0.05*	<i>no MRL</i> 0.02*	0.1
	Triticale	0.05*	0.05*	0.02*	3	0.05*	<i>no MRL</i> 0.02*	0.1
	Maize	0.05*	0.05*	0.02*	3	0.05*	<i>no MRL</i> 0.02*	0.1
	Buckwheat	0.05*	0.05*	0.02*	3	0.05*	0.02*	0.1
	Millet	0.05*	0.05*	0.02*	3	0.05*	0.02*	0.1
	Rice ⁽¹⁾	0.05*	0.05*	0.02*	3	<i>no MRL</i> 0.05*	0.02*	0.1
	Other cereals ⁽²⁾	0.05*	0.05*	0.02*	3	0.05*	0.02*	0.1
9. PRODUCTS OF ANIMAL ORIGIN								
	Meat, fat & preparations of meat ⁽³⁾	0.1 ⁽²⁹⁾ 0.05 ^{*(30)}	0.05*	0.05 ^{*(31)(33)} 0.02 ^{*(32)(33)}		0.1 ⁽¹⁹⁾	0.01 ^{*(8)} 0.02*	
	Milk ⁽⁴⁾ & Dairy produce ⁽⁵⁾	0.01*	0.05*	0.01 ^{*(33)}			0.01* 0.02* 0.01* 0.02*	
	Eggs ⁽⁶⁾	0.05*	0.05*	0.02 ^{*(33)}		0.1*	<i>no MRL</i> 0.02 ^{*(7)}	

Group to which food belongs	Groups include the following products	Triforine	Vinclozolin
8. CEREALS			
	Wheat	0.1	0.05*
	Rye	0.1	0.05*
	Barley	0.1	0.05*
	Sorghum	0.05*	0.05*
	Oats	0.1	0.05*
	Triticale	0.1	0.05*
	Maize	0.05*	0.05*
	Buckwheat	0.05*	0.05*
	Millet	0.05*	0.05*
	Rice ⁽¹⁾	0.05*	0.05*
	Other cereals ⁽²⁾	0.05*	0.05*
9. PRODUCTS OF ANIMAL ORIGIN			
	Meat, fat & preparations of meat ⁽³⁾	0.05*	0.05*
	Milk ⁽⁴⁾ & Dairy produce ⁽⁵⁾	0.05*	0.05*
	Eggs	0.05*	0.05*

UNITS: Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

KEY: * Level at or about the limit of determination.

no MRL

— refers to the particular active/commodity combination.

FOOTNOTES:

¹ Paddy or rough rice, husked rice and semi-milled or wholly milled rice.

² Other cereals do not include rice.

³ Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg

⁴ These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.

⁵ For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk of a combination, the following levels apply:

— if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;

— if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.

⁶ Bird's eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).

⁷ For eggs and egg products with a fat content higher than 10%, the maximum level is expressed in mg/kg fat. In this case, the maximum level is 10 times higher than the maximum level for fresh eggs.

⁸ All meat except poultrymeat.

⁹ Poultrymeat only.

¹⁰ Chicken liver.

¹¹ Cattle kidney.

¹² Cattle liver.

¹³ All meat except liver and kidney.

¹⁴ The residue definition for this MRL is: 2-methoxyimino-2-[2-(0-tolyloxymethyl)phenyl]acetic acid.

¹⁵ Meat, liver, fat.

¹⁶ Kidney.

¹⁷ Other meat products.

¹⁸ The residue definition for this MRL is: 2-[2-(4-hydroxy-2-methylphenoxy-methyl)phenyl]-2-methoxy-iminoacetic acid.

¹⁹ With the exception of meat and other ovine, bovine and caprine products.

²⁰ Footnotes 3, 5 and 6 do not apply in cases where the lower limit of analytical determination is indicated.

²¹ Meat of cattle, sheep and goats.

²² Other than meat or liver of cattle, sheep and goats, and poultrymeat.

²³ Liver of cattle, sheep and goats. The residue definition for this MRL is: 1, 1-bis-(parachlorophenol)-2,2-dichloroethanol(PP'-FW152), expressed as dicofol.

²⁴ Pig kidney.

²⁵ Cattle, goat and sheep kidney.

²⁶ Sheepmeat only.

²⁷ All meat except sheepmeat.

²⁸ For animal products MRLs relate to cyhalothrin (sum of isomers).

²⁹ Ruminant liver.

³⁰ All meat except ruminant liver.

³¹ Fat, liver and kidney.

³² Other than fat, liver and kidney.

³³ The residues definition for these MRLs is: sum of propyzamide and all metabolites containing the 3,5-dichlorobenzoic acid fraction expressed as propyzamide.

³⁴ Fenvalerate and esfenvalerate-the figure in italics set across the column refers to the MRL for fenvalerate only.

³⁵ Procymidone: 1 mg/kg applies to whole seeds; 0.05 mg/kg applies to seed without shell.

³⁶ Meat and meat products other than those at footnotes 10, 11 and 12.

EXPLANATORY NOTE

(This note is not part of the Regulations)

These Regulations, which extend to England and Wales only, are made under section 2(2) of the European Communities Act 1972 and amend the provisions of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) Regulations 1999 S.I. 1999/3483.

The Regulations specify maximum levels of pesticide residues which crops, food and feeding stuffs may contain in implementation of Commission Directives 2000/24/EC (OJ No. L107, 4.5.00), 2000/42/EC (OJ No. L158, 30.6.00), 2000/48/EC (OJ No. L197, 3.8.00), 2000/57/EC (OJ No. L244, 29.9.00) and 2000/58/EC (OJ No. L244, 29.9.00) and amend Community maximum residue levels which have been set previously (regulations 2(1), 2(2) and 5).

Further residue definitions are also introduced (regulation 2(3)).

Additionally, the Regulations remove certain maximum levels which were included in Part 1 of Schedule 2 to the Consolidated Regulations 1999 (S.I. 1999/3483) by virtue of powers contained in the Food and Environment Protection Act 1985 and which have been replaced by the Community maximum residue levels now included in Part 2 of that Schedule (regulation 2(4)).

The Regulations also amend Schedule 3 to the Consolidated Regulations 1999 by introducing the new products 'papaya' and 'chilli peppers' to reflect the categories specified in Directives 2000/42/EC and 2000/24/EC respectively (regulation 2(6)).

A regulatory impact assessment has been prepared in respect of these Regulations. Copies of this assessment can be obtained from the Pesticides Safety Directorate of the Ministry of Agriculture, Fisheries and Food, Room 313, Mallard House, Kings Pool, 3 Peasholme Green, York YO1 7PX.

© Crown copyright 2001

Printed and published in the UK by The Stationery Office Limited
under the authority and superintendence of Carol Tully,
Controller of Her Majesty's Stationery Office and Queen's Printer of
Acts of Parliament

E 0860 04/01 ON (MFK)



Published by The Stationery Office Limited
and available from:

The Stationery Office

(Mail, telephone and fax orders only)
PO Box 29, Norwich NR3 1GN
Telephone orders / enquiries 0870 600 5522
Fax orders 0870 600 5533
Email book.orders@theso.co.uk
Internet <http://www.clicktso.com>

The Stationery Office Bookshops

123 Kingsway, London WC2B 6PQ
020 7242 6393 Fax 020 7242 6394
68-69 Bull Street, Birmingham B4 6AD
0121 236 9696 Fax 0121 236 9699
33 Wine Street, Bristol BS1 2BQ
0117 9264306 Fax 0117 9294515
9-21 Princess Street, Manchester M60 8AS
0161 834 7201 Fax 0161 833 0634
16 Arthur Street, Belfast BT1 4GD
028 9023 8451 Fax 028 9023 5401
The Stationery Office Oriol Bookshop,
18-19 High Street, Cardiff CF1 2BZ
029 2039 5548 Fax 029 2038 4347
71 Lothian Road, Edinburgh EH3 9AZ
0870 606 5566 Fax 0870 606 5588

Accredited Agents

(see Yellow Pages)

and through good booksellers