STATUTORY INSTRUMENTS

# 2001 No. 25

# **ROAD TRAFFIC**

The Motor Vehicles (Approval) Regulations 2001

Made	9th January 2001
Laid before Parliament	10th January 2001
Coming into force	1st February 2001

The Secretary of State for the Environment, Transport and the Regions, in exercise of the powers conferred by sections 54, 61, 63 and 66 of the Road Traffic Act 1988(1) and of all other powers enabling him in that behalf, and after consultation with representative organisations in accordance with section 195(2) of that Act, hereby makes the following Regulations:—

## PART I

## GENERAL

## Citation and commencement

**1.** These Regulations may be cited as the Motor Vehicles (Approval) Regulations 2001 and shall come into force on 1st February 2001.

#### Commencement Information II Reg. 1 in force at 1.2.2001, see reg. 1

## Revocation

2. The instruments specified in Schedule 1 are hereby revoked.

#### **Commencement Information**

I2 Reg. 2 in force at 1.2.2001, see reg. 1

<sup>(1) 1988</sup> c. 52; section 61 was amended by the Road Traffic Act 1991 (c. 40), Schedule 8 and section 63 was amended by S.I. 1992/3107.

### Interpretation

**3.**—(1) In these Regulations, unless the context otherwise requires—

"the 1970 Directive" means Council Directive 70/156/EEC of 6th February 1970 on the approximation of the laws of the member states relating to the type-approval of motor vehicles and their trailers(2) as last amended by Directive 98/14/EC of 25th March 1998(3);

"the 1982 Regulations" means the Motor Vehicles (Type Approval for Goods Vehicles) (Great Britain) Regulations 1982(4);

"the 1984 Regulations" means the Motor Vehicles (Type Approval) (Great Britain) Regulations 1984(**5**);

"the 1988 Act" means the Road Traffic Act 1988;

"ambulance", "armoured vehicle", "hearse" and "motor caravan" have the meanings given by paragraph 1 of Schedule 2;

"approval requirements", in relation to a vehicle, means the requirements prescribed by section 54 of the 1988 Act as they apply to that vehicle and which are set out in regulation 5(1);

"axle weight", "gross weight", "kerbside weight", "maximum gross weight" and "maximum permitted axle weight" have the meanings given in regulation 3(2) of the Construction and Use Regulations;

"the Construction and Use Regulations" means the Road Vehicles (Construction and Use) Regulations 1986(6);

"design gross weight" means the weight which the vehicle is designed or adapted not to exceed when in normal use and travelling on a road laden;

"EEA State" means a State which is a contracting party to the Agreement on the European Economic Area signed at Oporto on 2nd May 1992 as adjusted by the Protocol signed at Brussels on 17th March 1993(7);

"family of types" has the same meaning as in Annex XII of the 1970 Directive;

"goods vehicle" means a vehicle of a kind specified in regulation 4(1)(b);

"kg" means kilograms;

"kph" means kilometres per hour;

"the Lighting Regulations" means the Road Vehicles Lighting Regulations 1989(8);

"mm" means millimetres;

"mph" means miles per hour;

"registered" means registered under the Vehicle Excise and Regulation Act 1994(9);

"relevant vehicle" has the meaning given in regulation 4(3);

"Schedule 2 vehicle" has the meaning given in Schedule 2;

"subject matter" means a subject matter in relation to which approval requirements are specified in Schedule 3 or 4 and "applicable subject matter" in relation to a vehicle means

(4) S.I.1982/1271; relevant amending instruments are S.I.1987/1508,1988/1523, 1989/1579, 1991/1021, 1992/25, 1342 and 3084, 1993/2200 and 1995/1323.

<sup>(</sup>**2**) O.J.L42.23.02.70,p.1.

<sup>(</sup>**3**) O.J.L91.25.03.98,p.1.

<sup>(5)</sup> S.I. 1984/981; relevant amending instruments are S.I. 1984/1761, 1987/1509, 1988/1522, 1989/1580, 1991/1022, 1992/1341, 2161 and 2908, 1993/2201 and 1995/1322.

 <sup>(6)</sup> S.I. 1986/1078; relevant amending instruments are S.I. 1987/676 and 1333, 1988/1178, 1989/1478, 1990/2212, 1992/2016, 3088 and 3285 and 1994/3270.
 (7) Cmnd. 2972 and 2183.

<sup>(7)</sup> Child: 27/2 and 2103. (8) S.I. 1989/1796; the relevant amending instrument is S.I. 1994/2280.

<sup>(9) 1994</sup> c. 22.

a subject matter as respects which approval requirements are applicable to the vehicle in accordance with these Regulations;

"wheel" has the meaning given in regulation 3(2) of the Construction and Use Regulations.

(2) References to vehicles of categories M1, M2, M3, N1, N2 and N3 are to vehicles of those categories as defined in Annex II.A of the 1970 Directive.

(3) A reference in any provision of these Regulations to a prescribed fee is a reference to the fee (if any) for the time being prescribed for the purposes of that provision in regulations made under section 61 of the 1988 Act.

(4) Paragraphs (7) and (8) of regulation 3 of the Construction and Use Regulations (determination of the numbers of wheels and axles of a vehicle) shall apply for the purposes of these Regulations other than item 16 of Schedule 3 as they apply for the purposes of the Construction and Use Regulations other than regulations 26 and 27.

(5) For the purposes of these Regulations, a vehicle is to be regarded as being manufactured on or after a particular date if it is first assembled on or after that date, even if it includes one or more parts which were manufactured before that date.

(6) Schedule 6 of these Regulations—

- (a) defines expressions relating to Community instruments and ECE Regulations (including references to complying with provisions of such instruments); and
- (b) sets out details of Community instruments and ECE Regulations referred to in these Regulations.

#### **Commencement Information**

I3 Reg. 3 in force at 1.2.2001, see reg. 1

## PART II

## APPROVAL REQUIREMENTS FOR RELEVANT VEHICLES

## **Application of Regulations**

**4.**—(1) These Regulations apply to every motor vehicle—

- (a) to which the 1984 Regulations apply; or
- (b) to which the 1982 Regulations apply and which either has a design gross weight not exceeding 3,500 kg or complies with the requirements specified in paragraph (2).
- (2) The requirements referred to in paragraph (1)(b) are that the vehicle in question-
  - (a) has a design gross weight exceeding 3,500 kg but not exceeding 5,500 kg;
  - (b) has a kerbside weight not exceeding 3,425 kg; and
  - (c) belongs to the same family of types as at least one vehicle to which these Regulations apply by virtue of paragraph (1) and which has been granted a Minister's approval certificate on the basis that it complies with the approval requirements by virtue of these Regulations or the Motor Vehicles (Approval) Regulations 1996(10).
- (3) In these Regulations, "relevant vehicle" means a vehicle to which these Regulations apply.

<sup>(10)</sup> S.I. 1996/3013; relevant amending instruments are set out in Schedule 1.

## **Commencement Information**

I4 Reg. 4 in force at 1.2.2001, see reg. 1

## Approval requirements for relevant vehicles

**5.**—(1) Subject to the following provisions of this regulation, the following are prescribed under section 54 of the 1988 Act as requirements as to the design, construction, equipment and marking of relevant vehicles—

- (a) in the case of any relevant vehicle, compliance with the requirements set out in column 3 of the Table in Schedule 3; and
- (b) in the case of any relevant vehicle which is not a Schedule 2 vehicle, and in relation to each item in the Table in Schedule 4 for which is specified in column 3(a) of that Table a date which is, or falls before, the date of manufacture of the vehicle, compliance with the requirements of the Community instruments set out in column 3(b) of that Table in relation to that item, or with any equivalent requirement of the ECE Regulations set out in column 3(c) of that Table.

(2) Subject to paragraph (3), the requirements of paragraph (1)(b) shall not apply to a relevant vehicle until 1st August 2001.

(3) Where, in the case of any relevant vehicle which is of category M1 and to which the requirements of paragraph (1)(b) would not otherwise apply, a person making an application in accordance with regulation 6 requests the Secretary of State in writing at the time of making the application that the provisions of paragraph (1)(b) be applied for the purposes of the application, those provisions shall so apply.

(4) The items in Schedule 3 numbered 1, 3, 6, 7, 8, 9, 10, 11, 14, 15, 16 and 19 and the items in Schedule 4 numbered 3, 8, 10, 11, 26, 27 and 28 shall not apply to goods vehicles.

(5) The requirements set out or referred to in column 3 of the Tables in Schedules 3 and 4 have effect subject to the exceptions and modifications set out in column 5 of those Tables.

(6) An entry in column 4 of an item in the Table in Schedules 3 and 4 shall have effect for the purposes of interpreting or otherwise supplementing the entries in that item and, for convenience, expressions that are defined in that column are printed in bold type.

(7) Where a provision of any Community instrument or ECE Regulation is applied by Schedule 4, that provision as so applied shall (except in so far as the contrary intention appears) have effect in relation to—

- (a) a vehicle to which the 1984 Regulations apply as it has effect in relation to a vehicle of category M1; and
- (b) a vehicle to which the 1982 Regulations apply as it has effect in relation to a vehicle of category N1.

(8) A relevant vehicle shall be regarded as complying with all the requirements prescribed under section 54 of the 1988 Act if at least one of the following three conditions are satisfied in relation to each applicable subject matter mentioned in Schedule 3 or 4—

- (a) that the vehicle complies with the requirements set out in paragraph (1);
- (b) that requirements applicable to the vehicle are prescribed by regulation 4 of the 1984 Regulations or by regulation 4 of the 1982 Regulations in relation to the subject matter and the vehicle complies with those requirements;
- (c) that there is produced to the Secretary of State evidence that satisfies him that the vehicle has been found by a competent authority in another EEA State to comply with

requirements applicable to the vehicle equivalent to those prescribed in relation to the subject matter.

(9) For the purposes of paragraph (8)(b), the requirements prescribed by regulation 4 of the 1984 Regulations in relation to the subject matter mentioned in item 6 of column 2 of the Table in Schedule 3 to these Regulations (lamps, reflectors and devices) shall be regarded as the requirements prescribed in relation to—

- (a) installation of lighting and signalling equipment;
- (b) direction indicators;
- (c) headlamps and filament lamps;
- (d) side, rear and stop lamps;
- (e) rear reflectors; and
- (f) rear fog lamps.

(10) For the purposes of paragraph (8), regulation 4(1A) of the 1984 Regulations shall have effect as if—

- (a) for sub-paragraph (a), there were substituted—
  - "(a) an entry in column (6) of Part I of Schedule 1 shall not apply to the vehicle if the vehicle was manufactured before the date specified or having effect as if specified in that entry;"; and
- (b) the words after sub-paragraph (b) were omitted.

(11) For the purposes of paragraph (8), regulation 4(2A) of the 1982 Regulations shall have effect as if—

- (a) for sub-paragraph (a), there were substituted—
  - "(a) an entry in column (6) of Part I of Schedule 1 shall not apply to the vehicle if the vehicle was manufactured before the date specified or having effect as if specified in that entry;"; and
- (b) the words after sub-paragraph (b) were omitted.

(12) If a relevant vehicle complies with all the requirements prescribed by-

- (a) regulation 4 of the 1984 Regulations (disregarding paragraph (9)); or
- (b) regulation 4 of the 1982 Regulations (disregarding paragraph (10)),

that are applicable to it, the requirements prescribed by this regulation shall not apply to it.

## **Commencement Information**

I5 Reg. 5 in force at 1.2.2001, see reg. 1

## PART III

## MISCELLANEOUS

## Application for Minister's approval certificate

**6.**—(1) An application for the issue for a Minister's approval certificate on the basis that the vehicle complies with the approval requirements by virtue of these Regulations shall be made to the Secretary of State.

- (2) The application shall be in a form which—
  - (a) has been approved by the Secretary of State; and
  - (b) has been duly completed so as to furnish all the information required by that form.
- (3) The application shall be accompanied by—
  - (a) the documents mentioned in the form as being required in connection with the application; and
  - (b) the prescribed fee.

(4) As soon as reasonably practicable after he receives the application, the Secretary of State shall send to the applicant a notice stating the time when and the place where an examination for the purposes of the application is to be carried out.

(5) The Secretary of State may by notice to the applicant alter the time when or the place where the examination is to be carried out, but he shall not alter the time to an earlier time without the consent of the applicant.

(6) Where an application ("the original application") made in accordance with the paragraphs (1) to (3) is refused other than by virtue of regulation 10 or on the grounds that the vehicle is not a relevant vehicle, a further application by the same applicant in respect of the vehicle shall be regarded as having been made in accordance with and pursuant to those paragraphs if—

- (a) it is made (orally or in writing) to the Secretary of State during the period of six months beginning with the date on which the original application was refused; and
- (b) at the time that he makes the further application, the applicant requests an examination to be carried out for the purpose of the further application—
  - (i) during that period of six months; and
  - (ii) except in the case of a Schedule 2 vehicle other than a left hand drive vehicle or a personally imported vehicle, at the place where the examination took place for the purposes of the original application.

(7) Paragraphs (4) and (5) shall not apply to an application made in accordance with paragraph (6); and in the case of such an application—

- (a) the Secretary of State shall inform the applicant in such manner as he thinks fit of the time when and the place where the examination is to be carried out;
- (b) the Secretary of State may alter the time when or the place where the examination is to be carried out, but he shall not alter the time to an earlier time without the consent of the applicant;
- (c) if the Secretary of State so alters the time or place, he shall inform the applicant in such manner as he thinks fit of the time when and the place where the examination is to be carried out; and
- (d) the applicant shall pay the prescribed fee to the Secretary of State before the examination is carried out.

(8) Paragraphs (4) to (7) shall not apply to an application for the issue of a Minister's approval certificate under section 58(4) of the 1988 Act.

#### **Commencement Information**

I6 Reg. 6 in force at 1.2.2001, see reg. 1

#### Assignment of vehicle identification numbers

7.—(1) Where it appears to the Secretary of State when an application is made for a Minister's approval certificate in accordance with paragraphs (1) to (3) of regulation 6 that the vehicle to which the application relates does not have a vehicle identification number which—

- (a) complies with paragraph 3.1.1 of the Annex to Directive 76/114/EEC(11) or that Directive as last amended by Directive 78/507/EEC(12);
- (b) has been previously assigned to the vehicle under this regulation; or
- (c) does not fall within sub-paragraph (a) or (b), but is adequate for the purpose of enabling the vehicle to be identified,

he shall assign a vehicle identification number to the vehicle.

(2) Where an application is made under regulation 6 for the issue of a Minister's approval certificate under section 58(4) of the 1988 Act, paragraph (1) shall have effect as if the words "in accordance with paragraphs (1) to (3) of regulation 6" were omitted.

#### **Commencement Information**

I7 Reg. 7 in force at 1.2.2001, see reg. 1

## Criteria for determining design weights

8. For the purposes of section 54(2) of the 1988 Act, where an application is made pursuant to regulation 6, the criteria for determining, as design weights, the axle weights and gross weights which in the opinion of the Secretary of State should not be exceeded in the case of a vehicle to which these Regulations apply are as follows—

- (a) the design of the vehicle, its construction and equipment and the stresses to which it is likely to be subject when used on a road;
- (b) any information which is available about the weight which a vehicle of that type was designed by the manufacturer to carry when used on a road; and
- (c) any information obtained from an examination of a vehicle of that type or a similar type with a view to ascertaining whether at the time of the examination, it complied with any requirement prescribed under section 54 of the 1988 Act and applicable to it.

#### **Commencement Information**

**I8** Reg. 8 in force at 1.2.2001, see reg. 1

## Appeals

**9.**—(1) An appeal under section 60 of the 1988 Act by a person aggrieved by a determination made by the Secretary of State pursuant to an application under regulation 6 shall be made by including with the documents submitted a form which—

- (a) has been provided by the Secretary of State; and
- (b) has been completed so as to include a description of the grounds upon which the appeal is made and such other information as may be reasonably required by that form.
- (2) The appeal shall be accompanied by the prescribed fee.

<sup>(11)</sup> O.J.L24, 18.12.75, p.1.

<sup>(12)</sup> O.J. L155 19.05.78, p.31.

(3) The prescribed time within which an appeal against such a determination may be made is 14 days beginning with the date of the determination.

(4) As soon as reasonably practicable after the date of the receipt of the appeal the Secretary of State shall send to the appellant a notice stating the time when and the place where the re-examination for the purpose of determining the issues raised on the appeal is to be carried out.

(5) The Secretary of State may by notice to the applicant alter the time when or the place where the re-examination is to be carried out, but he shall not alter the time to an earlier time without the consent of the applicant.

#### **Commencement Information**

**I9** Reg. 9 in force at 1.2.2001, see reg. 1

#### Refusal of application or appeal without an examination or a complete examination

**10.**—(1) In this regulation—

"appeal" means an appeal under section 60 of the 1988 Act in respect of the determination of an application;

"application" means an application under regulation 6 for the issue of a Minister's approval certificate under section 58(1) of the 1988 Act;

"examination" means an examination for the purposes of an application or appeal; and

"examiner", in relation to an examination, means the person appointed by the Secretary of State to conduct the examination.

(2) The Secretary of State may refuse an application or appeal even though an examination has not been carried out if—

- (a) the vehicle is not submitted for examination at the time and place fixed under these Regulations for the examination;
- (b) the fee in respect of the examination is not paid at or before the time fixed under these Regulations for the examination;
- (c) the examiner is not able, with the facilities and apparatus available to him at the place at which the examination would otherwise be carried out, to complete the examination without the vehicle being driven or the engine run and the vehicle is not when submitted for examination, either for want of fuel or oil or for any other reason, fit to be driven or for the engine to be run to such extent as may be necessary for the purposes of carrying out the examination;
- (d) when the vehicle is submitted for the examination, the vehicle or any item which forms part of the vehicle or its equipment is so dirty or dangerous as to make it unreasonable for the examination to be carried out;
- (e) any things which are on the vehicle when it is submitted for the examination, and are not part of its equipment or accessories, are required by the examiner to be removed from the vehicle or to be secured in such a manner as he may think necessary and those things are not removed or secured accordingly;
- (f) when the vehicle is submitted for the examination, a proper examination cannot be carried out as a consequence of any door, tailgate, boot lid, engine cover, fuel cap or other device designed to be capable of being readily opened, being locked or otherwise fixed so that it cannot readily be opened;

- (g) when the vehicle is submitted for the examination, its condition is such that, in the opinion of the examiner, a proper examination of the vehicle would involve a danger of—
  - (i) injury to any person, or
  - (ii) damage to the vehicle or any other property;
- (h) when the vehicle is submitted for the examination, there is not permanently fixed to the chassis or main structure of the vehicle in a conspicuous and easily accessible position so as to readily legible, a vehicle identification number which—
  - (i) complies with paragraph 3.1.1 of Annex to Directive 76/114/EEC or that Directive as last amended by Directive 78/507/EEC;
  - (ii) has been assigned to the vehicle under regulation 7(1); or
  - (iii) does not fall within sub-paragraph (i) or (ii), but appears to the Secretary of State to be adequate for the purpose of enabling the vehicle to be identified; or
- (i) the person who is the driver of the vehicle at the time it is submitted for the examination is requested to remain in it or its vicinity throughout the examination, to drive it, to operate its controls or to remove or refit its panels and he declines to do so.

(3) Nothing in this regulation shall affect any power of the Secretary of State to refuse an application or to reject an appeal otherwise than under this regulation.

#### **Commencement Information**

I10 Reg. 10 in force at 1.2.2001, see reg. 1

## Form of certificate

**11.**—(1) Subject to the following paragraphs, where a Minister's approval certificate is issued under section 58(1) of the 1988 Act on the basis that the vehicle complies with the approval requirements by virtue of these Regulations, the certificate shall be in the form set out in Schedule 5 to these Regulations or in a form to the like effect.

(2) Where the certificate is issued on the basis that it relates to a vehicle falling within a class specified in column (2) of an item in the Table below there shall be inserted in the box under the words "Class Code" the letter specified in column (3) of that item.

(1)	(2)	(3)
Item	Class of vehicle	Letter
1.	Left hand drive vehicle	Ν
2.	Personally imported vehicle	Р
3.	Amateur built vehicle	А
4.	Vehicle manufactured in very low volume	L
5.	Vehicle manufactured using parts from a registered vehicle	С
6.	Disabled persons vehicle	D
7.	Rebuilt vehicle	S

#### TABLE

(1)	(2)	(3)
Item	Class of vehicle	Letter
8.	Motor caravan, ambulance or hearse	М
9.	Armoured vehicle	Т
10.	Vehicle not falling within any of the preceding classes specified in this Table	R
11.	Vehicle which meets the condition set out in regulation 5(8)(c)	Е

(3) Any letter or letters inserted pursuant to paragraph (2) may be followed by a zero and then by any letters or numbers that the Secretary of State thinks fit to insert.

(4) Expressions used in this regulation which are the subject of definitions in Schedule 2 shall have the meanings given by those definitions.

(5) This regulation shall apply to a Minister's approval certificate issued under section 58(4) of the 1988 Act as it applies to such a certificate issued under section 58(1) of that Act as if for the words "section 58(1)" in the form set out in Schedule 5 to these Regulations there were substituted the words "section 58(4)".

#### **Commencement Information**

II1 Reg. 11 in force at 1.2.2001, see reg. 1

#### **Replacement certificates**

**12.**—(1) If a Minister's approval certificate has been lost or defaced, an application for issue of a replacement for the original certificate may be made, either orally or in writing, to the Secretary of State at the place from which the original certificate was issued.

- (2) The application shall—
  - (a) specify the identification number of the vehicle in respect of which the original certificate was issued; and
  - (b) be accompanied by the prescribed fee.

(3) As soon as reasonably practicable after he receives the application and fee, the Secretary of State shall issue to the applicant a replacement for the certificate to which the application relates and any such replacement shall have the same effect as the certificate which it replaces and shall be marked "replacement".

#### **Commencement Information**

I12 Reg. 12 in force at 1.2.2001, see reg. 1

### Notices

**13.** Except as otherwise provided by these Regulations, every notice under them shall be in writing and may be given by post.

## **Commencement Information**

**I13** Reg. 13 in force at 1.2.2001, see reg. 1

## **Obligatory certificates**

14.—(1) Subject to paragraph (2) below, this regulation applies to all relevant vehicles.

- (2) This regulation does not apply—
  - (a) to any ambulance or a motor caravan;
  - (b) to any registered vehicle;
  - (c) to a vehicle more than 10 years after the time when it was manufactured; or
  - (d) to a vehicle that meets the requirements specified in paragraph (3).
- (3) The requirements referred to in paragraph (2)(d) are that—
  - (a) the person by whom the vehicle is kept ("the keeper") is a member of a visiting force or of a member of the civilian component of a visiting force;
  - (b) the vehicle has been imported into the United Kingdom for the personal use of the keeper or of his dependants;
  - (c) there is not in force with respect to the vehicle—
    - (i) a Minister's approval certificate issued in pursuance of these Regulations;
    - (ii) a certificate of conformity;
    - (iii) a Minister's approval certificate in a form prescribed by regulation 14 of the 1982 Regulations or regulation 9 of the 1984 Regulations; or
    - (iv) an EC certificate of conformity; and
  - (d) not more than one other vehicle which meets the requirements of sub-paragraphs (a), (b) and (c) is kept in the United Kingdom by the keeper.

(4) In paragraph (3) the expressions "member of a visiting force" and "member of a civilian component of a visiting force" shall bear the same meanings as in Part I of the Visiting Forces Act 1952(13).

(5) The day appointed for the purposes of section 63(1) of the 1988 Act in relation to every vehicle—

(a) to which this regulation applies; but

(b) which is not of a class for which a day had previously been appointed for those purposes, is 1st February 2001.

(6) Without prejudice to any other Regulations having effect by virtue of section 63(1) of the 1988 Act, all vehicles to which this regulation applies are vehicles of a prescribed class for the purposes of that section.

(7) The type approval requirements prescribed for the purposes of section 63(1) of the 1988 Act, in relation to every vehicle to which this regulation applies, are the approval requirements.

- (8) Section 63(1) of the 1988 Act shall not apply to the use of a relevant vehicle—
  - (a) for the purpose of submitting it (by previous arrangement for a specified time on a specified date) before it is registered for an examination pursuant to an application under these Regulations;

<sup>(13) 1952</sup> c. 67. See sections 10 and 12.

- (b) for the purpose of bringing it away, before it is registered, from such an examination;
- (c) by an authorised person for the purpose of—
  - (i) taking it to, or bringing it away from, a place where a part of such an examination is to be, or has been, carried out, or
  - (ii) carrying out a part of such an examination, or
  - (iii) warming up its engine in preparation for such an examination, before it is registered;
- (d) where an application under regulation 6 is refused following such an examination, for the purpose of—
  - (i) delivering it (by previous arrangement for a specified time on a specified date) at a place where relevant work is to be done on it, or
  - (ii) bringing it away from a place where relevant work has been done on it, before it is registered.
- (9) In this regulation—

"authorised person" means an examiner appointed under section 66A of the 1988 Act or a person carrying out such an examination under the direction of such an examiner;

"relevant work" means work done or to be done to remedy the defects on the grounds of which the application was refused (including work to alter the vehicle in some aspect of design, construction, equipment or marking on account of which the certificate was refused).

## **Commencement Information**

I14 Reg. 14 in force at 1.2.2001, see reg. 1

## Licences not to be issued for vehicles unless appropriate certificates are in force

15. Where application is made for a licence under the Vehicle Excise and Registration Act 1994(14) for a vehicle to which regulation 14 applies, the licence shall not be granted unless on the first application after the day appointed by Regulations made by virtue of the 1988 Act for a licence for that vehicle, there is produced evidence that there are one or more certificates in force for the vehicle under sections 54 to 58 of the 1988 Act from which it appears that the vehicle complies with the approval requirements.

#### **Commencement Information**

I15 Reg. 15 in force at 1.2.2001, see reg. 1

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Motor Vehicles (Approval) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

Signed by authority of the Secretary of State

*Gus Macdonald* Minister of State, Department of the Environment, Transport and the Regions

9th January 2001

### SCHEDULE 1

Regulation 2

## **INSTRUMENTS REVOKED**

#### **Commencement Information** Sch. 1 in force at 1.2.2001, see reg. 1 I16 Instrument Number The Motor Vehicles (Approval) Regulations S.I.1996/3013 1996 The Motor Vehicles (Approval) (Amendment) S.I. 1997/1366 **Regulations 1997** The Motor Vehicles (Approval) (Amendment) S.I. 1997/2934 (No. 2) Regulations 1997 The Motor Vehicles (Approval) (Amendment) S.I. 1998/1008 **Regulations 1998** The Motor Vehicles (Approval) (Amendment) S.I. 1999/2082 **Regulations** 1999 The Motor Vehicles (Approval) (Amendment) S.I. 1999/3226 (No. 2) Regulations 1999

The Motor Vehicles (Approval) (Amendment) S.I. 2000/1972 Regulations 2000

#### SCHEDULE 2

Regulation 3(1)

## SCHEDULE 2 VEHICLES

## Meaning of "Schedule 2 vehicle"

- 1. A Schedule 2 vehicle is a relevant vehicle which is—
  - (a) a left hand drive vehicle;
  - (b) a personally imported vehicle;
  - (c) an amateur built vehicle;
  - (d) a vehicle manufactured in very low volume;
  - (e) a vehicle manufactured using parts of a registered vehicle;
  - (f) a disabled person's vehicle;
  - (g) a rebuilt vehicle;
  - (h) a motor caravan as defined in Annex II.A of the 1970 Directive;
  - (i) an ambulance as defined in Annex II.A of the 1970 Directive;
  - (i) a hearse as defined in Annex II.A of the 1970 Directive; or
  - (k) an armoured vehicle as defined in Annex II.A of the 1970 Directive.

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Motor Vehicles (Approval) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

#### **Commencement Information**

I17 Sch. 2 para. 1 in force at 1.2.2001, see reg. 1

### Personally imported vehicles

2.—(1) A vehicle is a personally imported vehicle if—

- (a) it has been imported by a person entering the United Kingdom;
- (b) that person had, at the time the vehicle was imported, been normally resident in a country other than the United Kingdom for a continuous period of at least 12 months;
- (c) that person intends to become normally resident in the United Kingdom;
- (d) the vehicle has been in the possession of that person and used by him in the country where he has been normally resident for a period of at least 6 months before its importation; and
- (e) the vehicle is intended for his personal or household use in the United Kingdom.

(2) For the purposes of this paragraph a person shall be treated as being normally resident in the country where he usually lives—

- (a) for a period of, or periods together amounting to, at least 185 days in a period of 12 months;
- (b) because of his occupational ties; and
- (c) because of his personal ties.

(3) In the case of a person with no occupational ties, sub-paragraph (2) shall apply with the omission of paragraph (b), provided that his personal ties show close links with that country.

(4) Where a person has his occupational ties in one country and his personal ties in another country, he will be treated, for the purposes of this paragraph, as being normally resident in that latter country provided that either—

- (a) his stay in the former country is in order to carry out a task of a definite duration, or
- (b) he returns regularly to the country where he has his personal ties.

(5) Notwithstanding paragraph (4), a United Kingdom citizen whose personal ties are in the United Kingdom but whose occupational ties are in a country other than the United Kingdom shall be treated for the purpose of this paragraph as normally resident in the country of his occupational ties, provided that he has lived there for a period of, or periods together amounting to, at least 185 days in a period of 12 months.

#### **Commencement Information**

I18 Sch. 2 para. 2 in force at 1.2.2001, see reg. 1

#### Amateur built vehicles

3.—(1) A vehicle is an amateur built vehicle if—

- (a) the vehicle was constructed or assembled for the personal use of a relevant individual; and
- (b) the construction or assembly or a substantial part of the construction or assembly was carried out by—

(i) the individual referred to in paragraph (a),

(ii) one or more relevant individuals acting on his behalf and under his direction, or

(iii) the individual referred to in paragraph (a) and one or more relevant individuals acting on his behalf and under his direction.

(2) For the purposes of this paragraph, a reference to a relevant individual, in relation to a motor vehicle, is a reference to an individual who did not, at any time during the period when the construction or assembly of the vehicle was being carried out, carry on a business in the course of which motor vehicles are normally constructed or assembled.

### **Commencement Information**

I19 Sch. 2 para. 3 in force at 1.2.2001, see reg. 1

#### Vehicles manufactured in very low volume

**4.**—(1) A vehicle is a vehicle manufactured in very low volume if the condition specified in either paragraph (2) or paragraph (3) is complied with.

(2) The condition specified in this paragraph is that the total number of vehicles of the family of types to which the vehicle in question belongs which are manufactured in the world for any period of 12 months falling within the period of 36 months immediately preceding the month in which the vehicle was manufactured does not exceed 200.

(3) The condition specified in this paragraph is that the number of vehicles of the type variant to which the vehicle in question belongs which are manufactured in the world for any period of 12 months falling within the period of 36 months immediately preceding the month in which the vehicle was manufactured does not exceed 20.

(4) For the purposes of sub-paragraph (3), a type variant consists exclusively of vehicles which do not differ in at least the following essential respects—

- (a) the manufacturer;
- (b) essential aspects of construction and design, that is to say in:
  - (i) obvious and fundamental differences in the chassis, floor pan or other parts of the vehicle's structure, or
  - (ii) the power plant (whether internal combustion, electric or hybrid);
- (c) body style (by way of example, saloon, hatchback, coupe, cabriolet or estate);
- (d) the following further characteristics of the power plant:
  - (i) its working principle (whether positive ignition or compression ignition, and whether four stroke or two stroke),
  - (ii) the number and arrangement of its cylinders,
  - (iii) differences in maximum power of more than 30% (the highest is more than 1.3 times the lowest), or
  - (iv) engine capacity differences of more than 20% (the highest is more than 1.2 times the lowest);
- (e) number, position or interconnection of the powered axles; or
- (f) number or position of the steered axles.

## **Commencement Information**

I20 Sch. 2 para. 4 in force at 1.2.2001, see reg. 1

### Vehicles manufactured using parts of a registered vehicle

5. A vehicle is a vehicle manufactured using parts of a registered vehicle if—

- (a) it is constructed or assembled by a person carrying on a business in the course of which motor vehicles are normally constructed or assembled;
- (b) it is equipped with an engine which has previously been used as the engine of another vehicle which had been registered under the Vehicle Excise and Registration Act 1994 or any earlier Act relating to the registration of mechanically propelled vehicles; and
- (c) it is equipped with one or more of the following components taken from the same vehicle as the engine—
  - (i) chassis;
  - (ii) body;
  - (iii) suspension;
  - (iv) an axle;
  - (v) transmission; or
  - (vi) steering assembly.

#### **Commencement Information**

I21 Sch. 2 para. 5 in force at 1.2.2001, see reg. 1

## **Disabled person's vehicle**

6.—(1) A vehicle is a disabled person's vehicle if it is adapted or specially constructed so as to enable a person who has a disability to travel in the vehicle, whether as the driver or a passenger, in safety and reasonable comfort.

(2) In sub-paragraph (1), "disability" has the meaning given by section 1 of the Disability Discrimination Act 1995(15).

#### **Commencement Information**

I22 Sch. 2 para. 6 in force at 1.2.2001, see reg. 1

## **Rebuilt vehicles**

- 7. A vehicle is a rebuilt vehicle if it—
  - (a) is a vehicle to which the Secretary of State is required by regulation 7 to assign a vehicle identification number;
  - (b) does not fall within either of the classes defined by paragraphs 3 or 5; and
  - (c) has been rebuilt using a replacement chassis, or an integral chassis body, which is of the same design and construction as that of the original vehicle and which—
    - (i) was supplied for the purpose without having been previously used, or
    - (ii) previously formed part of a registered vehicle.

<sup>(15) 1995</sup> c. 50.

## **Commencement Information**

I23 Sch. 2 para. 7 in force at 1.2.2001, see reg. 1

## SCHEDULE 3

Regulation 5(1)(a)

## APPROVAL REQUIREMENTS FOR RELEVANT VEHICLES

## **Commencement Information**

I24 Sch. 3 in force at 1.2.2001, see reg. 1

(References to paragraphs (unless otherwise provided) mean references to the numbered paragraph in column 3 of the item in which the reference appears, and the expressions in bold type are defined in column 4)

l Item	2 Subject matter	3 Requirement	4 Definitions and supplementary provisions	5 Exemptions and modifications
1	Doors, their latches and hinges	the vehicle for the entry and exit of occupants,	means a vertical plane parallel to the longitudinal axis of a	Paragraph 3 shall not apply to doors which do not give direct access to a seat designed for normal use while a vehicle is travelling on a road. This includes any door, for which the <b>longitudinal</b> <b>plane</b> passing through the extreme inboard projecting point of such a door is more than 300mm distant from the longitudinal plane passing

1	2	3	4	5	
tem	Subject	Requirement	Definitions	Exemptions	
	matter	-	and	and	
			supplementary	modifications	
			provisions	-	
		a safety-bolt		through the	
		with an audible		nearest edge	
		warning		of such a seat.	
		device is			
		provided as			
		specified in			
		paragraph 2(b)			
		below.			
		2. Where		The latching	
		hinges are		requirements	
		used, the		in paragraphs	
		hinges shall		1 and 3 shall	
		be fitted at		not apply to	
		the front edge		any power-	
		of the door.		operated door	
		However, they		if the force	
		may be fitted at the top or		applied by the power actuator	
		rear edge if		is sufficient to	
		either—		keep the door	
				completely	
		(a) a device		closed even	
		is		when any load	
		fitted		is applied as	
		which		described in	
			atically	paragraph 3.	
		closes	5		
		the			
		door			
		at			
		least			
		to			
		the interm	adiata		
		latched			
		positio			
		if it			
		is			
		unlatel	hed		
		when			
		the			
		vehicle	e		
		is			
		movin	g		
		in			
		the			
		forwar			
		19	)		

1	2	3	4	5
Item	Subject	Requirement	Definitions	Exemptions
	matter		and	and
			supplementary	modifications
			provisions	
		direct	tion;	
		or		
		(b) a		
		safety	/-	
		bolt		
		is fitted		
		to		
		preve	ent	
		such		
		unlate	ching	
		and		
		an		
		audib		
		warni devic		
		is	e	
		provi	ded	
		which		
		activa	ates	
		an		
		audib		
		warni	ing	
		if the		
		vehic	le	
		is		
		drive	n	
		withc	out	
		the		
		bolt		
		in		
		place		
		<b>3.</b> On		
		hinged doors,		
		the latch and		
		striker assembly shall		
		be capable of		
		withstanding		
		any load which		
		is likely to		
		be applied in		
		the course of		
		normal driving		
		(i.e. excluding		
		crash impacts)	20	

1	2	3	4	5
Item	Subject matter	Requirement	Definitions and supplementary provisions	Exemptions and modifications
		in both the intermediate and fully latched positions. However if a safety-bolt with an audible warning device is provided as specified in paragraph 2(b) above, the requirement need be met only with the bolt in place.		
2	Radio- interference suppression	The vehicle shall comply with the design, construction and fitting requirements of paragraph 6.1 of Annex 1 to Directive 72/245/ EEC as last amended by Directive 89/491/ EEC, or of paragraph 6.1 of ECE Regulation 10.01.		This item shall only apply to vehicles propelled by a spark ignition engine.
3	Protective Steering	1. No part of the steering control surface directed towards the driver which can be contacted by	purposes of this item— "driver's air-bag" means a flexible bag fitted to	This item shall not apply to— (a) vehicles, the steering control of which has been specially

	5	equirement	4 Definitions		mptions
тс	atter		and supplementary provisions	and mod	
	dia: pre rou sha wit of of 2.5. <b>stee</b> <b>con</b> be con and not con acc inc: hor and asso cap cate the clov jew nor mo <b>stee</b> <b>con</b> acc stee <b>con</b> acc inc: hor and asso cap cate the clov jew nor mo the the the the the the the the the the	h a radius curvature less than mm. 2. The ering htrol shall designed, astructed fitted so as to embody mponents or ressories, luding the m control f other emblies, vable of ching in driver's thing or vellery in mal driving vements. 3. The ering htrol and umn embly as ed to the hicle or steering htrol itself ll offer degree of tection to driver in event of a ntal impact	a vehicle and designed to be filled with gas under pressure in order to protect the driver in the event of a collision involving the front end of the vehicle. "steering control" has the same meaning as in Directive 74/297/ EEC.	(b) (c)	constructed for the use of a person suffering from some physical defect or disability; vehicles manufactured before 1 October 1997 in which the centre of the steering control is in the forward quarter of the total length of the vehicle, including any bumpers and overriders; goods vehicles having a maximum gross weight of not less than 1500kg and goods vehicles manufactured before 1

l Item	2 Subject	3 Requirement	4 Definitions	5 Exe	mptions
	matter	Requirement	and	and	
			supplementary		
			provisions		5
		requirement			October
		shall be treated			1997;
		as met if		(d)	ambulances,
		either—			motor
		(a) the			caravans
		vehic	ele		and
		comp	olies		hearses
		with			(in each
		the			case)
			rements		having a
		of			maximum
		parag	graph		gross weight
		5.2			weight of more
		of			than
		Anne	ex		2,500
		1 of			kg if the
		Direc			vehicle
		74/29			has been
		EEC	,		derived
		or			from a
		(b) the			goods
		steer			vehicle
		contr			either
		comp	olies		having a
		with			maximum
		the			gross
			rements		weight
		of			of not
			graphs		less than
		5.2,			1,500
		5.4.3 5.4.4			kg or
		and			manufactured
		5.4.5			before
		0.4.5 of			1st Optober
		Direc	ctive		October
		74/29			1997;
		EEC		(a)	and
		as		(e)	armoured vehicles.
		last			vennenes.
		amer	ided	Dara	graph 1
		by			l not apply
		Direc	ctive		vehicle
		91/60		if—	veniere
		EEC		(a)	it is a
				(4)	Schedule 2
					vehicle
			22		veniere

supplementary modifications provisions         4. The       but         vehicle shall       not—         comply with       (i) an         the       ama         requirements       buil         of paragraph       vehi         5.1 of Annex       (ii) a         1 of Directive       vehi         74/297/EEC.       mar         a       regi			
4. The     but       vehicle shall     not—       comply with     (i) an       the     ana       requirements     buil       of paragraph     veh       5.1 of Annex     (ii) a       1 of Directive     veh       74/297/EEC.     mar       (iii) a     regi       veh     regi       veh     of       (b) it is     fitted       with a     driver's       air bag;     and       (c) the     driver's       dirted at the     time the       vehicle     was       fitted     at hall not apply       to any switch     fitted to the	and modifications		
comply with (i) an the ana requirements buil of paragraph veh 5.1 of Annex (ii) a 1 of Directive veh 74/297/EEC. mar of a regi veh (b) it is fitted with a <i>driver</i> is <i>air</i> bag; <i>and</i> (c) the <i>driver</i> is <i>air</i> bag; was fitted at the time the vehicle was manufact Paragraph 1 shall not apply to any switch fitted to the steering control of a vehicle if—			
the transmission of paragraph web 5.1 of Annex (ii) a 1 of Directive web 74/297/EEC. mar usin paragraph (iii) a 1 of Directive mar (iii) a regi veb veb (b) it is fitted with a driver's air bag was fitted at the time the vebricle was manufact Paragraph 1 shall not apply to any switch fitted to the steering control of a vehicle if—			
requirements buil of paragraph 5.1 of Annex (ii) a 1 of Directive veh 74/297/EEC. (iii) a regi veh or (ii) a regi veh or (ii) a rebu veh (b) it is fitted with a driver's air bag; and (c) the driver's air bag; and (c) the driver's air bag; was fitted at the time the vehicle was manufacti Paragraph 1 shall not apply to any switch fitted to the steering control of a vehicle if—			
of paragraph veh 5.1 of Annex (ii) a 1 of Directive veh 74/297/EEC. mar usin part of a regi veh (ii) a regi veh (iii) a redu veh (b) it is fitted with a driver's air bag; and (c) the driver's air bag; was fitted at the time the vehicle was manufact Paragraph 1 shall not apply to any switch fitted to the steering control of a vehicle if—	ateur-		
5.1 of Amex 1 of Directive 74/297/EEC. (ii) a veh of a regiven veh (b) it is fitted with a driver's air bag; and (c) the driver's air bag; was fitted at the time the vehicle was manufact Paragraph 1 shall not apply to any switch fitted to the steering control of a vehicle if—			
1 of Directive 74/297/EEC. (iii) a regiven (iii) a rebuveh (b) it is fitted with a driver's air bag; and (c) the driver's air bag was fitted at the time the vehicle was manufact Paragraph 1 shall not apply to any switch fitted to the steering control of a vehicle if—	licie,		
74/297/EEC. mar usin part of a regi veh or (iii) a reb veh (b) it is fitted with a <i>driver's</i> <i>air bag</i> ; and (c) the <i>driver's</i> <i>air bag</i> was fitted at the time the vehicle was manufact Paragraph 1 shall not apply to any switch fitted to the <b>steering</b> <b>control</b> of a vehicle if—	icle		
usin part of a regi veh or (iii) a rebu veh (b) it is fitted with a <i>driver's</i> <i>air bag</i> ; and (c) the <i>driver's</i> <i>air bag</i> was fitted at the time the vehicle was manufact Paragraph 1 shall not apply to any switch fitted to the <b>steering</b> <b>control</b> of a vehicle if—	nufactured		
part of a regi veh or (iii) a rebu veh (b) it is fitted with a driver's air bag; and (c) the driver's air bag was fitted at the time the vehicle was manufacti Paragraph 1 shall not apply to any switch fitted to the steering control of a vehicle if—			
of a regi veh or (iii) a rebu veh (b) it is fitted with a <i>driver's</i> <i>air bag</i> ; and (c) the <i>driver's</i> <i>air bag</i> was fitted at the time the vehicle was manufact Paragraph 1 shall not apply to any switch fitted to the <b>steering</b> <b>control</b> of a vehicle if—			
a regivents or (iii) a rebuvents (b) it is fitted with a driver's air bag; and (c) the driver's air bag was fitted at the time the vehicle was manufact Paragraph 1 shall not apply to any switch fitted to the steering control of a vehicle if—			
vehicle if—			
<ul> <li>(iii) a rebuvel</li> <li>(b) it is fitted with a driver's air bag; and</li> <li>(c) the driver's air bag was fitted at the time the vehicle was manufact</li> <li>Paragraph 1 shall not apply to any switch fitted to the</li> <li>steering control of a vehicle if—</li> </ul>	istered		
<ul> <li>(iii) a rebuveling</li> <li>(b) it is fitted with a driver's air bag; and</li> <li>(c) the driver's air bag was fitted at the time the vehicle was manufact</li> <li>Paragraph 1 shall not apply to any switch fitted to the steering control of a vehicle if—</li> </ul>	icle;		
rebuvehi (b) it is fitted with a driver's air bag; and (c) the driver's air bag was fitted at the time the vehicle was manufacti Paragraph 1 shall not apply to any switch fitted to the steering control of a vehicle if—			
vehicle (b) it is fitted with a driver's air bag; and (c) the driver's air bag was fitted at the time the vehicle was manufacti Paragraph 1 shall not apply to any switch fitted to the steering control of a vehicle if—			
<ul> <li>(b) it is fitted with a <i>driver's</i> <i>air bag</i>; and</li> <li>(c) the <i>driver's</i> <i>air bag</i> was fitted at the time the vehicle was manufact</li> <li>Paragraph 1 shall not apply to any switch fitted to the</li> <li>steering control of a vehicle if—</li> </ul>			
fitted with a driver's air bag; and (c) the driver's air bag was fitted at the time the vehicle was manufact Paragraph 1 shall not apply to any switch fitted to the steering control of a vehicle if—	icle;		
with a driver's air bag; and (c) the driver's air bag was fitted at the time the vehicle was manufact Paragraph 1 shall not apply to any switch fitted to the steering control of a vehicle if—			
driver's air bag; and (c) the driver's air bag was fitted at the time the vehicle was manufact Paragraph 1 shall not apply to any switch fitted to the <b>steering</b> <b>control</b> of a vehicle if—			
<ul> <li>air bag; and</li> <li>(c) the driver's air bag was fitted at the time the vehicle was manufact</li> <li>Paragraph 1 shall not apply to any switch fitted to the</li> <li>steering control of a vehicle if—</li> </ul>			
(c) the driver's air bag was fitted at the time the vehicle was manufacti Paragraph 1 shall not apply to any switch fitted to the steering control of a vehicle if—			
<ul> <li>(c) the driver's air bag was fitted at the time the vehicle was manufact</li> <li>Paragraph 1 shall not apply to any switch fitted to the steering control of a vehicle if—</li> </ul>			
driver's air bag was fitted at the time the vehicle was manufacti Paragraph 1 shall not apply to any switch fitted to the <b>steering</b> <b>control</b> of a vehicle if—			
was fitted at the time the vehicle was manufact Paragraph 1 shall not apply to any switch fitted to the <b>steering</b> <b>control</b> of a vehicle if—			
fitted at the time the vehicle was manufact Paragraph 1 shall not apply to any switch fitted to the <b>steering</b> <b>control</b> of a vehicle if—			
at the time the vehicle was manufact Paragraph 1 shall not apply to any switch fitted to the steering control of a vehicle if—			
time the vehicle was manufact Paragraph 1 shall not apply to any switch fitted to the <b>steering</b> <b>control</b> of a vehicle if—			
vehicle was manufacti Paragraph 1 shall not apply to any switch fitted to the steering control of a vehicle if—			
was manufactu Paragraph 1 shall not apply to any switch fitted to the steering control of a vehicle if—			
manufact Paragraph 1 shall not apply to any switch fitted to the steering control of a vehicle if—			
shall not apply to any switch fitted to the steering control of a vehicle if—	ured.		
to any switch fitted to the steering control of a vehicle if—			
fitted to the steering control of a vehicle if—			
<b>steering</b> <b>control</b> of a vehicle if—			
<b>control</b> of a vehicle if—			
vehicle if—			
(a) 1t is a			
	2		
Schedule vehicle	2		
venicie			

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Motor Vehicles (Approval) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

1 Item	2 Subject matter	3 Requirement	4 Definitions and supplementary provisions	5 Exemptions and modifications
			provisions	but not— (i) an amateur- built vehicle; (ii) a vehicle manufactured using parts of a registered vehicle; or (iii) a rebuilt vehicle; or (iii) a rebuilt vehicle; and (b) the switch is an integral part of the steering control as originally fitted to the vehicle by its manufacturer and it can be depressed into the steering control
4	Exhaust emissions	1. The vehicle shall not emit any avoidable	For the purposes of this item—	by finger pressure. Paragraphs 2, 3 and 4 shall not apply to—

25

1	2	3	4	5	
т	Subject	Requirement	Definitions	Exe	emptions
	matter		and	ana	l
			supplementary	, mo	difications
			provisions		
		smoke o		e (a)	vehicles
		avoidable	date"		not
		visible vapour			propelled
		<b>2.</b> When	the		by a
		the engine	date of		spark
		by which i	t manufact	ure	ignition
		is propelled	or the		engine;
		is running		(b)	vehicles
		without load	except		having
		at <b>a norma</b>	that in		an
		idling speed	the case		effective
		the carbon	<sup>or a</sup>		date
		monoxide	vehicle		before
		content o	f which		1st
		the exhaus	t tor the		August
		emissions	time		1975;
		from the	being		and
		engine shal	1 meets	(c)	vehicles
		not exceed—	the		having
	(a) if	requirem	ents	an	
		(a) II the	of		effective
		vehi	paragraph	1	date
		has	2,201		before
		an	6 of	2	1st
			schedule ctive to these	2	August
		date			1987 and
		befo	iteguiane	ms,	propelled
		1st	it bildi		by a
		Aug	ust the 1st		rotary piston
		1980			engine.
		4.5%	Juliani	elv	ungint.
		or	preceding		oranhe
			the		and (b)
		(b) if	date of		3 shall
		the	<b>C</b> (		
		vehi	of the		ehicles
		has	engine		belled by
		an	ctive by which		•
		date		engi	
		on	propelled		**
		or	if that		graphs
		after			and 2(d)
		lst	earlier;		l not apply
		Aug	(()1		ehicles
		1986	ust		
		1700			ctive date
			is the		ore 1st

1	2	3	4		5		
tem	Subject	Requireme	ent Defir	nitions	Exe	emptions	
	matter		and		ana	!	
			supp	lementar	у то	difications	
			1	isions			
						ary 1999	
				entitled		ch are	
		b	eing	"In-	eithe		
		a		service	(i)	fuelled	
				Exhaust		solely	
		to		Emission		by either	
				Standard		liquid	
				for Road		petroleum	
		-	aragraph (c			-	
		0				) natural	
		· · · · · · · · · · · · · · · · · · ·	· ·	publishe		gas, or	
				by the	(ii)	bi-	
				Departm of the	lent	fuelled	
			,		mont	vehicles when	
		0		Environi Transpor		controlled	
		(c) if	L	and the	ı <b>t</b>	to	
				Regions	-	operate	
			cilicit	"a fast	,	on either	
		is	<b>)</b>	idling		of those	
			1 a	speed"		gases.	
			escription	means—	_	8	
			lentioned	(a) in		graphs	
		i1	.1		3 an		
			ne			l not apply	
		A to	Annex	of		ehicles	
			he	а		led solely	
			missions	vel		atural gas	
			ublication	of		bi-fuelled	
			nd	а	vehi	cles when	
		is		des	scriptit	molled to	
			, ither—	me		dte on	
		C		in		er liquid	
			(i) a			oleum gas	
			passer	iger An	next n	atural gas.	
			car baying	to	-		
			having an	- 110		graph 4(c)	
			effecti			not apply	
			date	րո		dniçles	
			on	a	fuel		
			or		ati <b>by</b> ıd		
			after			oleum gas	
			1st			atural gas.	
			Augus	the the			
			1992;	1111	nimun	1	
			or	and			
			01		iximun	n	
			~=	lın	nits		
			07				

1	2	3	4	5
tem	Subject	Requirement	Definitio	ns Exemptions
	matter	-	and	and
			suppleme	entary modifications
			provision	25
		(ii	) any	shown
			other	against
			vehicle	that
			having	description
			four	of
			or	vehicle
			more	in
			wheels	columns
			and	3(e)
			an	and
			effective	(f)
			date	respectively
			on	of
			or	that
			after	Annex;
			1st	or
			Augus(b)	in
			1994,	any
			the	other
			relevant	case,
			percentag	e;a
			or	rotational
		(d) if		speed
		the		of
		vehi	cle	between
		is		2,500
		not		and
		of a		3,000
			ription	revolutions
			tioned	per
		in		minute;
		the	"the	
		Ann		bada
		to	valu	
		the	mea	
		emis	5510115	ratio
		publ		nass
		and	of a	
		is	petr	
		eithe	er vapo	
		G	in th ) a mix	
		(1	1111/1	ture
			passenger car the	ring
				•
			having <sub>com</sub>	bustion
				nbers
			effective date by 1	ded
			Uyi	4.7;
			28 <sup>n</sup>	

or

1	2	3	4	5
Item	Subject	Requirement	Definitions	Exemptions
	matter		and	and
			supplementary	modifications
			provisions	
			after "a	
			1st normal	
			Augustdling	
			1995; speed"	
			or means	
		(1	i) any in the case of a other case of a	
			vehicle vehicle	
			having <sup>of a</sup>	
			four descriptio	n
			or mentioned	
			more in the	
			wheelsAnnex	
			and to the	
			an emissions	5
			effective	on,
			date <sup>a</sup> on rotational	
			speed	
			1	
			after the lst	
			August	
			1997 and	
			0.5% maximum	1
		of	mmus	
		the	shown	
		tota	l against	
			aust that	'n
			ssions descriptio	011
		froi	n vehicle	
		the	in	
		eng by	columns	
			ume. $2(b)$	
			and $2(c)$	
		<b>3.</b> If th	respective	ely
			by of that	
			ie Annex;	
			is "passenge is car"	er
		run withou		
			at a motor	
		a rotation		
		speed of 2,00		
		revolutions pe		
		minute, th	()	structed
		hydrocarbon	or	
		content o	of adap	oted
			29	

1	2	3	4	5
tem	Subject	Requirement	Definitions	Exemptions
	matter		and	and
			supplementa	ary modifications
			provisions	
		the exhaust	fe	or
		emission from		se
		the engine		or
		shall not		ne
		exceed 0.12%		arriage
		if the vehicle	0	
		either—		assengers
		(a) has		nd
		not	is	
		more	n	ot
		than	a	
		three		oods
		wheel	LO.	ehicle;
		or	(b) h	as
		(b) is a	n	
		vehic		ore
		to	u	nan
		which		ive
		parag	l. 30	eats
		2(a)	- 11	
		or		ddition
		(b)	to	ne
		applie		river's
			u	eat;
		4. If the		as
		vehicle is	(c) n	
		one to which		veight
		paragraph 2(c)		ot
		or (d) applies		xceeding
		and the engine		,500
		by which it is propelled is	k	
		run without a		aximum
		load at a <b>fast</b>		ross;
		idling speed—		nd
				as
		(a) the	f	our
		carbo	n	
		mono	xide m	nore
		conte	nr	vheels;
		of	"the	-
		the	relevan	ıt
		exhau	IST limite"	
		emiss	ions means-	
		from	(a) ir	
		the	tł	ne
		engin shall	e	ase
		snall	0	

1	2	3	4			5	-
Item	Subject	Requirem	ent Def	inition	ıs	Exemptions	
	matter	1	and			and	
					ntary	modifications	
				visions	-	0	
		r	not		a		
		e	exceed		vehic	le	
		(	).3%		of		
		C	of		а		
		t	he		descr	iption	
		t	otal		ment		
		e	exhaust		in		
		e	emissions		the		
		f	rom		Anne	ex	
		t	he		to		
		e	engine		the		
		ŀ	by C		emiss	sions	
			volume;		publi	cation,	
		(b) t			the		
			nydrocarbo	m	minir	num	
			content	••	and		
			of		maxi		
			he		limits		
			exhaust		show		
			emissions		again	st	
			rom		that		
			he			iption	
			engine		of		
			hall		vehic	le	
			not		in		
			exceed		colun	nns	
			0.02%		3(c)		
			of		and		
		t	he		3(d)		
		t	otal			ctively	
			exhaust		of		
			emissions		that		
			rom		Anne	х;	
		t	he		or		
		e	engine	(b)	in		
			ру		any		
			volume;		other		
		8	ind		case,		
		(c) t	he		0.97		
			ambda		and		
			allue	<u>در ۱</u>	1.03;		
			shall	"the	t		
			be	relev		**	
			between		entage		
			he	mear			
			elevant	in the			
			imits.	case			
		-	21	vehic	sie		

1	2	3	4	5
Item	Subject	Requirement	Definitions	Exemptions
	matter	1	and	and
				modifications
			provisions	5
			of a	
			description	n
			mentioned	1
			in the	
			Annex	
			to <b>the</b>	
			emissions	
			publicatio	on,
			the	
			percentage	e
			shown	
			against	
			that	
			description	n
			of	
			vehicle	
			in column	
			2(a) of that	
			Annex;	
			and	
			"rotary	
			piston	
			engine"	
			means	
			an	
			engine	
			in which	
			the	
			torque is	
			provided	
			by	
			means	
			of one	
			or more	
			rotary	
			pistons	
			and not	
			by any	
			reciprocat	ing
			piston;	
			and any	
			rotary	
			piston	
			engine	
			shall be	
			deemed	
			32	

l Item	2 Subject matter	3 Requirement	4 Definitions and supplementary provisions to be a	5 Exemptions and modifications
			four- stroke engine.	
5	Smoke Emissions	If the vehicle has an effective date on or after 1 August 1979, when the engine by which it is propelled is subject to the free- acceleration test, the coefficient of absorption of the exhaust emissions from the engine immediately after leaving the exhaust shall not exceed— (a) if the engine of the vehicle is turbo- charged, 3.0 per metre, or (b) in any other case, 2.5 per metre.	For the purposes of this item— "co- efficient of absorption shall be construed in accordance with paragraph 3.5 of Annex VII to Directive 72/306; "effective date" has the same meaning as in item 4; and "free acceleration has the same meaning as in Annex II to Directive 77/143/ EEC as last amended by Directive 92/55/ EEC.	e

1	2	3		4		5	
Item	Subject matter	Req	uirement	Defi and	initions	Exe and	mptions
	matter			supp	olementary		lifications
	_			-	visions		
6	Lamps,	The		For t			item,
	reflectors and		truction		ose of		far as
	devices		equipmen e vehicle				juires
			be such		ighting lations	-	lamp being
			its use	-	have		ament
			road		t as if	lamp	
		betw		for e		-	ctor or
		suns	et and	refer	•	devi	ce to bear
		sunr	ise	to the	e date	a pai	ticular
			ld not		hich a		dard
			titute a	vehic			k (or one
			ravention	first			o or more
			failure		were		dard
		to co with	mply		tituted a		<b>ks</b> ), shall apply to a
		(a)					cle if—
		(u)	12, 13,		ifacture	(a)	in the
			14, 15,		e vehicle.	(4)	case of a
			16, 17,	16, 17,			lamp or
			19 or 20	For t	he		device,
			of the		oses of		it meets
			Lighting		tem—		the
			Regulati	ons;	"approval		requirements
		(h)	or	m 10	mark"		as to
		(b)	regulation of those	18	has the same		intensity; and
			Regulati	ons	meaning	(b)	in the
			except	0115	as in	(0)	case of a
			in so		Schedule	7	reflector,
			far as it		of the		it meets
			requires		Lighting		the
			a		Regulation		standards
			vehicle-	_	"coefficie	nt	as to
			(i) to	1	of		coefficient
				nply th	luminous		of luminous
			wi		intensity" has the		
			12	• •	same		intensity, of the
			of		meaning		instrument
			Pa	rt	as in		to which
			1		ECE		the
			of		Regulation	n	standard
			Sc	hedule	43.01;		mark
			to		"special		(or as the
			the	se	purpose"		case may
					means,		be one

l	2	3		4		5
Item	Subject	Requirem	ent	Defi	nitions	Exemptions
	matter	in the second		and		and
				supp	lementary	modifications
				prov	isions	
			Regi	ulatior	າ່ອງ	of those
			and		relation	standard
		(ii)	to		to a	marks)
			be		vehicle,	relates.
			fittee		the	
			with		special	This item,
			a		,	in so far as
			dim-	-	body	it requires
			dip		-	entsmpliance
			devi	ce	or	with
			or	ina		tregulation 14
			runn lamp	•		of the Lighting Regulations
			iaiiif	<i>.</i>	the	(filament
					vehicle	lamps), shall
					is a	not apply to
					special	a lamp, if by
					purpose	virtue of the
					vehicle	preceding
					for the	paragraphs, it
					purposes	could comply
					of	with this
					Annex	item without
					IIA of	bearing any
						standard
					Directive;	mark.
					"standard	
					mark"	This item, in
					means	so far as it
					a mark	requires the
					which,	headlamps
					when applied	(including a filament
					to a	lamp fitted to
					lamp,	a headlamp)
					reflector	fitted to a
					or	vehicle to bear
					device,	a particular
					indicates	
						comark (or one
					with the	of two or more
						enstandard
					ofa	marks), shall
					particular	not apply to
						theadlamps
					and a	that emit
					reference	sufficient light
					to the	to illuminate

1	2	3	4	5
tem	Subject	Requirement	Definitions	Exemptions
	matter	1	and	and
				modifications
			provisions	
				tthe road in
			to	front of the
			which a	vehicle on
			standard	both main and
			mark	dipped beam.
			relates	
			shall be	In the case
			construed	of a rear
			according	
			e	indicator
				which is one
				of a number of
				lamps having
				a common
				housing and
				fitted to a
				left-hand
				drive vehicle,
				paragraph 2(b)
				(i) in Part 1 of
				Schedule 7 of
				the Lighting
				Regulations
				shall apply
				as if for
				"400 mm"
				there were
				substituted
				"480 mm".
				In the case of
				an ambulance,
				motor caravan,
				hearse or
				armoured
				vehicle,
				exemptions
				shall be
				permitted
				in so far as
				the special
				purpose of the
				vehicle makes
				it impossible
				fully to
				comply,
				provided that
				all obligatory

l Item	2 Subject matter	3 Requirement	4 Definitions and supplementary provisions	-
				lamps, reflectors and devices are installed and the angles of visibility are not affected.
7	Rear-view mirrors	be fitted with at least one offside exterior mirror which meets— (a) if the vehicl is right hand drive or has a centra drivin positiv the <b>adjus</b> rear view, and	"extreme outer edge" has the meaning given by regulation of the Lighting Regulation "floor marking A", "floor marking B" and on, "floor marking C" mean the lines shown as such in the rement Spendice I and 2 to this Schedule; "longitudi plane" has the meaning given in	gross weight exceeding na,500 kg if the vehicle has been derived from a vehicle of category B(2) M3, N2 or N3.

1	2	3	4	5	
Item	Subject	Requirement	Definitions	Exemptions	
	matter	-	and	and	
			supplementary	modifications	
			provisions		
		vibrati		nPadragraph 4(b)	
		require	ementplane a",		
		<b>2</b> It shall	"longitudi		
		also be fitted	plane	(a) to any	
		with at least	b" and "longitudi	mirror,	
		one interior	plane c"	inal no part of which	
		mirror which	mean the	is less	
		meets the	vertical	than	
		adjustment,	planes	2,000	
		rear view	"a", "b"	mm	
		and <i>vibration</i>	and "c"	above	
		requirements	in the	the	
		unless no interior mirror	Appendic	es ground,	
		could provide	1 and 2	or	
		any view to the	to this	(b) to any	
		rear.	Schedule;		
			"pole	which	
		<b>3.</b> If no	A",	does not	
		interior mirror	"pole	protrude	
		is fitted or	B" and	beyond	
		if no interior mirror meets	"pole C" mean the	an <b>extreme</b>	
		mirror meets the <b>rear view</b>	vertical	outer	
		requirements,	lines	edge	
		a nearside	projecting	0	
		exterior mirror	upwards	vehicle,	
		shall be fitted	from the	or	
		which meets-	horizontal	(c) any left	
		(a) if	surface	hand	
		the	(floor)	drive	
		vehicle	at the	vehicle.	
		is	positions		
		right	shown		
		hand	in the	2.2	
		drive	Appendic 1 and 2	es	
		or	to this		
		has	Schedule,		
		a	4.41.5		
		central	haight		
		driving	, ef		
		positio <b>the</b>	(a) in		
			the		
		rear view	case	;	
		and	of		
		vibrati	on pole		
		, ist all	<i>А</i> ,		

1	2	3	4	5	
tem	Subject	Requirement	Definition	s Exemptions	
	matter	1	and	and	
				etary modifications	
			provisions		
		reaui	1	the	
		or	,	highest	
				point	
		(b) if		of	
		the		the	
		vehic		reflecting	
		is		surface	
		left		of	
		hand		the	
		drive		offside	
		the		exterior	
			511117111.	mirror;	
		rear	(1-)	in in in the second sec	
		view,		the	
		and		case	
		vibra	111011	of	
		requi	n ements.	pole	
		4. Each		B,	
		rear view		the	
		mirror fitted		highest	
		to the vehicle		point	
		shall either—		of	
				the	
		(a) comp	/1 y	reflecting	
		with		surface	
		the		of	
			rements	the	
		(inclu	anns	interior	
		mark		mirror;	
			,	and	
		of	()	in	
		Anne		the	
		II to		case	
		Direc		of	
		71/12		pole	
		EEC		C,	
		as		the	
		last amen		highest	
				point	
		by Direc		of	
		Direc		the	
		88/32 EEC	- 1/	reflecting	
		EEC		surface	
		or of		of	
		Part		the	
		I of			
		ECE		nearside	
				exterior	
		46.01		mirror;	

1	2	3	4		5
Item	Subject	Requireme	ent De	finitions	Exemptions
	matter	1	an		and
					modifications
				ovisions	
		fo	ora	"transverse	e
		C	Class	eye	
		Ι		plane"	
		n	nirror	means	
		ir	ı	the	
		tł	ne	vertical	
		c	ase	plane	
		0	f	passing	
		a	n	through	
		ir	nterior	the line	
		n	nirror	shown	
		a	nd	as such	
		a		in the	
			Class	Appendice	es
		I	Π	1 and 2	
			r a	to this	
			Class	Schedule;	
		I		"transverse	e
			nirror	plane"	
		ir		means a	
			ne	vertical	
			ase	plane	
		0		normal	
		a		to a	al
			xterior	longitudin	al
			nirror; r	plane.	
		0		2	
		(b) c	omply <sup>the</sup>	ustment	
			1 till	uirements"	
		a	imensior	order to	
			equireme nd mea	et the	
		u		ustment	
		ti fa	llowffg	uirements—	
		re	equireme	nt <u>an</u>	
				interior	
			(i) the	mirror	
			edge of	shan oc	
			the	capable	
				of being	
			surf	ective adjusted	
			shal	by the	
			be	unver	
				when osed his	
			with	<sup>in</sup> driving	
			a	urving	
			40		
			40		

1	2	3	4	5
tem	Subject	Requirement	Definition	s Exemptions
	matter	1	and	and
				ntary modifications
			provisions	
			protectpositi	
			housinagend	·
		(ii)	all <sup>an</sup>	
		(11)	parts exteri	ior
			of mirro	
			the must-	
			external)	be
			surface	capable
			of	of
			the	being
			mirror	adjusted
			which	by
			are,	the
			in in	driver
			the	when
			case	in
			of	his
			an	driving
			interior	position,
			mirror,	the
			contactable	door
			by	being
			a	closed;
			sphere	or be
			of (b)	so
			165	constructed
			mm	that,
			diameter,	when
			and	knocked
			in	out
			the	of
			case	alignment,
			of	it
			an	can
			exterior mirror	be
			mirror, by	returned
			by a	to
			a sphere	its
			of	former
			100	position
			mm	without
			diameter,	need
			shall	of
			have	adjustment.
				-
			a Provided th	nat
			a mirror sh	all
			41	

1	2	3	4	5
Item	Subject	Requirement	Definitions	Exemptions
	matter		and	and
			supplementary	modifications
			provisions	
			dfe regarded	
			car vaceting the	
			anequirements	
			noaft sub-	
			l <b>pss</b> ragraph (a)	
			theore whether	
			205 not—	
			n(man), it can	
			with meet	
			the those	
			exceptioquirement	nts
			of only fixing with the	
			fixing with the holes window	
			or in the	
			recesseriver's	
			less door	
			than being	
			12 open; or	
			n(nbm) the	
			wide mirror is	
			if capable	
			these of being	
			are locked in	
			blunte <b>p</b> osition	
		(iii)	) exterior the	
			mirrors	
			shall of the	
			be vehicle.	
			capable	
			of The dimension	
			intension rotating inwards	
			inwards towards	
			towards In order for	
			an exterior	
			mirror to meet	
			the dimension	
			force irements,	
			dhe	
			dimensions of	
			the reflecting	
			surface must	
			be such that	
			approjection	
			aprojection	
			theto a vertical	
			extreme	

1	2	3	4	5
tem	Subject	Requirement	Definitions	Exemptions
	matter		and	and
			supplementary	modifications
			provisions	
			oucteommodates	
			edgertical line	
			invith a length	
			aof 70 mm and	
			longitadighal	
			<b>plathe</b> vertical f <b>side</b> s of 40 mm	
			both horizontal	
			thicles of 70	
			fnont.	
			and	
			the order for	
			rearinterior	
			Therror to meet	
			athis dimension	
			orfequirements,	
			rtitetion	
			schiatlensions of	
			libe reflecting	
			withface must	
			500e such that	
			r <b>am</b> orthogonal	
			qfrojection	
			tbeto a vertical	
			ssurface	
			atccommodates	
			wahiedtangle	
			theith vertical	
			naidesrof40 mm	
			iand horizontal	
			astideheaf 80	
			tonm. the	
			vékhade	
			bædnywienke.	
			requirements" (2	see
			the	
			Appendices 1	
			and 2 to this	
			Schedule)	
			In order for a	
			mirror to meet	
			the rear view	
			requirements,	
			it must be	
			such that when	
			the vehicle	
			43	

1	2	3	4	5
tem	Subject	Requirement	Definitions	Exemptions
	matter	-	and	and
			supplementary	modifications
			provisions	
			is positioned	
			such that its	
			longitudinal	
			axis is	
			parallel to the	
			longitudinal	
			planes a, b	
			and c, with	
			the driver seated in his	
			normal upright driving	
			position such	
			that his eyes	
			lie in the	
			transverse	
			eye plane	
			and with	
			the mirror	
			correctly	
			adjusted, he	
			shall be able	
			to see in that	
			mirror—	
			(a) in the	
			case	
			of an offside	
			exterior	
			mirror,	
			with the	
			offside	
			extreme	
			outer	
			edge	
			of the	
			vehicle	
			positioned	l
			so that	
			it is	
			tangential	
			to the	
			longitudir	nal
			plane	
			<b>a</b> , the	
			whole of <b>floor</b>	
			marking	

l Item	2 3 Subject Requirement matter		4 Definitions and supplementary provisions		5 Exemptions and modifications
			(b) (c)	A and pole A; and in the case of an interior mirror, with the central longitudin axis of the vehicle positioned so that it lies on the longitudin plane b, the whole of floor marking B and pole B; or in the case of a nearside exterior mirror, with the nearside extreme outer edge of the vehicle positioned so that it lies on the longitudin plane b, the whole of floor marking B and pole B; or in the case of a nearside exterior mirror, with the nearside extreme outer edge of the vehicle positioned so that it is tangential to the longitudin plane	nal

1	2	3	4	5
Item	Subject	Requirement	Definitions	Exemptions
	matter		and	and
			supplementary	modifications
			provisions	
			of <b>floor</b>	
			marking C and	
			pole C.	
			"The	
			vibration	
			requireme	nts"
			In order to	
			comply with	
			the vibration	
			requirements,	
			a mirror shall	
			be fixed to	
			the vehicle in	
			such a way	
			that under normal driving	
			conditions,	
			it neither	
			moves so as	
			to change	
			the field of	
			vision, nor	
			vibrate to an	
			extent which would cause	
			the driver to	
			misinterpret	
			the nature	
			of the image	
			received.	
8	Anti-theft	1. The		This item
	devices	vehicle shall		shall not apply
		be fitted with		to disabled
		some form		person's
		of anti-theft		vehicles
		device, that		
		is to say, a mechanical,		
		electrical or		
		electronic		
		immobiliser or		
		a combination		
		of these (in		

1	2	3	4	5	
Item	Subject matter	Requirement	Definitions and supplementary provisions	Exemptions and modifications	
		switch normally used to start the engine) that prevents the vehicle being driven or moved under its own power.			
		2. No anti- theft device shall operate on the braking system.			
		<b>3.</b> If any anti-theft device is, or incorporates, any mechanical device that acts upon a system that affects the control of the vehicle (e.g. the steering control)—			
		(a) it shall not be possib to start the engin in the norma way until every such	e al		
		such mech device has			

1	2	3	4	5
Item	Subject matter	Requirement	Definitions and supplementary provisions	Exemptions and modifications
		been	provisions	
		deact	ivated,	
		(b) it		
		shall not		
		be		
		possi	ble	
		to activa	ate	
		any	ate	
		such		
		mech devic	anical	
		while		
		the		
		engin is	le	
		runni	ng,	
		and		
		(c) the		
		action of	n	
		activa	ating	
		any such		
			anical	
		devic		
		shall be		
		distin	ict	
		and		
		separ from	ate	
		that		
		of		
		stopp the	ing	
		engin	ie.	
9	Seat belts	1. Every	For the	This item shall
		adult belt	purposes of	not apply to
		fitted to the vehicle, not	this item— "adult	an <b>adult belt</b> fitted to a
		being a		vehicle if the
		harness belt		belt provides a
		or a <b>passive</b> belt, shall		level of safety equivalent to
		serie, silali	101 011	oquivalent to

1	2	3	4		5
Item	Subject	Requirer	nent Dej	finitions	Exemptions
	matter		and	đ	and
			sup	plementary	modifications
			pro	visions	
		comply	with		that provided
		the		being a	by an adult
		requirem	ents		belt which
		of		person's	-
		regulation	n47(7)	belt;	with the
		of			requirements
		Construc		person's	of this item
		and	Use	belt",	as they would
		Regulatio		"lap	otherwise
		the exter		belt" and	
		any) th		"seat	the belt but
		would	apply	belt"	disregarding
		were the paragraph		have the same	paragraph 2(b) and 3(b).
		to appl		meanings	und 3(0).
			motor	as in	
		vehicles.		regulation	47(8)
				of the	
		<b>2.</b> If	the	Construct	ion
		vehicle	1S	and Use	
		fitted	with	Regulation	ns;
		one or		"harness	- ,
		passive		belt"	
		every suc	h belt	means	
		shall—		an <b>adult</b>	
		(a)	bear	belt	
			a	which is	
			mark	a harness	
			as	belt	
			described	comprisin	g
			1n		
			regulation		
			(c) (i)	shoulder	
			(i) of	straps;	
			the	"passive	
			Constructi	belt"	
			and	an <b>adult</b>	
			Use	belt	
				<sup>1S</sup> comprised	1
			or	in a	1
		(1-)		passive	
		(0)	meet	belt	
			the requirement		
			referred	11187 Storn.	
			to in		

1	2	3	4	5	
Item	Subject matter	Requirement	Definitions and supplementary	Exemptions and modifications	
			provisions	mongreamons	
		(c) (iii)	1		
		of			
		those			
		Regu	lations.		
		3. If the			
		vehicle is fitted with			
		one or more			
		harness belts,			
		every such belt shall—			
		(a) bear a			
		mark			
		as descr	ibed		
		in	locu		
			ation 47(4)		
		(c) (ii)			
		of			
		the			
		Cons	truction		
		Use			
		-	lations;		
		or			
		(b) meet the			
			rements		
		referr			
		to in	ation $47(4)$		
		(c)	ation 47(4)		
		(iv)			
		of			
		those Regu	lations.		
10	Seat belt	1. The	For the	Paragraph 3	
	anchorages		purposes of	shall not apply	
		comply with the	this item— "adult	to anchorages which are so	
		requirements	belt",	located that	
		of paragraph	"harness	when used	
		4.3 of Annex	belt" and	with an <b>adult</b>	

1	2	3	4	5
tem	Subject	Requirement	Definitions	Exemptions
	matter		and	and modifications
			supplementary	modifications
		I to Dimation	provisions "pagging	halt of a turns
		I to Directive	"passive belt"	<b>belt</b> of a type
		76/115/EEC.	have the	for which they
		For outboard		are intended
		seating	same	to be used, if
		positions other than in the	as in	they provide a level of safety
		0	item 9;	equivalent to
		front, two lower	· · · · ·	that provided
		anchorages are	person's	by anchorages
		allowed.	belt",	that meet the
		anoweu.	· · · ·	requirements
		<b>2.</b> Without	facing	of that
		prejudice to	seat"	paragraph
		paragraph 1,		when used
		the vehicle	belt"	with an <b>adult</b>
		shall be fitted	have the	<b>belt</b> of a type
		with an	same	for which they
		anchorage in		are intended.
		every position	as in	
		required to		n #ørenotor
		hold securely	of the	caravans,
		every adult	Construct	iambulances
		<b>belt</b> or any part	and Use	and hearses,
		of an <b>adult</b>	Regulatio	nparagraph 1
		<b>belt</b> fitted to	and	shall apply
		the vehicle.		only to seating
		<b>3.</b> Every	Annex I to	positions
		anchorage	Directive	where there is
		intended for	76/115/EEC	a seat intended
		an <b>adult belt</b>	Directive	for use while
		shall comply	shall have	the vehicle is
			effect as if	travelling on a
		requirements	for paragraph	road.
		of paragraphs		
		4.2, 4.4 and		An armoured
		4.5 of Annex	substituted	vehicle shall
		I to Directive	<b>"4.4.1</b>	be exempted Every from any
		76/115/EEC.	belt	
		<b>4.</b> The	anchorage	requirement
		vehicle shall	shall	or paragraph
		comply with	comply	1 if it can be
		the	with the	demonstrated
		requirements	following	to the
		of paragraph	requireme	satisfaction of
		5 of Annex	requireme	the Secretary
		I to Directive		of State that it
		76/115/EEC.		is impossible
		, , , , , , , , , , , , , , , , , , , ,		for the vehicle
		2	1	

1	2	3	4	5
Item	Subject	Requirement	Definitions	Exemptions
	matter		and supplementary	and modifications
			provisions	moujications
			provisions	to comply due
				to its special
				purpose.
11	Installation of	1. The	For the	The
	seat belts	vehicle shall	purposes of	requirements
		be fitted with,	this item—	of paragraphs
		a harness belt,	"adult	1, 2 and 3
		a passive belt	belt",	shall not apply
		or a three	"harness	in relation to
		<b>point belt</b> for		a seat fitted
		the driver's seat and the	"passive belt"	to a disabled person's
		specified	have the	vehicle if
		passenger	same	the vehicle
		seat (if any).		is fitted with
		<b>2.</b> If the	as in	a disabled
		vehicle has an	item 9;	person's belt
		effective date		for that seat.
		on or after	belt", in	
		1st April 1987,	relation	Paragraph
		in addition to	to a	2 shall have effect in
		the seat belts	seat in a vehicle,	relation
		required by	means—	to motor
		paragraph 1	(a) in	caravans,
		above, it shall	a	ambulances
		be fitted with	case	and hearses
		an <b>appropriate</b>		r <b>e</b> s if for "1st
		<b>belt</b> for every		April 1987"
		other		<b>Isbere</b> nwere
		forward-	18	substituted
		facing seat	local	të <b>d</b> st October 1988".
		in the front		tioned
		alongside the	in	Paragraph
		driver's seat,		graphall have
		not being		Veffect in
		a specified passenger's	of	relation
		seat.		eto motor
			1	caravans,
		3. If the	to	ambulances
		vehicle has an		ctindehearses as
		effective date		4f/-
		on or after	EEC	
		1st April 1987, in addition to	as last	April 1987"
		the seat belts		nded there
		the scat bells	and	

1	2	3	4	5		
tem	Subject	Requirement	Definitions		mptions	
	matter		and	and		
			supplementary	тоа	lifications	
		no mained theory	provisions			
		required by	by Dir	otivo	were	
		paragraph 1	90/e	ective	substituted "1st	
		and 2 above, it				
		shall be fitted with a <b>harness</b>	EEC	,	April	
		belt, a lap	a hor	ness	1997"; and	
		belt, a passive		, (b)	there	
		belt or three-		,(0)	were	
		point belt for	a lap		added	
		-	belt		at the	
		every other forward-		,	end the	
		facing seat.	a pas	sive	words	
		_	belt		"intended	
		4. Every	or	,	for use	
		adult belt and	a		while the	
		every disabled	thre	e-	vehicle	
		person's belt	poi		is	
		fitted to the	belt		travelling	
		vehicle shall	and	,	on a	
		be properly	(b) in		road".	
		secured to	any			
		anchorages	-	erAn a	rmoured	
		provided for it			cle shall	
		and installed	a		kempted	
		so that it can be		nessm	-	
		used properly			irement	
		to restrain an	а	-	aragraphs	
		occupant (e.g.	pas		or 3 if	
		in the case	-	it can		
		of a lap	or	dem	onstrated	
		<b>belt</b> by passing	а	to th		
		over the pelvic	thre	esatis	faction of	
		region and in	poi	nthe S	Secretary	
		the case of a <b>harness belt,</b> a			tate that it	
		passive belt or	"child		possible	
		a three-point			he vehicle	
		<b>belt</b> by also	"disabled			
		restraining the	person's		ccount	
		upper torso	belt",		s special	
		and not being	"forward-	purp	oose.	
		liable to slip	facing			
		off the	seat",			
		shoulder).	"lap			
		Also, there	belt",			
		shall be no	"seat			
		sharp edges	belt",			
		liable to cause	"effective			
		nuore to cause				
		-	•			

1	2	3	4	5
tem	Subject	Requirement	Definitions	Exemptions
	matter		and	and
			supplementary	modifications
			provisions	
		abrasion or	date"	
		damage to the	means—	
		belts in normal	(a) in	
		use. In the case	the	
		of every lap belt, passive	case of	
		belt and three	a	
		point belt,	vehi	cle
		provision shall	whic	
		be made for	meet	
		their safe	the	
		and convenient		irements
		storage.	of	
		-		graph
			3	
			of	
				edule 2
			to	
			these	
				ulations—
			(i)	if the
				vehicle
				does
				not
				have
				a
				separate
				chassis,
				the
				date
				of
				manufacture
				of
				the
				integral chassis-
				body,
				or
			(ii)	if
			(11)	the
				vehicle
				has
				a
				separate
				chassis,
				the
				date
		5	4	

1	2	3	4	5
Item	Subject	Requirement	Definitions	Exemptions
	matter	1	and	and
			supplementary	
			provisions	5
			1	of
				manufacture
				of
				the
				body
				or
				the
				chassis,
				whichever
				is
				the
				earlier;
				or
			(b) in	
			the	
			case	
			of	
			any	
			othe	r
			vehi	
			the	,
			date	
			of	
			man	ufacture
			of	
			the	
			vehi	cle;
			"Special	
			purpose"	
			has the	
			same	
			meaning	
			as in	
			item 6;	
			"specified	
			passenger	's
			seat",	
			and	
			"three-	
			point	
			belt"	
			have the	
			same	
			meanings	
			as in	
			regulation	47(8)
			of the	
			Constructi	ion
			55	

1	2 Subject	3	4 Defectivity	5 Europei di auto
Item	Subject matter	Requirement	Definitions and	Exemptions and
	maner			ry modifications
			provisions	
			and Use	
			Regulati	ions.
12	Brakes	<b>1.</b> The	For the	The
				s requirements
		1.5	item—	in paragraph 1
		the	"anti-	for the driver
		requirements	lock	to be able
		of paragraph 2.1 and 2.2		— to operate cepthe service
		of Annex 1	(a) ex	braking
		of Directive		latisystem while
		71/320/EEC as	to	keeping both
		last amended	a	hands on
		by Directive		hicilize steering
		85/647/EEC,		vingontrol, and
		but in the application of		t the secondary orebraking
		that Annex (as		an system while
		so amended)		reekeeping at
		for these		neellsast one hand
		purposes		s on the steering
		(a) the	the	e control, shall
		second		menot apply to
		senten		eanangisabled
		of	as	1
		paragra		vehicle, requires ided that
		2.2.1.2		/32flé vehicle
		shall		EC is adapted
		not apply;	as	to allow the
		and		st driver to
			onh .	nencted trol the
		(b) paragra 2.2.1.4	- <sup>0</sup>	e
		shall	DI	red <b>time</b> s while /190p/erating
		not		EC either braking
		apply		d system.
		in	(b) in	
		relation		lati <b>Ba</b> ragraphs
		to a	to	1 to 4 shall
		vehicle which	a	not apply
		is		hicke vehicles
		fitted		vinhyaving not
		with		t more than orethree wheels,
		a		an if they comply
		brakir		reewith the

1	2	3	4		5	
tem	Subject	Requirer		finitions		mptions
	matter	1	ana		and	-
				plementa		
				visions		v
			device		neetlegu	irments
			having		s for n	
			a	the	e tricy	cles in
			split-			ollowing
			circuit		ean <b>ṗng</b> v	
			transmiss	<b>ion</b> as		irective
			which	in		4/EEC—
			enables	Aj	ope(nad)ix	paragraph
			braking	2		2.1
			of	to		of the
			not	the		Annex;
			less		nne(xb)	paragraphs
			than	of		2.2.4
			one			to 2.2.8
			wheel		/14/	of the
			on		EC;	Annex;
			each	"brake	226	and
			side	efficient	cy´(c)	in the
			of	means		case of
			the	maximu	ım	vehicles
			vehicle,	total		equipped
			in	brake		with
			the	force	1	anti-
			event	expresse	ed	lock
			of	as a		devices,
			failure	percenta	ıge	Appendix 2 to the
			in a	of the		2 to the
			part	maximu	IN	Annex;
			of the	gross	I	lation
			the transmiss	weight;		lation
				device",		
			the	"control	" more	ng not a than
			service			wheels,
			braking;	"service		graph 5
			-	braking		
		(c)	paragraph			t as if—
			2.2.1.5.1	braking		for
			shall	and	(")	"60%"
			apply	"parking	7	and
			as if	braking		"30%"
			for	have the		there
			the	same	•	were
			last	meaning	5	substituted
			sentence	as in	-	"50%"
			there	Directiv	e	and
			were		·	
				1 71/320/		
			substituted the	EEC		"25%"

1	2	3	4	5	
tem	Subject	Requirement	Definitio		emptions
	matter		and	an	d
			suppleme	entary mo	odifications
			provision	ıs	
		words	as la		respectively,
		"This		ended	and
		conditi	-	(b)	for "50
		must		ective	kg" and
		be		547/	"70 kg"
		met	EEC	;	there
		by	"in		were
		automa		ning	substituted
		means'			"40 1
		<b>2.</b> If the		ins—	kg", if a
		vehicle is	(a)	with	manual
		equipped with		all	control
		an <b>anti-lock</b>		fluids	is used
		device it shall		(such	to apply the
		comply with		as oils	the
		paragraph		and	secondary braking.
		2.2.1.23 of			DI akilig.
		71/320/EEC as		engine coola <b>Pa</b> )	agranh
		last amended		necesisast	
		by Directive		for app	
		88/194/EEC.		the Sch	
		<b>3.</b> The			icle other
		vehicle shall			n:—
		comply with		be (a)	an
		the		driven,	amateur-
		requirements		the	built
		of paragraphs		fuel	vehicle;
		2.2.1.11.1 and		tanks(b)	a vehicle
		2.2.1.11.2 of		full,	manufactured
		Directive		a	using
		71/320/EEC as		spare	parts of a
		last amended		wheel	registered
		by Directive		and	vehicle;
		91/422/EEC.		a (c)	a rebuilt
		<b>4.</b> The		tool-	vehicle;
		4. The secondary		kit;	and
		braking and	(b)	carry(d)g	the
		service		а	brakes
		braking shall		driver	acting on
		have the same			g its rear
		control.		68kg;	wheels
				but	are fitted
		5. The	(c)	not	with an
		brake		otherwis	e anti-lock
		efficiency		carrying	
		shall be not		any	and were
		less than—		load	so fitted
		58			at the

1	2	3	4		5
tem	Subject	Requiremen	t Definiti	ions	Exemptions
	matter	1	and		and
				nentary	modifications
			provisio	-	·
		(a) for		or	time
		the			engersof its
		ser		ateral	manufacture.
		bra	0	ake	
				stributio	n",
			the <sup>1</sup>		
			Case	lation	
			01	an	
				le,	
			passenge	eans	
			vehicle	e ratio	1
			60%; (e	xpressed	l
			or as		)
		(		rcentage the	5)
		(	41	wer	
				the	
			- F	gher	
			a of	the	
			goods br	aking	
			venicie	rces	
			50% tra	insmittee	b
		(b) for		the	
		the	•	res to	
		sec	ondary the	e road	
		bra	aking su	rface	
		in		r two	
		the	wł	heels,	
		cas			
		wh	1	posite	
		the		les	
				the	
				hicle	
				the	
		for		me	
		the		le;	nol
				ongitudii ake	llal
		(if	0	ake stributio	n"
		any		eans	11
		fai		e ratio	
		and		the	
		a		aking	
		d for		rces	
		is		insmitted	ł
				the	-
		to	-	res to	
				e road	
			the	e road	

1	2	3	4	5
Item	Subject	Requirement	Definitions	Exemptions
	matter		and	and
			supplementary	modifications
			provisions	
		the	surface	
		cont	0	
		(i)	in the front	
		(1)	the and rear	
			case wheels	
			of respective	ly
			when the	
			passenger	
			vehicle, m	
			$_{30\%}$ running	
			when order	
			the and	
			force being	
			applied	
			is on a	
			Surface.	
			or surface, "maximur	n
		(ii)	in total	11
			the brake	
			case force"	
			of means	
			a the <b>total</b>	
			goods proking	
			Venicitarea	
			25% when the	
			when brakes	
			the are fully	
			force applied;	
			applied <sub>servo-</sub>	
			is assistance	"
			70kg. means	
		(c) 18%	an	
		for	energy	
		the	supply	
		park		- 4 -
		brak		nts
			the muscular	
			energy	
			of the	
			driver;	
			"total	
			braking	
			force"	
			means	
			the total	
			of the	
			60	

1	2	3	4	5
tem	Subject	Requirement	Definitions	Exemptions
	matter		and	and
			supplementary	modifications
			provisions	
			braking	
			forces	1
			transmitte	d
			by the	
			tyres to the road	
			surface	
			when the	
			brakes	
			are	
			applied.	
		( The	11	
		6. The lateral brake		
		distribution		
		for the service		
		braking		
		shall—		
		(a) in		
		relati	on	
		to		
		each		
		steeri	ng	
		axle;	-	
		and		
		(b) for		
		all		
		value	S	
		of		
		total		
		brea		
		force	:	
		and		
		vehic		
		speed	1,	
		be not less		
		than 70%.		
		<b>7.</b> The		
		longitudinal		
		brake		
		distribution		
		for the service		
		braking shall,		
		for all values		
		of <b>total</b>		
		braking force,		

1	2	3	4	5	
tem	Subject	Requirement	Definitions	Exemptions	
	matter		and	and	
			supplementary	modifications	
			provisions		
		vehicle speed			
		and adjustment			
		settings (if			
		any), be			
		greater than			
		the ratio of the			
		vertical forces transmitted to			
		the road			
		through the			
		front and			
		rear wheels			
		respectively			
		when the			
		vehicle is in			
		running order			
		and being			
		braked on a			
		level surface.			
		8. The			
		capacity of			
		the braking			
		device to			
		absorb and			
		dissipate			
		energy shall			
		be sufficient			
		to ensure that			
		all the required aspects of			
		aspects of braking			
		performance			
		can be			
		maintained			
		under all			
		normal			
		operating			
		conditions of			
		the vehicle,			
		including long			
		hill descents,			
		taking account			
		of the vehicle's			
		speed			
		capability, weight and			

l Item	2 Subject matter	3 Requiremen	and	5 Exemptions and modifications	
		weight distribution.	<u>^</u>		
13	Noise and silencers	<ol> <li>The vehicle shible fitted wan exhaussystem including silencer sutthat the exhaust gass shall in escape in the atmosphere without fit passing through the silencer.</li> <li>When-(a) the vehicle site state on leven sutthat the state on leven sutthat</li></ol>	rst he — hicle hicle ld tionary a rel cface ch tt erre an obstructed ca t ss un etres de	Paragraph 1 shall only apply to vehicles propelled by an internal combustion engine.	
		an (b) the	2		
		en	gine		

1	2	3	4	5
Item	Subject matter	Requirement	Definitions and supplementary provisions	Exemptions and modifications
		by whic the vehic is propo- is run at a const rotati speed of 3/4 S, the noise measured at 0.5 metres from the exhaust outlet at 45 degrees to the axis of the outlet pipe in a horizonatal plane, shall not exceed 101db(A).	ele elled tant tonal	
14	Glass in windscreens and other windows outside	The windows of the vehicle shall be fitted with glazing which complies with the requirements of regulations 31 and 32 of the Construction and Use Regulations to the extent (if any) that they apply to the vehicle. However, <b>side</b>	For the purposes of this item, the Construction and Use Regulations shall have effect as if every reference to the date on which a vehicle is first used were a reference to its <b>effective date</b> .	The requirements of regulation 32(2) and (7) of the Construction and Use Regulations shall not apply to the glazing fitted to any window, if that glazing provides a level of safety equivalent to glazing which complies with the

1	2	3	4	5
Item	Subject	Requirement	Definitions	Exemptions
	matter	1	and	and
			supplementary	modifications
			provisions	5
		screens may	For the	requirements
		be constructed	purposes of	set out in
		of safety	this item—	column 3 of
		glazing.		this item.
		88	date"	
				In relation to a
			(a) for	vehicle fitted
				with a near-
				oside exterior
			of	mirror (in
			-	llation(11)
				obligatory off-
				side exterior
			of	mirror) which
			-	meets the
				steactivements
				of item 7
				(rear-view
				utations,), the
				requirements
			date	
			of	regulation 32(10)
				ufachase
			of	Regulations
				shall not apply
				cle the glazing
			or	fitted to any
				window every
				chart of which
				5 js behind the
				cheixer.
			is	
				In relation
				ieto any glass
				fitted in a
			all	window of
				ran armoured
				posselsicle, the
				requirements
			date	
			of	regulation 32(10)
				ufachose
			"safety	Regulations
			glazing"	-
			has the	shall apply as if the values
				in column 4
			same	
			meaning	
			as in	

1	2	3	4	5	
Item	Subject matter	Requirement	Definitions and supplementary provisions	Exemptions and modifications	
			regulation of the Constructi and Use	ntransmission) were all 60 per cent.	
	15	Seats and their anchorages	1. Every seat and seat back adjustment and displacement system provided shall incorporate a locking system which operates		This item does not apply to seats not intended for normal use while the vehicle is travelling on a road (including

1	2	3	4	5	
Item	Subject	Requirement	Definitions	Exemptions	
	matter		and	and	
			supplementary	modifications	
			provisions		
			automatically		seats exempt
			in all positions provided for		from Directiv 74/408/
			normal use		EEC as last
			and all seats,		amended by
			including		Directive
			those which		81/577/EEC).
			can be tipped		,
			forward or		This item
			have fold-		does not apply
			down backs,		to any seat
			shall lock		designed for
			automatically		a person with
			in their normal		a disability
			upright		and fitted in
			position.		a disabled
			<b>2.</b> The		person's vehicle.
			unlocking		venicie.
			controls for		
			displacement		
			systems which		
			facilitate		
			access by		
			passengers shall be		
			accessible		
			from outside		
			the vehicle		
			when the door		
			is open. They		
			shall be easily		
			accessible,		
			even to the		
			occupant of		
			the seat		
			immediately		
			behind the seat concerned if		
			such a seat is		
			designated as		
			suitable for an		
			adult.		
			3. Seats		
			shall be		
			constructed		
			and firmly		
			attached to		

1	2	3	4	5
Item	Subject matter	Requirement	provisions	Exemptions and modifications
			the vehicle such that they and their anchorages comply with the design, construction and fitting requirements of paragraph 6.2 to Annex I of Directive 74/408/EEC.	
16	Tyres	<ol> <li>Every tyre (not being a retreaded tyre) fitted to the vehicle shall bear an approval mark in accordance with the requirements of Directive 92/23/EEC or ECE Regulation 30.</li> <li>Every retreaded tyre fitted to the vehicle shall bear a mark in accordance with paragraph 6 of BS AU 144e– 1988 or a corresponding standard and the indication given by the mark must not be false</li> </ol>	"BS AU 144e– 1988" has the same meaning as in the Motor Vehicles Tyres (Safety) Regulation 1994;(16) "correspon standard" shall be construed in accordance with regulation of the Motor Vehicles Tyres (Safety) Regulation of the Motor	Paragraph 1 shall not apply to a tyre fitted to a <b>vehicle</b> , if the tyre provides a level of safety equivalent to a tyre that meets the requirements of that paragraph 2 shall not apply <b>ntimg</b> tyre fitted to a <b>vehicle</b> , if the tyre provides a level of safety eequivalent to that provided <b>b</b> a tyre that complies with the requirements of that paragraph so nfar as it relates to <b>BS AU</b>

(16) S.I. 1994/3117.

5	4	3	2	1
Exemptions	Definitions	Requirement	Subject	tem
and	and		matter	
modifications	supplementary			
	provisions			
Paragraph 3(c)		3. Each		
and (d) shall		tyre fitted to		
not apply to		the vehicle		
a tyre fitted to a vehicle		shall bear marks that		
for which		were moulded		
information		on to or into		
on the load		the tyre at		
capacity		the time that		
and speed		it was		
capability		manufactured		
have been		which provide		
separately		the following		
provided.		service information—		
	al	(a) nomina		
		size;		
	uction	(b) constru		
		type		
		(e.g.		
		radial		
		ply);		
	4	(c) load		
	ty;	capaci and		
	lity.	(d) speed capabi		
		4. Each		
		tyre fitted to		
		the vehicle		
		shall be of		
		a nominal size		
		appropriate to the wheel to		
		which it is		
		fitted.		
		size and of		
		the same		
		construction		
		type. If radial		
		tyres are fitted		
		5. Tyres on the same axle shall be of the same nominal size and of the same construction type. If radial		

l Item	2 Subject matter	3 Requirement	4 Definitions and supplementary provisions	5 Exemptions and modifications
		to the front axle, they shall also be fitted to the rear and if bias- belted tyres are fitted to the front axle, radial or bias- belted tyres shall be fitted to the rear.		
		6. Each wheel on each axle shall be equipped with a tyre which has a load capacity such that when the axle is loaded to its maximum permitted axle weight, the weight transmitted to the road surface by that tyre does not exceed that load capacity.		
		7. The speed capability of all tyres fitted shall be not less than the maximum design speed of the vehicle.		
17	Interior fittings	<b>1.</b> No surface (other than a surface of a window) of the vehicle		This item shall not apply to a goods vehicle.

70

1	2	3	4	5
tem	Subject	Requirement	Definitions	Exemptions
	matter	1	and	and
			supplementary	modifications
			provisions	2
		interior which	flexible	This item
		can be	bag	shall not apply
		contacted by	fitted to	to any area
		a sphere of	a vehicle	inside a motor
		165mm	and	caravan, an
		diameter and	designed	ambulance
		which is within	to be	or a hearse
		the specified	filled	which is not
		zone, shall	with gas	inside the
		include any	under	head impact
		fittings (e.g.	pressure	zone for any
		controls and	in order	designated
		instruments) or	to	seating
		design features	protect	position.
		which have	the	-
		any dangerous	driver or	An armoured
		roughness or	a front	vehicle shall
		sharp edges.	seat	be exempted
			passenger	-
		2. Switches	in the	requirement
		and other	event	of this item
		controls	of a	if it can be
		mounted on	collision	demonstrated
		the instrument	involving	to the
		panel which	the front	satisfaction of
		project by	of the	the Secretary
		more than	vehicle;	of State that it
		9.5mm from	"designate	eds impossible
		the surface of	seating	for the vehicle
		the panel, can	position"	to comply due
		be contacted	means a	to its special
		by a sphere of 165mm	position	purpose
		of 165mm diameter and	where	
		which are	there is	Paragraphs
		within the	a seat	1 and 2 shall
			designed	not apply to
		specified	for	any switches,
		<b>zone,</b> shall be so constructed	normal	controls or
			use	associated
		and mounted	while the	equipment
		that they	vehicle	designed for
		would either	is	the use of a
		retract into	travelling	person with
		the surface	on the	a disability
		of the panel	road;	and fitted in
		or become	"head	a disabled
		detached from		
		the panel when	impact	person's

1	2	3	4	5	
ет	Subject	Requirement	Definitions	Exemptions	
	matter	1	and	and	
			supplementary	modifications	
			provisions		
		a horizontal	has the	Paragraph 4	
		force of 40kg	same	shall not apply	
		is applied to	meaning	to any seat	
		them.	as in	designed for	
		<b>3.</b> The	74/60/	a person with	
		lower edge of	74/60/ EEC;	a disability and fitted in	
		the instrument	"non-	a disabled	
		panel shall be	rigid	person's	
		rounded to	material"	vehicle	
		a radius of	means a		
		curvature of	material	Paragraph 5	
		not less than	which	shall not apply	
		19mm, or if	has a	to—	
		it is covered with <b>non-rigid</b>	hardness	(a) any	
		material, not	of less	floor-	
		less than 5mm.	than 50	mounted	
			shore A;	hand-	
		4. The	"rigid	brake	
		rearward and	material"	control	
		upward-facing	means a	if, in	
		parts of seat frames behind	material which	the fully released	
		which there is	has a	position,	
		a <b>designated</b>	hardness	no part	
		seating	of no	of the	
		position, shall	less than	control	
		be both	50 shore	is in the	
		covered with	A;	specified	
		non-rigid	"sharp	zone; or	
		material and	edge"	(b) any	
		have a radius	means	hand-	
		of curvature of	an edge	brake	
		not less than	of <b>rigid</b>	control	
		5mm.	material	mounted	
		5. The	having a radius of	on or under	
		handbrake	curvature	the	
		control in the	of less	instrument	
		fully released	than	panel,	
		position and	2.5mm,	if in the	
		the gear-lever	except	fully	
		control in	in the	released	
		any forward	case of	position,	
		gear position	projection	•	
		shall not have any radius	of less	is no	
		any radius of curvature	than	possibility	
		of less than	3.2mm	of the	
		7	2		

1	2	3	4	5
Item	Subject	Requirement	Definitions	Exemptions
	matter	1	and	and
			supplementary	modifications
			provisions	
		3.2mm on	from the	occupants
		surfaces which	panel.	of the
		can be	In this	vehicle
		contacted by	case, the	contacting
		a sphere of	minimum	
		165mm	radius of	event of
		diameter.	curvature	a frontal
		6. Shelves	shall not	impact.
		and other	apply	
		similar items	-	Paragraph
		shall be so	that the	7 shall not
		constructed	height	apply to parts
		that their	of the	covered with
		supports have		a <b>non-rigid</b> <b>material</b> and
		no protruding	is not	the hood-
		edges and that	more than half	frames of
		all parts facing	its width	convertible
		into the vehicle	and its	vehicles.
		present a	edges	For opening
		surface not less	are	roofs, the
		than 25mm	blunted;	requirements
		high with	"special	shall apply
		edges rounded	purpose"	to parts,
		to a radius	has the	including
		of curvature	same	devices for
		of not less	meaning	opening,
		than 3.2mm.	as in	closing and
		This surface	item 6;	adjusting the
		shall also	"specified	l roof, with
		be covered	zone"	the roof in
		with <b>non-rigid</b> material.	means	the closed
			the zone	position.
		7. On that	which-	
		part of the	(a) is	Paragraph 1
		inner surface		vaird so far as
		of the roof	of	it relates to
		which is		the surface of
		situated above		saersestrument
		or forward of	• .	epanel) and
		the occupants	of	paragraph 2
		and can be		shall not apply
		contacted by		oto a vehicle
		a sphere of		reifice
		165mm diamatar tha	line	
		diameter, the width of	of the	Schedule 2 vehicle
		projecting	man	
		projecting 7		

1	2	3	4	5		
Item	Subject	Requirement	Definition	es E	xemptio	ns
	matter	-	and	a	nd	
			supplemen	ntary m	odificat	tions
			provisions	5	-	
		parts made of		as	one	
		rigid		defined		
		material, shall		in		owing
		not be less than			ph class	ses—
		the length of		2.5	(i)	an
		their		and		amateur-
		projection		append	ix	built
		from the		1		vehicle;
		surface and		of	(ii)	a
		their edges		Annex		vehicle
		shall have		3		manufactured
		a radius of		to		using
		curvature of		Directiv		parts
		not less than		77/649/	/	of
		5mm. Roof		EEC		a
		sticks or ribs		as		registered
		made of <b>rigid</b>		last	1 (11)	vehicle;
		material with			ed (iii)	a nahuilt
		the exception		by Direction		rebuilt
		of the header		Directiv		vehicle;
		rail of the glazed		90/63( <b>b</b> ) EEC	) it is fitted	4
		surfaces and		with	with	
		door frames,		the	bags	
		shall not			n for t	
		project			ned prote	
		downwards by		in	of th	
		more than		the	drive	
		19mm.			st and	
		1911111			atedfron	
				seating		•
					n; pass	enger:
			(b)	is	and	<i>J</i> - <i>j</i>
				abovec		e
				the	์ air l	
				horizon	tal were	
				plane	fittee	d
				passing		
				through		
				the	vehi	cle
				point	was	
				150mm	n man	ufactured.
				above		
				the		
				lowest		
				part		
				of		
				the		

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Motor Vehicles (Approval) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

l Item	2 Subject matter	3 Requirement	4 Definitions and supplementary provisions	5 Exemptions and modifications
			and (c) is outs the area defin by para 2.3.1 2.3.2 and 2.3.2 of Ann I to Dire 74/6 EEC as last ame by	iions; iide s ned graphs 4, 2 3 ex ex ctive 0/ 2 nded ctive 32/
18	External projections		For the purposes of this item— "extreme outer edge" has the meaning given by regulation (2) of the Lighting Regulation modified so as to	This item shall not apply to a goods vehicle. Those parts of a motor caravan, ambulance or hearse 3other than the driver's cabin shall nbe exempted

75

l	2	3	4	5
tem	Subject	Requirement	Definitions	Exemptions
	matter	1	and	and
			supplementary	modifications
			provisions	-
		and Use	the	if it can be
		Regulations.	projection	demonstrated
		<b>2.</b> The	of	to the
		radius of	handles,	satisfaction of
		curvature of all	hinges,	the Secretary
		hard parts on	push	of State that it
		or protruding	buttons,	is impossible
		from the	fuel tank	
		external	filler	to comply due
		surface of the	caps and	-
		vehicle and	windows;	purpose.
		which can be	"external	An armourad
		contacted by a	surface" of the	An armoured vehicle shall
		sphere of 100	vehicle	
		mm diameter,	means	be exempted from any
		shall be not	the	from any requirement
		less than 2.5	outward	of this item
		mm.	facing	if it can be
		3. Headlamp	-	demonstrated
		visors and	at any	to the
		rims shall not	height	satisfaction of
		project more	from the	the Secretary
		than30 mm	floor	of State that it
		beyond the	line	is impossible
		lens surface.	up to a	for the vehicle
		1 The and	height	to comply due
		4. The ends	of2	to its special
		of bumpers shall be turned	metres	purpose.
		· 1	from the	
		inwards or recessed or		Paragraph 2
		integrated	surface	shall not apply
		within the	on which	
		bodywork.	the	(a) parts
		-	vehicle	which
		5. Handles,	is	protrude
		hinges, push	standing;	by less
		buttons and	"floor	than 5.0
		fuel tank filler	line" has	mm but
		caps shall	the same meaning	by not less than
		not project more than	as in	1.5 mm,
		more than 40 mm from	Directive	if the
		the <b>external</b>	74/483/	outward
		surface unless	74/483/ EEC.	facing
		they cannot	"hard	angles
		under any	parts"	of such
		circumstance	means	parts are
		76		puits are

1	2	3	4	5
Item	Subject	Requirement	Definitions	Exemptions
	matter		and	and
			supplementary	modifications
			provisions	
		project beyond	those	blunted
		the extreme	made	and any
		outer edge of	of a	parts
		the vehicle,	material	which
		in which case	of	protrude
		they may	hardness	by less
		project by up	exceeding	than 1.5
		to 50 mm from	60 shore	mm;
		the external	A;	(b) grills
		surface. All	"special	such
		handles shall	purpose"	as air
		be enclosed	has the	intakes,
		in a protective	same	having
		surround or	meaning	gaps of
		be recessed,	as in	not more
		unless they	item 6;	than 40
		cannot in any	"vehicle	mm but
		circumstances	body	more
		project beyond	plan-	than 25
		the extreme	form"	mm,
		outer edge of	means	if they
		the vehicle.	the area	have
		<b>6.</b> The	resulting	radii of
			from a	curvature
		open ends of door handles	vertical	of not
			projection	less
			of the	than 1
		parallel to the plane of the	complete	mm; and
		door shall be	body	those
		turned back	onto a	having
		towards the	horizontal	gaps of
		plane of the	surface;	not more
		door. Such	and,	than 25
		open ends shall	for the	mm but
		be directed	purposes	more
		rearwards	of this	than 10
		unless the	definition-	
		handles cannot		plete if they
		under any	body	
		circumstances	mean	
		project beyond	all	curvature
		the <b>extreme</b>	parts	
		outer edge of	of	less
		the vehicle and	the	than 0.5
		at least one of	body	work mm; and
		the following	and	those
		the following	chass	, U
			inclu	ding gaps of
		7		

1	2	3	4	4	5	
tem	Subject	Requirem	ient l	Definition	s E.	xemptions
	matter	1		ind		nd
			S	supplemen		odifications
				provisions		U
		requireme	ents		any	not more
		is met—			separate	e than 10
		(a)	the		wheel-	mm; if
			open		guards,	they are
			end		but	blunted;
			of		does (c)	) wind
			the		not	screen,
			handle		include	head
			is		running	; lamp
			shielded	1	gear,	and rear
			to	•	such	window
			the		as	wiper
			front		wheels,	
			by a		axles,	and
			protectiv	ve		sionșupports,
			surround		brakes	provided
			or		and	that
					steering	
		(b)				blunted;
			open		(d)	
			end			if there
			of the			are no
						pointed
			handle			or sharp
			is	1		features
			recessed	1		which
			the			projects
			vehicle			beyond
			bodywo	rlz		the
			or	ıκ,		external
						plane
		(c)				of the
			gap	1		wheel
			measure			rim, no
			laterally			wing
			between	1		nuts are
			the			fitted
			open			above
			end of			the
			or the			horizontal
			tne handle			plane
			and			passing
						through
			the			the avia of
			vehicle			axis of rotation
			body			of the
			is no			
			more than 78			wheels,
			ulall /8			

l	2	3	4	5	
tem	Subject	Requirement	Definitions	Exemptions	
	matter	1	and	and	
			supplementary	modifications	
			provisions	U U	
		2		and there	
		mm		are no	
		when		projections	5
		the		beyond	
		handl	e	the	
		is in		vehicle	
		its		body	
		norm		plan	
		positi	on	form	
		with		apart	
		the		from	
		door		tyres and	
		latche	ed.	wheel	
		<b>7.</b> The		discs,	
		open ends		(including	
		of handles		central	
		which pivot		wheel	
		outwards in		securing	
		any direction		nuts) if	
		shall face		the latter	
		either		have a	
		rearwards or		radius of	
		downwards,		curvature	
		unless they		of not	
		have an		less	
		independent		than 30	
		return		mm and	
		mechanism		do not	
		and cannot		project	
		project more		by more	
		than 15 mm		than	
		from the		30 mm	
		external		beyond	
		surface should		the	
		the return		vehicle	
		mechanism		body	
		fail.		plan-	
				form;	
		<b>8.</b> Windows		(e) sheet	
		which open		metal	
		outwards from		edges if	
		the external		they are	
		surface of		folded	
		the vehicle		back by	
		shall have no		about	
		forward facing		180	
		exposed edge		degrees;	
		and shall not			
		7	19		

] Itom	2 Subject	3 Roquinement	4 Definitions	5 Emo	manti-	
tem	Subject matter	Requirement	Definitions and supplementary provisions	and		
		project beyond the extreme outer edge of the vehicle. 9. No jacking bracket shall project by more than 10 mm beyond the vertical projection of the floor line lying directly above it. 10. No exhaust pipe shall project by more than 10 mm beyond the vertical projection of the floor line lying directly above it, unless it terminates in a rounded edge having a radius of curvature of no less than 2.5 mm.	provisions	(f) (g) (h)	if the edge whic are capai of be direc outw have radiu curva of no less t 1 mm and in the case	s, ls; al r ectors, eir s h ble eng eted ards a us of ature ot than n; e of a dule 2 cle r an amateur- built vehicle; a vehicle manufactured using parts of a registered vehicle, or a rebuilt vehicle, or a rebuilt vehicle, or a rebuilt vehicle, or a rebuilt vehicle, or a rebuilt vehicle, or a rebuilt vehicle, or a rebuilt vehicle, or a

l Item	2 Subject	3 Paquinament	4 Definitions	5 Examptions
nem	matter	Requirement	Definitions and supplementary	Exemptions and modifications
			provisions	surface of the body (including without prejudice to the generality of this paragraph cosmetic features such as trim and badges) of the vehicle as originally manufactured, or as subsequently altered in a manner approved by the manufacturer, and which it is not reasonably practicable to remove.
19	Speed-ometers	be fitted with a speedometer capable of indicating speed in mph at uniform	the meaning given in regulation 3(2) of the Construction and Use	This item shall not apply to vehicles having a <b>maximum</b>

1	2	3	4	5
Item	Subject matter	Requirement	Definitions and supplementary provisions	Exemptions and modifications
		the maximum speed of the vehicle and capable of being read by the driver at all times of the day or night.		
		2. For all true speeds up to the design speed of the vehicle, the true speed shall not exceed the indicated speed.		
		3. For all true speeds of between 25 mph and 70 mph (or the maximum speed if lower), the difference between the indicated speed and the true speed shall not exceed—		
		V/10 + 6.25 mph		
		where V = the true speed of the vehicle in mph.		
20	Wiper and washer system	1. The vehicle shall be fitted with one or more wipers which when switched		This item shall not apply to a goods vehicle. This item shall not apply to

tem	Subject	<b>D</b>		-
	Sucjeen	Requirement	Definitions	Exemptions
	matter	-	and	and
			supplementary	modifications
			provisions	
		on, operate		vehicles not
		automatically		equipped with
		to clear the		a windscreen
		windscreen of		through which
		water so that		the driver
		the driver has		must look
		an adequate		to obtain an
		view of the		adequate view
		road ahead,		of the road
		both directly in		ahead, both
		front of the		directly in
		vehicle and in		front of the
		front of both		vehicle and
		sides of the		in front of
		vehicle, in wet		both sides of
		weather.		the vehicle,
		<b>2.</b> The		from all
		wiper or		normal seating
		wipers shall		positions.
		have at least		
		one operating		
		frequency at		
		which it or		
		they shall		
		operate		
		continuously		
		at no less than		
		45 cycles per		
		minute.		
		<b>3.</b> The		
		wiper blade		
		or blades		
		shall return		
		automatically		
		to a position		
		of rest which		
		shall be at		
		or beyond the		
		outer edge		
		of the area		
		swept by the		
		wiper and shall		
		be capable of		
		being		
		displaced from		
		this position on		
		the windscreen		
		8.	2	

1	2	3	4	5
Item	Subject matter	Requirement	Definitions and supplementary provisions	Exemptions and modifications
		to allow for windscreen cleaning.		
		4. The vehicle shall be fitted with a windscreen washer system capable of cleaning, in conjunction with the wiper or wipers, the area of windscreen swept by the wiper or wipers.		
		5. When this system is actuated with the nozzles plugged, it shall be capable of withstanding the pressures produced.		
		6. The capacity of the liquid reservoir for this system shall not be less than 1 litre.		
21	Defrosting and demisting system	1. The vehicle shall be equipped with a system for removing frost and ice from the glazed surfaces of the windscreen.	4	This item shall not apply to a goods vehicle. This item shall not apply to vehicles not equipped with a windscreen through which

1	2	3	4	5
Item	Subject matter	Requirement	Definitions and	Exemptions and modifications
			provisions	moujieunons
		This system	1	the driver
		shall be		must look
		effective		to obtain an
		enough to		adequate view
		ensure that		of the road
		the driver has		ahead, both
		an adequate view of the		directly in front of the
		road ahead,		vehicle and
		both directly in		in front of
		front of the		both sides of
		vehicle and in		the vehicle,
		front of both		from all
		sides of the		normal seating
		vehicle, in cold		positions.
		weather.		
		<b>2.</b> The		
		vehicle shall		
		be equipped		
		with a system		
		for removing		
		mist from the		
		interior glazed		
		surface of the		
		windscreen. This system		
		shall be		
		effective		
		enough to		
		ensure that		
		the driver has		
		an adequate		
		view of the		
		road ahead,		
		both directly		
		in front of		
		the vehicle and		
		in front of both sides of		
		the vehicle, in		
		wet and humid		
		weather.		
	<b>F</b> 1 · · ·			
22	Fuel input	The vehicle		This item
		shall be		shall not apply
		fitted with a fuel tank so		to vehicles to which
		constructed		
		constructed	_	paragraph

l Item	2 Subject matter	3 Requirement	4 Definitions and supplementary provisions	5 Exemptions and modifications
		that it cannot readily be filled from a petrol pump delivery nozzle which has an external diameter of not less than 23.6mm without the aid of a device (such as a funnel) not fitted to the vehicle.		2(c) or (d) in column 3 of item 4 (exhaust emissions) do not apply.
23	Design weights	<ol> <li>The maximum gross weight of the vehicle shall be no less than the sum of the kerbside weight, and—         <ul> <li>(a) in the case of a vehic other than a motor carav 75kg for each seat; and</li> </ul> </li> </ol>	vehicle is travelling r on the an, road.	This item shall not apply to a goods vehicle.
		(b) in the case of a motor carav 85kg		

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Motor Vehicles (Approval) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

1	2	3	4	5	
Item	Subject	Requirement	Definitions	Exemptions	
	matter	1	and	and	
			supplementary	modifications	
			provisions	U U	
		for			
		each			
		seat			
		and			
		10kg			
		for			
		each			
		metre	9		
		of the			
		total			
		lengt	h		
		of	11		
		the			
		vehic	le.		
		<b>2.</b> For all			
		vehicles-			
		(a) the			
		sum			
		of			
		the			
		maxi perm			
		axle	nicu		
		weig	hts		
		must			
		not			
		be			
		less			
		than			
		the			
		maxi	mum		
		gross			
		weig	ht		
		of			
		the			
		vehic			
		(b) when	l		
		the			
		vehic	le		
		is			
		loade			
		to its			
		maxi			
		gross			
		weig			

87

1	2	3	4	5	
tem	Subject	Requirement	Definitions	Exemptions	
	matter	1	and	and	
			supplementary	modifications	
			provisions		
		by			
		placi	ng		
		a	h+		
		weig	nı		
		68kg			
		in			
		each			
		seat			
		and			
		by	1		
		the	buting		
		rema	ining		
		weig			
		even			
		in			
		the			
		areas			
		desig to	ined		
			nmodate		
		lugga			
		(all	.8-		
		in			
			dance		
		with	1		
		parag 2 of	graph		
		2 of the			
		Арре	endix		
		to			
		Direc			
		92/21	[/		
		EEC			
		as			
		last amer	ded		
		by			
		Direc	ctive		
		95/48			
		EC),			
		the			
		axle	н.,		
		weig	ht		
		of each			
		axle			
			88		

1	2	3	4	5
Item	Subject	Requirement	Definitions	Exemptions
	matter		and	and
			supplementary	modifications
		1 11	provisions	
		shall		
		not	. d	
		excee the	a	
		maxii	mum	
		perm		
		axle		
		weigl	nt;	
		and		
		(c) when		
		the		
		vehic	le	
		is		
		loade	d	
		to its		
		maxii		
		gross		
		weigl and	п,	
		at		
		the		
		same		
		time,		
		its		
		rear		
		axle		
		is landa	J	
		loade to its	d	
		maxii	mum	
		perm		
		axle		
		weigl	nt,	
		the		
		front		
		axle		
		weigl	nt	
		shall		
		not be		
		less		
		than		
		30%		
		of		
		the		
		maxi	mum	

1	2	3	4	5
Item	Subject	Requirement	Definitions	Exemptions
	matter	1	and	and
			supplementary	
			provisions	0
		gross	-	
		weigh	it.	
24	General	<b>1.</b> All		
	vehicle	aspects of the		
	construction	design and		
		construction of		
		the vehicle and		
		its equipment		
		which are not		
		covered by		
		other subject		
		matters in this		
		Schedule, shall		
		be such that		
		no danger		
		is caused or		
		likely to be		
		caused to any		
		person in the		
		vehicle or on a		
		road.		
		<b>2.</b> In		
		particular,		
		under all		
		normal		
		conditions		
		likely to be		
		encountered		
		while the		
		vehicle is		
		being driven		
		on a road,		
		including		
		when the		
		vehicle is		
		loaded to		
		its maximum		
		gross weight		
		and the axle		
		weight of any		
		one axle equals		
		its maximum		
		permitted axle		
		weight-		
		(a) it		
		shall		

1	2	3	4	5
tem	Subject	Requirement	Definitions	Exemptions
	matter		and	and
			supplementary	modifications
		-	provisions	
		be	1.1.	
		poss to	lble	
		cont	rol	
		the	101	
		vehi	cle	
		safe	ly,	
		takin		
		acco	ount	
		of		
		the	cle's	
		spee		
		and	·	
			leration	
			bilities;	
		(b) it		
		shal	1	
		at al		
		time	S	
		be		
		poss	ible	
		for the		
		driv	er	
		whil		
			rolling	
		the		
		vehi	cle,	
		to		
		have	2	
		a full		
		view	1	
		of		
		the		
		road		
		and	• .	
		traff ahea		
		of	lu	
		the		
		vehi	cle;	
		(c) the	,	
		clea	rance	
		betw		
		any		
		5	91	

1	2	3	4	5	
tem	Subject	Requirement	Definitions	Exemptions	
	matter	-	and	and	
			supplementary	modifications	
			provisions		
		of			
		the	•		
		follov parts	wing		
		of			
		the			
		vehic	le,		
		name			
		the			
		tyres			
		whee			
		other rotati			
			onents		
		assoc	iated		
		with			
		the			
			mission		
		of			
		engin powe			
		or			
		braki	ng,		
		move			
		parts			
		of			
		the	20		
		steeri	anism		
		and	amsm		
		fixed			
		parts			
		shall			
		be	•		
		suffic	cient		
		to ensur	·A		
		no	C		
		risk			
		of			
		fouli	ng		
		and			
		the	1		
		whee	IS		
		and whee	1		
		fixing			
		shall			
			92		

1	2	3	4	5
Item	Subject matter	Requirement	Definitions and supplementary provisions	Exemptions and modifications
		be	-	
			npatible;	
		(d) the veh stru (ch or inter cha bod sha be so des and com as t wit the ford and vib to whi it is like to b	icle cture assis gral ssis- ly), ll igned structed o hstand ces ration ch	
		(e) all entr and exit pro for the veh occ (oth than doc sha be so	ries s vided icle upants ner n rs) Il igned o ww	

1	2	3	4	5	
tem	Subject	Requirement	Definitions	Exemptions	
	matter	-	and	and	
			supplementary	modifications	
			provisions		
		and			
		safe			
		use			
		(f) all			
			rture		
		cov			
		(oth			
		tha			
		doo			
		tail	uding		
		gate	26		
		boo			
		and			
		bon			
		lids			
		sha			
		be			
			able		
		of			
		bein			
			urely		
		late in	hed		
		the			
		full	V		
		clos			
			ition;		
		(g) the	ering,		
			pension,		
		axle			
		and			
		whe			
		sha			
		be			
		SO			
			igned,		
			structed		
		and			
		fitte			
		as t			
			hstand		
		the	205		
		and			
			ration		
		VIU	94		

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Motor Vehicles (Approval) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes


l Item	2 Subject matter	3 Requirement	4 Definitions and supplementary provisions	5 Exemptions and modifications	
		to			
		whic	h		
		they			
		are likely	7		
		to be			
		subje			
		(h) the			
		fuel			
		syste	m,		
		inclu	ding		
		the			
		fuel tank,			
		shall			
		be			
		SO			
		desig			
			ructed		
		and fitted			
		as to	l		
		withs	stand		
		the			
		force			
		vibra	tion		
		and corro	-		
			onment		
		to	omnent		
		which	h		
		it is			
		likely			
		to be			
		subje It	ect.		
		shall			
		also			
		be			
		SO			
		fitted	l		
		as to	1		
		avoid the	I		
		risk			
		of			
		dama			


95

1	2	3	4	5
tem	Subject	Requirement	Definitions	Exemptions
	matter	1	and	and
			supplementary	
			provisions	
		such	1	
		as		
		abras	ion,	
		due		
		to		
		foulir	ng	
		of		
		other		
		parts,		
		and		
		to minir	nisa	
		the		
		risk		
		of		
		fire		
		in		
		the		
		event		
		of		
		any		
		leaka	ge	
		of		
		fuel.		
		The		
		fuel		
		tank		
		shall	1	
		comp with	тy	
			ation 39	
		of	uui011 <i>J J</i>	
		the		
			truction	
		and		
		Use		
			lations,	
		excep		
		that		
		it		
		need		
		not		
		be		
		made		
		of metal		


1	2	3	4	5	
tem	Subject	Requirement	Definitions	Exemptions	
	matter	1	and	and	
			supplementary		
			provisions	5	
		(i) the	1		
		electr	rical		
		system	m,		
		inclu	ding		
		the			
		batter			
		electr			
			onents		
		and wires			
		shall	,		
		be			
		secur	elv		
		attach			
		to			
		the			
		vehic	le.		
		In			
		partic	cular,		
		the			
		maxi			
		distar			
		betwo	nments		
		of	linents		
		wires			
		excep			
		those			
		conta			
		withi			
		hollo	W		
		comp	onents,		
		shall			
		be			
		300			
		mm			
		and			
		wires shall			
		be			
		so			
		fitted			
		and			
		prote	cted		
		as to			
		avoid	l		
		the			
		risk			
		(	97		

1	2	3	4	5	
Item	Subject	Requirement	Definitions	Exemptions	
	matter		and	and	
			supplementary	modifications	
			provisions		
		of			
		dama	lge		
		to insul	ation		
		such	ation,		
		as			
		abras	ion.		
		All			
			oonents		
		shall			
		be			
		so	ructed		
		and	lucieu		
		fitted			
		as to			
		minii	nise		
		the			
		risk of			
		corro	sion		
		and	51011		
		fire.			
25	Plate for				
25	goods vehicles	Every goods			
	goods venicies	comply			
		with the			
		requirements			
		of paragraphs			
		(2) and (3) of			
		regulation 66			
		of the			
		Construction			
		and Use Regulations.			
		Regulations.			





Central Longitudinal Axis



#### APPENDIX 2 TO SCHEDULE 3 (Item 7, Rear-view Mirrors) (Goods Vehicles Exceeding 2000kg GVW)

100

#### SCHEDULE 4

Regulation 5(1)(b)

## APPROVAL REQUIREMENTS FOR RELEVANT VEHICLES EXCEPT SCHEDULE 2 VEHICLES

# Commencement Information 125 Sch. 4 in force at 1.2.2001, see reg. 1

(The expressions in bold type are defined in column 4)

l Item	2 Subject matter		onstruction an t requirement		and	5 Exemptions and amodifications
		of	Instru ufacture	m <b>(m</b> ity ECE ument Regu	-	
3	Protective steering	1st July 1991 1st October 1996	Directive 74/297/ EEC, annex 1, paragraphs 5 and 6 Directive 74/297/ EEC as last amended by Directive 91/662/ EEC, annex 1, paragraphs 5 and 6	ECE Regulation 12.01, paragraphs 5 and 6 ECE Regulation 12.03, paragraphs 5 and 6		This item shall not apply to— (a) vehicles, the steering control of which has been specially constructed for the use of a person suffering from some physical defect or disability; (b) ambulances, motor caravans and hearses
			10	)1		

1	2	3		4	5
Item	Subject matter	Design, construc equipment requir		and	Exemptions and camodifications
		(a) Date (b) of manufactur of the vehicle	Comm( <b>n</b> t)ity Instrument re		
					(in each case) having a maximum gross

gre weight of more than 2,500 kg if the vehicle has been derived from а goods vehicle which either had а maximum gross weight of not less than 1,500 kg or was manufactured before 1st October 1997; and

bject .		nstruction an requirement		and	5 Exemptions and tampodifications
	(a) Date of manu of the vehic	Instru facture	m <b>(æ)</b> ity ECE ument Regu		
					(c) armoured vehicles.
issions J	st anuary 993	Directive 70/220/ EEC as last amended by: Directive 91/441/ EEC, annex 1, paragraphs 5, 7 and 8 (applies only to <b>passenger</b> cars)	ECE Regulation 83.01, paragraphs 5, 8 amd 13	of this item— "passa car" means a motor vehicl which (a) (b)	enger S

l Item	2 Subject matter		onstruction at t requirement		4 5 Definitions Exemptions and and supplementamodifications provisions
		of	Instr- nufacture	m <b>(w</b> ity ECE ument Regu	-
		1st October 1994	Directive 93/59/ EEC, annex 1, paragraphs 5, 7 and 8 (applies only to vehicles other than <b>passenger</b> cars)	ECE Regulation 83.01, paragraphs 5, 8 and 13	gross weight not exceeding 2,500 kg. *Note: paragraph (b) does not apply to vehicles manufactured after 1st January 2001.
		1st January 1997	Directive 94/12/EC, annex 1, paragraph 5 (applies only to passenger cars)	ECE Regulation 83.02, paragraph 5	"Reference mass" has the same meaning as in Directive 70/220/ EEC as last amended by

l Item	2 Subject matter	-	nstruction a requirement		and	5 Exemptions and amodifications	
		(a) Date (b) Comm(wity ECE of Instrument Regulation manufacture of the vehicle					
					Directive 96/69/EC.		
		1st October 1997 (applies from this date to <b>Class I</b> vehicles)	Directive 96/69/EC, annex 1, paragraph 5	ECE Regulation 83.03, paragraph 5	"Class I vehicle" means a goods vehicle (category N1) which has a <b>reference</b> <b>mass</b> not exceeding 1,250 kg (1,305 kg from 1st January 2001).		
		1st October 1998 (applies from this date to vehicles of category M1 other than passenger cars, <b>Class</b> <b>II and</b> <b>Class III</b> <b>vehicles</b> )	"	"	"Class II vehicle" means a goods vehicle (category N1) which has a <b>reference</b> <b>mass</b> exceeding 1,250 kg (1,305 kg from 2001) but not exceeding 1,700 kg (1,760 kg from 2001).		

l Item	2 Subject matter	-	nstruction an requirements		and	5 Exemptions and camodifications
		(a) Date of manu of the vehic	Instru ufacture	n <b>(a)</b> ity ECE ument Regu		
		1st October 1999	98/77/EC, annex 1, paragraph	ECE Regulation 83.04, paragraph 5	"Class III vehicle" means a goods vehicle (category N1) which has a <b>reference</b> <b>mass</b> exceeding 1,700 kg (1,760 kg from 2001).	
		1st January 2001 (applies from this date to <b>passenger</b> <b>cars and</b> <b>Class I</b> <b>vehicles</b> )	Directive 98/69/EC, annex 1, paragraph 5 (Phase I limits)			Does not apply until 1st January 2002 providing the vehicle is registered before that date.
		1st January 2002 (applies from this date to vehicles of category M1 other than passenger cars, Class II and			M1 the maximum	Does not apply until 1st January 2003 providing the vehicle is registered before that date.

l Item	2 Subject matter		onstruction and requirements	and	5 as Exemptions and
		(a) Date of	e (b) Comm(m)ity Instrument	provisions ECE	ntampodifications s
			ufacture		
		Class III vehicles)		compression ignition engine, and which is:	
		1st	"	const(a)ct-	- (a)
		January 2003 (until this		6	ed or adapted
		date, a diesel passenger		(	to carry more
		vehicle is treated		t	ihan 5
		as a vehicle of category N1)		i t	occupants including the driver,
				(b) a	or an off-
				1	road vehicle
				i	as defined in
				]	Annex II to
				t	the 1970 Directive.
		1st January 2006 (applies from this date to	Directive 98/69/EC annex 1, paragraph 5 (Phase 2 limits)		
		passenger cars and			

1	2	3		1	4	5	
Item	Subject matter		nstruction a requirement		Definitions Exemptions and and supplementamodifications provisions		
		(a) Date of manu of the vehic	Instr ifacture	m(m)ity ECE ument Regul	lation		
		Class I vehicles) 1st January 2007 (applies from this date to vehicles of category M1 other than passenger cars, Class II and Class III					
8	Anti-theft devices	vehicles) 1st October 1998	Directive 74/61/ EEC as last amended by Directive 95/56/EC, annex V (electronic immobilise and annex VI (alarm system)	r)system)	г)		
10	Seat belt anchorages		Directive 76/115/ EEC as last amended by:				

l Item	2 Subject matter	-	onstruction at requirement		and	5 Exemptions and amodifications
		of	Instr- ufacture	m <b>(w)</b> ity ECE ument Regu	-	
		1st July 1991	Directive 82/318/ EEC, annex 1, paragraphs 4 and 5	ECE Regulation 14.02, paragraphs 5, 6 and 7		
		1st July 1997	Directive 90/629/ EEC, annex 1, paragraphs 4 and 5	ECE Regulation 14.03, paragraphs 5, 6 and 7		
11	Installation of seat belts	1st July 1997	Directive 77/541/ EEC as last amended by:		person's belt" has the same meaning as in	The requirements shall not apply in relation to a seat
			Directive 90/628/ EEC, annex 1, paragraphs 3.1 to 3.1.9		Regulations	disabled person's vehicle if
		1st October 1999	3.1 to	ECE Regulation 16.04, (Supplemer 8) paragraphs 8.1 to 8.1.10.3 and 8.1.11 to 8.1.12	ıt	

l Item	2 Subject matter	3 Design, con equipment r			and supplement	5 Exemptions and amodifications
		(a) Date of manuf of the vehicle	Instru facture	m(m)ity ECE ument Regul	provisions ation	
12	Brakes	, ] ;	Directive 71/320/ EEC as last amended by:			
		1st April 1995 1st a October 1999	Directive 91/442/ EEC, annex 1, paragraph 2 Directive 98/12/EC, annex 1, paragraph 2.1.1.3	ECE Regulation 13.06 paragraph 5 ECE Regulation 13.09, paragraph 5.1.1.3 or ECE erRegulation 13H, paragraph		
		1 ]	free brake linings only)	5.1.1.3 (Requirement for asbestos- free brake linings only)	nts	
		March 2001	Directive 98/12/EC, annex 1, paragraph 2 (All requiremen	ECE Regulation 13.09, paragraph 5 or ECE ts egulation 13H, paragraph 5 (All requirement	s)	
13	Noise and silencers		Directive 70/157/	10		

l Item	2 Subject matter	-	onstruction a requirement		and	5 Exemptions and amodifications
		of	Instr ufacture	m(@)ity ECE ument Regui	-	
		1st July 1991	EEC as last amended by: Directive 84/424/ EEC, annex 1, paragraph 5	ECE Regulation 51.01, paragraph 5		
	1st January 1997	Directive 92/97/ EEC or Directive 96/20/EC, annex 1, paragraph 5	ECE Regulation 51.02, paragraph 5			
26	Carbon dioxide emissions and fuel consumptio	1st January 1997 on	Directive 80/1269/ EEC as last amended by Directive 93/116/ EC, annex 1, paragraph 5	ECE Regulation 101, paragraph 5		
27	Frontal impact	1st October 2003	Directive 96/79/EC, annex 2, paragraph 3	ECE Regulation 94.01, paragraph 5		
28	Side impact	1st October 2003	Directive 96/27/EC, annex 2,	ECE Regulation 95.01,		

1	2	3 4 5
Item	Subject matter	Design, construction and equipment requirements and supplementamodifications provisions
		(a) Date (b) Community ECE of Instrument Regulation manufacture of the vehicle
		paragraph paragraph 3 5

# SCHEDULE 5

Regulation 11

# FORM OF APPROVAL CERTIFICATE

# **Commencement Information**

I26 Sch. 5 in force at 1.2.2001, see reg. 1

Vehicle Inspectora	British National Type Approval Minister's Approval Certificate issued under Section 58(1) of the Road Traffic Act 1988 by virtue of the Motor Vehicles (Approval) Regulations 2001
The motor vehicle having the identification/ch having been examined under Section 58 of the certified that on the date of the examination th relevant requirements prescribed under Section Make:	e Road Traffic Act 1988, it is hereby is vehicle complied with the
Model:	Axle 1 kg Axle 2 kg
Class Code: Category (passenger(M1)/goods(N1)):	Axle 3   kg     Gross Weight   kg     Train Weight   kg
Fuel Type e.g. (Petrol/Diesel/Gas Bi-Fuel): CO2: HC	NOTE: In the case of a goods vehicle the design weights shown are also the plated weights. Signed by authority of the Secretary of State:
Station Location:	Name in CAPITALS.
Date of issue:	Authentication Stamp:

#### SCHEDULE 6

Regulation 3(6)

# COMMUNITY INSTRUMENTS AND ECE REGULATIONS

# PART I

# **References to Community Instruments**

**1.**—(1) The Directives referred to in these Regulations are set out in Part II of this Schedule; those marked with an asterisk are Commission Directives, those marked with a cross are Directives of the European Parliament and the Council and the other Directives are Council Directives.

(2) A reference in these Regulations to a Directive shown in column 2 of Part II of this Schedule as last amended by a Directive shown in column 3 against that Directive shall be read as follows.

(3) The reference shall be read as a reference to the Directive shown in column 2 as amended by the Directives shown in column 3 against that Directive down as far as (and including) the Directive referred to as the last amending Directive.

#### **Commencement Information**

I27 Sch. 6 Pt. I para. 1 in force at 1.2.2001, see reg. 1

**2.**—(1) For the purposes of these Regulations, where a vehicle does not comply with an item in Schedule 3 or 4 of these Regulations, it shall nevertheless be regarded as complying with that item if—

- (a) that item contains a reference to a Directive ("the base Directive") not followed by the words "as last amended by"; and
- (b) the vehicle would comply with that item were there substituted for that reference, a reference to the base Directive as last amended by a Directive shown against the base Directive in column 3 of Part II of this Schedule.

(2) For the purposes of these Regulations, where a vehicle does not comply with an item in Schedule 3 or 4 of these Regulations, it shall nevertheless be regarded as complying with that item if—

- (a) that item contains a reference to a Directive ("the base Directive") as last amended by another Directive ("the amending Directive"); and
- (b) the vehicle would comply with that item were there substituted for that reference, a reference to the base Directive as last amended by a Directive shown—
  - (i) against the base Directive, and
  - (ii) below the amending Directive in column 3 of Part II of this Schedule.

#### **Commencement Information**

I28 Sch. 6 para. 2 in force at 1.2.2001, see reg. 1

#### **Commencement Information**

I27 Sch. 6 Pt. I para. 1 in force at 1.2.2001, see reg. 1

**I28** Sch. 6 para. 2 in force at 1.2.2001, see reg. 1

# **References to ECE Regulations**

**3.**—(1) A reference in these Regulations to an ECE Regulation followed by a number which is not itself followed by a full-stop and 2 digits (for example "ECE Regulation 30") shall be read as a reference to the ECE Regulation of that number which came into force on the date shown against that number in column (4) of Part III of this Schedule.

(2) A reference in these Regulations to an ECE Regulation followed by a number which is itself followed by a full-stop and 2 digits (for example "ECE Regulation 30.01") shall be read as a reference to the ECE Regulation of that number with the amendments in force on the dates shown against the number in column (4) of Part III of this Schedule.

**Commencement Information** 

I29 Sch. 6 para. 3 in force at 1.2.2001, see reg. 1

**4.**—(1) For the purposes of these Regulations, where a vehicle does not comply with an item in Schedule 3 or 4 of these Regulations, it shall nevertheless be regarded as complying with that item if—

- (a) that item contains a reference to an ECE Regulation ("the base Regulation") that is not followed by a full-stop and 2 digits; and
- (b) the vehicle would comply with that item were there substituted for that reference, a reference to an entry in column (3) of Part III of this Schedule shown against that Regulation.

(2) For the purposes of these Regulations, where a vehicle does not comply with an item in Schedule 3 or 4 of these Regulations, it shall nevertheless be regarded as complying with that item if—

- (a) that item contains a reference to an ECE Regulation ("the base Regulation") that is followed by a full-stop and 2 digits; and
- (b) the vehicle would comply with that item were there substituted for that reference, a reference to an entry in column 3 of Part III of this Schedule shown—
  - (i) against that Regulation, and
  - (ii) below the entry in that column for that ECE Regulation and those 2 digits.

#### **Commencement Information**

I30 Sch. 6 para. 4 in force at 1.2.2001, see reg. 1

5. In these Regulations, "ECE Regulation" means a Regulation annexed to the Agreement concerning the adoption of uniform conditions of approval for motor vehicle equipment and parts and reciprocal recognition thereof concluded at Geneva on 20th March 1958(17) as amended(18) to which the United Kingdom is a party(19).

<sup>(17)</sup> Cmnd. 2535.

<sup>(18)</sup> Cmnd. 3562.

<sup>(19)</sup> By an instrument of accession dated 14th January 1963 deposited with the Secretary General of the United Nations on 15th January 1963.

#### **Commencement Information**

I31 Sch. 6 para. 5 in force at 1.2.2001, see reg. 1

#### **Commencement Information**

- I29 Sch. 6 para. 3 in force at 1.2.2001, see reg. 1
- I30 Sch. 6 para. 4 in force at 1.2.2001, see reg. 1
- I31 Sch. 6 para. 5 in force at 1.2.2001, see reg. 1

# PART II

# **REFERENCES TO COMMUNITY DIRECTIVES**

(1) Subject matter of	(2) Directive	(3) Principal Directive	(4) Amending Directive	Official Journal reference
Radio interference suppression	72/245/EEC	Directive	L152, 6.7.72, p. 15	rejerence
		89/491/EEC*	L238, 15.8.89, p. 43	
		95/54/EC	L226, 8.11.95, p. 1	
Protective steering	74/297/EEC		L165, 20.6.74, p. 16	
		91/662/EEC*	L366, 31.12.91, p. 1	
Diesel smoke	72/306/EEC		L190, 20.8.72, p. 1	
		97/20/EC*	L125, 16.5.97, p. 21	
Roadworthiness	77/143/EEC		L47, 18.2.77, p. 47	
		88/449/EEC	L222, 12.8.88, p. 10	
		91/225/EEC	L103, 24.4.91, p. 3	
		91/328/EEC	L178, 6.7.91, p. 29	

## Document Generated: 2023-10-03

(1) Subject matter of	(2) Directive	(3) Principal Directive	(4) Amending Directive	Official Journal reference
0		92/55/EEC	L225, 10.8.92, p. 68	0
Rear view mirrors	71/127/EEC		L68, 22.3.71, p. 1	
		79/795/EEC*	L239, 22.9.79, p. 1	
		85/205/EEC*	L90, 29.3.85, p. 1	
		86/562/EEC*	L327, 02.11.86, p. 49	
		88/321/EEC*	L147, 14.6.88, p. 77	
Seat belt anchorages	76/115/EEC		L24, 30.1.76, p. 6	
		81/575/EEC	L209, 29.7.81, p. 30	
		82/318/EEC*	L139, 19.5.82, p. 9	
		90/629/EEC*	L341, 6.12.90, p. 14	
		96/38/EC*	L187, 26.7.96, p. 95	
Seat belts	77/541/EEC		L220, 29.8.77, p. 95	
		81/576/EEC	L209, 29.7.81, p. 32	
		82/319/EEC*	L139, 19.5.82, p. 17	
		90/628/EEC*	L341, 6.12.90, p. 1	
		96/36/EC*	L178. 17.7.96, p. 15	
Braking	71/320/EEC		L202, 6.9.71, p. 37	
		74/132/EEC*	L74, 19.3.74, p. 7	
		75/524/EEC*	L236, 8.9.75, p. 3	
		79/489/EEC*	L128, 26.5.79, p. 12	
		85/647/EEC*	L38, 31.12.85, p. 1	
		88/194/EEC*	L92, 9.4.88, p. 47	

(1)	(2)	(3)	(4)	
Subject matter	Directive	Principal	Amending	Official Journal
of		Directive	Directive	reference
		91/422/EEC*	L233, 22.9.91. p. 21	
		98/12/EC*	L81, 18.3.98, p. 1	
Braking of 2/3 wheeled vehicles	93/14/EEC		L121, 15.5.93, p. 1	
Seat strength	74/408/EEC		L221, 12.8.74, p. 1	
		81/577/EEC	L209, 29.7.81, p. 34	
		96/37/EC*	L187, 25.7.96, p. 28	
Tyres	92/23/EEC		L129, 14.5.92, p. 95	
Interior fittings	74/60/EEC		L38, 11.2.74, p. 2	
		78/632/EEC*	L206, 29.7.68, p. 26	
Forward vision	77/649/EEC		L267, 19.10.77, p. 1	
		81/643/EEC*	L231, 15.8.81, p. 41	
		88/366/EEC*	L181, 12.7.88, p. 40	
		90/630/EEC*	L341, 6.12.90, p. 20	
External projections	74/483/EEC		L266, 2.10.74, p. 4	
		79/488/EEC*	L128, 26.5.79, p. 1	
Masses and dimensions	92/21/EEC		L129, 14.5.92, p. 1	
		95/48/EEC*	L233, 30.9.95, p. 73	

(1)	(2)	(3)	(4)	
Subject matter	Principal	Amending	Official Journal	
of Directive	Directive	Directive	reference	
Protective steering	74/297/EEC		L165, 20.6.74, p. 16	

## Document Generated: 2023-10-03

(1) Subject matter of Directive	(2) Principal Directive	(3) Amending Directive	(4) Official Journal reference	
		91/662/EEC*		L366, 31.12.91, p. 1
Exhaust emissions	70/220/EEC		L76, 6.4.70, p. 1	
		91/441/EEC	L242, 30.8.91, p. 1	
		93/59/EEC	L186, 28.7.93, p. 21	
		94/12/EC+	L100, 19.4.94, p. 42	
		96/69/EC+	L282, 1.11.96, p. 64	
		98/77/EC+	L286, 23.10.98, p. 34	
		98/69/EC+	L350, 28.12.98, p. 1	
Anti-theft devices	74/61/EEC		L38, 11.2.70, p. 22	
		95/56/EC*	L286, 29.11.95, p. 1	
Seat belt anchorages	76/115/EEC		L24, 30.1.76, p. 1	
		82/318/EEC*	L139, 19.5.82, p. 9	
		90/629/EEC*	L341, 6.12.90, p. 14	
		96/38/EC*	L187, 26.7.96, p. 95	
Seat belts	77/541/EEC		L220, 29.8.77, p. 45	
		90/628/EEC	L341, 6.12.90, p. 1	
		96/36/EC*	L178, 17.7.90, p. 15	
Braking	71/320/EEC		L202, 6.9.71, p. 37	
		91/422/EEC*	L238, 27.8.91, p. 25	
		98/12/EC*	L81, 18.3.98, p. 1	

(1) Subject matter of Directive	(2) Principal Directive	(3) Amending Directive	(4) Official Journal reference	
Noise and silencers	70/157/EEC		L42, 23.2.70, p. 16	
		84/424/EEC	L238, 6.9.84, p. 31	
		92/97/EEC	L371, 19.12.92, p. 1	
Carbon dioxide emissions and fuel consumption	80/1268/EEC		L375, 31.12.80, p. 46	
			93/116/EC*	L329, 30.12.93, p. 39
Frontal impact	96/79/EC+		L18, 21.1.97, p. 7	
Side impact	96/27/EC+		L169, 8.7.96, p. 1	

# PART III

# **REFERENCES TO ECE REGULATIONS**

(1)	(2)	(3)	(4)
Subject matter of Regulation	ECE Regulation	Amending Series	Date
Radio interference suppression	10		17 Dec 1968
		10.01	23 June 1978
		10.02	3 Sept 1997
Rear reflectors	3		1 Nov 1963
		3.01	18 Aug 1982
		3.02	11 July 1985
Rear view mirrors	46		29 Sept 1975
		46.01	5 Oct 1987
Tyres	30		1 April 1975
		30.01	10 Oct 1977
		30.02	21 April 1981

# Document Generated: 2023-10-03

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Motor Vehicles (Approval) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

(1)	(2)	(3)	(4)
Subject matter of Regulation	ECE Regulation	Amending Series	Date
Protective steering	12		1 June 1969
		12.01	8 Oct 1980
		12.02	14 Nov 1982
		12.03	24 Aug 1993
Exhaust emissions	83		5 Nov 1989
		83.01	30 Dec 1992
		83.02	7 Dec 1996
		83.04	13 Nov 1999
Anti-theft devices	18		1 March 1971
		18.02	3 Sept 1997
Alarm systems	97		1 Jan 1996
		97.01	13 Jan 2000
Seat belt anchorages	14		1 April 1970
		14.02	22 Nov 1984
		14.03	29 Jan 1992
		14.04	18 Jan 1998
		14.05	4 Feb 1999
Seat belts	16		1 Dec 1970
		16.04	22 Dec 1985
Braking	13		1 June 1970
		13.06	22 Nov 1990
		13.07	18 Sep 1994
		13.08	26 March 1995
		13.09	28 Aug 1996
		13H	11 May 1998
Noise and silencers	51		15 July 1982
		51.01	27 April 1988
		51.02	18 April 1995
Carbon dioxide emissions from fuel consumption	101		1 Jan 1997
Frontal impact	94		1 Oct 1995

(1) Subject matter of Regulation	(2) ECE Regulation	(3) Amending Series	(4) Date
		94.01	2 Aug 1998
Side impact	95		6 July 1995
		95.01	12 Aug 1998

#### **EXPLANATORY NOTE**

#### (This note is not part of the Regulations)

These Regulations, which replace the Motor Vehicles (Approval) Regulations 1996 as amended, establish a revised system for approving the construction of single vehicles before they enter into service.

The Regulations apply to passenger vehicles and dual-purpose vehicles constructed to carry no more than 8 passengers excluding the driver (equivalent to EC category M1), certain 3 wheeled vehicles having a maximum unladen weight of more than 410 kg (ie not motorcycles), light goods vehicles (maximum gross weight not exceeding 3,500 kg, equivalent to EC category N1) and certain other goods vehicles with a design gross weight not exceeding 5,500 kg.

*Part II* concerns the approval requirements. *Regulation 4* defines the vehicles to which the Regulations apply by reference to the regulations concerning national (Great Britain) type approval. *Regulation 5* specifies two sets of approval requirements, namely basic requirements (*Schedule 3*) and, as from 1st August 2001, enhanced requirements (*Schedule 4*). However, the special classes of vehicle specified in *Schedule 2* need only comply with the basic requirements and certain basic and enhanced requirements do not apply to goods vehicles. Regulation 5(3) allows persons applying for the approval of any vehicle of category M1 which would not otherwise be subject to the enhanced requirements to opt for them to be subject to those requirements. Regulation 5(8) provides for the recognition of equivalent approvals granted in other EEA States.

*Part III* deals with administrative arrangements. *Regulation 6* relates to applications to the Secretary of State for a Minister's approval certificate and *regulation 7* provides for the assignment of vehicle identification numbers to vehicles not having a number which meets the requirements specified in regulation 7(1).

*Regulation 8* specifies criteria for determining design weights. The procedure for appeals under section 60 by persons aggrieved by a determination made on behalf of the Secretary of State following an application under regulation 6 is governed by *regulation 9*. Provision is made in *regulation 10* for an application or appeal to be refused without an examination of the vehicle to which the application relates in the circumstances specified in regulation 10(2).

The form of a Minister's approval certificate is prescribed by *regulation 11* and *Schedule 5*. *Regulation 12* provides for the provision of replacement certificates. *Regulation 13* requires notices under the Regulations generally to be given in writing and permits them to be given by post.

*Regulation 14* specifies the dates appointed for the purposes of section 63(1) of the Road Traffic Act 1988, on or after which it is an offence to use a vehicle of a relevant class without the appropriate

certificate in force under sections 54 to 58 of that Act. Regulations 14(2) to (4) and (8) disapply this requirement in respect of specified types of vehicle or types of use.

Regulation 14(5) specifies 1st February 2001 as the day appointed for all other vehicles to which these Regulations apply which are not of a class for which a day had previously been appointed.

*Regulation 15* provides that a licence under the Vehicles Excise and Registration Act 1994 is not to be granted in respect of a vehicle to which regulation 14 applies unless, in the first application made for it after the relevant appointed day, there is produced evidence that a certificate (or certificates) is in force for the vehicle under sections 54 to 58 of the 1988 Act from which it appears that the vehicle complies with the approval requirements.

These Regulations have been notified to the European Commission and the other Member States in accordance with Directive 98/34/EC of the European Parliament and of the Council (OJ No. L204, 21.7.98, p.37), as amended by Directive 98/48/EC of the European Parliament and of the Council (OJ No. L217, 5.8.98, p.18).

#### **Changes to legislation:**

There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Motor Vehicles (Approval) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. View outstanding changes

0 0

# Changes and effects yet to be applied to :

- Sch. 2 para. 1(f) omitted by S.I. 2004/623 reg. 7(2)
- Sch. 2 para. 6 omitted by S.I. 2004/623 reg. 7(5)
- Sch. 2 para. 1 words substituted by S.I. 2009/815 reg. 2(8)
- Sch. 3 Table substituted by S.I. 2004/623 Sch. 1
- Sch. 3 Item 6 words substituted by S.I. 2009/815 reg. 2(9)
- Sch. 4 Table substituted by S.I. 2004/623 Sch. 2
- Sch. 5 certificate substituted by S.I. 2004/623 Sch. 3
- Sch. 6 Pt. 2 words inserted by S.I. 2004/623 reg. 11(1)(a)
- Sch. 6 Pt. 2 words inserted by S.I. 2004/623 reg. 11(1)(b)
- Sch. 6 Pt. 2 words inserted by S.I. 2004/623 reg. 11(1)(c)
- Sch. 6 Pt. 2 words inserted by S.I. 2004/623 reg. 11(2)(a)
- Sch. 6 Pt. 2 words inserted by S.I. 2004/623 reg. 11(2)(b)
- Sch. 6 Pt. 2 words inserted by S.I. 2004/623 reg. 11(2)(c)
- Sch. 6 Pt. 2 words inserted by S.I. 2004/623 reg. 11(2)(d)
- Sch. 6 Pt. 2 words inserted by S.I. 2004/623 reg. 11(2)(e)
- Sch. 6 Pt. 3 words inserted by S.I. 2004/623 reg. 11(3)(a)
- Regulations revoked by S.I. 2020/818 Sch. 6 para. 43
- reg. 3(1) words inserted by S.I. 2004/623 reg. 3(2)
- reg. 3(1) words omitted by S.I. 2009/815 reg. 2(2)(c)
- reg. 3(1) words substituted by S.I. 2009/815 reg. 2(2)(a)
- reg. 3(1) words substituted by S.I. 2009/815 reg. 2(2)(b)
- reg. 3(1) words substituted by S.I. 2009/815 reg. 2(2)(d)
- reg. 3(2) words substituted by S.I. 2009/815 reg. 2(3)
- reg. 4(1) substituted by S.I. 2009/815 reg. 2(4)
- reg. 5(2) substituted by S.I. 2004/623 reg. 4(2)
- reg. 5(7) substituted by S.I. 2009/815 reg. 2(5)
- reg. 5(8) substituted by S.I. 2004/623 reg. 4(3)
- reg. 6(1) word substituted by S.I. 2004/623 reg. 5(2)
- reg. 6(6)(b)(ii) substituted by S.I. 2004/623 reg. 5(3)
- reg. 6(8) omitted by S.I. 2009/815 reg. 2(7)
- reg. 11 Table substituted by S.I. 2004/623 reg. 6

# Changes and effects yet to be applied to the whole Instrument associated Parts and Chapters:

Whole provisions yet to be inserted into this Instrument (including any effects on those provisions):

- Sch. 2 para. 2(1A) inserted by S.I. 2004/623 reg. 7(3)
- Sch. 2 para. 2(6) inserted by S.I. 2004/623 reg. 7(4)
- reg. 5(8A) inserted by S.I. 2004/623 reg. 4(4)
- reg. 5(8A) words substituted by S.I. 2009/815 reg. 2(6)