Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Radioactive Material (Road Transport) Regulations 2002. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

STATUTORY INSTRUMENTS

2002 No. 1093

ATOMIC ENERGY AND RADIOACTIVE SUBSTANCES

The Radioactive Material (Road Transport) Regulations 2002

Made	16th May 2002
Laid before Parliament	17th May 2002
Coming into force	7th June 2002

THE RADIOACTIVE MATERIAL (ROAD TRANSPORT) REGULATIONS 2002

PART I

CITATION, COMMENCEMENT AND APPLICATION

- 1. Citation and commencement
- 2. Interpretation etc
- 3. Continued applicability of other Regulations
- 4. Scope of Regulations
- 5. Non-application of Regulations
- 6. Derogations: maritime and air transport
- 7. Relationship of Regulations to other safety controls
- 8. Revocation of 1996 Regulations

PART II

SAVINGS AND TRANSITORY PROVISIONS FOR CERTAIN MATTERS UNDER EARLIER INTERNATIONAL REGULATIONS

- 9. General
- Packages not requiring competent authority approval of design under IAEA 1985
- 11. Packages approved under IAEA 1973
- 12. Packages approved under IAEA 1985
- Special form radioactive material approved under IAEA 1973 or IAEA 1985

PART III

GENERAL PROVISIONS RELATING TO THE REGULATION OF TRANSPORT

- 14. Types of regulatory approvals
- 15. General prohibition
- 16. General duty to exercise reasonable care
- 17. General exception
- 18. Quality and compliance assurance programmes; prohibitions etc
- 19. Transport of consignments under special arrangement
- 20. Transport of consignments under exclusive use
- 21. Prohibition on persons travelling in vehicles transporting radioactive material
- 22. Transport of consignments containing packages not designed in a contracting party country
- 23. Categories of packages

PART IV

GENERAL PROVISIONS RELATING TO RADIATION PROTECTION, SAFETY PROGRAMMES AND INFORMATION TO THE PUBLIC

- 24. Radiation protection programme
- 25. Segregation of radioactive material
- 26. Information to the public about health protection measures
- 27. Emergency response

PART V

ACTIVITY LIMITS AND MATERIAL RESTRICTIONS

- 28. Basic radionuclide values
- 29. Calculation of basic radionuclide values
- 30. Content limits for packages

PART VI

REQUIREMENTS AND CONTROLS FOR TRANSPORT

- 31. Requirements to be fulfilled by the consignor before the first shipment
- 32. Requirements to be fulfilled by consignor before each shipment
- 33. Transport of other goods in packages
- 34. Restrictions on the use of tanks etc
- 35. Transport of other goods with consignments transported under exclusive use
- 36. Other dangerous properties of contents and the segregation of consignments from other dangerous goods
- 37. Requirements and controls for contamination and for leaking packages
- 38. Checks to be made on conveyances and equipment
- 39. Decontamination
- 40. Exception in cases of certain overpacks, freight containers etc
- 41. Particular requirements and controls applicable in the case of the transport of excepted packages
- 42. Transport of empty packagings
- 43. Requirements and controls for the transport of LSA material and SCO in industrial packages or unpackaged

- 44. Determination of transport index (TI)
- 45. Determination of criticality safety index (CSI)
- 46. Limits on TI, CSI and radiation levels for packages and overpacks

PART VII

FURTHER RESPONSIBILITIES OF CONSIGNORS AND CARRIERS

- 47. Persons for whom consignors and carriers are responsible
- 48. Responsibilities of consignors
- 49. Responsibilities of carriers

PART VIII

REQUIREMENTS FOR RADIOACTIVE MATERIALS AND FOR PACKAGINGS AND PACKAGES

50. Requirements for radioactive materials etc

PART IX

TEST PROCEDURES

51. Test procedures

PART X

APPROVAL REQUIREMENTS FOR DESIGNS AND SHIPMENTS

- 52. General
- 53. Competent authority approval
- 54. Approval of special form and low dispersible radioactive material
- 55. Approval of packages designed to contain uranium hexafluoride
- 56. Approval of Type B(U) and Type C package designs
- 57. Approval of Type B(M) package designs
- 58. Approval of packages designed to contain fissile material
- 59. Notification and registration of serial numbers
- 60. Approval of shipments
- 61. Approval of shipments under special arrangement

PART XI

APPROVAL CERTIFICATES

- 62. Types of approval certificates
- 63. Identification marks
- 64. Content of approval certificates
- 65. Validation of approval certificates

PART XII

RADIOLOGICAL EMERGENCIES AND INTERVENTION ARRANGEMENTS

- 66. Interpretation of expressions used in this Part
- 67. Duties with respect to the monitoring of particular persons
- 68. Duties of consignor and carrier with regard to the preparation of emergency arrangements
- 69. Duties of drivers, carriers and consignors in the event of the occurrence of a radiological emergency

- 70. Packages involved in a radiological emergency
- 71. Powers of inspectors and the Secretary of State in relation to emergency arrangements

PART XIII

MISCELLANEOUS

- 72. Retention and production of information
- 73. Production of documents
- 74. Evaluation of radiation emissions
- 75. Transport documents for regular consignments Signature

SCHEDULE 1 — TABLES

SCHEDULE 2 — A1 AND A2 VALUES FOR UNSPECIFIED RADIONUCLIDES In the calculations of A1 and A2 for a radionuclide...

SCHEDULE 3 — A1 AND A2 VALUES FOR MIXTURES OF RADIONUCLIDES

- 1. For a mixture of radionuclides whose identities and respective activities...
- 2. When the identity of each radionuclide is known but the...

SCHEDULE 4 — CONTENTS LIMITS FOR PACKAGES

- 1. Excepted packages
- 2. An excepted package containing articles manufactured of natural uranium, depleted...
- 3. Industrial packages
- 4. Type A packages
- 5. Type B(U), Type B(M) and Type C packages
- 6. Packages containing fissile material
- 7. Packages containing uranium hexafluoride
- 8. Special arrangement transport operations

SCHEDULE 5 — DETERMINATION OF TRANSPORT INDEX (TI) OR CRITICALITY SAFETY INDEX (CSI)

- 1. The Transport Index (TI) for a package, overpack, freight container,...
- 2. The TI for each overpack, freight container or vehicle must...
- 3. The Criticality Safety Index (CSI) for packages containing fissile material...
- 4. The CSI for each consignment must be determined as the...

SCHEDULE 6 — ADDITIONAL RESPONSIBILITIES OF CONSIGNORS

- 1. Marking
- 2. For each package, other than excepted packages, the United Nations...
- 3. Each package of gross mass exceeding 50 kg must have...
- 4. Each package which conforms to— (a) an Industrial package Type...
- 5. Each package which conforms to a design approved under regulations...
- 6. Each package which conforms to a Type B(U), Type B(M)...
- 7. Where LSA-I or SCO-I material is contained in receptacles or...
- 8. Labelling
- 9. The labels conforming to the models in Fig 2, Fig....
- 10. Labelling for radioactive contents

- 11. Labelling for criticality safety
- 12. For overpacks and freight containers, the criticality safety index (CSI)...
- 13. Placarding
- 14. Where the consignment in the freight container or tank is... When the alternative given in (b) above is used, the...
- Vehicles carrying packages, overpacks or freight containers labelled with any...
- 16. In the case of a vehicle without sides the placards may be affixed directly on the cargo-carrying unit provided that they are readily visible; in the case of physically large tanks or freight containers, the placards on the tanks or freight containers will suffice. In the case of vehicles which have insufficient area to allow the fixing of larger placards, the dimensions of the placard as described in Fig. 6 of Schedule 14 may be reduced to 100 mm. Any placards which do not relate to the contents must be removed. When the alternative given in (b) above is used, the...
- 17. Particulars of consignment
- 18. Declaration

"I hereby declare that the contents of this consignment are...

- 19. If the intent of the declaration is already a condition...
- 20. The declaration must be signed and dated by the consignor....
- 21. The declaration must be made on the same transport document...
- 22. Removal or covering of labels
- 23. Information for carriers
- 24. The applicable competent authority certificates need not necessarily accompany the...
- 25. Notification of competent authorities
- 26. For each shipment listed in (a), (b), (c) or (d)...
- 27. The consignment notification must include— (a) sufficient information to enable...
- 28. The consignor is not required to send a separate notification...
- 29. Possession of certificates and instructions
- 30. "ADR" orange plate

SCHEDULE 7 — RESPONSIBILITIES OF CARRIERS

- 1. Segregation of packages etc during transport and storage in transit
- 2. Category II-YELLOW or III-YELLOW packages or overpacks must not be...
- 3. No persons other than the driver and assistants must be...
- 4. Stowage during transport and storage in transit
- 5. Provided that its average surface heat flux does not exceed...
- 6. Loading of freight containers and accumulation of packages, overpacks and...
- (c) the radiation level under routine conditions of transport must not...
- 7. Any package or overpack having either a transport index greater...
- 8. For consignments under exclusive use, the radiation level must not...
- (b) 2 mSv/h at any point on the outer surfaces of...
- (c) 0.1 mSv/h at any point 2 m from the vertical...
- 9. Segregation of packages containing fissile material during transport and storage in transit
- 10. Where the total sum of the criticality safety indexes on...
- 11. Undeliverable Consignments
- 12. Vehicles must be equipped in accordance with the provisions of...

SCHEDULE 8 — REQUIREMENTS FOR RADIOACTIVE MATERIALS AND FOR PACKAGINGS AND PACKAGES

- PART I REQUIREMENTS FOR LSA-III MATERIAL
- LSA-III material must be a solid of such a nature...

PART II — REQUIREMENTS FOR SPECIAL FORM RADIOACTIVE MATERIAL

- 1. Special form radioactive material must have at least one dimension...
- 2. Special form radioactive material must be of such a nature...
- 3. When a sealed capsule constitutes part of the special form...

PART III — REQUIREMENTS FOR LOW DISPERSIBLE RADIOACTIVE MATERIAL

Low dispersible radioactive material must be such that the total...

PART IV — GENERAL REQUIREMENTS FOR PACKAGINGS AND PACKAGES

- 1. A package must be so designed in relation to its...
- 2. The design of a package must be such that any...
- 3. Any attachment or other feature on the outer surface of...
- 4. As far as reasonably practicable, packaging must be so designed...
- 5. As far as reasonably practicable, the outer layer of a...
- 6. No feature, not forming an integral part of a package,...
- 7. A package must be capable of withstanding the effects of...
- 8. The materials of the packaging and any components or structures...
- 9. All valves through which radioactive contents could otherwise escape must...
- 10. The design of the package must take into account ambient...
- 11. For radioactive material having other dangerous properties, the package design...

PART V — REQUIREMENTS FOR EXCEPTED PACKAGES

The package must comply with Part IV of this Schedule....

- PART VI REQUIREMENTS FOR AN INDUSTRIAL PACKAGE TYPE 1 (IP-1)
- An industrial package Type 1 (IP-1) must be designed to ...
- PART VII REQUIREMENTS FOR AN INDUSTRIAL PACKAGE TYPE 2 (IP-2)
- 1. An industrial package Type 2 (IP-2) must be designed to...
- 2. An industrial package Type 2 (IP-2) must be designed—
- 3. A tank container may be used as an industrial package...
- 4. A tank may be used as an industrial package Type...
- 5. A freight container may be used as an industrial package...
- 6. An intermediate bulk container may be used as an industrial...

PART VIII — REQUIREMENTS FOR AN INDUSTRIAL PACKAGE TYPE 3 (IP-3)

- 1. An industrial package Type 3 (IP-3) must be designed to...
- 2. A tank container may be used as an industrial package...
- 3. A tank may be used as an industrial package Type...
- 4. A freight container may be used as an industrial package...
- 5. An intermediate bulk container may be used as an industrial...

PART IX — REQUIREMENTS FOR PACKAGES CONTAINING URANIUM HEXAFLUORIDE

- 1. The package must also meet the requirements prescribed elsewhere in...
- 2. Each package designed to contain 0.1 kg or more of...
- 3. Packages designed to contain 0.1 kg or more of uranium...
- 4. Subject to the approval of the competent authority, packages designed...

PART X — REQUIREMENTS FOR TYPE A PACKAGES

- 1. A Type A package must meet the requirements of Part...
- 2. The smallest overall external dimension of the package must not...
- 3. The outside of the package must incorporate a feature such...
- 4. Any tie-down attachments on the package must be so designed...
- 5. The design of the package must take into account temperatures...
- 6. The design and manufacturing techniques must be in accordance with...
- 7. The design must include a containment system securely closed by...
- 8. Special form radioactive material may be considered as a component...
- 9. If the containment system forms a separate unit of the...
- 10. The design of any component of the containment system must...
- 11. The containment system must retain its radioactive contents under a...
- 12. All valves, other than pressure relief valves, must be provided...
- 13. A radiation shield which encloses a component of the package...
- 14. A package must be so designed that, if it were...
- 15. The design of a package intended for liquid radioactive material...
- 16. A Type A package designed to contain liquids must, in addition
- 17. A package designed for gases must prevent loss or dispersal... PART XI — REQUIREMENTS FOR TYPE B(U) PACKAGES
- 1. A Type B(U) package must be designed to meet the...
- 2. A package must be so designed that, under the ambient...
- 3. A package must be so designed that, under the ambient...
- 4. The ambient temperature must be assumed to be 38°C.
- 5. The solar insolation conditions must be assumed to be as...
- 6. A package which includes thermal protection for the purpose of...
- 7. A package must be so designed that, if it were...
- 8. A package for radioactive contents with activity greater than 105...
- 9. Compliance with the permitted activity release limits must not depend...
- 10. A package must not include a pressure relief system from...
- 11. A package must be so designed that if it were...
- 12. A package must not have a maximum normal operating pressure...
- 13. The maximum temperature of any surface readily accessible during transport...
- 14. A package containing low dispersible radioactive material must be so...
- 15. A package must be designed for an ambient temperature range... PART XII — REQUIREMENTS FOR TYPE B(M) PACKAGES
- 1. A Type B(M) package must meet the requirements of Part...
- 2. Intermittent venting of Type B(M) packages may be permitted during... PART XIII — REQUIREMENTS FOR TYPE C PACKAGES
- 1. A Type C package must be designed to meet the...
- 2. A package must be capable of meeting the assessment criteria...
- 3. A package must be so designed that, if it were... Where mixtures of different radionuclides are present, the provisions of...
- 4. A package must be so designed that there will be... PART XIV — REQUIREMENTS FOR PACKAGES CONTAINING FISSILE MATERIAL
- 1. Fissile material must be packaged and shipped in such a...
- 2. A package containing fissile material must meet the requirements of...
- 3. Packages are excepted from meeting the requirements of paragraphs 4-...
- (b) each package containing uranium enriched in uranium-235 to a maximum...
- (c) each package containing liquid solutions of uranyl nitrate enriched in...
- (d) each package containing individually not more than 1 kg of...
- 4. A packaging for fissile material must be so designed that,...

- 5. For the purposes of this Part: "undamaged", in relation to...
- (b) the tests specified in paragraphs 7 12 of Part...
- 6. In determining the subcriticality of individual packages in isolation for...
- 7. The individual package damaged or undamaged must be subcritical under... For all material within the confinement system: the material arranged...
- 8. An array of packages must be subcritical. A number, "N"...
- 9. In evaluating the subcriticality of fissile material in its transport...
- 10. The package must be designed for an ambient temperature range...

SCHEDULE 9 — TEST PROCEDURES

PART I — LEACHING TEST FOR LSA-III MATERIAL AND LOW DISPERSIBLE RADIOACTIVE MATERIAL

A solid material sample representing the entire contents of the... PART II — TESTS FOR SPECIAL FORM RADIOACTIVE MATERIAL

- 1. The tests which must be performed on specimens that comprise...
- 2. A different specimen may be used for each of the...
- 3. After each test specified in paragraphs 4 8 below,...
- 4. Impact test: The specimen must drop onto the target from...
- 5. Percussion test: The specimen must be placed on a sheet...
- 6. Bending test: This test applies only to long, slender sources...
- 7. Heat test: The specimen must be heated in air to...
- 8. Specimens that comprise or simulate radioactive material enclosed in a...
- 9. For specimens which comprise or simulate indispersible solid material, a...
- 10. For specimens which comprise or simulate radioactive material enclosed in...

PART III — TESTS FOR LOW DISPERSIBLE RADIOACTIVE MATERIAL

- 1. The tests which must be performed on specimens that comprise...
- 2. A different specimen may be used for each of the...
- 3. After each test specified in paragraphs 4 5 below,...
- 4. Enhanced thermal test: This test must be the test set...
- 5. Impact test: This test must be the test set out...

PART IV — TESTS FOR PACKAGES

- 1. All specimens must be inspected before testing in order to...
- 2. The containment system of the package must be clearly specified....
- 3. The external features of the specimen must be clearly identified...
- 4. After each of the applicable tests specified in paragraphs 6...
- 5. Target for Drop Tests
- 6. Packages Designed to contain Uranium Hexafluoride
- 7. Tests for demonstrating ability to withstand normal conditions of transport
- 8. The time interval between the conclusion of the water spray...
- 9. Water spray test: The specimen must be subjected to a...
- 10. Free drop test: The specimen must drop on to the...
- 11. Stacking test: Unless the shape of the packaging effectively prevents... The load must be applied uniformly to two opposite sides...
- 12. Penetration test: The specimen must be placed on a rigid....
- Tests for Type A packages designed to carry liquids and gases
- 14. Tests for demonstrating ability to withstand accident conditions of transport
- 15. Mechanical test: The mechanical test consists of three different drop...
- 16. Thermal test: The thermal test must consist of—
 - During and following the test the specimen must not be...
- 17. Water immersion test: The specimen must be immersed under a...
- 18. Enhanced water immersion test
- 19. Water leakage test for packages containing fissile material

- 20. Before the specimen is subjected to the water leakage test...
- 21. The specimen must be immersed under a head of water...
- 22. Tests for Type C packages
- 23. Separate specimens are allowed to be used for each of...
- 24. Puncture/tearing test: The specimen must be subjected to the damaging...
- 25. Enhanced thermal test: The conditions for this test are as...
- Impact test: The specimen must be subjected to an impact... PART V — DEMONSTRATION OF COMPLIANCE Demonstration of compliance with the performance standards required by Schedule...
- 1. Performance of tests with specimens or prototypes or samples of...
- 2. Reference to previous satisfactory demonstrations of a sufficiently similar nature....
- 3. Performance of tests with models of appropriate scale incorporating those...
- 4. Calculation, or reasoned argument, when the calculation procedures and parameters...
- 5. After the specimen, prototype or sample has been subjected to...
- SCHEDULE 10 APPLICATION REQUIREMENTS
 - PART I APPLICATION FOR APPROVAL OF DESIGN FOR SPECIAL FORM RADIOACTIVE MATERIAL OR LOW DISPERSIBLE RADIOACTIVE MATERIAL
 - An application for approval must include the following—
- 1. A detailed description of the radioactive material or, if a...
- 2. A detailed statement of the design of any capsule to...
- 3. A statement of the tests which have been done and...
- 4. Evidence of a suitable quality assurance programme.
- 5. Any proposed pre-shipment actions for use in the consignment of...
 - PART II APPLICATION FOR PACKAGE DESIGN APPROVAL CERTIFICATE FOR A TYPE B(U) OR TYPE C PACKAGE

An application for a package design approval certificate for a...

- 1. A detailed description of the proposed radioactive contents with reference...
- 2. A detailed statement of the design, including complete engineering
- drawings...
- 3. A statement of the tests which have been done and...
- 4. The proposed operating and maintenance instructions for the use of...
- 5. If the package is designed to have a maximum normal...
- 6. Where the proposed radioactive contents are irradiated fuel, the applicant...
- 7. Any special stowage provisions necessary to ensure the safe dissipation...
- 8. A reproducible illustration not larger than 21 cm \times 30 cm...
- 9. A specification of the applicable quality assurance programme.
- 10. Evidence of a suitable emergency plan.

PART III — APPLICATION FOR PACKAGE DESIGN APPROVAL CERTIFICATE FOR A TYPE B(M) PACKAGE

An application for a package design approval certificate for a...

- 1. The information required in Part II for Type B(U) or...
- 2. A list of the requirements specified in paragraph 5 of...
- 3. Any proposed supplementary operational controls to be applied during transport...
- 4. A statement relative to any restrictions on the mode of...
- 5. The maximum and minimum ambient conditions (temperature, solar radiation) expected...

PART IV — APPLICATION FOR PACKAGE DESIGN APPROVAL CERTIFICATE FOR FISSILE MATERIAL

An application for a package design approval certificate for fissile...

- 1. All information necessary to satisfy the Secretary of State that...
- A specification of the applicable quality assurance programme. PART V — APPLICATION FOR A SHIPMENT APPROVAL CERTIFICATE An application for a shipment approval certificate must include—
- 1. The period of time, related to the shipment, for which...
- 2. The actual radioactive contents, the expected modes of transport and...
- 3. The details of how the precautions and administrative or operational...
- 4. Evidence of a suitable emergency plan.

PART VI — APPLICATION FOR A SPECIAL ARRANGEMENT APPROVAL CERTIFICATE

An application for approval of shipments under special arrangement must...

- 1. All the information necessary to satisfy the competent authority that...
- 2. A statement of the respects in which, and justification of...
- 3. A statement of any special precautions or special administrative or...
- 4. Evidence of a suitable emergency plan.

SCHEDULE 11 — DETERMINATION OF CATEGORIES

Packages and overpacks must be assigned to either category I-WHITE,...

SCHEDULE 12 — CONTENTS OF APPROVAL CERTIFICATES.

PART I — SPECIAL FORM RADIOACTIVE MATERIAL AND LOW DISPERSIBLE RADIOACTIVE MATERIAL APPROVAL CERTIFICATES

Each approval certificate issued by the Secretary of State for...

PART II — SPECIAL ARRANGEMENT APPROVAL CERTIFICATES

Each approval certificate issued by the Secretary of State for...

- PART III SHIPMENT APPROVAL CERTIFICATES
- approval certificate for a shipment issued by the Secretary of ...
- PART IV PACKAGE DESIGN APPROVAL CERTIFICATES

Each approval certificate of the design of a package issued...

PART V — COMBINED PACKAGE DESIGN APPROVAL AND SHIPMENT APPROVAL CERTIFICATES.

As for Part IV and also a statement authorising shipment...

SCHEDULE 13 — CONTENTS OF REGULAR CONSIGNMENT CERTIFICATE A regular consignment certificate must include the following:

- 1. A statement that the certificate is a regular consignment certificate....
- 2. The issue date.
- 3. The information listed in paragraph 17 of Schedule 6 with...

SCHEDULE 14 — FIGURES

Fig. 1. Basic trefoil symbol with proportions based on a...

Fig. 2. Category I-WHITE label. The background colour of the...

Fig. 3. Category II-YELLOW label. The background colour of the...

Fig. 4. Category III-YELLOW label. The background colour of the ...

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Radioactive Material (Road Transport) Regulations 2002. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

Fig. 5. Criticality safety index label. The background colour of...

Fig. 6. Placard. Except as permitted by paragraph 15 of...

Explanatory Note

Changes to legislation:

There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Radioactive Material (Road Transport) Regulations 2002. Any changes that have already been made by the team appear in the content and are referenced with annotations. View outstanding changes

Changes and effects yet to be applied to :

- Sch 1 Table VII am by S.I. 2003/1867 reg 2(1)(9)
- Sch 7 para 4 am by S.I. 2003/1867 reg 2(1)(10)
- Sch 8 Pt XIII para 3 am by S.I. 2003/1867 reg 2(1)(11)
- Regulations revoked by S.I. 2007/1573 Sch. 9
- reg 2 defn(s) added by S.I. 2003/1867 reg 2(1)reg 2(2)(b)
- reg 2 am by S.I. 2003/1867 reg 2(1)reg 2(2)(a)
- reg 5 am by S.I. 2003/1867 reg 2(1)(3)
- reg 41 am by S.I. 2003/1867 reg 2(1)(4)
- reg 49 rev in pt by S.I. 2003/1867 reg 2(1)(5)
- reg 66 defn(s) added by S.I. 2003/1867 reg 2(1)(6)
- reg 66 defn(s) am by S.I. 2003/1867 reg 2(1)(7)
- reg 66 defn(s) rev by S.I. 2003/1867 reg 2(1)(6)
- reg 66 defn(s) rev in pt by S.I. 2003/1867 reg 2(1)(7)
- reg. 68(2)(d) words substituted by S.I. 2005/525 Sch. para. 6(a)
- reg 69 am by S.I. 2003/1867 reg 2(1)(8)
- reg. 69(2)(a) words inserted by S.I. 2004/3168 art. 61
- reg. 69(2)(a) words inserted by S.I. 2005/2929 art. 71
- reg. 69(2)(a) words substituted by S.S.I. 2005/344 Sch. 1 para. 25

Changes and effects yet to be applied to the whole Instrument associated Parts and Chapters:

Whole provisions yet to be inserted into this Instrument (including any effects on those provisions):

reg. 68(2A) inserted by S.I. 2005/525 Sch. para. 6(b)