STATUTORY INSTRUMENTS

2002 No. 2665

ELECTRICITY

The Electricity Safety, Quality and Continuity Regulations 2002

Made---24th October 2002Laid before Parliament28th October 2002Coming into force31st January 2003

THE ELECTRICITY SAFETY, QUALITY AND CONTINUITY REGULATIONS 2002

PART I

INTRODUCTORY

- 1. Citation, commencement and interpretation
- 2. Application of Regulations
- 3. General adequacy of electrical equipment
- 4. Duty of co-operation
- 5. Inspection of networks

PART II

PROTECTION AND EARTHING

- 6. Electrical protection
- 7. Continuity of the supply neutral conductor and earthing connections
- 8. General requirements for connection with earth
- 9. Protective multiple earthing
- 10. Earthing of metalwork

PART III

SUBSTATIONS

11. Substation safety

PART IV

UNDERGROUND CABLES AND EQUIPMENT

12. General restriction on the use of underground cables

- 13. Protective screens
- 14. Excavations and depth of underground cables
- 15. Maps of underground networks

PART V

OVERHEAD LINES

- 16. General restriction on the use of overhead lines
- 17. Minimum height of overhead lines, wires and cables
- 18. Position, insulation and protection of overhead lines
- 19. Precautions against access and warnings of dangers
- 20. Fitting of insulators to stay wires

PART VI

GENERATION

- 21. Switched alternative sources of energy
- 22. Parallel operation

PART VII

SUPPLIES TO INSTALLATIONS AND TO OTHER NETWORKS

- 23. Precautions against supply failure
- 24. Equipment on a consumer's premises
- 25. Connections to installations or to other networks
- 26. Disconnection of supply, refusal to connect and resolution of disagreements
- 27. Declaration of phases, frequency and voltage at supply terminals
- 28. Information to be provided on request
- 29. Discontinuation of supplies

PART VIII

MISCELLANEOUS

- 30. Inspections, etc. for the Secretary of State
- 31. Notification of specified events
- 32. Notification of certain interruptions of supply
- 33. Exemption from requirements of Regulations
- 34. Networks, equipment or installations in breach of Regulations
- 35. Offences
- 36. Revocation

Signature

SCHEDULES

- 1 Design, colours and proportions of the safety sign
- 2 Minimum height above ground of overhead lines
- 3 Notification of specified events
- 4 Notification of certain interruptions of supply

Document Generated: 2023-06-05

Status: This is the original version (as it was originally made).

5 — Revocations

Explanatory Note