
STATUTORY INSTRUMENTS

2002 No. 2723

AGRICULTURE, ENGLAND AND WALES
PESTICIDES, ENGLAND AND WALES

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) (No. 2) Regulations 2002

Made - - - - - *31st October 2002*

Laid before Parliament *1st November 2002*

Coming into force - - - *30th November 2002*

The Secretary of State for Environment, Food and Rural Affairs and the National Assembly for Wales, acting jointly (the National Assembly for Wales acting in relation to Wales only), being designated(1) for the purposes of section 2(2) of the European Communities Act 1972(2) in relation to the common agricultural policy of the European Community, in exercise of the powers conferred on them by that section, make the following Regulations:

Title, commencement and extent

1. These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) (No. 2) Regulations 2002; they extend to England and Wales only, and shall come into force on 30th November 2002.

Amendment to the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) Regulations 1999

2.—(1) The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) Regulations 1999(3) shall be amended in accordance with this regulation.

(2) In regulation 2(1), for the definition of the Residues Directives there shall be substituted the following definition:

(1) S.I. 1972/1811 in the case of the Secretary of State and S.I. 1999/2788 in the case of the National Assembly for Wales.

(2) 1972 c. 68.

(3) S.I. 1999/3483, amended by S.I. 2001/1113, S.I. 2001/2420, S.I. 2001/3834 and S.I. 2002/1767.

“‘the Residues Directives’ means Council Directive 86/362/EEC(4), Council Directive 86/363/EEC(5) and Council Directive 90/642/EEC(6), in each case amended as at the date of the making of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) (No. 2) Regulations 2002.”.

- (3) For paragraph (b) of regulation 6 there shall be substituted the following paragraph—
- “(b) the procedure to be followed for sampling for the determination of pesticide residues shall—
- (i) be that set out in the Annex to Commission Directive 2002/63/EC(7) for the residues covered by Part 2 of Schedule 2; and
 - (ii) so far as is practicable, be that set out in the Codex Alimentarius Commission ‘Recommended Method of Sampling for the Determination of Pesticide Residues for compliance with MRLs; CAC/GL 33-1999’ for the residues not covered by Part 2 of Schedule 2;”.

- (4) In Schedule 1 there shall be inserted at the appropriate places in columns 1 and 2 the following entries (the entries for Dimethoate and Quintozene being substituted for the existing ones):

Column 1 <i>Pesticide</i>	Column 2 <i>Residues</i>
Bentazone	Bentazone (sum of bentazone and conjugates 6-OH-and 8-OH-bentazone expressed as bentazone)
Dimethoate	Dimethoate (sum of dimethoate and omethoate expressed as dimethoate)
Formothion	Formothion
Lindane	Lindane (Hexachloro-cylohexane γ)
Metsulfuron methyl	Metsulfuron methyl
Oxydemeton methyl	Oxydemeton methyl (sum of oxydemeton methyl and demeton-S-methylsulfone expressed as oxydemeton methyl)
Pyridate	Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)
Quintozene	Quintozene (sum of quintozene, and pentachloroaniline expressed as quintozene)

- (5) In Part I of Schedule 2 the following pesticide columns together with any residue level inserted under the respective columns shall be deleted—

- (a) Hexachlorocyclohexane (HCH g) and Quintozene as at 1st December 2002;
- (b) Dimethoate as at 1st January 2003;

(4) OJ No. L221, 7.8.86, p. 37. The last amending instrument is Commission Directive 2002/76/EC (OJ No. L240, 7.9.2002, p. 45).
 (5) OJ No. L221, 7.8.86, p. 43. The last amending instrument is Commission Directive 2002/71/EC (OJ No. L275, 22.8.2002, p. 21).
 (6) OJ No. L350, 14.12.90, p. 71. The last amending instrument is Commission Directive 2002/76/EC.
 (7) OJ No. L187, 16.7.2002, p. 30.

- (c) Parathion as at 1st May 2003.
- (6) For Part 2 of Schedule 2 there shall be substituted the Schedule to these Regulations.

Signed on behalf of the National Assembly for Wales.

24th October 2002

D. Elis-Thomas
Presiding Officer, National Assembly for Wales

31st October 2002

Whitty
Parliamentary Under Secretary of State,
Department for Environment, Food and Rural
Affairs

SCHEDULE

Regulation 2(6)

Group to include which the food following belongs	Groups of food products	Acephate	Dicarbonyl	Aldrin	Aminotriazine	Aramite	Atrazine	Azimsulfuron	Azinphosmethyl	Isoproturon	Soxystrobin																																																																																																																								
<hr/>																																																																																																																																			
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts																																																																																																																																			
i) CITRUS FRUIT																																																																																																																																			
<table> <tbody> <tr> <td>Grapefruit</td><td>0.2</td><td>0.05*</td><td>0.05*</td><td>0.01*</td><td>0.1*</td><td>0.02*</td><td>0.05*</td><td>1</td><td></td><td></td><td></td></tr> <tr> <td>Lemons</td><td>1</td><td>0.05*</td><td>0.05*</td><td>0.01*</td><td>0.1*</td><td>0.02*</td><td>0.05*</td><td>1</td><td></td><td></td><td></td></tr> <tr> <td>Limes</td><td>1</td><td>0.2</td><td>0.05*</td><td>0.05*</td><td>0.01*</td><td>0.1*</td><td>0.02*</td><td>0.05*</td><td>1</td><td></td><td></td></tr> <tr> <td>Mandarins (incl clementines & similar hybrids)</td><td>0.2</td><td>0.05*</td><td>0.05*</td><td>0.01*</td><td>0.1*</td><td>0.02*</td><td>0.05*</td><td>1</td><td></td><td></td><td></td></tr> <tr> <td>Oranges</td><td>1</td><td>0.2</td><td>0.05*</td><td>0.05*</td><td>0.01*</td><td>0.1*</td><td>0.02*</td><td>0.05*</td><td>1</td><td></td><td></td></tr> <tr> <td>Pomelos</td><td>1</td><td>0.2</td><td>0.05*</td><td>0.05*</td><td>0.01*</td><td>0.1*</td><td>0.02*</td><td>0.05*</td><td>1</td><td></td><td></td></tr> <tr> <td>Others</td><td>1</td><td>0.2</td><td>0.05*</td><td>0.05*</td><td>0.01*</td><td>0.1*</td><td>0.02*</td><td>0.05*</td><td>1</td><td></td><td></td></tr> </tbody> </table>												Grapefruit	0.2	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	1				Lemons	1	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	1				Limes	1	0.2	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	1			Mandarins (incl clementines & similar hybrids)	0.2	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	1				Oranges	1	0.2	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	1			Pomelos	1	0.2	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	1			Others	1	0.2	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	1																																						
Grapefruit	0.2	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	1																																																																																																																											
Lemons	1	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	1																																																																																																																											
Limes	1	0.2	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	1																																																																																																																										
Mandarins (incl clementines & similar hybrids)	0.2	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	1																																																																																																																											
Oranges	1	0.2	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	1																																																																																																																										
Pomelos	1	0.2	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	1																																																																																																																										
Others	1	0.2	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	1																																																																																																																										
ii) TREE NUTS (shelled or unshelled)																																																																																																																																			
<table> <tbody> <tr> <td>Almonds</td><td>0.02*</td><td>0.05*</td><td>0.05*</td><td>0.05*</td><td>0.01*</td><td>0.1*</td><td>0.02*</td><td>0.05*</td><td>0.1*</td><td></td><td></td></tr> <tr> <td>Brazil nuts</td><td>0.02*</td><td>0.05*</td><td>0.05*</td><td>0.05*</td><td>0.01*</td><td>0.1*</td><td>0.02*</td><td>0.05*</td><td>0.1*</td><td></td><td></td></tr> <tr> <td>Cashew nuts</td><td>0.02*</td><td>0.05*</td><td>0.05*</td><td>0.05*</td><td>0.01*</td><td>0.1*</td><td>0.02*</td><td>0.05*</td><td>0.1*</td><td></td><td></td></tr> <tr> <td>Chestnuts</td><td>0.02*</td><td>0.05*</td><td>0.05*</td><td>0.05*</td><td>0.01*</td><td>0.1*</td><td>0.02*</td><td>0.05*</td><td>0.1*</td><td></td><td></td></tr> <tr> <td>Coconut</td><td>0.02*</td><td>0.05*</td><td>0.05*</td><td>0.05*</td><td>0.01*</td><td>0.1*</td><td>0.02*</td><td>0.05*</td><td>0.1*</td><td></td><td></td></tr> <tr> <td>Hazelnuts</td><td>0.02*</td><td>0.05*</td><td>0.05*</td><td>0.05*</td><td>0.01*</td><td>0.1*</td><td>0.02*</td><td>0.05*</td><td>0.1*</td><td></td><td></td></tr> <tr> <td>Macadamia nuts</td><td>0.02*</td><td>0.05*</td><td>0.05*</td><td>0.05*</td><td>0.01*</td><td>0.1*</td><td>0.02*</td><td>0.05*</td><td>0.1*</td><td></td><td></td></tr> <tr> <td>Pecans</td><td>0.02*</td><td>0.2</td><td>0.05*</td><td>0.05*</td><td>0.01*</td><td>0.1*</td><td>0.02*</td><td>0.05*</td><td>0.1*</td><td></td><td></td></tr> <tr> <td>Pine nuts</td><td>0.02*</td><td>0.05*</td><td>0.05*</td><td>0.05*</td><td>0.01*</td><td>0.1*</td><td>0.02*</td><td>0.05*</td><td>0.1*</td><td></td><td></td></tr> <tr> <td>Pistachios</td><td>0.02*</td><td>0.05*</td><td>0.05*</td><td>0.05*</td><td>0.01*</td><td>0.1*</td><td>0.02*</td><td>0.05*</td><td>0.1*</td><td></td><td></td></tr> </tbody> </table>												Almonds	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.1*			Brazil nuts	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.1*			Cashew nuts	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.1*			Chestnuts	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.1*			Coconut	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.1*			Hazelnuts	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.1*			Macadamia nuts	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.1*			Pecans	0.02*	0.2	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.1*			Pine nuts	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.1*			Pistachios	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.1*		
Almonds	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.1*																																																																																																																										
Brazil nuts	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.1*																																																																																																																										
Cashew nuts	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.1*																																																																																																																										
Chestnuts	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.1*																																																																																																																										
Coconut	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.1*																																																																																																																										
Hazelnuts	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.1*																																																																																																																										
Macadamia nuts	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.1*																																																																																																																										
Pecans	0.02*	0.2	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.1*																																																																																																																										
Pine nuts	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.1*																																																																																																																										
Pistachios	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.1*																																																																																																																										

Group	Groups to include which the food following belongs	Acephate	Dicarbonyl dieldrin	Aldrin & Dieldrin	Aminotriazine	Aramite (Amitrole)	Atrazine	Azimsulfuron	Azinphosmethyl	Zoxystrobin ethyl	
	Walnuts	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.1*
	Others	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.1*
iii) POME FRUIT	Apples 1	0.05*		0.05* 0.5	0.01*	0.1*	0.02*	0.05*	0.05*		
	Pears 1	0.05*		0.05* 0.5	0.01*	0.1*	0.02*	0.05*	0.05*		
	Quinces 1	0.05*		0.05* 0.5	0.01*	0.1*	0.02*	0.05*	0.05*		
	Others 1	0.05*		0.05* 0.5	0.01*	0.1*	0.02*	0.05*	0.05*		
iv) STONE FRUIT	Apricots 0.02*	0.05*		0.05* 0.05*	0.01*	0.1*	0.02*	0.05*	0.05*		
	Cherries 0.02*	0.05*		0.05* 0.05*	0.01*	0.1*	0.02*	0.05*	0.05*		
	Peaches 0.2 (incl nectarines & similar hybrids)	0.05*		0.05* 0.05*	0.01*	0.1*	0.02*	0.05*	0.05*		
	Plums 2	0.05*		0.05* 0.05*	0.01*	0.1*	0.02*	0.05*	0.05*		
	Others 0.02*	0.05*		0.05* 0.05*	0.01*	0.1*	0.02*	0.05*	0.05*		
v) BERRIES AND SMALL FRUIT	a) Table & wine grapes										
	Table grapes	0.02*	0.05*		0.05* 0.05*	0.01*	0.1*	0.02*	0.05*	2	
	Wine grapes	0.02*	0.05*		0.05* 0.05*	0.01*	0.1*	0.02*	0.05*	2	
b) Strawbe	berries (other than wild)	0.02*	0.05*		0.05* 0.05*	0.01*	0.1*	0.02*	0.05*	2	

Group to include which the food following belongs	Groups to include which the food following belongs	Acephate	Ildicarb	Aldrin	Aminotriazine	Aramite	Atrazine	Azimsulfuron	Azinphosmethyl	Zoxystrobin ethyl
c) Cane Fruit (other than wild)										
	Blackbe	0.03*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Dewber	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Loganber	0.03*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Raspber	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
d) Other small fruit & berries (other than wild)										
	Bilberri	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Cranber	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Currants	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	(red, black & white)									
	Gooseber	0.03*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
e) Wild berries & wild fruit	Wild	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
vi) MISCELLANEOUS FRUIT										
	Avocado	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Bananas	0.02*	0.1	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	2
	Dates	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Figs	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*

Group to include which the food following belongs	Groups to include which the food following belongs	Acephate	Dicarbonyl	Aldrin	Aminotriazine & (Amitrole)	Aramite	Atrazine	Azimsulfuron	Azinphosmethyl	Soxystrobin ethyl	
	Kiwi fruit	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Kumquats	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Litchis	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Mangoes	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Olives (table consumption)	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Olives (oil extract)	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Papaya	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Passion fruit	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Pineapple	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Pomegranates	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Others	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
2. Vegetables, fresh or uncooked, frozen or dry	i) ROOT AND TUBER VEGETABLES										
	Beetroot	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Carrots	0.02*	0.1		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.2
	Celeriac	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Horseradish	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.2
	Jerusalem artichokes	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Parsnips	0.02*	0.1		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.2
	Parsley root	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.2

Group to include which the food following belongs	Groups	Acephate	Dicarbonyl	Aldrin & Dieldrin	Aminotriazine	Aramite	Atrazine	Azimsulfuron	Azinphosmethyl	Zoxystrobin ethyl
	Radishes	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Salsify	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.2
	Sweet potatoes	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Swedes	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Turnips	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Yams	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
ii)	BULB VEGETABLES									
	Garlic	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Onions	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Shallots	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Spring onions	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
iii)	FRUITING VEGETABLES									
a)	Solanaceae									
	Tomatoes	0.5	0.05*	0.05*	0.5	0.01*	0.1*	0.02*	0.05*	2
	Peppers	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	2
	Chilli peppers	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	2
	Aubergines	0.5	0.05*	0.05*	0.5	0.01*	0.1*	0.02*	0.05*	2
	Others	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
b)	Cucurbits-edible peel									
	Cucumber	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	1
	Gherkin	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	1
	Courgette	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	1
	Others	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	1

Group to include which the food following belongs	Groups	Acephate	Dicarbonyl	Aldrin & dieldrin	Aminotriazine	Aramite	Atrazine	Azimsulfuron	Azinphosmethyl	Zoxystrobin ethyl	
c) Cucurbit-inedible peel											
	Melons	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.5
	Squashes	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.5
	Watermelons	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.5
	Others	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.5
d) Sweet corn		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
iv) BRASSICA VEGETABLES											
a) Flowering Brassicas											
	Broccoli	2	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Cauliflower	2	0.2		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Others	2	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
b) Head Brassicas											
	Brussels sprouts	2	0.2		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Head cabbage	2	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Others	2	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
c) Leafy Brassicas											
	Chinese cabbage	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Kale	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Others	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
d) Kohlrabi	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*	
v) LEAF VEGETABLES AND FRESH HERBS											

Group to include which the food following belongs	Groups	Acephate	Dicarbonyl	Aldrin	Aminotriazine	Aramite	Atrazine	Azimsulfuron	Azinphosmethyl	Zoxystrobin ethyl	
a)	Lettuce & similar	Cress	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	3
		Lamb's lettuce	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	3
		Lettuce 1	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	3
		Scarole	0.02*	0.05*	0.05*	0.05* ⁰⁰³	0.01* ⁰⁰³	0.1*	0.02*	0.05* ⁰⁰³	3
		Others	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	3
b)	Spinach & similar	Spinach	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
		Beet leaves (chard)	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
		Others	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
c)	Watercress	Watercress	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
d)	Witloof	Witloof	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.2
e)	Herbs	Chervil	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
		Chives	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
		Parsley	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
		Celery leaves	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
		Others	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
vi)	LEGUME VEGETABLES (fresh)	Beans (with pods)	3	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	1
		Beans (without pods)	0.02*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*

Group	Groups to include which the food belongs	Acephate	dicarbonyl	Aldrin & dieldrin	Aminotriazine	Aramite	Atrazine	Azimsulfuron	Azinphosmethyl	Zoxystrobin ethyl
	Peas 3 (with pods)	0.05*		0.05* 0.05*	0.01* 0.1*	0.02*	0.05*	0.5		
	Peas 0.02* (without pods)	0.02* 0.05*		0.05* 0.05*	0.01* 0.1*	0.02*	0.05*	0.2		
	Others	0.05*		0.05* 0.05*	0.01* 0.1*	0.02*	0.05*	0.05*		
vii) STEM VEGETABLES										
	Asparagus	0.02* 0.05*		0.05* 0.05*	0.01* 0.1*	0.02*	0.05*	0.05*		
	Cardoon	0.02* 0.05*		0.05* 0.05*	0.01* 0.1*	0.02*	0.05*	0.05*		
	Celery	0.02* 0.05*		0.05* 0.05*	0.01* 0.1*	0.02*	0.05*	5		
	Fennel	0.02* 0.05*		0.05* 0.05*	0.01* 0.1*	0.02*	0.05*	0.05*		
	Globe artichokes	0.2 0.05*		0.05* 0.05*	0.01* 0.1*	0.02*	0.05*	1		
	Leeks	0.02* 0.05*		0.05* 0.05*	0.01* 0.1*	0.02*	0.05*	0.1		
	Rhubarb	0.02* 0.05*		0.05* 0.05*	0.01* 0.1*	0.02*	0.05*	0.05*		
	Others	0.02* 0.05*		0.05* 0.05*	0.01* 0.1*	0.02*	0.05*	0.05*		
viii) FUNGI										
a)	Cultivated mushrooms	0.02* 0.05*		0.05* 0.05*	0.01* 0.1*	0.02*	0.05*	0.05*		
b)	Wild mushrooms	0.02* 0.05*		0.05* 0.05*	0.01* 0.1*	0.02*	0.05*	0.05*		
3. PULSES										
	Beans	0.02* 0.05*		0.05* 0.05*	0.01* 0.1*	0.02*	0.05*	0.1		
	Lentils	0.02* 0.05*		0.05* 0.05*	0.01* 0.1*	0.02*	0.05*	0.1		
	Peas	0.02* 0.05*		0.05* 0.05*	0.01* 0.1*	0.02*	0.05*	0.1		
	Others	0.02* 0.05*		0.05* 0.05*	0.01* 0.1*	0.02*	0.05*	0.1		
4. OILSEEDS										
	Linseed	0.02* 0.05*		0.05* 0.05*	0.01* 0.1*	0.1*	0.05*	0.05*		
	Peanuts	0.02* 0.05*		0.05* 0.05*	0.01* 0.1*	0.1*	0.05*	0.05*		

Group to include which the food following belongs	Groups	Acephate	Dicarbonyl & dieldrin	Aldrin	Aminotriazine (Amitrole)	Aramite	Atrazine	Azimsulfuron	Azinphosmethyl	Zoxystrobin ethyl	
	Poppy seed	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.1*	0.05*	0.05*
	Sesame seed	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.1*	0.05*	0.05*
	Sunflower seed	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.1*	0.05*	0.05*
	Rape seed	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.1*	0.05*	0.05*
	Soya bean	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.1*	0.05*	0.05*
	Mustard seed	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.1*	0.05*	0.05*
	Cotton seed	0.02*	0.05*		0.05*	1	0.01*	0.1*	0.1*	0.05*	0.05*
	Others	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.1*	0.05*	0.05*
5.	POTATOES										
	Early potatoes	0.02*	0.5		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Ware potatoes	0.02*	0.5		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
6.	TEA (dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	0.05*	0.02	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*
7.	HOPS including hop pellets & unconcentrated powder	0.1*	0.05*		0.1*	20	0.1*	0.1*	0.1*	0.1*	20

⁰⁰²Broccoli includes calabrese.⁰⁰³Scarole includes broad-leaf endive.

* Level at or about the limit of determination.

Group to include which the food following belongs products	Groups	Barban	Benalaxyl	Benfuracarb	Bentazon	Binapacarb	Bilphenol A	Brinomop	Brinomop	Camphchlor	ethyl	pylate	(Toxaphene)
		Applying from 1 Jan 2003											
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts													
i)													
CITRUS													
FRUIT													
	Grapefruit	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*			0.1*		
	Lemons	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*			0.1*		
	Limes	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*			0.1*		
	Mandarin	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*			0.1*		
	(incl clementines & similar hybrids)												
	Oranges	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*			0.1*		
	Pomelos	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*			0.1*		
	Others	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*			0.1*		
ii)													
TREE													
NUTS													
(shelled or unshelled)													
	Almonds	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*			0.1*		
	Brazil nuts	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*			0.1*		
	Cashew nuts	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*			0.1*		
	Chestnut	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*			0.1*		
	Coconuts	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*			0.1*		
	Hazelnut	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*			0.1*		
	Macadamia nuts	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*			0.1*		
	Pecans	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*			0.1*		

Group to which the food belongs	Groups to include	Barban	Benalaxyl	Benfuracarb	Bentazon	Binapacarb	Biphenyl	Bromopropylate	Bromopropylate	Camphchlor (Toxaphene)
		Applying from 1 Jan 2003								
Pine nuts	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	
Pistachio	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	
Walnuts	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	
Others	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	
iii) POME FRUIT										
Apples	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	
Pears	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	
Quinces	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	
Others	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	
iv) STONE FRUIT										
Apricots	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	
Cherries	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	
Peaches (incl nectarines & similar hybrids)	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	
Plums	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	
Others	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	
v) BERRIES AND SMALL FRUIT										
a) Table & wine grapes										
Table grapes	0.05*	0.2	0.05*	0.1*	0.05*		0.05*		0.1*	

Group to which the food belongs	Groups to include the following products	Barban	Benalaxyl	Benfuracarb	Bentazon	Binapacarb	Biphenotol	Binmorph	Bromopropylate	Camphechlor (Toxaphene)
Applying from 1 Jan 2003										
	Wine grapes	0.05*	0.2	0.05*	0.1*	0.05*		0.05*		0.1*
b)	Strawberries (other than wild)	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
c)	Cane Fruit (other than wild)									
	Blackberries	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
	Dewberries	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
	Loganberries	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
	Raspberries	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
	Others	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
d)	Other small fruit & berries (other than wild)									
	Bilberries	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
	Cranberries	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
	Currants (red, black & white)	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
	Gooseberries	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
	Others	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
e)	Wild berries & wild fruit	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*

Group to include which the food following belongs products	Groups Barban Benalaxyl Benfuracarb Bentazon Binapacarb Biphenyl Bromopropylate Bromopropylamine Chloroampheneclor ethyl pylate (Toxaphene)	Applying from 1 Jan 2003															
		vi) MISCELLANEOUS FRUIT	Avocado	Bananas	Dates	Figs	Kiwi fruit	Kumquats	Litchis	Mangoes	Olives (table consumption)	Olives (oil extract)	Papaya	Passion fruit	Pineapple	Pomegranates	Others
2. Vegetables, fresh or uncooked, frozen or dry			0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
i) ROOT AND			0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*

Group to include which the food following belongs products	Groups Barban Benalaxyl Benfuracarb Bentazon Binapacarb Biphenyl Bromopropylate Bromopropylamine Chloroampheneclor ethyl pylate (Toxaphene)	Applying from 1 Jan 2003						
TUBER VEGETABLES								
Beetroot	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*	
Carrots	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*	
Celeriac	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*	
Horseradish	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*	
Jerusalem artichokes	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*	
Parsnips	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*	
Parsley root	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*	
Radishes	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*	
Salsify	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*	
Sweet potatoes	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*	
Swedes	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*	
Turnips	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*	
Yams	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*	
Others	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*	
ii) BULB VEGETABLES								
Garlic	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*	
Onions	0.05*	0.2	0.05*	0.1*	0.05*	0.05*	0.1*	
Shallots	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*	
Spring onions	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*	
Others	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*	
iii) FRUITING VEGETABLES								
a) Solanacea								

Group to include which the food following belongs products	Groups	Barban	Benalaxyl	Benfuracarb	Bentazon	Binapacarb	Biphenyl	Bromopropylate	Bromopropylate	Camphchlor (Toxaphene)
		Applying from 1 Jan 2003								
	Tomatoes	0.05*	0.2	0.05*	0.1*	0.05*	0.05*	0.05*	0.1*	
	Peppers	0.05*	0.2	0.05*	0.1*	0.05*	0.05*	0.05*	0.1*	
	Chilli peppers	0.05*	0.2	0.05*	0.1*	0.05*	0.05*	0.05*	0.1*	
	Aubergines	0.05*	0.2	0.05*	0.1*	0.05*	0.05*	0.05*	0.1*	
	Others	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.1*	
b)	Cucurbits-edible peel									
	Cucumbers	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.1*	
	Gherkins	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.1*	
	Courgettes	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.1*	
	Others	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.1*	
c)	Cucurbits-inedible peel									
	Melons	0.05*	0.1	0.05*	0.1*	0.05*	0.05*	0.05*	0.1*	
	Squashes	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.1*	
	Watermelons	0.05*	0.1	0.05*	0.1*	0.05*	0.05*	0.05*	0.1*	
	Others	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.1*	
d)	Sweet corn	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.1*	
iv)	BRASSICA VEGETABLES									
a)	Flowering Brassicas									
	Broccoli	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.1*	
	Cauliflower	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.1*	
	Others	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.1*	
b)	Head Brassicas									

Group	Groups to include which the food following belongs	Barban	Benalaxyl	Benfuracarb	Bentazon	Binapacarb	Biphenyl	Brinomop	Brinomop	Camphchlor ethyl	(Toxaphene) pulate
		Applying from 1 Jan 2003									
	Brussels sprouts	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	
	Head cabbage	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	
	Others	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	
c)	Leafy Brassicas										
	Chinese cabbage	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	
	Kale	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	
	Others	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	
d)	Kohlrabi	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	
v)	LEAF VEGETABLES AND FRESH HERBS										
a)	Lettuce & similar										
	Cress	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	
	Lamb's lettuce	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	
	Lettuce	0.05*	0.05	0.05*	0.1*	0.05*		0.05*		0.1*	
	Scarole	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	
	Others	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	
b)	Spinach & similar										
	Spinach	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	
	Beet leaves (chard)	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	

Group to include which the food following belongs	Groups Barban Benalaxyl Benfuracarb Bentazon Binapacarb Biphenyl Bromopropylate Bromopropylate Chlorpyrifos (Toxaphene)	Applying from 1 Jan 2003						
		Others	0.05*	0.05*	0.05*	0.1*	0.05*	0.1*
c)	Watercress	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*
d)	Witloof	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*
e)	Herbs							
	Chervil	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*
	Chives	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*
	Parsley	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*
	Celery leaves	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*
	Others	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*
vi)	LEGUME VEGETABLES (fresh)							
	Beans (with pods)	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*
	Beans (without pods)	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*
	Peas (with pods)	0.05*	0.05*	0.05*	0.5	0.05*	0.05*	0.1*
	Peas (without pods)	0.05*	0.05*	0.05*	0.2	0.05*	0.05*	0.1*
	Others	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*
vii)	STEM VEGETABLES							
	Asparagus	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*
	Cardoon	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*
	Celery	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*
	Fennel	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*

Group to include which the food following belongs products	Groups	Barban	Benalaxyl	Benfuracarb	Bentazon	Binapacarb	Biphenyl	Brinopacarb	Bromopacarb	Camphechlor ethyl	pylate	(Toxaphene)
Globe artichokes		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*		
Leeks		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*		
Rhubarb		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*		
Others		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*		
viii) FUNGI												
a) Cultivated mushrooms		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*		
b) Wild mushrooms		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*		
3. PULSES												
Beans		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*		
Lentils		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*		
Peas		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*		
Others		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*		
4. OILSEEDS												
Linseed		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*		
Peanuts		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*		
Poppy seed		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*		
Sesame seed		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*		
Sunflower seed		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*		
Rape seed		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*		
Soya bean		0.05*	0.05*	0.05*	0.1	0.05*		0.05*		0.1*		
Mustard seed		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*		

Group to include which the food following belongs products	Groups	Barban	Benalaxyl	Benfuracarb	Bentazon	Binapacarb	Biphenthrin	Binomop	Binomop	Isomop	Isomop	Toxaphene
		Applying from 1 Jan 2003										
	Cotton seed	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*		
	Others	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*		
5.	POTATOES											
	Early potatoes	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*		
	Ware potatoes	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*		
6.	TEA (dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	0.1*	0.1*	0.1	0.1*	5	0.1*	0.1*	0.1*		
7.	HOPS (dried) including hop pellets & unconcentrated powder	0.1*	0.1*	5	0.1*	0.1*		0.1*		0.1*		

⁰⁰⁵Scarole includes broad-leaf endive.

* Level at or about the limit of determination.

Group to include which the food following belongs products	Groups	Captafol	Carbendazim	Carbofuran	Carbosulfan	Cartap	Chlorbensid	Chlorbufam
		Applying from 1 Jan 2003						
1.	Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts							
i)	CITRUS FRUIT	Grapefruit	0.02*	5	0.3	0.05*	0.01*	0.05*

Group to which food belongs	Groups include the following products	Captafol	Carbendazim	furanofural	carbosulfan	flartap	Chlorbensidol	bufamycin
	Lemons	0.02*	5	0.3	0.05*		0.01*	0.05*
	Limes	0.02*	5	0.3	0.05*		0.01*	0.05*
	Mandarins (incl clementines & similar hybrids)	0.02*	5	0.3	0.05*		0.01*	0.05*
	Oranges	0.02*	5	0.3	0.05*		0.01*	0.05*
	Pomelos	0.02*	5	0.3	0.05*		0.01*	0.05*
	Others	0.02*	5	0.3	0.05*		0.01*	0.05*
ii) TREE NUTS (shelled or unshelled)	Almonds	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Brazil nuts	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Cashew nuts	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Chestnuts	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Coconuts	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Hazelnuts	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Macadamia nuts	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Pecans	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Pine nuts	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Pistachios	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Walnuts	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
iii) POME FRUIT	Apples	0.02*	2	0.1*	0.05*		0.01*	0.05*
	Pears	0.02*	2	0.1*	0.05*		0.01*	0.05*
	Quinces	0.02*	2	0.1*	0.05*		0.01*	0.05*

Group to which food belongs	Groups include	Captafol	Carbendazim	fuberfuran	carbosulfan	Cartap	Chlorbensidol	bufam
	Others	0.02*	2	0.1*	0.05*		0.01*	0.05*
iv) STONE FRUIT	Apricots	0.02*	1	0.1*	0.05*		0.01*	0.05*
	Cherries	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Peaches (incl nectarines & similar hybrids)	0.02*	1	0.1*	0.05*		0.01*	0.05*
	Plums	0.02*	0.5	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
v) BERRIES AND SMALL FRUIT								
a)	Table & wine grapes							
	Table grapes	0.02*	2	0.1*	0.05*		0.01*	0.05*
	Wine grapes	0.02*	2	0.1*	0.05*		0.01*	0.05*
b)	Strawberries (other than wild)	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
c)	Cane Fruit (other than wild)							
	Blackberries	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Dewberries	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Loganberries	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Raspberries	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*

Group to which food belongs	Groups include the following products	Captafol	Carbendazim	furanofura	carbosulfan	Cartap	Chlorbenzimidazole	bufamycin
d)	Other small fruit & berries (other than wild)							
	Bilberries	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Cranberries	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Currants (red, black & white)	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Gooseberries	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
e)	Wild berries & wild fruit	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
vi) MISCELLANEOUS FRUIT								
	Avocados	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Bananas	0.02*	1	0.1*	0.05*		0.01*	0.05*
	Dates	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Figs	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Kiwi fruit	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Kumquats	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Litchis	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Mangoes	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Olives (table consumption)	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Olives (oil extract)	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Papaya	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*

Group to which food belongs	Groups include the following products	Captafol	Carbendazim	furanofural	carbosulfan	Cartap	Chlorbensidol	bufamycin
	Passion fruit	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Pineapples	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Pomegranate	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
2.								
Vegetables, fresh or uncooked, frozen or dry								
i) ROOT AND TUBER VEGETABLES								
Beetroot	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*	
Carrots	0.02*	0.1*	0.3	0.1		0.01*	0.05*	
Celeriac	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*	
Horseradish	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*	
Jerusalem artichokes	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*	
Parsnips	0.02*	0.1*	0.3	0.1		0.01*	0.05*	
Parsley root	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*	
Radishes	0.02*	0.1*	0.5	0.05*		0.01*	0.05*	
Salsify	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*	
Sweet potatoes	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*	
Swedes	0.02*	0.1*	0.2	0.05*		0.01*	0.05*	
Turnips	0.02*	0.1*	0.2	0.05*		0.01*	0.05*	
Yams	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*	
Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*	
ii) BULB VEGETABLES								
Garlic	0.02*	0.1*	0.3	0.05*		0.01*	0.05*	
Onions	0.02*	0.1*	0.3	0.05*		0.01*	0.05*	

Group to which food belongs	Groups include the following products	Captafol	Carbendazim	furanofuracarbosulfan	Flartap	Chlorbensidol	bufam
	Shallots	0.02*	0.1*	0.3	0.05*	0.01*	0.05*
	Spring onions	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*
iii) FRUITING VEGETABLES							
a)	Solanaceae						
	Tomatoes	0.02*	0.5	0.1*	0.05*	0.01*	0.05*
	Peppers	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*
	Chilli peppers	0.02*	0.1*	0.1*		0.01*	0.05*
	Aubergines	0.02*	0.5	0.1*	0.05*	0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*
b)	Cucurbits-edible peel						
	Cucumbers	0.02*	1	0.1*	0.05*	0.01*	0.05*
	Gherkins	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*
	Courgettes	0.02*	0.3	0.1*	0.05*	0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*
c)	Cucurbits-inedible peel						
	Melons	0.02*	0.5	0.2	0.05*	0.01*	0.05*
	Squashes	0.02*	0.5	0.2	0.05*	0.01*	0.05*
	Watermelons	0.02*	0.1*	0.2	0.05*	0.01*	0.05*
	Others	0.02*	0.1*	0.2	0.05*	0.01*	0.05*
d)	Sweet corn	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*
iv) BRASSICA VEGETABLES							
a)	Flowering Brassicas						
	Broccoli	0.02*	0.1*	0.2	0.05*	0.01*	0.05*

Group to which food belongs	Groups include the following products	Captafol	Carbendazim	furanofural	carbosulfan	Gartap	Chlorbensidol	bufamycin
	Cauliflower	0.02*	0.1*	0.2	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.2	0.05*		0.01*	0.05*
b)	Head Brassicas							
	Brussels sprouts	0.02*	0.5	0.1*	0.05*		0.01*	0.05*
	Head cabbage	0.02*	3	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	3	0.1*	0.05*		0.01*	0.05*
c)	Leafy Brassicas							
	Chinese cabbage	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Kale	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
d)	Kohlrabi	0.02*	0.1*	0.2	0.05*		0.01*	0.05*
v) LEAF VEGETABLES AND FRESH HERBS								
a)	Lettuce & similar							
	Cress	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Lamb's lettuce	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Lettuce	0.02*	5	0.1*	0.05*		0.01*	0.05*
	Scarole	0.02*	0.1*	0.1*	0.05*		0.01* ⁰⁰⁷	0.05* ⁰⁰⁷
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
b)	Spinach & similar							
	Spinach	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Beet leaves (chard)	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*

Group to which food belongs	Groups include the following products	Captafol	Carbendazim	furanofuracarbosulfan	Flartap	Chlorbensidol	bufam
c)	Watercress	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*
d)	Witloof	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*
e)	Herbs						
	Chervil	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*
	Chives	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*
	Parsley	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*
	Celery leaves	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*
vi)	LEGUME VEGETABLES (fresh)						
	Beans (with pods)	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*
	Beans (without pods)	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*
	Peas (with pods)	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*
	Peas (without pods)	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*
vii)	STEM VEGETABLES						
	Asparagus	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*
	Cardoons	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*
	Celery	0.02*	2	0.1*	0.05*	0.01*	0.05*
	Fennel	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*
	Globe artichokes	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*
	Leeks	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*
	Rhubarb	0.02*	2	0.1*	0.05*	0.01*	0.05*

Group to which food belongs	Groups include the following products	Captafol	Carbendazim	furanofural	carbosulfan	Cartap	Chlorbenz	Delorbufam
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
viii) FUNGI								
a)	Cultivated mushrooms	0.02*	1	0.1*	0.05*		0.01*	0.05*
b)	Wild mushrooms	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
3. PULSES								
	Beans	0.02*	2	0.1*	0.05*		0.01*	0.05*
	Lentils	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Peas	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
4. OILSEEDS								
	Linseed	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Peanuts	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Poppy seed	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Sesame seed	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Sunflower seed	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Rape seed	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Soya bean	0.02*	0.2	0.1*	0.05*		0.01*	0.05*
	Mustard seed	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Cotton seed	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
5. POTATOES								
	Early potatoes	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*

Group to which food belongs	Groups include the following products	Captafol	Carbendazim	furanofural	carbosulfan	flartap	Chlorbensidol	bufam
	Ware potatoes	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	0.1*	0.2*	0.1*	0.1*	0.1*	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.1*	0.1*	10	1		0.1*	0.1*

⁰⁰⁷Scarole includes broad-leaf endive.

* Level at or about the limit of determination.

Group to which food belongs	Groups include the following products	Chlordane	Chlorfensulfuron	Chlormequat	Chlorobenzilate	Chlorothalonil	Chlroxuracil	Chlorpyrifos
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts								
i)								
CITRUS FRUIT								
Grapefruit		0.01*	0.05*	0.02*	0.01*	0.05*	0.3	
Lemons		0.01*	0.05*	0.02*	0.01*	0.05*	0.2	
Limes		0.01*	0.05*	0.02*	0.01*	0.05*	0.3	
Mandarins (incl clementines & similar hybrids)		0.01*	0.05*	0.02*	0.01*	0.05*	2	
Oranges		0.01*	0.05*	0.02*	0.01*	0.05*	0.3	
Pomelos		0.01*	0.05*	0.02*	0.01*	0.05*	0.3	
Others		0.01*	0.05*	0.02*	0.01*	0.05*	0.3	

Group to which food belongs	Groups include the following products	Chlordane	Chlorfens	Chlormeq	Chlorobenz	Chlorothal	Chlbroxur	Chlpyrifos
ii) TREE NUTS (shelled or unshelled)	Almonds	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Brazil nuts	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Cashew nuts	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Chestnuts	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Coconuts	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Hazelnuts	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Macadamia nuts	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Pecans	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Pine nuts	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Pistachios	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Walnuts	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Others	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
iii) POME FRUIT	Apples	0.01*	0.05*	0.02*	1	0.05*	0.5	
	Pears	0.01*	0.5	0.02*	1	0.05*	0.5	
	Quinces	0.01*	0.05*	0.02*	1	0.05*	0.5	
	Others	0.01*	0.05*	0.02*	1	0.05*	0.5	
iv) STONE FRUIT	Apricots	0.01*	0.05*	0.02*	1	0.05*	0.05*	
	Cherries	0.01*	0.05*	0.02*	0.01*	0.05*	0.3	
	Peaches (incl nectarines & similar hybrids)	0.01*	0.05*	0.02*	1	0.05*	0.2	

Group to which food belongs	Groups include the following products	Chlordane	Chlorfens	Chlormeq	Chlorobenz	Chlorothal	Chlbroxur	Chlpyrifos
	Plums	0.01*	0.05*	0.02*	0.01*	0.05*	0.2	
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
v) BERRIES AND SMALL FRUIT								
a)	Table & wine grapes							
	Table grapes	0.01*	0.05*	0.02*	1	0.05*	0.5	
	Wine grapes	0.01*	0.05*	0.02*	3	0.05*	0.5	
b)	Strawberries (other than wild)	0.01*	0.05*	0.02*	3	0.05*	0.2	
c)	Cane Fruit (other than wild)							
	Blackberries	0.01*	0.05*	0.02*	10	0.05*	0.5	
	Dewberries	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Loganberries	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Raspberries	0.01*	0.05*	0.02*	10	0.05*	0.5	
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
d)	Other small fruit & berries (other than wild)							
	Bilberries	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Cranberries	0.01*	0.05*	0.02*	2	0.05*	0.05*	
	Currants (red,	0.01*	0.05*	0.02*	10	0.05*	1	

Group to which food belongs	Groups include the following products	Chlordane	Chlorfens	Chlormeq	Chlorobenz	Chlorothal	Chlbroxur	Chlpyrifos
	black & white)							
	Gooseberries	0.01*	0.05*	0.02*	10	0.05*	1	
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
e)	Wild berries & wild fruit	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
vi)	MISCELLANEOUS FRUIT							
	Avocados	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Bananas	0.01*	0.05*	0.02*	0.2	0.05*	3	
	Dates	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Figs	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Kiwi fruit	0.01*	0.05*	0.02*	0.01*	0.05*	2	
	Kumquats	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Litchis	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Mangoes	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Olives (table consumption)	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Olives (oil extract)	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Papaya	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Passion fruit	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Pineapples	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Pomegranates	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	

2.
Vegetables,
fresh or
uncooked,
frozen or
dry

Group to which food belongs	Groups include the following products	Chlordane	Chlorfens	Chlormeq	Chlorobenz	Chlorothal	Chlbroxur	Chlpyrifos
i) ROOT AND TUBER VEGETABLES								
	Beetroot	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Carrots	0.01*	0.05*	0.02*	1	0.05*	0.1	
	Celeriac	0.01*	0.05*	0.02*	1	0.05*	0.05*	
	Horseradish	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Jerusalem artichokes	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Parsnips	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Parsley root	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Radishes	0.01*	0.05*	0.02*	0.01*	0.05*	0.2	
	Salsify	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Sweet potatoes	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Swedes	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Turnips	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Yams	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
ii) BULB VEGETABLES								
	Garlic	0.01*	0.05*	0.02*	0.5	0.05*	0.05*	
	Onions	0.01*	0.05*	0.02*	0.5	0.05*	0.2	
	Shallots	0.01*	0.05*	0.02*	0.5	0.05*	0.05*	
	Spring onions	0.01*	0.05*	0.02*	5	0.05*	0.05*	
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
iii) FRUITING VEGETABLES								
a)	Solanacea							
	Tomatoes	0.01*	0.05*	0.02*	2	0.05*	0.5	
	Peppers	0.01*	0.05*	0.02*	2	0.05*	0.5	

Group to which food belongs	Groups include the following products	Chlordane	Chlorfens	Chlormeq	Chlorobenz	Chlorothal	Chlbroxur	Chlpyrifos
	Chilli peppers	0.01*	0.05*	0.02*	2	0.05*	0.5	
	Aubergines	0.01*	0.05*	0.02*	2	0.05*	0.5	
	Others	0.01*	0.05*	0.02*	2	0.05*	0.5	
b)	Cucurbits-edible peel							
	Cucumbers	0.01*	0.05*	0.02*	1	0.05*	0.05*	
	Gherkins	0.01*	0.05*	0.02*	5	0.05*	0.05*	
	Courgettes	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
c)	Cucurbits-inedible peel							
	Melons	0.01*	0.05*	0.02*	1	0.05*	0.05*	
	Squashes	0.01*	0.05*	0.02*	1	0.05*	0.05*	
	Watermelons	0.01*	0.05*	0.02*	1	0.05*	0.05*	
	Others	0.01*	0.05*	0.02*	1	0.05*	0.05*	
d)	Sweet corn	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
iv) BRASSICA VEGETABLES								
a)	Flowering Brassicas							
	Broccoli	0.01*	0.05*	0.02*	3	0.05*	0.05*	
	Cauliflower	0.01*	0.05*	0.02*	3	0.05*	0.05*	
	Others	0.01*	0.05*	0.02*	3	0.05*	0.05*	
b)	Head Brassicas							
	Brussels sprouts	0.01*	0.05*	0.02*	0.5	0.05*	0.05*	
	Head cabbage	0.01*	0.05*	0.02*	3	0.05*	1	
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	

Group to which food belongs	Groups include the following products	Chlordane	Chlorfens	Chlormeq	Chlorobenz	Chlorothal	Chlbroxur	Chlpyrifos
c)	Leafy Brassicas							
	Chinese cabbage	0.01*	0.05*	0.02*	0.01*	0.05*	0.5	
	Kale	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
d)	Kohlrabi	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
v) LEAF VEGETABLES AND FRESH HERBS								
a)	Lettuce & similar							
	Cress	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Lamb's lettuce	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Lettuce	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Scarole	0.01* ⁰⁰⁹	0.05*	0.02* ⁰⁰⁹	0.01*	0.05* ⁰⁰⁹	0.05*	
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
b)	Spinach & similar							
	Spinach	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Beet leaves (chard)	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
c)	Watercress	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
d)	Witloof	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
e)	Herbs							
	Chervil	0.01*	0.05*	0.02*	5	0.05*	0.05*	
	Chives	0.01*	0.05*	0.02*	5	0.05*	0.05*	
	Parsley	0.01*	0.05*	0.02*	5	0.05*	0.05*	
	Celery leaves	0.01*	0.05*	0.02*	5	0.05*	0.05*	

Group to which food belongs	Groups include the following products	Chlordane	Chlorfens	Chlormeq	Chlorobenz	Chlorothal	Chlbroxur	Chlpyrifos
	Others	0.01*	0.05*	0.02*	5	0.05*	0.05*	
vi)	LEGUME VEGETABLES (fresh)							
	Beans (with pods)	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Beans (without pods)	0.01*	0.05*	0.02*	0.05	0.05*	0.05*	
	Peas (with pods)	0.01*	0.05*	0.02*	2	0.05*	0.05*	
	Peas (without pods)	0.01*	0.05*	0.02*	0.3	0.05*	0.05*	
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
vii)	STEM VEGETABLES							
	Asparagus	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Cardoons	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Celery	0.01*	0.05*	0.02*	10	0.05*	0.05*	
	Fennel	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Globe artichokes	0.01*	0.05*	0.02*	0.01*	0.05*	1	
	Leeks	0.01*	0.05*	0.02*	10	0.05*	0.05*	
	Rhubarb	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
viii)	FUNGI							
a)	Cultivated mushrooms	0.01*	10	0.02*	2	0.05*	0.05*	
b)	Wild mushrooms	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	

3. PULSES

Group to which food belongs	Groups include the following products	Chlordane	Chlorfens	Chlormeq	Chlorobenz	Chlorothal	Chlbroxur	Chlpyrifos
	Beans	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Lentils	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Peas	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
4.	OILSEEDS							
	Linseed	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Peanuts	0.01*	0.1*	0.02*	0.05	0.05*	0.05*	
	Poppy seed	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Sesame seed	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Sunflower seed	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Rape seed	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Soya bean	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Mustard seed	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Cotton seed	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Others	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
5.	POTATOES							
	Early potatoes	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Ware potatoes	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.02*	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*

Group to which food belongs	Groups include the following products	Chlordane	Chlorfens	Chlormeq	Chloroben	Chlorothal	Chlbroxur	Chlpyrifos
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.1*	0.1*	0.1*	50	0.1*	0.1*	0.1*

⁰⁰⁹ Scarole includes broad-leaf endive.

* Level at or about the limit of determination.

Group to which food belongs	Groups include the following products	Chlorpyrifos	Gfdozolin	Guthrin	Gyperm	Dhminozide	DDT	Deltame	Diaillate	Diazinon
Applying from 1 Jan 2003										

1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts

i) CITRUS FRUIT

Grapefruit	0.05*	0.05*	0.02*	2	0.02*	0.05*	0.05*	0.05*	0.05*	1
Lemons	0.3	0.05*	0.02*	2	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*
Limes	0.05*	0.05*	0.02*	2	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*
Mandarins (incl clementines & similar hybrids)	0.05*	0.05*	0.02*	2	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*
Oranges	0.5	0.05*	0.02*	2	0.02*	0.05*	0.05*	0.05*	0.05*	1
Pomelos	0.05*	0.05*	0.02*	2	0.02*	0.05*	0.05*	0.05*	0.05*	1
Others	0.05*	0.05*	0.02*	2	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*

ii)
TREE NUTS (shelled or unshelled)

Almonds	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
---------	-------	-------	-------	-------	-------	-------	-------	-------	-------

Group to which the food belongs	Groups to include methyl	Chlorpyrifos	Chlorzolinatuthrin	Hyperiodine	Diaminozoate	Deltamethrin	Diazinon
Applying from 1 Jan 2003							
	Plums	0.05*	0.05*	0.2	1	0.02*	0.05*
	Others	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*
v) BERRIES AND SMALL FRUIT							
a)	Table & wine grapes						
	Table grapes	0.2	0.05*	0.3	0.5	0.02*	0.05*
	Wine grapes	0.2	0.05*	0.3	0.5	0.02*	0.05*
b)	Strawberries (other than wild)						
		0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
c)	Cane Fruit (other than wild)						
	Blackberries	0.05*	0.05*	0.02*	0.5	0.02*	0.05*
	Dewberries	0.05*	0.05*	0.02*	0.5	0.02*	0.05*
	Loganberries	0.05*	0.05*	0.02*	0.5	0.02*	0.05*
	Raspberries	0.05*	0.05*	0.02*	0.5	0.02*	0.05*
	Others	0.05*	0.05*	0.02*	0.5	0.02*	0.05*
d)	Other small fruit & berries (other than wild)						
	Bilberries	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*

Group to which the food belongs	Groups to include methyl products	Maximum residue limits (mg/kg) for the following products									
		Chlorpyrifos	Chlorotoluron	Fluthrin	Hyperiodide	Methamidophos	DDT	Deltamethrin	Malathion	Diazinon	Malathate
	Applying from 1 Jan 2003										
	Cranberries	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	
	Currants (red, black & white)	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.2	0.05*	0.2	
	Gooseberries	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.2	0.05*	0.2	
	Others	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	
e)	Wild berries & wild fruit	0.05*	0.05*	0.02*	2	0.02*	0.05*	0.05*	0.05*	0.02*	
vi)	MISCELLANEOUS FRUIT										
	Avocados	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	
	Bananas	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	
	Dates	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	
	Figs	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	
	Kiwi fruit	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.2	
	Kumquats	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	
	Litchis	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	
	Mangoes	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	
	Olives (table consumption)	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.1*	0.05*	0.02*	
	Olives (oil extract)	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.1*	0.05*	0.02*	
	Papaya	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	
	Passion fruit	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	
	Pineapple	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	

Group to which the food belongs	Groups to include methyl	Chlorpyrifos	Zolofos	Fluthrin	Hyperm	Dhminozid	DDT	Deltame	Diaillate	Diazinon
Applying from 1 Jan 2003										
Pomegranates	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*
Others	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*
2. Vegetables, fresh or uncooked, frozen or dry										
i) ROOT AND TUBER VEGETABLES										
Beetroot	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*
Carrots	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.2
Celeriac	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*
Horseradish	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*
Jerusalem artichokes	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*
Parsnips	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*
Parsley root	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*
Radishes	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*
Salsify	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*
Sweet potatoes	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*
Swedes	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*
Turnips	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*
Yams	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*
Others	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*
ii) BULB VEGETABLES										

Group	Groups to include methyl which the food following belongs	Chlorpyrifos	Chlorzolin	Chlorthiophos	Chlormequat	Chlormephos	Deltamethrin	Diazinon	Diazinon		
		Applying from 1 Jan 2003									
		Garlic	0.05*	0.05*	0.02*	0.1	0.02*	0.05*	0.1	0.05*	0.02*
		Onions	0.05*	0.05*	0.02*	0.1	0.02*	0.05*	0.1	0.05*	0.02*
		Shallots	0.05*	0.05*	0.02*	0.1	0.02*	0.05*	0.1	0.05*	0.02*
		Spring onions	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.1	0.05*	0.02*
		Others	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
iii) FRUITING VEGETABLES											
a)	Solanaceae										
	Tomatoe	0.5	0.05*	0.05	0.5	0.02*	0.05*	0.2	0.05*	0.5	
	Peppers	0.5	0.05*	0.3	0.5	0.02*	0.05*	0.2	0.05*	0.5	
	Chilli peppers	0.5	0.05*	0.3	0.5	0.02*	0.05*	0.2	0.05*	0.5	
	Aubergine	0.5	0.05*	0.02*	0.5	0.02*	0.05*	0.2	0.05*	0.5	
	Others	0.5	0.05*	0.02*	0.5	0.02*	0.05*	0.2	0.05*	0.5	
b)	Cucurbits-edible peel										
	Cucumber	0.05*	0.05*	0.1	0.2	0.02*	0.05*	0.1	0.05*	0.02*	
	Gherkins	0.05*	0.05*	0.02*	0.2	0.02*	0.05*	0.1	0.05*	0.02*	
	Courgette	0.05*	0.05*	0.02*	0.2	0.02*	0.05*	0.1	0.05*	0.02*	
	Others	0.05*	0.05*	0.02*	0.2	0.02*	0.05*	0.1	0.05*	0.02*	
c)	Cucurbits-inedible peel										
	Melons	0.05*	0.05*	0.02*	0.2	0.02*	0.05*	0.05*	0.05*	0.02*	
	Squashes	0.05*	0.05*	0.02*	0.2	0.02*	0.05*	0.05*	0.05*	0.02*	
	Watermelons	0.05*	0.05*	0.02*	0.2	0.02*	0.05*	0.05*	0.05*	0.02*	
	Others	0.05*	0.05*	0.02*	0.2	0.02*	0.05*	0.05*	0.05*	0.02*	
d)	Sweet corn	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	

Group to which the food belongs	Groups to include methyl	Chlorpyrifos	Chlorzolin	Chlorthiophos	Chlorthiophos	Chlorthiophos	Deltamethrin	Diazinon	
		Applying from 1 Jan 2003							
iv)	BRASSICA VEGETABLES								
a)	Flowering Brassiccas								
	Broccoli	0.05*	0.05* ⁰¹¹	0.05	0.5	0.02*	0.05*	0.1	0.05*
	Cauliflower	0.05*	0.05*	0.05	0.5	0.02*	0.05*	0.1	0.05*
	Others	0.05*	0.05*	0.05	0.5	0.02*	0.05*	0.1	0.05*
b)	Head Brassiccas								
	Brussels sprouts	0.05*	0.05*	0.2	0.5	0.02*	0.05*	0.1	0.05*
	Head cabbage	0.05*	0.05*	0.2	0.5	0.02*	0.05*	0.1	0.05*
	Others	0.05*	0.05*	0.2	0.5	0.02*	0.05*	0.1	0.05*
c)	Leafy Brassiccas								
	Chinese cabbage	0.05*	0.05*	0.3	1	0.02*	0.05*	0.5	0.05*
	Kale	0.05*	0.05*	0.3	1	0.02*	0.05*	0.5	0.05*
	Others	0.05*	0.05*	0.3	1	0.02*	0.05*	0.5	0.05*
d)	Kohlrabi	0.05*	0.05*	0.02*	0.2	0.02*	0.05*	0.05*	0.02*
v)	LEAF VEGETABLES AND FRESH HERBS								
a)	Lettuce & similar								
	Cress	0.05*	0.05*	0.5	2	0.02*	0.05*	0.5	0.05*
	Lamb's lettuce	0.05*	0.05*	0.5	2	0.02*	0.05*	0.5	0.05*

Group to which the food belongs	Groups to include methyl	Chlorpyrifos	Chlorzolin	Chlorthiophos	Chlorthiophos	Chlorthiophos	Chlorthiophos	Deltamethrin	Diazinon	
Applying from 1 Jan 2003										
	Lettuce	0.05*	0.05*	0.5	2	0.02*	0.05*	0.5	0.05*	0.02*
	Scarole	0.05*	0.05*	0.5	2	0.02*	0.05*	0.5	0.05*	0.02*
	Others	0.05*	0.05*	0.5	2	0.02*	0.05*	0.5	0.05*	0.02*
b)	Spinach & similar									
	Spinach	0.05*	0.05*	0.02*	0.5	0.02*	0.05*	0.5	0.05*	0.02*
	Beet leaves (chard)	0.05*	0.05*	0.02*	0.5	0.02*	0.05*	0.5	0.05*	0.02*
	Others	0.05*	0.05*	0.02*	0.5	0.02*	0.05*	0.5	0.05*	0.02*
c)	Watercress	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
d)	Witloof	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
e)	Herbs									
	Chervil	0.05*	0.05*	0.02*	2	0.02*	0.05*	0.5	0.05*	0.02*
	Chives	0.05*	0.05*	0.02*	2	0.02*	0.05*	0.5	0.05*	0.02*
	Parsley	0.05*	0.05*	0.02*	2	0.02*	0.05*	0.5	0.05*	0.02*
	Celery leaves	0.05*	0.05*	0.02*	2	0.02*	0.05*	0.5	0.05*	0.02*
	Others	0.05*	0.05*	0.02*	2	0.02*	0.05*	0.5	0.05*	0.02*
vi)	LEGUME VEGETABLES (fresh)									
	Beans (with pods)	0.05*	0.05*	0.05	0.5	0.02*	0.05*	0.2	0.05*	0.02*
	Beans (without pods)	0.05*	0.05*	0.05	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Peas (with pods)	0.05*	0.05*	0.05	0.5	0.02*	0.05*	0.1	0.05*	0.02*

Group to which the food belongs	Groups to include methyl which the following products	Maximum residue limits (mg/kg) for the following substances									
		Chlorpyrifos	Chlorotoluron	Fluthrin	Glypermethrin	Imidacloprid	Deltamethrin	Diazinon	Diazinon	Diazinon	Diazinon
	Applying from 1 Jan 2003										
	Peas (without pods)	0.05*	0.05*	0.05	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*
	Others	0.05*	0.05*	0.05	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*
vii) STEM VEGETABLES											
	Asparagus	0.05*	0.05*	0.02*	0.1	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*
	Cardoon	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*
	Celery	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*
	Fennel	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*
	Globe artichokes	0.05*	0.05*	0.02*	2	0.02*	0.05*	0.1	0.05*	0.05*	0.02*
	Leeks	0.05*	0.05*	0.02*	0.5	0.02*	0.05*	0.2	0.05*	0.05*	0.02*
	Rhubarb	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*
	Others	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*
viii) FUNGI											
a)	Cultivated mushrooms	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*
b)	Wild mushrooms	0.05*	0.05*	0.02*	1	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*
3. PULSES											
	Beans	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	1	0.05*	0.05*	0.02*
	Lentils	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	1	0.05*	0.05*	0.02*
	Peas	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	1	0.05*	0.05*	0.02*
	Others	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	1	0.05*	0.05*	0.02*
4. OILSEEDS											
	Linseed	0.05*	0.05*	0.02*	0.2	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Peanuts	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*

Group to which the food belongs	Groups to include methyl products	Maximum residue limits (mg/kg) for the following products									
		Chlorpyrifos	Chlorzolin	Chlorthiophos	Chlorthiophos	Chlorthiophos	Chlorthiophos	Deltamethrin	Diazinon	Diazinon	
Applying from 1 Jan 2003											
	Poppy seed	0.05*	0.05*	0.02*	0.2	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Sesame seed	0.05*	0.05*	0.02*	0.2	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Sunflower seed	0.05*	0.05*	0.02*	0.2	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Rape seed	0.05*	0.05*	0.05	0.2	0.05*	0.05*	0.1	0.05*	0.05*	0.05*
	Soya bean	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Mustard seed	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Cotton seed	0.05*	0.05*	0.02*	0.2	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Others	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
5.	POTATOES										
	Early potatoes	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	
	Ware potatoes	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.5	0.05*	0.02*	
6.	TEA (dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	0.1*	0.1*	0.5	0.1*	0.2	5	0.1*	0.05*	
7.	HOPS (dried) including hop pellets & unconcentrated powder	0.1*	0.1*	20	30	0.1*	0.05*	5	0.1*	0.05*	

⁰¹¹Broccoli includes calabrese

⁰¹²Scarole includes broad-leaf endive.

* Level at or about the limit of determination.

Group to which the food belongs	Groups 1,2 - include the following products	Dichloro- Dibromoethane	Dichloro- Dibromoethane	Dicofol	1,1- Dichloro-2,2- bis- (4- ethyl- phenyl-) ethane	Dimetho- Dineoseb	Dinoterb
Applying from 1 Jan 2003							
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts							
<i>i)</i>							
CITRUS FRUIT							
Grapefruit	0.01*	0.05*	2	0.01*	0.02*	0.05*	0.05*
Lemons	0.01*	0.05*	2	0.01*	0.02*	0.05*	0.05*
Limes	0.01*	0.05*	2	0.01*	0.02*	0.05*	0.05*
Mandarins (incl clementines & similar hybrids)	0.01*	0.05*	2	0.01*	0.02*	0.05*	0.05*
Oranges	0.01*	0.05*	2	0.01*	0.02*	0.05*	0.05*
Pomelos	0.01*	0.05*	2	0.01*	0.02*	0.05*	0.05*
Others	0.01*	0.05*	2	0.01*	0.02*	0.05*	0.05*
<i>ii)</i>							
TREE NUTS (shelled or unshelled)							
Almonds	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*
Brazil nuts	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*
Cashew nuts	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*
Chestnut	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*

Group to which food belongs	Groups 1,2 - to include Dibromoethane	Dichloropropene	Dichloromethane	Dicofol	1,1-Dichloro-2,2-bis-(4-ethyl-phenyl)-ethane	Dimethoate	Monebrol	Dinoteren
Applying from 1 Jan 2003								
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar:								
nuts								
	Coconuts	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*
	Hazelnuts	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*
	Macadamia nuts	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*
	Pecans	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*
	Pine nuts	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*
	Pistachios	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*
	Walnuts	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*
	Others	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*
iii) POME FRUIT								
	Apples	0.01*	0.05*	0.02*	0.01*	0.02*	0.05*	0.05*
	Pears	0.01*	0.05*	0.02*	0.01*	0.02*	0.05*	0.05*
	Quinces	0.01*	0.05*	0.02*	0.01*	0.02*	0.05*	0.05*
	Others	0.01*	0.05*	0.02*	0.01*	0.02*	0.05*	0.05*
iv) STONE FRUIT								
	Apricots	0.01*	0.05*	0.02*	0.01*	0.02*	0.05*	0.05*
	Cherries	0.01*	0.05*	0.02*	0.01*	1	0.05*	0.05*
	Peaches (incl nectarines & similar hybrids)	0.01*	0.05*	0.02*	0.01*	0.02*	0.05*	0.05*
	Plums	0.01*	0.05*	0.02*	0.01*	0.02*	0.05*	0.05*
	Others	0.01*	0.05*	0.02*	0.01*	0.02*	0.05*	0.05*

Group to which food belongs	Groups 1,2 - include Dibromoethane	Dichloropropene	Dichlorvinyldicofol	1,1-Dichloro-2,2-bis-(4-ethyl-phenyl)-ethane	Dimethoate	Moneb	Dinoterb
Applying from 1 Jan 2003							
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts							
v) BERRIES AND SMALL FRUIT							
a)	Table & wine grapes	Table grapes	0.01* 0.05*	2	0.01* 0.02*	0.05* 0.05*	0.05*
		Wine grapes	0.01* 0.05*	2	0.01* 0.02*	0.05* 0.05*	0.05*
b)	Strawberries (other than wild)	Wild	0.01* 0.05*	0.02*	0.01* 0.02*	0.05* 0.05*	0.05*
c)	Cane Fruit (other than wild)	Blackberry	0.01* 0.05*	0.02*	0.01* 0.02*	0.05* 0.05*	0.05*
		Dewberry	0.01* 0.05*	0.02*	0.01* 0.02*	0.05* 0.05*	0.05*
		Loganberry	0.01* 0.05*	0.02*	0.01* 0.02*	0.05* 0.05*	0.05*
		Raspberry	0.01* 0.05*	0.02*	0.01* 0.02*	0.05* 0.05*	0.05*
		Others	0.01* 0.05*	0.02*	0.01* 0.02*	0.05* 0.05*	0.05*
d)	Other small fruit & berries (other than wild)						

Group to which food belongs	Groups 1,2 - to include Dibromoethane	Dichloropropene	Dichloroethane	Dicofol	1,1-Dichloro-2,2-bis-(4-ethyl-phenyl)-ethane	Dimethylchloroethane	Monebidiol	Dinotero
Applying from 1 Jan 2003								
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts								
	Bilberries	0.01*	0.05*	0.02*	0.01*	0.02*	0.05*	0.05*
	Cranberries	0.01*	0.05*	0.02*	0.01*	0.02*	0.05*	0.05*
	Currants (red, black & white)	0.01*	0.05*	0.02*	0.01*	0.02*	0.05*	0.05*
	Gooseberries	0.01*	0.05*	0.02*	0.01*	0.02*	0.05*	0.05*
	Others	0.01*	0.05*	0.02*	0.01*	0.02*	0.05*	0.05*
e)	Wild berries & wild fruit	0.01*	0.05*	0.02*	0.01*	0.02*	0.05*	0.05*
vi) MISCELLANEOUS FRUIT								
	Avocado	0.01*	0.05*	0.02*	0.01*	0.02*	0.05*	0.05*
	Bananas	0.01*	0.05*	0.02*	0.01*	0.02*	0.05*	0.05*
	Dates	0.01*	0.05*	0.02*	0.01*	0.02*	0.05*	0.05*
	Figs	0.01*	0.05*	0.02*	0.01*	0.02*	0.05*	0.05*
	Kiwi fruit	0.01*	0.05*	0.02*	0.01*	0.02*	0.05*	0.05*
	Kumquats	0.01*	0.05*	0.02*	0.01*	0.02*	0.05*	0.05*
	Litchis	0.01*	0.05*	0.02*	0.01*	0.02*	0.05*	0.05*
	Mangoes	0.01*	0.05*	0.02*	0.01*	0.02*	0.05*	0.05*
	Olives (table consumption)	0.01*	0.05*	0.02*	0.01*	2	0.05*	0.05*
	Olives (oil extract)	0.01*	0.05*	0.02*	0.01*	2	0.05*	0.05*

Group to which the food belongs	Groups 1,2 - include Dibromoethane	Dichloro- Dichloro- Dibromoethane	Dicofol	1,1- Dichloro-2,2- bis- (4- ethyl- phenyl-) ethane	Dimethoate	Moneb	Dinoterb
Applying from 1 Jan 2003							
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar:							
nuts							
Papaya	0.01*	0.05*		0.02*	0.01*	0.02*	0.05*
Passion fruit	0.01*	0.05*		0.02*	0.01*	0.02*	0.05*
Pineapple	0.01*	0.05*		0.02*	0.01*	0.02*	0.05*
Pomegranates	0.01*	0.05*		0.02*	0.01*	0.02*	0.05*
Others	0.01*	0.05*		0.02*	0.01*	0.02*	0.05*
2. Vegetables, fresh or uncooked, frozen or dry							
i) ROOT AND TUBER VEGETABLES							
Beetroot	0.01*	0.05*		0.02*	0.01*	0.02*	0.05*
Carrots	0.01*	0.05*		0.02*	0.01*	0.02*	0.05*
Celeriac	0.01*	0.05*		0.02*	0.01*	0.02*	0.05*
Horseradish	0.01*	0.05*		0.02*	0.01*	0.02*	0.05*
Jerusalem artichokes	0.01*	0.05*		0.02*	0.01*	0.02*	0.05*
Parsnips	0.01*	0.05*		0.02*	0.01*	0.02*	0.05*
Parsley root	0.01*	0.05*		0.02*	0.01*	0.02*	0.05*
Radishes	0.01*	0.05*		0.02*	0.01*	0.02*	0.05*
Salsify	0.01*	0.05*		0.02*	0.01*	0.02*	0.05*
Sweet potatoes	0.01*	0.05*		0.02*	0.01*	0.02*	0.05*

Group to which food belongs	Groups 1,2 - to include Dibromoethane	Dichloroethane	Dichloromethane	Dicofol	1,1-Dichloro-2,2-bis-(4-ethyl-phenyl)-ethane	Dimethylchloroethane	Monebidiol	Dinotero
Applying from 1 Jan 2003								
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar:								
nuts								
	Swedes	0.01*	0.05*		0.02*	0.01*	0.02*	0.05*
	Turnips	0.01*	0.05*		0.02*	0.01*	0.02*	0.05*
	Yams	0.01*	0.05*		0.02*	0.01*	0.02*	0.05*
	Others	0.01*	0.05*		0.02*	0.01*	0.02*	0.05*
ii) BULB VEGETABLES								
	Garlic	0.01*	0.05*		0.02*	0.01*	0.02*	0.05*
	Onions	0.01*	0.05*		0.02*	0.01*	0.02*	0.05*
	Shallots	0.01*	0.05*		0.02*	0.01*	0.02*	0.05*
	Spring onions	0.01*	0.05*		0.02*	0.01*	2	0.05*
	Others	0.01*	0.05*		0.02*	0.01*	0.02*	0.05*
iii) FRUITING VEGETABLES								
a)	Solanaceae							
	Tomatoe	0.01*	0.05*		1	0.01*	0.02*	0.05*
	Peppers	0.01*	0.05*		0.02*	0.01*	0.02*	0.05*
	Chilli peppers	0.01*	0.05*		0.02*	0.01*	0.02*	0.05*
	Aubergine	0.01*	0.05*		0.02*	0.01*	0.02*	0.05*
	Others	0.01*	0.05*		0.02*	0.01*	0.02*	0.05*
b)	Cucurbits-edible peel							
	Cucumber	0.01*	0.05*		0.2	0.01*	0.02*	0.05*
	Gherkins	0.01*	0.05*		0.2	0.01*	0.02*	0.05*
	Courgette	0.01*	0.05*		0.2	0.01*	0.02*	0.05*

Group to which food belongs	Groups 1,2 - include Dibromoethane	Dichloropropene	Dichloromethane	Dicofol	1,1-Dichloro-2,2-bis-(4-ethyl-phenyl)-ethane	Dimethylchloride	Monebidiol	Dinoteren
Applying from 1 Jan 2003								
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar:								
nuts								
	Others	0.01*	0.05*		0.2	0.01*	0.02*	0.05*
c)	Cucurbits-inedible peel							
	Melons	0.01*	0.05*		0.5	0.01*	0.02*	0.05*
	Squashes	0.01*	0.05*		0.5	0.01*	0.02*	0.05*
	Watermelons	0.01*	0.05*		0.5	0.01*	0.02*	0.05*
	Others	0.01*	0.05*		0.5	0.01*	0.02*	0.05*
d)	Sweet corn	0.01*	0.05*		0.02*	0.01*	0.02*	0.05*
iv) BRASSICA VEGETABLES								
a)	Flowering Brassicas							
	Broccoli	0.01*	0.05*		0.02*	0.01*	0.02*	0.05*
	Cauliflower	0.01*	0.05*		0.02*	0.01*	0.2	0.05*
	Others	0.01*	0.05*		0.02*	0.01*	0.02*	0.05*
b)	Head Brassicas							
	Brussels sprouts	0.01*	0.05*		0.02*	0.01*	0.3	0.05*
	Head cabbage	0.01*	0.05*		0.02*	0.01*	1	0.05*
	Others	0.01*	0.05*		0.02*	0.01*	0.02*	0.05*
c)	Leafy Brassicas							
	Chinese cabbage	0.01*	0.05*		0.02*	0.01*	0.02*	0.05*
	Kale	0.01*	0.05*		0.02*	0.01*	0.02*	0.05*

Group to which food belongs	Groups 1,2 - to include Dibromoethane	Dichlorprop	Dichlorm	Dicofol	1,1-Dichloro-2,2-bis-(4-ethyl-phenyl)-ethane	Dimethoate	Moneb	Dinoterb
Applying from 1 Jan 2003								
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts								
	Others	0.01*	0.05*		0.02*	0.01*	0.02*	0.05*
d)	Kohlrabi	0.01*	0.05*		0.02*	0.01*	0.02*	0.05*
v)	LEAF VEGETABLES AND FRESH HERBS							
a)	Lettuce & similar							
	Cress	0.01*	0.05*		0.02*	0.01*	0.02*	0.05*
	Lamb's lettuce	0.01*	0.05*		0.02*	0.01*	0.02*	0.05*
	Lettuce	0.01*	0.05*		0.02*	0.01*	0.5	0.05*
	Scarole	0.01*	0.05*		0.02*	0.01* ⁰¹⁵	0.02* ⁰¹⁵	0.05*
	Others	0.01*	0.05*		0.02*	0.01*	0.02*	0.05*
b)	Spinach & similar							
	Spinach	0.01*	0.05*		0.02*	0.01*	0.02*	0.05*
	Beet leaves (chard)	0.01*	0.05*		0.02*	0.01*	0.02*	0.05*
	Others	0.01*	0.05*		0.02*	0.01*	0.02*	0.05*
c)	Watercress	0.01*	0.05*		0.02*	0.01*	0.02*	0.05*
d)	Witloof	0.01*	0.05*		0.02*	0.01*	0.02*	0.05*
e)	Herbs							
	Chervil	0.01*	0.05*		0.02*	0.01*	0.02*	0.05*
	Chives	0.01*	0.05*		0.02*	0.01*	0.02*	0.05*

Group to which food belongs	Groups 1,2 - include Dibromoethane	Dichloropropene	Dichloromethane	Dicofol	1,1-Dichloro-2,2-bis-(4-ethyl-phenyl)-ethane	Dimethylchloroform	Monebidiol	Dinotero
Applying from 1 Jan 2003								
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar:								
nuts	Parsley	0.01*	0.05*	0.02*	0.01*	0.02*	0.05*	0.05*
	Celery leaves	0.01*	0.05*	0.02*	0.01*	0.02*	0.05*	0.05*
	Others	0.01*	0.05*	0.02*	0.01*	0.02*	0.05*	0.05*
vi) LEGUME VEGETABLES (fresh)								
	Beans (with pods)	0.01*	0.05*	0.02*	0.01*	0.02*	0.05*	0.05*
	Beans (without pods)	0.01*	0.05*	0.02*	0.01*	0.02*	0.05*	0.05*
	Peas (with pods)	0.01*	0.05*	0.02*	0.01*	1	0.05*	0.05*
	Peas (without pods)	0.01*	0.05*	0.02*	0.01*	0.02*	0.05*	0.05*
	Others	0.01*	0.05*	0.02*	0.01*	0.02*	0.05*	0.05*
vii) STEM VEGETABLES								
	Asparagus	0.01*	0.05*	0.02*	0.01*	0.02*	0.05*	0.05*
	Cardoon	0.01*	0.05*	0.02*	0.01*	0.02*	0.05*	0.05*
	Celery	0.01*	0.05*	0.02*	0.01*	0.02*	0.05*	0.05*
	Fennel	0.01*	0.05*	0.02*	0.01*	0.02*	0.05*	0.05*
	Globe artichokes	0.01*	0.05*	0.02*	0.01*	0.02*	0.05*	0.05*
	Leeks	0.01*	0.05*	0.02*	0.01*	0.02*	0.05*	0.05*

Group to which food belongs	Groups 1,2 - to include Dibromoethane	Dichloropropene	Dichloromethane	Dicofol	1,1-Dichloro-2,2-bis-(4-ethyl-phenyl)-ethane	Dimethoate	Monebidiol	Dinotero
Applying from 1 Jan 2003								
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar:								
nuts								
	Rhubarb	0.01*	0.05*		0.02*	0.01*	0.02*	0.05*
	Others	0.01*	0.05*		0.02*	0.01*	0.02*	0.05*
viii) FUNGI								
a)	Cultivated mushrooms	0.01*	0.05*		0.02*	0.01*	0.02*	0.05*
b)	Wild mushrooms	0.01*	0.05*		0.02*	0.01*	0.02*	0.05*
3. PULSES								
	Beans	0.01*	0.05*		0.02*	0.01*	0.02*	0.05*
	Lentils	0.01*	0.05*		0.02*	0.01*	0.02*	0.05*
	Peas	0.01*	0.05*		0.02*	0.01*	0.02*	0.05*
	Others	0.01*	0.05*		0.02*	0.01*	0.02*	0.05*
4. OILSEEDS								
	Linseed	0.01*	0.05*		0.05*	0.01*	0.05*	0.05*
	Peanuts	0.01*	0.05*		0.05*	0.01*	0.05*	0.05*
	Poppy seed	0.01*	0.05*		0.05*	0.01*	0.05*	0.05*
	Sesame seed	0.01*	0.05*		0.05*	0.01*	0.05*	0.05*
	Sunflower seed	0.01*	0.05*		0.05*	0.01*	0.05*	0.05*
	Rape seed	0.01*	0.05*		0.05*	0.01*	0.05*	0.05*
	Soya bean	0.01*	0.05*		0.05*	0.01*	0.05*	0.05*
	Mustard seed	0.01*	0.05*		0.05*	0.01*	0.05*	0.05*

Group to which food belongs	Groups 1,2 - include Dibromoethane	Dichloropropene	Dichloromethane	Dicofol	1,1-Dichloro-2,2-bis-(4-ethyl-phenyl)-ethane	Dimethoate	Monebidiol	Dinotero
Applying from 1 Jan 2003								
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar:								
nuts								
Cotton seed	0.01*	0.05*		0.1	0.01*	0.05*	0.05*	0.05*
Others	0.01*	0.05*		0.05*	0.01*	0.05*	0.05*	0.05*
5. POTATOES								
Early potatoes	0.01*	0.05*		0.02*	0.01*	0.02*	0.05*	0.05*
Ware potatoes	0.01*	0.05*		0.02*	0.01*	0.02*	0.05*	0.05*
6. TEA (dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	0.1*	0.1*	20	0.1*	0.2	0.05* ⁰¹⁶	0.1*
7. HOPS (dried) including hop pellets & unconcentrated powder	0.01*	0.1*		50	0.1*	0.05*	0.1*	0.1*

⁰¹⁴Liver and kidney.⁰¹⁵Scarole includes broad-leaf endive.⁰¹⁶The MRL for Dimethoate in tea is changing from the italicised figure on the 1st January 2003.

* Level at or about the limit of determination.

Group to which the food belongs	Groups include the following products	Dioxathion	Diphenylamine	Dinitrofen	DNOC	Endosulfan	Endrin	Ethephon	Ethion	Changin g from 31 Dec 2002
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts										
i)	CITRUS FRUIT	Grapefruit	0.05*	0.05*	0.02*	0.05*	0.5	0.01*	0.05*	
		Lemons	0.05*	0.05*	0.02*	0.05*	0.5	0.01*	0.05*	
		Limes	0.05*	0.05*	0.02*	0.05*	0.5	0.01*	0.05*	
		Mandarin	0.05*	0.05*	0.02*	0.05*	0.5	0.01*	0.05*	
	(incl clementines & similar hybrids)									
		Oranges	0.05*	0.05*	0.02*	0.05*	0.5	0.01*	0.05*	
		Pomelos	0.05*	0.05*	0.02*	0.05*	0.5	0.01*	0.05*	
		Others	0.05*	0.05*	0.02*	0.05*	0.5	0.01*	0.05*	
ii)	TREE NUTS (shelled or unshelled)	Almonds	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*	0.1*	
		Brazil nuts	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*	0.1*	
		Cashew nuts	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*	0.1*	
		Chestnuts	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*	0.1*	
		Coconuts	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*	0.1*	
		Hazelnuts	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*	0.1*	
		Macadamia nuts	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*	0.1*	
		Pecans	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*	0.1*	

Group to which food belongs	Groups include the following products	Dioxathion	Diphenylamine	Disulfotetra	DNOC	Endosulfan	Endrin	Etephon	Ethion	Changing from 31 Dec 2002
	Pine nuts	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*	0.1*		
	Pistachios	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*	0.1*		
	Walnuts	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*	0.1*		
	Others	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*	0.1*		
iii) POME FRUIT	Apples	0.05*	5	0.02*	0.05*	0.3	0.01*	3		
	Pears	0.05*	10	0.02*	0.05*	0.3	0.01*	3		
	Quinces	0.05*	0.05*	0.02*	0.05*	0.3	0.01*	3		
	Others	0.05*	0.05*	0.02*	0.05*	0.3	0.01*	3		
iv) STONE FRUIT	Apricots	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Cherries	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	3		
	Peaches (incl nectarines & similar hybrids)	0.05*	0.05*	0.02*	0.05*	0.5	0.01*	0.05*		
	Plums	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Others	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
v) BERRIES AND SMALL FRUIT										
a)	Table & wine grapes									

Group to which food belongs	Groups include the following products	Dioxathion	Diphenylamine	Disulfotetra	DNOC	Endosulfan	Endrin	Ethephon	Ethion	Changing from 31 Dec 2002
	Table grapes	0.05*	0.05*	0.02*	0.05*	0.5	0.01*	0.05*		
	Wine grapes	0.05*	0.05*	0.02*	0.05*	0.5	0.01*	0.05*		
b)	Strawberries (other than wild)	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
c)	Cane Fruit (other than wild)									
	Blackberries	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Dewberries	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Loganberries	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Raspberries	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Others	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
d)	Other small fruit & berries (other than wild)									
	Bilberries	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Cranberries	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Currants (red, black & white)	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	5		
	Gooseberries	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Others	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
e)	Wild berries	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		

Group to which food belongs	Groups include the following products	Dioxathion	Diphenylamine	Dinitrofen	DNOC	Endosulfan	Endrin	Etephon	Ethion	Changing from 31 Dec 2002
	& wild fruit									
vi)	MISCELLANEOUS									
	FRUIT									
	Avocados	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Bananas	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Dates	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Figs	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Kiwi fruit	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Kumquats	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Litchis	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Mangoes	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Olives (table consumption)	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Olives (oil extract)	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Papaya	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Passion fruit	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Pineapple	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	2		
	Pomegranates*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Others	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
2.	Vegetables, fresh or uncooked, frozen or dry									
i)	ROOT									

Group to which the food belongs	Groups include the following products	Dioxathion	Diphenylamine	Dinitrofen	DNOC	Endosulfan	Endrin	Ethephon	Ethion	Changing from 31 Dec 2002
<hr/>										
<hr/>										
<hr/>										
AND										
TUBER										
VEGETABLES										
Beetroot	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
Carrots	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
Celeriac	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
Horseradish	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
Jerusalem artichokes	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
Parsnips	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
Parsley root	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
Radishes	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
Salsify	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
Sweet potatoes	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
Swedes	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
Turnips	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
Yams	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
Others	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
<hr/>										
ii)										
BULB										
VEGETABLES										
Garlic	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
Onions	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
Shallots	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
Spring onions	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
Others	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
<hr/>										
iii)										
FRUITING										
VEGETABLES										

Group to which food belongs	Groups include the following products	Dioxathion	Diphenylamine	Dinitrofen	DNOC	Endosulfan	Endrin	Ethephon	Ethion	Changing from 31 Dec 2002
a)	Solanaceae									
	Tomatoes	0.05*	0.05*	0.02*	0.05*	0.5	0.01*	3		
	Peppers	0.05*	0.05*	0.02*	0.05*	1	0.01*	3		
	Chilli peppers	0.05*	0.05*	0.02*	0.05*	1	0.01*	3		
	Aubergines	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Others	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
b)	Cucurbits- edible peel									
	Cucumbers	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Gherkins	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Courgette	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Others	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
c)	Cucurbits- inedible peel									
	Melons	0.05*	0.05*	0.02*	0.05*	0.3	0.01*	0.05*		
	Squashes	0.05*	0.05*	0.02*	0.05*	0.3	0.01*	0.05*		
	Watermelons	0.05*	0.05*	0.02*	0.05*	0.3	0.01*	0.05*		
	Others	0.05*	0.05*	0.02*	0.05*	0.3	0.01*	0.05*		
d)	Sweet corn	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
iv)	BRASSICA VEGETABLES									
a)	Flowering Brassicas									
	Broccoli	0.05*	0.05*	0.02*	0.05* ⁰¹⁸	0.05*	0.01*	0.05*		
	Cauliflower	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Others	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		

Group to which the food belongs	Groups include the following products	Dioxathion	Diphenylamine	Dinitrofen	DNOC	Endosulfan	Endrin	Etephon	Ethion	Changing from 31 Dec 2002
b)	Head Brassicas									
	Brussels sprouts	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Head cabbage	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Others	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
c)	Leafy Brassicas									
	Chinese cabbage	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Kale	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Others	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
d)	Kohlrabi	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
v)	LEAF VEGETABLES AND FRESH HERBS									
a)	Lettuce & similar									
	Cress	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Lamb's lettuce	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Lettuce	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Scarole	0.05*	0.05*	0.02*	0.05* ⁰¹⁹	0.05*	0.01*	0.05*		
	Others	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
b)	Spinach & similar									
	Spinach	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		

Group to which food belongs	Groups include the following products	Dioxathion	Diphenylamine	Dinitrofen	DNOC	Endosulfan	Endrin	Ethephon	Ethion	Changing from 31 Dec 2002
	Beet leaves (chard)	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Others	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
c)	Watercress	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
d)	Witloof	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
e)	Herbs									
	Chervil	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Chives	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Parsley	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Celery leaves	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Others	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
vi)	LEGUME VEGETABLES (fresh)									
	Beans (with pods)	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Beans (without pods)	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Peas (with pods)	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Peas (without pods)	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Others	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
vii)	STEM VEGETABLES									
	Asparagus	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		

Group to which food belongs	Groups include the following products	Dioxathion	Diphenylamine	Dinitrofen	DNOC	Endosulfan	Endrin	Ethephon	Ethion	Changin g from 31 Dec 2002
	Cardoons	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Celery	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Fennel	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Globe artichokes	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Leeks	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Rhubarb	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Others	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
viii) FUNGI										
a)	Cultivated mushrooms	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
b)	Wild mushrooms	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
3. PULSES										
	Beans	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Lentils	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Peas	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Others	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
4. OILSEEDS										
	Linseed	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*	0.05*		
	Peanuts	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*	0.05*		
	Poppy seed	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*	0.05*		
	Sesame seed	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*	0.05*		
	Sunflower seed	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*	0.05*		
	Rape seed	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*	0.05*		

Group to which food belongs	Groups include the following products	Dioxathion	Diphenylamine	Dinitrofen	DNOC	Endosulfan	Endrin	Ethephon	Ethion	Changing from 31 Dec 2002
	Soya bean	0.05*	0.05*	0.02*	0.05*	0.5	0.01*	0.05*		
	Mustard seed	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*	0.05*		
	Cotton seed	0.05*	0.05*	0.02*	0.05*	0.3	0.01*	2		
	Others	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*	0.05*		
5.	POTATOES									
	Early potatoes	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Ware potatoes	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
6.	TEA (dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	0.05*	0.05*	0.1*	30	0.01*	0.1*	2	3
7.	HOPS (dried) including hop pellets & unconcentrated powder	0.1*	0.05*	0.05*	0.1*	0.1*	0.1*	0.1*		

⁰¹⁸Broccoli includes calabrese.

⁰¹⁹Scarole includes broad-leaf endive.

* Level at or about the limit of determination.

Group to include which the food following belongs	Groups Fenarim Benzenebuta Fenbutonil Fenclorim Fenthion Fenthionin Fenvalerate and Esfenvalerate	Sum of RR and SS isomers	Sum of RS and SR isomers
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts			
i) CITRUS FRUIT			
Grapefruit 0.02*	5	0.01*	0.05* 0.02* 0.02*
Lemons 0.02*	5	0.01*	0.05* 0.02* 0.02*
Limes 0.02*	5	0.01*	0.05* 0.02* 0.02*
Mandarin 0.02*	5	0.01*	0.05* 0.02* 0.02*
(incl clementines & similar hybrids)			
Oranges 0.02*	5	0.01*	0.05* 0.02* 0.02*
Pomelos 0.02*	5	0.01*	0.05* 0.02* 0.02*
Others 0.02*	5	0.01*	0.05* 0.02* 0.02*
ii) TREE NUTS (shelled or unshelled)			
Almonds 0.02*	0.05*	0.01*	0.05* 0.02* 0.02*
Brazil nuts 0.02*	0.05*	0.01*	0.05* 0.02* 0.02*
Cashew nuts 0.02*	0.05*	0.01*	0.05* 0.02* 0.02*
Chestnut 0.02*	0.05*	0.01*	0.05* 0.02* 0.02*
Coconuts 0.02*	0.05*	0.01*	0.05* 0.02* 0.02*
Hazelnut 0.02*	0.05*	0.01*	0.05* 0.02* 0.02*
Macadamia nuts 0.02*	0.05*	0.01*	0.05* 0.02* 0.02*
Pecans 0.02*	0.05*	0.01*	0.05* 0.02* 0.02*

Group to include which the food following belongs	Groups to include the following products	Fenarimol	Benzbutazone	Chlorotoluron	Fluroprofon	Fentolin	Fenvalerate and Esfenvalerate	Sum of RR and SS isomers	Sum of RS and SR isomers
Pine nuts	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*		
Pistachios	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*		
Walnuts	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*		
Others	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*		
iii) POME FRUIT									
Apples	0.3	2	0.01*		0.05*	0.05	0.02*		
Pears	0.3	2	0.01*		0.05*	0.05	0.02*		
Quinces	0.3	2	0.01*		0.05*	0.05	0.02*		
Others	0.3	2	0.01*		0.05*	0.05	0.02*		
iv) STONE FRUIT									
Apricots	0.5	0.05*	0.01*		0.05*	0.02*	0.02*		
Cherries	1	0.05*	0.01*		0.05*	0.02*	0.02*		
Peaches	0.5 (incl nectarines & similar hybrids)	0.05*	0.01*		0.05*	0.02*	0.02*		
Plums	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*		
Others	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*		
v) BERRIES AND SMALL FRUIT									
a) Table & wine grapes									

Group to include which the food following belongs	Groups to include which the food following belongs	Fenarim	Benbuta	Fluon	Misotro	Fentan	Fenvalerate	Esfenvalerate
		Oxide					Sum of RR and SS isomers	Sum of RS and SR isomers
	Table grapes	0.3	2	0.01*		0.05*	0.1	0.02*
	Wine grapes	0.3	2	0.01*		0.05*	0.1	0.02*
b)	Strawberries (other than wild)		1	0.01*		0.05*	0.02*	0.02*
c)	Cane Fruit (other than wild)							
	Blackberries	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Dewberries	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Loganberries	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Raspberries	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Others	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
d)	Other small fruit & berries (other than wild)							
	Bilberries	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Cranberries	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Currants 1 (red, black & white)	1	0.05*	0.01*		0.05*	0.02*	0.02*
	Gooseberries		0.05*	0.01*		0.05*	0.02*	0.02*
	Others	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*

Group to include which the food following belongs	Groups Oxide	Fenarim	Benzbuta	Fluon	Fluor	Misotro	Fentan	Fenvalerate	Esfenvalerate
		Sum of RR and SS isomers	Sum of RS and SR isomers						
e)	Wild berries & wild fruit	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
vi) MISCELLANEOUS FRUIT									
Avocado 0.02* 0.05* 0.01* 0.05* 0.02* 0.02* Bananas 0.3 3 0.01* 0.05* 0.02* 0.02* Dates 0.02* 0.05* 0.01* 0.05* 0.02* 0.02* Figs 0.02* 0.05* 0.01* 0.05* 0.02* 0.02* Kiwi fruit 0.02* 0.05* 0.01* 0.05* 0.02* 0.02* Kumquat 0.02* 0.05* 0.01* 0.05* 0.02* 0.02* Litchis 0.02* 0.05* 0.01* 0.05* 0.02* 0.02* Mangoes 0.02* 0.05* 0.01* 0.05* 0.02* 0.02* Olives (table consumption) 0.02* 0.05* 0.01* 0.05* 0.02* 0.02* Olives (oil extract) 0.02* 0.05* 0.01* 0.05* 0.02* 0.02* Papaya 0.02* 0.05* 0.01* 0.05* 0.02* 0.02* Passion fruit 0.02* 0.05* 0.01* 0.05* 0.02* 0.02* Pineapple 0.02* 0.05* 0.01* 0.05* 0.02* 0.02* Pomegranate 0.02* 0.05* 0.01* 0.05* 0.02* 0.02* Others 0.02* 0.05* 0.01* 0.05* 0.02* 0.02*									
2. Vegetables, fresh or uncooked,									

Group to include which the food following belongs	Groups to include the following products	Fenarim Oxide	Benzbuta nchloro Phenoxy mistro	Fentan in	Fenvalerate and Esfenvalerate	Sum of RR and SS isomers	Sum of RS and SR isomers
frozen or dry							
i) ROOT AND TUBER VEGETABLES							
Beetroot	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	
Carrots	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	
Celeriac	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	
Horseradish	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	
Jerusalem artichokes	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	
Parsnips	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	
Parsley root	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	
Radishes	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	
Salsify	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	
Sweet potatoes	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	
Swedes	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	
Turnips	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	
Yams	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	
Others	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	
ii) BULB VEGETABLES							
Garlic	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	
Onions	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	
Shallots	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	
Spring onions	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	

Group to include which the food following belongs	Groups Oxide	Fenarim	Benzbuta	Fluon	Fluor	Misotro	Fentan	Fenvalerate	Esfenvalerate	Sum of RR and SS isomers	Sum of RS and SR isomers
		Others	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	0.02*		
iii) FRUITING VEGETABLES											
a)	Solanacea										
	Tomatoes	0.5	1	0.01*		0.05*	0.05	0.02*			
	Peppers	0.5	1	0.01*		0.05*	0.02*	0.02*			
	Chilli peppers	0.5	1	0.01*		0.05*	0.02*	0.02*			
	Aubergine	0.02*	1	0.01*		0.05*	0.02*	0.02*			
	Others	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*			
b)	Cucurbits-edible peel										
	Cucumbers	0.2	0.5*	0.01*		0.05*	0.02*	0.02*			
	Gherkins	0.2	0.05*	0.01*		0.05*	0.02*	0.02*			
	Courgettes	0.2	0.5	0.01*		0.05*	0.02*	0.02*			
	Others	0.2	0.05*	0.01*		0.05*	0.02*	0.02*			
c)	Cucurbits-inedible peel										
	Melons	0.05	0.05*	0.01*		0.05*	0.02*	0.02*			
	Squashes	0.05	0.05*	0.01*		0.05*	0.02*	0.02*			
	Watermelons	0.05	0.05*	0.01*		0.05*	0.02*	0.02*			
	Others	0.05	0.05*	0.01*		0.05*	0.02*	0.02*			
d)	Sweet corn	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*			
iv) BRASSICA VEGETABLES											
a)	Flowering Brassicicas										

Group to which the food belongs	Groups to include	Fenarimol	Benzbutamion	Chlorotoluron	Misotrope	Fentolin	Fenvalerate and Esfenvalerate	
							Sum of RR and SS isomers	Sum of RS and SR isomers
	Broccoli	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Cauliflower	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Others	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
b)	Head Brassicas							
	Brussels sprouts	0.02*	0.05*	0.01*		0.05*	0.05	0.02*
	Head cabbage	0.02*	0.05*	0.01*		0.05*	0.05	0.02*
	Others	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
c)	Leafy Brassicas							
	Chinese cabbage	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Kale	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Others	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
d)	Kohlrabi	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
v) LEAF VEGETABLES AND FRESH HERBS								
a)	Lettuce & similar							
	Cress	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Lamb's lettuce	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Lettuce	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Scarole	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Others	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*

Group to include which the food following belongs	Groups to include	Fenarimol	Benzbutamuron	Chlorotoluron	Misotropebin	Fentolin	Fenvalerate and Esfenvalerate	Sum of RR and SS isomers	Sum of RS and SR isomers
b)	Spinach & similar								
	Spinach	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
	Beet leaves (chard)	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
	Others	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
c)	Watercress	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
d)	Witloof	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
e)	Herbs								
	Chervil	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
	Chives	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
	Parsley	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
	Celery leaves	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
	Others	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
vi)	LEGUME VEGETABLES (fresh)								
	Beans (with pods)	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
	Beans (without pods)	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
	Peas (with pods)	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
	Peas (without pods)	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
	Others	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	

Group to include which the food following belongs	Groups to include	Fenarim Oxide	Benzbuta nchloro Phenoxy mistro	Fentan il	Fenvalerate and Esfenvalerate	Sum of RR and SS isomers	Sum of RS and SR isomers
vii) STEM VEGETABLES							
	Asparagus	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*
	Cardoon	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*
	Celery	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*
	Fennel	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*
	Globe artichokes	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*
	Leeks	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*
	Rhubarb	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*
	Others	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*
viii) FUNGI							
a)	Cultivated mushrooms	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*
b)	Wild mushrooms	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*
3.	PULSES						
	Beans	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*
	Lentils	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*
	Peas	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*
	Others	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*
4.	OILSEEDS						
	Linseed	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Peanuts	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Poppy seed	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Sesame seed	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*

Group to include which the food following belongs	Groups to include Oxide	Fenarim	Benzbuta	Fluanchlor	Pdimisotro	Fentan	Fenvalerate	and	Esfenvalerate
		Sum of RR and SS isomers	Sum of RS and SR isomers						
Sunflower seed	0.02*	0.05*	0.01*		0.05*	0.05*	0.05*		
Rape seed	0.02*	0.05*	0.01*		0.05*	0.05*	0.05*		
Soya bean	0.02*	0.05*	0.01*		0.05*	0.05*	0.05*		
Mustard seed	0.02*	0.05*	0.01*		0.05*	0.05*	0.05*		
Cotton seed	0.02*	0.05*	0.01*		0.05*	0.05*	0.05*		
Others	0.02*	0.05*	0.01*		0.05*	0.05*	0.05*		
5. POTATOES									
Early potatoes	0.02*	0.05*	0.01*		0.1	0.02*	0.02*		
Ware potatoes	0.02*	0.05*	0.01*		0.1	0.02*	0.02*		
6. TEA (dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.05*	0.1*	0.1*	0.5	0.1*	0.05*	0.05*		
7. HOPS (dried) including hop pellets & unconcentrated powder	0.1*	0.1*			0.5	0.05*	0.05*		

* Level at or about the limit of determination.

Group to include which the food following belongs	Groups Flucythiophate esters furanoylpyr furoxypyridine products	Fluorofuran methyl and its esters expressed as furoxypyridine	Formotefuron methoxyfuran as furoxypyridine	Florathion methyl and its esters expressed as furoxypyridine	Glyathion methyl and its esters expressed as furoxypyridine	Heptachlor methyl and its esters expressed as furoxypyridine	Hexachloro- benzenecyclohexane (HCB) (HCH)
Applying from 1 Jan 2003							
Sum of alpha and beta isomers							
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts							
i) CITRUS FRUIT							
Grapefruit	0.02*	0.05*	0.02*	0.05*	0.1*	0.01*	
Lemons	0.02*	0.05*	0.02*	0.05*	0.1*	0.01*	
Limes	0.02*	0.05*	0.02*	0.05*	0.1*	0.01*	
Mandarins (incl clementines & similar hybrids)	0.02*	0.05*	0.02*	0.05*	0.1*	0.01*	
Oranges	0.02*	0.05*	0.02*	0.05*	0.1*	0.01*	
Pomelos	0.02*	0.05*	0.02*	0.05*	0.1*	0.01*	
Others	0.02*	0.05*	0.02*	0.05*	0.1*	0.01*	
ii) TREE NUTS (shelled or unshelled)							
Almonds	0.02*	0.05*	0.05*	0.05*	0.1*	0.01*	
Brazil nuts	0.02*	0.05*	0.05*	0.05*	0.1*	0.01*	
Cashew nuts	0.02*	0.05*	0.05*	0.05*	0.1*	0.01*	
Chestnuts	0.02*	0.05*	0.05*	0.05*	0.1*	0.01*	

Group	Groups	Flucythiophate	Flumonapyr	Pylpet	Formotilin	Thifensulfuron	Cyprothiophosulfate	Heptachlor	Hexachlorobenzene	cyclohexane	chloro(HCB)	(HCH) (HCH)
to include which the food belongs	the following products	methyl and its esters expressed as furoxypyrr										
Applying from 1 Jan 2003												
Sum of alpha and beta isomers												
similar hybrids)												
v) BERRIES AND SMALL FRUIT	Plums	0.02*	0.05*		0.02*	0.05*	0.1*	0.1*				
	Others	0.02*	0.05*		0.02*	0.05*	0.1*	0.1*				
a)	Table & wine grapes	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
	Table grapes	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
	Wine grapes	0.02*	0.05*	10	0.02*	0.05*	0.1*	0.01*				
b)	Strawberries (other than wild)	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
c)	Cane Fruit (other than wild)	Blackberries	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*			
	Dewberries	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
	Loganberries	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				

Group	Groups to include which the food following belongs	Fluorine atoms								Sum of alpha and beta isomers
		Flucytosine	Fluorouracil	Furosemide	Polyphenols	Formoterol	Fluorothiamine	Glycyrrhetic acid	Heptachlor	
Applying from 1 Jan 2003										
	Raspberries	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
	Others	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
d)	Other small fruit & berries									
	Bilberries	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
	Cranberries	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
	Currants (red, black & white)	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
	Gooseberries	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
	Others	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
e)	Wild berries & wild fruit	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
vi) MISCELLANEOUS FRUIT										
	Avocados	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
	Bananas	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
	Dates	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
	Figs	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		

Group to include which the food following belongs	Groups to include which the food following belongs	Fluorothymol esters	Furanone esters	Folpet	Formotilin	Florathion	Glythostachylic acid	Heptachlor	Hexachloro- benzenecyclohexane (HCB) (HCH)	Sum of alpha and beta isomers
Applying from 1 Jan 2003										
Kiwi fruit		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
Kumquats		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
Litchis		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
Mangoes		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
Olives (table consumption)		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
Olives (oil extract)		0.02*	0.05*		0.02*	0.05*	2	0.01*		
Papaya		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
Passion fruit		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
Pineapples		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
Pomegranates		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
Others		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
2. Vegetables, fresh or uncooked, frozen or dry										
i) ROOT AND										

Group to include which the food following belongs	Groups which the following products belongs	Flucyth	Fm	Flu	fury	Fo	pet	Form	For	thi	Gly	thos	Heptach	Hexach	Hexachloro-
		Flu	cyan	methyl	and	its	esters	expressed	as	furoxypyr	benzene	cyclohexane	(HCB)	(HCH)	
															Applying from 1 Jan 2003
															Sum of alpha and beta isomers
TUBER VEGETABLES															
Beetroot		0.02*	0.05*			0.02*	0.05*	0.1*		0.01*					
Carrots		0.02*	0.05*			0.02*	0.05*	0.1*		0.01*					
Celeriac		0.02*	0.05*			0.02*	0.05*	0.1*		0.01*					
Horseradish		0.02*	0.05*			0.02*	0.05*	0.1*		0.01*					
Jerusalem artichokes		0.02*	0.05*			0.02*	0.05*	0.1*		0.01*					
Parsnips		0.02*	0.05*			0.02*	0.05*	0.1*		0.01*					
Parsley root		0.02*	0.05*			0.02*	0.05*	0.1*		0.01*					
Radishes		0.02*	0.05*			0.02*	0.05*	0.1*		0.01*					
Salsify		0.02*	0.05*			0.02*	0.05*	0.1*		0.01*					
Sweet potatoes		0.02*	0.05*			0.02*	0.05*	0.1*		0.01*					
Swedes		0.02*	0.05*			0.02*	0.05*	0.1*		0.01*					
Turnips		0.02*	0.05*			0.02*	0.05*	0.1*		0.01*					
Yams		0.02*	0.05*			0.02*	0.05*	0.1*		0.01*					
Others		0.02*	0.05*			0.02*	0.05*	0.1*		0.01*					
ii) BULB VEGETABLES															
Garlic		0.02*	0.05*			0.02*	0.05*	0.1*		0.01*					
Onions		0.02*	0.05*			0.02*	0.05*	0.1*		0.01*					
Shallots		0.02*	0.05*			0.02*	0.05*	0.1*		0.01*					

Group	Groups to include which the food following belongs	Flucythrin	Fluoxypyr	Furfuryl methyl ester	Folpet	Formotilin	Florathion	Glyphosate	Heptachlor	Hexachlorobenzene	Cyclohexane (HCB) (HCH)	Sum of alpha and beta isomers
		Applying from 1 Jan 2003										
d)	Others	0.02*	0.05*		0.02*	0.05*	0.1*	0.1*	0.01*			
d)	Sweet corn	0.02*	0.05*		0.02*	0.05*	0.1*	0.1*	0.01*			
iv) BRASSICA VEGETABLES												
a)	Flowering Brassicas											
	Broccoli	0.02*	0.05*		0.02*	0.1	0.1*	0.1*	0.01*			
	Cauliflower	0.02*	0.05*		0.02*	0.1	0.1*	0.1*	0.01*			
	Others	0.02*	0.05*		0.02*	0.1	0.1*	0.1*	0.01*			
b)	Head Brassicas											
	Brussels sprouts	0.02*	0.05*		0.02*	0.05*	0.1*	0.1*	0.01*			
	Head cabbage	0.02*	0.05*		0.02*	0.05*	0.1*	0.1*	0.01*			
	Others	0.02*	0.05*		0.02*	0.05*	0.1*	0.1*	0.01*			
c)	Leafy Brassicas											
	Chinese cabbage	0.02*	0.05*		0.02*	0.05*	0.1*	0.1*	0.01*			
	Kale	0.02*	0.05*		0.02*	0.05*	0.1*	0.1*	0.01*			
	Others	0.02*	0.05*		0.02*	0.05*	0.1*	0.1*	0.01*			
d)	Kohlrabi	0.02*	0.05*		0.02*	0.05*	0.1*	0.1*	0.01*			

Group	Groups	Flucythiophate	Furansulfone	Folpet	Formotilorathion	Glythiophate	Heptachlor	Hexachlorobenzene	Cyclohexane	(HCB) (HCH)
to include methyl and its esters expressed as furoxypyridine										
which the food following belongs products										
Applying from 1 Jan 2003										
Sum of alpha and beta isomers										
v) LEAF VEGETABLES AND FRESH HERBS										
a)	Lettuce & similar									
	Cress	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
	Lamb's lettuce	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
	Lettuce	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
	Scarole	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
	Others	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
b)	Spinach & similar									
	Spinach	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
	Beet leaves (chard)	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
	Others	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
c)	Watercress	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
d)	Witloof	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
e)	Herbs									
	Chervil	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		

Group to include which the food following belongs	Groups which the food following belongs	Flucyth Fluorop Chloro methyl and its esters expressed as furoxypyrr	Formot Fluorothi Chloro Sulphur benzenecyclohexane (HCB) (HCH)	Applying from 1 Jan 2003				Sum of alpha and beta isomers
				Chloro benzene	Chloro hexachloro benzene	Chloro hexachloro benzene	Chloro hexachloro benzene	
Chives		0.02*	0.05*	0.02*	0.05*	0.1*	0.01*	
Parsley		0.02*	0.05*	0.02*	0.05*	0.1*	0.01*	
Celery leaves		0.02*	0.05*	0.02*	0.05*	0.1*	0.01*	
Others		0.02*	0.05*	0.02*	0.05*	0.1*	0.01*	
vi) LEGUME VEGETABLES (fresh)								
Beans (with pods)		0.02*	0.05*	0.02*	0.05*	0.1*	0.01*	
Beans (without pods)		0.02*	0.05*	0.02*	0.05*	0.1*	0.01*	
Peas (with pods)		0.02*	0.05*	0.02*	0.05*	0.1*	0.01*	
Peas (without pods)		0.02*	0.05*	0.02*	0.05*	0.1*	0.01*	
Others		0.02*	0.05*	0.02*	0.05*	0.1*	0.01*	
vii) STEM VEGETABLES								
Asparagus		0.02*	0.05*	0.02*	0.05*	0.1*	0.01*	
Cardoons		0.02*	0.05*	0.02*	0.05*	0.1*	0.01*	
Celery		0.02*	0.05*	0.02*	0.05*	0.1*	0.01*	

Group	Groups to include which the food following belongs	Flucythrin	Fluoxymesterone	Furfuryl ester	Folpet	Formotilin	Florathion	Glycidol	Heptachlor	Hexachlorobenzene	Cyclohexane (HCB) (HCH)	Sum of alpha and beta isomers
		Applying from 1 Jan 2003										
	Sunflower seed	0.05*	0.05*		0.05*	0.05*	0.1*	0.01*				
	Rape seed	0.05*	0.05*		0.05*	0.05*	10	0.01*				
	Soya bean	0.05*	0.05*		0.05*	0.05*	20	0.01*				
	Mustard seed	0.05*	0.05*		0.05*	0.05*	10	0.01*				
	Cotton seed	0.05*	0.05*		0.05*	0.05*	10	0.01*				
	Others	0.05*	0.05*		0.05*	0.05*	0.1*	0.01*				
5.	POTATOES											
	Early potatoes	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
	Ware potatoes	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
6.	TEA (dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	0.05*	0.1*		0.05*	0.1*	0.1*	0.02*	0.01*	0.2	
7.	HOPS including hop (dried) pellets	0.05*	0.1*		0.05*	5	0.1*	0.01*				

Group	Groups	Flucythi Fluoxypyr Fumigants Furoxopyr Fungicides Herbicides Insecticides Pesticides Petroleum Solvents Toxicants	Formotri Formothi Gardothi Heptachlor Hexachloro benzenecyclohexane (HCB) (HCH)	Applying from 1 Jan 2003	Sum of alpha and beta isomers
to include which the food following belongs products	methanol and its esters expressed as furoxopyr	& unconcentrated powder			

⁰²²Scarole includes broad-leaf endive.

* Level at or about the limit of determination.

Group	Groups	Imazalil	Iprodione	Kresoxim	Lambda-Lindane	Malathion	Maleic- hydrazide	Maneb	Mancozeb	Metiram	Propineb	Zineb
to include which the food following belongs products				methyl	cyhalothrin							

1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts

i)
CITRUS
FRUIT

Grapefruit	5	0.02*	0.05*	0.1	0.01*		1*	5
Lemons	5	5	0.05*	0.02*	0.01*		1*	5
Limes	5	0.02*	0.05*	0.02*	0.01*		1*	5
Mandarin	5	2	0.05*	0.02*	0.01*		1*	5
(incl clementines & similar hybrids)								
Oranges	5	0.02*	0.05*	0.1	0.01*		1*	5
Pomelos	5	0.02*	0.05*	0.1	0.01*		1*	5
Others	5	0.02*	0.05*	0.02*	0.01*		1*	5

Group to which food belongs	Groups include the following products	Imazalil	Iprodion	Kresoxim methyl	Lambda-Lindane cyhalothrin	Malathio-	Maleic- hydrazide	Maneb
								Mancozeb
								Metiram
ii)	TREE NUTS (shelled or unshelled)							
	Almonds	0.02*	0.02*	0.1*	0.05*	0.01*	1*	0.1*
	Brazil nuts	0.02*	0.02*	0.1*	0.05*	0.01*	1*	0.1*
	Cashew nuts	0.02*	0.02*	0.1*	0.05*	0.01*	1*	0.1*
	Chestnuts	0.02*	0.02*	0.1*	0.05*	0.01*	1*	0.1*
	Coconuts	0.02*	0.02*	0.1*	0.05*	0.01*	1*	0.1*
	Hazelnuts	0.02*	0.2	0.1*	0.05*	0.01*	1*	0.1*
	Macadamia nuts	0.02*	0.02*	0.1*	0.05*	0.01*	1*	0.1*
	Pecans	0.02*	0.02*	0.1*	0.05*	0.01*	1*	0.1*
	Pine nuts	0.02*	0.02*	0.1*	0.05*	0.01*	1*	0.1*
	Pistachios	0.02*	0.02*	0.1*	0.05*	0.01*	1*	0.1*
	Walnuts	0.02*	0.02*	0.1*	0.05*	0.01*	1*	0.1*
	Others	0.02*	0.02*	0.1*	0.05*	0.01*	1*	0.1*
iii)	POME FRUIT							
	Apples	5	10	0.2	0.1	0.01*	1*	3
	Pears	5	10	0.2	0.1	0.01*	1*	3
	Quinces	5	10	0.2	0.1	0.01*	1*	3
	Others	5	10	0.2	0.1	0.01*	1*	3
iv)	STONE FRUIT							
	Apricots	0.02*	5	0.05*	0.2	0.01*	1*	2
	Cherries	0.02*	5	0.05*	0.1	0.01*	1*	1
	Peaches (incl nectarines)	0.02*	5	0.05*	0.2	0.01*	1*	2

Group to which food belongs	Groups include the following products	Imazalil	Iprodion	Kresoxim methyl	Lambda-Lindane cyhalothrin	Malathio-	Maleic- hydrazide	Maneb
	& similar hybrids)							
	Plums	0.02*	5	0.05*	0.1	0.01*	1*	1
	Others	0.02*	5	0.05*	0.1	0.01*	1*	0.05*
v) BERRIES AND SMALL FRUIT								
a)	Table & wine grapes							
	Table grapes	0.02*	10	1	0.2	0.01*	1*	2
	Wine grapes	0.02*	10	1	0.2	0.01*	1*	2
b)	Strawberry (other than wild)	0.02*	10	0.2	0.5	0.01*	1*	2
c)	Cane Fruit (other than wild)							
	Blackberry	0.02*	5	0.05*	0.02*	0.01*	1*	0.05*
	Dewberry	0.02*	5	0.05*	0.02*	0.01*	1*	0.05*
	Loganberry	0.02*	5	0.05*	0.02*	0.01*	1*	0.05*
	Raspberry	0.02*	5	0.05*	0.02*	0.01*	1*	0.05*
	Others	0.02*	5	0.05*	0.02*	0.01*	1*	0.05*
d)	Other small fruit & berries (other than wild)							
	Bilberries	0.02*	10	0.05*	0.02*	0.01*	1*	0.05*

Group to which food belongs	Groups include the following products	Imazalil	Iprodion	Kresoxim methyl	Lambda-Lindane cyhalothrin	Malathio-	Maleic- hydrazide	Maneb
								Mancozeb
								Metiram
	Cranberries	0.02*	0.02*	0.05*	0.02*	0.01*	1*	0.05*
	Currants (red, black & white)	0.02*	10	1	0.1	0.01*	1*	5
	Gooseberries	0.02*	10	1	0.1	0.01*	1*	5
	Others	0.02*	0.02*	0.05*	0.02*	0.01*	1*	0.05*
e)	Wild berries & wild fruit	0.02*	0.02*	0.05*	0.2	0.01*	1*	0.05*
vi) MISCELLANEOUS FRUIT								
	Avocados	0.02*	0.02*	0.05*	0.02*	0.01*	1*	0.05*
	Bananas	2	3	0.05*	0.02*	0.01*	1*	0.05*
	Dates	0.02*	0.02*	0.05*	0.02*	0.01*	1*	0.05*
	Figs	0.02*	0.02*	0.05*	0.02*	0.01*	1*	0.05*
	Kiwi fruit	0.02*	5	0.05*	0.02*	0.01*	1*	0.05*
	Kumquats	0.02*	0.02*	0.05*	0.02*	0.01*	1*	0.05*
	Litchis	0.02*	0.02*	0.05*	0.02*	0.01*	1*	0.05*
	Mangoes	0.02*	0.02*	0.05*	0.02*	0.01*	1*	0.05*
	Olives (table consumption)	0.02*	0.02*	0.2	0.02*	0.01*	1*	5
	Olives (oil extract)	0.02*	0.02*	0.2	0.02*	0.01*	1*	5
	Papaya	0.02*	0.02*	0.05*	0.02*	0.01*	1*	0.05*
	Passion fruit	0.02*	0.02*	0.05*	0.02*	0.01*	1*	0.05*
	Pineapple	0.02*	0.02*	0.05*	0.02*	0.01*	1*	0.05*
	Pomegranate	0.02*	0.02*	0.05*	0.02*	0.01*	1*	0.05*
	Others	0.02*	0.02*	0.05*	0.02*	0.01*	1*	0.05*

2.
Vegetables,

Group to which food belongs	Groups include the following products	Imazalil	Iprodion	Kresoxim-methyl	Lambda-Lindane	Malathio-cyhalothrin	Maleic-hydrizide	Maneb	Mancozeb	Metiram	Propineb	Zineb
fresh or uncooked, frozen or dry												
i)												
ROOT AND TUBER VEGETABLES												
Beetroot	0.02*	0.5	0.05*	0.02*	0.01*		1*	0.05*				
Carrots	0.02*	0.3	0.05*	0.02*	0.01*		30	0.2				
Celeriac	0.02*	0.02*	0.05*	0.1	0.01*		1*	0.2				
Horseradish	0.02*	0.1	0.05*	0.02*	0.01*		1*	0.05*				
Jerusalem artichokes	0.02*	0.02*	0.05*	0.02*	0.01*		1*	0.05*				
Parsnips	0.02*	0.1	0.05*	0.02*	0.01*		30	0.05*				
Parsley root	0.02*	0.02*	0.05*	0.02*	0.01*		1*	0.05*				
Radishes	0.02*	0.3	0.05*	0.1	0.01*		1*	0.2				
Salsify	0.02*	0.02*	0.05*	0.02*	0.01*		1*	0.2				
Sweet potatoes	0.02*	0.02*	0.05*	0.02*	0.01*		1*	0.05*				
Swedes	0.02*	0.02*	0.05*	0.02*	0.01*		1*	0.05*				
Turnips	0.02*	0.02*	0.05*	0.02*	0.01*		1*	0.05*				
Yams	0.02*	0.02*	0.05*	0.02*	0.01*		1*	0.05*				
Others	0.02*	0.02*	0.05*	0.02*	0.01*		1*	0.05*				
ii)												
BULB VEGETABLES												
Garlic	0.02*	5	0.05*	0.02*	0.01*		10	0.5				
Onions	0.02*	5	0.05*	0.02*	0.01*		10	0.5				
Shallots	0.02*	5	0.05*	0.02*	0.01*		10	0.5				
Spring onions	0.02*	3	0.05*	0.02*	0.01*		1*	0.05*				
Others	0.02*	0.02*	0.05*	0.02*	0.01*		10	0.05*				

Group to which food belongs	Groups include the following products	Imazalil	Iprodion	Kresoxim methyl	Lambda-Lindane cyhalothrin	Malathio-	Maleic- hydrazide	Maneb
								Mancozeb
								Metiram
iii)	FRUITING VEGETABLES							
a)	Solanaceae							
	Tomatoes	0.5	5	0.5	0.1	0.01*	1*	3
	Peppers	0.02*	5	1	0.1	0.01*	1*	2
	Chilli peppers	0.02*	5	1	0.1	0.01*	1*	2
	Aubergines	0.02*	5	0.5	0.5	0.01*	1*	2
	Others	0.02*	5	0.05*	0.02*	0.01*	1*	2
b)	Cucurbits-edible peel							
	Cucumber	0.2	2	0.05*	0.1	0.01*	1*	0.5
	Gherkins	0.2	2	0.05*	0.1	0.01*	1*	2
	Courgette	0.2	2	0.05*	0.1	0.01*	1*	2
	Others	0.2	2	0.05*	0.1	0.01*	1*	0.05*
c)	Cucurbits-inedible peel							
	Melons	2	0.3	0.2	0.05	0.01*	1*	0.5
	Squashes	0.02*	0.02*	0.2	0.05	0.01*	1*	0.5
	Watermelons	0.02*	0.02*	0.2	0.05	0.01*	1*	0.5
	Others	0.02*	0.02*	0.2*	0.05	0.01*	1*	0.5
d)	Sweet corn	0.02*	0.02*	0.05*	0.02*	0.01*	1*	0.05*
iv)	BRASSICA VEGETABLES							
a)	Flowering Brassicas							
	Broccoli	0.02*	0.05	0.05*	0.1 ⁰²⁴	0.01*	1*	1
	Cauliflower	0.02*	0.05	0.05*	0.1	0.01*	1*	1
	Others	0.02*	0.05	0.05*	0.1	0.01*	1*	1

Group to which food belongs	Groups include the following products	Imazalil	Iprodion	Kresoxim methyl	Lambda-Lindane cyhalothrin	Malathio	Maleic hydrazide	Maneb
b)	Head Brassicas							
	Brussels sprouts	0.02*	0.5	0.05*	0.05	0.01*	1*	1
	Head cabbage	0.02*	5	0.05*	0.2	0.01*	1*	1
	Others	0.02*	0.02*	0.05*	0.02*	0.01*	1*	1
c)	Leafy Brassicas							
	Chinese cabbage	0.02*	5	0.05*	0.02*	0.01*	1*	0.5
	Kale	0.02*	0.02*	0.05*	0.02*	0.01*	1*	0.5
	Others	0.02*	0.02*	0.05*	0.02*	0.01*	1*	0.5
d)	Kohlrabi	0.02*	0.1	0.05*	0.02*	0.01*	1*	0.1*
v)	LEAF VEGETABLES AND FRESH HERBS							
a)	Lettuce & similar							
	Cress	0.02*	10	0.05*	1	0.01*	1*	5
	Lamb's lettuce	0.02*	10	0.05*	1	0.01*	1*	5
	Lettuce	0.02*	10	0.05*	1	0.01*	1*	5
	Scarole	0.02*	10	0.05*	1 ⁰²⁵	0.01* ⁰²⁵	1*	5
	Others	0.02*	10	0.05*	1	0.01*	1*	5
b)	Spinach & similar							
	Spinach	0.02*	0.02*	0.05*	0.5	0.01*	1*	0.05*
	Beet leaves (chard)	0.02*	0.02*	0.05*	0.02*	0.01*	1*	0.05*
	Others	0.02*	0.02*	0.05*	0.02*	0.01*	1*	0.05*

Group to which food belongs	Groups include the following products	Imazalil	Iprodion	Kresoxim methyl	Lambda-Lindane cyhalothrin	Malathio-	Maleic- hydrazide	Maneb
								Mancozeb
								Metiram
c)	Watercress	0.02*	0.02*	0.05*	0.02*	0.01*	1*	0.3
d)	Witloof	0.02*	2	0.05*	0.02*	0.01*	1*	0.2
e)	Herbs							
	Chervil	0.02*	10	0.05*	1	0.01*	1*	5
	Chives	0.02*	10	0.05*	1	0.01*	1*	5
	Parsley	0.02*	10	0.05*	1	0.01*	1*	5
	Celery leaves	0.02*	10	0.05*	1	0.01*	1*	5
	Others	0.02*	10	0.05*	1	0.01*	1*	5
vi)	LEGUME VEGETABLES (fresh)							
	Beans (with pods)	0.02*	5	0.05*	0.2	0.01*	1*	1
	Beans (without pods)	0.02*		0.05*	0.02*	0.01*	1*	0.1
	Peas (with pods)	0.02*	1	0.05*	0.2	0.01*	1*	1
	Peas (without pods)	0.02*	0.2	0.05*	0.2	0.01*	1*	0.1
	Others	0.02*	0.02*	0.05*	0.02*	0.01*	1*	0.05*
vii)	STEM VEGETABLES							
	Asparagus	0.02*	0.02*	0.05*	0.02*	0.01*	1*	0.05*
	Cardoons	0.02*	0.02*	0.05*	0.02*	0.01*	1*	0.05*
	Celery	0.02*	0.02*	0.05*	0.3	0.01*	1*	0.5
	Fennel	0.02*	0.02*	0.05*	0.02*	0.01*	1*	0.05*
	Globe artichokes	0.02*	0.02*	0.05*	0.02*	0.01*	1*	0.05*
	Leeks	0.02*	0.02*	0.05*	0.02*	0.01*	1*	3
	Rhubarb	0.02*	0.2	0.05*	0.02*	0.01*	1*	0.05*

Group to which food belongs	Groups include the following products	Imazalil	Iprodion	Kresoxim methyl	Lambda-Lindane cyhalothrin	Malathio-	Maleic- hydrazide	Maneb
								Mancozeb
								Metiram
	Others	0.02*	0.02*	0.05*	0.02*	0.01*	1*	0.05*
viii) FUNGI								
a)	Cultivated mushrooms	0.02*	0.02*	0.05*	0.02*	0.01*	1*	0.05*
b)	Wild mushrooms	0.02*	0.02*	0.05*	0.5	0.01*	1*	0.05*
3. PULSES								
	Beans	0.02*	0.2	0.05*	0.02*	0.01*	1*	0.05*
	Lentils	0.02*	0.2	0.05*	0.02*	0.01*	1*	0.05*
	Peas	0.02*	0.2	0.05*	0.02*	0.01*	1*	0.05*
	Others	0.02*	0.2	0.05*	0.02*	0.01*	1*	0.05*
4. OILSEEDS								
	Linseed	0.02*	0.1	0.1*	0.02*	0.01*	1*	0.1*
	Peanuts	0.02*	0.02*	0.1*	0.02*	0.01*	1*	0.1*
	Poppy seed	0.02*	0.02*	0.1*	0.02*	0.01*	1*	0.1*
	Sesame seed	0.02*	0.02*	0.1*	0.02*	0.01*	1*	0.1*
	Sunflower seed	0.02*	0.02*	0.1*	0.02*	0.01*	1*	0.1*
	Rape seed	0.02*	0.5	0.1*	0.02*	0.01*	1*	0.5
	Soya bean	0.02*	0.02*	0.1*	0.02*	0.01*	1*	0.1*
	Mustard seed	0.02*	0.02*	0.1*	0.02*	0.01*	1*	0.1*
	Cotton seed	0.02*	0.02*	0.1*	0.02*	0.01*	1*	0.1*
	Others	0.02*	0.02*	0.1*	0.02*	0.01*	1*	0.1*
5. POTATOES								
	Early potatoes	0.02*	0.02*	0.05*	0.02*	0.01*	1*	0.05*

Group to which food belongs	Groups include the following products	Imazalil	Iprodion	Kresoxim-methyl	Lambda-Lindane	Malathio-cyhalothrin	Maleic-hydrizide	Maneb	Mancozeb	Metiram	Propineb	Zineb
	Ware potatoes	5	0.02*	0.05*	0.02*	0.01*		50		0.05*		
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	0.1*	0.1*	1	0.05*	0.5	1*		0.1*		
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.1*	0.1*	0.1*	10	0.05*		1*		25		

⁰²⁴Broccoli includes calabrese.

⁰²⁵Scarole includes broad-leaf endive.

* Level at or about the limit of determination.

Group to which food belongs	Groups include the following products	Mecarban	Metalaxy	Methamidophos	Methidat	Methomyl	Methoxythiodicarb	Methyl bromide	Metsulfuron-methyl	Applying from 1 Jan 2003

1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts

i)
CITRUS
FRUIT

Grapefruit	0.05*	0.5	0.2	2	0.5	0.01*	0.05*	0.05*	
Lemons	0.05*	0.05*	0.2	2	1	0.01*	0.05*	0.05*	
Limes	0.05*	0.05*	0.2	2	1	0.01*	0.05*	0.05*	
Mandarin (incl clementines &	0.05*	0.05*	0.2	2	1	0.01*	0.05*	0.05*	

Group to which food belongs	Groups include the following products	Mecarbam	Metalexyl	Methamidophos	Methidat	Methomyl	Methoxythiodicarb	Methyl bromide	Metsulfuron-methyl	Applying from 1 Jan 2003
	(similar hybrids)									
	Oranges	0.05*	0.5	0.2	2	0.5	0.01*	0.05*	0.05*	
	Pomelos	0.05*	0.5	0.2	2	0.5	0.01*	0.05*	0.05*	
	Others	0.05*	0.05*	0.2	2	0.05*	0.01*	0.05*	0.05*	
ii) TREE NUTS (shelled or unshelled)	Almonds	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*		0.05*	
	Brazil nuts	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*		0.05*	
	Cashew nuts	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*		0.05*	
	Chestnuts	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*		0.05*	
	Coconuts	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*		0.05*	
	Hazelnuts	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*		0.05*	
	Macadamia nuts	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*		0.05*	
	Pecans	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*		0.05*	
	Pine nuts	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*		0.05*	
	Pistachios	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*		0.05*	
	Walnuts	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*		0.05*	
	Others	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*		0.05*	
iii) POME FRUIT	Apples	0.05*	1	0.05	0.3	0.2	0.01*	0.05*	0.05*	
	Pears	0.05*	1	0.05	0.3	0.2	0.01*	0.05*	0.05*	
	Quinces	0.05*	1	0.05	0.3	0.2	0.01*	0.05*	0.05*	

Group to which food belongs	Groups include the following products	Mecarbam	Metalexyl	Methamidophos	Methidat	Methomyl	Methoxythiodicarb	Methyl bromide	Metsulfuron-methyl	Applying from 1 Jan 2003
	Others	0.05*	1	0.05	0.3	0.2	0.01*	0.05*	0.05*	
iv) STONE FRUIT	Apricots	0.05*	0.05*	0.1	0.2	0.2	0.01*		0.05*	
	Cherries	0.05*	0.05*	0.01*	0.02*	0.1	0.01*		0.05*	
	Peaches (incl nectarines & similar hybrids)	0.05*	0.05*	0.05	0.2	0.2	0.01*		0.05*	
	Plums	0.05*	0.05*	0.3	0.2	0.5	0.01*		0.05*	
	Others	0.05*	0.05*	0.01*	0.2	0.05*	0.01*		0.05*	
v) BERRIES AND SMALL FRUIT	a) Table & wine grapes									
	Table grapes	0.05*	2	0.01*	0.5	0.05*	0.01*		0.05*	
	Wine grapes	0.05*	1	0.01*	0.5	1	0.01*		0.05*	
b)	Strawberries (other than wild)	0.05*	0.5	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*	
c)	Cane Fruit (other than wild)	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*	
	Blackberries	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*	

Group to which food belongs	Groups include the following products	Mecarban	Metalexophos	Methamidophos	Methidat	Methomyl	Methoxythiodicarb	Methyl bromide	Metsulfuron-methyl	Applying from 1 Jan 2003
	Dewberries	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Loganberries	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Raspberries	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Others	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
d)	Other small fruit & berries (other than wild)									
	Bilberries	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Cranberries	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Currants (red, black & white)	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Gooseberries	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Others	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
e)	Wild berries & wild fruit	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
vi)	MISCELLANEOUS FRUIT									
	Avocados	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Bananas	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Dates	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Figs	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*		0.05*	
	Kiwi fruit	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Kumquats	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Litchis	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Mecarba	Metalaxy	Methamidophos	Dithedadat	Methomyl	Methoxythiocarb	Methyl	Metsulfuron-
		bromide	methyl	Applying from 1 Jan 2003					
	Mangoes	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
	Olives (table consumption)	0.05*	0.05*	0.01*	1	0.05*	0.01*	0.05*	0.05*
	Olives (oil extract)	0.05*	0.05*	0.01*	1	0.05*	0.01*	0.05*	0.05*
	Papaya	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
	Passion fruit	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
	Pineapple	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
	Pomegranate	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
	Others	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
2. Vegetables, fresh or uncooked, frozen or dry	i) ROOT AND TUBER VEGETABLES								
	Beetroot	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
	Carrots	0.05*	0.1	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
	Celeriac	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
	Horseradish	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
	Jerusalem artichokes	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
	Parsnips	0.05*	0.1	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
	Parsley root	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
	Radishes	0.05*	0.05*	0.01*	0.02*	0.5	0.01*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Mecarbam	Metalaxy	Methamidophos	Methidat	Methomyl	Methoxythiocarb	Methyl	Metsulfuron-
		bromide	methyl	Applying from 1 Jan 2003					
	Salsify	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
	Sweet potatoes	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
	Swedes	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
	Turnips	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
	Yams	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
	Others	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
ii) BULB VEGETABLES									
	Garlic	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
	Onions	0.05*	0.5	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
	Shallots	0.05*	0.5	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
	Spring onions	0.05*	0.2	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
	Others	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
iii) FRUITING VEGETABLES									
a)	Solanaceae								
	Tomatoes	0.05*	0.05*	0.5	0.02*	0.5	0.01*	0.05*	0.05*
	Peppers	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
	Chilli peppers	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
	Aubergines	0.05*	0.05*	0.2	0.02*	0.5	0.01*	0.05*	0.05*
	Others	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
b)	Cucurbits- edible peel								
	Cucumber	0.05*	0.5	1	0.02*	0.05*	0.01*	0.05*	0.05*
	Gherkins	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
	Courgette	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Mecarbam	Metalaxy	Methamidophos	Methidat	Methomyl	Methoxythiodicarb	Methyl bromide	Metsulfuron-methyl	Applying from 1 Jan 2003
	Others	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
c)	Cucurbits-inedible peel									
	Melons	0.05*	0.2	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Squashes	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Watermelons	0.05*	0.2	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Others	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
d)	Sweet corn	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
iv) BRASSICA VEGETABLES										
a)	Flowering Brassicas									
	Broccoli	0.05*	0.1	0.5	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Cauliflower	0.05*	0.1	0.5	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Others	0.05*	0.1	0.5	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
b)	Head Brassicas									
	Brussels sprouts	0.05*	0.05*	0.5	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Head cabbage	0.05*	1	0.5	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Others	0.05*	0.05*	0.5	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
c)	Leafy Brassicas									
	Chinese cabbage	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Kale	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Others	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
d)	Kohlrabi	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Mecarbam	Metalexim	Methamidophos	Methidat	Methomyl	Methoxythiodicarb	Methyl bromide	Metsulfuron-methyl	Applying from 1 Jan 2003
v)	LEAF VEGETABLES AND FRESH HERBS									
a)	Lettuce & similar									
	Cress	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*	
	Lamb's lettuce	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*	
	Lettuce	0.05*	1	0.2	0.02*	2	0.01*	0.05*	0.05*	
	Scarole	0.05*	1	0.01*	0.02*	0.05*	0.01* ⁰²⁷	0.05*	0.05*	
	Others	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*	
b)	Spinach & similar									
	Spinach	0.05*	0.05*	0.01*	0.02*	2	0.01*	0.05*	0.05*	
	Beet leaves (chard)	0.05*	0.05*	0.01*	0.02*	2	0.01*	0.05*	0.05*	
	Others	0.05*	0.05*	0.01*	0.02*	2	0.01*	0.05*	0.05*	
c)	Watercress	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*	
d)	Witloof	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*	
e)	Herbs									
	Chervil	0.05*	1	0.01*	0.02*	2	0.01*	0.05*	0.05*	
	Chives	0.05*	1	0.01*	0.02*	2	0.01*	0.05*	0.05*	
	Parsley	0.05*	1	0.01*	0.02*	2	0.01*	0.05*	0.05*	
	Celery leaves	0.05*	1	0.01*	0.02*	2	0.01*	0.05*	0.05*	
	Others	0.05*	1	0.01*	0.02*	2	0.01*	0.05*	0.05*	
vi)	LEGUME									

Group to which food belongs	Groups include the following products	Mecarban	Metalexyl	Methamidophos	Dithedadate	Methomyl	Methoxythiodicarb	Methyl bromide	Metsulfuron-methyl	Applying from 1 Jan 2003
VEGETABLES (fresh)										
	Beans (with pods)	0.05*	0.05*	0.5	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Beans (without pods)	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Peas (with pods)	0.05*	0.05*	0.5	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Peas (without pods)	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Others	0.05*	0.05*		0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
vii) STEM VEGETABLES	Asparagus	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Cardoons	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Celery	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Fennel	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Globe artichokes	0.05*	0.05*	0.1	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Leeks	0.05*	0.2	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Rhubarb	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Others	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
viii) FUNGI										
a)	Cultivated mushrooms	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*	
b)	Wild mushrooms	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*	

Group to which the food belongs	Groups include the following products	Mecarbam	Metalexyl	Methamidophos	Methidat	Methomyl	Methoxythiodicarb	Methyl	Metsulfuron- bromide methyl	Applying from 1 Jan 2003
3.	PULSES									
	Beans	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*		0.05*	
	Lentils	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*		0.05*	
	Peas	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*		0.05*	
	Others	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*		0.05*	
4.	OILSEEDS									
	Linseed	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.1*	0.1*	
	Peanuts	0.05*	0.05*	0.01*	0.02*	0.1	0.01*	0.1*	0.1*	
	Poppy seed	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.1*	0.1*	
	Sesame seed	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.1*	0.1*	
	Sunflower seed	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.1*	0.1*	
	Rape seed	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	0.1*	0.1*	
	Soya bean	0.05*	0.05*	0.01*	0.02*	0.1	0.01*	0.1*	0.1*	
	Mustard seed	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.1*	0.1*	
	Cotton seed	0.05*	0.05*	0.1	0.02*	0.1	0.01*	0.1*	0.1*	
	Others	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.1*	0.1*	
5.	POTATOES									
	Early potatoes	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*	
	Ware potatoes	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*	
6. TEA	(dried leaves and	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*	0.05*	0.1*	

Group to which food belongs	Groups include the following products	Mecarbamophos	Metaxylophos	Methamidophos	Methidatophos	Methomyl	Methoxythiodicarb	Methyl bromide	Metsulfuron-methyl	Applying from 1 Jan 2003
7. HOPS (dried)	stalks, fermented or otherwise, Camellia sinensis) including hop pellets & unconcentrated powder	0.1*	10	2	3	10	0.1*	0.05*	0.1*	

⁰²⁷Scarole includes broad-leaf endive.

* Level at or about the limit of determination.

Group to which food belongs	Groups include the following products	Monochlorophos	Monoisopropylmethoxyphos	Dinitrophenoxide	Dinitrophenylmethoxyphos	Dinitrophenylmethyldithiophate	Dinitrophenylmethyldithiophate	Parathion-methyl	Parathion-methyl	Phosmophoxin	Phoxim	Pirimiphos-methyl	Prosymnidone-methyl
		Applying from 1 Jan 2003	Applying from 1 May 2003										
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts													

1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts

i)
CITRUS
FRUIT

Grapefruit	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	1	0.02*
Lemons	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	1	0.02*
Limes	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	1	0.02*
Mandarins (incl clementines & similar hybrids)	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	2	0.02*

Group to which the food following belong products	Group includ phos	Monochloro methyl	Monoformal methyl	Oxatede methyl	Petaq methyl	Patrat methyl	Permethrin methyl	Phosm methyl	Phoxin methyl	Pirimip methyl	Prosymnidone methyl
		Applying from 1 Jan 2003	Applying from 1 May 2003								
Oranges	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*								1	0.02*
Pomelos	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*								1	0.02*
Others	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*								1	0.02*
ii) TREE NUTS (shelled or unshelled)											
Almonds	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*								0.05* 0.05*	
Brazil nuts	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*								0.05* 0.05*	
Cashew nuts	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*								0.05* 0.05*	
Chestnuts	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*								0.05* 0.05*	
Coconuts	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*								0.05* 0.05*	
Hazelnuts	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*								0.05* 0.05*	
Macadamia nuts	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*								0.05* 0.05*	
Pecans	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*								0.05* 0.05*	
Pine nuts	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*								0.05* 0.05*	
Pistachios	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*								0.05* 0.05*	
Walnuts	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*								0.05* 0.05*	
Others	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*								0.05* 0.05*	
iii) POME FRUIT											
Apples	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*								0.05* 0.02*	
Pears	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*								0.05* 1	
Quinces	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*								0.05* 0.02*	
Others	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*								0.05* 0.02*	

Group to which the food following belong products	Monochloroformate phos	Monoformate methyl	Oxyde methyl	Petaquath	Patrathe	Permethrin	Phosm	Phoxin	Pirimiphos	Pyrimidone
	Applying from 1 Jan 2003	Applying from 1 May 2003								
iv) STONE FRUIT										
Apricots	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*							0.05* 2	
Cherries	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*							0.05* 0.02*	
Peaches (incl nectarines & similar hybrids)	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*							0.05* 2	
Plums	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*							0.05* 2	
Others	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*							0.05* 2	
v) BERRIES AND SMALL FRUIT										
a) Table & wine grapes										
Table grapes	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*							0.05* 5	
Wine grapes	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*							2 5	
b) Strawberries (other than wild)	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*							0.05* 5	
c) Cane Fruit (other than wild)										
Blackberries	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*							0.05* 0.02*	

Group to which the food following belong products	Group includ phos which the food following belong products	Monochloroacetic acid	Monoisobutylphthalate	Oxydiazine	Petaquath	Patrathe	Permethrin	Phosm	Phoxin	Pirimiphos	Pyrimidone
		Applying from 1 Jan 2003	Applying from 1 May 2003								
	Dewberries	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*							0.05* 0.02*	
	Loganberries	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*							0.05* 0.02*	
	Raspberries	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*							0.05* 10	
	Others	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*							0.05* 0.02*	
d)	Other small fruit & berries (other than wild)										
	Bilberries	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*							0.05* 0.02*	
	Cranberries	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*							0.05* 0.02*	
	Currants (red, black & white)	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*							0.05* 0.02*	
	Gooseberries	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*							0.05* 0.02*	
	Others	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*							0.05* 0.02*	
e)	Wild berries & wild fruit	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*							0.05* 0.02*	
vi)	MISCELLANEOUS FRUIT										
	Avocados	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*							0.05* 0.02*	
	Bananas	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*							0.05* 0.02*	
	Dates	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*							0.05* 0.02*	
	Figs	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*							0.05* 0.02*	

Group to includ which the food following belong products

Group	Monochlorophos	Monoisobutylphos	Methylmethylphos	Oxydephos	Petaqphos	Patraphos	Permethrin	Methylthion	Phosmet	Phoxin	Pirimiphos	Pyrimidone methyl
-------	----------------	------------------	------------------	-----------	-----------	-----------	------------	-------------	---------	--------	------------	-------------------

		Applying from 1 Jan 2003	Applying from 1 May 2003	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Kiwi fruit	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Kumquats	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
Litchis	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
Mangoes	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
Olives (table consumption)	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
Olives (oil extract)	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
Papaya	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
Passion fruit	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
Pineapples	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
Pomegranates	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
Others	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*

2.
Vegetables,
fresh
or
uncooked,
frozen
or
dry
i)
ROOT
AND
TUBER
VEGETABLES

Beetroot	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
Carrots	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	1	0.02*
Celeriac	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
Horseradish	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*

Group to include which the food following belong products	Monochlorophos	Monoisobutylphos	Methylmethoate	Petaquiphos	Patratophos	Permethrin	Phosmethylphos	Phoxin	Pirimiphosymidone methyl
	Applying from 1 Jan 2003	Applying from 1 May 2003							
Jerusalem artichokes	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*						0.05* 0.02*	
Parsnips	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*						0.05* 0.02*	
Parsley root	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*						0.05* 0.02*	
Radishes	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*						0.05* 0.02*	
Salsify	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*						0.05* 0.02*	
Sweet potatoes	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*						0.05* 0.02*	
Swedes	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*						0.05* 0.02*	
Turnips	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*						0.05* 0.02*	
Yams	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*						0.05* 0.02*	
Others	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*						0.05* 0.02*	
ii) BULB VEGETABLES									
Garlic	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*						0.05* 0.2	
Onions	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*						0.05* 0.2	
Shallots	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*						0.05* 0.2	
Spring onions	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*						0.05* 0.02*	
Others	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*						0.05* 0.02*	
iii) FRUITING VEGETABLES									
a) Solanacea									
Tomatoes	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*						1 2	
Peppers	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*						1 2	
Chilli peppers	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*						1 2	
Aubergines	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*						0.05* 2	

Group to include	Group which the food following belong products	Monochlorophos	Monoethylmethane	Oxydemethoate	Petaquacide	Patrathe	Permethrin	Phosm	Phoxin	Pirimiphos-methyl	Pyrimidone-methyl
------------------	--	----------------	------------------	---------------	-------------	----------	------------	-------	--------	-------------------	-------------------

		Applying from 1 Jan 2003	Applying from 1 May 2003	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	2
b)	Cucurbits-edible peel	Others 0.05*	0.02* 0.05* 0.05* 0.05* 0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05* 1
	Cucumbers	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1	1
	Gherkins	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	1
	Courgettes	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	1
	Others	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	1
c)	Cucurbits-inedible peel	Melons 0.05*	0.02* 0.05* 0.05* 0.05* 0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	1	1
	Squashes	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	1
	Watermelons	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	1
	Others	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	1
d)	Sweet corn	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*

iv)

BRASSICA
VEGETABLES

a)	Flowering Brassicas	Broccoli 0.05* ²⁹	0.02* 0.05* 0.05* 0.05* 0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	1	0.02*
	Cauliflower	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	1	0.02*
	Others	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	1	0.02*
b)	Head Brassicas	Brussels sprouts 0.05*	0.05 0.05* 0.05* 0.05* 0.05*	0.05	0.05*	0.05*	0.05*	0.05*	0.05*	2	0.02*
	Head cabbage	0.05*	0.05 0.05* 0.05* 0.05* 0.05*	0.05	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
	Others	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*

		Group to which the food following belong products	Monochloroacetic acid	Monoisobutylphthalate	Octylphthalate	Pentachlorophenol	Permethrin	Methylthionophos	Phosmet	Pirimiphos-methyl
			Applying from 1 Jan 2003	Applying from 1 May 2003						
c)	Leafy Brassicas									
	Chinese cabbage	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*						0.05* 0.02*	
	Kale	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*						0.05* 0.02*	
	Others	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*						0.05* 0.02*	
d)	Kohlrabi	0.05*	0.05 0.05* 0.05* 0.05* 0.05*						0.05* 0.02*	
v)	LEAF VEGETABLES AND FRESH HERBS									
a)	Lettuce & similar									
	Cress	0.05*	0.05 0.05* 0.05* 0.05* 0.05*						0.05* 5	
	Lamb's lettuce	0.05*	0.05 0.05* 0.05* 0.05* 0.05*						0.05* 5	
	Lettuce	0.05*	0.05 0.05* 0.05* 0.05* 0.05*						0.05* 5	
	Scarole	0.05* ⁰³⁰	0.05 ⁰³⁰ 0.05* 0.05* ⁰³⁰ 0.05* ⁰³⁰ 0.05*						0.05* 5	
	Others	0.05*	0.05 0.05* 0.05* 0.05* 0.05*						0.05* 5	
b)	Spinach & similar									
	Spinach	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*						0.05* 0.02*	
	Beet leaves (chard)	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*						0.05* 0.02*	
	Others	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*						0.05* 0.02*	
c)	Watercress	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*						0.05* 0.02*	
d)	Witloof	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*						0.05* 2	
e)	Herbs									

Group to which the food following belong products	Group includ phos	Monochloro methyl	Monoformyl methyl	Oxyde methyl	Petaq methyl	Patrat methyl	Permethr methyl	Phosm methyl	Phoxin methyl	Pirimip methyl	Prosymnidone methyl
		Applying from 1 Jan 2003	Applying from 1 May 2003								
Chervil	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*							0.05* 0.02*		
Chives	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*							0.05* 0.02*		
Parsley	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*							0.05* 0.02*		
Celery leaves	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*							0.05* 0.02*		
Others	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*							0.05* 0.02*		
vi) LEGUME VEGETABLES (fresh)											
Beans (with pods)	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*							0.05* 2		
Beans (without pods)	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*							0.05* 0.02*		
Peas (with pods)	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*							0.05* 1		
Peas (without pods)	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*							0.05* 0.3		
Others	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*							0.05* 0.02*		
vii) STEM VEGETABLES											
Asparagus	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*							0.05* 0.02*		
Cardoons	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*							0.05* 0.02*		
Celery	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*							0.05* 0.02*		
Fennel	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*							0.05* 0.02*		
Globe artichokes	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*							0.05* 0.02*		
Leeks	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*							0.05* 0.02*		

Group to include which the food following belong products	Group to include which the food following belong products	Monochlorophos	Monoethylmethane phosphite	Oxydemethoate	Petaquacide	Patrathe	Permethrin	Phosm	Phoxin	Pirimiphos-methyl	Pyrimidone methyl
		Applying from 1 Jan 2003	Applying from 1 May 2003								
Rhubarb	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*								0.05* 0.02*	
Others	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*								0.05* 0.02*	
viii) FUNGI											
a) Cultivated mushrooms	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*							2	0.02*	
b) Wild mushrooms	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*							0.05*	0.02*	
3. PULSES											
Beans	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*							0.05* 0.02*		
Lentils	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*							0.05* 0.02*		
Peas	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*							0.05* 0.2		
Others	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*							0.05* 0.02*		
4. OILSEEDS											
Linseed	0.05*	0.05* 0.05* 0.05* 0.05* 0.05*							0.05* 0.05*		
Peanuts	0.05*	0.05* 0.05* 0.05* 0.05* 0.1							0.05* 0.05*		
Poppy seed	0.05*	0.05* 0.05* 0.05* 0.05* 0.05*							0.05* 0.05*		
Sesame seed	0.05*	0.05* 0.05* 0.05* 0.05* 0.05*							0.05* 0.05*		
Sunflower seed	0.05*	0.05* 0.05* 0.05* 0.05* 0.05*							0.05* 1/0.05* ⁰³¹		
Rape seed	0.05*	0.05* 0.05* 0.05* 0.05* 0.05*							0.05* 1		
Soya bean	0.05*	0.05* 0.05* 0.05* 0.05* 0.05*							0.05* 1		
Mustard seed	0.05*	0.05* 0.05* 0.05* 0.05* 0.05*							0.05* 0.05*		
Cotton seed	0.05*	0.05* 0.05* 0.05* 0.05* 0.05*							0.05* 0.05*		

Group to which the food following belong products	Group includ phos	Monochloro methyl	Monoisobutyl methyl	Oxyde methyl	Petaq methyl	Patrat methyl	Permethrin methyl	Phosm methyl	Phoxin methyl	Pirimip methyl	Procymidone methyl
		Applying from 1 Jan 2003	Applying from 1 May 2003								
Others	0.05*	0.05* 0.05* 0.05* 0.05* 0.05*	0.05* 0.05*							0.05* 0.05*	
5. POTATOES											
Early potatoes	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*								0.05* 0.02*	
Ware potatoes	0.05*	0.02* 0.05* 0.05* 0.05* 0.05*								0.05* 0.02*	
6. TEA (dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1* 0.1* 0.1	0.05* 0.1* 0.1* 0.1* 0.1*	0.1* 0.1* 0.1* 0.1* 0.1*	0.1* 0.1* 0.1* 0.1* 0.1*	0.1* 0.1* 0.1* 0.1* 0.1*	0.1* 0.1* 0.1* 0.1* 0.1*	0.1* 0.1* 0.1* 0.1* 0.1*	0.1* 0.1* 0.1* 0.1* 0.1*	0.1* 0.1* 0.1* 0.1* 0.1*	0.05* 0.05*	0.05* 0.05*
7. HOPS hop (dried) pellets & unconcentrated powder	including 0.1*	0.05* 0.1* 0.1* 0.1* 0.1*								0.05* 0.05*	0.1* 0.1*

⁰²⁹Broccoli includes calabrese.

⁰³⁰Scarole includes broad-leaf endive

⁰³¹Procymidone: 1 mg/kg applies to whole seeds; 0.05 mg/kg applies to seed without shell.

* Level at or about the limit of determination.

~~Group Group Brofene hexadione Prohexadione Pyrazole Phenoxybenzene Quinoline Spiperone Terpenoid Thiabendazole to include and which the its food following salts belong products expressed as prohexadione~~

	Applying from 1 Jan 2003	Applying from 1 Jan 2003
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts		
i) CITRUS FRUIT		
Grapefruit 0.05*	0.05*0.05*0.05*0.02*0.3	0.05*0.05*0.05*0.02*0.05*0.05*0.01*5
Lemons 0.05*	0.05*0.05*0.3	0.02*0.3
Limes 0.05*	0.05*0.05*0.3	0.02*0.3
Mandarins 0.05*	0.05*0.05*0.3	0.02*0.3
(incl clementines & similar hybrids)		
Oranges 0.05*	0.05*0.05*0.05*0.02*0.3	0.05*0.05*0.05*0.02*0.05*0.05*0.01*5
Pomelos 0.05*	0.05*0.05*0.05*0.02*0.3	0.05*0.05*0.05*0.02*0.05*0.05*0.01*5
Others 0.05*	0.05*0.05*0.05*0.02*0.3	0.05*0.05*0.05*0.02*0.05*0.05*0.01*5
ii) TREE NUTS (shelled or unshelled)		
Almonds 0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.1*	
Brazil nuts 0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.1*	
Cashew nuts 0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.1*	
Chestnuts 0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.1*	
Coconuts 0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.1*	
Hazelnuts 0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.1*	
Macadamia nuts 0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.1*	

**Group Group Brofeanol Diquat Dampfprod Pyramin Pyrazinid Quinophos Spintor TEP Thiabendazole
to include and
which the its
food following salts
belongs products expressed
as
prohexadione**

		Applying from 1 Jan 2003	Applying from 1 Jan 2003
Pecans	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.1*	
Pine nuts	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.1*	
Pistachios	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.1*	
Walnuts	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.1*	
Others	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.1*	
iii) POME FRUIT			
Apples	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*5	
Pears	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*5	
Quinces	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*	
Others	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*	
iv) STONE FRUIT			
Apricots	0.05*	0.05*0.2 0.05*0.02*0.05 0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*	
Cherries	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*	
Peaches (incl nectarines & similar hybrids)	0.05*	0.05*0.2 0.05*0.02*0.05 0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*	
Plums	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*	
Others	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*	
v) BERRIES AND SMALL FRUIT			

Group 1: Prohexadione
Group 2: Prohexadione + P
Group 3: Pyrazinamid
Group 4: Quinoxyfen
Group 5: Spirotetramic acid
Group 6: Thiabendazole
Group 7: Other
Group 8: Salts
Group 9: Wine products
Group 10: Wine
Group 11: Wine & grapes
Group 12: Fruits
Group 13: Berries
Group 14: Other
Group 15: To include and which the food following belongs to
Group 16: expressed as prohexadione

		Applying from 1 Jan 2003	Applying from 1 Jan 2003
a)	Table & wine grapes		
	Table grapes	0.05* 0.05*0.5 0.05*0.02*0.02*0.05*0.05*0.05*0.02*1	0.05*0.01*0.05*
	Wine grapes	0.05* 0.05*0.5 0.05*0.02*0.02*0.05*0.05*0.05*0.02*1	0.05*0.01*0.05*
b)	Strawberries (other than wild)	0.05* 0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*	
c)	Cane Fruit (other than wild)		
	Blackberries	0.05* 0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*	
	Dewberries	0.05* 0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*	
	Loganberries	0.05* 0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*	
	Raspberries	0.05* 0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*	
	Others	0.05* 0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*	
d)	Other small fruit & berries (other than wild)		
	Bilberries	0.05* 0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*	
	Cranberries	0.05* 0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*	
	Currants (red,	0.05* 0.05*0.2 0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*	

Group 1: Prohexadione

Group 2: Profenofos, Phenmedipham, Propiconazole, Pyrimethanil, Quinclorac, Spinosad, Tebuconazole, Thiabendazole
to include and
which the its
food following salts
belongs products expressed
as
prohexadione

		Applying from 1 Jan 2003	Applying from 1 Jan 2003
	black & white)		
	Gooseberries	0.05*	0.05*0.05*0.2 0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*
	Others	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*
e)	Wild berries & wild fruit	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*
vi)	MISCELLANEOUS FRUIT		
	Avocados	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*15
	Bananas	0.05*	0.05*0.1 0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*5
	Dates	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*
	Figs	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*
	Kiwi fruit	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*
	Kumquats	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*
	Litchis	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*
	Mangoes	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*5
	Olives (table consumption)	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*
	Olives (oil extract)	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*
	Papaya	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*10
	Passion fruit	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*
	Pineapples	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*

Group 1: Prohexadione

Group 2: Prohexadione + Pomegranate

Group 3: Prohexadione + Pomegranate + Others

Group 4: Prohexadione + Pomegranate + Others + Vegetables

Group 5: Prohexadione + Pomegranate + Others + Vegetables + Fruits

Group 6: Prohexadione + Pomegranate + Others + Vegetables + Fruits + Herbs

Group 7: Prohexadione + Pomegranate + Others + Vegetables + Fruits + Herbs + Spices

Group 8: Prohexadione + Pomegranate + Others + Vegetables + Fruits + Herbs + Spices + TEP

Group 9: Prohexadione + Pomegranate + Others + Vegetables + Fruits + Herbs + Spices + TEP + Thiabendazole

to include and which the food following belongs to its products expressed as prohexadione

		Applying from 1 Jan 2003	Applying from 1 Jan 2003
Pomegranate	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*	
Others	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*	
2.			
Vegetables, fresh or uncooked, frozen or dry			
i) ROOT AND TUBER VEGETABLES			
Beetroot	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*	
Carrots	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*	
Celeriac	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*	
Horseradish	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*	
Jerusalem artichokes	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*	
Parsnips	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*	
Parsley root	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*	
Radishes	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*	
Salsify	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*	
Sweet potatoes	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*	
Swedes	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*	
Turnips	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*	
Yams	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*	
Others	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*	

Group 1: Prohexadione

Group	Group 1: Prohexadione	Group 2: Propiconazole	Group 3: Pyrimidinyl Quaternary Salt	Group 4: Spiperone	Group 5: Technical Pesticides	Group 6: Thiabendazole
to include and which the food following belongs products expressed as prohexadione						

		Applying from	Applying from
ii)		1	1
BULB		Jan	Jan
VEGETABLES		2003	2003
Garlic	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*	
Onions	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*	
Shallots	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*	
Spring onions	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*	
Others	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*	
iii)			
FRUITING			
VEGETABLES			
a) Solanaceae			
Tomatoes	0.05*	0.05*0.05*0.05*0.02*0.5	0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*
Peppers	0.05*	0.05*0.05*0.05*0.02*1	0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*
Chilli peppers	0.05*	0.05*0.05*0.05*0.02*1	0.05*0.05*0.05*0.02*0.05*0.05*0.01*
Aubergines	0.05*	0.05*0.05*0.05*0.02*0.5	0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*
Others	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*	
b) Cucurbits-edible peel			
Cucumbers	0.05*	0.05*0.05*0.05*0.02*0.5	0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*
Gherkins	0.05*	0.05*0.05*0.05*0.02*0.5	0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*
Courgettes	0.05*	0.05*0.05*0.05*0.02*0.5	0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*
Others	0.05*	0.05*0.05*0.05*0.02*0.5	0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*
c) Cucurbits-inedible peel			
Melons	0.05*	0.05*0.05*0.05*0.02*0.2	0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*

vi)
LEGUME

Group 1: Prohexadione
Group 2: Prohexadione + P
Group 3: Prohexadione + Pyrazinamid
Group 4: Prohexadione + Quinclorac
Group 5: Spinosad
Group 6: Technical
Group 7: Thiabendazole
to include and
which the its
food following salts
belongs products expressed
as
prohexadione

	Applying from 1 Jan 2003	Applying from 1 Jan 2003
--	-----------------------------------	-----------------------------------

**VEGETABLES
(fresh)**

Beans (with pods)	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*
Beans (without pods)	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*
Peas (with pods)	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*
Peas (without pods)	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*
Others	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*

vii)

STEM**VEGETABLES**

Asparagus	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*
Cardoons	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*
Celery	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*
Fennel	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*
Globe artichokes	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*
Leeks	0.05*	0.05*0.05*1 0.02*0.02*0.05*1 0.05*0.02*0.05*0.05*0.01*0.05*
Rhubarb	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*
Others	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*

viii)

FUNGI

- a) Cultivated mushrooms 0.05* 0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*10

~~Group Group Brofenoprophadolin Dipropopyl Phosphotungstate Pyrazophosomidine Qphospiracetam TEP Thiabendazole to include and which the its food following salts belongs products expressed as prohexadione~~

		Applying from 1 Jan 2003	Applying from 1 Jan 2003
b)	Wild mushrooms	0.05* 0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*	0.05* 0.05*0.05*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.05*0.01*0.05*

3. PULSES

Beans	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*
Lentils	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*
Peas	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*
Others	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*

4. OILSEEDS

Linseed	0.1*	0.05*0.05*0.05*0.05*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*
Peanuts	0.1*	0.05*0.05*0.05*0.05*0.02*0.05*0.05*0.05*0.05*0.05*0.05*0.01*0.05*
Poppy seed	0.1*	0.05*0.05*0.05*0.05*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*
Sesame seed	0.1*	0.05*0.05*0.05*0.05*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*
Sunflower seed	0.1*	0.05*0.05*0.05*0.05*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*
Rape seed	0.1*	0.05*0.05*0.05*0.1 0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*
Soya bean	0.1*	0.05*0.05*0.05*0.05*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*
Mustard seed	0.1*	0.05*0.05*0.05*0.05*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*
Cotton seed	0.1*	0.05*0.05*0.05*0.05*0.05 0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*
Others	0.1*	0.05*0.05*0.05*0.05*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*

5. POTATOES

Early potatoes	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*0.05*
----------------	-------	---

Group to include and which the food following salts belongs products expressed as prohexadione

		Applying from 1 Jan 2003	Applying from 1 Jan 2003
Ware potatoes	0.05*	0.05*0.05*0.05*0.02*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.01*15	
6. (dried TEA leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1* 0.1* 5	0.1* 0.1* 0.1* 0.05*0.1* 0.1* 0.1* 0.1* 0.05*0.1* 0.1* 0.02*0.1*	
7. including HOP\$op (dried pellets & unconcentrated powder	0.1* 0.05*5	0.1* 0.1* 0.1* 0.05*0.1* 0.1* 0.02*0.1*	

⁰³³Broccoli includes calabrese.

⁰³⁴Scarole includes broad-leaf endive.

⁰³⁵MRL is based on Codex MRL.

* Level at or about the limit of determination.

Group to which food belongs	Groups include the following products	Triazophos	Triforine	2,4,5-T	Vinclozolin
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts					
i) CITRUS FRUIT					
Grapefruit	0.02*	0.05*	0.05*	0.05*	
Lemons	0.02*	0.05*	0.05*	0.05*	
Limes	0.02*	0.05*	0.05*	0.05*	
Mandarins	0.02*	0.05*	0.05*	0.05*	
(incl					

Group to which food belongs	Groups include the following products	Triazophos	Triforine	2,4,5-T	Vinclozolin
	clementines & similar hybrids)				
	Oranges	0.02*	0.05*	0.05*	0.05*
	Pomelos	0.02*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*
ii) TREE NUTS (shelled or unshelled)	Almonds	0.02*	0.05*	0.05*	0.05*
	Brazil nuts	0.02*	0.05*	0.05*	0.05*
	Cashew nuts	0.02*	0.05*	0.05*	0.05*
	Chestnuts	0.02*	0.05*	0.05*	0.05*
	Coconuts	0.02*	0.05*	0.05*	0.05*
	Hazelnuts	0.02*	0.05*	0.05*	0.05*
	Macadamia nuts	0.02*	0.05*	0.05*	0.05*
	Pecans	0.02*	0.05*	0.05*	0.05*
	Pine nuts	0.02*	0.05*	0.05*	0.05*
	Pistachios	0.02*	0.05*	0.05*	0.05*
	Walnuts	0.02*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*
iii) POME FRUIT	Apples	0.02*	2	0.05*	1
	Pears	0.02*	2	0.05*	1
	Quinces	0.02*	2	0.05*	1
	Others	0.02*	2	0.05*	1
iv) STONE FRUIT	Apricots	0.02*	2	0.05*	2
	Cherries	0.02*	2	0.05*	0.5
	Peaches (incl nectarines)	0.02*	2	0.05*	0.05*

Group to which food belongs	Groups include the following products	Triazophos	Triforine	2,4,5-T	Vinclozolin
	& similar hybrids)				
	Plums	0.02*	1	0.05*	2
	Others	0.02*	0.05*	0.05*	0.05*
v) BERRIES AND SMALL FRUIT					
a)	Table & wine grapes				
	Table grapes	0.02*	0.05*	0.05*	5
	Wine grapes	0.02*	0.05*	0.05*	5
b)	Strawberries (other than wild)	0.02*	0.05*	0.05*	5
c)	Cane Fruit (other than wild)				
	Blackberries	0.02*	0.05*	0.05*	5
	Dewberries	0.02*	0.05*	0.05*	5
	Loganberries	0.02*	0.05*	0.05*	5
	Raspberries	0.02*	0.05*	0.05*	5
	Others	0.02*	0.05*	0.05*	5
d)	Other small fruit & berries (other than wild)				
	Bilberries	0.02*	0.05*	0.05*	0.05*
	Cranberries	0.02*	0.05*	0.05*	0.05*
	Currants (red, black & white)	0.02*	2	0.05*	10
	Gooseberries	0.02*	2	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*
e)	Wild berries & wild fruit	0.02*	0.05*	0.05*	0.05*
vi)	MISCELLANEOUS FRUIT				

Group to which food belongs	Groups include the following products	Triazophos	Triforine	2,4,5-T	Vinclozolin
	Avocados	0.02*	0.05*	0.05*	0.05*
	Bananas	0.02*	0.05*	0.05	0.05*
	Dates	0.02*	0.05*	0.05*	0.05*
	Figs	0.02*	0.05*	0.05*	0.05*
	Kiwi fruit	0.02*	0.05*	0.05*	10
	Kumquats	0.02*	0.05*	0.05*	0.05*
	Litchis	0.02*	0.05*	0.05*	0.05*
	Mangoes	0.02*	0.05*	0.05*	0.05*
	Olives (table consumption)	0.02*	0.05*	0.05*	0.05*
	Olives (oil extract)	0.02*	0.05*	0.05*	0.05*
	Papaya	0.02*	0.05*	0.05*	0.05*
	Passion fruit	0.02*	0.05*	0.05*	0.05*
	Pineapples	0.02*	0.05*	0.05*	0.05*
	Pomegranates	0.02*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*
2. Vegetables, fresh or uncooked, frozen or dry					
i) ROOT AND TUBER VEGETABLES					
	Beetroot	0.02*	0.05*	0.05*	0.05*
	Carrots	0.02*	0.05*	0.05*	0.5
	Celeriac	0.02*	0.05*	0.05*	0.05*
	Horseradish	0.02*	0.05*	0.05*	0.05*
	Jerusalem artichokes	0.02*	0.05*	0.05*	0.05*
	Parsnips	0.02*	0.05*	0.05*	0.05*
	Parsley root	0.02*	0.05*	0.05*	0.05*
	Radishes	0.02*	0.05*	0.05*	0.05*
	Salsify	0.02*	0.05*	0.05*	0.05*
	Sweet potatoes	0.02*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Triazophos	Triforine	2,4,5-T	Vinclozolin
	Swedes	0.02*	0.05*	0.05*	0.05*
	Turnips	0.02*	0.05*	0.05*	0.05*
	Yams	0.02*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*
ii) BULB VEGETABLES					
	Garlic	0.02*	0.05*	0.05*	1
	Onions	0.02*	0.05*	0.05*	1
	Shallots	0.02*	0.05*	0.05*	1
	Spring onions	0.02*	0.05*	0.05*	1
	Others	0.02*	0.05*	0.05*	1
iii) FRUITING VEGETABLES					
a)	Solanacea				
	Tomatoes	0.02*	0.05*	0.05*	0.05*
	Peppers	0.02*	0.05*	0.05*	3
	Chilli peppers	0.02*	0.05*	0.05*	3
	Aubergines	0.02*	0.05*	0.05*	3
	Others	0.02*	0.05*	0.05*	3
b)	Cucurbits-edible peel				
	Cucumbers	0.02*	0.5	0.05*	1
	Gherkins	0.02*	0.5	0.05*	1
	Courgettes	0.02*	0.5	0.05*	1
	Others	0.02*	0.5	0.05*	1
c)	Cucurbits-inedible peel				
	Melons	0.02*	0.05*	0.05*	1
	Squashes	0.02*	0.05*	0.05*	1
	Watermelons	0.02*	0.05*	0.05*	1
	Others	0.02*	0.05*	0.05*	1
d)	Sweet corn	0.02*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Triazophos	Triforine	2,4,5-T	Vinclozolin
iv)	BRASSICA VEGETABLES				
a)	Flowering Brassicas				
	Broccoli	0.02*	0.05*	0.05*	0.05*
	Cauliflower	0.02*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*
b)	Head Brassicas				
	Brussels sprouts	0.02*	0.05*	0.05*	0.05*
	Head cabbage	0.02*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*
c)	Leafy Brassicas				
	Chinese cabbage	0.02*	0.05*	0.05*	2
	Kale	0.02*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*
d)	Kohlrabi	0.02*	0.05*	0.05*	0.05*
v)	LEAF VEGETABLES AND FRESH HERBS				
a)	Lettuce & similar				
	Cress	0.02*	0.05*	0.05*	5
	Lamb's lettuce	0.02*	0.05*	0.05*	5
	Lettuce	0.02*	0.05*	0.05*	5
	Scarole	0.02*	0.05*	0.05*	5
	Others	0.02*	0.05*	0.05*	5
b)	Spinach & similar				
	Spinach	0.02*	0.05*	0.05*	0.05*
	Beet leaves (chard)	0.02*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Triazophos	Triforine	2,4,5-T	Vinclozolin
	Others	0.02*	0.05*	0.05*	0.05*
c)	Watercress	0.02*	0.05*	0.05*	0.05*
d)	Witloof	0.02*	0.05*	0.05*	2
e)	Herbs				
	Chervil	0.02*	0.05*	0.05*	0.05*
	Chives	0.02*	0.05*	0.05*	0.05*
	Parsley	0.02*	0.05*	0.05*	0.05*
	Celery leaves	0.02*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*
vi) LEGUME VEGETABLES (fresh)					
	Beans (with pods)	0.02*	0.05*	0.05*	2
	Beans (without pods)	0.02*	0.05*	0.05*	0.5
	Peas (with pods)	0.02*	0.05*	0.05*	2
	Peas (without pods)	0.02*	0.05*	0.05*	0.3
	Others	0.02*	0.05*	0.05*	0.05*
vii) STEM VEGETABLES					
	Asparagus	0.02*	0.05*	0.05*	0.05*
	Cardoons	0.02*	0.05*	0.05*	0.05*
	Celery	0.02*	0.05*	0.05*	0.05*
	Fennel	0.02*	0.05*	0.05*	0.05*
	Globe artichokes	0.02*	0.05*	0.05*	0.05*
	Leeks	0.02*	0.05*	0.05*	0.05*
	Rhubarb	0.02*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*
viii) FUNGI					
a)	Cultivated mushrooms	0.02*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Triazophos	Triforine	2,4,5-T	Vinclozolin
b)	Wild mushrooms	0.02*	0.05*	0.05*	0.05*
3. PULSES					
	Beans	0.02*	0.05*	0.05*	0.5
	Lentils	0.02*	0.05*	0.05*	0.05*
	Peas	0.02*	0.05*	0.05*	0.5
	Others	0.02*	0.05*	0.05*	0.05*
4. OILSEEDS					
	Linseed	0.02*	0.05*	0.05*	0.05*
	Peanuts	0.02*	0.05*	0.05*	0.05*
	Poppy seed	0.02*	0.05*	0.05*	0.05*
	Sesame seed	0.02*	0.05*	0.05*	0.05*
	Sunflower seed	0.02*	0.05*	0.05*	0.05*
	Rape seed	0.02*	0.05*	0.05*	1
	Soya bean	0.02*	0.05*	0.05*	0.05*
	Mustard seed	0.02*	0.05*	0.05*	0.05*
	Cotton seed	0.1	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*
5. POTATOES					
	Early potatoes	0.02*	0.05*	0.05*	0.05*
	Ware potatoes	0.02*	0.05*	0.05*	0.05*
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.05*	0.1*	0.05*	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.05*	30	0.05*	40

* Level at or about the limit of determination.

Group to which the food belongs	Groups to include the following products	Acephate	Aldicarb	Aldrin	Amitraz	Aramite	Azimsulf	Bzinphos	Azoxyst	Bbiban
		& Dieldrin								
8. CEREALS										
	Wheat	0.02*	0.05*	0.01	0.02*	0.01*	0.02*	0.05*	0.3	0.05*
	Rye	0.02*	0.05*	0.01	0.02*	0.01*	0.02*	0.05*	0.3	0.05*
	Barley	0.02*	0.05*	0.01	0.02*	0.01*	0.02*	0.05*	0.3	0.05*
	Sorghum	0.02*	0.05*	0.01	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*
	Oats	0.02*	0.05*	0.01	0.02*	0.01*	0.02*	0.05*	0.3	0.05*
	Triticale	0.02*	0.05*	0.01	0.02*	0.01*	0.02*	0.05*	0.3	0.05*
	Maize	0.02*	0.05*	0.01	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*
	Buckwheat	0.02*	0.05*	0.01	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*
	Millet	0.02*	0.05*	0.01	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*
	Rice ⁰³⁸	0.02*	0.05*	0.01	0.02*	0.01*	0.02*	0.05*	5	0.05*
	Other cereals ⁰³⁹	0.02*	0.05*	0.01	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*
9. PRODUCTS OF ANIMAL ORIGIN										
	Meat, fat & preparations of meat ⁰⁴⁰	0.02*	0.01*	0.2	0.02* ⁰⁴¹	0.01*		0.05*	0.05*	0.05*
	Milk ⁰⁴²	0.02*	0.01*	0.006		0.01*		0.05*	0.01*	0.05*
	Dairy produce ⁰⁴³		0.01*							
	Eggs ⁰⁴⁴	0.02*	0.01*	0.02	0.02*	0.01* ⁰⁴⁵		0.05* ⁰⁴⁵	0.05*	0.05* ⁰⁴⁵

⁰³⁸Paddy or rough rice, husked rice and semi-milled or wholly milled rice.⁰³⁹Other cereals do not include rice.⁰⁴⁰Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.⁰⁴¹Poultry meat only.

⁰⁴²These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.

043

For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk or a combination, the following levels apply:

- if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk.
- if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.

⁰⁴⁴Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).

⁰⁴⁵For eggs and egg products with a fat content higher than 10%, the maximum level is expressed in mg/kg fat. In this case, the maximum level is 10 times higher than the maximum level for fresh eggs.

* Level at or about the limit of determination.

Group to include which the food following belongs products	Groups	Benalaxy	Benfuracarb	Bentazon	Captan	Carbafol	Carbaryl	Carbendazim	Guthinofu	Carbon disulphide	Carbon tetrachloride
		Applying from 1 Jan 2003									
8. CEREALS											
Wheat	0.05*	0.05*	0.1*	0.05*	0.5	0.1*	0.1*	0.1*	0.1	0.1	0.1
Rye	0.05*	0.05*	0.1*	0.05*	0.5	0.1*	0.1*	0.1*	0.1	0.1	0.1
Barley	0.05*	0.05*	0.1*	0.05*	0.5	0.1*	0.1*	0.1*	0.1	0.1	0.1
Sorghum	0.05*	0.05*	0.1*	0.05*	0.5	0.1*	0.1*	0.1*	0.1	0.1	0.1
Oats	0.05*	0.05*	0.1*	0.05*	0.5	0.1*	0.1*	0.1*	0.1	0.1	0.1
Triticale	0.05*	0.05*	0.1*	0.05*	0.5	0.1*	0.1*	0.1*	0.1	0.1	0.1
Maize	0.05*	0.05*	0.1*	0.05*	0.5	0.1*	0.1*	0.1*	0.1	0.1	0.1
Buckwheat	0.05*	0.05*	0.1*	0.05*	0.5	0.1*	0.1*	0.1*	0.1	0.1	0.1
Millet	0.05*	0.05*	0.1*	0.05*	0.5	0.1*	0.1*	0.1*	0.1	0.1	0.1
Rice ⁰⁴⁷	0.05*	0.05*	0.1*	0.05*	1	0.1*	0.1*	0.1*	0.1	0.1	0.1
Other cereals ⁰⁴⁸	0.05*	0.05*	0.1*	0.05*	0.5	0.1*	0.1*	0.1*	0.1	0.1	0.1

**9.
PRODUCTS
OF
ANIMAL
ORIGIN**

Group to which the food belongs	Groups to include	Benalaxy	Benfuracarb	Bentazon	Captfol	Carbarex	Carbendazim	Chlorofulvin	Carbon disulphide	Carbon tetrachloride
		Applying from 1 Jan 2003								
	Meat, fat & preparations of meat ⁰⁴⁹	0.05*	0.05*	0.05*		0.1*	0.1*			
	Milk ⁰⁵⁰ &	0.05*	0.05*	0.02*		0.1*	0.1*			
	Dairy produce ⁰⁵¹									
	Eggs ⁰⁵²	0.05*	0.05*	0.05*		0.1*	0.1*			

⁰⁴⁷Paddy or rough rice, husked rice and semi-milled or wholly milled rice.

⁰⁴⁸Other cereals do not include rice.

⁰⁴⁹Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.

⁰⁵⁰These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.

⁰⁵¹

For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk or a combination, the following levels apply:

- if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
- if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.

⁰⁵²Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).

* Level at or about the limit of determination.

Group to which the food belongs	Groups to include	Carbosulfan	Chlorbufuran	Chlordane	Chlorfensulfuron	Chlorobenzilate	Chloroxuron	Chlorbenside
	8. CEREALS							

Group to which food belongs	Groups include the following products	CarbosulfachlorbufachlordaneChlorfensChlorobenzChloroxurChlorbenside
	Wheat	0.05* 0.05* 0.02 0.01* 0.02* 0.05* 0.01*
	Rye	0.05* 0.05* 0.02 0.01* 0.02* 0.05* 0.01*
	Barley	0.05* 0.05* 0.02 0.01* 0.02* 0.05* 0.01*
	Sorghum	0.05* 0.05* 0.02 0.01* 0.02* 0.05* 0.01*
	Oats	0.05* 0.05* 0.02 0.01* 0.02* 0.05* 0.01*
	Triticale	0.05* 0.05* 0.02 0.01* 0.02* 0.05* 0.01*
	Maize	0.05* 0.05* 0.02 0.01* 0.02* 0.05* 0.01*
	Buckwheat	0.05* 0.05* 0.02 0.01* 0.02* 0.05* 0.01*
	Millet	0.05* 0.05* 0.02 0.01* 0.02* 0.05* 0.01*
	Rice ⁰⁵⁴	0.05* 0.05* 0.02 0.01* 0.02* 0.05* 0.01*
	Other cereals ⁰⁵⁵	0.05* 0.05* 0.02 0.01* 0.02* 0.05* 0.01*
9. PRODUCTS OF ANIMAL ORIGIN		
	Meat, fat & preparations of meat ⁰⁵⁶	0.05* 0.05* 0.05 0.05* 0.1* 0.05* 0.05*
	Milk ⁰⁵⁷ &	0.05* 0.05* 0.002 0.05* 0.1* 0.05* 0.05*
	Dairy produce ⁰⁵⁸	
	Eggs ⁰⁵⁹	0.05* 0.05* ⁰⁶⁰ 0.005 0.05* ⁰⁶⁰ 0.1* ⁰⁶⁰ 0.05* ⁰⁶⁰ 0.05* ⁰⁶⁰

⁰⁵⁴Paddy or rough rice, husked rice and semi-milled or wholly milled rice.

⁰⁵⁵Other cereals do not include rice.

⁰⁵⁶Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.

⁰⁵⁷These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.

⁰⁵⁸

For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk of a combination, the following levels apply:

if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;

if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.

⁰⁵⁹Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).

⁰⁶⁰For eggs and egg products with a fat content higher than 10%, the maximum level is expressed in mg/kg fat. In this case, the maximum level is 10 times higher than the maximum level for fresh eggs.

* Level at or about the limit of determination.

Group to include which the food following belongs products	Groups Chlormethyl Quaternary trotional chloropyridine zolifuthrin Glypermethrin Diaminodiphenylmethane	Applying from 1 Jan 2003
--	--	-----------------------------------

8. CEREALS

Wheat	2	0.1	0.05*	3	0.05*	0.02*	0.05*	0.02*	0.05
Rye	2	0.1	0.05*	3	0.05*	0.02*	0.05*	0.02*	0.05
Barley	2	0.1	0.2	3	0.05*	0.02*	0.2	0.02*	0.05
Sorghum	0.05*	0.01*	0.05*	3	0.05*	0.02*	0.05*	0.02*	0.05
Oats	5	0.1	0.05*	3	0.05*	0.02*	0.2	0.02*	0.05
Triticale	2	0.1	0.05*	3	0.05*	0.02*	0.05*	0.02*	0.05
Maize	0.05*	0.01*	0.05*	3	0.05*	0.02*	0.05*	0.02*	0.05
Buckwheat	0.05*	0.01*	0.05*	3	0.05*	0.02*	0.05*	0.02*	0.05
Millet	0.05*	0.01*	0.05*	3	0.05*	0.02*	0.05*	0.02*	0.05
Rice ⁰⁶²	0.05*	0.01*	0.05*	3	0.05*	0.02*	0.05*	0.02*	0.05
Other cereals ⁰⁶³	0.05*	0.01*	0.05*	3	0.05*	0.02*	0.05*	0.02*	0.05

9. PRODUCTS OF ANIMAL ORIGIN

Meat, fat & preparations	0.05 ⁰⁶⁵	0.01*	0.05* ⁰⁶⁶	0.05*	0.05	0.05* ⁰⁶⁶	0.05*	1
--------------------------------	---------------------	-------	----------------------	-------	------	----------------------	-------	---

Group to which the food belongs	Groups include the following products	Chloroform	Chlorthalidone	Chlorpyrifos	Chlorzolin	Chlorthiazepoxide	Hypermarkozide	Diaminodiphenylmethane
		Applying from 1 Jan 2003						
8. CEREALS								
of meat ⁰⁶⁴		0.2 ⁰⁶⁷				0.2 ⁰⁶⁸		
		0.1 ⁰⁶⁹						
		0.05* ⁰⁷⁰						
Milk ⁰⁷¹	0.05	0.01*	0.01*	0.01*		0.02*	0.02	0.05* 0.04
&								
Dairy produce ⁰⁷²								
Eggs ⁰⁷³	0.05*	0.01*	0.01*	0.01*		0.02*	0.05*	0.05* 0.05

⁰⁶²Paddy or rough rice, husked rice and semi-milled or wholly milled rice.

⁰⁶³Other cereals do not include rice.

⁰⁶⁴Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.

⁰⁶⁵Chicken liver.

⁰⁶⁶Poultry meat only.

⁰⁶⁷Cattle kidney.

⁰⁶⁸Other meat products.

⁰⁶⁹Cattle liver.

⁰⁷⁰Meat and meat products other than those at footnotes 10, 11 and 12.

⁰⁷¹These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.

⁰⁷²

For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk or a combination, the following levels apply:

- if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;

- if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.

⁰⁷³Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).

* Level at or about the limit of determination.

Group to include which the food following belongs	Groups Deltamethrin dichloro-2,2- bis (4- ethyl- phenyl-) ethane	Diallathiazinoh2- Dibromo ethane	Dichlorodisofol DimethDiatetra DisulfonDNO	Applying from 1 Jan 2003
--	---	--	--	--------------------------------------

8. CEREALS

Wheat 1	0.01* 0.05* 0.02* 0.01* 2	0.02* 0.3 0.05* 0.1 0.05*
Rye 1	0.01* 0.05* 0.02* 0.01* 2	0.02* 0.3 0.05* 0.02* 0.05*
Barley 1	0.01* 0.05* 0.02* 0.01* 2	0.02* 0.02* 0.05* 0.2 0.05*
Sorghum	0.01* 0.05* 0.02* 0.01* 2	0.02* 0.02* 0.05* 0.2 0.05*
Oats 1	0.01* 0.05* 0.02* 0.01* 2	0.02* 0.02* 0.05* 0.02* 0.05*
Triticale	0.01* 0.05* 0.02* 0.01* 2	0.02* 0.3 0.05* 0.02* 0.05*
Maize 1	0.01* 0.05* 0.02* 0.01* 2	0.02* 0.02* 0.05* 0.02* 0.05*
Buckwheat	0.01* 0.05* 0.02* 0.01* 2	0.02* 0.02* 0.05* 0.02* 0.05*
Millet 1	0.01* 0.05* 0.02* 0.01* 2	0.02* 0.02* 0.05* 0.02* 0.05*
Rice ⁰⁷⁵ 1	0.01* 0.05* 0.02* 0.01* 2	0.02* 0.02* 0.05* 0.02* 0.05*
Other cereals ⁰⁷⁶ 1	0.01* 0.05* 0.02* 0.01* 2	0.02* 0.02* 0.05* 0.02* 0.05*

9. PRODUCTS OF ANIMAL ORIGIN

Meat, fat & preparations of meat ⁰⁷⁷	0.05* ⁰⁷⁸ 0.01* 0.2* 0.5 ⁰⁷⁹ 0.05 0.02* 0.05*
	0.1 ⁰⁷⁸

Group to include which the food following belongs	Groups Deltamethrin Diallatozin dichloro-2,2- bis (4- ethyl- phenyl-) ethane	Dichloro- Dibromo ethane	Dichloro- Difol Dimetho- Disulfon Dimetho- Disulfon DNOC	Applying from 1 Jan 2003
		0.05* ⁰⁸⁰		
Milk ⁰⁸² & Dairy produce ⁰⁸³	0.01* 0.2* 0.01*	0.02	0.05* 0.02 0.05*	
Eggs ⁰⁸⁴	0.05* 0.01* ⁰⁸⁵ 0.2* ⁰⁸⁵	0.05*	0.05* ⁰⁸⁶ 0.02* 0.05* ⁰⁸⁵	

⁰⁷⁵Paddy or rough rice, husked rice and semi-milled or wholly milled rice.

⁰⁷⁶Other cereals do not include rice.

⁰⁷⁷Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.

⁰⁷⁸Poultry meat only.

⁰⁷⁹Meat of cattle, sheep and goats.

⁰⁸⁰Other than meat or liver of cattle, sheep and goats, and poultry meat.

⁰⁸¹Liver of cattle, sheep and goats. The residue definition for this MRL is: 1,1-bis-(parachlorophenol)-2,2-dichloroethanol(PP'-FW152), expressed as dicofol.

⁰⁸²These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.

⁰⁸³

For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk or a combination, the following levels apply:

- if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
- if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.

⁰⁸⁴Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).

⁰⁸⁵For eggs and egg products with a fat content higher than 10%, the maximum level is expressed in mg/kg fat. In this case, the maximum level is 10 times higher than the maximum level for fresh eggs.

* Level at or about the limit of determination.

Group to include which the food following belongs	Groups Endosulfan Endrin Etephon Fenarimol Tenbutatin Tentoxin oxide	Fenvalerate and Esfenvalerate	Sum of RR and SS isomers	Sum of RS and SR isomers
8. CEREALS				
Wheat	0.05*	0.01	0.2	0.02*
Rye	0.05*	0.01	0.5	0.02*
Barley	0.05*	0.01	0.5	0.02*
Sorghum	0.05*	0.01	0.05*	0.02*
Oats	0.05*	0.01	0.05*	0.02*
Triticale	0.05*	0.01	0.2	0.02*
Maize	0.05*	0.01	0.05*	0.02*
Buckwheat	0.05*	0.01	0.05*	0.02*
Millet	0.05*	0.01	0.05*	0.02*
Rice ⁰⁸⁷	0.05*	0.01	0.05*	0.02*
Other cereals ⁰⁸⁸	0.05*	0.01	0.05*	0.02*
9. PRODUCTS OF ANIMAL ORIGIN				
Meat, fat & preparations of meat ⁰⁸⁹	0.1 ⁰⁹⁰	0.05	0.05*	0.02* ⁰⁹¹ 0.05* 0.05* 0.2 ⁰⁹⁰ 0.05 ⁰⁹⁰ 0.02* ⁰⁹² 0.02* ⁰⁹²
Milk ⁰⁹³	0.004	0.0008	0.05*	0.02* 0.05* 0.05* 0.02* 0.02*

Group to which food belongs	Groups include the following products	Endosulfan Endrin	Ethephon	Fenarimol	Fenbutatin oxide	Fentolin	Fenvalerate and Esfenvalerate	Sum of RR and SS isomers	Sum of RS and SR isomers
Dairy produce ⁰⁹⁴									
Eggs ⁰⁹⁵	0.1* ⁰⁹⁶	0.005	0.05*	0.02*	0.05*	0.05*	0.02* ⁰⁹⁶	0.02* ⁰⁹⁶	0.02* ⁰⁹⁶

⁰⁸⁷Paddy or rough rice, husked rice and semi-milled or wholly milled rice.

⁰⁸⁸Other cereals do not include rice.

⁰⁸⁹Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.

⁰⁹⁰All meat except poultrymeat.

⁰⁹¹All meat except liver and kidney.

⁰⁹²Poultrymeat only.

⁰⁹³These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.

094

For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk or a combination, the following levels apply:

- if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
- if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.

⁰⁹⁵Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).

⁰⁹⁶For eggs and egg products with a fat content higher than 10%, the maximum level is expressed in mg/kg fat. In this case, the maximum level is 10 times higher than the maximum level for fresh eggs.

* Level at or about the limit of determination.

Group to include methyl and its esters expressed as fluroxypyr	Groups which the food following belongs products	Flupyrifuronyl	Fomothal	Forathio	Glyphosate	Heptachlor	Hexachlorobenzene	Hexachlorocyclohexane	Hexachloro- (HCB)	Hexachloro- (HCH)	Hexachloro- (HCH)
		Applying from 1 Jan 2003					Alpha isomer	Beta isomer			
8.	CEREALS										Sum of alpha and beta isomers
	Wheat	0.02*	0.1	0.02*	0.05*	5	0.01	0.01	0.02		
	Rye	0.02*	0.1	0.02*	0.05*	5	0.01	0.01	0.02		
	Barley	0.02*	0.1	0.02*	0.05*	20	0.01	0.01	0.02		
	Sorghum	0.02*	0.05*	0.02*	0.05*	20	0.01	0.01	0.02		
	Oats	0.02*	0.1	0.02*	0.05*	20	0.01	0.01	0.02		
	Triticale	0.02*	0.1	0.02*	0.05*	5	0.01	0.01	0.02		
	Maize	0.02*	0.05*	0.02*	0.05*	0.1*	0.01	0.01	0.02		
	Buckwheat	0.02*	0.05*	0.02*	0.05*	0.1*	0.01	0.01	0.02		
	Millet	0.02*	0.05*	0.02*	0.05*	0.1*	0.01	0.01	0.02		
	Rice ⁹⁹⁸	0.02*	0.05*	0.02*	0.05*	0.1*	0.01	0.01	0.02		
	Other cereals ⁹⁹⁹	0.02*	0.05*	0.02*	0.05*	0.1*	0.01	0.01	0.02		

9.
PRODUCTS
OF

Group	Groups	FlupyrusulfuronylformothiophathioGlyphosHeptachlorHexachlorobenzene cyclohexylchloro	Hexachlorobenzene (HCB)	Hexachlorocyclohexane (HCH)	Hexachlorocyclohexane (HCH)
to include methyl and its esters expressed as fluroxypyr	Applying from 1 Jan 2003	Alpha isomer	Beta isomer		
ANIMAL ORIGIN					
Meat, fat & preparations of meat ¹⁰⁰	0.05*	0.05*	0.5 ¹⁰¹	0.2	0.2
	0.5 ¹⁰²		2 ¹⁰³		
		0.1* ¹⁰⁴			
Milk ¹⁰⁵ &	0.05*	0.05*	0.1*	0.004	0.01
Dairy produce ¹⁰⁶				0.004	0.003
Eggs ¹⁰⁷	0.05* ¹⁰⁸	0.05*	0.1*	0.02	0.02
				0.02	0.01

⁰⁹⁸Paddy or rough rice, husked rice and semi-milled or wholly milled rice.

⁰⁹⁹Other cereals do not include rice.

¹⁰⁰Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.

¹⁰¹Pig kidney.

¹⁰²Kidney.

¹⁰³Cattle, goat and sheep kidney.

¹⁰⁴Other meat products.

¹⁰⁵These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.

For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk of a combination, the following levels apply:

- if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
- if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.

¹⁰⁷Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).

¹⁰⁸For eggs and egg products with a fat content higher than 10%, the maximum level is expressed in mg/kg fat. In this case, the maximum level is 10 times higher than the maximum level for fresh eggs.

* Level at or about the limit of determination.

Group	Groups	Hydrogenated oil¹⁰⁹	mazalil¹¹⁰	Inorganic bromide¹¹¹	prodioxybenzene¹¹²	resoxihambda-cyhalothrin¹¹³
to include cyanidephosphide which the food following belongs products						

8.

CEREALS

Wheat	15	0.1	0.02*	50	0.5	0.05*	0.02*
Rye	15	0.1	0.02*	50	0.02*	0.05*	0.02*
Barley	15	0.1	0.02*	50	1	0.05*	0.05
Sorghum	15	0.1	0.02*	50	0.02*	0.05*	0.02*
Oats	15	0.1	0.02*	50	0.02*	0.05*	0.02*
Triticale	15	0.1	0.02*	50	0.02*	0.05*	0.02*
Maize	15	0.1	0.02*	50	0.02*	0.05*	0.02*
Buckwheat	15	0.1	0.02*	50	0.02*	0.05*	0.02*
Millet	15	0.1	0.02*	50	0.02*	0.05*	0.02*
Rice ¹¹¹	15	0.1	0.02*	50	3	0.05*	0.02*
Other cereals ¹¹²	15	0.1	0.02*	50	0.02*	0.05*	0.02*

9.

PRODUCTS

OF

ANIMAL

ORIGIN

Meat, fat & preparations of meat ¹¹³	0.02*	0.05*	0.02* ¹¹⁴	0.5 ¹¹⁵ ¹¹⁶
---	-------	-------	----------------------	-----------------------------------

Group	Groups	Hydrogenated oils	mazalil	Inorganic salts	prodioxybenzene	resoxihambda-	to include cyanidephosphide	bromide	methyl cyhalothrin¹¹⁰
which the food following belongs products									
									0.05 ¹¹⁴ ¹¹⁷ 0.02*
Milk ¹¹⁹		0.02*		0.05*	0.05*	0.05*	0.05*	0.05*	0.05 ¹²⁰ 0.05
&									
Dairy produce ¹²¹									
Eggs ¹²²		0.02*		0.05*	0.05*	0.02*	0.02*	0.02*	0.02*

¹¹⁰For animal products the MRLs relate to cyhalothrin (sum of isomers).

¹¹¹Paddy or rough rice, husked rice and semi-milled or wholly milled rice.

¹¹²Other cereals do not include rice.

¹¹³Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.

¹¹⁴The residue definition for this MRL is: 2-methoxyimino-2-[2-(0-tolyloxymethyl)phenyl]acetic acid.

¹¹⁵Meat, liver, fat.

¹¹⁶All meat except poultry meat.

¹¹⁷Kidney.

¹¹⁸Poultry meat only.

¹¹⁹These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.

¹²⁰The residue definition for this MRL is: 2-[2-(4-hydroxy-2-methylphenoxyethyl)phenyl]-2-methoxy-iminoacetic acid

¹²¹

For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk of a combination, the following levels apply:

- if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
- if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.

¹²²Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).

¹²³For eggs and egg products with a fat content higher than 10%, the maximum level is expressed in mg/kg fat. In this case, the maximum level is 10 times higher than the maximum level for fresh eggs.

* Level at or about the limit of determination.

Group to which the food belongs	Groups include the following products	Lindane	Malathion	Maneb	Mecarban	Metatralaxy	Methamidophos	Phthalimidat	Methomyl	Thiodicarb
					Mancozeb					
					Metiram					
					Propineb					
					Zineb					
8.	CEREALS									
	Wheat	0.01*	8	1	0.05*	0.05*	0.01*	0.02*	0.05*	
	Rye	0.01*	8	1	0.05*	0.05*	0.01*	0.02*	0.05*	
	Barley	0.01*	8	2	0.05*	0.05*	0.01*	0.02*	0.05*	
	Sorghum	0.01*	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	
	Oats	0.01*	8	2	0.05*	0.05*	0.01*	0.02*	0.05*	
	Triticale	0.01*	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	
	Maize	0.01*	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	
	Buckwheat	0.01*	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	
	Millet	0.01*	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	
	Rice ¹²⁵	0.01*	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	
	Other cereals ¹²⁶	0.01*	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	
9.	PRODUCTS OF ANIMAL ORIGIN									
	Meat, fat & preparations of meat ¹²⁷	0.7 ¹²⁸¹²⁹		0.05*		0.05*	0.01*	0.02*	0.02	
			0.02 ¹³⁰							
	Milk ¹³¹	0.001*		0.05*		0.05*	0.01*	0.02*	0.02	
		&								
	Dairy produce ¹³²						0.02*	0.02*		
	Eggs ¹³³	0.1 ¹²⁹		0.05*		0.05*	0.01*	0.02*	0.02	

¹²⁵Paddy or rough rice, husked rice and semi-milled or wholly milled rice.¹²⁶Other cereals do not include rice.¹²⁷Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.

¹²⁸Poultrymeat only.

¹²⁹These MRLs are based on Codex MRLs (extraneous residue limits) and do not result from the use of plant protection products.

¹³⁰All meat except poultrymeat.

¹³¹These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.

¹³²

For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk of a combination, the following levels apply:

- if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
- if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.

¹³³Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).

* Level at or about the limit of determination.

Group to include which the food following belongs	Methoxo- Methyl	Methoxy- bromidomethyl	Metsul- monilis	Oxyde- methylen	Retroth- Berm	Ber- met	Rhior- at	Phospho- imid	Dimetho- phosymidone
products									

	Applying from 1 Jan 2003	Applying from 1 Jan 2003	Applying from 1 May 2003

8.

CEREALS

Wheat	0.01*	0.1	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05	5	0.02*
Rye	0.01*	0.1	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05	5	0.02*
Barley	0.01*	0.1	0.05*	0.05*	0.1	0.05*	0.05*	0.05*	0.05	5	0.02*
Sorghum	0.01*	0.1	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05	5	0.02*
Oats	0.01*	0.1	0.05*	0.05*	0.1	0.05*	0.05*	0.05*	0.05	5	0.02*
Triticale	0.01*	0.1	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05	5	0.02*
Maize	0.01*	0.1	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05	5	0.02*
Buckwheat	0.01*	0.1	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05	5	0.02*
Millet	0.01*	0.1	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05	5	0.02*
Rice ¹³⁵	0.01*	0.1	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05	5	0.02*
Other cereals ¹³⁶	0.01*	0.1	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05	5	0.02*

Group to include which the food following belongs	MethoxMethylMetsulfomethylOxydeRethorhodophosphinimidophosymidone	Methylmethylmethylmethylmethyl	Applying from 1 Jan 2003	Applying from 1 Jan May 2003	Applying from 1 May 2003	Applying from 1 May 2003
9. PRODUCTS OF ANIMAL ORIGIN						
Meat, fat & preparations of meat ¹³⁷	0.01*	0.05* 0.02* 0.05* 0.5 0.05*			0.05* 0.05*	
Milk ¹³⁸ &	0.01*	0.05* 0.02* 0.05* 0.05 0.02*			0.05* 0.05*	
Dairy produce ¹³⁹					0.05*	
Eggs ¹⁴⁰	0.01* ¹⁴¹	0.05* ¹⁴ 0.02* 0.05* 0.05 0.05*			0.05* 0.05*	

¹³⁵Paddy or rough rice, husked rice and semi-milled or wholly milled rice.

¹³⁶Other cereals do not include rice.

¹³⁷Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.

¹³⁸These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.

¹³⁹

For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk or a combination, the following levels apply:

- if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
- if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.

¹⁴⁰Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).

¹⁴¹For eggs and egg products with a fat content higher than 10%, the maximum level is expressed in mg/kg fat. In this case, the maximum level is 10 times higher than the maximum level for fresh eggs.

* Level at or about the limit of determination.

8. CEREALS

Wheat	$0.05 * 0.05 * 0.05 * 0.02 * 0.02 * 0.05 * 3$	$0.05 * 0.02 * 0.05 * 0.05 * 0.05 * 0.02 * 0.1$
Rye	$0.05 * 0.05 * 0.05 * 0.05 * 0.02 * 0.02 * 0.05 * 3$	$0.05 * 0.02 * 0.05 * 0.05 * 0.05 * 0.02 * 0.1$
Barley	$0.05 * 0.05 * 0.05 * 0.02 * 0.02 * 0.05 * 3$	$0.05 * 0.02 * 0.3 \quad 0.05 * 0.05 * 0.02 * 0.1$
Sorghum	$0.05 * 0.05 * 0.05 * 0.02 * 0.02 * 0.05 * 3$	$0.05 * 0.02 * 0.05 * 0.05 * 0.05 * 0.02 * 0.1$
Oats	$0.05 * 0.05 * 0.05 * 0.05 * 0.02 * 0.02 * 0.05 * 3$	$0.05 * 0.02 * 0.3 \quad 0.05 * 0.05 * 0.02 * 0.1$
Triticale	$0.05 * 0.05 * 0.05 * 0.02 * 0.02 * 0.05 * 3$	$0.05 * 0.02 * 0.05 * 0.05 * 0.05 * 0.02 * 0.1$
Maize	$0.05 * 0.05 * 0.05 * 0.02 * 0.02 * 0.05 * 3$	$0.05 * 0.02 * 0.05 * 0.05 * 0.05 * 0.02 * 0.1$
Buckwheat	$0.05 * 0.05 * 0.05 * 0.02 * 0.02 * 0.05 * 3$	$0.05 * 0.02 * 0.05 * 0.05 * 0.05 * 0.02 * 0.1$
Millet	$0.05 * 0.05 * 0.05 * 0.02 * 0.02 * 0.05 * 3$	$0.05 * 0.02 * 0.05 * 0.05 * 0.05 * 0.02 * 0.1$
Rice	$0.05 * 0.05 * 0.05 * 0.02 * 0.02 * 0.05 * 3$	$0.05 * 0.02 * 0.05 * 0.05 * 0.05 * 0.02 * 0.1$
Other cereals ¹⁴⁴	$0.05 * 0.05 * 0.05 * 0.02 * 0.02 * 0.05 * 3$	$0.05 * 0.02 * 0.05 * 0.05 * 0.05 * 0.02 * 0.1$

9. PRODUCTS OF ANIMAL ORIGIN

Meat, 0.05*¹⁴⁶ 0.05*^{0.05*} 0.05*^{0.05*} 0.01*^{0.01*} 0.02*^{0.02*}
 fat
 &
 preparations
 of
 meat¹⁴⁵
 0.05*¹⁵² 0.02*¹⁵³ 148 0.4¹⁵⁴ 0.2¹⁵⁰ 155
 Milk¹⁴⁶ 0.01*^{0.01*} 0.05*^{0.05*} 0.01*^{0.01*} 0.02*^{0.02*} 0.05*^{0.05*} 0.02*^{0.02*}
 &

Group 1: Prohexadione
Group 2: Paddy rice, husked rice and semi-milled rice
Group 3: Other cereals
Group 4: Eggs
Group 5: Dairy produce
Group 6: Meat, except ruminant liver
Group 7: Fat, liver and kidney
Group 8: All meat except liver and kidney
Group 9: All kidney except poultry kidney
Group 10: Liver and kidney
Group 11: Milk and milk products
Group 12: Butter, cheese or curd
Group 13: Other foodstuffs

to include and
which the its
food follows
belongs product pressed
as
prohexadione

	Applying from	Applying from
	1	1
	Jan	Jan
	2003	2003
Dairy produce ¹⁵⁸		0.02*
Eggs ¹⁵⁹	0.05* ¹⁶⁰	0.05* ¹⁶⁰
	0.05* ¹⁶⁰	0.05* ¹⁶⁰
	0.02*	0.02*

¹⁴³Paddy or rough rice, husked rice and semi-milled or wholly milled rice.

¹⁴⁴Other cereals do not include rice.

¹⁴⁵Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.

¹⁴⁶Ruminant liver.

¹⁴⁷Fat, liver and kidney.

¹⁴⁸The residues definition for these MRLs is: sum of propyzamide and all metabolites containing the 3,5-dichlorobenzoic acid fraction expressed as propyzamide.

¹⁴⁹All meat except liver and kidney.

¹⁵⁰The residues definition for this MRL is: spiroxamine carboxylic acid expressed as spiroxamine.

¹⁵¹With the exception of meat and other ovine, bovine and caprine products.

¹⁵²All meat except ruminant liver.

¹⁵³Other than fat, liver and kidney.

¹⁵⁴All kidney except poultry kidney.

¹⁵⁵Liver and kidney.

¹⁵⁶These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.

¹⁵⁷Meat and meat products other than those at footnotes 10, 11 and 12.

¹⁵⁸

For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk of a combination, the following levels apply:

- if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;

- if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.

¹⁵⁹Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).

¹⁶⁰For eggs and egg products with a fat content higher than 10%, the maximum level is expressed in mg/kg fat. In this case, the maximum level is 10 times higher than the maximum level for fresh eggs.

* Level at or about the limit of determination.

Group to which food belongs	Groups include the following products	Triforine	Vinclozolin
8. CEREALS			
	Wheat	0.1	0.05*
	Rye	0.1	0.05*
	Barley	0.1	0.05*
	Sorghum	0.05*	0.05*
	Oats	0.1	0.05*
	Triticale	0.1	0.05*
	Maize	0.05*	0.05*
	Buckwheat	0.05*	0.05*
	Millet	0.05*	0.05*
	Rice ¹⁶²	0.05*	0.05*
	Other cereals ¹⁶³	0.05*	0.05*
9. PRODUCTS OF ANIMAL ORIGIN			
	Meat, fat & preparations of meat ¹⁶⁴	0.05*	0.05*
	Milk ¹⁶⁵ &	0.05*	0.05*
	Dairy produce ¹⁶⁶		
	Eggs ¹⁶⁷	0.05*	0.05*

¹⁶²Paddy or rough rice, husked rice and semi-milled or wholly milled rice

¹⁶³Other cereals do not include rice.

¹⁶⁴Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.

¹⁶⁵These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.

For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk of a combination, the following levels apply:

- if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
- if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.

¹⁶⁷Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).

* Level at or about the limit of determination.

EXPLANATORY NOTE

(This note is not part of the Order)

These Regulations, which extend to England and Wales only, are made under section 2(2) of the European Communities Act 1972 and further amend the provisions of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) Regulations 1999 ([S.I.1999/3483](#)) (the principal Regulations).

Part 2 of Schedule 2 to the principal Regulations is consolidated (regulation 2(6)) to take account of changes and additions to the EC maximum residue levels that have been set at an EC level since the last consolidation of this Part by [S.I.2001/1113](#).

These Regulations add new residue levels in Part 2 of Schedule 2 that have been set by recent amendments to the three Commission Directives: Council Directive [86/362/EEC](#), Council Directive [86/363/EEC](#) and Council Directive [90/642/EEC](#). The following new or substituted maximum residue levels are implemented in Part 2 of Schedule 2 in these Regulations (regulation 2(6))—

Commission Directive [2002/42/EC](#) (OJ No. L134, 22.5.2002 p. 29) for bentazone and pyridate;

Commission Directive [2002/66/EC](#) (OJ No. L192, 20.7.2002 p. 47) for lindane, quintozene, parathion and permethrin;

Commission Directive [2002/71/EC](#) (OJ No. L225, 22.8.2002 p. 21) for formothion, dimethoate and oxydemeton-methyl;

Commission Directive [2002/76/EC](#) (OJ No. L240, 7.9.2002 p. 45) for metsulfuron methyl;

The definition of “the Residues Directives” is updated to take account of the latest Directives being implemented (regulation 2(2)).

Regulation 2(3) substitutes a new regulation 6(b) in the principal Regulations. The new regulation 6(b)(i) provides for the Sampling Procedure as contained in the Annex to Commission Directive [2002/63/EC](#) to apply for the determination of pesticide residues set by the Community (Part 2 of Schedule 2). The new regulation 6(b)(ii) provides for the sampling of pesticide residues still set nationally to be carried out, so far as is practicable, in accordance with the methods and procedures recommended by the Codex Alimentarius Commission “Recommended methods of sampling for the determination of pesticide residues for compliance with MRLs; CAC/GL 33 -1999”. Copies are available from their website from their list of standards at www.codexalimentarius.net. Alternatively the document is available from the Department for

Environment, Food and Rural Affairs library situated at Nobel House, 17 Smith Square, London SW1P 3JR (E-mail: defra.library@defra.gsi.gov.uk).

These Regulations remove certain pesticide residues, that had previously been set nationally by virtue of powers contained in the Food and Environment Protection Act 1985, from the list contained in Part 1 of Schedule 2 to the principal Regulations as they have been replaced by Community levels (regulation 2(5)).

No Regulatory Impact Assessment has been produced for these Regulations.