

---

STATUTORY INSTRUMENTS

---

**2004 No. 1393**

**AGRICULTURE, ENGLAND AND WALES  
PESTICIDES, ENGLAND AND WALES**

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) (No. 2) Regulations 2004

<i>Made</i>	- - - - -	<i>18th May 2004</i>
<i>Laid before Parliament</i>		<i>21st May 2004</i>
<i>Coming into force</i>	- - -	<i>11th June 2004</i>

The Secretary of State for Environment, Food and Rural Affairs and the National Assembly for Wales being designated(1) for the purposes of section 2(2) of the European Communities Act 1972(2) in relation to the common agricultural policy of the European Community, acting jointly (the National Assembly for Wales acting in relation to Wales only), in exercise of the powers conferred upon them by that section, hereby make the following Regulations:

**Title, extent and commencement**

1. These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) (No. 2) Regulations 2004, extend to England and Wales and come into force on 11th June 2004.

**Amendment to the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) Regulations 1999**

2.—(1) The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) Regulations 1999(3) shall be amended in accordance with this regulation.

(2) In regulation 2(1), for the definition of the Residues Directives there shall be substituted the following definition:

---

(1) S.I. 1972/1811 and, in the case of the National Assembly for Wales, S.I. 1999/2788.

(2) 1972 c. 68.

(3) S.I. 1999/3483, amended by S.I. 2001/1113, S.I. 2001/2420, S.I. 2001/3834, S.I. 2002/1767, S.I. 2002/2723, S.I. 2003/661, S.I. 2003/2591 and S.I. 2004/676.

““the Residues Directives” means Council Directive 86/362/EEC(4), Council Directive 86/363/EEC(5) and Council Directive 90/642/EEC(6), in each case amended as at the date of the making of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) (No. 2) Regulations 2004.”.

(3) In Schedule 1, the following entries shall be inserted at the appropriate places in columns 1 and 2 to preserve the alphabetical ordering in column 1:

<i>Column 1</i> <i>Pesticide</i>	<i>Column 2</i> <i>Residues</i>
Cyazofamid	Cyazofamid
2,4-DB	2,4-DB
Ethoxysulfuron	Ethoxysulfuron
Fenamiphos	Fenamiphos (sum of fenamiphos and its sulphoxide and sulphone expressed as fenamiphos)
Foramsulfuron	Foramsulfuron
Imazamox	Imazamox
Linuron	Linuron
Oxadiargyl	Oxadiargyl
Oxasulfuron	Oxasulfuron
Pendimethalin	Pendimethalin

and the column 1 and 2 entries for 2,4-D shall be repositioned immediately above those for 2,4-DB.

(4) In Part 2 of Schedule 2—

- (a) in the column headed Benalaxyl, for the entry for food group 2(v) Leaf vegetables and fresh herbs, Lettuce there shall be substituted “0.5”;
- (b) on 1st August 2004, there shall be inserted, in the appropriate place to preserve the alphabetical ordering, the column of maximum permitted levels for residue of the pesticide Fenamiphos as specified in the Schedule to these Regulations;
- (c) on 4th June 2005, there shall be inserted, in the appropriate place to preserve the alphabetical ordering, the columns of maximum permitted levels for residues of the pesticides Cyazofamid, 2,4-DB, Ethoxysulfuron, Foramsulfuron, Imazamox, Linuron, Oxadiargyl, Oxasulfuron and Pendimethalin as specified in the Schedule to these Regulations.

---

(4) OJ No. L221, 7.8.86, p. 37. The last amending instrument is Commission Directive 2004/2/EC (OJ No. L14, 21.1.2004, p. 10).  
 (5) OJ No. L221, 7.8.86, p. 43. The last amending instrument is Commission Directive 2004/2/EC (OJ No. L14, 21.1.2004, p. 10).  
 (6) OJ No. L350, 14.12.90, p. 71. The last amending instrument is Commission Directive 2004/2/EC (OJ No. L14, 21.1.2004, p. 10).

Signed on behalf of the National Assembly for Wales

18th May 2004

*D. Elis-Thomas*  
Presiding Officer National Assembly for Wales

18th May 2004

*Alun Michael*  
Minister of State  
Department for Environment, Food and Rural  
Affairs

## SCHEDULE

Regulation 2

<i>Group to include which the food following belongs products</i>	<i>Cyazofaridil DB</i>	<i>Ethoxysulfamefuron</i>	<i>Fosamulfuron</i>	<i>Oxadiazolinuron</i>	<i>Oxasulfuron</i>	<i>Promethalin</i>
<b>1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts</b>						
(i) CITRUS FRUIT						
Grapefruits						
0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*
Lemons	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*
Limes	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*
Mandarins	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*
(inc clementines & similar hybrids)						
Oranges	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*
Pomelos	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*
Others	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*
(ii) TREE NUTS (shelled or unshelled)						
Almonds						
0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*
Brazil nuts	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*
Cashew nuts	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*
Chestnuts	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*
Coconut	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*
Hazelnuts	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*
Macadamia nuts	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*
Pecans	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*
Pine nuts	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*
Pistachios	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*
Walnuts	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*
Others	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*
(iii) POME FRUIT						
Apples						
0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*

<i>Group to include which the food belongs</i>	<i>Groups</i>	<i>Cyazofarill DB</i>	<i>Ethoxysulfamefuron</i>	<i>Hemianipthamsulfuron</i>	<i>Ifluroxynuron</i>	<i>Oxadiazolinones</i>	<i>Sulfonylurea</i>	<i>Promidemethalin</i>
Pears	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*
Quinces	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*
Others	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*
(iv) STONE FRUIT								
Apricots	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*
Cherries	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*
Peaches (inc nectarines & similar hybrids)	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*
Plums	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*
Others	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*
(v) BERRIES AND SMALL FRUIT								
(a) Table & wine grapes								
Table grapes	0.5	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*
Wine grapes	0.5	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*
Strawberries (other than wild)	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*
(c) Cane Fruit (other than wild)								
Blackberries	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*
Dewberries	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*
Loganberries	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*
Raspberries	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*
Others	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*
(d) Other small fruit & berries (other than wild)								
Bilberries	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*
Cranberries	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*
Currants (red, black)	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*

Group to which the food belongs	Groups include	Cyazofosulfuron	Ethoxysulfameriphasulfazamidinuron	Oxadiargylasulfuron	Promdimethalin
	DB				
	& white)				
Gooseberries	0.01*	0.05*	0.05*	0.02*	0.01*
Others	0.01*	0.05*	0.05*	0.02*	0.01*
Wild berries & wild fruit	0.01*	0.05*	0.02*	0.01*	0.05*

## (vi) MISCELLANEOUS FRUIT

Avocado	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
Bananas	0.01*	0.05*	0.05*	0.05	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
Dates	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
Figs	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
Kiwi fruit	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
Kumquats	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
Litchis	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
Mangoes	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
Olives (table consumption)	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
Olives (oil extract)	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
Papaya	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
Passion fruit	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
Pineapple	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
Pomegranates	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
Others	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*

## 2. Vegetables, fresh or uncooked, frozen or dry

## (i) ROOT AND TUBER VEGETABLES

Beetroot	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
Carrots	0.01*	0.05*	0.05*	0.05	0.01*	0.05*	0.2	0.01*	0.05*	0.2

<i>Group to include which the food belongs</i>	<i>Groups</i>	<i>Cyazofarill DB</i>	<i>Ethoxysulfamuron</i>	<i>Hemianipfloramsulfazuron</i>	<i>Oxadiazolinuron</i>	<i>Oxasulfuron</i>	<i>Promdimethalin</i>				
Celeriac	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.5	0.01*	0.05*	0.05*	
Horseradish	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.2	
Jerusalem artichokes	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Parsnips	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.2	0.01*	0.05*	0.2	
Parsley root	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.2	0.01*	0.05*	0.2	
Radishes	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Salsify	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Sweet potatoes	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Swedes	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Turnips	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Yams	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Others	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
(ii) BULB VEGETABLES											
Garlic	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Onions	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Shallots	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Spring onions	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Others	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
(iii) FRUITING VEGETABLES											
(a)		Solanaceae									
Tomatoe	0.2	0.05*	0.05*	0.05	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Peppers	0.01*	0.05*	0.05*	0.1	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Chili peppers	0.01*	0.05*	0.05*	0.1	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Aubergine	0.01*	0.05*	0.05*	0.05	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Others	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
(b)		Cucurbits-edible peel									
Cucumber	0.01*	0.05*	0.05*	0.05	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Gherkin	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	

Group to which the food belongs	Groups to include in DB	Cyazofosulfate	Ethoxysulfamefuron	Hemianipthoxamulfuron	Metsulfuron-methyl	Oxadiazolinone	Oxasulfone	Prometryn	dimethalin	
Courgette	0.01*	0.05*	0.05*	0.05	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
Others	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
(c) Cucurbits-inedible peel										
Melons	0.1	0.05*	0.05*	0.05	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
Squashes	0.1	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
Watermelons	0.05*	0.05*	0.05	0.01*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*
Others	0.1	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
Sweetcorn	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*

## (iv) BRASSICA VEGETABLES

## (a) Flowering Brassicas

Broccoli	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
Cauliflower	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
Others	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*

## (b) Head Brassicas

Brussels sprouts	0.01*	0.05*	0.05*	0.05	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
Head cabbage	0.01*	0.05*	0.05*	0.05	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
Others	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*

## (c) Leafy Brassicas

Chinese cabbage	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
Kale	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
Others	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*

(d) Kohlrabi

## (v) LEAF VEGETABLES AND FRESH HERBS

## (a) Lettuce &amp; similar

Cress	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
Lamb's lettuce	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
Lettuce	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*

Scarole

<i>Group to include which the food following belongs products</i>	<i>Groups to include DB</i>	<i>Cyazofosulfuron Ethoxysulfameriphosulfamuronidinuron Oxadiargylasulfurondimethalin</i>
Others	0.01* 0.05* 0.05* 0.02* 0.01* 0.05* 0.05* 0.01* 0.05* 0.05*	
(b) Spinach & similar		
Spinach	0.01* 0.05* 0.05* 0.02* 0.01* 0.05* 0.05* 0.01* 0.05* 0.05*	
Beet leaves (chard)	0.01* 0.05* 0.05* 0.02* 0.01* 0.05* 0.05* 0.01* 0.05* 0.05*	
Others	0.01* 0.05* 0.05* 0.02* 0.01* 0.05* 0.05* 0.01* 0.05* 0.05*	
(c) Others	0.01* 0.05* 0.05* 0.02* 0.01* 0.05* 0.05* 0.01* 0.05* 0.05*	
(d) Others	0.01* 0.05* 0.05* 0.02* 0.01* 0.05* 0.05* 0.01* 0.05* 0.05*	
(e) Herbs		
Chervil	0.01* 0.05* 0.05* 0.02* 0.01* 0.05* 0.05* 0.01* 0.05* 0.05*	
Chives	0.01* 0.05* 0.05* 0.02* 0.01* 0.05* 0.05* 0.01* 0.05* 0.05*	
Parsley	0.01* 0.05* 0.05* 0.02* 0.01* 0.05* 0.05* 1 0.01* 0.05* 0.05*	
Celery leaves	0.01* 0.05* 0.05* 0.02* 0.01* 0.05* 0.05* 1 0.01* 0.05* 0.05*	
Others	0.01* 0.05* 0.05* 0.02* 0.01* 0.05* 0.05* 0.01* 0.05* 0.05*	
(vi) LEGUME VEGETABLES (fresh)		
Beans (with pods)	0.01* 0.05* 0.05* 0.02* 0.01* 0.05* 0.05* 0.01* 0.05* 0.2	
Beans (without pods)	0.01* 0.05* 0.05* 0.02* 0.01* 0.05* 0.05* 0.1 0.01* 0.05* 0.2	
Peas (with pods)	0.01* 0.05* 0.05* 0.02* 0.01* 0.05* 0.05* 0.01* 0.05* 0.2	
Peas (without pods)	0.01* 0.05* 0.05* 0.02* 0.01* 0.05* 0.05* 0.1 0.01* 0.05* 0.2	
Others	0.01* 0.05* 0.05* 0.02* 0.01* 0.05* 0.05* 0.01* 0.05* 0.2	
(vii) STEM VEGETABLES		
Asparagus	0.01* 0.05* 0.05* 0.02* 0.01* 0.05* 0.05* 0.01* 0.05* 0.05*	
Cardoon	0.01* 0.05* 0.05* 0.02* 0.01* 0.05* 0.05* 0.01* 0.05* 0.05*	
Celery	0.01* 0.05* 0.05* 0.02* 0.01* 0.05* 0.05* 0.1 0.01* 0.05* 0.05*	
Fennel	0.01* 0.05* 0.05* 0.02* 0.01* 0.05* 0.05* 0.01* 0.05* 0.05*	

Group to which the food belongs	Groups to include in DB	Cyazofosulfotil	Ethoxysulfamefuron	Hemianipthoxam sulfuron	Ioxadiazinuron	Oxadiazinuron	Oxasulfuron	Promdimethalin
Globe artichokes	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*
Leeks	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*
Rhubarb	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*
Others	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*
<b>(viii) FUNGI</b>								
Cultivated mushrooms	0.01*	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*
Wild mushrooms	0.01*	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*
<b>3. PULSES</b>								
Beans	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*
Lentils	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*
Peas	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*
Others	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*
<b>4. OILSEEDS</b>								
Linseed	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.1*	0.01*
Peanuts	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.1*	0.01*
Poppy seed	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.1*	0.01*
Sesame seed	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.1*	0.01*
Sunflower seed	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.1*	0.01*
Rape seed	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.1*	0.01*
Soya bean	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.1*	0.01*
Mustard seed	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.1*	0.01*
Cotton seed	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.1*	0.01*
Others	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.1*	0.01*
<b>5. POTATOES</b>								

<i>Group to include which the food following belongs products</i>	<i>Groups</i>	<i>Cyazofosulf DB</i>	<i>Ethoxysulfameiphosulfazuron Oxadiargylasulfipromdimethalin</i>
Early potatoes	0.01*	0.05*	0.05*
Ware potatoes	0.01*	0.05*	0.05*
<b>6. TEA (dried leaves and stalks, fermented or otherwise, Camellia sinensis)</b>	0.02*	0.1*	0.1*
<b>7. HOPS (dried) (hop pellets &amp; unconcentrated powder)</b>	0.02*	0.1*	0.05*
<b>8. CEREALS</b>			
Wheat	0.02*	0.05*	0.05*
Rye	0.02*	0.05*	0.05*
Barley	0.02*	0.05*	0.02*
Sorghum	0.02*	0.05*	0.02*
Oats	0.02*	0.05*	0.02*
Triticale	0.02*	0.05*	0.02*
Maize	0.02*	0.05*	0.02*
Buckwheat	0.02*	0.05*	0.02*
Millet	0.02*	0.05*	0.02*
Rice(1)	0.02*	0.05*	0.02*
Other cereals (2)	0.02*	0.05*	0.02*
<b>9. PRODUCTS OF ANIMAL ORIGIN</b>			
Meat, fat & preparations of	0.1(36)	0.01	0.05* 0.05*

<i>Group to include which the food following belongs products</i>	<i>Groups to include DB</i>	<i>Cyazofamid Ethoxysulfuron Foramsulfuron Imazamox Linuron Oxadiargyl Oxasulfuron Pendimethalin</i>	
meat (3)	0.05*(13)	0.01*	0.05*
Milk (4) &	0.01*	0.005*	0.05*
Dairy produce (5)			
Eggs (6)	0.05*	0.01*	0.05*

## EXPLANATORY NOTE

*(This note is not part of the Regulations)*

These Regulations which extend to England and Wales, are made under section 2(2) of the European Communities Act 1972 and further amend the provisions of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) Regulations 1999 (S.I.1999/3483).

The Regulations implement Commission Directive 2003/113/EC (OJ No. L324, 11.12.2003, p. 24) as read with the corrigenda to it (OJ No. L104, 8.4.2004, p. 135) and Commission Directive 2004/2/EC (OJ No. L14, 21.1.2004, p. 10) as read with the corrigenda to it (OJ No. L28, 31.1.2004, p. 30).

The definition of “Residues Directives” is updated (regulation 2(2)).

A replacement maximum residue level is established for the pesticide Benalaxyl in lettuce (regulation 2(4)(a)).

On 1st August 2004 new maximum residue levels are inserted in Part 2 of Schedule 2 for residues of the pesticide Fenamiphos (regulation 2(4)(b)).

On 4th June 2005 new maximum residue levels are inserted in Part 2 of Schedule 2 for residues of the pesticides Cyazofamid, 2,4-DB, Ethoxysulfuron, Foramsulfuron, Imazamox, Linuron, Oxadiargyl, Oxasulfuron and Pendimethalin (regulation 2(4)(c)).

Schedule 1, which identifies the substances residues of which are taken into account in the measuring of residue levels for each pesticide, is amended to cover the new maximum residue levels and to effect a consequential entry repositioning (regulation 2(3)).