

2004 No. 1393

**AGRICULTURE, ENGLAND AND WALES
PESTICIDES, ENGLAND AND WALES**

**The Pesticides (Maximum Residue Levels in Crops, Food
and Feeding Stuff) (England and Wales) (Amendment)
(No. 2) Regulations 2004**

<i>Made</i> - - - -	<i>18th May 2004</i>
<i>Laid before Parliament</i>	<i>21st May 2004</i>
<i>Coming into force</i> - -	<i>11th June 2004</i>

The Secretary of State for Environment, Food and Rural Affairs and the National Assembly for Wales being designated(a) for the purposes of section 2(2) of the European Communities Act 1972(b) in relation to the common agricultural policy of the European Community, acting jointly (the National Assembly for Wales acting in relation to Wales only), in exercise of the powers conferred upon them by that section, hereby make the following Regulations:

Title, extent and commencement

1. These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2004, extend to England and Wales and come into force on 11th June 2004.

Amendment to the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) Regulations 1999

2.—(1) The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) Regulations 1999(c) shall be amended in accordance with this regulation.

(2) In regulation 2(1), for the definition of the Residues Directives there shall be substituted the following definition:

“the Residues Directives” means Council Directive 86/362/EEC(d), Council Directive 86/363/EEC(e) and Council Directive 90/642/EEC(f), in each case amended as at the date of the making of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2004.”

(a) S.I. 1972/1811 and, in the case of the National Assembly for Wales, S.I. 1999/2788.
 (b) 1972 c. 68.
 (c) S.I. 1999/3483, amended by S.I. 2001/1113, S.I. 2001/2420, S.I. 2001/3834, S.I. 2002/1767, S.I. 2002/2723, S.I. 2003/661, S.I. 2003/2591 and S.I. 2004/676.
 (d) OJ No. L221, 7.8.86, p. 37. The last amending instrument is Commission Directive 2004/2/EC (OJ No. L14, 21.1.2004, p. 10).
 (e) OJ No. L221, 7.8.86, p. 43. The last amending instrument is Commission Directive 2004/2/EC (OJ No. L14, 21.1.2004, p. 10).
 (f) OJ No. L350, 14.12.90, p. 71. The last amending instrument is Commission Directive 2004/2/EC (OJ No. L14, 21.1.2004, p. 10).

(3) In Schedule 1, the following entries shall be inserted at the appropriate places in columns 1 and 2 to preserve the alphabetical ordering in column 1:

<i>Column 1 Pesticide</i>	<i>Column 2 Residues</i>
Cyazofamid 2,4-DB Ethoxysulfuron Fenamiphos	Cyazofamid 2,4-DB Ethoxysulfuron Fenamiphos (sum of fenamiphos and its sulphoxide and sulphone expressed as fenamiphos)
Foramsulfuron Imazamox Linuron Oxadiazyl Oxasulfuron Pendimethalin	Foramsulfuron Imazamox Linuron Oxadiazyl Oxasulfuron Pendimethalin

and the column 1 and 2 entries for 2,4-D shall be repositioned immediately above those for 2,4-DB.

(4) In Part 2 of Schedule 2—

- (a) in the column headed Benalaxyl, for the entry for food group 2(v) Leaf vegetables and fresh herbs, Lettuce there shall be substituted “0.5”;
- (b) on 1st August 2004, there shall be inserted, in the appropriate place to preserve the alphabetical ordering, the column of maximum permitted levels for residue of the pesticide Fenamiphos as specified in the Schedule to these Regulations;
- (c) on 4th June 2005, there shall be inserted, in the appropriate place to preserve the alphabetical ordering, the columns of maximum permitted levels for residues of the pesticides Cyazofamid, 2,4-DB, Ethoxysulfuron, Foramsulfuron, Imazamox, Linuron, Oxadiazyl, Oxasulfuron and Pendimethalin as specified in the Schedule to these Regulations.

Signed on behalf of the National Assembly for Wales

18th May 2004

D. Elis-Thomas
Presiding Officer
National Assembly for Wales

18th May 2004

Alun Michael
Minister of State
Department for Environment, Food and Rural Affairs

SCHEDULE

Regulation 2

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Cyazofamid</i>	<i>2,4-DB</i>	<i>Ethoxysulfuron</i>	<i>Fenamiphos</i>	<i>Foramsulfuron</i>	<i>Imazamox</i>	<i>Linuron</i>	<i>Oxadiargyl</i>	<i>Oxasulfuron</i>	<i>Pendimethalin</i>
1.	Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts										
(i)	CITRUS FRUIT										
	Grapefruit	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Lemons	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Limes	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Mandarins (inc clementines & similar hybrids)	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Oranges	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Pomelos	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Others	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
(ii)	TREE NUTS (shelled or unshelled)										
	Almonds	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Brazil nuts	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Cashew nuts	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Chestnuts	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Coconuts	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Hazelnuts	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Macadamia nuts	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Pecans	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Pine nuts	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Pistachios	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Walnuts	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Others	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
(iii)	POME FRUIT										
	Apples	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Pears	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Quinces	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Others	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
(iv)	STONE FRUIT										
	Apricots	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Cherries	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Peaches (inc nectarines & similar hybrids)	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Plums	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Others	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
(v)	BERRIES AND SMALL FRUIT										
	(a) Table & wine grapes										
	Table grapes	0.5	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Wine grapes	0.5	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*

Group to which food belongs	Groups include the following products										
		<i>Cyazofamid</i>	<i>2,4-DB</i>	<i>Ethoxysulfuron</i>	<i>Fenamiphos</i>	<i>Foramsulfuron</i>	<i>Imazamox</i>	<i>Linuron</i>	<i>Oxadiargyl</i>	<i>Oxasulfuron</i>	<i>Pendimethalin</i>
	(b) Strawberries (other than wild)	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	(c) Cane Fruit (other than wild)										
	Blackberries	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Dewberries	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Loganberries	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Raspberries	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Others	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	(d) Other small fruit & berries (other than wild)										
	Bilberries	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Cranberries	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Currants (red, black & white)	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Gooseberries	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Others	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	(e) Wild berries & wild fruit	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
(vi) MISCELLANEOUS FRUIT											
	Avocados	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Bananas	0.01*	0.05*	0.05*	0.05	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Dates	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Figs	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Kiwi fruit	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Kumquats	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Litchis	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Mangoes	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Olives (table consumption)	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Olives (oil extract)	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Papaya	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Passion fruit	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Pineapples	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Pomegranates	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Others	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Cyazofamid</i>	<i>2,4-DB</i>	<i>Ethoxysulfuron</i>	<i>Fenamiphos</i>	<i>Foramsulfuron</i>	<i>Imazamox</i>	<i>Linuron</i>	<i>Oxadiargyl</i>	<i>Oxasulfuron</i>	<i>Pendimethalin</i>
2. Vegetables, fresh or uncooked, frozen or dry											
(i) ROOT AND TUBER VEGETABLES											
	Beetroot	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Carrots	0.01*	0.05*	0.05*	0.05	0.01*	0.05*	0.2	0.01*	0.05*	0.2
	Celeriac	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.5	0.01*	0.05*	0.05*
	Horseradish	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.2
	Jerusalem artichokes	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Parsnips	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.2	0.01*	0.05*	0.2
	Parsley root	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.2	0.01*	0.05*	0.2
	Radishes	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Salsify	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Sweet potatoes	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Swedes	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Turnips	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Yams	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Others	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
(ii) BULB VEGETABLES											
	Garlic	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Onions	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Shallots	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Spring onions	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Others	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
(iii) FRUITING VEGETABLES											
(a) Solanacea											
	Tomatoes	0.2	0.05*	0.05*	0.05	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Peppers	0.01*	0.05*	0.05*	0.1	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Chili peppers	0.01*	0.05*	0.05*	0.1	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Aubergines	0.01*	0.05*	0.05*	0.05	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Others	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
(b) Cucurbits-edible peel											
	Cucumbers	0.1	0.05*	0.05*	0.05	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Gherkins	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Courgettes	0.01*	0.05*	0.05*	0.05	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Others	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
(c) Cucurbits-inedible peel											
	Melons	0.1	0.05*	0.05*	0.05	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Squashes	0.1	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Watermelons	0.1	0.05*	0.05*	0.05	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Others	0.1	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
(d) Sweet corn											
		0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Cyazofamid</i>	<i>2,4-DB</i>	<i>Ethoxysulfuron</i>	<i>Fenamiphos</i>	<i>Foramsulfuron</i>	<i>Imazamox</i>	<i>Linuron</i>	<i>Oxadiazyl</i>	<i>Oxasulfuron</i>	<i>Pendimethalin</i>
(iv) BRASSICA VEGETABLES											
	(a) Flowering Brassicas										
	Broccoli	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Cauliflower	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Others	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	(b) Head Brassicas										
	Brussels sprouts	0.01*	0.05*	0.05*	0.05	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Head cabbage	0.01*	0.05*	0.05*	0.05	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Others	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	(c) Leafy Brassicas										
	Chinese cabbage	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Kale	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Others	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	(d) Kohlrabi	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
(v) LEAF VEGETABLES AND FRESH HERBS											
	(a) Lettuce & similar										
	Cress	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Lamb's lettuce	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Lettuce	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Scarole	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Others	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	(b) Spinach & similar										
	Spinach	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Beet leaves (chard)	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Others	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	(c) Watercress	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	(d) Witloof	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	(e) Herbs										
	Chervil	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Chives	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Parsley	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	1	0.01*	0.05*	0.05*
	Celery leaves	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	1	0.01*	0.05*	0.05*
	Others	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
(vi) LEGUME VEGETABLES (fresh)											
	Beans (with pods)	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.2
	Beans (without pods)	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.1	0.01*	0.05*	0.2
	Peas (with pods)	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.2
	Peas (without pods)	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.1	0.01*	0.05*	0.2
	Others	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.2

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Cyazofamid</i>	<i>2,4-DB</i>	<i>Ethoxysulfuron</i>	<i>Fenamiphos</i>	<i>Foramsulfuron</i>	<i>Imazamox</i>	<i>Linuron</i>	<i>Oxadiazyl</i>	<i>Oxasulfuron</i>	<i>Pendimethalin</i>
(vii) STEM VEGETABLES											
	Asparagus	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Cardoons	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Celery	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.1	0.01*	0.05*	0.05*
	Fennel	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Globe artichokes	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Leeks	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Rhubarb	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Others	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
(viii) FUNGI											
	(a) Cultivated mushrooms	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	(b) Wild mushrooms	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
3. PULSES											
	Beans	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Lentils	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Peas	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Others	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
4. OILSEEDS											
	Linseed	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.1*	0.01*	0.05*	0.1*
	Peanuts	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.1*	0.01*	0.05*	0.1*
	Poppy seed	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.1*	0.01*	0.05*	0.1*
	Sesame seed	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.1*	0.01*	0.05*	0.1*
	Sunflower seed	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.1*	0.01*	0.05*	0.1*
	Rape seed	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.1*	0.01*	0.05*	0.1*
	Soya bean	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.1*	0.01*	0.05*	0.1*
	Mustard seed	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.1*	0.01*	0.05*	0.1*
	Cotton seed	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.1*	0.01*	0.05*	0.1*
	Others	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.1*	0.01*	0.05*	0.1*
5. POTATOES											
	Early potatoes	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Ware potatoes	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.02*	0.1*	0.1*	0.05*	0.05*	0.1*	0.1*	0.05*	0.1*	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.02*	0.1*	0.1*	0.05*	0.05*	0.1*	0.1*	0.05*	0.1*	0.1*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Cyazofamid</i>	<i>2,4-DB</i>	<i>Ethoxysulfuron</i>	<i>Fenamiphos</i>	<i>Foramsulfuron</i>	<i>Imazamox</i>	<i>Linuron</i>	<i>Oxadiargyl</i>	<i>Oxasulfuron</i>	<i>Pendimethalin</i>
8. CEREALS											
	Wheat	0.02*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Rye	0.02*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Barley	0.02*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Sorghum	0.02*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Oats	0.02*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Triticale	0.02*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Maize	0.02*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Buckwheat	0.02*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Millet	0.02*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Rice(1)	0.02*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Other cereals (2)	0.02*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
9. PRODUCTS OF ANIMAL ORIGIN											
	Meat, fat & preparations of meat (3)		0.1 (36)		0.01*					0.05*	0.05*
	Milk (4) & Dairy produce (5)		0.05*(13)		0.005*						0.05*
	Eggs (6)		0.05*		0.01*						0.05*

EXPLANATORY NOTE

(This note is not part of the Regulations)

These Regulations which extend to England and Wales, are made under section 2(2) of the European Communities Act 1972 and further amend the provisions of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) Regulations 1999 (S.I. 1999/3483).

The Regulations implement Commission Directive 2003/113/EC (OJ No. L324, 11.12.2003, p. 24) as read with the corrigenda to it (OJ No. L104, 8.4.2004, p. 135) and Commission Directive 2004/2/EC (OJ No. L14, 21.1.2004, p. 10) as read with the corrigenda to it (OJ No. L28, 31.1.2004, p. 30).

The definition of “Residues Directives” is updated (regulation 2(2)).

A replacement maximum residue level is established for the pesticide Benalaxyl in lettuce (regulation 2(4)(a)).

On 1st August 2004 new maximum residue levels are inserted in Part 2 of Schedule 2 for residues of the pesticide Fenamiphos (regulation 2(4)(b)).

On 4th June 2005 new maximum residue levels are inserted in Part 2 of Schedule 2 for residues of the pesticides Cyazofamid, 2,4-DB, Ethoxysulfuron, Foramsulfuron, Imazamox, Linuron, Oxadiazyl, Oxasulfuron and Pendimethalin (regulation 2(4)(c)).

Schedule 1, which identifies the substances residues of which are taken into account in the measuring of residue levels for each pesticide, is amended to cover the new maximum residue levels and to effect a consequential entry repositioning (regulation 2(3)).

2004 No. 1393

**AGRICULTURE, ENGLAND AND WALES
PESTICIDES, ENGLAND AND WALES**

The Pesticides (Maximum Residue Levels in Crops, Food
and Feeding Stuffs) (England and Wales) (Amendment)
(No. 2) Regulations 2004

£3.00

© Crown copyright 2004

Printed and published in the UK by The Stationery Office Limited
under the authority and superintendence of Carol Tullo, Controller of
Her Majesty's Stationery Office and Queen's Printer of Acts of Parliament.
E0502 6/2004 140502 19585

