
STATUTORY INSTRUMENTS

2005 No. 1725

**AGRICULTURE, ENGLAND AND WALES
PESTICIDES, ENGLAND AND WALES**

**The Pesticides (Maximum Residue Levels in
Crops, Food and Feeding Stuff) (England and
Wales) (Amendment) (No. 2) Regulations 2005**

| | | |
|-------------------------------|---------|-----------------------|
| <i>Made</i> | - - - - | <i>28th June 2005</i> |
| <i>Laid before Parliament</i> | | <i>30th June 2005</i> |
| <i>Coming into force</i> | - - | <i>22nd July 2005</i> |

The Secretary of State for Environment, Food and Rural Affairs and the National Assembly for Wales being designated⁽¹⁾ for the purposes of section 2(2) of the European Communities Act 1972⁽²⁾ in relation to the common agricultural policy of the European Community, acting jointly (the National Assembly for Wales acting in relation to Wales only), in exercise of the powers conferred upon them by that section, hereby make the following Regulations:

Title, extent and commencement

1. These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2005, extend to England and Wales and come into force on 22nd July 2005.

Amendment to the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) Regulations 1999

2.—(1) The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) Regulations 1999⁽³⁾ shall be amended in accordance with this regulation.

(2) In regulation 2(1), for the definition of the Residues Directives there shall be substituted the following definition:

(1) S.I. 1972/1811 and, in the case of the National Assembly for Wales, S.I. 1999/2788.

(2) 1972 c. 68.

(3) S.I. 1999/3483, amended by S.I. 2001/1113, S.I. 2001/2420, S.I. 2001/3834, S.I. 2002/1767, S.I. 2002/2723, S.I. 2003/661, S.I. 2003/2591, S.I. 2004/676, S.I. 2004/1393 and S.I. 2005/432.

““the Residues Directives” means Council Directive [86/362/EEC\(4\)](#), Council Directive [86/363/EEC\(5\)](#) and Council Directive [90/642/EEC\(6\)](#), in each case amended as at the date of the making of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2005.”

(3) In Schedule 1, for the entries for Metalaxyl and Metalaxyl—M there shall be substituted the following entries:

| <i>Column 1</i> <i>Pesticide</i> | <i>Column 2</i> <i>Residues</i> |
|-------------------------------------|---|
| Metalaxyl | (1) for products of plant origin other than cereals: metalaxyl including other mixtures of constituent isomers including metalaxyl—m (sum of isomers) (2) for cereals and foodstuffs of animal origin: metalaxyl |
| Metalaxyl—M | for cereals: metalaxyl—m |

(4) In Part 2 of Schedule 2 for the columns of maximum permitted levels for residues of the pesticides Azoxystrobin, Fenhexamid, Fenpropimorph, Iprovalicarb, Maneb Mancozeb Metiram Propineb Zineb, Metalaxyl, Metalaxyl—M, Methomyl thiodicarb, Myclobutanil and Penconazole there shall be substituted the columns of maximum permitted levels for residues of those pesticides as specified in the Schedule to these Regulations.

28th June 2005

D. Elis-Thomas
Presiding Officer National Assembly for Wales

27th June 2005

Bach
Parliamentary Under Secretary of State
Department for Environment, Food and Rural
Affairs

(4) OJ No. L221, 7.8.86, p. 37. The last amending instrument is Commission Directive [2004/61/EC](#) (OJ No. L127, 29.4.2004, p. 81).
(5) OJ No. L221, 7.8.86, p. 43. The last amending instrument is Commission Directive [2004/61/EC](#) (OJ No. L127, 29.4.2004, p. 81).
(6) OJ No. L350, 14.12.90, p. 71. The last amending instrument is Commission Directive [2004/115/EC](#) (OJ No. L374, 22.12.2004, p. 64).

SCHEDULE

Regulation 2(4)

| Group to which food belongs | Groups include the following products | Azoxystrobin | Fenhexamid | Fenpropimorph | Iprovalicarb | Maneb Mancozeb Metiram Propineb Zincb |
|---|---|--------------|------------|---------------|--------------|---|
| I. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS | | | | | | |
| (i) CITRUS FRUIT | | | | | | |
| | Grapefruit | 1 | 0.05* | 0.05* | 0.05* | 5 |
| | Lemons | 1 | 0.05* | 0.05* | 0.05* | 5 |
| | Limes | 1 | 0.05* | 0.05* | 0.05* | 5 |
| | Mandarins (inc clementines & similar hybrids) | 1 | 0.05* | 0.05* | 0.05* | 5 |
| | Oranges | 1 | 0.05* | 0.05* | 0.05* | 5 |
| | Pomelos | 1 | 0.05* | 0.05* | 0.05* | 5 |
| | Others | 1 | 0.05* | 0.05* | 0.05* | 5 |
| (ii) TREE NUTS (shelled or unshelled) | | | | | | |
| | Almonds | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* |
| | Brazil nuts | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* |
| | Cashew nuts | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* |
| | Chestnuts | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* |
| | Coconuts | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* |
| | Hazelnuts | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* |
| | Macadamia nuts | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* |
| | Pecans | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* |
| | Pine nuts | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* |
| | Pistachios | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* |
| | Walnuts | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* |
| | Others | 0.1* | 0.05* | 0.05* | 0.05* | 0.1* |
| (iii) POME FRUIT | | | | | | |
| | Apples | 0.05* | 0.05* | 0.05* | 0.05* | 3 |
| | Pears | 0.05* | 0.05* | 0.05* | 0.05* | 3 |
| | Quinces | 0.05* | 0.05* | 0.05* | 0.05* | 3 |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | 3 |
| (iv) STONE FRUIT | | | | | | |
| | Apricots | 0.05* | 5 | 0.05* | 0.05* | 2 |
| | Cherries | 0.05* | 5 | 0.05* | 0.05* | 1 |
| | Peaches (incl nectarines & similar hybrids) | 0.05* | 5 | 0.05* | 0.05* | 2 |
| | Plums | 0.05* | 1 | 0.05* | 0.05* | 1 |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| (v) BERRIES AND SMALL FRUIT | | | | | | |
| (a) Table & wine grapes | | | | | | |
| | Table grapes | 2 | 5 | 0.05* | 2 | 2 |
| | Wine grapes | 2 | 5 | 0.05* | 2 | 2 |
| (b) Strawberries (other than wild) | | | | | | |
| | Strawberries (other than wild) | 2 | 5 | 1 | 0.05* | 2 |
| (c) Cane Fruit (other than wild) | | | | | | |
| | Blackberries | 3 | 10 | 1 | 0.05* | 0.05* |
| | Dewberries | 0.05* | 10 | 1 | 0.05* | 0.05* |
| | Loganberries | 0.05* | 10 | 1 | 0.05* | 0.05* |
| | Raspberries | 3 | 10 | 1 | 0.05* | 0.05* |
| | Others | 0.05* | 10 | 1 | 0.05* | 0.05* |
| (d) Other small fruit & berries (other than wild) | | | | | | |
| | Bilberries | 0.05* | 5 | 1 | 0.05* | 0.05* |
| | Cranberries | 0.05* | 5 | 1 | 0.05* | 0.05* |
| | Currants (red, black & white) | 0.05* | 5 | 1 | 0.05* | 5 |
| | Gooseberries | 0.05* | 5 | 1 | 0.05* | 5 |
| | Others | 0.05* | 5 | 1 | 0.05* | 0.05* |
| (e) Wild berries & wild fruit | | | | | | |
| | Wild berries & wild fruit | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| (vi) MISCELLANEOUS FRUIT | | | | | | |
| | Avocados | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Bananas | 2 | 0.05* | 2 | 0.05* | 0.05* |
| | Dates | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Figs | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Kiwi fruit | 0.05* | 10 | 0.05* | 0.05* | 0.05* |
| | Kumquats | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Litchis | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Mangoes | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Olives (table consumption) | 0.05* | 0.05* | 0.05* | 0.05* | 5 |
| | Olives (oil extract) | 0.05* | 0.05* | 0.05* | 0.05* | 5 |
| | Papaya | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Passion fruit | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Pineapples | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Pomegranates | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |

Status: This is the original version (as it was originally made).

| Group to which food belongs | Groups include the following products | Azoxystrobin | Fenhexamid | Fenpropimorph | Iprovalicarb | Maneb Mancozeb Metiram Propinb Zincb |
|--|---------------------------------------|--------------|------------|---------------|--------------|--|
| 2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY | | | | | | |
| (i) ROOT AND TUBER VEGETABLES | | | | | | |
| | Beetroot | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Carrots | 0.2 | 0.05* | 0.05* | 0.05* | 0.2 |
| | Celeriac | 0.3 | 0.05* | 0.05* | 0.05* | 0.2 |
| | Horseradish | 0.2 | 0.05* | 0.05* | 0.05* | 0.05* |
| | Jerusalem artichokes | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Parsnips | 0.2 | 0.05* | 0.05* | 0.05* | 0.05* |
| | Parsley root | 0.2 | 0.05* | 0.05* | 0.05* | 0.05* |
| | Radishes | 0.05* | 0.05* | 0.05* | 0.05* | 2 |
| | Salsify | 0.2 | 0.05* | 0.05* | 0.05* | 0.2 |
| | Sweet potatoes | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Swedes | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Turnips | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Yams | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| (ii) BULB VEGETABLES | | | | | | |
| | Garlic | 0.05* | 0.05* | 0.05* | 0.05* | 0.5 |
| | Onions | 0.05* | 0.05* | 0.05* | 0.1 | 0.5 |
| | Shallots | 0.05* | 0.05* | 0.05* | 0.05* | 0.5 |
| | Spring onions | 2 | 0.05* | 0.05* | 0.05* | 1 |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| (iii) FRUITING VEGETABLES | | | | | | |
| (a) Solanacea | | | | | | |
| | Tomatoes | 2 | 1 | 0.05* | 1 | 3 |
| | Peppers | 2 | 2 | 0.05* | 0.05* | 2 |
| | Chili peppers | 2 | 2 | 0.05* | 0.05* | 2 |
| | Aubergines | 2 | 1 | 0.05* | 0.05* | 2 |
| | Others | 2 | 0.05* | 0.05* | 0.05* | 2 |
| (b) Cucurbits-edible peel | | | | | | |
| | Cucumbers | 1 | 1 | 0.05* | 0.1 | 0.5 |
| | Gherkins | 1 | 1 | 0.05* | 0.1 | 2 |
| | Courgettes | 1 | 1 | 0.05* | 0.1 | 2 |
| | Others | 1 | 1 | 0.05* | 0.05* | 0.05* |
| (c) Cucurbits-inedible peel | | | | | | |
| | Melons | 0.5 | 0.05* | 0.05* | 0.2 | 0.5 |
| | Squashes | 0.5 | 0.05* | 0.05* | 0.05* | 0.5 |
| | Watermelons | 0.5 | 0.05* | 0.05* | 0.2 | 0.5 |
| | Others | 0.5 | 0.05* | 0.05* | 0.05* | 0.5 |
| | (d) Sweet corn | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| (iv) BRASSICA VEGETABLES | | | | | | |
| (a) Flowering Brassicas | | | | | | |
| | Broccoli | 0.5 | 0.05* | 0.05* | 0.05* | 1 |
| | Cauliflower | 0.5 | 0.05* | 0.05* | 0.05* | 1 |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | 1 |
| (b) Head Brassicas | | | | | | |
| | Brussels sprouts | 0.1 | 0.05* | 0.5 | 0.05* | 1 |
| | Head cabbage | 0.3 | 0.05* | 0.05* | 0.05* | 1 |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | 1 |
| (c) Leafy Brassicas | | | | | | |
| | Chinese cabbage | 5 | 0.05* | 0.05* | 0.05* | 0.5 |
| | Kale | 5 | 0.05* | 0.05* | 0.05* | 2 |
| | Others | 5 | 0.05* | 0.05* | 0.05* | 0.5 |
| (d) Kohlrabi | | | | | | |
| | Kohlrabi | 0.2 | 0.05* | 0.05* | 0.05* | 0.1* |
| (v) LEAF VEGETABLES AND FRESH HERBS | | | | | | |
| (a) Lettuce & similar | | | | | | |
| | Cress | 3 | 0.05* | 0.05* | 1 | 5 |
| | Lamb's lettuce | 3 | 0.05* | 0.05* | 1 | 5 |
| | Lettuce | 3 | 30 | 0.05* | 1 | 5 |
| | Scarole | 3 | 0.05* | 0.05* | 1 | 5 |
| | Others | 3 | 0.05* | 0.05* | 1 | 5 |
| (b) Spinach & similar | | | | | | |
| | Spinach | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Beet leaves (chard) | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| (c) Watercress | | | | | | |
| | Watercress | 0.05* | 0.05* | 0.05* | 0.05* | 0.3 |
| (d) Witloof | | | | | | |
| | Witloof | 0.2 | 0.05* | 0.05* | 0.05* | 0.2 |
| (e) Herbs | | | | | | |
| | Chervil | 3 | 0.05* | 0.05* | 0.05* | 5 |
| | Chives | 3 | 0.05* | 0.05* | 0.05* | 5 |
| | Parsley | 3 | 0.05* | 0.05* | 0.05* | 5 |
| | Celery leaves | 3 | 0.05* | 0.05* | 0.05* | 5 |
| | Others | 3 | 0.05* | 0.05* | 0.05* | 5 |
| (vi) LEGUME VEGETABLES (fresh) | | | | | | |
| | Beans (with pods) | 1 | 0.05* | 0.05* | 0.05* | 1 |
| | Beans (without pods) | 0.2 | 0.05* | 0.05* | 0.05* | 0.1 |
| | Peas (with pods) | 0.5 | 0.05* | 0.05* | 0.05* | 1 |
| | Peas (without pods) | 0.2 | 0.05* | 0.05* | 0.05* | 0.1 |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |

Status: This is the original version (as it was originally made).

| Group to which food belongs | Groups include the following products | Azoxystrobin | Fenhexamid | Fenpropimorph | Iprovalicarb | Maneb Mancozeb Metiram Propineb Zineb |
|---|--|--------------|-------------|--|--------------|---|
| (vii) STEM VEGETABLES | | | | | | |
| | Asparagus | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Cardoons | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Celery | 5 | 0.05* | 0.05* | 0.05* | 0.5 |
| | Fennel | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Globe artichokes | 1 | 0.05* | 0.05* | 0.05* | 0.05* |
| | Leeks | 0.1 | 0.05* | 0.5 | 0.05* | 3 |
| | Rhubarb | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| (viii) FUNGI | | | | | | |
| | (a) Cultivated mushrooms | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | (b) Wild mushrooms | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| 3. PULSES | | | | | | |
| | Beans | 0.1 | 0.05* | 0.05* | 0.05* | 0.05* |
| | Lentils | 0.1 | 0.05* | 0.05* | 0.05* | 0.05* |
| | Peas | 0.1 | 0.05* | 0.05* | 0.05* | 0.05* |
| | Others | 0.1 | 0.05* | 0.05* | 0.05* | 0.05* |
| 4. OILSEEDS | | | | | | |
| | Linseed | 0.05* | 0.1* | 0.05* | 0.1* | 0.1* |
| | Peanuts | 0.05* | 0.1* | 0.05* | 0.1* | 0.1* |
| | Poppy seed | 0.05* | 0.1* | 0.05* | 0.1* | 0.1* |
| | Sesame seed | 0.05* | 0.1* | 0.05* | 0.1* | 0.1* |
| | Sunflower seed | 0.05* | 0.1* | 0.05* | 0.1* | 0.1* |
| | Rape seed | 0.5 | 0.1* | 0.05* | 0.1* | 0.5 |
| | Soya bean | 0.5 | 0.1* | 0.05* | 0.1* | 0.1* |
| | Mustard seed | 0.05* | 0.1* | 0.05* | 0.1* | 0.1* |
| | Cotton seed | 0.05* | 0.1* | 0.05* | 0.1* | 0.1* |
| | Others | 0.05* | 0.1* | 0.05* | 0.1* | 0.1* |
| 5. POTATOES | | | | | | |
| | Early potatoes | 0.05* | 0.05* | 0.05* | 0.05* | 0.1 |
| | Ware potatoes | 0.05* | 0.05* | 0.05* | 0.05* | 0.1 |
| 6. TEA | | | | | | |
| | (dried leaves and stalks, fermented or otherwise, Camellia sinensis) | 0.1* | 0.1* | 0.1* | 0.1* | 0.1* |
| 7. HOPS (dried) | | | | | | |
| | including hop pellets & unconcentrated powder | 20 | 0.1* | 10 | 0.1* | 25 |
| 8. CEREALS | | | | | | |
| | Wheat | 0.3 | 0.05* | 0.5 ⁽⁴²⁾ | 0.05* | 1 |
| | Rye | 0.3 | 0.05* | 0.5 | 0.05* | 1 |
| | Barley | 0.3 | 0.05* | 0.5 | 0.05* | 2 |
| | Sorghum | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Oats | 0.3 | 0.05* | 0.5 | 0.05* | 2 |
| | Triticale | 0.3 | 0.05* | 0.5 | 0.05* | 0.05* |
| | Maize | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Buckwheat | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Millet | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Rice (*) | 5 | 0.05* | 0.05* | 0.05* | 0.05* |
| | Other cereals | 0.05* | 0.05* | 0.05* ⁽¹³⁾ | 0.05* | 0.05* |
| Group to which food belongs | Groups include the following products | Azoxystrobin | Fenhexamid | Fenpropimorph | Iprovalicarb | Maneb Mancozeb Metiram Propineb Zineb |
| 9. PRODUCTS OF ANIMAL ORIGIN | | | | | | |
| | Meat, edible offal, fat & preparations of meat and edible offal ⁽²⁾ | 0.05* | 0.05* | 0.3 ⁽⁴⁶⁾ 0.05 ⁽⁴⁷⁾ 0.01* ⁽⁴⁸⁾ 0.02 ⁽⁴⁹⁾ 0.01 ⁽¹⁷⁾ | | 0.05* |
| | Milk ^(*) & Dairy Produce ^(*) | 0.01* | 0.05* | 0.01 | | 0.05* |
| | Eggs ^(*) | 0.05* | 0.05* | 0.01* | | 0.05* |
| Group to which food belongs | Groups include the following products | Metalaxyl | Metalaxyl-M | Methomyl thiodicarb | Myclobutanil | Penconazole |
| 1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS | | | | | | |
| (i) CITRUS FRUIT | | | | | | |
| | Grapefruit | 0.5 | | 0.5 | 3 | 0.05* |
| | Lemons | 0.5 | | 1 | 3 | 0.05* |
| | Limes | 0.5 | | 1 | 3 | 0.05* |
| | Mandarins (inc clementines & similar hybrids) | 0.5 | | 1 | 3 | 0.05* |
| | Oranges | 0.5 | | 0.5 | 3 | 0.05* |
| | Pomelos | 0.5 | | 0.5 | 3 | 0.05* |
| | Others | 0.5 | | 0.05* | 3 | 0.05* |
| (ii) TREE NUTS (shelled or unshelled) | | | | | | |
| | Almonds | 0.05* | | 0.05* | 0.05* | 0.05* |
| | Brazil nuts | 0.05* | | 0.05* | 0.05* | 0.05* |
| | Cashew nuts | 0.05* | | 0.05* | 0.05* | 0.05* |
| | Chestnuts | 0.05* | | 0.05* | 0.05* | 0.05* |
| | Cocanuts | 0.05* | | 0.05* | 0.05* | 0.05* |
| | Hazelnuts | 0.05* | | 0.05* | 0.05* | 0.05* |
| | Macadamia nuts | 0.05* | | 0.05* | 0.05* | 0.05* |
| | Pecans | 0.05* | | 0.05* | 0.05* | 0.05* |
| | Pine nuts | 0.05* | | 0.05* | 0.05* | 0.05* |
| | Pistachios | 0.05* | | 0.05* | 0.05* | 0.05* |
| | Walnuts | 0.05* | | 0.05* | 0.05* | 0.05* |
| | Others | 0.05* | | 0.05* | 0.05* | 0.05* |
| (iii) POME FRUIT | | | | | | |
| | Apples | 1 | | 0.2 | 0.5 | 0.2 |
| | Pears | 1 | | 0.2 | 0.5 | 0.2 |
| | Quinces | 1 | | 0.2 | 0.5 | 0.2 |
| | Others | 1 | | 0.2 | 0.5 | 0.2 |
| (iv) STONE FRUIT | | | | | | |
| | Apricots | 0.05* | | 0.2 | 0.3 | 0.1 |
| | Cherries | 0.05* | | 0.1 | 1 | 0.05* |
| | Peaches (incl nectarines & similar hybrids) | 0.05* | | 0.2 | 0.5 | 0.1 |
| | Plums | 0.05* | | 0.5 | 0.5 | 0.05* |
| | Others | 0.05* | | 0.05* | 0.02* | 0.05* |

Status: This is the original version (as it was originally made).

| Group to which food belongs | Groups include the following products | Matalaxyl | Metalaxyl-M | Methomyl thiodicarb | Myclobutanil | Penconazole |
|--|---|-----------|-------------|---------------------|--------------|-------------|
| (v) BERRIES AND SMALL FRUIT | | | | | | |
| (a) | Table & wine grapes | | | | | |
| | Table grapes | 2 | | 0.05* | 1 | 0.2 |
| | Wine grapes | 1 | | 1 | 1 | 0.2 |
| (b) | Strawberries (other than wild) | 0.5 | | 0.05* | 1 | 0.05* |
| (c) | Cane Fruit (other than wild) | | | | | |
| | Blackberries | 0.05* | | 0.05* | 1 | 0.05* |
| | Dewberries | 0.05* | | 0.05* | 0.02* | 0.05* |
| | Loganberries | 0.05* | | 0.05* | 0.02* | 0.05* |
| | Raspberries | 0.05* | | 0.05* | 1 | 0.05* |
| | Others | 0.05* | | 0.05* | 0.02* | 0.05* |
| (d) | Other small fruit & berries (other than wild) | | | | | |
| | Bilberries | 0.05* | | 0.05* | 0.02* | 0.05* |
| | Cranberries | 0.05* | | 0.05* | 0.02* | 0.05* |
| | Currants (red, black & white) | 0.05* | | 0.05* | 1 | 0.5 |
| | Gooseberries | 0.05* | | 0.05* | 1 | 0.05* |
| | Others | 0.05* | | 0.05* | 0.02* | 0.05* |
| (e) | Wild berries & wild fruit | 0.05* | | 0.05* | 0.02* | 0.05* |
| (vi) MISCELLANEOUS FRUIT | | | | | | |
| | Avocados | 0.05* | | 0.05* | 0.02* | 0.05* |
| | Bananas | 0.05* | | 0.05* | 2 | 0.05* |
| | Dates | 0.05* | | 0.05* | 0.02* | 0.05* |
| | Figs | 0.05* | | 0.05* | 0.02* | 0.05* |
| | Kiwi fruit | 0.05* | | 0.05* | 0.02* | 0.05* |
| | Kumquats | 0.05* | | 0.05* | 0.02* | 0.05* |
| | Litchis | 0.05* | | 0.05* | 0.02* | 0.05* |
| | Mangoes | 0.05* | | 0.05* | 0.02* | 0.05* |
| | Olives (table consumption) | 0.05* | | 0.05* | 0.02* | 0.05* |
| | Olives (oil extract) | 0.05* | | 0.05* | 0.02* | 0.05* |
| | Papaya | 0.05* | | 0.05* | 0.02* | 0.05* |
| | Passion fruit | 0.05* | | 0.05* | 0.02* | 0.05* |
| | Pineapples | 0.05* | | 0.05* | 0.02* | 0.05* |
| | Pomegranates | 0.05* | | 0.05* | 0.02* | 0.05* |
| | Others | 0.05* | | 0.05* | 0.02* | 0.05* |
| Group to which food belongs | Groups include the following products | Metalaxyl | Metalaxyl-M | Methomyl thiodicarb | Myclobutanil | Penconazole |
| 2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY | | | | | | |
| (i) ROOT AND TUBER VEGETABLES | | | | | | |
| | Beetroot | 0.05* | | 0.05* | 0.02* | 0.05* |
| | Carrots | 0.1 | | 0.05* | 0.2 | 0.05* |
| | Celeriac | 0.05* | | 0.05* | 0.02* | 0.05* |
| | Horseradish | 0.05* | | 0.05* | 0.2 | 0.05* |
| | Jerusalem artichokes | 0.05* | | 0.05* | 0.02* | 0.05* |
| | Parsnips | 0.1 | | 0.05* | 0.2 | 0.05* |
| | Parsley root | 0.05* | | 0.05* | 0.2 | 0.05* |
| | Radishes | 0.05* | | 0.5 | 0.02* | 0.05* |
| | Salsify | 0.05* | | 0.05* | 0.02* | 0.05* |
| | Sweet potatoes | 0.05* | | 0.05* | 0.02* | 0.05* |
| | Swedes | 0.05* | | 0.05* | 0.02* | 0.05* |
| | Turnips | 0.05* | | 0.05* | 0.02* | 0.05* |
| | Yams | 0.05* | | 0.05* | 0.02* | 0.05* |
| | Others | 0.05* | | 0.05* | 0.02* | 0.05* |
| (ii) BULB VEGETABLES | | | | | | |
| | Garlic | 0.5 | | 0.05* | 0.02* | 0.05* |
| | Onions | 0.5 | | 0.05* | 0.02* | 0.05* |
| | Shallots | 0.5 | | 0.05* | 0.02* | 0.05* |
| | Spring onions | 0.2 | | 0.05* | 0.02* | 0.05* |
| | Others | 0.05* | | 0.05* | 0.02* | 0.05* |
| (iii) FRUITING VEGETABLES | | | | | | |
| (a) | Solanacea | | | | | |
| | Tomatoes | 0.2 | | 0.5 | 0.3 | 0.05* |
| | Peppers | 0.5 | | 0.05* | 0.5 | 0.05* |
| | Chili peppers | 0.5 | | 0.05* | 0.5 | 0.05* |
| | Aubergines | 0.05* | | 0.5 | 0.3 | 0.05* |
| | Others | 0.05* | | 0.05* | 0.02* | 0.05* |
| (b) | Cucurbits-edible peel | | | | | |
| | Cucumbers | 0.5 | | 0.05* | 0.1 | 0.05* |
| | Gherkins | 0.05* | | 0.05* | 0.1 | 0.05* |
| | Courgettes | 0.05* | | 0.05* | 0.1 | 0.05* |
| | Others | 0.05* | | 0.05* | 0.1 | 0.05* |
| (c) | Cucurbits-inedible peel | | | | | |
| | Melons | 0.2 | | 0.05* | 0.2 | 0.1 |
| | Squashes | 0.05* | | 0.05* | 0.2 | 0.1 |
| | Watermelons | 0.2 | | 0.05* | 0.2 | 0.1 |
| | Others | 0.05* | | 0.05* | 0.2 | 0.1 |
| (d) | Sweet corn | 0.05* | | 0.05* | 0.02* | 0.05* |

| Group to which food belongs | Groups include the following products | Metalaxyl | Metalaxyl-M | Methomyl thiodicarb | Myclobutanil | Penconazole |
|--|--|-----------|-------------|---------------------|--------------|-------------|
| (iv) BRASSICA VEGETABLES | | | | | | |
| (a) | Flowering Brassicas | | | | | |
| | Broccoli | 0.1 | | 0.2 | 0.02* | 0.05* |
| | Cauliflower | 0.1 | | 0.05* | 0.02* | 0.05* |
| | Others | 0.1 | | 0.05* | 0.02* | 0.05* |
| (b) | Head Brassicas | | | | | |
| | Brussels sprouts | 0.05* | | 0.05* | 0.02* | 0.05* |
| | Head cabbage | 1 | | 0.05* | 0.02* | 0.05* |
| | Others | 0.05* | | 0.05* | 0.02* | 0.05* |
| (c) | Leafy Brassicas | | | | | |
| | Chinese cabbage | 0.05* | | 0.05* | 0.02* | 0.05* |
| | Kale | 0.2 | | 0.05* | 0.02* | 0.05* |
| | Others | 0.05* | | 0.05* | 0.02* | 0.05* |
| (d) | Kohlrabi | 0.05* | | 0.05* | 0.02* | 0.05* |
| (v) LEAF VEGETABLES AND FRESH HERBS | | | | | | |
| (a) | Lettuce & similar | | | | | |
| | Cress | 0.05* | | 0.05* | 0.02* | 0.05* |
| | Lamb's lettuce | 0.05* | | 0.05* | 5 | 0.05* |
| | Lettuce | 2 | | 2 | 0.02* | 0.05* |
| | Scarole | 1 | | 0.05* | 0.02* | 0.05* |
| | Others | 0.05* | | 0.05* | 0.02* | 0.05* |
| (b) | Spinach & similar | | | | | |
| | Spinach | 0.05* | | 2 | 0.02* | 0.05* |
| | Beet leaves (chard) | 0.05* | | 2 | 0.02* | 0.05* |
| | Others | 0.05* | | 2 | 0.02* | 0.05* |
| (c) | Watercress | 0.05* | | 0.05* | 0.02* | 0.05* |
| (d) | Witloof | 0.3 | | 0.05* | 0.02* | 0.05* |
| (e) | Herbs | | | | | |
| | Chervil | 1 | | 2 | 0.02* | 0.05* |
| | Chives | 1 | | 2 | 0.02* | 0.05* |
| | Parsley | 1 | | 2 | 0.02* | 0.05* |
| | Celery leaves | 1 | | 2 | 0.02* | 0.05* |
| | Others | 1 | | 2 | 0.02* | 0.05* |
| (vi) LEGUME VEGETABLES (fresh) | | | | | | |
| | Beans (with pods) | 0.05* | | 0.05* | 0.02* | 0.05* |
| | Beans (without pods) | 0.05* | | 0.05* | 0.02* | 0.05* |
| | Peas (with pods) | 0.05* | | 0.05* | 0.02* | 0.05* |
| | Peas (without pods) | 0.05* | | 0.05* | 0.02* | 0.05* |
| | Others | 0.05* | | 0.05* | 0.02* | 0.05* |
| Group to which food belongs | Groups include the following products | Metalaxyl | Metalaxyl-M | Methomyl thiodicarb | Myclobutanil | Penconazole |
| (vii) STEM VEGETABLES | | | | | | |
| | Asparagus | 0.05* | | 0.05* | 0.02* | 0.05* |
| | Cardoons | 0.05* | | 0.05* | 0.02* | 0.05* |
| | Celery | 0.05* | | 0.05* | 0.02* | 0.05* |
| | Fennel | 0.05* | | 0.05* | 0.02* | 0.05* |
| | Globe artichokes | 0.05* | | 0.05* | 0.5 | 0.2 |
| | Leeks | 0.2 | | 0.05* | 0.02* | 0.05* |
| | Rhubarb | 0.05* | | 0.05* | 0.02* | 0.05* |
| | Others | 0.05* | | 0.05* | 0.02* | 0.05* |
| (viii) FUNGI | | | | | | |
| (a) | Cultivated mushrooms | 0.05* | | 0.05* | 0.02* | 0.05* |
| (b) | Wild mushrooms | 0.05* | | 0.05* | 0.02* | 0.05* |
| 3. PULSES | | | | | | |
| | Beans | 0.05* | | 0.05* | 0.02* | 0.05* |
| | Lentils | 0.05* | | 0.05* | 0.02* | 0.05* |
| | Peas | 0.05* | | 0.05* | 0.02* | 0.05* |
| | Others | 0.05* | | 0.05* | 0.02* | 0.05* |
| 4. OILSEEDS | | | | | | |
| | Linseed | 0.1* | | 0.05* | 0.05* | 0.05* |
| | Peanuts | 0.1* | | 0.1 | 0.05* | 0.05* |
| | Poppy seed | 0.1* | | 0.05* | 0.05* | 0.05* |
| | Sesame seed | 0.1* | | 0.05* | 0.05* | 0.05* |
| | Sunflower seed | 0.1* | | 0.05* | 0.05* | 0.05* |
| | Rape seed | 0.1* | | 0.05* | 0.05* | 0.05* |
| | Soya bean | 0.1 | | 0.1 | 0.05* | 0.05* |
| | Mustard seed | 0.1* | | 0.05* | 0.05* | 0.05* |
| | Cotton seed | 0.1* | | 0.1 | 0.05* | 0.05* |
| | Others | 0.1* | | 0.05* | 0.05* | 0.05* |
| 5. POTATOES | | | | | | |
| | Early potatoes | 0.05* | | 0.05* | 0.02* | 0.05 |
| | Ware potatoes | 0.05* | | 0.05* | 0.02* | 0.05 |
| 6. TEA | | | | | | |
| | (dried leaves and stalks, fermented or otherwise, Camellia sinensis) | 0.1* | | 0.1* | 0.05* | 0.1* |
| 7. HOPS (dried) | | | | | | |
| | including hop pellets & unconcentrated powder | 10 | | 10 | 2 | 0.5 |
| 8. CEREALS | | | | | | |
| | Wheat | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* |
| | Rye | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* |
| | Barley | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* |
| | Sorghum | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* |
| | Oats | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* |
| | Triticale | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* |
| | Maize | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* |
| | Buckwheat | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* |
| | Millet | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* |
| | Rice (*) | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* |
| | Other cereals | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* |
| Group to which food belongs | Groups include the following products | Metalaxyl | Metalaxyl-M | Methomyl thiodicarb | Myclobutanil | Penconazole |
| 9. PRODUCTS OF ANIMAL ORIGIN | | | | | | |
| | Meat, edible offal, fat & preparations of meat and edible offal(*) | 0.05* | | 0.02 | 0.01* | 0.01* |
| | Milk(*) & Dairy Produce(*) | 0.05* | | 0.02 | 0.01* | 0.01* |
| | Eggs(*) | 0.05* | | 0.02 | 0.01* | 0.05* |

EXPLANATORY NOTE

(This note is not part of the Regulations)

These Regulations which extend to England and Wales, are made under section 2(2) of the European Communities Act 1972 and further amend the provisions of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) Regulations 1999 (S.I.1999/3483).

The Regulations implement Commission Directive 2004/115/EC (OJ No. L374, 22.12.2004, p.64).

The definition of “the Residues Directives” is updated (regulation 2(2)).

In Schedule 1, which identifies the substances residues of which are taken into account in the measuring of residue levels for each pesticide, the residues for the pesticides Metalaxyl and Metalaxyl—M are replaced (regulation 2(3)).

New maximum residue levels are substituted in Part 2 of Schedule 2 for residues of the pesticides Azoxystrobin, Fenhexamid, Fenpropimorph, Iprovalicarb, Maneb Mancozeb Metiram Propineb Zineb, Metalaxyl, Metalaxyl—M, Methomyl thiodicarb, Myclobutanil and Penconazole (regulation 2(4)).