## SCHEDULE 2

Articles 5(1), 12(2), 18(1), 19(1), 23(4), 28(7), 31(5), 32(2), 40(2), 41(2) and 42(2)

Prohibitions on the landing in and movement within Great Britain of infected relevant material

PART A

Relevant material which may not be landed in or moved within Great Britain if that material is carrying or infected with tree pests

(1) Item	(2) Description of relevant material	(3) Tree pest
	Trees, other than fruit or seeds, of <i>Juniperus</i> L., originating in any country outside Europe	Aschistonyx eppoi Inouye
	Trees, other than fruit or seeds, of <i>Abies</i> Mill., <i>Cedrus</i> Trew, <i>Larix</i> Mill., <i>Picea</i> A Dietr., <i>Pinus</i> L., <i>Pseudotsuga</i> Carr. or <i>Tsuga</i> Carr., or wood of conifers (Coniferales), originating in any country outside Europe	Bursaphelenchus xylophilus (Steiner and Bührer) Nickle et al., the Pine Wood Nematode
	Trees, other than fruit or seeds, of <i>Juniperus</i> L., originating in any country outside Europe	Oligonychus perditus Pritchard and Baker
	Trees, other than fruit or seeds, of conifers (Coniferales); wood of conifers retaining any bark; or isolated bark of conifers, in any case originating in any country outside Europe	
	Trees, other than fruit or seeds, of conifers (Coniferales) over 3 metres in height; wood of conifers retaining any bark; or isolated bark of conifers, in any case originating in any country outside Europe	Scolytidae spp. (non-European), Bark Beetles
	Trees, other than fruit or seeds, of <i>Pinus</i> L.; or wood or isolated bark of <i>Pinus</i> L.	Atropellis spp., the cause of Atropellis Canker of pine
	Trees, other than fruit or seeds, of <i>Acer saccharum</i> Marsh.; or wood of <i>Acer saccharum</i> Marsh., including wood which has not kept its natural round	Ceratocystis virescens (Davidson) Moreau, the cause of Sapstreak of maple
	Trees, other than fruit or seeds, of <i>Acer saccharum</i> Marsh.; or wood of <i>Acer saccharum</i> Marsh., including wood which	(D

(1)	(2)	(3)
Item	Description of relevant material	Tree pest
	surface, in any case originating in the USA or Canada	
8.	Trees, other than fruit or seeds, of <i>Pinus</i> L.; or wood of <i>Pinus</i> L.	Cercoseptoria pini-densiflorae (Hori and Nambu) Deighton, a cause of Needle Blight of pine
9.	Trees, other than fruit or seeds, of <i>Pinus</i> L.	Scirrhia acicola (Dearn.) Siggers, the cause of Brown Spot Needle Blight of pine
10.	Trees, other than seeds, of <i>Platanus</i> L., intended for planting; or wood of <i>Platanus</i> L., including wood which has not kept its natural round surface	Ceratocystis fimbriata f. sp. platani Walter, the cause of Canker Stain of plane
11.	Trees, other than seeds, of <i>Castanea</i> Mill. or <i>Quercus</i> L., intended for planting.	Cryphonectria parasitica (Murrill) Barr, the cause of Sweet Chestnut Blight
12.	Trees, other than seeds, of <i>Pinus</i> L., intended for planting	Scirrhia pini Funk and Parker, a cause of Needle Blight of pine

PART B Relevant material which may not be landed in or moved within Great Britain (as a protected zone) if that material is carrying or infected with tree pests

(1)	(2)	(3)	(4)
Item	Protected zone	Description of relevant material	Tree pest
1.	Great Britain	Trees, other than fruit or seeds, of <i>Abies</i> Mill., <i>Larix</i> Mill., <i>Picea</i> A. Dietr. or <i>Pinus</i> L., over 3 metres in height; wood of conifers (Coniferales) retaining any bark; or isolated bark of conifers	Ips amitinus (Eichoff), the Smaller Eight- toothed Spruce Bark Beetle  Ips duplicatus (Sahlberg), the Northern Spruce Bark Beetle
2.	Great Britain	Trees, other than fruit or seeds, of <i>Abies</i> Mill., <i>Larix</i> Mill., <i>Picea</i> A. Dietr, <i>Pinus</i> L. or <i>Pseudotsuga</i> Carr., over 3 metres	Ips typographus (Heer), the Larger Eight-toothed Spruce Bark Beetle

Status: This is the original version (as it was originally made).

(1)	(2)	(3)	(4)
Item	Protected zone	Description of relevant material	Tree pest
		in height; wood of conifers (Coniferales) retaining any bark; or isolated bark of conifers	
3.	Great Britain	Wood, other than wood which is bark-free, of <i>Castanea</i> Mill., or isolated bark of <i>Castanea</i> Mill.	Cryphonectria parasitica (Murrill) Barr, the cause of Sweet Chestnut Blight