
STATUTORY INSTRUMENTS

2006 No. 2922

**AGRICULTURE, ENGLAND AND WALES
PESTICIDES, ENGLAND AND WALES**

**The Pesticides (Maximum Residue Levels in
Crops, Food and Feeding Stuff) (England and
Wales) (Amendment) (No. 3) Regulations 2006**

Made - - - - 6th November 2006

Laid before Parliament 10th November 2006

*Coming into force in accordance with regulation 1(3)
to (7)*

The Secretary of State for Environment, Food and Rural Affairs and the National Assembly for Wales, are designated⁽¹⁾ for the purposes of section 2(2) of the European Communities Act 1972⁽²⁾ in relation to the common agricultural policy of the European Community.

Acting jointly (the National Assembly for Wales acting in relation to Wales only), in exercise of the powers conferred on them by that section, they make the following Regulations:

Citation, interpretation and commencement

1.—(1) These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 3) Regulations 2006.

(2) In these Regulations “the principal Regulations” means the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) Regulations 2005⁽³⁾.

(3) Subject to paragraphs (4) to (7), these Regulations shall come into force on 9th December 2006.

(4) Regulation 4 shall come into force on 30th December 2006.

(5) Regulation 5 shall come into force on 21st January 2007.

(6) Regulation 6 shall come into force on 21st April 2007.

(7) Regulation 7 shall come into force on 30th December 2007.

⁽¹⁾ [S.I. 1972/1811](#) and, in the case of the National Assembly for Wales, [S.I. 2005/2766](#).

⁽²⁾ [1972 c.68](#).

⁽³⁾ [S.I. 2005/3286](#), as amended by [S.I. 2006/985](#) and [S.I. 2006/1742](#).

Amendments to the principal Regulations

2. The principal Regulations are amended in accordance with regulations 3 to 7.

Amendments coming into force on 9th December 2006

3.—(1) In regulation 2(1) (interpretation), for the definition of “the Residues Directives” substitute the following definition—

““the Residues Directives” means Directive 76/895(4), Directive 86/362(5), Directive 86/363(6) and Directive 90/642(7), in each case as amended at the date of the making of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 3) Regulations 2006”.

(2) In Schedule 2 (maximum residue levels)—

- (i) for the entries in the columns relating to the pesticides Benomyl and Carbendazim, Chloromequat, Cyazofamid, Fenbutatin Oxide, Fenhexamid, Linuron, Pymetrozine, Thiophanate-methyl and Triadimefon and Triadimenol, substitute the entries in the columns relating to those pesticides set out in Schedule 1 to these Regulations;
- (ii) in the column relating to the pesticide Oxadiargyl, for the entry for the food group 2(v)(a) Lettuce, substitute “0.01*”.

(3) In Schedule 3, in paragraph 2(v)(a) (lettuce and similar), in column 2, beneath “Scarole” insert “Ruccola” and beneath that insert “Leaves and stems of brassica”.

Amendments coming into force on 30th December 2006

4. Schedules 1 and 2 of the principal Regulations are amended as follows—

- (a) in Schedule 1 (pesticide residues), for the entry relating to Deltamethrin, substitute the entry for Deltamethrin set out in Schedule 2 to these Regulations; and
- (b) in Schedule 2—
- (i) for the entries in the columns relating to Carbaryl, Deltamethrin, Endosulfan, Fenitrothion and Methidathion, substitute the entries in the columns relating to those pesticides set out in Schedule 1 to these Regulations;
- (ii) at the end, insert as footnote 47 the footnote numbered (47) set out on page 25 to these Regulations.

Amendment coming into force on 21st January 2007

5. Schedules 1 and 2 of the principal Regulations are amended as follows—

- (a) in Schedule 1—
- (i) for the entry for Cyfluthrin, substitute the entry for Cyfluthrin set out in Schedule 2 to these Regulations;
- (ii) in the appropriate place in the alphabetical sequence, insert the entry for the pesticide Fenthion set out in Schedule 2 to these Regulations;
- (b) in Schedule 2—
- (i) for the entries in the columns relating to Abamectin, Atrazine, Azinphos-ethyl, Cyfluthrin, Ethephon, Fenpropimorph, Methamidophos, Methomyl thiodicarb,

(4) OJ No. L340, 9.12.1976, p.26, as last amended by Commission Directive 2006/59/EC (OJ No. L175, 29.6.2006, p.61).

(5) OJ No. L221, 7.8.1986, p.37, as last amended by Commission Directive 2006/61/EC (OJ No. L206, 27.7.2006, p.12).

(6) OJ No. L221, 7.8.1986, p.43, as last amended by Commission Directive 2006/61/EC (OJ No. L206, 27.7.2006, p.12).

(7) OJ No. L350, 14.12.1990, p.71, as last amended by Commission Directive 2006/61/EC (OJ No. L206, 27.7.2006, p.12).

Myclobutanil, Paraquat, Thiabendazole, Triazophos and Trifloxystrobin substitute the entries in the columns relating to those pesticides set out in Schedule 1 to these Regulations;

- (ii) in the appropriate place in the alphabetical sequence, insert the entries in the column relating to the pesticide Fenthion set out in Schedule 1 to these Regulations; and
- (c) in Schedule 3, in paragraph 3 (pulses), in column 2, beneath “Peas” insert “Lupins”.

Amendment coming into force on 21st April 2007

6. Schedules 1 and 2 of the principal Regulations are amended as follows—
- (a) in Schedule 1, in the appropriate place in the alphabetical sequence, insert the entry for the pesticide Pyraclostrobin set out in Schedule 2 to these Regulations; and
 - (b) in Schedule 2—
 - (i) for the column relating to Glyphosate substitute the two columns relating to Glyphosate set out in Schedule 1 to these Regulations;
 - (ii) in the appropriate place in the alphabetical sequence, insert the entries in the column relating to the pesticide Pyraclostrobin set out in Schedule 1 to these Regulations.

Amendment coming into force on 30th December 2007

7. Schedules 1 and 2 of the principal Regulations are amended as follows—
- (a) in Schedule 1, in the appropriate place in the alphabetical sequence, insert the entry for the pesticide Oxamyl set out in Schedule 2 to these Regulations; and
 - (b) In Schedule 2, in the appropriate place in the alphabetical sequence, insert the entries in the column relating to the pesticide Oxamyl set out in Schedule 1 to these Regulations.

Amendment to and revocation of part of regulation 6 of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) Regulations 2006

8. In regulation 6 (amendments coming into force on 21st April 2007) of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) Regulations 2006(8)—

- (a) in paragraphs (a)(ii) and (b)(ii), “Pyraclostrobin” is deleted; and
- (b) paragraph (b)(i) is revoked.

24th October 2006

6th November 2006

D Elis-Thomas
Presiding Officer
National Assembly for Wales
Jeff Rooker
Minister of State
Department for Environment, Food and Rural
Affairs

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 1

Regulations 3 to 8

ENTRIES SUBSTITUTED OR INSERTED IN
SCHEDULE 2 TO THE PRINCIPAL REGULATIONS

Index to pesticides

<i>Pesticides name</i>										<i>Page</i>
Abamectin - Cyfluthrin										P5
Deltamethrin - Fenthion										P15
Glyphosate - Oxamyl										P26
Paraquat - Trifloxystrobin										P37

<i>Group to which the food belongs</i>	<i>Groups to include the following products</i>	<i>Abamectin</i>	<i>Atrazine</i>	<i>Azinphos ethyl</i>	<i>Benomyl/ Carbendazim</i>	<i>Carbaryl</i>	<i>Chlormequat</i>	<i>cyazofam</i>	<i>Cyfluthrin</i>	
1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS										
i) CITRUS FRUIT										
Grapefruit		0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
Lemons		0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
Limes		0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
Mandarins (inc clementines & similar hybrids)		0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
Oranges		0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
Pomelos		0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
Others		0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
ii) TREE NUTS (shelled or unshelled)										
Almonds		0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.01*	0.02*	
Brazil nuts		0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.01*	0.02*	
Cashew nuts		0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.01*	0.02*	
Chestnuts		0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.01*	0.02*	
Coconuts		0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.01*	0.02*	
Hazelnuts		0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.01*	0.02*	
Macadamia nuts		0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.01*	0.02*	

Group to which the food belongs	Groups to include the following products	Abamectin	Atrazine	Azinphos ethyl	Benomyl/ Carbendazim	Carbaryl	Chlormequat	Cyazofam	Cyfluthrin
	Pecans	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.01*	0.02*
	Pine nuts	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.01*	0.02*
	Pistachios	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.01*	0.02*
	Walnuts	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.01*	0.02*
	Others	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.01*	0.02*
iii)	POME FRUIT								
	Apples	0.01*	0.05*	0.02*	0.2	0.05*	0.05*	0.01*	0.2
	Pears	0.01*	0.05*	0.02*	0.2	0.05*	0.2*	0.01*	0.2
	Quinces	0.01*	0.05*	0.02*	0.2	0.05*	0.05*	0.01*	0.2
	Others	0.01*	0.05*	0.02*	0.2	0.05*	0.05*	0.01*	0.2
iv)	STONE FRUIT								
	Apricots	0.01*	0.05*	0.02*	0.2	0.05*	0.05*	0.01*	0.3
	Cherries	0.01*	0.05*	0.02*	0.5	0.05*	0.05*	0.01*	0.2
	Peaches (including nectarines & similar hybrids)	0.01*	0.05*	0.02*	0.2	0.05*	0.05*	0.01*	0.3
	Plums	0.01*	0.05*	0.02*	0.5	0.05*	0.05*	0.01*	0.2
	Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
v)	BERRIES AND SMALL FRUIT								
	a) Table & wine grapes								
	Table grapes	0.01*	0.05*	0.02*	0.3	0.05*	0.05*	0.5*	0.3
	Wine grapes	0.01*	0.05*	0.02*	0.5	0.05*	0.05*	0.5*	0.3
	b) Strawberries (other than wild)	0.1	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	c) Cane Fruit (other than wild)								
	Blackberries	0.1	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Dewberries	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Loganberries	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Raspberries	0.1	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group to which the food belongs	Groups to include the following products	Abamectin	Atrazine	Azinphos ethyl	Benomyl/ Carbendazim	Carbaryl	Chlormequat	Cyazofam	Cyfluthrin
d)	Other small fruit & berries (other than wild)								
	Bilberries	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Cranberries	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Currants (red, black & white)	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Gooseberries	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
e)	Wild berries & wild fruit	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
vi)	MISCELLANEOUS FRUIT								
	Avocados	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Bananas	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Dates	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Figs	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Kiwi fruit	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Kumquats	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Litchis	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Mangoes	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Olives (table consumption)	0.01*	0.05*	0.02*	0.1*	5	0.1*	0.01*	0.02*
	Olives (oil extract)	0.01*	0.05*	0.02*	0.1*	5	0.1*	0.01*	0.02*
	Papaya	0.01*	0.05*	0.02*	0.2	0.05*	0.05*	0.01*	0.02*
	Passion fruit	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Pineapples	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Pomegranates	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*

2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY

i) ROOT AND TUBER VEGETABLES

Group to which the food belongs	Groups to include the following products	Abamectin	Atrazine	Azinphos ethyl	Benomyl/ Carbendazim	Carbaryl	Chlormequat	Cyazofam	Cyfluthrin
	Beetroot	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Carrots	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Cassava	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Celeriac	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Horseradish	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Jerusalem artichokes	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Parsnips	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Parsley root	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Radishes	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Salsify	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Sweet potatoes	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Swedes	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Turnips	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Yams	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
ii) BULB VEGETABLES									
	Garlic	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Onions	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Shallots	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Spring onions	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
iii) FRUITING VEGETABLES									
a) Solanacea									
	Tomatoes	0.02	0.05*	0.02*	0.5	0.5	0.05*	0.2*	0.05
	Peppers	0.05	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.3
	Chili peppers	0.05	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.3
	Aubergines	0.02	0.05*	0.02*	0.5	0.05*	0.05*	0.01*	0.02*
	Okra	0.01*	0.05*	0.02*	2	0.05*	0.05*	0.01*	0.02*

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group to which the food belongs	Groups to include the following products	Abamectin	Atrazine	Azinphos ethyl	Benomyl/ Carbendazim	Carbaryl	Chlormequat	Cyazoflam	Cyfluthrin
	Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
b)	Cucurbits-edible peel								
	Cucumbers	0.02	0.05*	0.02*	0.1*	0.05*	0.05*	0.1*	0.1
	Gherkins	0.02	0.05*	0.02*	0.1*	0.05*	0.05*	0.1*	0.02*
	Courgettes	0.02	0.05*	0.02*	0.1*	0.05*	0.05*	0.1*	0.02*
	Others	0.02	0.05*	0.02*	0.1*	0.05*	0.05*	0.1*	0.02*
c)	Cucurbits-inedible peel								
	Melons	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.1*	0.02*
	Squashes	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.1*	0.02*
	Watermelon	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.1*	0.02*
	Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.1*	0.02*
d)	Sweet corn								
		0.01*	0.1	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
iv)	BRASSICA VEGETABLES								
a)	Flowering Brassicas								
	Broccoli	0.01*(13)	0.05*	0.02*	0.1*(13)	0.05*	0.05*	0.01*(13)	0.05
	Cauliflower	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05
	Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05
b)	Head Brassicas								
	Brussels sprouts	0.01*	0.05*	0.02*	0.5	0.05*	0.05*	0.01*	0.2
	Head cabbage	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.2
	Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.2
c)	Leafy Brassicas								
	Chinese cabbage	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.3
	Kale	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.3
	Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.3
d)	Kohlrabi								
		0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
v)	LEAF VEGETABLES AND FRESH HERBS								

Group to which the food belongs	Groups to include the following products	Abamectin	Atrazine	Azinphos ethyl	Benomyl/ Carbendazim	Carbaryl	Chlormequat	Cyazofam	Cyfluthrin
a)	Lettuce & similar								
	Cress	0.1	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.5
	Lamb's lettuce	0.1	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.5
	Lettuce	0.1	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.5
	Scarole	0.1 ⁽⁶⁾	0.05*	0.02*	0.1 ^{*(6)}	0.05*	0.05*	0.01 ^{*(6)}	0.5
	Ruccola	0.1	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.5
	Leaves and stems of brassica	0.1	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.5
	Others	0.1	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.5
b)	Spinach & similar								
	Spinach	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Beet leaves (chard)	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
c)	Watercress	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
d)	Witloof	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
e)	Herbs								
	Chervil	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Chives	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Parsley	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Celery leaves	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
vi)	LEGUME VEGETABLES (fresh)								
	Beans (with pods)	0.01*	0.05*	0.02*	0.2	0.05*	0.05*	0.01*	0.05

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group to which the food belongs</i>	<i>Groups to include the following products</i>	<i>Abamectin</i>	<i>Atrazine</i>	<i>Azinphos ethyl</i>	<i>Benomyl/ Carbendazim</i>	<i>Carbaryl</i>	<i>Chlormequat</i>	<i>Cyazofam</i>	<i>Cyfluthrin</i>
	Beans (without pods)	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05
	Peas (with pods)	0.01*	0.05*	0.02*	0.2	0.05*	0.05*	0.01*	0.05
	Peas (without pods)	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05
	Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05
vii) STEM VEGETABLES									
	Asparagus	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Cardoons	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Celery	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Fennel	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Globe artichokes	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Leeks	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Rhubarb	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
viii) FUNGI									
	a) Cultivated mushrooms	0.01*	0.05*	0.02*	0.1*	0.05*	10	0.01*	0.02*
	b) Wild mushrooms	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
3. PULSES									
	Beans	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Lentils	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Peas	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Lupins	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
4. OILSEEDS									
	Linseed	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.02*	0.02*
	Peanuts	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.02*	0.02*
	Poppy seed	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.02*	0.02*

Group to which the food belongs	Groups to include the following products	Abamectin	Atrazine	Azinphos ethyl	Benomyl/ Carbendazim	Carbaryl	Chlormequat	Cyazofam	Cyfluthrin
	Sesame seed	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.02*	0.02*
	Sunflower seed	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.02*	0.02*
	Rape seed	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.02*	0.05
	Soya bean	0.02*	0.05*	0.02*	0.2	0.05*	0.1*	0.02*	0.02*
	Mustard seed	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.02*	0.02*
	Cotton seed	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.02*	0.02*
	Hemp seed	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.02*	0.02*
	Others	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.02*	0.02*
5. POTATOES									
	Early potatoes	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Ware potatoes	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
6. TEA									
	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.02*	0.1*	0.05*	0.1*	0.1*	0.1*	0.02*	0.1*
7. HOPS (dried)									
	including hop pellets & unconcentrated powder	0.05	0.1*	0.05*	0.1*	0.1*	0.1*	0.02*	20
8. CEREALS									
	Wheat	0.01*	0.05*	0.05*	0.1	0.5	2	0.02*	0.02*
	Rye	0.01*	0.05*	0.05*	0.1	0.5	2	0.02*	0.02*
	Barley	0.01*	0.05*	0.05*	2	0.5	2	0.02*	0.02*

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group to which the food belongs	Abamectin	Atrazine	Azinphos ethyl	Benomyl/ Carbendazim	Carbaryl	Chlormequat	Cyazofam	Cyfluthrin
Sorghum	0.01*	0.05*	0.05*	0.01*	0.5	0.05*	0.02*	0.02*
Oats	0.01*	0.05*	0.05*	2	0.5	5	0.02*	0.02*
Triticale	0.01*	0.05*	0.05*	0.1	0.5	2	0.02*	0.02*
Maize	0.01*	0.05*	0.05*	0.01*	0.5	0.05*	0.02*	0.02*
Buckwheat	0.01*	0.05*	0.05*	0.01*	0.5	0.05*	0.02*	0.02*
Millet	0.01*	0.05*	0.05*	0.01*	0.5	0.05*	0.02*	0.02*
Rice ⁽¹⁾	0.01*	0.05*	0.05*	0.01*	1	0.05*	0.02*	0.02*
Other cereals	0.01*	0.05*	0.05*	0.01*	0.5	0.05*	0.02*	0.02*

9. PRODUCTS OF ANIMAL ORIGIN

	0.02 ⁽¹²⁾	0.01*	0.05* ⁽⁴⁶⁾	0.05*	0.05 ⁽¹⁸⁾	0.05
Meat, fat & preparations of meat ⁽²⁾	0.01* ⁽⁹⁾				0.2 ⁽¹⁹⁾	
					0.1 ⁽¹²⁾	
					0.05* ⁽⁹⁾	
Milk ⁽³⁾ & Dairy produce ⁽⁴⁾	0.005*	0.01*	0.05* ⁽⁴⁶⁾	0.05*	0.05	0.02*
Eggs ⁽⁵⁾	0.01*	0.01*	0.05* ⁽⁴⁶⁾	0.05*	0.05*	0.02*

10. SPICES

- Cumin seed
- Juniper seed
- Nutmeg

(1)
(1)
(1)
(1)
(1)
(1)
(1)
(1)
(1)
(1)
(1)
(1)
(1)
(1)

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group to which the food belongs</i>	<i>Groups to include the following products</i>	<i>Abamectin</i>	<i>Atrazine</i>	<i>Azinphos ethyl</i>	<i>Benomyl/ Carbendazim</i>	<i>Carbaryl</i>	<i>Chlormequat</i>	<i>Cyazofam</i>	<i>Difluthrin</i>
	Pepper, black and white								
	Vanilla pods								
	Spices - others								

UNITS:

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

KEY:

* Level at or about the limit of determination.

FOOTNOTES:

- (1) Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
- (2) Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.
- (3) These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
- (4) For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk or a combination, the following levels apply: -if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk; -if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
- (5) Bird's eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
- (9) All other meat, edible offal, fat and preparations of meat and edible offal.
- (12) Liver of bovine animals.
- (18) Liver of chicken.
- (19) Kidney of bovine animals.
- (46) The figure of 0.05 is the total MRL for Carbendazim and Thiophanate-methyl taken together and expressed as carbendazim.

<i>Group to which the food belongs</i>	<i>Groups to include the following products</i>	<i>Deltameth</i>	<i>Endosulfan</i>	<i>Ethephon</i>	<i>Fenbutat oxide</i>	<i>Fenhexam</i>	<i>Fenitrothi</i>	<i>Flanpropimorph</i>	<i>Fenthion</i>
--	---	------------------	-------------------	-----------------	-----------------------	-----------------	-------------------	-----------------------	-----------------

1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS

i) CITRUS FRUIT

Grapefruit	0.05*	0.05*	0.05*	5	0.05*	0.01*	0.05*	3
Lemons	0.05*	0.05*	0.05*	5	0.05*	0.01*	0.05*	3
Limes	0.05*	0.05*	0.05*	5	0.05*	0.01*	0.05*	3

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group to include which the food following belongs products	Deltameth	Endosulfan	Imidacloprid	Phosphor	Fenbutat oxide	Hexameth	Nitrothi	Propimorp	Fenthion
Mandarins (inc clementines & similar hybrids)	0.05*	0.05*	0.05*		5	0.05*	0.01*	0.05*	3
Oranges	0.05*	0.05*	0.05*		5	0.05*	0.01*	0.05*	3
Pomelos	0.05*	0.05*	0.05*		5	0.05*	0.01*	0.05*	3
Others	0.05*	0.05*	0.05*		5	0.05*	0.01*	0.05*	3
ii) TREE NUTS (shelled or unshelled)									
Almonds	0.05*	0.1*	0.1		0.05*	0.05*	0.01*	0.05*	0.01*
Brazil nuts	0.05*	0.1*	0.1		0.05*	0.05*	0.01*	0.05*	0.01*
Cashew nuts	0.05*	0.1*	0.1		0.05*	0.05*	0.01*	0.05*	0.01*
Chestnuts	0.05*	0.1*	0.1		0.05*	0.05*	0.01*	0.05*	0.01*
Coconuts	0.05*	0.1*	0.1		0.05*	0.05*	0.01*	0.05*	0.01*
Hazelnuts	0.05*	0.1*	0.1		0.05*	0.05*	0.01*	0.05*	0.01*
Macadamia nuts	0.05*	0.1*	0.1		0.05*	0.05*	0.01*	0.05*	0.01*
Pecans	0.05*	0.1*	0.1		0.05*	0.05*	0.01*	0.05*	0.01*
Pine nuts	0.05*	0.1*	0.1		0.05*	0.05*	0.01*	0.05*	0.01*
Pistachios	0.05*	0.1*	0.1		0.05*	0.05*	0.01*	0.05*	0.01*
Walnuts	0.05*	0.1*	0.1		0.05*	0.05*	0.01*	0.05*	0.01*
Others	0.05*	0.1*	0.1		0.05*	0.05*	0.01*	0.05*	0.01*
iii) POME FRUIT									
Apples	0.2	0.05*	0.5		2	0.05*	0.01*	0.05*	0.01*
Pears	0.1	0.3	0.05*		2	0.05*	0.01*	0.05*	0.01*
Quinces	0.1	0.05*	0.05*		2	0.05*	0.01*	0.05*	0.01*
Others	0.1	0.05*	0.05*		2	0.05*	0.01*	0.05*	0.01*
iv) STONE FRUIT									
Apricots	0.1	0.05*	0.05*		0.05*	5	0.01*	0.05*	0.01*
Cherries	0.2	0.05*	3		0.05*	5	0.01*	0.05*	2

Group to include which the food following belongs products	Deltameth	Endosulfan	Imidacloprid	Phosphamidon	Fenbutatinoxide	Hexachlorocyclopentadiene	Permethrin	Propiconazole	Fenthion
Peaches (including nectarines & similar hybrids)	0.1	0.05*	0.05*	0.05*	5	0.01*	0.05*	0.01*	
Plums	0.1	0.05*	0.05*	0.05*	1	0.01*	0.05*	0.01*	
Others	0.1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
v) BERRIES AND SMALL FRUIT									
a) Table & wine grapes									
Table grapes	0.2	0.5	1	2	5	0.01*	0.05*	0.01*	
Wine grapes	0.2	0.5	1	2	5	0.01*	0.05*	0.01*	
b) Strawberries (other than wild)									
	0.2	0.05*	0.05*	1	5	0.01*	1	0.01*	
c) Cane Fruit (other than wild)									
Blackberries	0.5	0.05*	0.05*	5	10	0.01*	1	0.01*	
Dewberries	0.05*	0.05*	0.05*	0.05*	10	0.01*	1	0.01*	
Loganberries	0.05*	0.05*	0.05*	0.05*	10	0.01*	1	0.01*	
Raspberries	0.5	0.05*	0.05*	5	10	0.01*	1	0.01*	
Others	0.05*	0.05*	0.05*	0.05*	10	0.01*	1	0.01*	
d) Other small fruit & berries (other than wild)									
Bilberries	0.05*	0.05*	0.05*	0.05*	5	0.01*	1	0.01*	
Cranberries	0.05*	0.05*	0.05*	0.05*	5	0.01*	1	0.01*	
Currants (red, black & white)	0.5	0.05*	5	0.05*	5	0.01*	1	0.01*	
Gooseberries	0.2	0.05*	0.05*	0.05*	5	0.01*	1	0.01*	
Others	0.05*	0.05*	0.05*	0.05*	5	0.01*	1	0.01*	
e) Wild berries & wild fruit									
	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
vi) MISCELLANEOUS FRUIT									
Avocados	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group to include which the food following belongs products	Deltameth	Endosulfan	Chlorpyrifos	Fenbutatinoxide	Permethrin	Hexachlorocyclopentadiene	Imidacloprid	Propiconazole	Permethrin
Bananas	0.05*	0.05*	0.05*	3	0.05*	0.01*	2	0.01*	
Dates	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
Figs	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
Kiwi fruit	0.2	0.05*	0.05*	0.05*	10	0.01*	0.05*	0.01*	
Kumquats	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
Litchis	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
Mangoes	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
Olives (table consumption)	1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	1	
Olives (oil extract)	1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	1	
Papaya	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
Passion fruit	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
Pineapples	0.05*	0.05*	2	0.05*	0.05*	0.01*	0.05*	0.01*	
Pomegranates	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
Others	0.05*	0.05*	0.05*	0.05*	0.05	0.01*	0.05*	0.01*	

2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY

i) ROOT AND TUBER VEGETABLES

Beetroot	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Carrots	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Cassava	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Celeriac	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Horseradish	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Jerusalem artichokes	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Parsnips	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Parsley root	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Radishes	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Salsify	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*

Group to include which the food belongs products	Deltameth	Endosulfan	Chlorpyrifos	Fenbutatidoxime	Fenhexamid	Chlorpyrifos	Imidacloprid	Permethrin	Thionexion
Sweet potatoes	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
Swedes	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
Turnips	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
Yams	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
ii) BULB VEGETABLES									
Garlic	0.1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
Onions	0.1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
Shallots	0.1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
Spring onions	0.1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
iii) FRUITING VEGETABLES									
a) Solanacea									
Tomatoes	0.3	0.5	1	1	1	0.01*	0.05*	0.01*	
Peppers	0.2	1	3	1	2	0.01*	0.05*	0.01*	
Chili peppers	0.2	1	3	1	2	0.01*	0.05*	0.01*	
Aubergines	0.3	0.05*	0.05*	1	1	0.01*	0.05*	0.01*	
Okra	0.3	0.05*	0.05*	1	0.05*	0.01*	0.05*	0.01*	
Others	0.2	0.05*	0.05*	1	0.05*	0.01*	0.05*	0.01*	
b) Cucurbits-edible peel									
Cucumbers	0.2	0.05*	0.05*	0.5	1	0.01*	0.05*	0.01*	
Gherkins	0.2	0.05*	0.05*	0.05*	1	0.01*	0.05*	0.01*	
Courgettes	0.2	0.05*	0.05*	0.5	1	0.01*	0.05*	0.01*	
Others	0.2	0.05*	0.05*	0.05*	1	0.01*	0.05*	0.01*	
c) Cucurbits-inedible peel									
Melons	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
Squashes	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
Watermelons	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
Others	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
d) Sweet corn									

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group to include which the food following belongs products	Deltameth	Endosulfan	Chlorpyrifos	Fenbutatinoxide	Permethrin	Hexachlorocyclopentadiene	Imidacloprid	Propiconazole	Permethrin
	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
iv) BRASSICA VEGETABLES									
a) Flowering Brassicas									
Broccoli	0.1	0.05*	0.05*	0.05*(13)	0.05*(13)	0.01*	0.05*(13)	0.01*	
Cauliflower	0.1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
Others	0.1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
b) Head Brassicas									
Brussels sprouts	0.1	0.05*	0.05*	0.05*	0.05*	0.01*	0.5	0.01*	
Head cabbage	0.1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
Others	0.1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
c) Leafy Brassicas									
Chinese cabbage	0.5	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
Kale	0.5	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
Others	0.5	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
d) Kohlrabi									
	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
v) LEAF VEGETABLES AND FRESH HERBS									
a) Lettuce & similar									
Cress	0.5	0.05*	0.05*	0.05*	30	0.01*	0.05*	0.01*	
Lamb's lettuce	0.5	0.05*	0.05*	0.05*	30	0.01*	0.05*	0.01*	
Lettuce	0.5*	0.05*	0.05*	0.05*	30	0.01*	0.05*	0.01*	
Scarole	0.5	0.05*	0.05*	0.05*(6)	30(6)	0.01*	0.05*(6)	0.01*	
Ruccola	0.5	0.05*	0.05*	0.05*	30	0.01*	0.05*	0.01*	
Leaves and stems of brassica	0.5	0.05*	0.05*	0.05*	30	0.01*	0.05*	0.01*	
Others	0.5*	0.05*	0.05*	0.05*	30	0.01*	0.05*	0.01*	
b) Spinach & similar									
Spinach	0.5	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	

Group to include which the food following belongs products	Deltameth	Endosulfan	Chlorpyrifos	Fenbutatinoxide	Permethrin	Hexachlorocyclopentadiene	Imidacloprid	Propiconazole	Fenthion
Beet leaves (chard)	0.5	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Others	0.5	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
c) Watercress									
	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
d) Witloof									
	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
e) Herbs									
Chervil	0.5	0.05*	0.05*	0.05*	30	0.01*	0.05*	0.05*	0.01*
Chives	0.5	0.05*	0.05*	0.05*	30	0.01*	0.05*	0.05*	0.01*
Parsley	0.5	0.05*	0.05*	0.05*	30	0.01*	0.05*	0.05*	0.01*
Celery leaves	0.5	0.05*	0.05*	0.05*	30	0.01*	0.05*	0.05*	0.01*
Others	0.5	0.05*	0.05*	0.05*	30	0.01*	0.05*	0.05*	0.01*
vi) LEGUME VEGETABLES (fresh)									
Beans (with pods)	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*
Beans (without pods)	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*
Peas (with pods)	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*
Peas (without pods)	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*
Others	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*
vii) STEM VEGETABLES									
Asparagus	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*
Cardoons	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*
Celery	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*
Fennel	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*
Globe artichokes	0.1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group to include which the food belongs products</i>	<i>Deltameth</i>	<i>Endosulfan</i>	<i>Chlorpyrifos</i>	<i>Fenbutatinoxide</i>	<i>Fenhexamfen</i>	<i>Chlorpyrifos</i>	<i>Imidacloprid</i>	<i>Permethrin</i>
Leeks	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	1	0.01*
Rhubarb	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
viii) FUNGI								
a) Cultivated mushrooms	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
b) Wild mushrooms	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
3. PULSES								
Beans	1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Lentils	1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Peas	1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Lupins	1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Others	1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
4. OILSEEDS								
Linseed	0.05*	0.1*	0.1*	0.05*	0.1*	0.01*	0.05*	0.02*
Peanuts	0.05*	0.1*	0.1*	0.05*	0.1*	0.01*	0.05*	0.02*
Poppy seed	0.05*	0.1*	0.1*	0.05*	0.1*	0.01*	0.05*	0.02*
Sesame seed	0.05*	0.1*	0.1*	0.05*	0.1*	0.01*	0.05*	0.02*
Sunflower seed	0.05*	0.1*	0.1*	0.05*	0.1*	0.01*	0.05*	0.02*
Rape seed	0.1	0.1*	0.1*	0.05*	0.1*	0.01*	0.05*	0.02*
Soya bean	0.05*	0.5	0.1*	0.05*	0.1*	0.01*	0.05*	0.02*
Mustard seed	0.1	0.1*	0.1*	0.05*	0.1*	0.01*	0.05*	0.02*
Cotton seed	0.05*	5	2	0.05*	0.1*	0.01*	0.05*	0.02*
Hemp seed	0.05*	0.1*	0.1*	0.05*	0.1*	0.01*	0.05*	0.02*
Others	0.05*	0.1*	0.1*	0.05*	0.1*	0.01*	0.05*	0.02*
5. POTATOES								

Group to include which the food belongs to	Deltameth	Endosulfan	thepho	Fenbutat	hexam	nitrothi	propimorp	enthion	
Early potatoes	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
Ware potatoes	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	
6. TEA									
(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	5	30	0.1*	0.1*	0.1*	0.5	0.1*	0.1*	
7. HOPS (dried)									
including hop pellets & unconcentrated powder	5	0.1*	0.1*	0.1*	0.1*	0.02*	10	0.1*	
8. CEREALS									
Wheat	2	0.05*	0.2	0.05*	0.05*		0.5 ⁽²⁴⁾		
Rye	2	0.05*	0.5	0.05*	0.05*		0.5		
Barley	2	0.05*	0.5	0.05*	0.05*		0.5		
Sorghum	2	0.05*	0.05*	0.05*	0.05*		0.05*		
Oats	2	0.05*	0.05*	0.05*	0.05*		0.5		
Triticale	2	0.05*	0.2	0.05*	0.05*		0.5		
Maize	2	0.05*	0.05*	0.05*	0.05*		0.05*		
Buckwheat	2	0.05*	0.05*	0.05*	0.05*		0.05*		
Millet	2	0.05*	0.05*	0.05*	0.05*		0.05*		
Rice ⁽¹⁾	2	0.05*	0.05*	0.05*	0.05*		0.05*		
Other cereals	2	0.05*	0.05*	0.05*	0.05*		0.05* ⁽²⁵⁾		
9. PRODUCTS OF ANIMAL ORIGIN									
Meat, fat &	0.03* ⁽¹¹⁾	0.1 ⁽¹⁷⁾	0.05*	0.05*	0.05*		0.3 ⁽²⁶⁾	0.05*	

(1)
(1)

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group to include which the food belongs	Deltameth	Endosulfan	Chlorpyrifos	Permethrin	Thiophan-methyl	Imidacloprid	Spinosad	Chlorantraniliprole	Flupyradifurone
preparations of meat ⁽²⁾	0.1 ⁽⁴⁷⁾	0.5 ⁽⁹⁾						0.05 ⁽²⁷⁾	
								0.01 ^{*(28)}	
								0.02 ⁽²⁹⁾	
								0.01 ⁽⁹⁾	
Milk ⁽³⁾ & Dairy produce ⁽⁴⁾	0.05	0.004	0.05*	0.05*	0.05*			0.01	0.01*
Eggs ⁽⁵⁾	0.05*	0.1 ^{*(7)}	0.05*	0.05*	0.05*			0.01*	
10. SPICES									
Cumin seed									
Juniper seed									
Nutmeg									
Pepper, black and white									
Vanilla pods									
Spices - others									

UNITS:

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

KEY:

* Level at or about the limit of determination.

FOOTNOTES:

(1) Paddy or rough rice, husked rice and semi-milled or wholly milled rice.

- (1)
- (1)
- (1)
- (1)
- (1)
- (1)
- (1)
- (1)
- (1)
- (1)
- (1)
- (1)
- (1)
- (1)

- (2) Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.
- (3) These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
- (4) For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk or a combination, the following levels apply: -if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk; -if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
- (5) Bird's eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
- (7) For eggs and egg products with a fat content higher than 10%, the maximum level is expressed in mg/kg fat. In this case, the maximum level is 10 times higher than the maximum level for fresh eggs.
- (9) All other meat, edible offal, fat and preparations of meat and edible offal.
- (11) All liver and kidney.
- (26) Liver of bovine animals, sheep, goats and swine.
- (27) Kidney of bovine animals, sheep, goats and swine.
- (28) Meat of poultry, fat and edible offal.
- (29) Meat of bovine animals, sheep, goats and swine.
- (47) Poultry and poultry products.

Group to which food belongs	Glyphosate (except trimesium salt)	Glyphosate (as trimesium salt)	Linuron	Methamidophos	Methidathion	Methomyl	Myclobutanil	Diaminopyridin
-----------------------------	------------------------------------	--------------------------------	---------	---------------	--------------	----------	--------------	----------------

1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS

i) CITRUS FRUIT

Grapefruit	0.1*	0.05*	0.05*	0.01*	2	0.5	3	0.01*
Lemons	0.1*	0.05*	0.05*	0.01*	2	1	3	0.01*
Limes	0.1*	0.05*	0.05*	0.01*	2	1	3	0.01*
Mandarins (inc clementines & similar hybrids)	0.5	0.5	0.05*	0.01*	2	1	3	0.02
Oranges	0.5	0.5	0.05*	0.01*	2	0.5	3	0.01*
Pomelos	0.1*	0.05*	0.05*	0.01*	2	0.5	3	0.01*
Others	0.1*	0.05*	0.05*	0.01*	2	0.05*	3	0.01*

ii) TREE NUTS (shelled or unshelled)

Almonds	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*
Brazil nuts	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*
Cashew nuts	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group to which food belongs	Groups to include following products	Glyphosate (except trimesium salt)	Glyphosate (as trimesium salt)	Linuron	Methamidophos	Methidathion	Methomyl thiodicarb	Myclobutani	Oxamyl
	Chestnuts	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*
	Coconuts	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*
	Hazelnuts	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*
	Macadamia nuts	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*
	Pecans	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*
	Pine nuts	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*
	Pistachios	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*
	Walnuts	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*
	Others	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*
iii)	POME FRUIT								
	Apples	0.1*	0.05*	0.05*	0.01*	0.02*	0.2	0.5	0.01*
	Pears	0.1*	0.05*	0.05*	0.01*	0.02*	0.2	0.5	0.01*
	Quinces	0.1*	0.05*	0.05*	0.01*	0.02*	0.2	0.5	0.01*
	Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.2	0.5	0.01*
iv)	STONE FRUIT								
	Apricots	0.1*	0.05*	0.05*	0.1	0.02*	0.2	0.3	0.01*
	Cherries	0.1*	0.05*	0.05*	0.01*	0.02*	0.1	1	0.01*
	Peaches (including nectarines & similar hybrids)	0.1*	0.05*	0.05*	0.05	0.05	0.2	0.5	0.01*
	Plums	0.1*	0.05*	0.05*	0.01*	0.2	0.5	0.5	0.01*
	Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
v)	BERRIES AND SMALL FRUIT								
	a) Table & wine grapes								
	Table grapes	0.5	0.05*	0.05*	0.01*	0.02*	0.05*	1	0.01*
	Wine grapes	0.5	0.05*	0.05*	0.01*	0.02*	1	1	0.01*
	b) Strawberries (other than wild)	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	1	0.01*
	c) Cane Fruit (other than wild)								

Group to which food belongs	Glyphosate (except trimesium salt)	Glyphosate (as trimesium salt)	Linuron	Methamidophos	Methidathion	Methomyl thiodicarb	Myclobutani	Oxamyl
Blackberries	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	1	0.01*
Dewberries	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
Loganberries	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
Raspberries	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	1	0.01*
Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
d) Other small fruit & berries (other than wild)								
Bilberries	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
Cranberries	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
Currants (red, black & white)	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	1	0.01*
Gooseberries	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	1	0.01*
Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
e) Wild berries & wild fruit								
	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
vi) MISCELLANEOUS FRUIT								
Avocados	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
Bananas	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	2	0.01*
Dates	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
Figs	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
Kiwi fruit	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
Kumquats	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
Litchis	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
Mangoes	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
Olives (table consumption)	0.1*	0.05*	0.05*	0.01*	1	0.05*	0.02*	0.01*
Olives (oil extract)	1	1	0.05*	0.01*	1	0.05*	0.02*	0.01*
Papaya	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
Passion fruit	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group to which food belongs	Groups to include following products	Glyphosate (except trimesium salt)	Glyphosate (as trimesium salt)	Linuron	Methamidophos	Mesithidathion	Methomyl thiodicarb	Myclobutani	Oxamyl
	Pineapples	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Pomegranate	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY									
i) ROOT AND TUBER VEGETABLES									
	Beetroot	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Carrots	0.1*	0.05*	0.2	0.01*	0.02*	0.05*	0.2	0.01*
	Cassava	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Celeriac	0.1*	0.05*	0.5	0.01*	0.02*	0.05*	0.02*	0.01*
	Horseradish	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.2	0.01*
	Jerusalem artichokes	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Parsnips	0.1*	0.05*	0.2	0.01*	0.02*	0.05*	0.2	0.01*
	Parsley root	0.1*	0.05*	0.2	0.01*	0.02*	0.05*	0.2	0.01*
	Radishes	0.1*	0.05*	0.05*	0.01*	0.02*	0.5	0.02*	0.01*
	Salsify	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Sweet potatoes	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Swedes	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Turnips	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Yams	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
ii) BULB VEGETABLES									
	Garlic	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Onions	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Shallots	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Spring onions	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
iii) FRUITING VEGETABLES									
a) Solanacea									
	Tomatoes	0.1*	0.05*	0.05*	0.01*	0.02*	0.2	0.3	0.02

Group to which food belongs	Groups to include following products	Glyphosate (except trimesium salt)	Glyphosate (as trimesium salt)	Linuron	Methamidophos	Methidathion	Methomyl thiodicarb	Myclobutani	Oxamyl
	Peppers	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.5	0.02
	Chili peppers	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.5	0.02
	Aubergines	0.1*	0.05*	0.05*	0.01*	0.02*	0.2	0.3	0.02
	Okra	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	b) Cucurbits-edible peel								
	Cucumbers	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.1	0.02
	Gherkins	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.1	0.02
	Courgettes	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.1	0.03
	Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.1	0.01*
	c) Cucurbits-inedible peel								
	Melons	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.2	0.01*
	Squashes	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.2	0.01*
	Watermelons	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.2	0.01*
	Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.2	0.01*
	d) Sweet corn								
		0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
iv)	BRASSICA VEGETABLES								
	a) Flowering Brassicas								
	Broccoli	0.1*(13)	0.05*(13)	0.05*(13)	0.02	0.02*	0.2	0.02*(13)	0.01*
	Cauliflower	0.1*	0.05*	0.05*	0.02	0.02*	0.05*	0.02*	0.01*
	Others	0.1*	0.05*	0.05*	0.02	0.02*	0.05*	0.02*	0.01*
	b) Head Brassicas								
	Brussels sprouts	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Head cabbage	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	c) Leafy Brassicas								
	Chinese cabbage	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Kale	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group to which food belongs	Groups to include following products	Glyphosate (except trimesium salt)	Glyphosate (as trimesium salt)	Linuron	Methamidophos	Methidathion	Methomyl thiodicarb	Myclobutani	Oxamyl	
	Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
d)	Kohlrabi	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
v)	LEAF VEGETABLES AND FRESH HERBS									
a)	Lettuce & similar									
	Cress	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
	Lamb's lettuce	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	5	0.01*	
	Lettuce	0.1*	0.05*	0.05*	0.01*	0.02*	0.3	0.02*	0.01*	
	Scarole	0.1*(6)	0.05*(6)	0.05*(6)	0.01*	0.02*	0.05*	0.02*(6)	0.01*	
	Ruccola	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
	Leaves and stems of brassica	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
	Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
b)	Spinach & similar									
	Spinach	0.1*	0.05*	0.05*	0.01*	0.02*	0.05	0.02*	0.01*	
	Beet leaves (chard)	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
	Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
c)	Watercress									
		0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
d)	Witloof									
		0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
e)	Herbs									
	Chervil	0.1*	0.05*	1	0.01*	0.02*	0.3	0.02*	0.01*	
	Chives	0.1*	0.05*	1	0.01*	0.02*	0.3	0.02*	0.01*	
	Parsley	0.1*	0.05*	1	0.01*	0.02*	0.3	0.02*	0.01*	
	Celery leaves	0.1*	0.05*	1	0.01*	0.02*	0.3	0.02*	0.01*	
	Others	0.1*	0.05*	1	0.01*	0.02*	0.3	0.02*	0.01*	
vi)	LEGUME VEGETABLES (fresh)									

Group to which food belongs	Glyphosate (except trimesium salt)	Glyphosate (as trimesium salt)	Linuron	Methamidophos	Methidathion	Methomyl	Myclobutani	Oxamyl	thiodicarb
Beans (with pods)	0.1*	0.05*	0.05*	0.5	0.02*	0.05*	0.3	0.01*	
Beans (without pods)	0.1*	0.05*	0.1	0.01*	0.02*	0.05*	0.02*	0.01*	
Peas (with pods)	0.1*	0.05*	0.05*	0.5	0.02*	0.05*	0.02*	0.01*	
Peas (without pods)	0.1*	0.05*	0.1	0.01*	0.02*	0.05*	0.02*	0.01*	
Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
vii) STEM VEGETABLES									
Asparagus	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
Cardoons	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
Celery	0.1	0.05*	0.1*	0.01*	0.02*	0.05*	0.02*	0.01*	
Fennel	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
Globe artichokes	0.1*	0.05*	0.05*	0.1	0.02*	0.05*	0.5	0.01*	
Leeks	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
Rhubarb	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
viii) FUNGI									
a) Cultivated mushrooms	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
b) Wild mushrooms	50	20	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
3. PULSES									
Beans	2	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
Lentils	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
Peas	10	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
Lupins	10	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
4. OILSEEDS									
Linseed	10	0.05*	0.1*	0.01*	0.02*	0.05*	0.05*	0.02*	

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group to which food belongs	Groups to include following products	Glyphosate (except trimesium salt)	Glyphosate (as trimesium salt)	Linuron	Methamidophos	Methidathion	Methomyl thiodicarb	Myclobutani	Oxamyl
	Peanuts	0.1*	0.05*	0.1*	0.01*	0.02*	0.1	0.05*	0.02*
	Poppy seed	0.1*	0.05*	0.1*	0.01*	0.02*	0.05*	0.05*	0.02*
	Sesame seed	0.1*	0.05*	0.1*	0.01*	0.02*	0.05*	0.05*	0.02*
	Sunflower seed	20	0.05*	0.1*	0.01*	0.02*	0.05*	0.05*	0.02*
	Rape seed	10	0.05*	0.1*	0.01*	0.05	0.05*	0.05*	0.02*
	Soya bean	20	10	0.1*	0.2	0.02*	0.1	0.05*	0.02*
	Mustard seed	10	0.05*	0.1*	0.01*	0.02*	0.05*	0.05*	0.02*
	Cotton seed	10	0.05*	0.1*	0.2	0.02*	0.1	0.05*	0.02*
	Hemp seed	0.1*	0.05*	0.1*	0.01*	0.02*	0.05*	0.05*	0.02*
	Others	0.1*	0.05*	0.1*	0.01*	0.02*	0.05*	0.05*	0.02*
5. POTATOES									
	Early potatoes	0.5	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Ware potatoes	0.5	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
6. TEA									
	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	2	0.05*	0.1*	0.02*	0.1*	0.1*	0.05*	0.02
7. HOPS (dried)									
	including hop pellets & unconcentrated powder	0.1*	0.05*	0.1*	0.02*	0.1*	10	2	0.02
8. CEREALS									

Group to which food belongs	Groups to include following products	Glyphosate (except trimesium salt)	Glyphosate (as trimesium salt)	Linuron	Methamidophos	Methidathion	Methomyl thiodicarb	Myclobutani	Oxamyl
	Wheat	10	5	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Rye	10	5	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Barley	20	10	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Sorghum	20	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Oats	20	10	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Triticale	10	5	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Maize	1	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Buckwheat	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Millet	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Rice ⁽¹⁾	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Other cereals	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*

9. PRODUCTS OF ANIMAL ORIGIN

		2 ⁽¹⁹⁾	0.2 ⁽¹⁹⁾		0.01*	0.02*	0.02*	0.01*	
	Meat, fat & preparations of meat ⁽²⁾	0.2 ⁽¹²⁾	0.5 ⁽¹²⁾						
		0.5 ⁽³¹⁾	0.2 ⁽¹⁵⁾						
		0.1 ⁽⁴⁴⁾	0.1 ⁽⁴⁴⁾						
		0.05* ⁽⁴³⁾	0.05* ⁽⁴⁵⁾						
	Milk ⁽³⁾ & Dairy produce ⁽⁴⁾	0.1*	0.1		0.01*	0.02*	0.02*	0.01*	
	Eggs ⁽⁵⁾	0.1*	0.01*		0.01*	0.02*	0.02*	0.01*	

10. SPICES

- (1)
- (1)
- (1)
- (1)
- (1)
- (1)
- (1)
- (1)
- (1)
- (1)
- (1)
- (1)
- (1)
- (1)
- (1)

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group to which food belongs	Groups to include the following products	Glyphosate (except trimesium salt)	Glyphosate (as trimesium salt)	Linuron	Methamidophos	Methidathion	Methomyl	Myclobutanil	Oxamyl
	Cumin seed								
	Juniper seed								
	Nutmeg								
	Pepper, black and white								
	Vanilla pods								
	Spices - others								

UNITS:

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

KEY:

* Level at or about the limit of determination.

FOOTNOTES:

- (1) Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
- (2) Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.
- (3) These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
- (4) For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk or a combination, the following levels apply: -if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk; -if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
- (5) Bird's eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
- (12) Liver of bovine animals.
- (15) Meat of bovine animals.
- (19) Kidney of bovine animals.
- (31) Kidney of swine.
- (43) Except liver and kidney of bovine animals, and kidney of swine and poultry.
- (44) Kidney of poultry.
- (45) Except liver, kidney and meat of bovine animals, and kidney of poultry.

Group to which the food belongs	Groups to include the following products	Paraquat	Dymetroz	Pyraclostrobin	Thiabendazole	Ethion	Chlorpyrifos methyl and Triadimenol	Triadimef	Triazophos	Disifloxystrobin
1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS										
i) CITRUS FRUIT										
	Grapefruit	0.02*	0.3	1	5	0.1*	0.1*	0.01*	0.3	
	Lemons	0.02*	0.3	1	5	0.1*	0.1*	0.01*	0.3	
	Limes	0.02*	0.3	1	5	0.1*	0.1*	0.01*	0.3	
	Mandarins (inc clementines & similar hybrids)	0.02*	0.3	1	5	0.1*	0.1*	0.01*	0.3	
	Oranges	0.02*	0.3	1	5	0.1*	0.1*	0.01*	0.3	
	Pomelos	0.02*	0.3	1	5	0.1*	0.1*	0.01*	0.3	
	Others	0.02*	0.3	1	5	0.1*	0.1*	0.01*	0.3	
ii) TREE NUTS (shelled or unshelled)										
	Almonds	0.02*	0.02*	0.02*	0.1*	0.2	0.2*	0.01*	0.02*	
	Brazil nuts	0.02*	0.02*	0.02*	0.1*	0.2	0.2*	0.01*	0.02*	
	Cashew nuts	0.02*	0.02*	0.02*	0.1*	0.2	0.2*	0.01*	0.02*	
	Chestnuts	0.02*	0.02*	0.02*	0.1*	0.2	0.2*	0.01*	0.02*	
	Coconuts	0.02*	0.02*	0.02*	0.1*	0.2	0.2*	0.01*	0.02*	
	Hazelnuts	0.02*	0.02*	0.02*	0.1*	0.2	0.2*	0.01*	0.02*	
	Macadamia nuts	0.02*	0.02*	0.02*	0.1*	0.2	0.2*	0.01*	0.02*	
	Pecans	0.02*	0.02*	0.02*	0.1*	0.2	0.2*	0.01*	0.02*	
	Pine nuts	0.02*	0.02*	0.02*	0.1*	0.2	0.2*	0.01*	0.02*	
	Pistachios	0.02*	0.02*	1	0.1*	0.2	0.2*	0.01*	0.02*	
	Walnuts	0.02*	0.02*	0.02*	0.1*	0.2	0.2*	0.01*	0.02*	
	Others	0.02*	0.02*	0.02*	0.1*	0.2	0.2*	0.01*	0.02*	
iii) POME FRUIT										
	Apples	0.02*	0.02*	0.3	5	0.5	0.2	0.01*	0.5	
	Pears	0.02*	0.02*	0.3	5	0.5	0.1*	0.01*	0.5	
	Quinces	0.02*	0.02*	0.3	0.05*	0.5	0.1*	0.01*	0.5	
	Others	0.02*	0.02*	0.3	0.05*	0.5	0.1*	0.01*	0.5	

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group to which the food belongs	Groups to include the following products	Paraquat	Dymetroz	Fluaclostr	Thiabend	Etolephand methyl	Triadimef and Triadimenol	Triazophos	Disifloxystrobin
iv) STONE FRUIT									
	Apricots	0.02*	0.05	0.2	0.05*	2	0.1*	0.01*	1
	Cherries	0.02*	0.02*	0.2	0.05*	0.3	0.1*	0.01*	1
	Peaches (including nectarines & similar hybrids)	0.02*	0.05	0.2	0.05*	2	0.1*	0.01*	1
	Plums	0.02*	0.02*	0.1	0.05*	0.3	0.1*	0.01*	0.2
	Others	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
v) BERRIES AND SMALL FRUIT									
a) Table & wine grapes									
	Table grapes	0.02*	0.02*	1	0.05*	0.1*	2	0.01*	5
	Wine grapes	0.02*	0.02*	2	0.05*	3	2	0.01*	5
b) Strawberries (other than wild)									
		0.02*	0.02*	0.5	0.05*	0.1*	0.5	0.01*	0.5*
c) Cane Fruit (other than wild)									
	Blackberries	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Dewberries	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Loganberries	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Raspberries	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Others	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
d) Other small fruit & berries (other than wild)									
	Bilberries	0.02*	0.02*	0.02*	0.05*	0.1*	1	0.01*	0.02*
	Cranberries	0.02*	0.02*	0.02*	0.05*	0.1*	1	0.01*	0.02*
	Currants (red, black & white)	0.02*	0.02*	0.02*	0.05*	0.1*	1	0.01*	1
	Gooseberries	0.02*	0.02*	0.02*	0.05*	0.1*	1	0.01*	1
	Others	0.02*	0.02*	0.02*	0.05*	0.1*	1	0.01*	0.02*
e) Wild berries & wild fruit									
		0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*

Group to which the food belongs	Groups to include the following products	Paraquat	Dymetroz	Fluazifluor	Thiabendazole	Ethion	Chlorpyrifos methyl and Triadimenol	Triazophos	Disifloxystrobin
vi) MISCELLANEOUS FRUIT									
	Avocados	0.02*	0.02*	0.02*	15	0.1*	0.1*	0.01*	0.02*
	Bananas	0.02*	0.02*	0.02*	5	0.1*	0.2	0.01*	0.05
	Dates	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Figs	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Kiwi fruit	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Kumquats	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Litchis	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Mangoes	0.02*	0.02*	0.05	5	0.1*	0.1*	0.01*	0.02*
	Olives (table consumption)	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Olives (oil extract)	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Papaya	0.02*	0.02*	0.05	10	1	0.1*	0.01*	0.02*
	Passion fruit	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Pineapples	0.02*	0.02*	0.02*	0.05*	0.1*	3	0.01*	0.02*
	Pomegranates	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Others	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*

2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY

i) ROOT AND TUBER VEGETABLES

	Beetroot	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Carrots	0.02*	0.02*	0.1	0.05*	0.1*	0.1*	0.01*	0.02*
	Cassava	0.02*	0.02*	0.02*	15	0.1*	0.1*	0.01*	0.02*
	Celeriac	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Horseradish	0.02*	0.02*	0.3	0.05*	0.1*	0.1*	0.01*	0.02*
	Jerusalem artichokes	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Parsnips	0.02*	0.02*	0.3	0.05*	0.1*	0.1*	0.01*	0.02*
	Parsley root	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Radishes	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group to include which the food following belongs products	Paraquat	Dymetroz	Fluaclostr	Thiobend	Ethion	Chlorpyrifos methyl and Triadimenol	Triadimef	Flutriafol	Isifloxystrobin
Salsify	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*	
Sweet potatoes	0.02*	0.02*	0.02*	15	0.1*	0.1*	0.01*	0.02*	
Swedes	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*	
Turnips	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*	
Yams	0.02*	0.02*	0.02*	15	0.1*	0.1*	0.01*	0.02*	
Others	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*	
ii) BULB VEGETABLES									
Garlic	0.02*	0.02*	0.2	0.05*	0.1*	0.1*	0.01*	0.02*	
Onions	0.02*	0.02*	0.2	0.05*	0.1*	0.5	0.01*	0.02*	
Shallots	0.02*	0.02*	0.2	0.05*	0.1*	0.1*	0.01*	0.02*	
Spring onions	0.02*	0.02*	0.02*	0.05*	0.1*	1	0.01*	0.02*	
Others	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*	
iii) FRUITING VEGETABLES									
a) Solanacea									
Tomatoes	0.02*	0.5	0.2	0.05*	2	0.3	0.01*	0.5	
Peppers	0.02*	1	0.5	0.05*	0.1*	0.5	0.01*	0.02*	
Chili peppers	0.02*	1	0.5	0.05*	0.1*	0.5	0.01*	0.02*	
Aubergines	0.02*	0.5	0.2	0.05*	2	0.1*	0.01*	0.02*	
Okra	0.02*	0.02*	0.02*	0.05*	1	0.1*	0.01*	0.02*	
Others	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*	
b) Cucurbits-edible peel									
Cucumbers	0.02*	0.5	0.02*	0.05*	0.1*	0.1*	0.01*	0.2	
Gherkins	0.02*	0.5	0.02*	0.05*	0.1*	0.1*	0.01*	0.2	
Courgettes	0.02*	0.5	0.02*	0.05*	0.1*	0.1*	0.01*	0.2	
Others	0.02*	0.5	0.02*	0.05*	0.1*	0.1*	0.01*	0.2	
c) Cucurbits-inedible peel									
Melons	0.02*	0.2	0.02*	0.05*	0.3	0.1*	0.01*	0.3	
Squashes	0.02*	0.2	0.02*	0.05*	0.3	0.1*	0.01*	0.02*	
Watermelon	0.02*	0.2	0.02*	0.05*	0.3	0.1*	0.01*	0.02*	
Others	0.02*	0.2	0.02*	0.05*	0.3	0.1*	0.01*	0.02*	

Group to which the food belongs	Groups to include the following products	Paraquat	Dymetozil	Pyraclostrobin	thiabendazole	Ethionex	Flupyradifurone and Triadimenol	Triazophos	Disifloxystrobin
d)	Sweet corn	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
iv) BRASSICA VEGETABLES									
a)	Flowering Brassicas								
	Broccoli	0.02*	0.02*(13)	0.1 ⁽¹³⁾	5 ⁽¹³⁾	0.1*(13)	0.1*(13)	0.01*	0.02*(13)
	Cauliflower	0.02*	0.02*	0.1	0.05*	0.1*	0.1*	0.01*	0.02*
	Others	0.02*	0.02*	0.1	0.05*	0.1*	0.1*	0.01*	0.02*
b)	Head Brassicas								
	Brussels sprouts	0.02*	0.02*	0.2	0.05*	1	0.1*	0.01*	0.02*
	Head cabbage	0.02*	0.05	0.2	0.05*	0.1*	0.1*	0.01*	0.02*
	Others	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
c)	Leafy Brassicas								
	Chinese cabbage	0.02*	0.2	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Kale	0.02*	0.2	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Others	0.02*	0.2	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
d)	Kohlrabi	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
v) LEAF VEGETABLES AND FRESH HERBS									
a)	Lettuce & similar								
	Cress	0.02*	2	2	0.05*	0.1*	0.1*	0.01*	0.02*
	Lamb's lettuce	0.02*	2	2	0.05*	0.1*	0.1*	0.01*	0.02*
	Lettuce	0.02*	2	2	0.05*	0.1*	0.1*	0.01*	0.02*
	Scarole	0.02*	2 ⁽⁶⁾	2 ⁽⁶⁾	0.05*(6)	0.1*(6)	0.1*(6)	0.01*	0.02*(6)
	Ruccola	0.02*	2	2	0.05*	0.1*	0.1*	0.01*	0.02*
	Leaves and stems of brassica	0.02*	2	2	0.05*	0.1*	0.1*	0.01*	0.02*
	Others	0.02*	2	2	0.05*	0.1*	0.1*	0.01*	0.02*
b)	Spinach & similar								

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group to include which the food following belongs products	Paraquat	Dymetroz	Fluazifluor	Pyraclostrobin	Thiabendazole	Ethion	Chlorpyrifos methyl and Triadimenol	Triadimefenol	Triazophos	Disifloxystrobin
Spinach	0.02*	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*	
Beet leaves (chard)	0.02*	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*	
Others	0.02*	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*	
c) Watercress	0.02*	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*	
d) Witloof	0.02*	0.02*	0.02*	1	0.1*	0.1*	0.01*	0.02*		
e) Herbs										
Chervil	0.02*	1	2	0.05*	0.1*	0.1*	0.01*	0.02*		
Chives	0.02*	1	2	0.05*	0.1*	0.1*	0.01*	0.02*		
Parsley	0.02*	1	2	0.05*	0.1*	0.1*	0.01*	0.02*		
Celery leaves	0.02*	1	2	0.05*	0.1*	0.1*	0.01*	0.02*		
Others	0.02*	1	2	0.05*	0.1*	0.1*	0.01*	0.02*		
vi) LEGUME VEGETABLES (fresh)										
Beans (with pods)	0.02*	1	0.02*	0.05*	0.1*	0.1*	0.01*	0.5		
Beans (without pods)	0.02*	1	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*		
Peas (with pods)	0.02*	1	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*		
Peas (without pods)	0.02*	1	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*		
Others	0.02*	1	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*		
vii) STEM VEGETABLES										
Asparagus	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*		
Cardoons	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*		
Celery	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*		
Fennel	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*		

Group to include which the food belongs products	Paraquat	Dymetroz	Fluazifluor	Fluazifluor	Fluazifluor	Ethion	Triadimenol and methyl Triadimenol	Triazophos	Disifloxystrobin
Globe artichokes	0.02*	0.02*	0.02*	0.05*	0.1*	1	0.01*	0.02*	
Leeks	0.02*	0.02*	0.5	0.05*	0.1*	0.1*	0.01*	0.02*	
Rhubarb	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*	
Others	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*	
viii) FUNGI									
a) Cultivated mushrooms	0.02*	0.02*	0.02*	10	0.1*	0.1*	0.01*	0.02*	
b) Wild mushrooms	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*	
3. PULSES									
Beans	0.02*	0.02*	0.3	0.05*	0.1*	0.1*	0.01*	0.02*	
Lentils	0.02*	0.02*	0.3	0.05*	0.1*	0.1*	0.01*	0.02*	
Peas	0.02*	0.02*	0.3	0.05*	0.1*	0.1*	0.01*	0.02*	
Lupins	0.02*	0.02*	0.3	0.05*	0.1*	0.1*	0.01*	0.02*	
Others	0.02*	0.02*	0.3	0.05*	0.1*	0.1*	0.01*	0.02*	
4. OILSEEDS									
Linseed	0.02*	0.02*	0.02*	0.05*	0.1*	0.2*	0.01*	0.05*	
Peanuts	0.02*	0.02*	0.02*	0.05*	0.1*	0.2*	0.01*	0.05*	
Poppy seed	0.02*	0.02*	0.02*	0.05*	0.1*	0.2*	0.01*	0.05*	
Sesame seed	0.02*	0.02*	0.02*	0.05*	0.1*	0.2*	0.01*	0.05*	
Sunflower seed	0.02*	0.02*	0.02*	0.05*	0.1*	0.2*	0.01*	0.05*	
Rape seed	0.02*	0.02*	0.02*	0.05*	0.1*	0.2*	0.01*	0.05*	
Soya bean	0.02*	0.02*	0.02*	0.05*	0.3	0.2*	0.01*	0.05*	
Mustard seed	0.02*	0.02*	0.02*	0.05*	0.1*	0.2*	0.01*	0.05*	
Cotton seed	0.02*	0.05	0.02*	0.05*	0.1*	0.2*	0.01*	0.05*	
Hemp seed	0.02*	0.02*	0.02*	0.05*	0.1*	0.2*	0.01*	0.05*	
Others	0.02*	0.02*	0.02*	0.05*	0.1*	0.2*	0.01*	0.05*	

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group to include which the food belongs	Groups following products	Paraquat	Dymetroz	Pyraclostrobin	thiobendazole	Etofenprox	Triadimef methyl and Triadimenol	Triazophos	Disifloxystrobin
5. POTATOES									
	Early potatoes	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Ware potatoes	0.02*	0.02*	0.02*	15	0.1*	0.1*	0.01*	0.02*
6. TEA									
	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.05*	0.1*	0.05*	0.1*	0.1*	0.2*	0.02*	0.05*
7. HOPS (dried)									
	including hop pellets & unconcentrated powder	0.05*	15	10	0.1*	0.1*	10	0.02*	30
8. CEREALS									
	Wheat		0.02*	0.1	0.05*	0.05	0.2	0.02*	0.05
	Rye		0.02*	0.1	0.05*	0.05	0.2	0.02*	0.05
	Barley		0.02*	0.3	0.05*	0.3	0.2	0.02*	0.3
	Sorghum		0.02*	0.02*	0.05*	0.01*	0.1*	0.02*	0.02*
	Oats		0.02*	0.3	0.05*	0.3	0.2	0.02*	0.02*
	Triticale		0.02*	0.1	0.05*	0.05	0.2	0.02*	0.05
	Maize		0.02*	0.02*	0.05*	0.01*	0.1*	0.02*	0.02*
	Buckwheat		0.02*	0.02*	0.05*	0.01*	0.1*	0.02*	0.02*
	Millet		0.02*	0.02*	0.05*	0.01*	0.1*	0.02*	0.02*
	Rice ⁽¹⁾		0.02*	0.02*	0.05*	0.01*	0.1*	0.02*	0.02*
	Other cereals		0.02*	0.02*	0.05*	0.01*	0.1*	0.02*	0.02*
9. PRODUCTS OF ANIMAL ORIGIN									
	Meat, fat &		0.01*	0.05*	0.1	0.05* ⁽⁴⁶⁾	0.1*	0.01*	

(1)
(1)

Group to which the food belongs	Groups to include the following products	Paraquat	Dymetroz	Pyraclostrobin	Thiabendazole	Ethion	Chlorpyrifos methyl and Triadimenol	Triadimenol	Triazophos	Disifloxystrobin
	preparations of meat ⁽²⁾									
	Milk ⁽³⁾ & Dairy produce ⁽⁴⁾		0.01*	0.01*			0.05 ^{*(46)}	0.1*	0.01*	
	Eggs ⁽⁵⁾		0.01*	0.05*	0.1*		0.05 ^{*(46)}	0.1*	0.01*	
10. SPICES										
	Cumin seed									
	Juniper seed									
	Nutmeg									
	Pepper, black and white									
	Vanilla pods									
	Others									

UNITS:

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

KEY:

* Level at or about the limit of determination.

FOOTNOTES:

- (1) Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
- (2) Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.
- (3) These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
- (4) For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk or a combination, the following levels apply: -if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk; -if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
- (5) Bird's eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
- (46) The figure of 0.05 is the total MRL for Carbendazim and Thiophanate-methyl taken together and expressed as carbendazim.

- (1)
- (1)
- (1)
- (1)
- (1)
- (1)

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 2

Regulations 5 to 8

ENTRIES SUBSTITUTED OR INSERTED IN
SCHEDULE 1 TO THE PRINCIPAL REGULATIONS

Column 1	Column 2
<i>Pesticide</i>	<i>Residue</i>
Deltamethrin	(1) for products of plant origin other than cereals and for foodstuffs of animal origin: deltamethrin (cis-deltamethrin) (2) for cereals: deltamethrin
Cyfluthrin	cyfluthrin including other mixtures of constituent isomers (sum of isomers)
Fenthion	fenthion and its oxygen analogue, their sulfoxides and sulfones expressed as parent
Oxamyl	oxamyl
Pyraclostrobin	pyraclostrobin

EXPLANATORY NOTE

(This note is not part of the Regulations)

These Regulations amend the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) Regulations 2005 ([S.I. 2005/3286](#)) (“the principal Regulations”).

The Regulations implement Commission Directives [2006/53/EC](#) (OJ No. L154, 8.6.2006, p.11), [2006/59/EC](#) (OJ No. L175, 29.6.2006, p.61), [2006/60/EC](#) (OJ No. L206, 27.7.2006, p.1) and [2006/61/EC](#) (OJ No. L206, 27.7.2006, p.12).

The Regulations come into force in stages on dates from 9th December 2006 to 30th December 2007.

The Regulations substitute or insert:

- (a) new residue definition for certain pesticides in Schedule 1 to the principal regulations which identifies the pesticide residues that are taken into account in the measuring of residue levels for each pesticide; and
- (b) new maximum residue levels for certain pesticides in Schedule to the principal Regulations.

A Regulatory Impact Assessment (RIA) was prepared in 2005 when the principal Regulations were previously consolidated and provides a basis for establishing the impact of amendments to the principal Regulations of the kind made by these Regulations. A consultation in 2003 indicated that compliance costs were virtually unchanged from those quoted in the 1999 RIA. Copies of the assessment can be obtained from the Pesticides Safety Directorate, Room 308, Mallard House, Kings Pool, 3 Peasholme Green, York YO1 7PX or via the website www.pesticides.gov.uk. Copies have been placed in the library of each House of Parliament.

Status: *This is the original version (as it was originally made). This item of legislation is currently only available in its original format.*
