
STATUTORY INSTRUMENTS

2007 No. 2083

**AGRICULTURE, ENGLAND AND WALES
PESTICIDES, ENGLAND AND WALES**

The Pesticides (Maximum Residue Levels in
Crops, Food and Feeding Stuff) (England and
Wales) (Amendment) (No. 2) Regulations 2007

Made - - - - 19th July 2007
Laid before Parliament 26th July 2007
*Laid before the National
Assembly for Wales* - - 26th July 2007
*Coming into force in accordance with regulation 1(3)
to (6)*

The Secretary of State and the Welsh Ministers are designated⁽¹⁾ for the purposes of section 2(2) of the European Communities Act 1972⁽²⁾ in relation to the common agricultural policy.

Acting jointly, the Secretary of State and the Welsh Ministers (the Welsh Ministers acting in relation to Wales only), in exercise of the powers conferred on them by that section, make the following Regulations.

Citation, interpretation and commencement

1.—(1) These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2007.

(2) In these Regulations—

“the 2007 Amendment Regulations” means the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) Regulations 2007⁽³⁾; and

“the principal Regulations” means the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) Regulations 2005⁽⁴⁾.

(3) Subject to paragraphs (4) to (6), these Regulations shall come into force on 16th August 2007.

(1) In relation to England, [S.I. 1972/1811](#). In relation to Wales, [S.I. 2005/2766](#): by virtue of sections 59(1) and 162 of and paragraphs 28 and 30 of Schedule 11 to the Government of Wales Act 2006 ([c.32](#)), functions conferred on the National Assembly for Wales by this designation are exercisable by the Welsh Ministers.

(2) [1972 c.68](#).

(3) [S.I. 2007/971](#).

(4) [S.I. 2005/3286](#), as amended by [S.I. 2006/985](#), [S.I. 2006/1742](#), [S.I. 2006/2922](#) and [S.I. 2007/971](#).

- (4) Regulation 8 shall come into force on 28th August 2007.
- (5) Regulation 9 shall come into force on 2nd September 2007.
- (6) Regulation 10 shall come into force on 21st January 2008.

Amendments to the 2007 Amendment Regulations coming into force on 16th August 2007

2. The 2007 Amendment Regulations are amended in accordance with regulations 3 to 5.
3. In regulation 4 (amendments coming into force on 21st January 2008)—
 - (a) in paragraph (a), for “insert the entries for the pesticides Desmedipham and Phenmedipham”, substitute “insert the entry for the pesticide Desmedipham”; and
 - (b) in paragraph (b)(i), for “insert the entries in the columns relating to the pesticides Desmedipham and Phenmedipham”, substitute “insert the entries in the column relating to the pesticide Desmedipham”.
4. In Schedule 1 (entries inserted in Schedule 1 to the principal Regulations), omit the entry for the pesticide Phenmedipham in column 1 and the residue entries (1) and (2) relating to that pesticide in column 2.
5. In Schedule 2 (entries substituted or inserted in Schedule 2 to the principal Regulations), omit the column for the pesticide Phenmedipham.

Amendments to the principal Regulations

6. The principal Regulations are amended in accordance with regulations 7 to 10.

Amendments coming into force on 16th August 2007

7. Schedules 1 and 2 of the principal Regulations are amended as follows—
 - (a) in Schedule 1 (pesticide residues), in the appropriate place in the alphabetical sequence, insert the entry for the pesticide Phenmedipham set out in Schedule 1 to these Regulations;
 - (b) in Schedule 2 (maximum residue levels) of the principal Regulations—
 - (i) for the entries in the columns relating to the pesticides Abamectin, Bifenthrin, Lambda-cyhalothrin, Linuron, Methomyl Thiodicarb and Pymetrozine, substitute the entries in the columns relating to those pesticides set out in Schedule 2 to these Regulations;
 - (ii) for the entries in the column relating to the pesticide Penconazole, substitute the entries in the column headed “Penconazole: Applying from 16 August 2007” relating to that pesticide set out in Schedule 2 to these Regulations;
 - (iii) in the appropriate place in the alphabetical sequence, insert the column headed “Phenmedipham: Applying from 16 August 2007” relating to that pesticide set out in Schedule 2 to these Regulations; and
 - (iv) for the entries in the columns relating to the pesticide Atrazine for food group 8 (Cereals), substitute the entries in the column headed “Atrazine: Applying from 16 August 2007” relating to that pesticide set out in Schedule 2 to these Regulations.

Amendments coming into force on 28th August 2007

8. Schedule 2 of the principal Regulations is amended as follows—

- (a) for the entries in the column relating to the pesticides Benomyl/Carbendazim, substitute the entries in the column relating to those pesticides set out in Schedule 2 to these Regulations; and
- (b) for the entry in the column relating to the pesticide Penconazole for the food group 1(v) (b) (Strawberries (other than wild)), substitute the entry in the column relating to that pesticide headed “Penconazole: Applying from 28 August 2007” set out in Schedule 2 to these Regulations.

Amendments coming into force on 2nd September 2007

9. Schedule 1 (pesticide residues) and Schedule 2 (maximum residue levels) of the principal Regulations are amended as follows—

- (a) in Schedule 1—
 - (i) for the entry for Mevinphos, substitute the entry for Mevinphos set out in Schedule 1 to these Regulations; and
 - (ii) in the appropriate place in the alphabetical sequence, insert the entries for the pesticides Acetamiprid, Imazosulfuron, S-metholachlor, Methoxyfenozide, Milbemectin, Thiaclopid and Tribenuron-methyl set out in Schedule 1 to these Regulations; and
- (b) in Schedule 2—
 - (i) for the entries in the columns relating to the pesticides Aldicarb, Mevinphos and Phosphamidon, substitute the entries in the columns relating to those pesticides set out in Schedule 2 to these Regulations;
 - (ii) in the appropriate place in the alphabetical sequence, insert the entries in the columns relating to the pesticides Acetamiprid, Imazosulfuron, S-metholachlor, Methoxyfenozide, Milbemectin, Thiaclopid and Tribenuron-methyl set out in Schedule 2 to these Regulations; and
 - (iii) at the end, add as footnote 49 the footnote numbered (49) set out at the end of Schedule 2 to these Regulations.

Amendments coming into force on 21st January 2008

10. In Schedule 2 (maximum residue levels) of the principal Regulations, for the column headed “Phenmedipham: Applying from 16 August 2007”, substitute the column headed “Phenmedipham: Applying from 21 January 2008” set out in Schedule 2 to these regulations.

18th July 2007

19th July 2007

Jane Davidson
Minister for Sustainability and Rural
Development, one of the Welsh Ministers
Phil Woolas
Minister of State
Department for Environment, Food and Rural
Affairs

Status: This is the original version (as it was originally made).

SCHEDULE 1

Regulations 7 and 9

ENTRIES SUBSTITUTED OR INSERTED IN
SCHEDULE 1 OF THE PRINCIPAL REGULATIONS

<i>Column 1</i>	<i>Column 2</i>
<i>Pesticide</i>	<i>Residue</i>
Acetamiprid	(1) for products of plant origin: acetamiprid (2) for foodstuffs of animal origin: acetamiprid and IM-2-1 metabolite
Imazosulfuron	imazosulfuron
S-metholachlor	Metholachlor including other mixtures of constituent isomers including S-metholachlor (sum of isomers)
Methoxyfenozide	methoxyfenozide
Mevinphos	mevinphos, sum of E- and Z-isomers
Milbemectin	(1) for products of plant origin other than cereals: sum of MA4+8,9Z-MA4, expressed as milbemectin (2) for cereals: milbemectin
Phenmedipham	(1) for products of plant origin: phenmedipham (2) for foodstuffs of animal origin: phenmedipham (Methyl-N-(3- hydroxyphenyl) carbamate (MHPC) expressed as phenmedipham)
Thiacloprid	thiacloprid
Tribenuron-methyl	tribenuron-methyl

SCHEDULE 2

Regulations 7, 8, 9 and 10

ENTRIES SUBSTITUTED OR INSERTED IN
SCHEDULE 2 TO THE PRINCIPAL REGULATIONS

Abamectin-Linuron

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Abamectin</i>	<i>Acetamiprid</i>	<i>Aldicarb</i>	<i>Atrazine</i>	<i>Benomyl/Carbendazim</i>	<i>Bifenthrin</i>	<i>Imazosulfuron</i>	<i>Lambda-cyhalothrin</i>	<i>Linuron</i>
------------------------------------	--	------------------	--------------------	-----------------	-----------------	----------------------------	-------------------	----------------------	---------------------------	----------------

1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS

i) CITRUS FRUIT

Grapefruit	0.01*	1	0.02*	0.5	0.1	0.01*	0.1	0.05*
Lemons	0.01*	1	0.02*	0.5	0.1	0.01*	0.2	0.05*
Limes	0.01*	1	0.02*	0.5	0.1	0.01*	0.2	0.05*
Mandarins (inc clementines & similar hybrids)	0.01*	1	0.02*	0.5	0.1	0.01*	0.2	0.05*
Oranges	0.01*	1	0.02*	0.5	0.1	0.01*	0.1	0.05*
Pomelos	0.01*	1	0.02*	0.5	0.1	0.01*	0.1	0.05*
Others	0.01*	1	0.02*	0.5	0.1	0.01*	0.02*	0.05*

ii) TREE NUTS (Shelled or Unshelled)

Almonds	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.05*	0.05*
---------	-------	-------	-------	------	-------	-------	-------	-------

- (5) Bird's eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
- (6) Scarole includes broad-leaf endive.
- (9) All other meat, edible offal, fat and preparations of meat and edible offal.
- (10) All meat.
- (12) Liver of bovine animals.
- (13) Broccoli includes calabrese.
- (14) Meat of poultry.
- (16) Fat of bovine animals.
- (17) Except poultry.
- (30) All kidney.
- (42) All liver.
- (46) The figure of 0.05 is the total MRL for Carbendazim and Thiophanate-methyl taken together and expressed as carbendazim.
- (49) All fat.

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Abamectin	Acetamiprid	Aldicarb	Azinphos-methyl Applyin from 16 August 2007	Benomyl/Carbendazim	Bifenthrin	Imazosulfuron	Lambda-cyhalothrin	Linuron
	Brazil nuts	0.01*	0.01*	0.02*		0.1*	0.05*	0.01*	0.05*	0.05*
	Cashew nuts	0.01*	0.01*	0.02*		0.1*	0.05*	0.01*	0.05*	0.05*
	Chestnuts	0.01*	0.01*	0.02*		0.1*	0.05*	0.01*	0.05*	0.05*
	Coconuts	0.01*	0.01*	0.02*		0.1*	0.05*	0.01*	0.05*	0.05*
	Hazelnuts	0.01*	0.01*	0.02*		0.1*	0.05*	0.01*	0.05*	0.05*
	Macadamia nuts	0.01*	0.01*	0.02*		0.1*	0.05*	0.01*	0.05*	0.05*
	Pecans	0.01*	0.01*	0.02*		0.1*	0.05*	0.01*	0.05*	0.05*
	Pine nuts	0.01*	0.01*	0.02*		0.1*	0.05*	0.01*	0.05*	0.05*
	Pistachios	0.01*	0.01*	0.02*		0.1*	0.05*	0.01*	0.05*	0.05*
	Walnuts	0.01*	0.01*	0.02*		0.1*	0.05*	0.01*	0.05*	0.05*
	Others	0.01*	0.01*	0.02*		0.1*	0.05*	0.01*	0.05*	0.05*
iii) POME FRUIT										
	Apples	0.01*	0.1	0.02*		0.2	0.3	0.01*	0.1	0.05*
	Pears	0.01*	0.1	0.02*		0.2	0.3	0.01*	0.1	0.05*
	Quinces	0.01*	0.1	0.02*		0.2	0.3	0.01*	0.1	0.05*
	Others	0.01*	0.1	0.02*		0.2	0.3	0.01*	0.1	0.05*
iv) STONE FRUIT										
	Apricots	0.01*	0.1	0.02*		0.2	0.2	0.01*	0.2	0.05*

(5) Bird's eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).

(6) Scarole includes broad-leaf endive.

(9) All other meat, edible offal, fat and preparations of meat and edible offal.

(10) All meat.

(12) Liver of bovine animals.

(13) Broccoli includes calabrese.

(14) Meat of poultry.

(16) Fat of bovine animals.

(17) Except poultry.

(30) All kidney.

(42) All liver.

(46) The figure of 0.05 is the total MRL for Carbendazim and Thiophanate-methyl taken together and expressed as carbendazim.

(49) All fat.

Group to which food belongs	Groups include the following products	Abamectin	Acetamiprid	Aldicarb	Azinphos-methyl	Benomyl/Carbendazim	Bifenthrin	Imazosulfuron	Lambda-cyhalothrin	Linuron
	Cherries	0.01*	0.2	0.02*		0.5	0.2	0.01*	0.1	0.05*
	Peaches (inc nectarines & similar hybrids)	0.01*	0.1	0.02*		0.2	0.2	0.01*	0.2	0.05*
	Plums	0.01*	0.02*	0.02*		0.5	0.2	0.01*	0.1	0.05*
	Others	0.01*	0.01*	0.02*		0.1*	0.2	0.01*	0.1	0.05*

v) BERRIES AND SMALL FRUIT

Table & wine
a) grapes

Table grapes	0.01*	0.01*	0.02*		0.3	0.2	0.01*	0.2	0.05*
Wine grapes	0.01*	0.01*	0.02*		0.5	0.2	0.01*	0.2	0.05*

b) Strawberries (other than wild)

0.1	0.01*	0.02*		0.1*	0.5	0.01*	0.5	0.05*
-----	-------	-------	--	------	-----	-------	-----	-------

c) Cane fruit (other than wild)

Blackberries	0.1	0.01*	0.02*		0.1*	0.3	0.01*	0.02*	0.05*
Dewberries	0.01*	0.01*	0.02*		0.1*	0.05*	0.01*	0.02*	0.05*
Loganberries	0.01*	0.01*	0.02*		0.1*	0.05*	0.01*	0.02*	0.05*

(5) Bird's eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).

(6) Scarole includes broad-leaf endive.

(9) All other meat, edible offal, fat and preparations of meat and edible offal.

(10) All meat.

(12) Liver of bovine animals.

(13) Broccoli includes calabrese.

(14) Meat of poultry.

(16) Fat of bovine animals.

(17) Except poultry.

(30) All kidney.

(42) All liver.

(46) The figure of 0.05 is the total MRL for Carbendazim and Thiophanate-methyl taken together and expressed as carbendazim.

(49) All fat.

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Abamectin	Acetamiprid	Aldicarb	Atrazine	Benomyl/Carbendazim	Bifenthrin	Imazosulfuron	Lambda-cyhalothrin	Linuron
	Raspberries	0.1	0.01*	0.02*	0.1*	0.3	0.01*	0.02*	0.05*	
	Others	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	
d)	Other small fruit & berries (other than wild)									
	Bilberries	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	
	Cranberries	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	
	Currants (red, black & white)	0.01*	0.01*	0.02*	0.1*	0.5	0.01*	0.1	0.05*	
	Gooseberries	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.1	0.05*	
	Others	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	
e)	Wild berries & wild fruit	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.2	0.05*	
vi)	MISCELLANEOUS FRUIT									
	Avocados	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	
	Bananas	0.01*	0.01*	0.02*	0.1*	0.1	0.01*	0.02*	0.05*	
	Dates	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	
	Figs	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	
	Kiwi fruit	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	
	Kumquats	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	

- (5) Bird's eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
- (6) Scarole includes broad-leaf endive.
- (9) All other meat, edible offal, fat and preparations of meat and edible offal.
- (10) All meat.
- (12) Liver of bovine animals.
- (13) Broccoli includes calabrese.
- (14) Meat of poultry.
- (16) Fat of bovine animals.
- (17) Except poultry.
- (30) All kidney.
- (42) All liver.
- (46) The figure of 0.05 is the total MRL for Carbendazim and Thiophanate-methyl taken together and expressed as carbendazim.
- (49) All fat.

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Abamectin</i>	<i>Acetamiprid</i>	<i>Aldicarb</i>	<i>Atrazine</i> <i>Applyin</i> <i>from</i> <i>16</i> <i>August</i> <i>2007</i>	<i>Benomyl/Bifenthrin</i>	<i>Imazosulfuron</i>	<i>Lambda-cyhalothrin</i>	<i>Linuron</i>
	Litchis	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*
	Mangoes	0.01*	0.01*	0.02*	0.1*	0.3	0.01*	0.02*	0.05*
	Olives (Table Consumption)	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.5	0.05*
	Olives (Oil Extract)	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.5	0.05*
	Papaya	0.05	0.01*	0.02*	0.2	0.5	0.01*	0.02*	0.05*
	Passion fruit	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*
	Pineapples	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*
	Pomegranates	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*
	Others	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*

2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY

i) ROOT AND TUBER VEGETABLES

Beetroot	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*
Carrots	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.2
Cassava	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*
Celeriac	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.1	0.5
Horseradish	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*

(5) Bird's eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).

(6) Scarole includes broad-leaf endive.

(9) All other meat, edible offal, fat and preparations of meat and edible offal.

(10) All meat.

(12) Liver of bovine animals.

(13) Broccoli includes calabrese.

(14) Meat of poultry.

(16) Fat of bovine animals.

(17) Except poultry.

(30) All kidney.

(42) All liver.

(46) The figure of 0.05 is the total MRL for Carbendazim and Thiophanate-methyl taken together and expressed as carbendazim.

(49) All fat.

Status: This is the original version (as it was originally made).

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Abamectin</i>	<i>Acetamiprid</i>	<i>Aldicarb</i>	<i>Atrazine</i> <i>Applying from 16 August 2007</i>	<i>Benomyl/Carbendazim</i>	<i>Bifenthrin</i>	<i>Imazosulfuron</i>	<i>Lambda-cyhalothrin</i>	<i>Linuron</i>
	Jerusalem artichokes	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	
	Parsnips	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.2	
	Parsley root	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.2	
	Radishes	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.1	0.05*	
	Salsify	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	
	Sweet potatoes	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	
	Swedes	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	
	Turnips	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	
	Yams	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	
	Others	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	

ii) BULB VEGETABLES

Garlic	0.01*	0.01*	0.05	0.1*	0.05*	0.01*	0.02*	0.05*
Onions	0.01*	0.01*	0.05	0.1*	0.05*	0.01*	0.02*	0.05*
Shallots	0.01*	0.01*	0.05	0.1*	0.05*	0.01*	0.02*	0.05*
Spring onions	0.01*	0.01*	0.05	0.1*	0.05*	0.01*	0.05	0.05*
Others	0.01*	0.01*	0.05	0.1*	0.05*	0.01*	0.02*	0.05*

iii) FRUITING VEGETABLES

(5) Bird's eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).

(6) Scarole includes broad-leaf endive.

(9) All other meat, edible offal, fat and preparations of meat and edible offal.

(10) All meat.

(12) Liver of bovine animals.

(13) Broccoli includes calabrese.

(14) Meat of poultry.

(16) Fat of bovine animals.

(17) Except poultry.

(30) All kidney.

(42) All liver.

(46) The figure of 0.05 is the total MRL for Carbendazim and Thiophanate-methyl taken together and expressed as carbendazim.

(49) All fat.

Group to which food belongs	Groups include the following products	Abamectin	Acetamiprid	Aldicarb	Atrazine	Benomyl/Carbendazim	Bifenthrin	Imazosulfuron	Lambda-cyhalothrin	Linuron
a) Solanacea										
	Tomatoes	0.02	0.1	0.02*	0.5	0.2	0.01*	0.1	0.05*	
	Peppers	0.05	0.3	0.02*	0.1*	0.2	0.01*	0.1	0.05*	
	Chilli Peppers	0.05	0.3	0.02*	0.1*	0.2	0.01*	0.1	0.05*	
	Aubergines	0.02	0.1	0.02*	0.5	0.2	0.01*	0.5	0.05*	
	Okra	0.01*	0.01*	0.02*	2	0.2	0.01*	0.02*	0.05*	
	Others	0.01*	0.01*	0.02*	0.1*	0.2	0.01*	0.02*	0.05*	
Cucurbits-edible peel										
b) peel										
	Cucumbers	0.02	0.3	0.02*	0.1*	0.1	0.01*	0.1	0.05*	
	Gherkins	0.02	0.3	0.02*	0.1*	0.1	0.01*	0.1	0.05*	
	Courgettes	0.02	0.3	0.02*	0.1*	0.1	0.01*	0.1	0.05*	
	Others	0.02	0.3	0.02*	0.1*	0.1	0.01*	0.1	0.05*	
Cucurbits-inedible peel										
c) inedible peel										
	Melons	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.05	0.05*	
	Squashes	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.05	0.05*	
	Watermelons	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.05	0.05*	
	Others	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.05	0.05*	

- (5) Bird's eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
- (6) Scarole includes broad-leaf endive.
- (9) All other meat, edible offal, fat and preparations of meat and edible offal.
- (10) All meat.
- (12) Liver of bovine animals.
- (13) Broccoli includes calabrese.
- (14) Meat of poultry.
- (16) Fat of bovine animals.
- (17) Except poultry.
- (30) All kidney.
- (42) All liver.
- (46) The figure of 0.05 is the total MRL for Carbendazim and Thiophanate-methyl taken together and expressed as carbendazim.
- (49) All fat.

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Abamectin	Acetamiprid	Aldicarb	Atrazine	Benomyl/Carbendazim	Bifenthrin	Imazosulfuron	Lambda-cyhalothrin	Linuron
d)	Sweet corn	0.01*	0.01*	0.02*		0.1*	0.05*	0.01*	0.05	0.05*
iv) BRASSICA VEGETABLES										
a)	Flowering Brassicas									
	Broccoli	0.01*(13)	0.01*	0.02*		0.1*(13)	0.2(13)	0.01*	0.1(13)	0.05*(13)
	Cauliflower	0.01*	0.01*	0.02*		0.1*	0.2	0.01*	0.1	0.05*
	Others	0.01*	0.01*	0.02*		0.1*	0.2	0.01*	0.1	0.05*
b)	Head Brassicas									
	Brussels sprouts	0.01*	0.01*	0.02*		0.5	1	0.01*	0.05	0.05*
	Head cabbage	0.01*	0.01*	0.02*		0.1*	1	0.01*	0.2	0.05*
	Others	0.01*	0.01*	0.02*		0.1*	1	0.01*	0.02*	0.05*
c)	Leafy Brassicas									
	Chinese cabbage	0.01*	0.01*	0.02*		0.1*	0.05*	0.01*	1	0.05*
	Kale	0.01*	0.01*	0.02*		0.1*	0.05*	0.01*	1	0.05*
	Others	0.01*	0.01*	0.02*		0.1*	0.05*	0.01*	1	0.05*
d)	Kohlrabi	0.01*	0.01*	0.02*		0.1*	0.05*	0.01*	0.02*	0.05*

(5) Bird's eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).

(6) Scarole includes broad-leaf endive.

(9) All other meat, edible offal, fat and preparations of meat and edible offal.

(10) All meat.

(12) Liver of bovine animals.

(13) Broccoli includes calabrese.

(14) Meat of poultry.

(16) Fat of bovine animals.

(17) Except poultry.

(30) All kidney.

(42) All liver.

(46) The figure of 0.05 is the total MRL for Carbendazim and Thiophanate-methyl taken together and expressed as carbendazim.

(49) All fat.

Group to which food belongs	Groups include the following products	Abamectin	Acetamiprid	Aldicarb	Atrazine	Benomyl/Carbendazim	Bifenthrin	Imazosulfuron	Lambda-cyhalothrin	Linuron
-----------------------------	---------------------------------------	-----------	-------------	----------	----------	---------------------	------------	---------------	--------------------	---------

v) LEAF VEGETABLES AND FRESH HERBS

a) Lettuce & similar

Cress	0.1	0.01*	0.02*	0.1*	2	0.01*	1	0.05*
Lamb's lettuce	0.1	5	0.02*	0.1*	2	0.01*	1	0.05*
Lettuce	0.1	5	0.02*	0.1*	2	0.01*	1	0.05*
Scarole	0.1 ⁽⁶⁾	0.01*	0.02* ⁽⁶⁾	0.1* ⁽⁶⁾	2 ⁽⁶⁾	0.01*	1 ⁽⁶⁾	0.05* ⁽⁶⁾
Ruccola	0.1	0.01*	0.02*	0.1*	2	0.01*	1	0.05*
Leaves and stems of brassica, including turnip greens	0.1	0.01*	0.02*	0.1*	2	0.01*	1	0.05*
Others	0.1	0.01*	0.02*	0.1*	2	0.01*	1	0.05*

b) Spinach & similar

Spinach	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.5	0.05*
Beet leaves (chard)	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.5	0.05*
Others	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.5	0.05*

c) Watercress

Watercress	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*
------------	-------	-------	-------	------	-------	-------	-------	-------

(5) Bird's eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).

(6) Scarole includes broad-leaf endive.

(9) All other meat, edible offal, fat and preparations of meat and edible offal.

(10) All meat.

(12) Liver of bovine animals.

(13) Broccoli includes calabrese.

(14) Meat of poultry.

(16) Fat of bovine animals.

(17) Except poultry.

(30) All kidney.

(42) All liver.

(46) The figure of 0.05 is the total MRL for Carbendazim and Thiophanate-methyl taken together and expressed as carbendazim.

(49) All fat.

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Abamectin	Acetamiprid	Aldicarb	Atrazine	Benomyl/Carbendazim	Bifenthrin	Imazosulfuron	Lambda-cyhalothrin	Linuron
d)	Witloof	0.01*	0.01*	0.02*		0.1*	0.05*	0.01*	0.02*	0.05*
e)	Herbs									
	Chervil	1	0.01*	0.02*		0.1*	0.05*	0.01*	1	1
	Chives	1	0.01*	0.02*		0.1*	0.05*	0.01*	1	1
	Parsley	1	0.01*	0.02*		0.1*	0.05*	0.01*	1	1
	Celery leaves	1	0.01*	0.02*		0.1*	0.05*	0.01*	1	1
	Others	1	0.01*	0.02*		0.1*	0.05*	0.01*	1	1
vi)	LEGUME VEGETABLES (Fresh)									
	Beans (with pods)	0.01*	0.01*	0.02*		0.2	0.5	0.01*	0.2	0.05*
	Beans (without pods)	0.01*	0.01*	0.02*		0.1*	0.05*	0.01*	0.02*	0.1
	Peas (with pods)	0.01*	0.01*	0.02*		0.2	0.1	0.01*	0.2	0.05*
	Peas (without pods)	0.01*	0.01*	0.02*		0.1*	0.05*	0.01*	0.2	0.1
	Others	0.01*	0.01*	0.02*		0.1*	0.05*	0.01*	0.02*	0.05*
vii)	STEM VEGETABLES									
(5)	Bird's eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).									
(6)	Scarole includes broad-leaf endive.									
(9)	All other meat, edible offal, fat and preparations of meat and edible offal.									
(10)	All meat.									
(12)	Liver of bovine animals.									
(13)	Broccoli includes calabrese.									
(14)	Meat of poultry.									
(16)	Fat of bovine animals.									
(17)	Except poultry.									
(30)	All kidney.									
(42)	All liver.									
(46)	The figure of 0.05 is the total MRL for Carbendazim and Thiophanate-methyl taken together and expressed as carbendazim.									
(49)	All fat.									

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Abamectin</i>	<i>Acetamiprid</i>	<i>Aldicarb</i>	<i>Atrazine</i> <i>Applyin</i> <i>from</i> <i>16</i> <i>August</i> <i>2007</i>	<i>Benomyl/Bifenthrin</i>	<i>Carbendazim</i>	<i>Imazosulfuron</i>	<i>Lambda-cyhalothrin</i>	<i>Linuron</i>
	Asparagus	0.01*	0.01*	0.02*		0.1*	0.05*	0.01*	0.02*	0.05*
	Cardoons	0.01*	0.01*	0.02*		0.1*	0.05*	0.01*	0.02*	0.05*
	Celery	0.01*	0.01*	0.02*		0.1*	0.05*	0.01*	0.3	0.1
	Fennel	0.01*	0.01*	0.02*		0.1*	0.05*	0.01*	0.3	0.1
	Globe artichokes	0.01*	0.01*	0.02*		0.1*	0.05*	0.01*	0.02*	0.05*
	Leeks	0.01*	0.01*	0.02*		0.1*	0.05*	0.01*	0.3	0.05*
	Rhubarb	0.01*	0.01*	0.02*		0.1*	0.05*	0.01*	0.02*	0.05*
	Others	0.01*	0.01*	0.02*		0.1*	0.05*	0.01*	0.02*	0.05*

viii) FUNGI

a)	Cultivated mushrooms	0.01*	0.01*	0.02*		0.1*	0.05*	0.01*	0.02*	0.05*
b)	Wild mushrooms	0.01*	0.01*	0.02*		0.1*	0.05*	0.01*	0.5	0.05*

3. PULSES

	Beans	0.01*	0.01*	0.02*		0.1*	0.05*	0.01*	0.02*	0.05*
	Lentils	0.01*	0.01*	0.02*		0.1*	0.05*	0.01*	0.02*	0.05*
	Peas	0.01*	0.01*	0.02*		0.1*	0.05*	0.01*	0.02*	0.05*
	Lupins	0.01*	0.01*	0.02*		0.1*	0.05*	0.01*	0.02*	0.05*
	Others	0.01*	0.01*	0.02*		0.1*	0.05*	0.01*	0.02*	0.05*

4. OILSEEDS

- (5) Bird's eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
- (6) Scarole includes broad-leaf endive.
- (9) All other meat, edible offal, fat and preparations of meat and edible offal.
- (10) All meat.
- (12) Liver of bovine animals.
- (13) Broccoli includes calabrese.
- (14) Meat of poultry.
- (16) Fat of bovine animals.
- (17) Except poultry.
- (30) All kidney.
- (42) All liver.
- (46) The figure of 0.05 is the total MRL for Carbendazim and Thiophanate-methyl taken together and expressed as carbendazim.
- (49) All fat.

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Abamectin	Acetamiprid	Aldicarb	Atrazine	Benomyl/Carbendazim	Bifenthrin	Imazosulfuron	Lambda-cyhalothrin	Linuron
	Linseed	0.02*	0.01*	0.05*	0.1*	0.1*	0.01*	0.02*	0.1*	
	Peanuts	0.02*	0.01*	0.05*	0.1*	0.1*	0.01*	0.02*	0.1*	
	Poppy seed	0.02*	0.01*	0.05*	0.1*	0.1*	0.01*	0.02*	0.1*	
	Sesame seed	0.02*	0.01*	0.05*	0.1*	0.1*	0.01*	0.02*	0.1*	
	Sunflower seed (with shell)	0.02*	0.01*	0.05*	0.1*	0.1*	0.01*	0.02*	0.1*	
	Rape seed	0.02*	0.01*	0.05*	0.1*	0.1*	0.01*	0.02*	0.1*	
	Soya bean	0.02*	0.01*	0.05*	0.2	0.1*	0.01*	0.02*	0.1*	
	Mustard seed	0.02*	0.01*	0.05*	0.1*	0.1*	0.01*	0.02*	0.1*	
	Cotton seed	0.02*	0.02	0.05*	0.1*	0.1*	0.01*	0.02*	0.1*	
	Hemp seed	0.02*	0.01*	0.05*	0.1*	0.1*	0.01*	0.02*	0.1*	
	Others	0.02*	0.01*	0.05*	0.1*	0.1*	0.01*	0.02*	0.1*	
5. POTATOES										
	Early potatoes	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	

- (5) Bird's eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
- (6) Scarole includes broad-leaf endive.
- (9) All other meat, edible offal, fat and preparations of meat and edible offal.
- (10) All meat.
- (12) Liver of bovine animals.
- (13) Broccoli includes calabrese.
- (14) Meat of poultry.
- (16) Fat of bovine animals.
- (17) Except poultry.
- (30) All kidney.
- (42) All liver.
- (46) The figure of 0.05 is the total MRL for Carbendazim and Thiophanate-methyl taken together and expressed as carbendazim.
- (49) All fat.

Group to which food belongs	Groups include the following products	Abamectin	Acetamiprid	Aldicarb	Atrazine	Benomyl/Carbendazim	Bifenthrin	Imazosulfuron	Lambda-cyhalothrin	Linuron
	Ware potatoes	0.01*	0.01*	0.02*		0.1*	0.05*	0.01*	0.02*	0.05*
6. TEA										
	(dried leaves & stalks, fermented or otherwise, Camellia sinensis)	0.02*	0.1*	0.05*		0.1*	5	0.02*	1	0.1*
7. HOPS (Dried)										
	including hop pellets & unconcentrated powder	0.05	0.1*	0.05*		0.1*	10	0.02*	10	0.1*
8. CEREALS										
	Wheat	0.01*	0.01*	0.05*	0.1	0.1	0.5	0.01*	0.02	0.05*
	Rye	0.01*	0.01*	0.05*	0.1	0.1	0.05*	0.01*	0.02	0.05*
	Barley	0.01*	0.01*	0.05*	0.1	2	0.5	0.01*	0.05	0.05*
	Sorghum	0.01*	0.01*	0.05*	0.1	0.01*	0.05*	0.01*	0.02	0.05*
	Oats	0.01*	0.01*	0.05*	0.1	2	0.5	0.01*	0.02	0.05*
	Triticale	0.01*	0.01*	0.05*	0.1	0.1	0.5	0.01*	0.02	0.05*

- (5) Bird's eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
- (6) Scarole includes broad-leaf endive.
- (9) All other meat, edible offal, fat and preparations of meat and edible offal.
- (10) All meat.
- (12) Liver of bovine animals.
- (13) Broccoli includes calabrese.
- (14) Meat of poultry.
- (16) Fat of bovine animals.
- (17) Except poultry.
- (30) All kidney.
- (42) All liver.
- (46) The figure of 0.05 is the total MRL for Carbendazim and Thiophanate-methyl taken together and expressed as carbendazim.
- (49) All fat.

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Abamectin	Acetamiprid	Aldicarb	Atrazine	Benomyl/Carbendazim	Bifenthrin	Imazosulfuron	Lambda-cyhalothrin	Linuron
	Maize	0.01*	0.01*	0.05*	0.1	0.01*	0.05	0.01*	0.02	0.05*
	Buckwheat	0.01*	0.01*	0.05*	0.1	0.01*	0.05*	0.01*	0.02	0.05*
	Millet	0.01*	0.01*	0.05*	0.1	0.01*	0.05*	0.01*	0.02	0.05*
	Rice(1)	0.01*	0.01*	0.05*	0.1	0.01*	0.05*	0.01*	0.02	0.05*
	Others	0.01*	0.01*	0.05*	0.1	0.01*	0.05*	0.01*	0.02	0.05*
9. PRODUCTS OF ANIMAL ORIGIN										
	Meat, edible offal, fat & preparations of meat & edible offal(2)	0.02*(12)	0.05*(10)	0.01*		0.05*(46)	0.1(16)		0.02*(14)	
		0.01*(9)	0.1(42)				0.05(9)		0.5(17)	
			0.2(30)							
			0.05*(49)							
			0.05*							
	Eggs(5)	0.01*	0.05*	0.01*		0.05*(46)	0.01*		0.02*	
10. SPICES										
	Cumin seed									
	Juniper seed									
	Nutmeg									

(5) Bird's eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).

(6) Scarole includes broad-leaf endive.

(9) All other meat, edible offal, fat and preparations of meat and edible offal.

(10) All meat.

(12) Liver of bovine animals.

(13) Broccoli includes calabrese.

(14) Meat of poultry.

(16) Fat of bovine animals.

(17) Except poultry.

(30) All kidney.

(42) All liver.

(46) The figure of 0.05 is the total MRL for Carbendazim and Thiophanate-methyl taken together and expressed as carbendazim.

(49) All fat.

Status: This is the original version (as it was originally made).

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Abamectin</i>	<i>Acetamiprid</i>	<i>Aldicarb</i>	<i>Atrazine</i>	<i>Benomyl/Carbendazim</i>	<i>Bifenthrin</i>	<i>Imazosulfuron</i>	<i>Lambda-cyhalothrin</i>	<i>Linuron</i>
	Pepper, black and white				Applying from 16 August 2007					
	Vanilla pods									
	Spices - others									

- (5) Bird's eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
- (6) Scarole includes broad-leaf endive.
- (9) All other meat, edible offal, fat and preparations of meat and edible offal.
- (10) All meat.
- (12) Liver of bovine animals.
- (13) Broccoli includes calabrese.
- (14) Meat of poultry.
- (16) Fat of bovine animals.
- (17) Except poultry.
- (30) All kidney.
- (42) All liver.
- (46) The figure of 0.05 is the total MRL for Carbendazim and Thiophanate-methyl taken together and expressed as carbendazim.
- (49) All fat.

UNITS:

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

KEY:

* Level at or about the limit of determination.

S-metholachlor-Penconazole

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>S-metholachlor</i>	<i>Methoxyfenozide</i>	<i>Methoxyfenozide</i>	<i>Malathion</i>	<i>Milbemectin</i>	<i>Penconazole</i>	<i>Penconazole</i>
							Applying from 16 August 2007	Applying from 28 August 2007

1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS

i) CITRUS FRUIT

Grapefruit	0.05*	0.5	1	0.01*	0.05*	0.05*
------------	-------	-----	---	-------	-------	-------

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	S-metholachlor	Methomyl	Phiodicarb	Methoxyfenozide	Malathion	Milbemechlor	Penconazole Applying from 16 August 2007	Penconazole Applying from 28 August 2007
	Lemons	0.05*	1	1	0.01*	0.05*	0.05*		
	Limes	0.05*	1	1	0.01*	0.05*	0.05*		
	Mandarins (inc clementines & similar hybrids)	0.05*	1	1	0.01*	0.05*	0.05*		
	Oranges	0.05*	0.5	1	0.01*	0.05*	0.05*		
	Pomelos	0.05*	0.5	1	0.01*	0.05*	0.05*		
	Others	0.05*	0.05*	1	0.01*	0.05*	0.05*		
ii) TREE NUTS (Shelled or Unshelled)									
	Almonds	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*		
	Brazil nuts	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*		
	Cashew nuts	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*		
	Chestnuts	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*		
	Coconuts	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*		
	Hazelnuts	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*		
	Macadamia nuts	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*		
	Pecans	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*		
	Pine nuts	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*		
	Pistachios	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*		
	Walnuts	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*		
	Others	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*		
iii) POME FRUIT									
	Apples	0.05*	0.2	2	0.01*	0.05*	0.2		
	Pears	0.05*	0.2	2	0.01*	0.05*	0.2		
	Quinces	0.05*	0.2	2	0.01*	0.05*	0.2		
	Others	0.05*	0.2	2	0.01*	0.05*	0.2		
iv) STONE FRUIT									
	Apricots	0.05*	0.2	0.02*	0.01*	0.05*	0.1		

Group to which food belongs	Groups include the following products	S-metholachlor	Methoxyfenozide	Methoxyfenozide	Malathion	Milbemectin	Fluconazole Applying from 16 August 2007	Penconazole Applying from 28 August 2007
	Cherries	0.05*	0.1	0.02*	0.01*	0.05*	0.05*	
	Peaches (inc nectarines & similar hybrids)	0.05*	0.2	0.3	0.01*	0.05*	0.1	
	Plums	0.05*	0.5	0.02*	0.01*	0.05*	0.05*	
	Others	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
v) BERRIES AND SMALL FRUIT								
	Table & wine grapes							
a)	Table grapes	0.05*	0.05*	1	0.01*	0.05*	0.2	
	Wine grapes	0.05*	1	1	0.01*	0.05*	0.2	
b)	Strawberries (other than wild)	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.5
c)	Cane fruit (other than wild)							
	Blackberries	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Dewberries	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Loganberries	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Raspberries	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Others	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
d)	Other small fruit & berries (other than wild)							
	Bilberries	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Cranberries	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Currants (red, black & white)	0.05*	0.05*	0.02*	0.01*	0.05*	0.5*	
	Gooseberries	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Others	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	

Status: This is the original version (as it was originally made).

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>S-metholachlor</i>	<i>Methomyl</i>	<i>Methoxyfenozide</i>	<i>Malathion</i>	<i>Milbemectin</i>	<i>Fluconazole Applying from 16 August 2007</i>	<i>Penconazole Applying from 28 August 2007</i>
------------------------------------	--	-----------------------	-----------------	------------------------	------------------	--------------------	---	---

e)	Wild berries & wild fruit	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
----	---------------------------	-------	-------	-------	-------	-------	-------	--

vi) MISCELLANEOUS FRUIT

	Avocados	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Bananas	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Dates	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Figs	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Kiwi fruit	0.05*	0.05*	1	0.01*	0.05*	0.05*	
	Kumquats	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Litchis	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Mangoes	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Olives (Table Consumption)	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Olives (Oil Extract)	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Papaya	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Passion fruit	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Pineapples	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Pomegranates	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Others	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	

2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY

i) ROOT AND TUBER VEGETABLES

	Beetroot	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Carrots	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Cassava	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Celeriac	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Horseradish	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Jerusalem artichokes	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Parsnips	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>S-metholachlor</i>	<i>Methomyl</i>	<i>Methoxyfenozide</i>	<i>Malathion</i>	<i>Milbemechlor</i>	<i>Penconazole Applying from 16 August 2007</i>	<i>Penconazole Applying from 28 August 2007</i>
	Parsley root	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Radishes	0.05*	0.5	0.02*	0.01*	0.05*	0.05*	
	Salsify	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Sweet potatoes	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Swedes	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Turnips	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Yams	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Others	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
ii) BULB VEGETABLES								
	Garlic	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Onions	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Shallots	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Spring onions	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Others	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
iii) FRUITING VEGETABLES								
a) Solanacea								
	Tomatoes	0.05*	0.2	2	0.01*	0.05*	0.1	
	Peppers	0.05*	0.2	1	0.01*	0.05*	0.2	
	Chilli Peppers	0.05*	0.2	1	0.01*	0.05*	0.2	
	Aubergines	0.05*	0.2	0.5	0.01*	0.05*	0.1	
	Okra	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Others	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
b) Cucurbits-edible peel								
	Cucumbers	0.05*	0.05*	0.02*	0.01*	0.05*	0.1	
	Gherkins	0.05*	0.05*	0.02*	0.01*	0.05*	0.1	
	Courgettes	0.05*	0.05*	0.02*	0.01*	0.05*	0.1	
	Others	0.05*	0.05*	0.02*	0.01*	0.05*	0.1	
c) Cucurbits-inedible peel								

Status: This is the original version (as it was originally made).

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>S-metholachlor</i>	<i>Methomyl</i>	<i>Methoxyfenozide</i>	<i>Malathion</i>	<i>Milbemectin</i>	<i>Fludiofeniazole</i>	<i>Penconazole:</i> <i>Applying from 16 August 2007</i>	<i>Penconazole:</i> <i>Applying from 28 August 2007</i>
	Melons	0.05*	0.05*	0.02*	0.01*	0.05*		0.1	
	Squashes	0.05*	0.05*	0.02*	0.01*	0.05*		0.1	
	Watermelon	0.05*	0.05*	0.02*	0.01*	0.05*		0.1	
	Others	0.05*	0.05*	0.02*	0.01*	0.05*		0.1	
	Sweet								
	d) corn	0.05*	0.05*	0.02*	0.01*	0.05*		0.05*	
iv) BRASSICA VEGETABLES									
	a) Flowering Brassicas								
	Broccoli	0.05*	0.2 ⁽¹³⁾	0.02*	0.01* ⁽¹³⁾	0.05*		0.05* ⁽¹³⁾	
	Cauliflower	0.05*	0.05*	0.02*	0.01*	0.05*		0.05*	
	Others	0.05*	0.05*	0.02*	0.01*	0.05*		0.05*	
	b) Head Brassicas								
	Brussels sprouts	0.05*	0.05*	0.02*	0.01*	0.05*		0.05*	
	Head cabbage	0.05*	0.05*	0.02*	0.01*	0.05*		0.05*	
	Others	0.05*	0.05*	0.02*	0.01*	0.05*		0.05*	
	c) Leafy Brassicas								
	Chinese cabbage	0.05*	0.05*	0.02*	0.01*	0.05*		0.05*	
	Kale	0.05*	0.05*	0.02*	0.01*	0.05*		0.05*	
	Others	0.05*	0.05*	0.02*	0.01*	0.05*		0.05*	
	d) Kohlrabi	0.05*	0.05*	0.02*	0.01*	0.05*		0.05*	
v) LEAF VEGETABLES AND FRESH HERBS									
	a) Lettuce & similar								
	Cress	0.05*	0.05*	0.02*	0.01*	0.05*		0.05*	
	Lamb's lettuce	0.05*	0.05*	0.02*	0.01*	0.05*		0.05*	
	Lettuce	0.05*	0.3	0.02*	0.01*	0.05*		0.05*	
	Scarole	0.05*	0.05* ⁽⁶⁾	0.02*	0.01* ⁽⁶⁾	0.05*		0.05* ⁽⁶⁾	
	Ruccola	0.05*	0.05*	0.02*	0.01*	0.05*		0.05*	
	Leaves and stems	0.05*	0.05*	0.02*	0.01*	0.05*		0.05*	

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>S-metholachlor</i>	<i>Methomyl</i>	<i>Methoxyfenozide</i>	<i>Malathion</i>	<i>Milbemechlor</i>	<i>Penconazole Applying from 16 August 2007</i>	<i>Penconazole Applying from 28 August 2007</i>
	of brassica, including turnip greens							
	Others	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	b) Spinach & similar							
	Spinach	0.05*	0.05	0.02*	0.01*	0.05*	0.05*	
	Beet leaves (chard)	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Others	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	c) Watercress	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	d) Witloof	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	e) Herbs							
	Chervil	0.05*	0.3	0.02*	0.01*	0.05*	0.05*	
	Chives	0.05*	0.3	0.02*	0.01*	0.05*	0.05*	
	Parsley	0.05*	0.3	0.02*	0.01*	0.05*	0.05*	
	Celery leaves	0.05*	0.3	0.02*	0.01*	0.05*	0.05*	
	Others	0.05*	0.3	0.02*	0.01*	0.05*	0.05*	
	vi) LEGUME VEGETABLES (Fresh)							
	Beans (with pods)	0.05*	0.05*	0.2	0.01*	0.05*	0.05*	
	Beans (without pods)	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Peas (with pods)	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Peas (without pods)	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Others	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	vii) STEM VEGETABLES							
	Asparagus	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	S-metholachlor	Methomyl	Methoxyfenozide	Malathion	Milbemectin	Ranconazole Applying from 16 August 2007	Penconazole Applying from 28 August 2007
	Cardoons	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Celery	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Fennel	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Globe artichokes	0.05*	0.05*	0.02*	0.01*	0.05*	0.2	
	Leeks	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Rhubarb	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Others	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
viii) FUNGI								
a)	Cultivated mushrooms	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
b)	Wild mushrooms	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
3. PULSES								
	Beans	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Lentils	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Peas	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Lupins	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Others	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
4. OILSEEDS								
	Linseed	0.1*	0.05*	0.05*	0.01*	0.1*	0.05*	
	Peanuts	0.1*	0.1	0.05*	0.01*	0.1*	0.05*	
	Poppy seed	0.1*	0.05*	0.05*	0.01*	0.1*	0.05*	
	Sesame seed	0.1*	0.05*	0.05*	0.01*	0.1*	0.05*	
	Sunflower seed (with shell)	0.1*	0.05*	0.05*	0.01*	0.1*	0.05*	
	Rape seed	0.1*	0.05*	0.05*	0.01*	0.1*	0.05*	
	Soya bean	0.1*	0.1	2	0.01*	0.1*	0.05*	
	Mustard seed	0.1*	0.05*	0.05*	0.01*	0.1*	0.05*	
	Cotton seed	0.1*	0.1	2	0.01*	0.1*	0.05*	

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>S-metholachlor</i>	<i>Methomyl</i>	<i>Methoxyfenozide</i>	<i>Malathion</i>	<i>Milbemequin</i>	<i>Penconazole Applying from 16 August 2007</i>	<i>Penconazole Applying from 28 August 2007</i>
	Hemp seed	0.1*	0.05*	0.05*	0.01*	0.1*	0.05*	
	Others	0.1*	0.05*	0.05*	0.01*	0.1*	0.05*	
5. POTATOES								
	Early potatoes	0.05*	0.05*	0.02*	0.01*	0.05*	0.05	
	Ware potatoes	0.05*	0.05*	0.02*	0.01*	0.05*	0.05	
6. TEA								
	(dried leaves & stalks, fermented or otherwise, Camellia sinensis)	0.1*	0.1*	0.05*	0.02*	0.1*	0.1*	
7. HOPS (Dried)								
	including hop pellets & unconcentrated powder	0.1*	10	0.05*	0.02*	0.1*	0.5	
8. CEREALS								
	Wheat	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	
	Rye	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	
	Barley	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	
	Sorghum	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	
	Oats	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	
	Triticale	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	
	Maize	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	
	Buckwheat	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	
	Millet	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	
	Rice ⁽¹⁾	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	
	Others	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	
9. PRODUCTS OF ANIMAL ORIGIN								

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	S-metholachlor	Methoxyfenobithiodicarb	Methoxyfenobithiodicarb	Meinphos	Milbemechlan	Penconazole Applying from 16 August 2007	Penconazole Applying from 28 August 2007
	Meat, edible offal, fat & preparations of meat & edible offal ⁽²⁾		0.02*	0.01*			0.05*	
	Milk ⁽³⁾ & Dairy produce ⁽⁴⁾		0.02*	0.01*			0.05	0.01
	Eggs ⁽⁵⁾		0.02*	0.01*			0.05*	

10. SPICES

- Cumin seed
- Juniper seed
- Nutmeg
- Pepper, black and white
- Vanilla pods
- Spices - others

- (1) Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
- (2) Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.
- (3) These levels are for fresh raw cow’s milk and fresh whole cream cow’s milk expressed on the whole milk.
- (4) For preserved, concentrated or sweetened cow’s milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow’s milk or other milk or a combination, the following levels apply: -if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk; -if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
- (5) Bird’s eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
- (6) Scarole includes broad-leaf endive.
- (13) Broccoli includes calabrese.

UNITS:

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

KEY:

* Level at or about the limit of determination.

Phenmedipham-Tribenuron-methyl

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Phenmedipham Applying from 16 August 2007</i>	<i>Phenmedipham Applying from 21 January 2008</i>	<i>Chasphamid</i>	<i>Pymetrozilin</i>	<i>Thiacloprid</i>	<i>Tribenuron-methyl</i>
1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS							
i) CITRUS FRUIT							
	Grapefruit	0.05*	0.05*	0.01*	0.3	0.02*	0.01*
	Lemons	0.05*	0.05*	0.01*	0.3	0.02*	0.01*
	Limes	0.05*	0.05*	0.01*	0.3	0.02*	0.01*
	Mandarins (inc clementines & similar hybrids)	0.05*	0.05*	0.01*	0.3	0.02*	0.01*
	Oranges	0.05*	0.05*	0.01*	0.3	0.02*	0.01*
	Pomelos	0.05*	0.05*	0.01*	0.3	0.02*	0.01*
	Others	0.05*	0.05*	0.01*	0.3	0.02*	0.01*
ii) TREE NUTS (Shelled or Unshelled)							
	Almonds	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	Brazil nuts	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	Cashew nuts	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	Chestnuts	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	Coconuts	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	Hazelnuts	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	Macadamia nuts	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	Pecans	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	Pine nuts	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	Pistachios	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	Walnuts	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	Others	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
iii) POME FRUIT							

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Phenmediphen Applying from 16 August 2007	Phenmediphen Applying from 21 January 2008	Chasphamitrom	Pymetrozilin	flibiacloprid	flibenuron-methyl
	Apples	0.05*	0.05*	0.01*	0.02*	0.3	0.01*
	Pears	0.05*	0.05*	0.01*	0.02*	0.3	0.01*
	Quinces	0.05*	0.05*	0.01*	0.02*	0.3	0.01*
	Others	0.05*	0.05*	0.01*	0.02*	0.3	0.01*
iv) STONE FRUIT							
	Apricots	0.05*	0.05*	0.01*	0.05	0.3	0.01*
	Cherries	0.05*	0.05*	0.01*	0.02*	0.3	0.01*
	Peaches (inc nectarines & similar hybrids)	0.05*	0.05*	0.01*	0.05	0.3	0.01*
	Plums	0.05*	0.05*	0.01*	0.02*	0.1	0.01*
	Others	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
v) BERRIES AND SMALL FRUIT							
a) Table & wine grapes							
	Table grapes	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	Wine grapes	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
b) Strawberries (other than wild)							
	Strawberries	0.1	0.1	0.01*	0.5	0.5	0.01*
c) Cane fruit (other than wild)							
	Blackberries	0.05*	0.05*	0.01*	3	1	0.01*
	Dewberries	0.05*	0.05*	0.01*	0.02*	1	0.01*
	Loganberries	0.05*	0.05*	0.01*	0.02*	1	0.01*
	Raspberries	0.05*	0.05*	0.01*	3	1	0.01*
	Others	0.05*	0.05*	0.01*	0.02*	1	0.01*
d) Other small fruit & berries (other than wild)							
	Bilberries	0.05*	0.05*	0.01*	0.02*	1	0.01*
	Cranberries	0.05*	0.05*	0.01*	0.02*	1	0.01*
	Currants (red,	0.05*	0.05*	0.01*	0.1	1	0.01*

Group to which food belongs	Groups include the following products	Phenmediph Applying from 16 August 2007	Phenmediph Applying from 21 January 2008	Chasphamit	Pymetrozifil	Ibiacloprifil	Tibenuron-methyl
	black & white)						
	Gooseberries	0.05*	0.05*	0.01*	0.02*	1	0.01*
	Others	0.05*	0.05*	0.01*	0.02*	1	0.01*
e)	Wild berries & wild fruit	0.05*		0.01*	0.02*	0.02*	0.01*
vi) MISCELLANEOUS FRUIT							
	Avocados	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	Bananas	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	Dates	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	Figs	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	Kiwi fruit	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	Kumquats	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	Litchis	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	Mangoes	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	Olives (Table Consumption)	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	Olives (Oil Extract)	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	Papaya	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	Passion fruit	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	Pineapples	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	Pomegranates	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	Others	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY							
i) ROOT AND TUBER VEGETABLES							
	Beetroot	0.1	0.1	0.01*	0.02*	0.02*	0.01*
	Carrots	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	Cassava	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	Celeriac	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	Horseradish	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*

Status: This is the original version (as it was originally made).

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Phenmediphat Applying from 16 August 2007</i>	<i>Phenmediphat Applying from 21 January 2008</i>	<i>Chasphamid</i>	<i>Pyrimetrozilin</i>	<i>Ibuprofen</i>	<i>Fluorfenbutirone-methyl</i>
	Jerusalem artichokes	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	Parsnips	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	Parsley root	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	Radishes	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	Salsify	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	Sweet potatoes	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	Swedes	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	Turnips	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	Yams	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	Others	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
ii) BULB VEGETABLES							
	Garlic	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	Onions	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	Shallots	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	Spring onions	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	Others	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
iii) FRUITING VEGETABLES							
a) Solanacea							
	Tomatoes	0.05*	0.05*	0.01*	0.5	0.5	0.01*
	Peppers	0.05*	0.05*	0.01*	1	1	0.01*
	Chilli Peppers	0.05*	0.05*	0.01*	1	1	0.01*
	Aubergines	0.05*	0.05*	0.01*	0.5	0.5	0.01*
	Okra	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	Others	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
b) Cucurbits-edible peel							
	Cucumbers	0.05*	0.05*	0.01*	0.5	0.3	0.01*
	Gherkins	0.05*	0.05*	0.01*	0.5	0.3	0.01*
	Courgettes	0.05*	0.05*	0.01*	0.5	0.3	0.01*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Phenmediphat Applying from 16 August 2007</i>	<i>Phenmediphat Applying from 21 January 2008</i>	<i>Chlorthalophos</i>	<i>Pyrimethanil</i>	<i>Propiconazole</i>	<i>Fludioxonil</i>	<i>Benuron-methyl</i>
	Others	0.05*	0.05*	0.01*	0.5	0.3	0.01*	
	c) Cucurbits-inedible peel							
	Melons	0.05*	0.05*	0.01*	0.2	0.2	0.01*	
	Squashes	0.05*	0.05*	0.01*	0.2	0.02*	0.01*	
	Watermelons	0.05*	0.05*	0.01*	0.2	0.2	0.01*	
	Others	0.05*	0.05*	0.01*	0.2	0.02*	0.01*	
	d) Sweet corn	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*	
iv)	BRASSICA VEGETABLES							
	a) Flowering Brassicas							
	Broccoli	0.05*(13)	0.05*(13)	0.01*(13)	0.02*(13)	0.02*	0.01*	
	Cauliflower	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*	
	Others	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*	
	b) Head Brassicas							
	Brussels sprouts	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*	
	Head cabbage	0.05*	0.05*	0.01*	0.05	0.02*	0.01*	
	Others	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*	
	c) Leafy Brassicas							
	Chinese cabbage	0.05*	0.05*	0.01*	0.2	0.02*	0.01*	
	Kale	0.05*	0.05*	0.01*	0.2	0.02*	0.01*	
	Others	0.05*	0.05*	0.01*	0.2	0.02*	0.01*	
	d) Kohlrabi	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*	
v)	LEAF VEGETABLES AND FRESH HERBS							
	a) Lettuce & similar							
	Cress	0.05*	0.05*	0.01*	2	2	0.01*	
	Lamb's lettuce	0.05*	0.05*	0.01*	2	2	0.01*	
	Lettuce	0.05*	0.05*	0.01*	2	2	0.01*	
	Scarole	0.05*(6)	0.05*(6)	0.01*(6)	2 ⁽⁶⁾	2	0.01*	
	Ruccola	0.05*	0.05*	0.01*	2	2	0.01*	

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Phenmediphat Applying from 16 August 2007	Phenmediphat Applying from 21 January 2008	Chlorthalophos	Pymetrozine	Fipronil	Flufenuron-methyl
	Leaves and stems of brassica, including turnip greens	0.05*	0.05*	0.01*	2	2	0.01*
	Others	0.05*	0.05*	0.01*	2	2	0.01*
	b) Spinach & similar						
	Spinach	0.5	0.5	0.01*	0.02*	0.02*	0.01*
	Beet leaves (chard)	0.5	0.5	0.01*	0.02*	0.02*	0.01*
	Others	0.5	0.5	0.01*	0.02*	0.02*	0.01*
	c) Watercress	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	d) Witloof	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	e) Herbs						
	Chervil	7	7	0.01*	1	3	0.01*
	Chives	7	7	0.01*	1	3	0.01*
	Parsley	7	7	0.01*	1	3	0.01*
	Celery leaves	7	7	0.01*	1	3	0.01*
	Others	7	7	0.01*	1	3	0.01*
	vi) LEGUME VEGETABLES (Fresh)						
	Beans (with pods)	0.05*	0.05*	0.01*	1	1	0.01*
	Beans (without pods)	0.05*	0.05*	0.01*	1	0.02*	0.01*
	Peas (with pods)	0.05*	0.05*	0.01*	1	0.02*	0.01*
	Peas (without pods)	0.05*	0.05*	0.01*	1	0.02*	0.01*
	Others	0.05*	0.05*	0.01*	1	0.02*	0.01*
	vii) STEM VEGETABLES						

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Phenmediphen Applying from 16 August 2007</i>	<i>Phenmediphen Applying from 21 January 2008</i>	<i>Chasphamitrom</i>	<i>Pymetrozilin</i>	<i>flibiacloprid</i>	<i>flibenuron-methyl</i>
	Asparagus	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	Cardoons	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	Celery	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	Fennel	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	Globe artichokes	0.2	0.2	0.01*	0.02*	0.02*	0.01*
	Leeks	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	Rhubarb	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	Others	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
viii) FUNGI							
	a) Cultivated mushrooms	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	b) Wild mushrooms	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
3. PULSES							
	Beans	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	Lentils	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	Peas	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	Lupins	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	Others	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
4. OILSEEDS							
	Linseed	0.1*	0.1*	0.01*	0.02*	0.05*	0.01*
	Peanuts	0.1*	0.1*	0.01*	0.02*	0.05*	0.01*
	Poppy seed	0.1*	0.1*	0.01*	0.02*	0.05*	0.01*
	Sesame seed	0.1*	0.1*	0.01*	0.02*	0.05*	0.01*
	Sunflower seed (with shell)	0.1*	0.1*	0.01*	0.02*	0.05*	0.01*
	Rape seed	0.1*	0.1*	0.01*	0.02*	0.3	0.01*
	Soya bean	0.1*	0.1*	0.01*	0.02*	0.05*	0.01*
	Mustard seed	0.1*	0.1*	0.01*	0.02*	0.05*	0.01*

Status: This is the original version (as it was originally made).

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Phenmediphat Applying from 16 August 2007</i>	<i>Phenmediphat Applying from 21 January 2008</i>	<i>Chasphamid</i>	<i>Pyrimetrozilin</i>	<i>Fluopicloprid</i>	<i>Flubenuron-methyl</i>
	Cotton seed	0.1*	0.1*	0.01*	0.05	0.05*	0.01*
	Hemp seed	0.1*	0.1*	0.01*	0.02*	0.05*	0.01*
	Others	0.1*	0.1*	0.01*	0.02*	0.05*	0.01*
5. POTATOES							
	Early potatoes	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
	Ware potatoes	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
6. TEA							
	(dried leaves & stalks, fermented or otherwise, Camellia sinensis)	0.1*	0.1*	0.02*	0.1*	0.05*	0.02*
7. HOPS (Dried)							
	including hop pellets & unconcentrated powder	0.1*	0.1*	0.02*	15	0.05*	0.02*
8. CEREALS							
	Wheat		0.05*	0.01*	0.02*	0.02*	0.01*
	Rye		0.05*	0.01*	0.02*	0.02*	0.01*
	Barley		0.05*	0.01*	0.02*	0.02*	0.01*
	Sorghum		0.05*	0.01*	0.02*	0.02*	0.01*
	Oats		0.05*	0.01*	0.02*	0.02*	0.01*
	Triticale		0.05*	0.01*	0.02*	0.02*	0.01*
	Maize		0.05*	0.01*	0.02*	0.02*	0.01*
	Buckwheat		0.05*	0.01*	0.02*	0.02*	0.01*
	Millet		0.05*	0.01*	0.02*	0.02*	0.01*
	Rice ⁽¹⁾		0.05*	0.01*	0.02*	0.02*	0.01*
	Others		0.05*	0.01*	0.02*	0.02*	0.01*
9. PRODUCTS OF ANIMAL ORIGIN							

Group to which food belongs	Groups include the following products	Phenmediphen Applying from 16 August 2007	Phenmediphen Applying from 21 January 2008	Chlorthalidone	Pyrimethamine	Fipronil	Acetamiprid	Imidacloprid	Flubenzuron-methyl
	Meat, edible offal, fat & preparations of meat & edible offal ⁽²⁾		0.05*		0.01*			0.05 ⁽¹⁰⁾	0.3 ⁽¹¹⁾
								0.05 ⁽⁴⁹⁾	
								0.01	
	Milk ⁽³⁾ & Dairy produce ⁽⁴⁾		0.05*		0.01*			0.03	
	Eggs ⁽⁵⁾		0.05*		0.01*			0.01*	

10. SPICES

Cumin seed

Juniper seed

Nutmeg

Pepper, black and white

Vanilla pods

Spices - others

- (1) Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
- (2) Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.
- (3) These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
- (4) For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk or a combination, the following levels apply: -if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk; -if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
- (5) Bird's eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
- (6) Scarole includes broad-leaf endive.
- (10) Type text here for footnote
- (11) Type text here for footnote
- (13) Broccoli includes calabrese.
- (49) All fat.

Status: This is the original version (as it was originally made).

UNITS:

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

KEY:

* Level at or about the limit of determination.

EXPLANATORY NOTE

(This note is not part of the Regulations)

These Regulations amend the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) Regulations 2005 ([SI 2005/3286](#)) (“the principal Regulations”) and the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) Regulations 2007 ([S.I. 2007/971](#)) (“the 2007 Amendment Regulations”).

The Regulations implement Commission Directives [2007/7/EC](#) (OJ No L43, 15.2.2007, p 19), [2007/8/EC](#) (OJ No L63, 1.3.2007, p.9), [2007/9/EC](#) (OJ No L63, 1.3.2007, p 17), [2007/11/EC](#) (OJ No L63, 1.3.2007, p 26) and [2007/12/EC](#) (OJ No L59, 27.2.2007, p 75).

The Regulations come into force on 16th August 2007, 28th August 2007, 2nd September 2007, and 21st January 2008.

The Regulations substitute or insert:

- (a) new residue definitions for certain pesticides in Schedule 1 to the principal Regulations which identify the pesticide residues that are taken into account in the measuring of residue levels for each pesticide; and
- (b) new maximum residue levels for certain pesticides in Schedule 2 to the principal Regulations.

A Regulatory Impact Assessment (RIA) was prepared in 2005 when the principal Regulations were previously consolidated and provides a basis for establishing the impact of amendments to the principal Regulations of the kind made by these Regulations. A consultation in 2003 indicated that compliance costs were virtually unchanged from those quoted in the 1999 RIA. Copies of the assessment can be obtained from the Pesticides Safety Directorate, Room 308, Mallard House, Kings Pool, 3 Peasholme Green, York YO1 7PX or via the website www.pesticides.gov.uk. Copies have been placed in the library of each House of Parliament.