


Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE

New diagrams for insertion into the schedules to the 2002 regulations
Regulation 34(10)

SCHEDULE—PART 9


New diagrams for Schedule 9 to the 2002 regulations



Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE—PART 9

New diagrams for Schedule 9 to the 2002 regulations (continued)



4003.1


Near side light signals and instructions for pedestrians at a pedestrian facility controlled by light signals

Item	
1	Regulations: 4, 47, 47A
2	Directions: 18, 44A, 46, 54, 54A, 55, 56
3	Diagrams: 1001.3, 1055.1, 1055.2, 4002.1, 4003.1A
4	Permitted variants: Schedule 16, item 2B The horizontal positions of the red and green figures may be varied independently of each other. Multiple red and green figures may be provided. The face containing the signal and instructions may be curved and may comprise more than one unit. The legend "Stand on mat" may be added between the legends "Push button" and "Wait for signal"

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.


SCHEDULE—PART 9

New diagrams for Schedule 9 to the 2002 regulations (continued)



4003.1A
Supplementary near side light signals for pedestrians at a pedestrian facility controlled by light signals

Item	
1	Regulations: 4, 47
2	Directions: 18, 44A, 46, 54, 55, 56
3	Diagrams: 4003.1
4	Permitted variants: Schedule 16, Item 28 The horizontal positions of the red and green figures may be varied independently of each other. The face containing the signal may be curved




4003.2
Light signals for equestrian traffic

Item	
1	Regulations: 4, 48
2	Directions: 18, 44A, 46, 49, 54, 55, 56
3	Diagrams: 1001.3, 1055.1, 1055.2, 4003.3
4	Permitted variants: None

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE—PART 9

New diagrams for Schedule 9 to the 2002 regulations (continued)



4003.3


Instructions to horse riders above the push button control for calling up equestrian traffic phases at light signals

Item	
1	Regulations: 4, 48
2	Directions: 44A, 46, 54, 55, 56
3	Diagrams: 4003.2
4	Permitted variants: The legend "WAIT" may be illuminated in white, off-white or yellow

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE—PART 9

New diagrams for Schedule 9 to the 2002 regulations (continued)



4003.4


Near side light signals and instructions for horse riders at an equestrian traffic crossing facility controlled by light signals

Item	
1	Regulations: 4, 48
2	Directions: 18, 44A, 46, 49, 54, 55, 56
3	Diagrams: 1001.3, 1055.1, 1055.2, 4003.4A
4	Permitted variants: Schedule 16, item 28 The horizontal positions of the red and green ridden horse symbols may be varied independently of each other. Multiple red and green ridden horse symbols may be provided. The face containing the signal and instructions may be curved and may comprise more than one unit

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE—PART 9

New diagrams for Schedule 9 to the 2002 regulations (continued)



4003.4A


Supplementary near side light signals for horse riders at an equestrian traffic crossing facility controlled by light signals

Item	
1	Regulations: 4, 48
2	Directions: 18, 44A, 46, 54, 55, 56
3	Diagrams: 4003.4
4	Permitted variants: Schedule 16, item 28 The horizontal positions of the red and green ridden horse symbols may be varied independently of each other. The face containing the signal may be curved

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE—PART 9

New diagrams for Schedule 9 to the 2002 regulations (continued)




4003.5
Light signals for pedestrians and cyclists
at a Toucan crossing

Item	
1	Regulations: 4, 49
2	Directions: 18, 44A, 46, 49, 54, 55, 56
3	Diagrams: 1001.3, 1055.1, 1055.2, 4003.6
4	Permitted variants: The cycle aspect may be positioned to the left of the green pedestrian aspect

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE—PART 9

New diagrams for Schedule 9 to the 2002 regulations (continued)



4003.6


- (a) Instructions to pedestrians and cyclists above the push button control for calling up pedestrian and cycle phases at a Toucan crossing; or
- (b) instructions to cyclists above the push button control for calling up cycle phases at a crossing controlled by the light signals shown in diagram 3000.2

Item	
1	Regulations: 4, 49
2	Directions: 44A, 46, 54, 55, 56
3	Diagrams: 3000.2, 4003.5
4	Permitted variants: The legend "WAIT" may be illuminated in white, off-white or yellow

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE—PART 9

New diagrams for Schedule 9 to the 2002 regulations (continued)



4003.7


Near side light signals and instructions for pedestrians and cyclists at a Toucan crossing

Item	
1	Regulations: 4, 49
2	Directions: 18, 44A, 46, 49, 54, 55, 56
3	Diagrams: 1001.3, 1055.1, 1055.2, 4003.7A
4	Permitted variants: The combined cycle and pedestrian symbols may be reversed in a mirror image. The face containing the signal and instructions may be curved and may comprise more than one unit

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE—PART 9

New diagrams for Schedule 9 to the 2002 regulations (continued)



4003.7A
Supplementary near side light signals for pedestrians and cyclists at a Toucan crossing

Item	
1	Regulations: 4, 49
2	Directions: 18, 44A, 46, 54, 55, 56
3	Diagrams: 4003.7
4	Permitted variants: The combined cycle and pedestrian symbols may be reversed in a mirror image. The face containing the signal may be curved