
STATUTORY INSTRUMENTS

2012 No. 2282

CLEAN AIR, ENGLAND

**The Smoke Control Areas (Exempted
Fireplaces) (England) (No. 2) Order 2012**

<i>Made</i>	- - - -	<i>5th September 2012</i>
<i>Laid before Parliament</i>		<i>7th September 2012</i>
<i>Coming into force</i>	- -	<i>1st October 2012</i>

The Secretary of State makes the following Order in exercise of the powers conferred by section 21 of the Clean Air Act 1993⁽¹⁾.

The Secretary of State is satisfied that the fireplaces exempted by this Order can be used for burning fuel other than authorised fuels⁽²⁾ without producing any smoke or a substantial quantity of smoke.

Citation, application and commencement

1. This Order—
 - (a) may be cited as the Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012;
 - (b) applies in England; and
 - (c) comes into force on 1st October 2012.

Fireplaces exempted from the provisions of section 20 of the Clean Air Act 1993

2. The fireplaces listed in the Schedule are exempt from the provisions of section 20 of the Clean Air Act 1993 (prohibition on emission of smoke in smoke control area), subject to the conditions listed in the Schedule.

Revocation

3. The Smoke Control Areas (Exempted Fireplaces) (England) Order 2012⁽³⁾ is revoked.

(1) 1993 c.11.
(2) Fuels declared by the Secretary of State to be authorised fuels for the purposes of Part 3 of the Clean Air Act 1993 under section 20(6) of that Act are specified in [S.I. 2012/2281](#).
(3) [S.I. 2012/815](#).

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to *The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012*. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) [View outstanding changes](#)

5th September 2012

Richard Benyon
Parliamentary Under Secretary of State
Department for Environment, Food and Rural
Affairs

SCHEDULE

Article 2

Exempted Fireplaces

<i>Fireplace</i>	<i>Conditions</i>	
	The fireplace must be installed maintained and operated in accordance with the following specifications:	Permitted fuels (other than authorised fuels):
18i and 60i stoves manufactured by Jetmaster Fires Limited, Unit 2 Peacock Trading Estate, Goodwood Road, Eastleigh, Hampshire, SO50 4NT	Installation and use instruction manual reference: "Part No 106870 Issue No. 1" dated February 2010 and supplementary instruction manual reference: "Part No 106872 Issue No. 1" dated May 2010. The appliance must be fitted with a mechanical stop to prevent closure of the air control beyond the 40% open position.	Wood logs ⁽¹⁾
Aarrow Signature 5 SC, Aarrow Ecoburn 5 SC, Hamlet Solution 5 SC and Villager Espirit 5 SC Stoves manufactured by Arada Limited, The Fire Works, Millwey Industrial Estate, Axminster, Devon, EX13 5HU	Instruction manual references "Rev 02" dated April 2010. The appliance must be fitted with a mechanical stop to prevent closure of the air control beyond 20mm from the closed position and 50 mm beyond the fully open position.	Wood logs ⁽¹⁾
Acquisitions Bloomsbury 5kW stove manufactured by Esse Engineering Limited, Ouzedale Foundry, Long Ing, Barnoldswick, BB18 6BN	Instruction manual reference "01/12 (PP)" dated January 2012. The fitting of a system to prevent closure of the air controls beyond the 50% open position must be implemented.	Wood logs ⁽¹⁾
Acquisitions Cannonbury 4 and 5 manufactured by Esse Engineering Ltd, The Ouzledale Foundry, Long Ing, Barnoldswick, Colne, Lancashire BB8 6BN	Installation and Operating Instruction manual reference "v71 of 09/11/2010" Dated 09/11/2010.	Wood logs ⁽¹⁾
Aduro 3D, 8D, 10D, 11D and Asgård 1D, 2D and 7D wood burning stoves manufactured by Aduro A/S, Silkeborgvej 765 8220, Brabrand, Denmark	Instruction manual references "Pevex1001/AH/ver1" and dated June 2011. The appliance must be fitted with permanent stops to ensure that the primary and secondary air controls do not	Dry wood logs ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
	close beyond 95% and 50% respectively	
Aduro 9D wood burning stove manufactured by Aduro A/S, Silkeborgvej 765 8220, Brabrand, Denmark	Instruction manual references “Pevex1002/AH/ver1” and dated June 2011. The appliance must be fitted with permanent stops to ensure that the primary and secondary air controls do not close beyond 95% and 50% respectively	Dry wood logs ⁽¹⁾
Alberg 7 manufactured by Elite Group Trading Limited, Room 1208 Kak Tak Commercial Building 317-319 Des Voeux Road, Central Hong Kong 999077	Instruction manual references “EGTL03A Version 1.4” dated 21st December 2011	Wood Logs ⁽¹⁾
Alpha I model number AL905-SE Wood Burning Stove manufactured by Hi-Flame Fireplace UK Limited, Unit 5A Holmes Chapel Business Park, Manor Lane, Holmes Chapel, Cheshire. CW4 8AF	Instruction manual reference “HF277-SE/UK-NI-ROI/V2D.18-07-12” dated July 2012. Fitted with a mechanical stop to prevent closure of the main air control beyond the 50% open position	Wood Logs ⁽¹⁾
Alpha II model number AL907-SE Wood Burning Stove manufactured by Hi-Flame Fireplace UK Limited, Unit 5A Holmes Chapel Business Park, Manor Lane, Holmes Chapel, Cheshire. CW4 8AF	Instruction manual reference “AL907-SE/UK-NI-ROI/V3-D.14-07-12” dated July 2012. Fitted with a mechanical stop to prevent secondary air control closure beyond the 20% open position, and a 70mm opening of the door rope seal to allow a constant flow of air when sold into smoke control areas.	Wood Logs ⁽¹⁾
Angus Origno 200 40kW, 60kW and 80kW gasification boilers manufactured by Eko-Vimar Orlanski Spółka z ograniczoną odpowiedzialnością, ul. Nyska 17 b 48-385 Otmuchów, Poland	Instruction manual reference “EV-20111002” dated October 2011	Wood logs ⁽¹⁾
Angus Super 18, 25, 40, 60 and 80kW gasification boilers manufactured by Eko-Vimar Orlanski Spółka z ograniczoną odpowiedzialnością, ul. Nyska	Instruction manual reference “EV-20111001” dated October 2011.	Wood logs ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
17 b, 48-385 Otmuchów, Poland		
Apollo 8 Inset stove manufactured by Chesneys Limited, 194-200 Battersea Park Road, London, SW11 4ND	Instruction manual reference “CH8K Apollo – V2” dated 31st October 2011, The fitting of a system that prevents closure of the air controls further than 40mm from open must be implemented.	Wood logs ⁽¹⁾
Arimax Bio 300Kw Arimax Bio 400Kw Arimax Bio 500Kw Boilers Manufactured by Artierm Oy PO Box 59 Fin – 43101 Saarijarvi, Finland	Instruction manual reference “INSTALLATION AND OPERATION MANUAL Arimax Bio 120-3000 kW” dated 30/03/2010	6-8mm Wood Pellets with a Moisture content less than 10% ⁽¹⁾
Ashwell Green-Tec 150 boiler manufactured by Ashwell Biomass Limited, Unit 12, 35 Pinfold Road, Thurmaston, Leicester, LE4 8AT	Instruction manual reference “ASH-gt150/101 Version 1.2” dated June 2009	Wood pellets ⁽¹⁾
Ashwell Green-Tec 195 boiler, manufactured by Ashwell Biomass Limited, Unit 12, 35 Pinfold Road, Thurmaston, Leicester, LE4 8AT	Instruction manual reference “ASH-gt195/102 Version 1.2” dated June 2009	Wood pellets ⁽¹⁾
Ashwell Green-Tec 300 boiler manufactured by Ashwell Biomass Limited, Unit 12, 35 Pinfold Road, Thurmaston, Leicester, LE4 8AT	Instruction manual reference “ASH-gt300/103 Version 1.2” dated June 2009	Wood pellets ⁽¹⁾
Barbas ECO 52 Stove manufactured by Interfocos, Hallenstraat 17, 5531 AB Bladel, The Netherlands.	Instruction manual references ‘02 -327332’ dated March 2010	Wood logs ⁽¹⁾
Barbas Unilux 3 -52 Stove manufactured by Interfocos, Hallenstraat 17, 5531 AB Bladel, The Netherlands.	Instruction manual references ‘03 -326587’ dated March 2010	Wood logs ⁽¹⁾
Barbas Unilux 3 -40, 5 kW wood burning insert and Barbas ECO 40, 5 kW wood burning roomheater manufactured by Interfocos BV, Hallenstraat	The Unilux-3 40 Instruction Manual, document Version 01-326587 dated August 2009.	Wood logs ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
17, NL-5531, AB, BLADEL, Netherlands	The ECO 40 Instruction Manual, document Version 01-327332 dated October 2009.	
Baxi Bioflo manufactured by Windhager Zentralheizung GmbH, Anton-Windhager-Str. 20, A-5201 Seekirchen bei, Salzburg, Austria.	Operating instruction manual references “720574401” dated 2010 and installation and servicing instruction manual “720574501” dated 2010	Wood pellets ⁽¹⁾
Be Modern Monroe 5, Monroe 5, Be Modern Monterrey 5, Monterrey 5 and York Midi Multi Fuel Stoves manufactured by Broseley Fires Ltd, Knights Way Battlefield Enterprise Park, Shrewsbury, Shropshire SY1 3AB	Instruction manual references ‘OCT 10/GB’ dated 6th October 2010. The appliance must be fitted with a system that prevents the closure of the secondary air flaps to less than 8mm open position.	Wood logs ⁽¹⁾
Be Modern Monterrey 7, Monterrey 7, Be Modern Monroe 7 and Monroe 7 Multi Fuel Stoves manufactured by Broseley Fires Ltd, Knights Way Battlefield Enterprise Park, Shrewsbury, Shropshire SY1 3AB	Instruction manual references ‘OCT 10/GB’ dated 6th October 2010. The appliance must be fitted with a system that prevents the closure of the secondary air flaps to less than 10mm open position.	Wood logs ⁽¹⁾
The Binder Wood Fired Boiler models RRK 22-49 (49 kW output) manufactured by Binder Gesellschaft mit beschränkter Haftung (GmbH) of Austria	The manufacturer’s and Wood Energy Limited’s instructions ‘Binder Equipment Installation, Commissioning and Maintenance’ dated 17th May 2005, reference WELBinderManualrev0.doc, revision 0	Wood pellets or wood chips ⁽¹⁾
The Binder Wood Fired Boiler models RRK 80-175 (75-149 kW output) with cyclone models ZA 80-175 manufactured by Binder Gesellschaft mit beschränkter Haftung (GmbH) of Austria	The manufacturer’s and Wood Energy Limited’s instructions ‘Binder Equipment Installation, Commissioning and Maintenance’ dated 17th May 2005, reference WELBinderManualrev0.doc, revision 0	Wood pellets or wood chips ⁽¹⁾
The Binder Wood Fired Boiler model RRK 130-250 (185-230 kW output), RRK 200-350 (250-300 kW output), RRK 400-600 (350-500 kW output) and RRK 640-850 (650-840	The manufacturer’s and Wood Energy Limited’s instructions ‘Binder Equipment Installation, Commissioning and Maintenance’ dated 17th May 2005, reference	Wood pellets or wood chips ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
kW output) with cyclone model type ZA manufactured by Binder Gesellschaft mit beschränkter Haftung (GmbH) of Austria	WELBinderManualrev0.doc, revision 0	
The Binder Wood Fired Boiler model RRK 1000 (1200 kW output) with multi-cyclone model MZA manufactured by Binder Gesellschaft mit beschränkter Haftung (GmbH) of Austria	The manufacturer's and Wood Energy Limited's instructions 'Binder Equipment Installation, Commissioning and Maintenance' dated 17th May 2005, reference WELBinderManualrev0.doc, revision 0	Wood pellets or wood chips ⁽¹⁾
The Binder Wood Fired Boiler model RRK 1200- 1650 with Binder model MZA multicyclone and automatic ignition manufactured by Binder Gesellschaft mit beschränkter Haftung (GmbH) of Austria	Wood Energy Limited's operating instructions for Binder appliances referenced: 2009 July Binder O&M revision8.doc Operation and Maintenance Manual, Revision 8, dated 15th July 2009	Wood pellets or wood chips ⁽¹⁾
The Binder Wood Fired Boiler model RRK 1800-2300 Binder model MZA multicyclone and automatic ignition manufactured by Binder Gesellschaft mit beschränkter Haftung (GmbH) of Austria	Wood Energy Limited's operating instructions for Binder appliances referenced: 2009 July Binder O&M revision8.doc Operation and Maintenance Manual, Revision 8, dated 15th July 2009	Wood pellets or wood chips ⁽¹⁾
The Binder Wood Fired Boiler model RRK 2500- 3000 with Binder model MZA multicyclone and automatic ignition manufactured by Binder Gesellschaft mit beschränkter Haftung (GmbH) of Austria	Wood Energy Limited's operating instructions for Binder appliances referenced: 2009 July Binder O&M revision8.doc Operation and Maintenance Manual, Revision 8, dated 15th July 2009	Wood pellets or wood chips ⁽¹⁾
Biomatic +20 boiler manufactured by Ariterm Sweden AB, Flottiljvägen 15, 392 41 Kalmar, Sweden	Instruction manual reference "ARITERM-VTT-S-07229-11.1" dated 21/05/2012	Wood pellets ⁽¹⁾
Biomatic +20 light boiler and Biomatic +20 ultra light boiler manufactured by Ariterm Sweden AB, Flottiljvägen 15, 392 41 Kalmar, Sweden	Instruction manual reference "ARITERM-VTT-S-07229-11.2" dated 21/05/2012	Wood pellets ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservedatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
Biomatic +40 boiler manufactured by Ariterm Sweden AB, Flottiljvägen 15, 392 41 Kalmar, Sweden	Instruction manual reference “ARITERM-VTT-S-06765-11.1” dated 21/05/2012	Wood pellets ⁽¹⁾
Biomatic +40 light boiler and Biomatic +40 ultra light boiler manufactured by Ariterm Sweden AB, Flottiljvägen 15, 392 41 Kalmar, Sweden	Instruction manual reference “ARITERM-VTT-S-06765-11.2” dated 21/05/2012	Wood pellets ⁽¹⁾
Biomatic 220 and 250 fitted with Zyκλοvent 220–250 cyclone separator manufactured by HERZ Armaturen Ges.m.b.H, Geschäftsbereich HERZ, Feuerungstechnik, A–8272 Sebersdorf 138, Austria	The manufacturer’s instructions dated April 2005, reference Bedienungsanleitung Englisch v2.0 doc	Chipped wood, wood pellets or planed wood shavings ⁽¹⁾
Biomatic 300, 350, 400 and 500 fitted with Zyκλοvent 300-500 cyclone separator manufactured by HERZ Armaturen Ges.m.b.H, Geschäftsbereich HERZ, Feuerungstechnik, A-8272 Sebersdorf 138, Austria	The manufacturer’s instructions dated April 2005, reference Bedienungsanleitung Englisch v2.0 doc	Chipped wood, wood pellets or planed wood shavings ⁽¹⁾
Boru 4.9 kW Stove manufactured by Righpur Limited, T/A Boru Stoves, the Hive, Ballydine, Gooldscross, Ireland	Instruction manual reference ‘BFF010’ dated 26th January 2011. The air controls must be fixed such that they cannot be closed more than: Primary air slide 2mm, Secondary air slide 2mm, Tertiary air slide 30%	Wood logs ⁽¹⁾
Burley Brampton 8 kW stove (also known as Navitron Stalham 8kW) manufactured by Burley Appliances, Lands’ End Way, Oakham, Rutland, LE15 6RB	Instruction manual reference “BUR/11/10” dated October 2011.	Wood logs ⁽¹⁾
Burley Debdale 4 kW stove (also known as Navitron Bacton 4kW) manufactured by Burley Appliances, Lands’ End Way, Oakham, Rutland, LE15 6RB	Instruction manual reference “BUR/11/10” dated October 2011. The radius of the air inlet hole must be 19mm	Wood logs ⁽¹⁾
Burley Hollywell SE (also known as Navitron Cromer 5kW) manufactured by Burley	Instruction manual reference ‘BUR/11/05’ dated January 2011. The appliance must be fitted with	Wood logs ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
Appliances Ltd, Lands End Way, Oakham, Rutland LE15 6RB	an air plate that prevents the tertiary air controller from closing more than 17mm and opening more than 45mm	
Bushman Large Commercial Pizza Oven manufactured by Dingley Dell Enterprises Ltd, PO Box 3534, Kidderminster, Worcestershire, DY14 9ZE	Instruction manual references 'LCOINST' dated January 2011	Wood logs ⁽¹⁾
Bushman Large Domestic Pizza Oven manufactured by Dingley Dell Enterprises Ltd, PO Box 3534, Kidderminster, Worcestershire, DY14 9ZE	Instruction manual references 'LDOINST' dated January 2011	Wood logs ⁽¹⁾
Bushman Medium Commercial Pizza Oven manufactured by Dingley Dell Enterprises Ltd, PO Box 3534, Kidderminster, Worcestershire, DY14 9ZE	Instruction manual references 'MCOINST' dated January 2011	Wood logs ⁽¹⁾
Bushman Medium Domestic Pizza Oven manufactured by Dingley Dell Enterprises Ltd, PO Box 3534, Kidderminster, Worcestershire, DY14 9ZE	Instruction manual references 'MDOINST' dated January 2011	Wood logs ⁽¹⁾
Bushman Small Commercial Pizza Oven manufactured by Dingley Dell Enterprises Ltd, PO Box 3534, Kidderminster, Worcestershire, DY14 9ZE	Instruction manual references 'SCOINST' dated January 2011	Wood logs ⁽¹⁾
Bushman Small Domestic Pizza Oven manufactured by Dingley Dell Enterprises Ltd, PO Box 3534, Kidderminster, Worcestershire, DY14 9ZE	Instruction manual references 'SDOINST' dated January 2011	Wood logs ⁽¹⁾
Carillon 16:9 Crystal manufactured by La Nordica Spa, Via Summano 104 M.Precalcino, 36030 Vicenza, Italy	Instruction manual references '7196755-Rev 09' dated 22nd December 2010. The appliance must be fitted with a mechanical stop to prevent closure of the secondary air control beyond the 40% open position.	Wood logs ⁽¹⁾
Carillon 4:3 manufactured by La Nordica Spa, Via Summano 104 M.Precalcino, 36030 Vicenza, Italy	Instruction manual references '7196755-Rev 09' dated 22nd December 2010. The appliance must be fitted with a mechanical	Wood logs ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preserveds or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
	stop to prevent closure of the secondary air control beyond the 40% open position.	
Carron Dante SE manufactured by Jig UK Limited Hurlingham Business Park, Fulbeck Heath, Grantham, Lincolnshire NG32 3HL	Instruction manual references ‘BHC401-406’ dated 12th January 2011. The appliance must be fitted with a system preventing the closure of the secondary air control openings beyond 14mm.	Wood logs ⁽¹⁾
Carron Stove SE manufactured by Jig UK Limited Hurlingham Business Park, Fulbeck Heath, Grantham, Lincolnshire NG32 3HL	Instruction manual references ‘BHC501-506’ dated 12th January 2011. The appliance must be fitted with a system preventing the closure of the secondary air control openings beyond 3mm.	Wood logs ⁽¹⁾
Carron Stove manufactured by Jig UK Limited Hurlingham Business Park, Fulbeck Heath, Grantham, Lincolnshire NG32 3HL	Instruction manual references “91- 62351” dated July 2009	Dry and split wood logs of a maximum length of 23 cm ⁽¹⁾
CB800 Skagen manufactured by Hunter Stoves Limited, Unit 6, The Old Mill Industrial Estate, Stoke Canon, Exeter, Devon, EX5 4RJ	Instruction manual reference “JINHCE08 revE” dated 06/12/11 and instruction manual “JINHCE08SCK revB” dated 06/12/11. The appliance must be fitted with smoke control area kit JHCE080.	Wood Logs ⁽¹⁾
Charnwood C-Four stove manufactured by A.J Wells & Sons Ltd, Bishops Way, Newport, Isle of Wight, PO30 5WS	Instruction manual reference “CFOUR V1” dated August 2011.	Wood logs ⁽¹⁾
Charnwood C-Six stove manufactured by A.J Wells & Sons Ltd, Bishops Way, Newport, Isle of Wight, PO30 5WS	Instruction manual reference “Ref. C-4 C-6 v1” dated March 2012. The fitting of a system that prevents the closure of the air control opening beyond 58mm of the open position must be implemented.	Wood logs ⁽¹⁾
Charnwood Country 4 wood burning stove manufactured by AJ Wells and Sons, Bishops Way, Newport, Isle of Wight, PO30 5WS	Modification instruction manual references ‘TIS.95’ dated January 2011 and instruction manual ‘Country 4 MKII’ dated January 2011.	Wood logs ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
	The appliance must be fitted with the manufacturer's smoke reduction kit when used within a smoke control area to fix the minimum aperture of the secondary air inlets to a minimum of 21mm open.	
Charnwood Island 1 manufactured by AJ Wells and Sons, Bishops Way, Newport, Isle of Wight, PO30 5WS	Instruction manual references 'Island I.II.III 12.10 IssueB' dated December 2010. The appliance must be fitted with a stop bracket (kit no. 010/AY83/S) to prevent the airwash flaps at the back of the stove from being closed beyond 2mm.	Wood logs ⁽¹⁾
Charnwood Island 2 manufactured by AJ Wells and Sons, Bishops Way, Newport, Isle of Wight, PO30 5WS	Instruction manual references 'Island I.II.III 12.10 IssueB' dated December 2010. The appliance must be fitted with a stop bracket (kit no. 010/BY83/S) to prevent the airwash flaps at the back of the stove from being closed beyond 2mm.	Wood logs ⁽¹⁾
Charnwood Island 3 manufactured by AJ Wells and Sons, Bishops Way, Newport, Isle of Wight, PO30 5WS	Instruction manual references 'Island I.II.III 12.10 IssueB' dated December 2010. The appliance must be fitted with a stop bracket (kit no. 010/CY83/S) to prevent the airwash flaps at the back of the stove from being closed beyond 2mm.	Wood logs ⁽¹⁾
Charnwood Cove 1SR stove manufactured by A.J Wells and Sons Ltd, Bishops Way, Newport, Isle of Wight, PO30 5WS	Installation and Use Instruction manual references "COVE1SR01.10 Issue A". An adjustment of the air control such that the minimum closure of the air control is equivalent to that found with the control pushed in 15mm from the fully open position must be made.	Wood logs ⁽¹⁾
Charnwood Tor Pico manufactured by AJ Wells and Son Ltd, Bishops Way,	Instruction manual references 'Tor and Tor Pico 12.10 Issue B' dated December 2010	Wood logs ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
Newport, Isle of Wight, PO30 5WS		
Charnwood Tor stove manufactured by A.J Wells and Sons Ltd, Bishops Way, Newport, Isle of Wight, PO30 5WS	Installation and Use Instruction manual references “Tor 02.10 Issue A”	Wood logs ⁽¹⁾
Chesneys 4 Series (4.6 kW) Stoves: Flatford 4, Hampstead 4, Alpine 4 also sold as: Sunbeam 4, Dakota 4, Providence 4. Pacific 4 also sold as: Murano 4, Apollo 4. Chelsea 4 also sold as: Wellington 4, Guernsey 4, Belgravia 4 Manufactured by Chesneys, 194-200 Battersea Park Road, London, SW11 4ND	Chesneys 4 series Instruction manual references “CH4K-V4” dated 7th December 2009 The appliance must be fitted with a mechanical stop to prevent closure of the air control beyond the 34mm open position	Wood logs ⁽¹⁾
Chesneys 6 Series (7 kW) Stoves: Flatford 6, Barrington 6, Petworth 6, Hampstead 6, Alpine 6 also sold as: Sunbeam 6, Dakota 6, Providence 6 and the Chelsea 6 also sold as: Wellington 6, Guernsey 6, Belgravia 6 Manufactured by Chesneys, 194-200 Battersea Park Road, London, SW11 4ND	Chesneys 6 series Instruction manual references “CH6K-V4” dated 7th December 2009. The appliance must be fitted with a mechanical stop to prevent closure of the air control beyond the 10mm open position	Wood logs ⁽¹⁾
The Classic model 25, 35, 40, 49, and 60 wood pellet boilers manufactured by Hargassner Gesellschaft mit beschränkter Haftung (GmbH), Gunderding 8, A-4952, Weng, Austria	The manufacturer’s installation manual for the Classic Pellet Boilers reference No. 22, Pellet Boilers, Type Classic 25, 31, 35, 40, 49, 60, reference BA Classic 25L-60L Nr 21 0508.	Wood pellets ⁽¹⁾
Clean Air Systems CAS 200, 400 and 600 handfed airheaters manufactured by Inventair Ltd, Lancaster Road, Carnaby Industrial Estate, Bridlington, East Yorkshire, YO15 3QY	To be operated in accordance with the Handbook for CAS hand fired airheater range reference 24600H version 1 dated January 2011	Softwood, hardwood, medium density fibreboard (MDF) or chipboard offcuts ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
Clean Air Systems CAS 300 Max airheater and cyclone manufactured by Inventair Ltd, Lancaster Road, Carnaby Industrial Estate, Bridlington, East Yorkshire, YO15 3QY	To be operated in accordance with the Handbook for CAS 300 Max airheater range reference 300A version 1 dated January 2011	Softwood, hardwood, medium density fibreboard (MDF) or chipboard offcuts ⁽¹⁾
Cleanburn CB900 Inset & Cleanburn CB900 Sønderskoven Inset, Wood burning stoves, Manufactured by Hunter Stoves Limited, Unit 6, The Old Mill Industrial Estate, Stoke Canon, Exeter, Devon, EX5 4RJ	Instruction manual reference “JINHNCN09 Slider Stop Rev A” dated 17/01/12 and instruction manual “JINHNCN09 Rev F” dated 24th January 2012. The appliance must be fitted with a mechanical stop to prevent secondary air control closure beyond the 20% open position when sold into smoke control areas.	Wood Logs ⁽¹⁾
Cleanburn R4 manufactured by Hunter Stoves Limited, Unit 6, The Old Mill Industrial Estate, Stoke Canon, Exeter, Devon, EX5 4RJ	Instruction manual reference “JINCLR04 Rev E” dated 02/12/11, and instruction manual “JINCLR04SCK revB” dated 5th December 11. The appliance must be fitted with “smoke control area kit JCLR0401”.	Wood Logs ⁽¹⁾
Clearburn Junior SE stove manufactured by Dean Forge Limited, Dean Prior, Buckfastleigh, Devon. TQ11 0LS	Instruction manual reference “JRSE Issue 1” dated March 2012. Fitted with a mechanical stop to prevent secondary air control closure beyond 83mm open position when sold into smoke control areas.	Wood Logs ⁽¹⁾
The Clearview Pioneer 400, Solution 400 and Pioneer Oven wood burning stoves manufactured by Clearview Stoves of More Works, Bishops Castle, Shropshire, SY9 5HH	The manufacturer’s instructions ‘Operating Instructions Clearview Vision/Vision Inset/ Pioneer & Solution’ dated 1st July 2006, reference V1/42, stamped and signed “Smoke Control”. The appliance must be fitted with a tamperproof mechanical stop on the air slide/damper.	Air-dried wood logs ⁽¹⁾
Contura 510, Contura 520T, Contura 550, Contura 550A, Contura 550W, Contura 560T, Contura 560K, Contura 570, Contura 580, Contura 585,	Installation Instruction IAV SE/ EX 0726-6 611821 Lighting instruction BAV SE/EX 0717-2 611820	Untreated dry wood with a maximum moisture content of 20%

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
Contura 590, Contura T, all manufactured by NIBE AB Box 134, 285 23 Markaryd, Sweden	A permanent stop must be in place on the air inlet to prevent closure beyond the 20% open position.	
Contura 580W manufactured by NIBE AB Box 134, 285 23 Markaryd, Sweden	Installation instruction IAV SE/EX 0740-1 511911. A permanent stop must be in place on the air inlet to prevent closure beyond the 20% open position.	Untreated dry wood with a maximum moisture content of 20%
Contura 750 manufactured by Nibe, Box 134, S-285 23 Markaryd. Sweden	Instruction manual references “811064 BAV SE-EX C750/780-1”. The appliance must be fitted with a mechanical stop to prevent closure beyond the 28% open position	Wood Logs ⁽¹⁾
Contura 750A manufactured by Nibe, Box 134, S-285 23 Markaryd, Sweden	Instruction manual references “811064 BAV SE-EX C750/780-1”. The appliance must be fitted with a mechanical stop to prevent closure beyond the 28% open position.	Wood Logs ⁽¹⁾
Contura 780 manufactured by Nibe, Box 134, S-285 23 Markaryd, Sweden	Instruction manual references “811064 BAV SE-EX C750/780-1”. The appliance must be fitted with a mechanical stop to prevent closure beyond the 28% open position.	Wood Logs ⁽¹⁾
Contura 810, 820 T, 850, 860 T, and 880 manufactured by Nibe Stoves, Box 134, S-285 23 Markaryd, Sweden	Instruction manual reference “811118 BAV SE-EX C800-1” dated 28-06-2011 and Supplementary operating instructions “811142 BAV GB-2” dated June 2011. The appliance must be fitted with a mechanical stop to prevent air control closure beyond the 38% open position.	Wood Logs ⁽¹⁾
Contura i4 Modern and Contura i4 Classic manufactured by Nibe Stoves, Box 134, S-285 23 Markaryd. Sweden	Instruction manual references “811136 BAV C i4 GB-1” dated 04-07-2011 and Supplementary operating instructions “811142 BAV GB-2” dated June 2011. The appliance must be fitted with a mechanical stop to prevent	Dry wood logs ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preserveds or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
	closure beyond the 28% open position	
Cove 2 SR manufactured by A.J.Wells & Sons Ltd of Bishops Way, Newport, Isle of Wight, PO30 5WS	Instruction manual references “Cove2SR 07.09 IssB” dated July 2009 A permanent stop must be in place on air control to prevent closure beyond 14mm from the fully closed position.	Dry and split wood logs of a maximum length of 23 cm ⁽¹⁾
Crator JS5500 multi-fuel stove manufactured by James Smellie Limited, Unit N, Leona Industrial Estate, Nimmings Road, Halesowen, West Midlands. B62 9JQ	Instruction manual reference “Crator multi-fuel stove instruction manual Issue 1” dated June 2012	Wood Logs ⁽¹⁾
CTC Ecoflex 15 and 20 manufactured by Enertech AB, Box 313, S-341 26 Ljungby, Sweden	The manufacturer’s instructions dated 20th February 2007, reference 161 505 27 06/1	Wood pellets ⁽¹⁾
D’Alessandro GSA 130 airheater manufactured by D’Alessandro Termomeccanica, Contrada Cerreto, 55, 66010 Miglianico, Chieti, Italy	Instruction manual reference “2.0-1-QGSA130XEN0612” dated 26/06/2012	Wood chips ⁽¹⁾
D’Alessandro Termomeccanica CS and CSA 130, 180, 230 and 300 manufactured by D’Alessandro Termomeccanica, Contrada Cerreto, 55, 66010 Miglianico, Chieti, Italy	Instruction manual reference “Ver. 2.0 - QCSA2000XEN0209 [UK SMOKE CONTROL]” dated 02/2009	Wood pellets ⁽¹⁾
D’Alessandro Termomeccanica CS and CSA 400, 500, 650, 800, 950, 1300, 1650 and 2000kW manufactured by D’Alessandro Termomeccanica, Contrada Cerreto, 55, 66010 Miglianico, Chieti, Italy	Instruction manual reference “Ver. 2.0 - QCSA2000XEN0209 [UK SMOKE CONTROL]” dated 02/2009. The optional multi-cyclone must be fitted	Wood pellets ⁽¹⁾
D’Alessandro Termomeccanica CS and CSA boilers 40, 60, 80 and 100kW manufactured by D’Alessandro Termomeccanica, Contrada	Instruction manual reference “Ver. 2.0 - QCSA100XXIT0209 [UK SMOKE CONTROL]” dated 02/2009	Wood pellets ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
Cerreto, 55, 66010 Miglianico, Chieti, Italy		
D'Alessandro Termomeccanica CSI 20kW manufactured by D'Alessandro Termomeccanica, Contrada Cerreto, 55, 66010 Miglianico, Chieti, Italy	Instruction manual reference "Ver. 2.0 - QCSI100XXIT0209" dated 02/2009	Wood pellets ⁽¹⁾
Dartmoor 5 SE stove manufactured by Dean Forge Limited, Dean Prior, Buckfastleigh, Devon. TQ11 0LS	Instruction manual reference "DM5 Issue 1" dated March 2012. Fitted with a mechanical stop to prevent secondary air control closure beyond the 30% open position when sold into smoke control areas.	Wood Logs ⁽¹⁾
Design 800 Green, Wood Burning Stove, Manufactured by Bodart & Gonay Limited, Rue De Lambinon, 3 Harze, Belgium, 4920	Instruction manual reference "07DH8000A" dated 11/11. The appliance must be fitted with a "UK kit for smokeless areas Design 800".	Wood Logs ⁽¹⁾
Di Lusso R4 manufactured by Hunter Stoves Limited, Unit 6, The Old Mill Industrial Estate, Stoke Canon, Exeter, Devon, EX5 4RJ	Instruction manual reference "JINDLU04 Rev E" dated 2nd December 2011, and instruction manual "JINDLU04SCK revB" dated 5th December 2011. The appliance must be fitted with "smoke control area kit JDLU0401".	Wood Logs ⁽¹⁾
Dimplex SE Selborne 5 stove manufactured by ESSE Engineering Ltd, Ouzledale Foundry Long Ing Barnoldswick Lancashire BB18 6BN	Instruction manual references "SE Selborne 5 Issue 1" dated 08 2009. The appliance must be fitted with a mechanical stop to prevent closure beyond the 50% open position.	Wood logs ⁽¹⁾
Dovre 250 (model DV-250) manufactured by Dovre NV, Nijverheidsstraat 18, BE-2381 Weelde, Belgium	The manufacturer's instructions, reference PM 250 Issue 1 A permanent stop must be in place on the secondary air inlet to prevent closure beyond the 75% open position	Untreated dry wood
Dovre Vintage 30 (DV-VIN30, DV-VIN30WH, DV-TBVIN30 and DV-TBVIN30WH), Dovre	Instruction manual reference 03.27681.100 dated April 2011 and PM813 Issue 1 dated May	Wood logs ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
Vintage 35 (DV-VIN35, DV-VIN35WH, DV-TBVIN35 and DV-TBVIN35WH) and Dovre Vintage 50 (DV-VIN50, DV-VIN50WH, DV-TBVIN50 and DV-TBVIN50WH) stoves manufactured by Dovre N.V. Nijverheidsstraat 18, B-2381 Weelde, Belgium	2012 and when fitted with a permanent stop preventing closure of the secondary air supply beyond 50%	
The Dunsley Yorkshire Stove, manufactured by Dunsley Heat Limited	The manufacturer's instructions dated 5th August 1998, reference A/22160 as amended by those dated 4th December 2004, reference D13	Untreated dry wood
		Peat or peat briquettes with, in either case, less than 25% moisture
		Union Coal Briquettes, manufactured by Rheinbraun AG of Germany comprising lignite compressed into briquettes of approximately 15 cm in length with square ends and with a sulphur content not exceeding 1% of the total weight
		CPL Wildfire, manufactured by Coal Products Limited, Immingham, which — comprise bituminous coal with a volatile content of 32-36% (as to approximately 96% of the total weight) and a cold cure resin binder (as to the remaining weight); are manufactured from those constituents by a process involving roll-pressing; have an average weight of either 80-90 grams or 160-170 grams; and have a sulphur content not exceeding 1.8% of the total weight
The Dunsley Yorkshire Multifuel Stove manufactured by Dunsley Heat Limited	The manufacturer's instructions dated 5th August 1998, reference A/22160 as amended by those	Untreated dry wood

- (1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preserveds or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to *The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012*. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
	dated 4th December 2004, reference D13	<p>Peat or peat briquettes with, in either case, less than 25% moisture</p> <p>Union Coal Briketts, manufactured by Rheinbraun AG of Germany comprising lignite compressed into briquettes of approximately 15 cm in length with square ends and with a sulphur content not exceeding 1% of the total weight</p> <p>CPL Wildfire, manufactured by Coal Products Limited, Immingham, which —comprise bituminous coal with a volatile content of 32-36% (as to approximately 96% of the total weight) and a cold cure resin binder (as to the remaining weight); are manufactured from those constituents by a process involving roll-pressing; have an average weight of either 80-90 grams or 160-170 grams; and have a sulphur content not exceeding 1.8% of the total weight</p>
The Dunsley Yorkshire Multifuel Stove and Boiler manufactured by Dunsley Heat Limited	The manufacturer’s instructions dated 5th August 1998, reference A/22160, as amended by those dated 4th October 2004, reference GHD/DUN4B/1	<p>Untreated dry wood</p> <p>Peat or peat briquettes with, in either case, less than 25% moisture</p> <p>Union Coal Briketts, manufactured by Rheinbraun AG of Germany and comprising lignite compressed into briquettes of approximately 15 cm in length with square ends and with a sulphur content not</p>

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
		exceeding 1% of the total weight
		CPL Wildfire, manufactured by Coal Products Limited, Immingham, which comprise bituminous coal with a volatile content of 32-36% (as to approximately 96% of the total weight) and a cold cure resin binder (as to the remaining weight); are manufactured from those constituents by a process involving roll-pressing; have an average weight of between 80-90 grams or between 160-170 grams; and have a sulphur content not exceeding 1.8% of the total weight
The Dunsley Yorkshire Woodburning Stove manufactured by Dunsley Heat Limited	The manufacturer’s instructions dated 4th December 2004, reference D13W	Untreated dry wood
The Dunsley Yorkshire Woodburning Stove and Boiler manufactured by Dunsley Heat Limited	The manufacturer’s instructions dated 4th December 2004, reference D13W together with the manufacturer’s instructions dated 4th October 2004 reference GHD/DUN4B/1	Untreated dry wood
E-Compact 15 wood pellet boiler manufactured by Wood Energy Solutions, Donaskeigh, Tipperary, Co. Tipperary, Ireland	Instruction manual reference “E-COMPACT 15 Outdoor Pellet Boiler v1.5” dated 05 2012	6mm Wood Pellets ⁽¹⁾
Earlswood manufactured by ACR Heat Products Limited, Unit One Weston Works, Weston Lane, Tyseley, Birmingham B11 3RP	Instruction manual reference “EW1MF technical manual” dated 02 2009. When the primary air control is in the closed position, it must remain permanently open by 5mm and must be prevented from closing fully by a screw.	Wood logs ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
Eco-Ideal Eco 1 Stove manufactured by Hunter Stoves Limited, unit 6, Old Mill Industrial Estate, Stoke Canon, Exeter. Devon EX5 4RJ	Instruction manual references “JINECO01 revC” dated 20th July 2011. The appliance must be fitted with a permanent stop that prevents closure of the secondary air slider beyond 30% open.	Dry wood logs ⁽¹⁾
Eco-Ideal Eco 2 Stove manufactured by Hunter Stoves Limited, unit 6, Old Mill Industrial Estate, Stoke Canon, Exeter. Devon EX5 4RJ	Instruction manual references “JINECO02 revC” dated 20th July 2011. The appliance must be fitted with a permanent stop that prevents closure of the secondary air slider beyond 30% open.	Dry wood logs ⁽¹⁾
Eco-Ideal Eco 4 Stove manufactured by Hunter Stoves Limited, unit 6, Old Mill Industrial Estate, Stoke Canon, Exeter. Devon EX5 4RJ	Instruction manual references “JINECO04 revC” dated 20th July 2011	Dry wood logs ⁽¹⁾
Eco-Ideal Eco 6 Stove manufactured by Hunter Stoves Limited, unit 6, Old Mill Industrial Estate, Stoke Canon, Exeter. Devon EX5 4RJ	Instruction manual references “JINECO06 revC” dated 20th July 2011	Dry wood logs ⁽¹⁾
Ecco Stove E580 Manufactured by Landy Vent UK Limited, Foster House, 2 Redditch Road, Studley, Warwickshire, B80 7AX	Instruction manual reference “Ecco Stove 580 manual” dated 12th December 2011.	Wood Logs ⁽¹⁾
Ecco Stove E678 manufactured by Landy Vent UK Ltd, Foster House, 2 Redditch Road, Studley, Warwickshire B80 7AX	Instruction manual references ‘01/11/3’ dated 28th January 2011. The appliance must be fitted with a system to fix the secondary air (airwash) to a 4mm open position	Wood logs ⁽¹⁾
Ecco Stove E850 manufactured by Landy Vent UK Ltd, Foster House, 2 Redditch Road, Studley, Warwickshire B80 7AX	Instruction manual references ‘02/10’ dated 10th October 2010. The appliance must be fitted with a system that prevents the closure of the secondary air flaps beyond 4mm (3 turns)	Wood logs ⁽¹⁾
Ecofire Barbara wood pellet stove boiler manufactured by Palazzetti Lelio S.p.A, Via Roveredo 103, Porcia (PN), 33080, Italy	Instruction manual reference “cod. 004770900” dated October 2011 and supplementary information “Clean Air Act 1993 and Smoke Control	Wood pellets ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
	Areas” reference 004723000 dated January 2012.	
Ecofire Giulia Idro, Ecofire Kelly Idro Plus and Ecofire Tania Idro wood pellet stove boilers manufactured by Palazzetti Lelio S.p.A, Via Roveredo 103, Porcia (PN), 33080, Italy	Instruction manual reference “cod. 004770432” dated February 2011 and supplementary information “Clean Air Act 1993 and Smoke Control Areas” reference 004723000 dated 01/2012.	Wood pellets ⁽¹⁾
Ecowarm Crystal 6 (also known as Ekol Crystal 8) manufactured by Saltfire Stoves Ltd, Station Works, John’s Road, Wareham, BH20 4BG	Instruction manual references ‘ECO7operation-Revision 2A’ dated 24th January 2011	Wood logs ⁽¹⁾
Ellipse manufactured by La Nordica Spa, Via Summano 104, M. Precalcino, 36030 Vicenza, Italy	Instruction manual references ‘7196901-Rev 09’ dated 22nd December 2010. The appliance must be fitted with a mechanical stop to prevent closure of the secondary air control beyond the 40% open position	Wood logs ⁽¹⁾
The En-tech model ENP 10, 15, 18, 25 and 35 boilers manufactured by En-tech Energietechnikproduktion Gesellschaft mit beschränkter Haftung (GmbH), Gewerbezone 3, A-9300 St Veit, Glan-Hunnenbrunn, Austria	The manufacturer’s installation manual dated November 2009, reference IMENP 10-35 11/2009 for the Firefox pellet boiler.	Wood logs ⁽¹⁾
The En-tech model PK 15 and 25 boilers manufactured by En-tech Energietechnikproduktion Gesellschaft mit beschränkter Haftung (GmbH), Gewerbezone 3, A-9300 St Veit, Glan-Hunnenbrunn, Austria	The manufacturer’s installation manual dated November 2009, reference IMPK PK15/25 11/2009 EN for the Firefox pellet boiler.	Wood pellets ⁽¹⁾
The En-tech model PK 45 boilers manufactured by En-tech Energietechnikproduktion Gesellschaft mit beschränkter Haftung (GmbH), Gewerbezone 3, A-9300	The manufacturer’s installation manual dated November 2009, reference IMPK PK45 11/2009 EN for the Firefox pellet boiler.	Wood pellets ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
St Veit, Glan-Hunnenbrunn, Austria		
Endress USF-W 1000 manufactured by Endress Holzfeuerungsanlagen GmbH, Industriestraße 18, D-91593 Burgbernheim.	Instruction manual references “Operating and Maintenance manual Endress USF –W1000” dated 03/2010 Reference EMAN – USFW1000	Wood Chips and pellets ⁽¹⁾
Endress USF-W 250 manufactured by Endress Holzfeuerungsanlagen GmbH, Industriestraße 18, D-91593 Burgbernheim.	Instruction manual references “Operating and Maintenance manual Endress USF -W250” dated 03/2010. Reference EMAN – USFW250	Wood Chips and pellets ⁽¹⁾
Endress USF-W 350 manufactured by Endress Holzfeuerungsanlagen GmbH, Industriestraße 18, D-91593 Burgbernheim.	Instruction manual references “Operating and Maintenance manual Endress USF –W350” dated 03/2010 Reference EMAN – USFW350	Wood Chips and pellets ⁽¹⁾
Endress USF-W 500 manufactured by Endress Holzfeuerungsanlagen GmbH, Industriestraße 18, D-91593 Burgbernheim.	Instruction manual references “Operating and Maintenance manual Endress USF -W500” dated 03/2010 Reference EMAN – USFW500	Wood Chips and pellets ⁽¹⁾
Endress USF-W 800 manufactured by Endress Holzfeuerungsanlagen GmbH, Industriestraße 18, D-91593 Burgbernheim.	Instruction manual references “Operating and Maintenance manual Endress USF –W800” dated 03/2010 Reference EMAN – USFW800	Wood Chips and pellets ⁽¹⁾
Endress VR-S 300 manufactured by Endress Holzfeuerungsanlagen GmbH, Industriestraße 18, D-91593 Burgbernheim.	Instruction manual references “Operating and Maintenance manual Endress VR-S300” dated 03/2010 Reference EMAN – VRS300	Wood Chips and pellets ⁽¹⁾
Endress VR-W 400 manufactured by Endress Holzfeuerungsanlagen GmbH, Industriestraße 18, D-91593 Burgbernheim.	Instruction manual references “Operating and Maintenance manual Endress VR –W400” dated 03/2010 Reference EMAN – VRW400	Wood Chips and pellets ⁽¹⁾
Endress VR-W 600 manufactured by Endress Holzfeuerungsanlagen GmbH, Industriestraße 18, D-91593 Burgbernheim.	Instruction manual references “Operating and Maintenance manual Endress VR-W600” dated 03/2010 Reference EMAN – VRW600	Wood Chips and pellets ⁽¹⁾
Endress VR-W 900 manufactured by Endress Holzfeuerungsanlagen GmbH,	Instruction manual references “Operating and Maintenance manual Endress VR-W900”	Wood Chips and pellets ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preserveds or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
Industriestraße 18, D-91593 Burgbernheim.	dated 03/2010 Reference EMAN – VRW900	
100SE Smoke Exempt Woodburning Stove manufactured by ESSE Engineering Limited, Long Ing Barnoldswick Lancashire, BB18 6BN	The manufacturer’s instruction manual dated February 2009, reference 100SE Issue 1. A permanent stop must be in place on the secondary air inlet to prevent closure beyond the 50% open position	Untreated dry wood with a maximum moisture content of 20%, maximum length of 200 mm and maximum width or diameter of 120 mm
EOS 30 346kW output wood pellet boiler with multicyclone manufactured by : Uniconfort srl, Via dell’Industria 21, 35018, San Martino Di Lupari (PD) Italy	Use and Maintenance manual reference “Uniconfort EOS30 Manual v1” dated July 2011.	Wood pellets ⁽¹⁾
EOS 35 407kW output wood pellet boiler with multicyclone manufactured by : Uniconfort srl, Via dell’Industria 21, 35018, San Martino Di Lupari (PD) Italy	Use and Maintenance manual reference “Uniconfort EOS35 Manual v1” dated July 2011.	Wood pellets ⁽¹⁾
EOS 40 464kW output wood pellet boiler with multicyclone manufactured by : Uniconfort srl, Via dell’Industria 21, 35018, San Martino Di Lupari (PD) Italy	Use and Maintenance manual reference “Uniconfort EOS40 Manual v1” dated July 2011.	Wood pellets ⁽¹⁾
EOS 60 700 kW output wood pellet boiler with multicyclone manufactured by Uniconfort sri, Via dell’Industria 21, 35018 San Martino Di Lupari (PD) Italy	Installation Instruction manual references ‘K135-07332 Uniconfort MUN v 2’ dated September 2010	6mm diameter wood pellets ⁽¹⁾
Esse 100DD SE 5kW stove manufactured by Esse Engineering Limited, Ouzedale Foundry, Long Ing, Barnoldswick, BB18 6BN	Instruction manual reference “10/11 (PP) INSTR.ST-100DDSE/u” dated October 2011. The fitting of a system to prevent closure of the air controls beyond the 50% open position must be implemented.	Wood logs ⁽¹⁾
Esse 125 SE Stove manufactured by ESSE Engineering Ltd, Ouzledale Foundry, Long Ing,	Instruction manual references “Esse 125SE Issue 1” dated August 2009. The appliance must be fitted with a mechanical stop to	Wood logs ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
Barnoldswick, Lancashire, BB18 6BN	prevent closure beyond the 50% open position.	
Esse 301 SE Stove manufactured by ESSE Engineering Ltd, Ouzledale Foundry, Long Ing, Barnoldswick, Lancashire, BB18 6BN	Instruction manual references “v45” dated 9th November 2010. The primary air control must not be fully air tight when closed.	Wood logs ⁽¹⁾
Esse 350 SE Stove manufactured by ESSE Engineering Ltd, Ouzledale Foundry, Long Ing, Barnoldswick, Lancashire, BB18 6BN	Instruction manual references ‘v45’ dated 9th November 2010	Wood logs ⁽¹⁾
Esse 1622 inset stove manufactured by Esse Engineering Limited, Long Ing, Barnoldswick Lancashire BB18 6BN	Installation and operation manual reference “1622/Integra INSET revision c” dated July 2010. The appliance must be fitted with a mechanical stop to fix secondary air control fully open.	Wood logs ⁽¹⁾
ETA HACK 20, 25, 35, 50, 70, 90, 130 and 200 woodchip boilers Manufactured by ETA Heiztechnik Gesellschaft mit beschränkter Haftung (GmbH), A 4716, Hofkirchen an der Trattnach, Gewerbepark 1, Austria	Instruction manual reference “HACK20-200_Bedienung_2011-06_EN” dated 06/2011. Integrated flue gas recirculation system must be used when using wood chips with a moisture content below 15%	Wood chips ⁽¹⁾
ETA HACK 20, 25, 35, 50, 70, 90, 130 and 200 woodchip boilers Manufactured by ETA Heiztechnik Gesellschaft mit beschränkter Haftung (GmbH), A 4716, Hofkirchen an der Trattnach, Gewerbepark 1, Austria	Instruction manual reference “HACK20-200_Bedienung_2011-06_EN” dated June 2011. Integrated flue gas recirculation system must be used when burning wood pellets	Wood pellets ⁽¹⁾
ETA PC 20, 25 and 32 wood pellet boilers Manufactured by ETA Heiztechnik Gesellschaft mit beschränkter Haftung (GmbH), A 4716, Hofkirchen an der Trattnach, Gewerbepark 1, Austria	Instruction manual reference “PC20-32_Bedienung_2011-06_EN” dated June 2011	Wood pellets ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
ETA PE-K 35, 50, 70 and 90 wood pellet boilers Manufactured by ETA Heiztechnik Gesellschaft mit beschränkter Haftung (GmbH), A 4716, Hofkirchen an der Trattnach, Gewerbepark 1, Austria	Instruction manual reference “PE-K35-90_Bedienung_2011-06_EN” dated June 2011	Wood pellets ⁽¹⁾
ETA PU 7, 11 and 15 wood pellet boilers Manufactured by ETA Heiztechnik Gesellschaft mit beschränkter Haftung (GmbH), A 4716, Hofkirchen an der Trattnach, Gewerbepark 1, Austria	Instruction manual reference “PU7-15_Bedienung_2011-06_EN” dated June 2011	Wood pellets ⁽¹⁾
ETA SH 20, 30, 40, 50 and 60 wood gasification boilers Manufactured by ETA Heiztechnik Gesellschaft mit beschränkter Haftung (GmbH), A 4716, Hofkirchen an der Trattnach, Gewerbepark 1, Austria	Instruction manual reference “SH20-60_Bedienung_2011-06_EN” dated June 2011	Wood logs ⁽¹⁾
eVolution 26 boiler stove manufactured by Broseley Fires Ltd, Knights Way , Battlefield Ent Park, Shrewsbury, Shropshire, SY1 3AB	Instruction manual reference “MS10-11c” dated 09/01/2012. The appliance must be fitted with a mechanical stop to prevent closure beyond the 40% open position when sold into smoke control areas.	Wood logs ⁽¹⁾
eVolution 4 Inset manufactured by Broseley Fires Limited, Knights Way, Battlefields Enterprise Park, Shrewsbury, Shropshire, SY1 3AB	Instruction manual reference “eVo 4&7 Inset MS11-11” dated 9th November 2011. The appliance must be fitted with a system to prevent closure of the secondary air control beyond the 15mm open position.	Wood logs ⁽¹⁾
eVolution 5 model number M-EVO5 manufactured by Broseley Fires Limited, Knights Way, Battlefield Enterprise Park, Shrewsbury, Shropshire. SY1 3AB	Instruction manual references “eVo 5 MS07-11” dated 8th July 2011. The appliance must be fitted with a system that prevents the closure of the air control to less than 70% open	Wood Logs ⁽¹⁾
eVolution 7 Inset manufactured by Broseley Fires Limited, Knights Way, Battlefields	Instruction manual reference “eVo 4&7 Inset MS11-11” dated 9th November 2011. The	Wood logs ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
Enterprise Park, Shrewsbury, Shropshire, SY1 3AB	appliance must be fitted with a system to prevent closure of the secondary air control beyond the 8mm open position.	
Evotherm P50, P100, P120, P150, P170, P200 pellet boilers manufactured by Evotherm, Heiztechnik Vertriebs Gesellschaft mit beschränkter Haftung (GmbH), Seeleiten 24, AT 5120, St Pantaleon, Austria	The manufacturer's instructions 'Operating manual' reference Version 1/2010/Rev 4.21.	Wood pellets ⁽¹⁾
The Extraflame: Babyfiamma, Bella and Bella Lux, Clementina, Comfort Maxi, Contessa, Divina, Divina Plus and Divina Steel, Duchessa and Duchessa Steel, Ecologica, Esmeralda and Esmeralda Crystal, Falò 1CP, Falò 2CP and Falò 1XP, Isabella, Karolina and Preziosa, all of which are manufactured by Extraflame S.p.a in Montecchio Precalcino (Vicenza), Italy	The manufacturer's operating instructions dated 5th March 2007, reference 004275101 011	Wood pellets ⁽¹⁾
The Extraflame Comfort Mini manufactured by Extraflame S.p.a in Montecchio Precalcino (Vicenza), Italy	The manufacturer's operating instructions dated 2nd October 2006, reference 004275115 REV 005	Wood pellets ⁽¹⁾
The Extraflame Idro manufactured by Extraflame S.p.a in Montecchio Precalcino (Vicenza), Italy	The manufacturer's operating instructions dated 28th August 2006, reference 004275128 REV 002	Wood pellets ⁽¹⁾
The Extraflame Lucrezia Idro and Lucrezia Steel manufactured by Extraflame S.p.a in Montecchio Precalcino (Vicenza), Italy	The manufacturer's operating instructions dated 12th July 2006, reference 004275110 REV 011	Wood pellets ⁽¹⁾
FDC5 Stove manufactured by Charlton & Jenrick Ltd, Unit D Stafford Park 2, Telford, Shropshire. TF3 3AR	Instruction manual reference "FDC Issue 02" dated 04/12. The fitting of a system that prevents closure of the secondary air control slots beyond the 3.5mm open position must be implemented	Wood logs ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservedatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
FDC5i inset stove manufactured by Charlton & Jenrick Ltd, Unit D Stafford Park 2, Telford, Shropshire, TF3 3AR.	Instruction manual reference “FDCi Issue 06” dated 03/12. The fitting of a system that prevents closure of the secondary air control slots beyond the 3.5mm open position must be implemented.	Wood logs ⁽¹⁾
FDC5iT Taper inset stove manufactured by Charlton & Jenrick Ltd. Unit D Stafford Park 2, Telford, Shropshire. TF3 3AR.	Instruction manual reference “FDCiT Issue 1” dated 04/12. The fitting of a system that prevents closure of the secondary air control slots beyond the 5mm open position must be implemented	Wood logs ⁽¹⁾
FDC5iW Wide inset stoves manufactured by Charlton & Jenrick Ltd, Unit D Stafford Park 2, Telford, Shropshire, TF3 3AR.	Instruction manual reference “FDCi Issue 06” dated 03/12. The fitting of a system that prevents closure of the secondary air control slots beyond the 9mm open position must be implemented.	Wood logs ⁽¹⁾
FDC5W Wide stove manufactured by Charlton & Jenrick Ltd, Unit D Stafford Park 2, Telford, Shropshire. TF3 3AR	Instruction manual reference “FDC Issue 02” dated 04/12. The fitting of a system that prevents closure of the secondary air control slots beyond the 7mm open position must be implemented	Wood logs ⁽¹⁾
Fireball manufactured by La Nordica Spa, Via Summano 104, M. Precalcino 36030, Vicenza, Italy	Instruction manual references ‘7196801-Rev 07’ dated 22nd December 2010. The appliance must be fitted with a mechanical stop to prevent closure of the secondary air control beyond the 40% open position.	Wood logs ⁽¹⁾
Firefox 5CB, Vega 100CB, Sirius 405CB and Flame 5CB (4.9kW) stoves manufactured by Percy Doughty & Co, Imperial Point, Express Trading Estate, Stonehill Road, Farnworth, Bolton, BL4 9TN	Instruction manual references “FFXCBA” dated January 2010	Wood logs ⁽¹⁾
Firefox 5 Clean Burn II, Gallery Classic 5 Clean Burn, Sirius 405 Clean Burn and Sirius 405 Classic Clean	Instruction manual references “FF5CBII REV:A” dated June 2011. The appliance must be fitted with a mechanical stop	Dry wood logs ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
Burn manufactured by Percy Doughty & Co Limited, Imperial Point, Express Trading Estate, Stone Hill Road, Farnworth, Bolton. BL4 9TN	to prevent secondary air closure beyond the 50% open position	
Firefox 8 Clean Burn, Gallery Classic 8 Clean Burn, Sirius 545 Clean Burn and Sirius 545 Classic Clean Burn manufactured by Percy Doughty & Co Limited, Imperial Point, Express Trading Estate, Stone Hill Road, Farnworth, Bolton. BL4 9TN	Instruction manual references “FF8CB REV:A” dated June 2011. The appliance must be fitted with a mechanical stop to prevent secondary air closure beyond the 50% open position	Dry wood logs ⁽¹⁾
Fireglow Eco 7 manufactured by Saltfire Stoves Ltd, Station Works, John’s Road, Wareham, BH20 4BG	Instruction manual references ‘ECO7 operation-Revision 2A’ dated 24th January 2011	Wood logs ⁽¹⁾
Fireline FGi5 stove manufactured by Charlton & Jenrick Ltd, Unit D Stafford Park 2, Telford, Shropshire, TF3 3AR.	Instruction manual reference “FGi.FPi.FXi Issue 06” dated 03/12. The fitting of a system that prevents closure of the secondary air control slots beyond the 3.5mm open position must be implemented	Wood logs ⁽¹⁾
Fireline FP5, Fireline FX5, Fireline FPi 5kW and Fireline FXi 5kW manufactured by Charlton and Jenrick, Ltd Charlton and Jenrick G1-G2, Halesfield 5, Telford, Shropshire, TF7 4QJ	Instruction manual references “Issue 03” dated 03/10. The appliance must be fitted with a system that prevents the closure of the secondary air control beyond the 3.5mm open position	Wood logs ⁽¹⁾
Fireline FP5W and FX5W Freestanding stove manufactured by Charlton & Jenrick Ltd, Unit D Stafford Park 2, Telford, Shropshire, TF3 3AR.	Instruction manual reference “FX.FP.Issue 06” dated 03/12. The fitting of a system that prevents closure of the secondary air control slots beyond the 7mm open position must be implemented.	Wood logs ⁽¹⁾
Fireline FPi5T, FGi5T, FXi5T Taper inset stoves manufactured by Charlton & Jenrick Ltd, Unit D Stafford Park 2, Telford, Shropshire. TF3 3AR	Instruction manual reference “FXiT.FPiT.FGiT Issue 01” dated 03/12. The fitting of a system that prevents closure of the secondary air control slots beyond the 5mm open position must be implemented	Wood logs ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
Fireline FPi5W, FGi5W, FXi5W Wide inset stoves manufactured by Charlton & Jenrick Ltd, Unit D Stafford Park 2, Telford, Shropshire. TF3 3AR	Instruction manual reference “FGi.FPi.FXi Issue 06” dated 03/12. The fitting of a system that prevents closure of the secondary air control slots beyond the 9mm open position must be implemented	Wood logs ⁽¹⁾
Firematic 25, 50, 90 and 150 manufactured by HERZ Armaturen Ges.m.b.H, Geschäftsbereich HERZ, Feuerungstechnik, A-8272 Sebersdorf 138, Austria	The manufacturer’s instructions dated June 2005, reference Bedienungsanleitung Firematic V 1.1 ENG doc	Chipped wood, wood pellets or planed wood shavings ⁽¹⁾
Firematic 45 and 60 manufactured by HERZ Armaturen Ges.m.b.H, Geschäftsbereich HERZ Feuerungstechnik, A-8272 Sebersdorf 138, Austria	Instruction manual references “05.007 .Operating instructions - FM (1Ph) 20 35 45 60 v2.3” dated “08/2009”	Wood pellets conforming to ÖNORM M7135 with diameter of 6 mm or Wood chips up to a maximum size of 50mm and maximum water content 35% ⁽¹⁾
Firematic FM 130, FM 151, FM180, FM199 boilers manufactured by Herz Energietechnik GmbH, Herzstraße, 1, 7423 Pinkafeld, Österreich/Austria	Instruction manual reference “Operating Instructions Herz firematic 130 – 199 BioControl” version Betriebsanleitung firematic 20-201 BioControl Englisch V 3.1	Wood Chips and Wood Pellets ⁽¹⁾
Firestorm 10 SE stove manufactured by The Heat Resistant Glass Company Limited, Unit 2 Bracewell Avenue, Poulton Industrial Estate, Poulton Le Fylde. FY6 8JF	Instruction manual reference “10 KW SE Issue (6928) 2” dated 28th April 2012. Fitted with a stop that will only allow a minimum air gap 6mm between the air control plate and the appliance when the secondary air is turned down to its minimum position.	Wood Logs ⁽¹⁾
Firestorm 4.5 SE stove manufactured by The Heat Resistant Glass Company Limited, Unit 2 Bracewell Avenue, Poulton Industrial Estate. Poulton Le Fylde. FY6 8JF	Instruction manual reference “4.5KW SE Issue (6928) 1” dated 28th April 2012. Fitted with a stop that will only allow a minimum 3mm air gap between the air control plate and the appliance when the secondary air is turned down to its minimum position.	Wood Logs ⁽¹⁾
Firestorm 6.5 SE stove manufactured by The Heat Resistant Glass Company Limited, Unit 2 Bracewell	Instruction manual reference “6.5KW SE Issue (6928) 3” dated 28th April 2012. Fitted with a stop that will only allow a minimum	Wood Logs ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
Avenue, Poulton Industrial Estate, Poulton Le Fylde. FY6 8JF	air gap 6mm between the air control plate and the appliance when the secondary air is turned down to its minimum position.	
Firewarm 4SE stove manufactured by Heat Design, 30 Hawthorn Road, Western Industrial Estate, Naas Road, Dublin 12, Ireland	Instruction manual reference “FW468SE” dated 25/07/12. The fitting of a system to prevent closure of the secondary air control beyond 5mm open must be implemented	Wood logs ⁽¹⁾
Firewarm 6SE stove manufactured by Heat Design, 30 Hawthorn Road, Western Industrial Estate, Naas Road, Dublin 12, Ireland	Instruction manual reference “FW468SE” dated 25/07/12. The fitting of a system to prevent closure of the secondary air control beyond 75% from closed must be implemented.	Wood logs ⁽¹⁾
Firewarm 8SE stove manufactured by Heat Design, 30 Hawthorn Road, Western Industrial Estate, Naas Road, Dublin 12, Ireland	Instruction manual reference “FW468SE” dated 25/07/12. The fitting of a system to prevent closure of the secondary air control beyond 25% from closed must be implemented.	Wood logs ⁽¹⁾
Flatford 5K, Barrington 5K, Hampstead 5K Wood Burning Stoves manufactured by Chesneys Limited, 192 – 200 Battersea Park Road, London. SW11 4ND	Instruction manual reference “CH5K – V1” dated 14th March 2012. Fitted with a mechanical stop to prevent secondary air control closure beyond the 18mm open position when sold into smoke control areas.	Wood Logs ⁽¹⁾
Franco Belge Model 134 08 11 Savoy EA 8kW output wood burning stove; Franco Belge Model 134 08 09 Savoy Mk II Elegance multifuel stove with KEA 13408 smoke control kit manufactured by Franco Belge, Staub Fonderie SA, Rue Orphée Variscotte, 59660, Merville, France	The Savoy EA Technical, Manual, document reference, 1290-1, reviewed 9th July 2009.	Wood logs ⁽¹⁾
Franco Belge Montfort MK2 wood burning stove manufactured by Franco Belge, Staub Fonderie SARL, Rue Orphée Variscotte, 59660, Merville, France	Instruction manual reference “1295-3” dated 17th November 2009. The appliance must be fitted with a mechanical stop to prevent closure of the secondary air control beyond the 25% open position	Wood logs ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
Fröling Lambdamat Commercial wood chip boiler models 500, 750 and 1000 manufactured by Fröling Heizkessel und Behälterbau Gesellschaft mit beschränkter Haftung (GmbH), A-4710 Grieskirchen, Industriestrasse 12, Austria	Lambdamat Operating and Manual reference B 069 01 04 of February 2004	Communal Installation Wood chips ⁽¹⁾
Fröling S4 Turbo 15 15kW, Fröling S4 Turbo 22 22kW, Fröling S4 Turbo 28 28kW, Fröling S4 Turbo 34 34kW, Fröling S4 Turbo 40 40kW, Fröling S4 Turbo 50 50kW, Fröling S4 Turbo 60 60kW manufactured by Fröling Heizkessel und Behälterbau Gesellschaft mit beschränkter Haftung (GmbH), A-4710 Grieskirchen, Industriestrasse 12, Austria	Assembly instruction manual 'M0970208' dated November 2008 and Operating instruction manual 'B0510108' dated November 2008	Wood logs ⁽¹⁾
Fröling Turbomatic 28, 35, 48 and 55 manufactured by Fröling Heizkessel- und Behälterbau Ges.m.b.H, Industriestraße 12, A-4710 Grieskirchen, Austria	The manufacturer's installation manual dated November 2003, reference M 060 01 03 The manufacturer's operating manual dated August 2002, reference 99229a	Wood chip less than 35% moisture content and meeting ÖNORM M 7133: 1998 size class G30 ⁽¹⁾ Wood pellets of 6 mm diameter and a moisture content below 10% ⁽¹⁾
Fröling Turbomatic 85, 100 and 110 manufactured by Fröling Heizkessel- und Behälterbau Ges.m.b.H, Industriestraße 12, A-4710 Grieskirchen, Austria	The manufacturer's instruction manual dated November 2003, reference M 060 01 03 The manufacturer's operating manual dated August 2002, reference 99229a	Wood chip less than 35% moisture content and meeting ÖNORM M 7133: 1998 of either size class G30 or G50 ⁽¹⁾ Wood pellets of 6 mm diameter and a moisture content below 10% ⁽¹⁾
Fröling Turbomat 150 and 220 manufactured by Fröling Heizkessel- und Behälterbau Ges.m.b.H, Industriestraße 12, A-4710 Grieskirchen, Austria	The manufacturer's operating instructions dated August 2003, reference B0310003	Wood pellets or wood chips ⁽¹⁾
Fröling Turbomat 320 and 500 manufactured by Fröling Heizkessel- und Behälterbau	The manufacturer's operating instructions dated November 2004, reference B0340004	Wood pellets or wood chips ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
Ges.m.b.H, Industriestraße 12, A-4710 Grieskirchen, Austria		
Fröling P4 8, 15, 20, 25, 32, 38, 48 and 60 Pellet Boilers manufactured by Fröling Heizkessel- und Behälterbau Ges.m.b.H, Industriestrasse 12, A-4710 Grieskirchen	Instruction manual reference “B0430408_en” dated July 2009	Wood pellets with a diameter of 6mm ⁽¹⁾
Fröling P4 80 and P4 100 wood pellet boilers manufactured by Fröling Heizkessel und Behälterbau Ges.m.b.H. Industriestraße 12, A - 4710 Grieskirchen	Instruction manual reference “B043 – Version 8” dated 05 2012	Wood pellets ⁽¹⁾
Fröling T4 24, 30, 40, 50, 60, 75, 90, 100 and 110kW boilers manufactured by Fröling Heizkessel und Behälterbau Ges.m.b.H. Industriestraße 12 A - 4710 Grieskirchen	Instruction manual reference “B071 - Version 05” dated 05 2012	Wood pellets or wood chips ⁽¹⁾
Fröling TX150 150kW boiler with Exhaust Gas Recirculation device manufactured by Fröling Heizkessel- und Behälterbau Ges.m.b.H. Industriestraße 12, Austria	Installation Instruction manual references “M1130009” dated 09/2010 and operating instruction manual “B 067 00 09” dated September 2010	Wood chips with a moisture content $\leq 30\%$ and a maximum cross sectional area of 5cm ² or wood pellets with a moisture content of $\leq 10\%$ and a maximum diameter of 10mm ⁽¹⁾
Fröling TX 200 199kW and TX 250 250kW boilers with Exhaust Gas Recirculation device manufactured by Fröling Heizkessel- und Behälterbau Ges.m.b.H. Industriestraße 12. A - 4710 Grieskirchen	Instruction manual reference “B067 – Version 03” dated 05 2012	Wood chips or wood pellets ⁽¹⁾
Gilles HPK-RA 13 kW, 15 kW, 20 kW, 25 kW, 30 kW, 35 kW, 40 kW, 45 kW, 49 kW, 60 kW, 70 kW, 75 kW, 85 kW, 95 kW, 100 kW, 120 kW and 145 kW manufactured by GILLES Energie- und Umwelttechnik GmbH, Koaserbauer Str. 16 A-4810 Gmunden, Austria	Operating instructions dated January 2007, reference Gilles/0–145/1	Wood pellets or wood chips ⁽¹⁾
Gilles HPK-RA 160 Manufactured by Gilles Energie – und Umwelttechnik	Instruction and operation manuals “BD 200-01a-01” and dated 11/2008, “BD 200-01a-02”	Wood Chips and pellets ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
Gmbh, Koaserbauer Str. 16A-4810 Gmunden, Austria	and dated 11/2008, “BD 200-01a-03” and dated 11/2008, “BD 200-01a-04” and dated 11/2008, “BD 200-01a-06” and dated 11/2008, “BD 200-03a-07” and dated 11/2008 and “BD 200-03a-09” and dated November 2008	
Gilles HPK UTSK 150 kW, 180 kW, 240 kW and 300 kW boilers manufactured by Gilles Energie und Umwelttechnik GmbH, Koaserbauer Str. 16, A-, 4810 Gmunden, Austria	Operating instructions dated, January 2007, reference, Gilles/150–300/1.	Wood pellets or wood, chips ⁽¹⁾
Gilles HPK UTSK 360 kW, Boiler manufactured by Gilles Energie und umwelttechnik GmbH, Koaserbauer Str. 16, A-4810 Gmunden, Austria	Operating instructions dated January 2008, reference Gilles/360/1.	Wood pellets or wood, chips ⁽¹⁾
Gilles HPKI-K 180, 195, 240, 300, 360, 450, 550, 700, 900, 995,1200 and 1600 boilers. Manufactured by Gilles, Energie und Umwelttechnik, Gmbh, Koaserbauer Str. 16A-, 4810 Gmunden, Austria	“Operating Instruction HPKI-K, Underfeed Stoking. 1-general HPKI-K underfeed stoking” dated November 2008.	Wood pellets or wood chips ⁽¹⁾
Gilles UTSK 450 kW, 550 kW boilers manufactured by GILLES Energie- und Umwelttechnik GmbH, Koaserbauer Str. 16 A-4810 Gmunden, Austria	Operating instructions dated January 2008, reference Gilles/360/1	Wood pellets or wood chips ⁽¹⁾
Gilles UTSK 700 kW, 900 kW boilers manufactured by GILLES Energie- und Umwelttechnik GmbH, Koaserbauer Str. 16 A-4810 Gmunden, Austria	Operating instructions dated January 2008, reference Gilles/360/1	Wood pellets or wood chips ⁽¹⁾
Gilles UTSK 1200 kW, 1600 kW boilers manufactured by GILLES Energie- und Umwelttechnik GmbH, Koaserbauer Str. 16 A-4810 Gmunden, Austria	Operating instructions dated January 2008, reference Gilles/360/1	Wood pellets or wood chips ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
Grant Spira Condensing Wood Pellet Boiler 6-26kW model number WPS626 and 9-36kW model number WPS936 manufactured by Grant UK Ltd, Hopton House, Hopton Industrial Estate, Devizes, Wiltshire, SN10 2EU	Instruction manual reference “IRL NO.012 Rev; 1” Dated April 2012	6mm Wood pellets ⁽¹⁾
Guntamatic Biocom and Powercorn 50 and 75 manufactured by GUNTAMATIC Heiztechnik GmbH A – 4722 PEUERBACH, Bruck 7	Instruction manual references “GUN/BIO/OP/V1/0709” dated 29/07/09	Wood pellets with a diameter of 6mm and a length of between 10 and 30 mm ⁽¹⁾
Guntamatic Powerchip 50 and 75 manufactured by GUNTAMATIC Heiztechnik GmbH A – 4722 PEUERBACH, Bruck 7	Instruction manual references “GUN/POW/OP/V1/0709” dated 29/07/09	Wood pellets with a diameter of 6mm and a length of between 10 and 30 mm ⁽¹⁾
Guntamatic Biocom and Powercorn 100 manufactured by GUNTAMATIC Heiztechnik GmbH A – 4722 PEUERBACH, Bruck 7	Instruction manual references “GUN/BIO/OP/V1/0709” dated 29/07/09.	Wood pellets with a diameter of 6 mm and a length of between 10 and 30 mm or Wood chip less than 35% moisture content and meeting ÖNORM M 7133: 1998 size class G30 ⁽¹⁾
Guntamatic Powerchip 100 manufactured by GUNTAMATIC Heiztechnik GmbH A – 4722 PEUERBACH, Bruck 7	Instruction manual references “GUN/POW/OP/V1/0709” dated 29/07/09	Wood pellets with a diameter of 6 mm and a length of between 10 and 30 mm or Wood chip less than 35% moisture content and meeting ÖNORM M 7133: 1998 size class G30 ⁽¹⁾
The HSV 50 + WTH 45, 49 or 55 boilers manufactured by Hargassner Gesellschaft mit beschränkter Haftung (GmbH), Gunderding 8, A-4952, Weng, Austria	The manufacturer’s installation manual version 44 for Wood Chip and Pellet Stoves, Type HSV 30-100. Reference BA HSV30-100 RA/RAP V44 0608.	Wood chip or wood pellets ⁽¹⁾
The HSV 80 + WTH 70 or 80 boilers manufactured by Hargassner Gesellschaft mit beschränkter Haftung (GmbH), Gunderding 8, A-4952, Weng, Austria	The manufacturer’s installation manual version 44 for Wood Chip and Pellet Stoves, Type HSV 30-100. Reference BA HSV30-100 RA/RAP V44 0608.	Wood chip or wood pellets ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
The HSV 100 + WTH 100 boiler manufactured by Hargassner Gesellschaft mit beschränkter Haftung (GmbH), Gunderding 8, A-4952, Weng, Austria	The manufacturer's installation manual version 44 for Wood Chip and Pellet Stoves, Type HSV 30-100. Reference BA HSV30-100 RA/RAP V44 0608.	Wood chip or wood pellets ⁽¹⁾
Hamont CATfire 350 USZI pellet boiler fitted with CATfirte 300 cyclone, manufactured by Hamont Contracting and Trading, spol. s.r.o., Sedlište 227, postal code 739 36, district Frýdek-Místek Czech Republic.	Operating instruction reference "Operating Manual for Boilers CATfire 150-500kW" effective from 1/1/2008	Wood pellets with a 6mm diameter and a maximum length of 30mm ⁽¹⁾
Hampstead 8, Hampstead LS 8, Hampstead XLS 8, Belgravia 8, Barrington 8, Petworth 8 and Flatford 8 stoves manufactured by Chesneys Limited, 194-200 Battersea Park Road, London, SW11 4ND	Instruction manual reference "CH8K - V12" dated 31st October 2011. The appliance must be fitted with a system that prevents closure of the air controls further than 40mm from open.	Wood logs ⁽¹⁾
Handöl 31, Handöl 31A, Handöl 32, Handöl 32A, Handöl 33T, Handöl 34T, Handöl 35T, Varde Ovne Look 1, Varde Ovne Look 2, Varde Ovne Look 3, all manufactured by NIBE AB Box 134, 285 23 Markaryd, Sweden	Installation instructions IAV SE/EX 0811-4 511941 Lighting instructions BAV SE/EX H30 511942. A permanent stop must be in place on the air inlet to prevent closure beyond the 45% open position.	Untreated dry wood with a maximum moisture content of 20%
Handöl 50, Handöl 51, Handöl 52, Handöl 52T, Handöl 53, Handöl 54, Handöl 54T, Handöl 51L, Varde Ovne S1, Varde Ovne S2, Varde Ovne S3, all manufactured by NIBE AB Box 134 285 23 Markaryd, Sweden	Installation instruction IAV SE/EX 0737-4 511866 Lighting instruction BAV SE/EX 0717-1 511865. A permanent stop must be in place on the air inlet to prevent closure beyond the 45% open position.	Untreated dry wood with a maximum moisture content of 20%
Harrie Leenders Cylon Harrie Leenders Doran 160 Harrie Leenders Doran 190 Harrie Leenders Fuga S	Instruction manual references "Supplementary Instructions Amended June 2010" The appliance must be fitted with a mechanical stop to prevent closure of the air slide beyond the 15mm open position	Wood logs ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
Harrie Leenders Fuga eL Harrie Leenders Stor Harrie Leenders Signa Stoves manufactured by Harrie Leenders Industrieweg 255688 DP Oirschot Netherlands		
HDG Compact models 25/35 (25 kW, 35 kW) wood chip and pellet boilers manufactured by HDG Bavaria Gesellschaft mit beschränkter Haftung (GmbH), Siemensstrasse 22, 84323 Massing, Germany	The manufacturer's operating instructions for the HDG Compact 25/35 with HDG Hydronic reference "HDG Compact Version V01" of April 2009	Wood chip or wood pellets ⁽¹⁾
HDG Compact models 50/65 (50 kW, 65 kW) wood chip and pellet boilers manufactured by HDG Bavaria Gesellschaft mit beschränkter Haftung (GmbH), Siemensstrasse 22, 84323 Massing, Germany	The manufacturer's operating instructions for the HDG Compact 50/65 with HDG Hydronic reference "HDG Compact Version V03" of April 2009	Wood chip or wood pellets ⁽¹⁾
HDG Compact model 80 (80 kW) wood chip and pellet boiler manufactured by HDG Bavaria Gesellschaft mit beschränkter Haftung (GmbH), Siemensstrasse 22, 84323 Massing, Germany	The manufacturer's operating instructions for the HDG Compact 80 with HDG Hydronic reference "HDG Compact Version V03" of April 2009	Wood chip or wood pellets ⁽¹⁾
HDG Compact model 100 (100 kW) wood chip and pellet boiler manufactured by HDG Bavaria Gesellschaft mit beschränkter Haftung (GmbH), Siemensstrasse 22, 84323 Massing, Germany	The manufacturer's operating instructions for the HDG Compact 100/150/200 reference "HDG Compact 100-200 Version V1" of July 2008	Wood chip or wood pellets ⁽¹⁾
HDG Compact model 150, 200 (150 kW, 200 kW) wood chip and pellet boiler with model HDG 3113 cyclone manufactured by HDG Bavaria Gesellschaft mit beschränkter Haftung (GmbH), Siemensstrasse 22, 84323 Massing, Germany	The manufacturer's operating instructions for the HDG Compact 100/150/200 reference "HDG Compact 100-200 Version V1" of July 2008	Wood chip or wood pellets ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
HDG Euro models 30, 40 and 50 (30 kW, 40 kW and 50 kW) wood log boilers manufactured by HDG Bavaria Gesellschaft mit beschränkter Haftung (GmbH), Siemensstrasse 22, 84323 Massing, Germany	The manufacturer's operating instructions for the HDG Euro 30/40/50 with Lambda Control 1 reference "HDG Euro V3.0 with HDG Lambda Control 1 Version V1" of June 2008	Split wood logs of 500 mm length and maximum edge length of 120 mm and a residual moisture content of 20% ⁽¹⁾
HDG Navaro models 20, 25 and 30 (20 kW, 25 kW and 30 kW) wood log boilers manufactured by HDG Bavaria Gesellschaft mit beschränkter Haftung (GmbH), Siemensstrasse 22, 84323 Massing, Germany	The manufacturer's operating instructions for the HDG Navora 20/25/30 with Lambda Control 1 reference "HDG Navora 20/25/30 with HDG Lambda Control 1 Version V2" of June 2008	Split wood logs of 500 mm length and maximum edge length of 120 mm and a residual moisture content of 20% ⁽¹⁾
HDG Pelletmaster model PM15, 15 kW wood pellet boiler manufactured by HDG Bavaria Gesellschaft mit beschränkter Haftung (GmbH), Siemensstrasse 22, 84323 Massing, Germany	The manufacturer's operating instructions for the HDG Pelletmaster 15/25 reference "HDG Pelletmaster Version V1" of October 2006	Wood pellets ⁽¹⁾
Heat Design TR5c inset stove manufactured by Charlton & Jenrick Ltd, Unit D Stafford Park 2, Telford, Shropshire. TF3 3AR	Instruction manual reference "TRc Issue 02" dated 04/12. The fitting of a system that prevents closure of the secondary air control slots beyond the 3.5mm open position must be implemented	Wood logs ⁽¹⁾
Heat Design TR5iT Taper inset stove manufactured by Charlton & Jenrick Ltd, Unit D Stafford Park 2, Telford, Shropshire. TF3 3AR	Instruction manual reference "TRiT Issue 01" dated 04/12. The fitting of a system that prevents closure of the secondary air control slots beyond the 5mm open position must be implemented.	Wood logs ⁽¹⁾
Heat Design TR6c Wide inset stove manufactured by Charlton & Jenrick Ltd, Unit D Stafford Park 2, Telford, Shropshire. TF3 3AR	Instruction manual reference "TRc Issue 02" dated 04/12. The fitting of a system that prevents closure of the secondary air control slots beyond the 9mm open position must be implemented	Wood logs ⁽¹⁾
Herz BioFire BF 1000 manufactured by Herz Engietechnik GmbH. Herstraße	Instruction manual references "Operating instructions HERZ BioFire 500 – 1000 Biocontrol" Reference "Betriebsanleitung	Wood Chips and pellets ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
1, 7423 Pinkafeld Österreich/ Austria	Biofire 500-1000 Biocontrol Englisch V1.2.doc”	
Herz BioFire BF 500 manufactured by Herz Engietechnik GmbH. Herstraße 1, 7423 Pinkafeld Österreich/ Austria	Instruction manual references “Operating instructions HERZ BioFire 500 – 1000 Biocontrol” Reference “Betriebsanleitung Biofire 500-1000 Biocontrol Englisch V1.2.doc”	Wood Chips and pellets ⁽¹⁾
Herz BioFire BF 600 manufactured by Herz Engietechnik GmbH. Herstraße 1, 7423 Pinkafeld Österreich/ Austria	Instruction manual references “Operating instructions HERZ BioFire 500 – 1000 Biocontrol” Reference “Betriebsanleitung Biofire 500-1000 Biocontrol Englisch V1.2.doc”	Wood Chips and pellets ⁽¹⁾
Herz BioFire BF 800 manufactured by Herz Engietechnik GmbH. Herstraße 1, 7423 Pinkafeld Österreich/ Austria	Instruction manual references “Operating instructions HERZ BioFire 500 – 1000 Biocontrol” Reference “Betriebsanleitung Biofire 500-1000 Biocontrol Englisch V1.2.doc”	Wood Chips and pellets ⁽¹⁾
Herz Firematic FM 80 manufactured by Herz Engietechnik GmbH. Herstraße 1, 7423 Pinkafeld Österreich/ Austria	Assembly and installation instructions “HERZ firematic 20 - 101 BioControl” Reference “04.001” Installation Instructions – “Herz Firematic (1Ph) 20-101” Operating instructions “HERZ firematic 20 - 101 BioControl” Reference “Betriebsanleitung firematic 20-101 BioControl Englisch V 2.53.doc”	Wood Chips and pellets ⁽¹⁾
Herz Firematic FM 100 manufactured by Herz Engietechnik GmbH. Herstraße 1, 7423 Pinkafeld Österreich/ Austria	Assembly and installation Instructions “HERZ firematic 20 – 101 BioControl” Reference “04.001” Installation Instructions – “Herz Firematic (1Ph) 20-101” Operating instructions “HERZ firematic 20 - 101 BioControl” Reference “Betriebsanleitung	Wood Chips and pellets ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
	firematic 20-101 BioControl Englisch V 2.53.doc”	
Heta Scanline 500D, 510D, 520D and 530D wood burning stoves distributed in the UK by Pevex Enterprises Limited, Unit 16 Seven Acres Business Park, Newbourne Road, Waldringfield Nr Woodbridge. IP12 4PS	Instruction manual references “Pevex1005/AH/ver2” and dated June 2011. The appliance must be fitted with permanent stops to ensure that the primary and secondary air controls do not close beyond 95% and 50% respectively	Dry wood logs ⁽¹⁾
Heta Scanline 7D, 7AD, 7BD, 7CD and 7DD wood burning stoves distributed in the UK by Pevex Enterprises Limited, Unit 16 Seven Acres Business Park, Newbourne Road, Waldringfield, Nr Woodbridge. IP12 4PS	Instruction manual references “Pevex1006/AH/ver2” and dated June 2011. The appliance must be fitted with permanent stops to ensure that the primary and secondary air controls do not close beyond 95% and 50% respectively	Dry wood logs ⁽¹⁾
Highlander 5 Clean Burn Manufactured by Dunsley Heat Limited, Bridge Mills, Huddersfield, Holmfirth, West Yorkshire, HD9 3TW	Instruction manual references “Highlander. The Dunsley – Enviroburn –5. Clean Burn Stove Installation and operating instructions. D12-01-09, D060-01-09, D13-01-09, D12-12-08”	Wood logs ⁽¹⁾ conforming to BS EN 13240:2001
Highlander 7 Enviroburn Solo multi-fuel stove (product codes 00325, 00326 and 00327) manufactured by Dunsley Heat Limited, Bridge Mills, Huddersfield road, Holmfirth, Huddersfield. HD9 3TW	Installation and operating instructions manual reference “ENVIRO 7 DB001” dated 15/6/2012. Appliance fitted with a mechanical stop to prevent closure of the secondary air-wash beyond 2mm. Four fixed 5mm diameter air holes are provided for the tertiary air supply.	Dry wood logs ⁽¹⁾
Horse Flame Little Artemis model number HF277-SE Wood Burning Stove manufactured by Hi-Flame Fireplace UK Limited, Unit 5A Holmes Chapel Business Park, Manor Lane, Holmes Chapel. Cheshire. CW4 8AF	Instruction manual reference “AL905-SE/UK-NI-ROI/V2-D.18-07-12” dated July 2012. Fitted with a mechanical stop to prevent closure of the secondary air control beyond the 3mm open position	Wood Logs ⁽¹⁾
Horse Flame Precision 1 model number HF905-SE. UK Distribution Hi-Flame Limited, Unit 7B Holmes Chapel	Instruction manual references “HF905/UK-NI-ROI/V2.1-06-11” Dated June 2011. The appliance must be fitted with	Wood Logs ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preserveds or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to *The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012*. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
Business Park Manor Lane Holmes Chapel Cheshire CW4 8AF	a mechanical stop to prevent closure of the main air control beyond the 50% open position.	
Horse Flame Precision II model number HF907- SE wood burning stove manufactured by Hi-Flame Fireplace UK Limited, Unit 5A Holmes Chapel Business Park, Manor Lane, Holmes Chapel, Cheshire. CW4 8AF.	Instruction manual reference “HF907-SE/UK-NI-ROI/V3-D. 14-07-12” dated July 2012. Fitted with a mechanical stop to prevent secondary air control closure beyond the 20% open position, and a 70mm opening of the door rope seal to allow a constant flow of air when sold into smoke control areas.	Wood Logs ⁽¹⁾
Hothouse 4SE stove manufactured by Heat Design, 30 Hawthorn Road, Western Industrial Estate, Naas Road, Dublin 12, Ireland	Instruction manual reference “HH468SE” dated 25/07/12. The fitting of a system to prevent closure of the secondary air control beyond 5mm open must be implemented	Wood logs ⁽¹⁾
Hothouse 6SE stove manufactured by Heat Design, 30 Hawthorn Road, Western Industrial Estate, Naas Road, Dublin 12, Ireland	Instruction manual reference “HH468SE” dated 25/07/12. The fitting of a system to prevent closure of the secondary air control beyond 75% from closed must be implemented.	Wood logs ⁽¹⁾
Hothouse 8SE stove manufactured by Heat Design, 30 Hawthorn Road, Western Industrial Estate, Naas Road, Dublin 12, Ireland	Instruction manual reference “HH468SE” dated 25/07/12. The fitting of a system to prevent closure of the secondary air control beyond 25% from closed must be implemented.	Wood logs ⁽¹⁾
Hotpod Limited Edition manufactured by Hotpod LLP, PO Box 137, St Ives Cornwall TR26 2WW	Instruction manual reference “Version 3” dated June 2011	Wood Logs ⁽¹⁾
Hotpod Unlimited manufactured by Hotpod LLP, PO Box 137, St Ives Cornwall TR26 2WW	Instruction manual reference “Version 3” dated June 2011	Wood Logs ⁽¹⁾
The Hoval AgroLyt 20, 25, 35, 45 and 50 manufactured by Hoval AG, Austrasse 70, 9490 Vaduz, Liechtenstein	Installation and operation manuals dated January 2006, reference 4 205/ 194/00, and June 2006, reference 205 193/00	Wood logs with a maximum moisture content of 20% ⁽¹⁾
Hoval BioLyt 160 pellet boiler manufactured by	Instruction manual references “Hoval Operating instructions,	Wood Pellets ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preserveds or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
Hoval Limited, Hoval Limited, Northgate, Newark, Nottinghamshire NG24 1JN	wood pellet heating boiler BioLyt (50, 70, 120, 140, 160)” dated 03/07 2008 and “Technical information Assembly instructions ” dated 3rd October 2009	
Hoval BioLyt 50 and 70 manufactured by Hoval AG, Austrasse 70, 9490 Vaduz, Liechtenstein	Installation and operating manuals referenced 4 204 794/01 and 4 204 793/2 dated June 2007	Wood Pellets ⁽¹⁾
Hoval Forester UFS 180, 240, 300, 360, 450, 550, 700, 900, 1200, 1600 manufactured by Schmid AG, Wood firing Systems PO Box 42, CH-8360 Eschlikon, Switzerland	Instruction manual references “Forester UFS” dated November 2009	Wood Pellets or Wood Chips ⁽¹⁾ following CEN/TS 14961
Hoval Forester MGS 150, 180, 240, 300, 360, 450, 550, 700, 900 boilers manufactured by Schmid AG, Wood firing systems PO Box 42, CH-8380 Eschikon Switzerland.	Instruction manual references “Hoval Forester MGS_MMXXXv1” (where XXX is the unit size, e.g. 150) dated July 2011	Wood Pellets or Wood Chips following CEN/TS 14961 ⁽¹⁾
Hoval STU 150, 200, 250, 300, 350, 425 and 500 manufactured by Hoval Limited, Hoval Limited, Northgate, Newark, Nottinghamshire. NG24 1JN	Installation and operation manual referenced STU man/01 dated November 2007 or the installation and operation manual referenced STU/man/01/1 dated June 2008.	Wood Pellets ⁽¹⁾
Hoval STU 600, 800 and 1000 manufactured by Hoval Limited, Hoval Limited, Northgate, Newark, Nottinghamshire. NG24 1JN	Installation and operation manual referenced STU/man/01 dated 11/07 or the installation and operation manual referenced STU/man/01/1 dated June 2008.	Wood Pellets ⁽¹⁾
Hunter Herald 4 manufactured by Hunter Stoves Limited, Unit 6, Old Mill Industrial Estate, Stoke Canon, Devon, EX5 4RJ	Instruction manual references “JINHH04 revC” dated 22/09/2011 and “JINHH04&HHC05 Slider Stop revA” dated 22nd July 2011. The appliance must be fitted with a permanent stop that prevents closure of the secondary air slider beyond 30% open.	Wood logs ⁽¹⁾
Hunter Herald 5 Compact manufactured by Hunter Stoves Limited, Unit 6, Old Mill	Instruction manual references “JINHHC05 revC” dated 22/09/2011 and “JINHH04&HHC05 Slider Stop	Wood logs ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
Industrial Estate, Stoke Canon, Devon, EX5 4RJ	revA” dated 22nd July 2011. The appliance must be fitted with a permanent stop that prevents closure of the secondary air slider beyond 30% open.	
Hunter Herald 5 Slimline manufactured by Hunter Stoves Limited, Unit 6, Old Mill Industrial Estate, Stoke Canon, Devon, EX5 4RJ	Instruction manual reference “JINHHW05 revC” dated 22nd September 2011.	Wood logs ⁽¹⁾
Hunter Herald 6 manufactured by Hunter Stoves Limited, Unit 6, Old Mill Industrial Estate, Stoke Canon, Devon, EX5 4RJ	Instruction manual reference “JINHH04 revC” dated 22nd September 2011.	Wood logs ⁽¹⁾
Hunter Herald i4 manufactured by Hunter Stoves Limited, Unit 6, The Old Mill Industrial Estate, Stoke Canon, Exeter, Devon, EX5 4RJ	Instruction manual reference “JINHVR04 Rev E” dated 2nd December 2011, and instruction manual “JINHVR04SCK revB” dated 05/12/11. The appliance must be fitted with “smoke control area kit JHVR0401” when sold into smoke control areas.	Wood Logs ⁽¹⁾
Huntingdon 25 clear door (model number 7057) and Huntingdon 25 tracery door (model number 7058) manufactured by Stovax Limited, Falcon Road, Sowton Industrial Estate, Exeter, Devon, EX2 7LF	The manufacturer’s instruction manual reference PM 249 Issue 1. A permanent stop must be in place on the secondary air inlet to prevent closure beyond the 75% open position	Untreated dry wood
The Hwam Beethoven and Hwam Beethoven H (4.5 kW nominal thermal output manufactured by HWAM Heat Design AS Nydamsvej 53, 8362 Hørning, Denmark	Euroheat Distributors (HBS) Limited’s operational instructions dated November 2006, reference IN1141 Ed B The appliance must be fitted with a mechanism to prevent closure of the air wash/ secondary air control.	Untreated dry wood
The Hwam Mozart (4.5 kW nominal thermal output) manufactured by HWAM Heat Design AS Nydamsvej 53, 8362 Hørning, Denmark	Euroheat Distributors (HBS) Limited’s operational instructions dated November 2006, reference IN1141 Ed B The appliance must be fitted with a mechanism to prevent	Untreated dry wood

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preserveds or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
	closure of the air wash/ secondary air control.	
The Hwam Ravel (4.5 kW nominal thermal output) manufactured by HWAM Heat Design AS Nydamsvej 53, 8362 Hørning, Denmark	Euroheat Distributors (HBS) Limited's operational instructions dated November 2006, reference IN1141 Ed B The appliance must be fitted with a mechanism to prevent closure of the air wash/ secondary air control.	Untreated dry wood
The Hwam Vivaldi (4.5 kW nominal thermal output) manufactured by HWAM Heat Design AS Nydamsvej 53, 8362 Hørning, Denmark	Euroheat Distributors (HBS) Limited's operational instructions dated November 2006, reference IN1141 Ed B The appliance must be fitted with a mechanism to prevent closure of the air wash/ secondary air control.	Untreated dry wood
The Hwam 30 (4.5 kW nominal thermal output) manufactured by HWAM Heat Design AS Nydamsvej 53, 8362 Hørning, Denmark	Euroheat Distributors (HBS) Limited's operational instructions dated November 2006, reference IN1141 Ed B The appliance must be fitted with a mechanism to prevent closure of the air wash/ secondary air control.	Untreated dry wood
Insert 100 Crystal manufactured by La Nordica Spa, Via Summany 104 M. Precalcino 36030, Vicenza, Italy	Instruction manual references '6096801-Rev. 17' dated 22nd December 2010	Wood logs ⁽¹⁾
Insert 50 Crystal manufactured by La Nordica Spa, Via Summany 104 M. Precalcino 36030, Vicenza, Italy	Instruction manual references '6096801-Rev. 17' dated 22nd December 2010. A mechanical stop to prevent closure of the secondary air control beyond the 40% open position must be fitted.	Wood logs ⁽¹⁾
Insert 70 Crystal manufactured by La Nordica Spa, Via Summany 104 M. Precalcino 36030, Vicenza, Italy	Instruction manual references '6096801-Rev. 17' dated 22nd December 2010. A mechanical stop to prevent closure of the secondary air control beyond the 40% open position must be fitted.	Wood logs ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservedatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
Insert 80 Crystal manufactured by La Nordica Spa, Via Summany 104 M. Precalcino 36030, Vicenza, Italy	Instruction manual references ‘6096801-Rev. 17’ dated 22nd December 2010. A mechanical stop to prevent closure of the secondary air control beyond the 40% open position must be fitted	Wood logs ⁽¹⁾
Italy Built In manufactured by La Nordica Spa, Via Summany 104 M. Precalcino 36030, Vicenza, Italy	Instruction manual references ‘7095401’ Rev.02’ dated 13th December 2010	Wood logs ⁽¹⁾
Italy Termo DSA manufactured by La Nordica Spa, Via Summany 104 M. Precalcino 36030, Vicenza, Italy	Instruction manual references ‘7095802 Rev. 06’ dated 1st February 2011	Wood logs ⁽¹⁾
Instyle 400 and 550 stoves manufactured by Dik Geurts Haardkachels BV, Industrieweg Oost 11, 6662 NE Elst (Gld), The Netherlands	Instruction manual referenced “Instruction_manual_Instyle_1209	Wood logs ⁽¹⁾ _ENG”
Ivanhoe JS5000 multi-fuel stove manufactured by James Smellie Limited, Unit N, Leona Industrial Estate, Nimmings Road, Halesowen, West Midlands. B62 9JQ	Instruction manual reference “Ivanhoe multi-fuel stove instruction manual Issue 1” dated June 2012	Wood Logs ⁽¹⁾
Jetmaster 18f stove manufactured by Jetmaster Fires Limited, Unit 2, Peacock Trading Estate, Goodwood Road, Eastleigh, Hampshire SO50 4NT	Instruction manual references “106870/18f/60f/Issue No.5” dated June 2011	Dry wood logs ⁽¹⁾
Jotul F100 manufactured by Jotul UK Ltd, Unit 1, The IO Centre, Nash Road, Park Farm, Redditch, Worcestershire, B98 7AS	Instruction manual reference ‘129980’ dated September 2002 and smoke control area modification reference ‘UK F100 SC appendix’ dated 2010. The appliance must be fitted with a permanent stop that prevents the closure of the secondary air control beyond the 50% open position	Wood logs ⁽¹⁾
Jotul F162, F163, F262 and F263 stoves manufactured by Jotul UK Limited, 1 The IO Centre, Nash Road, Redditch, B98 7AS	Instruction manual references “Jotul F162/F162C/F163 Manual Version Po6” dated January 2011 and Supplementary instruction manual “Jotul F162/	Wood Logs ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to *The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012*. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
	F163/262/263 SMOKE” dated 01/01/2012. Fitted with a mechanical stop to prevent secondary air control closure beyond the 20% open position when sold into smoke control areas.	
Jydepejsen Country 510 and 760 5kW stoves manufactured by Jydepejsen A/S, Ahornsvinget 3-7, Nr.Felding, DK-7500, Holstebro, Denmark	Instruction user manual “Country001” reference “Jydepejsen A/S - June 2011” dated June 2011. A permanent stop must be fitted to the secondary air control such that it cannot be closed less than 35%.	Wood logs ⁽¹⁾
KARA KW990 woodchip boiler manufactured by KARA Energy Systems B.V. P.O. Box 570. 7600 AN Almelo. Plesmanweg 27, 7602 PD Almelo. The Netherlands	Instruction manual reference “Maintenance and Operation Guide KARA Wood Fired Boiler Version 2012.02” dated 26-07-2012.	Woodchip ⁽¹⁾
KÖB Pyromat-DYN (KPM-DYN) Models 45, 65 and 85 manufactured by Viessmann Ltd, Hortonwood 30,Telford, Shropshire, TF1 7YP	Instruction manual references “ID 103689-L English” dated 01.01.2005 and instruction manual “ID: 103708-G English”	Wood logs (up to 0.5m) and off cuts of natural timber, wood chips and pellets ⁽¹⁾
KÖB Pyromat-ECO (KPM-ECO) Models 35, 45, 55, 65, 75, 85,manufactured by Viessmann Ltd, Hortonwood 30,Telford, Shropshire, TF1 7YP	Instruction manual references “ID 104646-D English” dated 01.01.2005 and instruction manual “ID: 104642-B English”	Wood logs (up to 0.5m) and off cuts of natural timber ⁽¹⁾
KÖB Pyromat-ECO (KPM-ECO) Models 61, 81, 101 and 151 manufactured by Viessmann Ltd, Hortonwood 30,Telford, Shropshire, TF1 7YP	Instruction manual references “ID 104646-D English” dated 01.01.2005 and instruction manual “ID: 104642-B English”	Wood logs (up to 1.0m) and off cuts of natural timber ⁽¹⁾
KÖB Pyrot (KRT) Models 100, 150, 220, 300, 400 and 540 manufactured by Viessmann Ltd, Hortonwood 30,Telford, Shropshire, TF1 7YP	Instruction manual references “ID 104654-H English” dated 01.01.2005 and instruction manual “ID: 106811-H English”	Wood chips or pellets ⁽¹⁾
KÖB Pyrtec (KPT) Models 390, 530, 720, 950 and 1250 and manufactured by Viessmann Ltd, Hortonwood	Instruction manual references “ID 104661-F English” dated 01.01.2005 and instruction manual “ID: 105174-F English”	Wood chips or pellets ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
30,Telford, Shropshire, TF1 7YP	The appliance must be fitted with multicyclone dedusters.	
Kooga Cleanburn Stove manufactured by Percy Doughty & Co, Imperial Point, Express Trading Estate, Stone Hill Road, Farnworth, Bolton, BL4 9TN	Instruction manual references “KCB 04/10A” dated April 2010	Wood logs ⁽¹⁾
KOZ550, 639 kW output pellet boiler manufactured by Kaylioglu Kasabasi (Izmir-Istanbul Yolu Uzeri) P.K 23 Akhisar/Manisa Turkey	Only when used with a Glosfume model BMF 208 ceramic particulate filter. The Green energy engineering Ltd (GEE) KOZ550 pellet boiler owner/operator’s manual reference version 1A 2010 dated December 2010. The Glosfume Ltd maintenance and instruction manual for Glosfume BMF Biomass Filter units (50 – 100kW) version AEE001-VER 4 dated December 2010	6mm diameter wood pellets ⁽¹⁾
KP12, KP22 and KP62 wood pellet boilers manufactured by PONAŠT spol. s r.o. Na Potůčkách 163, 757 01 Valašské Meziříčí, Czech Republic	Service manual references “QPP051-2” dated 25/05/2012 and instructions for operation manual “QPP049-3” dated 25/05/2012	Wood pellets ⁽¹⁾
KWB Easyfire EF2 S/GS/V 8, 12, 15, 22, 25, 30 and 35 wood pellet boilers manufactured by KWB - Kraft und Wärme aus Biomasse Gesellschaft mit beschränkter Haftung, A-8321 St. Margarethen/Raab, Industriestraße 235, Austria	Operation manual reference “B KWB Easyfire EN, 05.2011” dated May 2011 and installation manual “M KWB Easyfire, 05.2011” dated 05 2011.	Wood pellets ⁽¹⁾
KWB Multifire 15, 25, 30, 40, 50, 60, 80, 99 and 100 wood-pellet and wood-chip fired boilers Manufactured by Kraft und Wärme aus Biomasse Gesellschaft mit Beschränkter Haftung, Industriestrasse 235 8321 St. Margarethen/Raab, Austria, 8321	The fireplace(s) must be installed, maintained and operated in accordance with the manufacturer’s instructions dated August 2003, reference BA-USV 0803.	Wood chips and wood pellets ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
KWB Multifire USV 49.5kW Wood chip and wood pellet boiler manufactured by Kraft und Wärme aus Biomasse Gesellschaft mit Beschränkter Haftung, Industriestrasse 235 8321 St. Margarethen/Raab, Austria, 8321	Instruction manual reference “BA Multifire 06.2010” dated June 2010	Wood chips and wood pellets ⁽¹⁾
KWB TDS Powerfire 130, 240 and 300 manufactured by KWB – Kraft und Wärme aus Biomasse Gesellschaft mit beschränkter Haftung (GmbH) of Industriestrasse 235, A-8321 St. Margarethen an der Raab	The manufacturer’s instructions dated 14th May 2008, reference BA TDS-05.2008, including specification of recommended fuels	Wood pellets or wood chips ⁽¹⁾
KWB TDS Powerfire 150 manufactured by KWB – Kraft und Wärme aus Biomasse Gesellschaft mit beschränkter Haftung (GmbH) of Industriestrasse 235, A-8321 St. Margarethen an der Raab	The manufacturer’s instructions dated August 2005, reference BA TDS-0805	Wood pellets or wood chips ⁽¹⁾
Lin-ka H1500 Hot Water Boiler fitted with either a mono-cyclone (type LIN-KA 2000) or a multi-cyclone (type LIN-KA 3x2) manufactured by LIN-KA Maskinfabrik A/S, Nylandsvej 38 DK-6940 Lem St. Denmark	Instruction manual reference “LIN-KA H 1500 Hot Water Manual/Ver. 2005/Rev. 1.10” dated 27/01/2010	Wood Pellets of maximum diameter 8mm ⁽¹⁾
The Little Thurlow Smoke Control Wood Burning Stove manufactured by Town & Country Fires Limited, 1 Enterprise Way, Thornton Road Industrial Estate, Pickering, North Yorkshire, YO18 7NA	Town and Country Fires’ operating instructions dated 30th June 2007, issue No. 3	Seasoned logs of less than 20% moisture and of a maximum length of 350mm ⁽¹⁾
Little Wenlock Classic SE Wood Fuel Stove manufactured by Aga, Station Road, Ketley, Telford, Shropshire, TF1 5AQ	Operating instructions dated 19th December 2008, reference N00471AXX Rev 001 DP081219	Dry and split wood logs of a maximum length of 25 cm and a maximum diameter of 10 cm ⁽¹⁾
Lotus Liva 1, Liva 2, Liva 3 and Liva 4G Stoves manufactured by Lotus Heating Systems A/S, Agertoften 6, 5550 Langeskov, Denmark	Instruction manual “Mounting and User Instructions Lotus-Liva series Stoves” Version 4 dated January 2010	Wood logs ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
Lotus Sola, Sola S, Sola M and Sola MST Stoves manufactured by Lotus Heating Systems A/S Agertofte 6, 5550 Langeskov, Denmark	Instruction manual “Mounting and User Instructions Lotus-Sola series Stoves” Version 2 dated January 2010.	Wood logs ⁽¹⁾
The Løvenholm manufactured by Hunter Stoves Limited, Unit 6, Old Mill Industrial Estate, Stoke Canon, Exeter, Devon, EX5 4RJ	Løvenholm Multifuel stove installation and operation manual version 07/08	Untreated dry wood with a maximum moisture content of 20%
The Løvenholm, Løvenholm Traditional, Løvenholm European, Løvenholm Pedestal stoves manufactured by Hunter Stoves Limited, Unit 6, Old Mill Industrial Estate, Stoke Canon, Exeter, Devon, UK EX5 4RJ	Løvenholm Multifuel stove installation and operation manual version 06/09	Untreated dry wood with a maximum moisture content of 20%
Loxton 3 stoves manufactured by Mendip Stoves Limited, Unit H1, Mendip Industrial Estate, Mendip Road, Rooksbridge, Somerset, BS26 2UG	Instruction manual reference “Mendip Stoves Ltd, 2012, ver 3,” dated July 2012. A permanent stop to fix the secondary air control such that it cannot be closed more than 25% open must be implemented	Wood logs ⁽¹⁾
Loxton 5, Churchill 5 and Sqabox Uno stoves manufactured by Mendip Stoves Limited, Unit H1, Mendip Industrial Estate, Mendip Road, Rooksbridge, Somerset, BS26 2UG	Instruction manual reference “Mendip Stoves Ltd, 2012, ver 3” dated July 2012. A permanent stop such that the secondary air ‘closed position’ results in a 2.5mm gap in the two secondary air openings must be implemented	Wood logs ⁽¹⁾
Loxton 6, Loxton 8, Churchill 6, Churchill 8 and Sqabox Duo stoves manufactured by Mendip Stoves Limited, Unit H1, Mendip Industrial Estate, Mendip Road, Rooksbridge, Somerset, BS26 2UG	Instruction manual reference “Mendip Stoves Ltd, 2012, ver 3” dated July 2012. A permanent stop on the secondary air control such that it cannot be closed more than 35% open must be implemented	Wood logs ⁽¹⁾
Ludlow Wood Burning Smoke Exempt Stove (Ludlow Stove SE) manufactured by Aga Station Road, Ketley Telford Shropshire. TF1 5AQ	Instruction manual references “N00529AXX REV:001” dated 13th July 2011	Dry wood Logs ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preserveds or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
Marvic Multifuel Cassette (inset) roomheater. Manufactured by Wanders Fires & Stoves, Amtweg 4, Netterden, NL-7077 AL, Netherlands	Instruction manual reference “INK.00.7927” dated 20th December 2011. All appliances must be fitted with a modification to the secondary air control to ensure that the air supply holes remain 3mm open.	Wood logs ⁽¹⁾
MEG 4.5 (also known as the Sirius 450) manufactured by Meg Stoves, FE Robinson (Hooton) Ltd, Station Works, Hooton Road, Hooton South Wirral CH66 7NF	Instruction manual references ‘Meg Solid Fuel Stoves manual (107)’ dated 28th January 2011	Wood logs ⁽¹⁾
Meg 5.0 stove and Sirius 600 inset stove manufactured by F.E Robinson (Hooton) Ltd, Station Works, Hooton Road, Hooton, South Wirral. CH66 7NF	Instruction manual reference “Manual Version 1.3” dated 27/07/2012. Fitted with a mechanical stop to prevent secondary air control closure beyond the 10mm open position when sold into smoke control areas.	Wood Logs ⁽¹⁾
MEG 7.5 (also known as the Sirius 750) manufactured by Meg Stoves, FE Robinson (Hooton) Ltd, Station Works, Hooton Road, Hooton South Wirral CH66 7NF	Instruction manual references ‘Meg Solid Fuel Stoves manual (107)’ dated 28th January 2011	Wood logs ⁽¹⁾
Mendip SE Wood Burning 5kW Space Heating Stove manufactured by TR Engineering Limited, Unit 7, Newton Chambers Way, Thorncliffe Industrial Estate, Chapelton, Sheffield. S35 2PH	Instruction manual reference “700273 Iss. 2 Rev. 1” dated January 2012.	Wood logs ⁽¹⁾
Mendip SE Wood Burning 8kW Space Heating Stove manufactured by TR Engineering Limited, Unit 7, Newton Chambers Way, Thorncliffe Industrial Estate, Chapelton, Sheffield. S35 2PH	Instruction manual reference “700275 Iss. 2 Rev. 1” dated January 2012.	Wood logs ⁽¹⁾
Mescoli PB50 Mescoli PB35	Instruction and Installation manual reference “SY315EVO P,C,B – COMBIFIRE 2	Wood Pellets ⁽¹⁾ following ÖNORM M7 135 or DIN plus (DIN 51731)

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to *The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012*. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
Mescoli PB28 Manufactured by MESCOLI CALDAIE S.r.l. Caldaie – Termocucine Via del Commercio, 285 4 1058 Vignola (MO) Italy.	PB28/35/50 BOILERS” Edition 1.7 dated January 2006	
Micromet MEG 4.5 stove (also known as the Sirius 450) manufactured by Micromet 125 Bridge St Birkenhead Merseyside CH41 1BD	Instruction manual references “Micromet Solid Fuel Stoves Manual (24)” dated 16th June 2010	Dry Wood logs ⁽¹⁾
Micromet MEG 7.5 stove (also known as the Sirius 750) manufactured by Micromet 125 Bridge St Birkenhead Merseyside CH41 1BD	Instruction manual references “Micromet Solid Fuel Stoves Manual (24)” dated 16th June 2010	Dry Wood logs ⁽¹⁾
Milan Series 4 manufactured by Chesney’s Ltd, 194-200 Battersea Park Road, London SW11 4ND	Instruction manual references ‘CH4K Milan-V2’ dated 18 th November 2010. The appliance must be fitted with a system to prevent closure of the air control beyond the 25mm open position.	Wood logs ⁽¹⁾
Milan Series 6 manufactured by Chesney’s Ltd, 194-200 Battersea Park Road, London SW11 4ND	Instruction manual references ‘CH6K Milan-V2’ dated 18th November 2010. The appliance must be fitted with a system to prevent closure of the air control beyond the 40mm open position.	Wood logs ⁽¹⁾
Monaco multifuel Stove, Staub Fonderie-Franco Belge model 1340605 manufactured by Staub Fonderie-Franco Belge, Rue Orphee Variscotte, BP73 59660 Merville, France	Instruction manual references ‘1303 -1’ dated 4th May 2010. Appliances must be fitted with a mechanical stop to prevent closure of the secondary air control beyond 4mm from closed.	Wood logs ⁽¹⁾
Monterrey 6 , York Midi Serrano 5 manufactured by Broseley Fires Ltd, Knights Way, Battlefield Enterprise Park, Shrewsbury, Shropshire, SY1 3AB	Instruction manual references “09TJD” dated January 2010. The appliance must be fitted with a system that prevents the closure of the secondary air flaps to less than 8mm open position.	Wood logs ⁽¹⁾
MORSØ-Ø4 manufactured by MORSØ Limited, Unit 7- io centre Valley Drive, Swift	Instruction manual references “Ø- Collection” dated 1st February 2010 and instruction	Wood logs ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
Valley, Rugby, Warwickshire, CV21 1TW	manual “72000400” dated 1st February 2010. Applies to units manufactured after 01 February 2010	
The Morsø 1400 series consisting of the 1412 and 1442 manufactured by Morsø Jernstøberi A/S DK-7900 Nykøbing, Mors, Denmark	Installation and operation manual dated 10th January 2008, reference 72146800	Wood logs with a maximum moisture content of 20% ⁽¹⁾
Morsø 1416, 1418, 1446 and 1448 4 kW stoves manufactured by Morsø UK Limited, Unit 7 The io Centre, Valley Drive, Swift Valley, Rugby, CV21 1TW	Instruction manual reference, “Morsø 1416, 1418, 1446 & 1448. Instruction for Installation and use” dated 31st January 2012. Part No: 72150000.	Wood Logs ⁽¹⁾
The Morsø 3100 series consisting of the 3112 and 3142 models manufactured by Morsø Jernstøberi A/S DK-7900 Nykøbing, Mors, Denmark	Installation and operation manual dated 4th February 2008, reference 72311200	Wood logs with a maximum moisture content of 20% ⁽¹⁾
The Morsø 6140 and 6148 manufactured by Morsø Jernstøberi A/S DK-7900 Nykøbing, Mors, Denmark	Installation and operation manual dated 4th September 2007, reference 72610400	Wood logs with a maximum moisture content of 20% ⁽¹⁾
Morsø Model 7600 including Model 7642, 7644 and 7648 stoves manufactured by Morsø Limited, UK distribution by Morsø UK limited, Unit 7, The io Centre, Valley Drive, Swift Valley, CV21 1TW	Instructions for installation and use 7600 reference “72762200” dated 14.07.2010. The air control on UK models has been altered such that this equates to an increased minimum open position. Reference drawings Morsø 7600-137, 7600-138, 7600-139, 7600-140 and 7600-141	Wood logs with a maximum moisture content of 20% ⁽¹⁾
The Morsø Owl 3410, 3420 and 3440 for wood burning manufactured by manufactured by Morsø Jernstøberi A/S DK-7900 Nykøbing, Mors, Denmark	The manufacturer’s instructions dated 1st January 2000, reference 72345600	Untreated dry wood which has been split, stacked and air dried, or air dried wood briquettes
Morsø S11-40, S11-42, S11-43 and S11-90 4 kW stove manufactured by Morsø UK Limited, Unit 7 The io Centre,	Instruction manual reference, “Morsø S11 serien. Instruction for Installation and use” dated	Wood Logs ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
Valley Drive, Swift Valley, Rugby, CV21 1TW	31st January 2012. Part No: 72114200.	
Morsø S10-40 5 kW stove manufactured by Morsø UK Limited, Unit 7 The io Centre, Valley Drive, Swift Valley, Rugby, CV21 1TW	Instruction manual reference, "Morsø S10. Instruction for Installation and use" dated 31st January 2012. Part No: 72104000.	Wood Logs ⁽¹⁾
Morsø S10-70 5 kW stove manufactured by Morsø UK Limited, Unit 7 The io Centre, Valley Drive, Swift Valley, Rugby, CV21 1TW	Instruction manual reference, "Morsø S10-70. Instruction for Installation and use" dated 31st January 2012. Part No: 72103000.	Wood Logs ⁽¹⁾
Morsø S81-90 4 kW stove manufactured by Morsø UK Limited, Unit 7 The io Centre, Valley Drive, Swift Valley, Rugby, CV21 1TW	Instruction manual reference, "Morsø S81-90. Instruction for Installation and use" Dated 30th January 2012.	Wood Logs ⁽¹⁾
Nestor Martin C23 multifuel stove (7.7 kW) manufactured by Nestor Martin S.A., 11 Rue De Lion, B-5660, Frasnes Les Couvin, Belgium.	Euroheat Distributors (HBS) Limited's operation Instructions Reference: "IN1213 Edition B" and dated June 2010.	Untreated dry wood
Nestor Martin C33 multifuel stove (9.2 kW) manufactured by Nestor Martin S.A., 11 Rue De Lion, B-5660, Frasnes Les Couvin, Belgium.	Euroheat Distributors (HBS) Limited's operation Instructions Reference: "IN1213 Edition B" and dated June 2010.	Untreated dry wood
Nestor Martin D33 multifuel stove (8 kW) manufactured by Nestor Martin S.A., 11 Rue De Lion, B-5660, Frasnes Les Couvin, Belgium.	Euroheat Distributors (HBS) Limited's operation Instructions Reference: "IN1213 Edition B" and dated June 2010.	Untreated dry wood
Nestor Martin 'Harmony' H13 multifuel stove (5 kW) manufactured by Nestor Martin S.A., 11 Rue De Lion, B-5660, Frasnes Les Couvin, Belgium.	Euroheat Distributors (HBS) Limited's operation Instructions Reference: "IN1116 Edition D5" and dated June 2010. The minimum air bleed flap must be set at a minimum of 14.5mm	Untreated dry wood
Nestor Martin 'Harmony' H23 (6 kW) and H33 (8 kW) multifuel stoves manufactured by Nestor Martin S.A., 11 Rue	Euroheat Distributors (HBS) Limited's operation Instructions Reference: "IN1116 Edition D5" and dated June 2010.	Untreated dry wood

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
De Lion, B-5660, Frasnes Les Couvin, Belgium.		
Nestor Martin IN13 Insert multifuel stove (5 kW) manufactured by Nestor Martin S.A., 11 Rue De Lion, B-5660, Frasnes Les Couvin, Belgium.	Euroheat Distributors (HBS) Limited's operation Instructions Reference: "IN1214 Edition B" and dated June 2010. The minimum air bleed flap must be set at a minimum of 14.5mm	Untreated dry wood
Nestor Martin 'Stanford' S13 multifuel stove (3.5 kW) manufactured by Nestor Martin S.A., 11 Rue De Lion, B-5660, Frasnes Les Couvin, Belgium.	Euroheat Distributors (HBS) Limited's operation Instructions Reference: "IN1116 Edition D5" and dated June 2010. The minimum air bleed flap must be set at a minimum of 14.5mm	Untreated dry wood
Nestor Martin 'Stanford' S23 (6 kW), SP23 (6 kW), S33 (8 kW) and SP33 (8 kW) multifuel stoves manufactured by Nestor Martin S.A., 11 Rue De Lion, B-5660, Frasnes Les Couvin, Belgium.	Euroheat Distributors (HBS) Limited's operation Instructions Reference: "IN1116 Edition D5" and dated June 2010.	Untreated dry wood
The Nestor Martin R23 multifuel Stove (6 kW) manufactured by Nestor Martin, S A 11 Rue De Lion, B-5660, Frasnes Les Couvin, Belgium.	Euroheat Distributors (HBS) Limited's operational instructions. Reference: "IN1141 Edition B" and November 2006.	Untreated dry wood
Nestor Martin IT13 multifuel stove (3.5 kW) manufactured by Nestor Martin S.A., 11 Rue De Lion, B-5660, Frasnes Les Couvin, Belgium.	Euroheat Distributors (HBS) Limited's operation Instructions Reference: "IN1180 Edition D1" and dated June 2010. The minimum air bleed flap must be set at a minimum of 14.5mm	Untreated dry wood
Nestor Martin R33 (8 kW) multifuel stove manufactured by Nestor Martin S.A., 11 Rue De Lion, B-5660, Frasnes Les Couvin, Belgium.	Euroheat Distributors (HBS) Limited's operation Instructions Reference: "IN1116 Edition D" and dated January 2007.	Untreated dry wood
Newark EGTL05 manufactured by Elite Group Trading	Instruction manual references "EGTL05 Version 1.4" dated 5 th	Wood Logs ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preserveds or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
Limited, Room 1208 Kak Tak, Commercial Building 317-319 Des Voeux Road, Central Hong Kong 999077	July 2011. The appliance must be fitted with a permanent stop to prevent any closure of the tertiary air control	
Newton SE Wood Burning 5kW Space Heating Stove manufactured by TR Engineering Limited, Unit 7, Newton Chambers Way, Thorncliffe Industrial Estate, Chapeltown, Sheffield. S35 2PH	Instruction manual reference “700504 Iss. 2 Rev 1” dated January 2012.	Wood logs ⁽¹⁾
Newton SE Wood Burning 8kW Space Heating Stove manufactured by TR Engineering Limited, Unit 7, Newton Chambers Way, Thorncliffe Industrial Estate, Chapeltown, Sheffield. S35 2PH	Instruction manual reference “700506 Iss. 3 Rev. 2” dated January 2012.	Wood logs ⁽¹⁾
Nordic 350 stove manufactured by C DE A Ingenieria Ltda, Jose Miguel Carrera 6, Colina, Santiago, 9361294, Chile.	Instruction manual reference number “1001” dated 20/07/2012	Wood logs ⁽¹⁾
Nørreskoven MkII manufactured for Hunter Stoves Ltd, Unit 6, Old Mill Industrial Estate, Stoke Canon, Devon EX5 4RJ	Instruction manual references ‘Cleanburn, Nørreskoven MkII multifuel stove installation and operating instructions, v01.11’ dated January 2011. The appliance must be fitted with stop to prevent closure of secondary air control beyond 40%	Wood logs ⁽¹⁾
Norvik 5 manufactured by Elite Group Trading Limited, Room 1208 Kak Tak, Commercial Building 317-319 Des Voeux Road, Central Hong Kong 999077	Instruction manual references “EGTL05A Version 1.5” dated 12th September 2011. The appliance must be fitted with a permanent stop to prevent any closure of the tertiary air control	Wood Logs ⁽¹⁾
Octoplus 10 and Octoplus 15 Boiler manufactured by Solarfocus, Werkstrasse 1 4451 St. Ulrich, Steyr, Austria	Installation instructions version 1.1 dated 19 th April 2010. Operating manual version 10.051 dated 10th May 2010	Wood logs ⁽¹⁾
ÖkoFEN Pellematic PE08, PE12, PE16, PE20, PE25, PE32, PEK12, PEK16, PEK20, PEK25, PEK32, PES12,	ÖkoFEN operation instructions dated February 2007, reference PE/HB/001.E	Wood pellets of maximum diameter 6 mm and maximum length 4 cm ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
PES16, PES20, PES25, PES32, PESK12, PESK16, PESK20, PESK25 and PESK32 manufactured by ÖkoFEN Forschungs- und Entwicklungs Ges.m.b.H of Gewerbepark 1, 4133 Niederkappel, Austria		
ÖkoFEN Pellematic PE36, PE48, PE56, PESK36, PESK48, PESK56, PEK36, PEK48, PEK56, PES36, PES48 and PES56 manufactured by ÖkoFEN Forschungs- und Entwicklungs Ges.m.b.H of Gewerbepark 1, 4133 Niederkappel, Austria	ÖkoFEN operation instructions reference PBV 2000 CMP 1.4 (V2.31) and with revision dated March 2008	Wood pellets of maximum diameter 6 mm and maximum length 4 cm ⁽¹⁾
Olymberyl Baby Gabriel model number HF217-SE. UK Distribution by Hi-Flame Limited, Unit 7B Holmes Chapel Business Park Manor Lane Holmes Chapel Cheshire CW4 8AF	Instruction manual references “HF217-SE/UK-NI-ROI/V2.16-06-11” Dated June 2011. The appliance must be fitted with a mechanical stop to prevent closure of the secondary air control beyond the 3mm open position	Wood Logs ⁽¹⁾
Optifire 800 Green, Infire 800 Green, Wood Burning Stoves, Manufactured by Bodart & Gonay Limited, Rue De Lambinon, 3 Harze, Belgium, 4920	Instruction manual reference “07DH8000A” dated 11/11. The appliance must be fitted with a “UK kit for smokeless areas OPTI IF 800”.	Wood Logs ⁽¹⁾
The Orchard Ovens models: FVR Speciale 80, 100, 110, 110 x 160 and 120; TOP Superiore 100 and 120; GR 100, 120, 140, 120 x 160, 140 x 160, 140 x 180 and 180; OT 100, 120, 140, 120 x 160, 140 x 160, 140 x 180 and 180; the Valoriani Piccolo, all of which are manufactured by Valoriani of Via Caselli alla Fornace, 213, 50066 Reggello, Firenze, Italy	The manufacturer’s instructions dated 25th October 2004, references: Instruction Model OOLinst. 1 FVR 80 OOLinst. 2 FVR 100 OOLinst. 3 FVR 110 OOLinst. 4 FVR 120 OOLinst. 5 FVR 110 x 160 OOLinst. 6 TOP 100 OOLinst. 7 TOP 120 OOLinst. 8 GR 100 and OT	Untreated dry wood

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
	100	
	OOLinst. 9	GR 120 and OT 120
	OOLinst. 10	GR 140 and OT 140
	OOLinst. 11	GR 120 x 160 and OT 120 x 160
	OOLinst. 12	GR 140 x 160 and OT 140 x 160
	OOLinst. 13	GR 140 x 180 and OT 140 x 180
	OOLinst. 14	GR 180 and OT 180
	OOLinst. 15	Valoriani Piccolo
Oregon EGTL03 manufactured by Elite Group Trading Limited, Room 1208 Kak Tak Commercial Building 317-319 Des Voeux Road, Central Hong Kong 999077	Instruction manual references “EGTL03 Version 1.3” dated 5th July 2011	Wood Logs ⁽¹⁾
Osby Parca PB2 2000 kW boiler manufactured by Enertech AB, Osby Parca Division, PO Box 93, SE-283 22 Osby, Sweden	Operating & Maintenance manual, PB2 boiler reference “manual PB2_ENG_Rev2_JAN2012” dated Jan 2012.	Wood pellets ⁽¹⁾
Osby Parca PB2 3000 kW boiler manufactured by Enertech AB, Osby Parca Division, PO Box 93, SE-283 22 Osby, Sweden	Operating & Maintenance manual, PB2 boiler reference “manual PB2_ENG_Rev2_JAN2012” dated January 2012.	Wood pellets, wood chips, wood briquettes ⁽¹⁾
Parkray Caprice 4 manufactured by, Hunter Stoves Limited, Unit 6, The Old Mill Industrial Estate, Stoke Canon, Exeter, Devon, EX5 4RJ	Instruction manual reference “JINCAP04 Rev E” dated 2nd December 2011, and instruction manual “JINCAP04SCK revB” dated 5th December 2011. The appliance must be fitted with “smoke control area kit JCAP0401”.	Wood Logs ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
Parkray Consort 5 Compact manufactured by Hunter Stoves Limited, Unit 6, Old Mill Industrial Estate, Stoke Canon, Devon, EX5 4RJ	Instruction manual references “JINCNC05 revC” dated 22nd September 2011 and “JINCND05&CNC05 Slider Stop revA” dated 22nd July 2011. The appliance must be fitted with a permanent stop that prevents closure of the secondary air slider beyond 30% open.	Wood logs ⁽¹⁾
Parkray Consort 5 manufactured by Hunter Stoves Limited, Unit 6, Old Mill Industrial Estate, Stoke Canon, Devon, EX5 4RJ	Instruction manual references “JINCND05 revC” dated 22nd September 2011 and “JINCND05&CNC05 Slider Stop revA” dated 22/07/11, The appliance must be fitted with a permanent stop that prevents closure of the secondary air slider beyond 30% open.	Wood logs ⁽¹⁾
Parkray Consort 5 Slimline manufactured by Hunter Stoves Limited, Unit 6, Old Mill Industrial Estate, Stoke Canon, Devon, EX5 4RJ	Instruction manual reference “JINHHW05 revC” dated 22nd September 2011.	Wood logs ⁽¹⁾
Parkray Consort 7 manufactured by Hunter Stoves Limited, Unit 6, Old Mill Industrial Estate, Stoke Canon, Devon, EX5 4RJ	Instruction manual reference, “JNCS07 revC” dated 22nd September 2011.	Wood logs ⁽¹⁾
Pelle 5kW stove, Vidar Small 5kW stove and Vidar Medium 7.6kW stove manufactured by Dik Geurts Haardkachels BV, Industrieweg Oost 11, 6662 NE Elst (Gld), The Netherlands	Instruction manual reference “8900009004” dated July 2011	Dry wood logs ⁽¹⁾
Pelle 5kW stove, Vidar Small 5kW stove and Vidar Medium 7.6kW stove manufactured by Dik Geurts Haardkachels BV, Industrieweg Oost 11, 6662 NE Elst (Gld), The Netherlands	Instruction manual reference “8900009004” dated July 2011	Dry wood logs ⁽¹⁾
Pelletstar 10, 20, 30, 45 and 60 manufactured by HERZ Armaturen Ges.m.b.H, Geschäftsbereich HERZ Feuerungstechnik,	Operating instructions dated November 2007, reference V2.2	Wood pellets corresponding to ÖNORM M7135 of 6 mm diameter ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
A-8272 Sebersdorf 138, Austria		
PelletTop 15 and PelletTop 25 Boiler manufactured by Solarfocus, Werkstrasse 1 4451 St.Ulrich, Steyr, Austria	Installation instructions version 020905 dated 2nd September 2005. Operating manual version 270906 dated 27th September 2006	Wood pellets ⁽¹⁾
Pevex Bohemia X 30, X 40, X40 Cube, X 50 and X 60 multi-fuel stoves manufactured by Pevex Enterprises Limited, Unit 16 Seven Acres Business Park, Newbourne Road, Waldringfield Nr Woodbridge, IP12 4PS	Instruction manual references ‘AH/Ver3’ dated July 2010	Dry wood logs ⁽¹⁾
Pevex Bohemia X 40 Inset multi-fuel appliance manufactured by Pevex Enterprises Limited, Unit 16 Seven Acres Business Park, Newbourne Road, Waldringfield, Nr Woodbridge, IP12 4PS	Instruction manual references “Pevex1004/AH/ver2/” and dated June 2011. The appliance must be fitted with permanent stops that ensure the primary and tertiary air controls do not close beyond 0.5cm open and 2cm open positions respectively.	Dry wood logs ⁽¹⁾
Pevex Serenity 40D inset multi-fuel appliance manufactured by Pevex Enterprises Limited, Unit 16 Seven Acres Business Park, Newbourne Road, Waldringfield, Nr Woodbridge, IP12 4PS	Instruction manual references “Pevex1003/AH/ver2” and dated June 2011. The appliance must be fitted with permanent stops that ensure the secondary and tertiary air controls do not close beyond 1.1cm open and 2cm open positions respectively.	Dry wood logs ⁽¹⁾
Portway 1 Stove manufactured by BFM Europe Limited, Trentham Lakes, Stoke on Trent, Staffordshire, ST4 4TJ	Instruction manual referenced: ‘Solid Fuel Stoves Manual issued - 20/08/2009 (291) 2’ The appliance must be used with a modification to the secondary air slide which inhibits closure further than the 25mm from the left position.	Wood logs ⁽¹⁾
Portway 2 and 3 Stoves manufactured by BFM Europe Limited, Trentham Lakes, Stoke on Trent, Staffordshire, ST4 4TJ	Instruction manual referenced: ‘Solid Fuel Stoves Manual issued - 20/08/2009 (291) 2’. The appliance must be used with a modification to the secondary	Wood logs ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preserveds or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
	air slide which inhibits closure further than the 20mm from the left position.	
Portway Inset Stove manufactured by BFM Europe Limited, Trentham Lakes, Stoke on Trent, Staffordshire, ST4 4TJ	Instruction manual referenced: ‘Solid Fuel Stoves Manual issued - 20/08/2009 (291) 2’. A modification of the secondary air control must be implemented such that the 20mm from left position is maintained during use. In addition the primary air control must be modified such that the minimum setting allows a bleed of air to pass through	Wood logs ⁽¹⁾
Pyroclassic IV manufactured by Pyroclassic Fires Limited, PO Box 28150, Havelock North 4157, Hawke Bay, New Zealand	Instruction manual reference “PYROS 04” dated August 2011.	Wood Logs ⁽¹⁾
PZ 65 RL and PZ 100 RL pellet boilers manufactured by Biotech Energietechnik GmbH, Furtmühlstrasse 32, A-5101 Bergheim bei Salzburg	Instruction manual reference “Assembly instruction – Instruction manual – servicing & cleaning PZ65RL/PZ100RL/PZ101RL” dated July 2012. Reference BTMoBeWe ENG	Wood Pellets ⁽¹⁾
The Quadra-Fire 2100 Millennium Freestanding Wood Burning Stove manufactured by Hearth & Home Technologies 1445 North Highway, Colville, WA 99114, USA	The manufacturer’s instructions dated 9th October 2003, reference 250–6931B	Dry cured untreated wood of maximum size 38.1 cm x 10.16 cm x 5.08 cm
The Quadra-Fire Cumberland Gap Freestanding Wood Burning Stove manufactured by Hearth & Home Technologies 1445 North Highway, Colville, WA 99114, USA	The manufacturer’s instructions dated 8th July 2003, reference 7006–186	Dry cured untreated wood of maximum size 43.18 cm x 10.16 cm x 10.16 cm
The Quadra-Fire Yosemite Freestanding Wood Burning Stove manufactured by Hearth & Home Technologies 1445 North Highway, Colville, WA 99114, USA	The manufacturer’s instructions dated 4th June 2003, reference 7004–187	Dry cured untreated wood of maximum size 38.1 cm x 10.16 cm x 5.08 cm

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
Rais 2:1 inset stove manufactured by Rais A/S Industrivej 20, 9900, Frederikshavn, Denmark	Instruction manual reference “USER MANUAL Rais 2:1 Revision 2”. Dated December 2009. Part number 9106510	Wood Logs ⁽¹⁾
Rais 700 inset stove manufactured by Rais A/S Industrivej 20, 9900, Frederikshavn, Denmark	Instruction manual reference “USER MANUAL Rais 700 Revision 0” dated 2010	Wood Logs ⁽¹⁾
Rais Epoca, Rais Poleo 95 and Rais Poleo 106 stoves manufactured by Rais A/S Industrivej 20, 9900, Frederikshavn, Denmark	Instruction manual reference “USER MANUAL Rais Poleo 95 & Rais Poleo 106 Rais Epoca Revision 1” dated December 2009. Part number 2106510	Wood Logs ⁽¹⁾
Rais Rondo Classic and Rais Mino II stoves manufactured by Rais A/S Industrivej 20, 9900, Frederikshavn, Denmark	Instruction manual reference “USER MANUAL Rais Rondo & Rais Mino II revision 2” dated March 2008. Part number 5056510	Wood Logs ⁽¹⁾
Rais Rondo 92 and Rais Rondo 120 stoves manufactured by Rais A/S Industrivej 20, 9900, Frederikshavn, Denmark	Instruction manual reference “USER MANUAL Rais Rondo 92 & Rais Rondo 120 revision 2” dated December 2009. Part number 4076510	Wood Logs ⁽¹⁾
RAIS Q-Tee 57 manufactured by Rais A/S Industrivej 20, 9900, Frederikshavn, Denmark	Instruction manual references “Manual for RAIS Q-Tee Revision 1” dated 28th June 2011 and Supplementary instructions Rais Q-Tee dated 7th July 2011. The appliance must be fitted with a mechanical stop to prevent air control closure beyond the 11.7mm open position	Dry wood Logs ⁽¹⁾
RAIS Q-Tee 65 manufactured by Rais A/S Industrivej 20, 9900, Frederikshavn, Denmark	Instruction manual references “Manual for RAIS Q-Tee Revision 1” dated 28th June 2011 and Supplementary instructions Rais Q-Tee dated 7th July 2011. The appliance must be fitted with a mechanical stop to prevent air control closure beyond the 11.7mm open position	Dry wood Logs ⁽¹⁾
RAIS Q-Tee 85 manufactured by Rais A/S Industrivej 20, 9900, Frederikshavn, Denmark	Instruction manual references “Manual for RAIS Q-Tee Revision 1” dated 28th June 2011 and Supplementary instructions Rais Q-Tee dated 7th July 2011.	Dry wood Logs ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
	The appliance must be fitted with a mechanical stop to prevent air control closure beyond the 11.7mm open position	
RAIS VIVA 98, RAIS VIVA 98G, RAIS VIVA 120, RAIS VIVA 120G, RAIS RINA 90 Wood Burning Stoves, manufactured by Rais A/S, Industrivej 20, Vangen, DK – 9900, Frederikshavn, Denmark	Instruction manual reference “Manual for RAIS Rina, RAIS Viva” dated 29th August 2011 and instruction manual “Supplementary Instructions Rais” dated 27th September 2011. The appliance must be fitted with a mechanical stop to prevent closure of the air damper beyond the 8.5mm open position.	Wood Logs ⁽¹⁾
Redfyre Kensal 20 Flat top (product code RF-EN20M), Redfyre Kensal 33 Flat top (product code RF-KEN33M and RF-KEN33W) manufactured by Redfyre Cookers, Osprey Road, Sowton Industrial Estate, Exeter, Devon, EX2 7JG	The manufacturer’s instruction manual dated July 2008, reference PM 247 Issue 1, and instruction manual dated January 2009, reference PM280 Issue 1 A permanent stop must be in place on the secondary air inlet to prevent closure beyond the 50% open position	Untreated dry wood
Rika Como pellet stove manufactured by RIKA Innovative Ofentechnik GmbH, Müllerviertel 20, AT - 4563 Micheldorf. Austria.	Instruction manual references “IN1226 Edition 1” dated June 2011	6mm wood pellets ⁽¹⁾
Rika Evo Aqua 9 and 15 manufactured by SHT Heiztechnik aus Salzburg GmbH, Rechtes Salzachufer 40, A-5101, Salzburg-Bergheim, Austria	Instruction manual references ‘J18/HB’ dated 27th February 2009	6mm wood pellets ⁽¹⁾
Rika Memo pellet stove manufactured by RIKA Innovative Ofentechnik GmbH, Müllerviertel 20, AT - 4563 Micheldorf. Austria.	Instruction manual references “IN1228 Edition 1” dated June 2011	6mm wood pellets ⁽¹⁾
Rika Pico pellet stove manufactured by RIKA Innovative Ofentechnik GmbH, Müllerviertel 20, AT - 4563 Micheldorf. Austria.	Instruction manual references “IN1230 Edition 1” dated June 2011	6mm wood pellets ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to *The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012*. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
Rika Revo pellet stove manufactured by RIKA Innovative Ofentechnik GmbH, Müllerviertel 20, AT - 4563 Micheldorf, Austria.	Instruction manual references “IN1229 Edition 1” dated June 2011	6mm wood pellets ⁽¹⁾
Rika Tema 6kW stove manufactured by Rika Innovative Ofentechnik GmbH, Müllerviertel 20, AT - 4563 Micheldorf, Austria	Instruction manual reference “IN1218 Edition 2” dated January 2012.	Wood logs ⁽¹⁾
Rika Topo pellet stove manufactured by RIKA Innovative Ofentechnik GmbH Müllerviertel 20, AT - 4563 Micheldorf, Austria.	Instruction manual references “IN1227 Edition 1” dated June 2011	6mm wood pellets ⁽¹⁾
Riva 40 Cassette 4.9kW stoves manufactured by Stovax Limited, Falcon Road, Sowton Industrial Estate, Exeter, Devon, EX2 7LF	Instruction manual references PM235 Issue 2 dated August 2009 and smoke control kit instruction manual PM375 Issue 2 dated January 2010. A permanent stop must be positioned to prevent closure of the secondary air control below the 50% open position	Wood logs ⁽¹⁾
Riva 40 Freestanding, Riva 40 Avanti, Riva 40 Avanti Midi and Riva 40 Avanti Highline 4.9kW stoves manufactured by Stovax Limited, Falcon Road, Sowton Industrial Estate, Exeter, Devon, EX2 7LF	Instruction manual references PM226 Issue 2 dated August 2009 and smoke control kit instruction manual PM375 Issue 2 dated January 2010. A permanent stop must be positioned to prevent closure of the secondary air control below the 50% open position	Wood logs ⁽¹⁾
Riva 45 Cassette (model numbers RV45 & RV45B) inset wood burning stoves manufactured by Stovax Limited, Falcon Road, Sowton Industrial Estate, Exeter, Devon, EX2 7LF	Instruction manual references “PM375 Issue 5” dated June 2012 and “PM235 Issue 5” dated June 2012. A permanent stop must be positioned to prevent closure of the secondary air control below the 50% open position	Wood Logs ⁽¹⁾
Riva 50 Cassette (model numbers RV50 & RV50B) inset wood Burning Stoves manufactured by Stovax	Instruction manual references “PM375 Issue 5” dated June 2012 and “PM235 Issue 5” dated June 2012. A permanent stop must be	Wood Logs ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
Limited, Falcon Road, Sowton Industrial Estate, Exeter, Devon. EX2 7LF	positioned to prevent closure of the secondary air control below the 50% open position and the primary air control fixed to allow a bleed of air to enter the firebox from underneath the grate	
Riva 55 Cassette, Riva 66 cassette, Riva 66 Avanti cassette stoves manufactured by Stovax Limited, Falcon Road, Sowton Industrial Estate, Exeter, Devon, EX2 7LF	Instruction manual references PM235 Issue 2 dated August 2009 and smoke control kit instruction manual PM375 Issue 2 dated January 2010. A permanent stop must be positioned to prevent closure of the secondary air control below the 50% open position and the primary air control fixed to allow a bleed of air to enter the firebox from underneath the grate	Wood logs ⁽¹⁾
Riva 55 Avanti Midi and Riva 66 Freestanding 8 kW stoves manufactured by Stovax Limited, Falcon Road, Sowton Industrial Estate, Exeter, Devon, EX2 7LF	Instruction manual references PM226 Issue 2 dated August 2009 and smoke control kit instruction manual PM375 Issue 2 dated January 2010. A permanent stop must be positioned to prevent closure of the secondary air control below the 50% open position and the primary air control fixed to allow a bleed of air to enter the firebox from underneath the grate	Wood logs ⁽¹⁾
Riva Plus Small (5 kW), Midi (6.5kW) and Medium (8 kW) Stoves manufactured by Stovax Limited, Falcon Road, Sowton Industrial Estate, Exeter, Devon, EX2 7LF	Instruction manual references PM231 Issue 3 dated June 2009 and smoke control kit instruction manual PM402 Issue 1 dated November 2009. A permanent stop must be positioned to prevent closure of the secondary air control below the 25% open position	Wood logs ⁽¹⁾
Riva Studio 1 (5kW) freestanding wood stove manufactured by Stovax Limited, Falcon Road, Sowton Industrial Estate, Exeter, Devon, EX2 7LF	Instruction manual references PM452 Issue 1 dated June 2010 and smoke control kit instruction manual PM400 Issue 3 dated June 2010. A permanent stop must be positioned to prevent closure of the secondary air control	Wood logs ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
	below the 45% open position and the primary air control fixed to prevent full closure to allow a bleed of air to enter the firebox at the base of the fuel bed	
Riva Studio 2 (8kW) freestanding wood stove manufactured by Stovax Limited, Falcon Road, Sowton Industrial Estate, Exeter, Devon, EX2 7LF	Instruction manual references PM452 Issue 1 dated June 2010 and smoke control kit instruction manual PM400 Issue 3 dated June 2010. A permanent stop must be positioned to prevent closure of the secondary air control below the 25% open position and the primary air control fixed to prevent full closure to allow a bleed of air to enter the firebox at the base of the fuel bed	Wood logs ⁽¹⁾
Riva Studio 1 Cassette (5 kW) Stove manufactured by Stovax Limited, Falcon Road, Sowton Industrial Estate, Exeter, Devon, EX2 7LF	Instruction manual references PM274 Issue 2 dated October 2009 and smoke control kit instruction manual PM400 Issue 1 dated November 2009. A permanent stop must be positioned to prevent closure of the secondary air control below the 45% open position and the primary air control fixed to prevent full closure to allow a bleed of air to enter the firebox at the base of the fuel bed	Wood logs ⁽¹⁾
Riva Studio 2 Cassette (8 kW) Stove manufactured by Stovax Limited, Falcon Road, Sowton Industrial Estate, Exeter, Devon, EX2 7LF	Instruction manual references PM274 Issue 2 dated October 2009 and smoke control kit instruction manual PM400 Issue 1 dated November 2009. A permanent stop must be positioned to prevent closure of the secondary air control below the 25% open position and the primary air control fixed to prevent full closure to allow a bleed of air to enter the firebox at the base of the fuel bed	Wood logs ⁽¹⁾
Riva Vision Medium (8 kW) Multifuel Stove manufactured by Stovax Limited, Falcon	Instruction manual references PM278 Issue 2a dated October 2009 and smoke control	Wood logs ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
Road, Sowton Industrial Estate, Exeter, Devon, EX2 7LF	kit instruction manual PM401 Issue 1 dated January 2010. A permanent stop must be positioned to prevent closure of the secondary air control below the 25% open position	
Riva Vision Small (5 kW) and Riva Vision Midi (6.5 kW) Multifuel Stoves manufactured by Stovax Limited, Falcon Road, Sowton Industrial Estate, Exeter, Devon, EX2 7LF	Instruction manual references PM278 Issue 2a dated October 2009 and smoke control kit instruction manual PM401 Issue 1 dated January 2010. A permanent stop must be positioned to prevent closure of the secondary air control below the 50% open position	Wood logs ⁽¹⁾
Rosedale Inset Smoke Control inset roomheater manufactured by Town and Country Fires Limited, Unit 1 Enterprise Way, Thornton Road Industrial Estate, Pickering, North Yorkshire, YO18 7NA	Instruction manual reference “Issue No. 04” dated 11th January 2012. Fitted with a mechanical stop to prevent secondary air control closure beyond the 30% open position when sold into smoke control areas.	Wood Logs ⁽¹⁾
Rosedale SC Multifuel Stove manufactured by Town & Country Fires Limited, 1 Enterprise Way, Thornton Road Industrial Estate, Pickering, North Yorkshire, YO18 7NA	Rosedale Smoke Control Stove Installation and User Instructions “Issue 1” dated 1st May 2010. The appliance must be fitted with a mechanical stop to prevent closure of the secondary air control beyond the 50% open position when sold into smoke control areas.	Wood logs with a maximum moisture content of 20% ⁽¹⁾
Royal Klima 18 Idro wood pellet stove boiler manufactured by Palazzetti Lelio S.p.A, Via Roveredo 103, Porcia (PN), 33080, Italy	Instruction manual reference “cod. 0047700880” dated September 2011 and supplementary information “Clean Air Act 1993 and Smoke Control Areas” reference 004723000 dated January 2012.	Wood pellets ⁽¹⁾
Saltfire Ecoview 5, Fireglow Eco 5, and Ecowarm Crystal 5 stoves (also known as Ekol Crystal 5). Manufactured by Saltfire Stoves Limited, Station Works, John’s Road, Wareham, BH20 4BG	Instruction manual reference “Evoview5 Manual 1.0” dated 15/12/2011. The appliance must be fitted with a mechanical stop to prevent closure of the tertiary air beyond the 4mm open position.	Wood Logs ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
Saltfire Ecoview 12, Fireglow Eco 12, and Ecowarm Crystal 12 stoves (also known as Ekol Crystal 12). Manufactured by Saltfire Stoves Limited, Station Works, John's Road, Wareham, BH20 4BG	Instruction manual reference "Evoview12 Manual 1.0" dated 15th December 2011. The appliance must be fitted with a mechanical stop to prevent closure of the tertiary air control beyond the 4mm open position.	Wood Logs ⁽¹⁾
Saltfire Oslo-Eco manufactured by Saltfire Stoves Ltd, Station Works, John's Road, Wareham, BH20 4BG	Instruction manual references 'ECO7 operation-Revision 2A' dated 24th January 2011	Wood logs ⁽¹⁾
San Remo 4SE stove manufactured by Heat Design, 30 Hawthorn Road, Western Industrial Estate, Naas Road, Dublin 12, Ireland	Instruction manual reference "SR468SE" dated 25/07/12. The fitting of a system to prevent closure of the secondary air control beyond 5mm open must be implemented	Wood logs ⁽¹⁾
San Remo 6SE stove manufactured by Heat Design, 30 Hawthorn Road, Western Industrial Estate, Naas Road, Dublin 12, Ireland.	Instruction manual reference "SR468SE" dated 25/07/12. The fitting of a system to prevent closure of the secondary air control beyond 75% from closed must be implemented.	Wood logs ⁽¹⁾
San Remo 8SE stove manufactured by Heat Design, 30 Hawthorn Road, Western Industrial Estate, Naas Road, Dublin 12, Ireland	Instruction manual reference "SR468SE" dated 25/07/12. The fitting of a system to prevent closure of the secondary air control beyond 25% from closed must be implemented.	Wood logs ⁽¹⁾
Scan Andersen 4-5 manufactured by Krog Iversen & Co. A/S DK-5492 Vissenbjerg, Denmark	The manufacturer's Instruction manual dated 15th November 2007 entitled "Scan Andersen 4-5", reference Edition 09/05-GB A permanent stop must be in place on the secondary air inlet to prevent closure beyond 20mm	Untreated dry wood
Scan DSA 7-5 wood-burning Inset roomheater manufactured by Scan A/S, PO Box 20, 5492 Vissenberg, Denmark	Instruction manual "Instructions for installation and use : SCAN DSA 6 & DSA 7-5" Edition 17.09.2010 – GB, supplement "DSA 7-5 – UK smoke control areas" reference "DSA 7-5 SMOKE" dated 01/01/2012, and "instructions for installation (including directions for use and stoking)" reference "Edition	Wood Logs ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
	05.10.2010 – GB”. Appliance must be fitted with a mechanical stop to prevent closure of the air wash control lever beyond the 50% open position.	
Scan Ild 1 and 4 stoves manufactured by Scan A/S, Glasvaenget 3-9, 5492 Vissenbjerg, Denmark	Instruction manual references “11.1c” dated February 2012. The appliance must be fitted with a mechanical stop to prevent closure of the secondary air control beyond the 83mm open position.	Wood logs ⁽¹⁾
Scan Ild 2 and 5 stoves manufactured by Scan A/S, Glasvaenget 3-9, 5492 Vissenbjerg, Denmark	Instruction manual references “11-1d” dated February 2012. The appliance must be fitted with a mechanical stop to prevent closure of the secondary air control beyond the 83mm open position.	Wood logs ⁽¹⁾
Scan Warm 1 and 4 stoves manufactured by Scan A/S, Glasvaenget 3-9, 5492 Vissenbjerg, Denmark	Instruction manual references “11-1a” dated February 2012. The appliance must be fitted with a mechanical stop to prevent closure of the secondary air control beyond the 83mm open position.	Wood logs ⁽¹⁾
Scan Warm 2 and 5 stoves manufactured by Scan A/S, Glasvaenget 3-9, 5492 Vissenbjerg, Denmark	Instruction manual references “11-1b” dated February 2012. The appliance must be fitted with a mechanical stop to prevent closure of the secondary air control beyond the 83mm open position.	Wood logs ⁽¹⁾
Schmid UTSK 180, 240, 300, 360, 450, 550, 700, 900, 1200, 1600kw manufactured by Schmid AG Wood Firing Systems PO Box 42 CH-8380 Eschikon	“Instruction manual UTSK – ABC.22 – AME – S- PPU” Dated 25.09.2008 Where ABC is Model Number i.e. 180, 240, 300, 360, 450, 550, 700, 900, 1200, 1600	Wood Pellets or Wood Chips following CEN/TS 14961:2005 ⁽¹⁾
Schmid UTSL 30, 40, 50, 65, 80, 110, 150, kw Manufactured by Schmid AG Wood Firing Systems, PO Box 42, CH-8380 Eschikon	Instruction manual references “Operating Manual Wooden Chips and Pellets Plant. Lignumat UTSL” dated 23.12.2004	Wood Pellets or Wood Chips following CEN/TS 14961:2005 ⁽¹⁾
Schmid UTSP 180, 240, 300kw Manufactured by Schmid AG,	“Instruction manual UTSK – ABC.22 – AME – S- PPU” Dated	Wood Pellets following CEN/TS 14961:2005 ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preserveds or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
Wood Firing Systems, PO Box 42, CH-8380 Eschikon	25.09.2008 Where ABC is Model Number i.e. 180, 240, 300.	
Schmid UTSR, 150, 180, 240, 300, 360, 450, 550, 700, 900, kw Manufactured by Schmid AG, Wood Firing Systems, PO Box 42, CH-8380 Eschikon	“Instruction manual UTSR – ABC.22 – AME – S-PPV” Dated 25.09.2008 where ABC is Model Number i.e. 150, 180, 240, 300, 360, 450, 550, 700, 900	Wood Pellets or Wood Chips following CEN/TS 14961:2005 ⁽¹⁾
Serrano 5 and Monterrey 6 Multi Fuel Stoves manufactured by Broseley fires Ltd, Knights Way, Battlefield Enterprise Park, Shrewsbury, Shropshire SY1 3AB	Instruction manual references ‘TJ09C’ dated 21st December 2009. The appliance must be fitted with a system that prevents the closure of the secondary air flaps to less than 8mm open position.	Wood logs ⁽¹⁾
Serrano 7 Multi Fuel Stove manufactured by Broseley fires Ltd, Knights Way, Battlefield Enterprise Park, Shrewsbury, Shropshire SY1 3AB	Instruction manual references ‘TJ09C’ dated 21st December 2009. The appliance must be fitted with a system that prevents the closure of the secondary air flaps to less than 10mm open position.	Wood logs ⁽¹⁾
Sirius 450 – see Micromet MEG 4.5 and MEG 4.5 stove		
Sirius 750 – see Micromet MEG 7.5 and MEG 7.5 stove		
Sirius Traditional Stove manufactured by Tianjin Focus Arts & Crafts Co, Industrial Area Gao Zhuangzi Village, Xin Zhuang Town, Jin Nan District, Tianjin, P.R. China 300350	Instruction and Operating Instruction manual reference “v173 of 09/11/2010” dated 09/11/2010.	Wood logs ⁽¹⁾
Stockton 3 Flat top (product code 7118), Stockton 4 Flat top (product code 7101 and 7102), Stockton 5 Flat top (product code 7127) Stockton 5 midline (product code 7130), Stockton 6 Flat top (product codes 7100 and 7162), Stockton 6 Highline (product code 7117) and Stockton 7 Flat top (product codes 7120 and 7163) manufactured by Stovax Limited, Falcon	The manufacturer’s instruction manual dated July 2008, reference PM227 ENG Issue 2, and instruction manual dated January 2009, reference PM271 Issue 2. A permanent stop must be in place on the secondary air inlet to prevent closure beyond the 50% open position	Untreated dry wood

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
Road, Sowton Industrial Estate, Exeter, Devon, EX2 7LF		
Stockton 5 Flat top (model number 7119), Stockton 5 Canopy (model number 7160) and Stockton 5 Midline (model number 7133) manufactured by Stovax Limited, Falcon Road, Sowton Industrial Estate, Exeter, Devon, EX2 7LF	The manufacturer's instruction manual reference PM 176 – Issue 4. A permanent stop must be in place on the secondary air inlet to prevent closure beyond the 50% open position	Untreated dry wood
Stockton 7 Inset Convector (product codes 7125F and 7125C) manufactured by Stovax Limited, Falcon Road, Sowton Industrial Estate, Exeter, Devon, EX2 7LF	Manufacturer's instruction manual dated May 2008, reference PM230 Issue 1, and instruction manual dated January 2009, reference PM281 Issue 1 A permanent stop must be in place on the secondary air inlet to prevent closure beyond the 50% open position	Untreated dry wood
Stockton Milner (4.6 kW) inset stove – smoke control version - manufactured by Stovax Limited, Falcon Road, Sowton Industrial Estate, Exeter, Devon, EX2 7LF	Instruction manual reference PM416 Issue 1 (June 2010) and smoke control kit instruction manual PM501 Issue 1 (June 2010). A permanent stop must be positioned to prevent closure of the secondary air control below the 50% open position	Wood logs ⁽¹⁾
Stoven Mayfair SE & Stoven Kensington SE 5kw Wood Burning Stoves Manufactured by Ciang Stoves Limited, South Chuangye Road, (Hanling Industrial Estate), Beiguan Section, Anyang City, Henan Province, China. 455000.	Newman Fireplaces Limited's Instruction manual reference "3-4" dated 27th November 2011. The appliance must be fitted with mechanical stops to prevent closure of the secondary air control beyond the 25% open position and the tertiary air beyond the 1mm open position.	Wood Logs ⁽¹⁾
Strebel SRP TR 90, 90kW output pellet boiler manufactured by Strebel Ltd, 1f Albany Park, Camberley, Surrey GU16 7PB	The Strebel SRP TR 90 pellet boiler installation manual reference 'Installation and operation instructions for special pellet furnace' version 09:2010	6mm diameter wood pellets ⁽¹⁾
Stretton Insert Smoke Exempt Wood Fuel Stove (Stretton Stove SE) manufactured by	Instruction manual references "N00530AXX REV:001" dated 12th July 2011	Dry wood Logs ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
Aga Station Road, Ketley Telford Shropshire. TF1 5AQ		
STU 195 and STU 975 biomass boilers manufactured by Hoval Limited, Northgate, Newark, Nottinghamshire, NG24 1 JN	Instruction, operation and maintenance Instruction manual for STU wood-pellet fired hot water boiler skid assembly “STUman” dated May 2011	Wood Pellets ⁽¹⁾
Suprema, Mamy and Italy Hard Top manufactured by La Nordica Spa, Via Summano 104 M. Precalcino, 36030 Vicenza, Italy	Instruction manual references ‘7095701 Rev.09’ dated 13th December 2010	Wood logs ⁽¹⁾
Talbott 150-CMH 150kW output Biomass Air Heater manufactured by Talbott’s Biomass Energy Systems Ltd, Tollgate Drive, Tollgate Industrial Estate, Stafford ST16 3HS	Instruction manual for Talbott 150-CMH hand-fed Biomass Air Heater operating package reference ‘OM-150-CMH version 1’ dated January 2011	Softwood, hardwood, medium density fibreboard (MDF) or chipboard offcuts ⁽¹⁾
The Talbott’s Automatic Biomass Air Heaters models T1.5/A, T3/A, T5/A and TM/A formerly manufactured by Talbott’s Heating Ltd and now manufactured by Talbott’s Biomass Energy Systems Ltd, Tollgate Drive, Tollgate Industrial Estate, Stafford ST16 3HS	Manufacturer’s Instructions reference ‘T/A JANUARY 1990’	Hardwood or softwood shavings or sawdust ⁽¹⁾
The Talbott’s Biomass Energy Models C1, C2, C3 and C4 formerly manufactured by Talbott’s Heating Ltd and now manufactured by Talbott’s Biomass Energy Systems Ltd, Tollgate Drive, Tollgate Industrial Estate, Stafford ST16 3HS	Manufacturer’s Instructions dated August 1995 reference ‘Issue C1000/C/Range’	Chipboard, wood shavings or forestry chips ⁽¹⁾
The Talbott’s model T75, T150, T300 Biomass Air Heaters formerly manufactured by Talbott’s Heating Ltd and now manufactured by Talbott’s Biomass Energy Systems Ltd, Tollgate Drive, Tollgate	Manufacturer’s Instructions dated 1st January 1995 reference models T75, T150 and T300 ‘gen/stech’	Wood offcuts, wood waste, pellets or chipboard ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
Industrial Estate, Stafford ST16 3HS		
The Talbott's T500 Biomass Air Heater (afterburn model) formerly manufactured by Talbott's Heating Ltd and now manufactured by Talbott's Biomass Energy Systems Ltd, Tollgate Drive, Tollgate Industrial Estate, Stafford ST16 3HS	Manufacturer's instructions dated 1st January 1983 reference A10000. The afterburn cycle shall last not less than 25 minutes and must come into operation each time the loading door is opened.	Wood offcuts, wood waste, pellets or chipboard ⁽¹⁾
Termosuprema Compact DSA manufactured by La Nordica Spa, Via Summano 104 M. Precalcino, 36030, Vicenza, Italy	Instruction manual references '7095802 Rev. 06' dated 1st January 2011	
Therminator II 22 and Therminator II 30 Boiler manufactured by Solarfocus, Werkstrasse 1, 4451 St.Ulrich, Steyr, Austria	Installation Instructions 'Version 11/08/06' dated July 2006. Operating Manual 'V8.051' dated September 2009. Maintenance Instructions 'Ver 1st September 2006 dated 2006	Wood pellets ⁽¹⁾
Therminator II 27 and Therminator II 36 Boiler manufactured by Solarfocus, Werkstrasse 1, 4451 St.Ulrich, Steyr, Austria	Installation Instructions 'Version 11/08/06' dated July 2006. Operating Manual 'V8.051' dated September 2009. Maintenance Instructions 'Ver 1st September 2006 dated 2006	Wood logs ⁽¹⁾
Therminator II 40 Boiler manufactured by Solarfocus, Werkstrasse 1, 4451 St.Ulrich, Steyr, Austria	Installation Instructions 'Version 11/08/06' dated July 2006. Operating Manual 'V8.051' dated September 2009. Maintenance Instructions 'Ver 1st September 2006 dated 2006	Wood pellets or wood chips ⁽¹⁾
Therminator II 49 and Therminator II 60 Boiler manufactured by Solarfocus, Werkstrasse 1, 4451 St.Ulrich, Steyr, Austria	Installation Instructions 'Version 11/08/06' dated July 2006. Operating Manual 'V8.051' dated September 2009. Maintenance Instructions 'Ver 1st September 2006 dated 2006	Wood logs or wood pellets or wood chips ⁽¹⁾
Thornhill T3 small manufactured by Thornhill Eco Design Ltd 58/60 Winsheep, Canterbury, Kent CT1 3RS	Instruction manual references 'ED/11/05' dated January 2011. The appliance must be fitted with an air plate that prevents the tertiary air controller from closing	Wood logs ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to *The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012*. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
	more than 17mm and opening more than 45mm	
Tiger SuperClean stove manufactured by Tiger stoves, Focus Arts & Crafts Co, Industrial Area Gao Zhuangzi Village, Xin Zhuang Town, Jin Nan District, Tianjin, P.R.China 300350	Instruction manual references “INSTALLATION AND OPERATING INSTRUCTIONS document v. 148” dated April 2010.	Wood logs ⁽¹⁾
Turbhogar Alfa 80T and 65T, Turbhogar Beta 80T, Turbhogar Delta 80T and 65T, Turbhogar Lamda 80T and 65T, Turbhogar Sigma 80T and 65T, Turbhogar Omega 80T and Turbhogar Tau 80T and 65T fireplace inserts manufactured by Rofer and Rodi UK Ltd, Unit 10, Millennium Road, Airedale Business Centre, Skipton, North Yorkshire BD23 2TZ	Manual of assembly and use referenced ‘RR 100920’ dated 20 th September 2010 and supplementary instruction manual ‘UK 100920’ of the same date. The appliance must be fitted with a system that prevents the full closure of the air control opening so that the air openings remain 3mm (30%) open at the minimum setting.	Wood logs ⁽¹⁾
Twin Heat CS150i manufactured by TWIN HEAT A/S, Nørrevangen 7, DK-9631 Gedsted, Denmark	Operating instructions dated 17th December 2008, reference Version 6.0.03	Wood pellets of a maximum length of 30 mm and diameter of 6 mm and conforming to CEN/TS 14961:2005 ⁽¹⁾
The Type USP wood pellet-fired boilers, model numbers USP-10, 15, 20, 25 and 30, manufactured by KWB – Kraft und Wärme aus Biomasse Gesellschaft mit beschränkter Haftung (GmbH) of Industriestrasse 235, A-8321 St. Margarethen an der Raab, Austria	The manufacturer’s instructions dated 28th July 2003, reference BA-USP 0703	Wood pellets ⁽¹⁾
The Type USV wood pellet- and wood chipfired boilers, model numbers USV-15, 25, 30, 40, 50, 60, 80 and 100, manufactured by KWB – Kraft und Wärme aus Biomasse Gesellschaft mit beschränkter Haftung (GmbH) of Industriestrasse 235, A-8321 St Margarethen an der Raab, Austria	The manufacturer’s instructions dated August 2003, reference BA-USV 0803	Wood pellets or wood chips ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
Uniconfort EOS 45, EOS 50, EOS 55, EOS 65, EOS 70, EOS 75, EOS 80, EOS 85 boilers fitted with a multi-cyclone manufactured by Uniconfort srl, Via dell'Industria, 21, 35018 San Martino di Lupari, PD, Italy	Instruction manual reference “Uniconfort EOS MANUAL: R1” dated May 2012	Wood pellets ⁽¹⁾
Uniconfort EOS 90 boiler fitted with a multi-cyclone manufactured by Uniconfort srl, Via dell'Industria, 21, 35018 San Martino di Lupari, PD, Italy	Instruction manual reference “Uniconfort EOS MANUAL: R1” dated May 2012	Wood pellets or wood chips ⁽¹⁾
VarioWIN VA 12kW wood pellet boiler manufactured by Windhager Zentralheizung GmbH, Anton-Windhager Str.20, A-5201 Seerkirchen bei Salzburg, Austria	Installation Instruction manual references ‘092947/00’ dated January 2010 and operating instruction manual ‘092945/00’ dated January 2010	Wood pellets ⁽¹⁾ , 6mm diameter, length 80% between 15-30mm and a density of at least 1.1kg.dm3
Vesuvio 400 kW automatic pizza oven manufactured by CLM srl, Via I Maggio 35, 31043, Fontanelle (Treviso), Italy	CLM Vesuvio oven instruction manual reference “Instruction and maintenance manual ENGLISH” version Review 0.1 dated 29th November 2011.	‘CalorPan’ 100% beech briquette, octagonal section, length 260-300mm, width and height 75-90mm. manufactured from dried beech sawdust ⁽¹⁾
View 3 (3.8 kW) and View 5 (4.9kW) multifuel stoves manufactured by Stovax Limited, Falcon Road, Sowton Industrial Estate, Exeter, Devon, EX2 7LF	Instruction manual references PM485 Issue 1 dated June 2010 and smoke control kit instruction manual PM490 Issue 1 dated June 2010. A permanent stop must be positioned to prevent closure of the secondary air control below the 50% open position	Wood logs ⁽¹⁾
View 5 (4.9kW) wood stove manufactured by Stovax Limited, Falcon Road, Sowton Industrial Estate, Exeter, Devon, EX2 7LF	Instruction manual references PM485 Issue 1 dated June 2010 and smoke control kit instruction manual PM490 Issue 1 dated June 2010. A permanent stop must be positioned to prevent closure of the secondary air control below the 50% open position	Wood logs ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preserveds or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
View 7 (7 kW) inset appliance Product code VW-7NMF manufactured by Stovax Limited, Falcon Road, Sowton Industrial Estate, Exeter, Devon, EX2 7LF	Instruction manual reference “PM552 - Issue 1” dated June 2011 and smoke control kit instruction manual reference “PM490 Issue 2” dated July 2011. A permanent stop must be in place on the secondary air inlet to prevent closure beyond the 50% open position.	Wood logs ⁽¹⁾
Vista Magnifico SE & Vista Perfetto SE 4.9kw Wood Burning Stove Manufactured by Ciang Stoves Limited, South Chuangye Road, (Hanling Industrial Estate), Beiguan Section, Anyang City, Henan Provence, China. 455000.	Newman Fireplaces Limited’s Instruction manual reference “1-2” dated 24th October 2011. The appliance must be fitted with mechanical stops to prevent closure of the secondary air control beyond the 30% open position and the tertiary air beyond the 50% open position.	Wood Logs ⁽¹⁾
The WTH 150 and WTH 200 boilers manufactured by Hargassner Gesellschaft mit beschränkter Haftung (GmbH), Gunderding 8, A-4952, Weng, Austria	The manufacturer’s installation manual version 91 for Large Capacity Boiler WTH 150-200. Reference BA GK V90b 0309.	Wood chip or wood pellets ⁽¹⁾
Westcott 5SE manufactured by Dimplex, GDC Group Ltd, Millbrook House, Grange Drive, Hedge End, Southampton SO30 2DF	Instruction manual references 08/51351/0 – Issue 0 dated 7th September 2010	Wood logs ⁽¹⁾
Westfire Series One stove and Westfire Series Two stove manufactured by Westfire, Tømmervej 3, DK-6800 Varde, Denmark	Westfire WF One and Two series installation manual and operating instructions and supplementary Instruction manual reference “Westfire supplementary instructions June 2011/Version 1” dated 1 st June 2011. The appliance must be fitted with a permanent stop to prevent closure of the secondary air control less than 50% open	Wood logs ⁽¹⁾
Westfire Uniq 15, 16 and 20 (also known as WF UNIQ 15, 16 and 20) manufactured by	Installation and operating instructions dated 2007, reference WF15–WF16–WF20, together with supplementary	Untreated dry wood

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

<i>Fireplace</i>	<i>Conditions</i>	
Westfire Tømmervej 3 DK-6800 Varde, Denmark	instructions dated 2007, reference 01wfuk.2007. A permanent stop must be in place on the secondary air inlet to prevent closure beyond 50mm	
Westfire Uniq 18 Westfire Uniq 17 Westfire Uniq 19 Westfire Uniq 23 Westfire Uniq 23 side Glass Westfire Uniq 23 Inset stoves manufactured by Westfire APS Tømmervej 3 DK-6800 Varde Denmark	Instruction manual references -“WESTFIRE SUPPLEMENTARY INSTRUCTIONS JUNE 2010” The appliance must be fitted with a mechanical stop to prevent closure of the secondary air slide beyond the 30mm open position.	Wood logs ⁽¹⁾
Westfire Uniq 21 stove, Westfire Uniq 21 pedestal stove and Westfire Uniq 21 wall hung stove manufactured by Westfire, Tømmervej 3, DK-6800 Varde, Denmark	Westfire WF21 installation manual and operating instructions and supplementary Instruction manual reference “Westfire supplementary instructions June 2011/Version 1” dated 1st June 2011. The appliance must be fitted with a permanent stop to prevent closure of the secondary air control less than 60% open	Wood logs ⁽¹⁾
Westfire Uniq 26 stove, Westfire Uniq 27 stove and Westfire Uniq 28 stove manufactured by Westfire, Tømmervej 3, DK-6800 Varde, Denmark	Westfire WF26, WF27, WF28 installation manual and operating instructions and supplementary Instruction manual reference “Westfire supplementary instructions June 2011/Version 1” dated 1st June 2011. The appliance must be fitted with a permanent stop to the secondary air slider control to prevent closure more than 20mm from the fully closed position	Wood logs ⁽¹⁾
Westfire Uniq 32 Inset stove and Westfire Uniq 32 Freestanding stove manufactured by Westfire, Tømmervej 3, DK-6800 Varde, Denmark	Westfire WF23/Uniq23, WF32/Uniq 32 inset stove installation manual and operating instructions and supplementary Instruction manual reference “Westfire supplementary instructions June 2011/Version 1” dated 1st June	Wood logs ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
	2011. The appliance must be fitted with a permanent stop to prevent closure of the secondary air control less than 50% open	
Windhager BioWin 100, 150, 210 and 260 manufactured by Windhager Zentralheizung GmbH, Anton-Windhager- Str. 20, A-5201 Seerkirchen bei Salzburg, Austria	The manufacturer's instruction manual dated May 2008, reference 0916197/00	Wood pellets ⁽¹⁾
Windhager FireWin 90 and 120 manufactured by Windhager Zentralheizung GmbH, Anton-Windhager- Str. 20, A-5201 Seerkirchen bei Salzburg, Austria	The manufacturer's instruction manual dated August 2008, reference 092125/00	Wood pellets ⁽¹⁾
Wood Fired Ovens by Jamie Oliver Ltd's GR Valoriani Ristorante 100 and OT Valoriani Ristorante 100 manufactured by Valoriani of Via Caselli alla Fornace 213, 50066 Reggello, Firenze, Italy	Instruction manual reference 'OOLinst.8 GR 100 and OT 100 v2' dated January 2011	Untreated dry wood with a maximum moisture content of 20%
Wood Fired Ovens by Jamie Oliver Ltd's GR Valoriani Ristorante 120 and OT Valoriani Ristorante 120 manufactured by Valoriani of Via Caselli alla Fornace 213, 50066 Reggello, Firenze, Italy	Instruction manual reference 'OOLinst.9 GR 120 and OT 120 v2' dated January 2011	Untreated dry wood with a maximum moisture content of 20%
Wood Fired Ovens by Jamie Oliver Ltd's GR Valoriani Ristorante 120x160 and OT Valoriani Ristorante 120x160 manufactured by Valoriani of Via Caselli alla Fornace 213, 50066 Reggello, Firenze, Italy	Instruction manual reference 'OOLinst.11 GR 120x160 and OT 120x160 v2' dated January 2011	Untreated dry wood with a maximum moisture content of 20%
Wood Fired Ovens by Jamie Oliver Ltd's GR Valoriani Ristorante 140 and OT Valoriani Ristorante 140 manufactured by Valoriani of Via Caselli alla Fornace 213, 50066 Reggello, Firenze, Italy	Instruction manual reference 'OOLinst.10 GR 140 and OT 140 v2' dated January 2011	Untreated dry wood with a maximum moisture content of 20%

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
Wood Fired Ovens by Jamie Oliver Ltd's GR Valoriani Ristorante 140x180 and OT Valoriani Ristorante 140x180 manufactured by Valoriani of Via Caselli alla Fornace 213, 50066 Reggello, Firenze, Italy	Instruction manual reference 'OOLinst.13 GR 140x180 and OT 140x180 v2' dated January 2011	Untreated dry wood with a maximum moisture content of 20%
Wood Fired Ovens by Jamie Oliver Ltd's GR Valoriani Ristorante 180 and OT Valoriani Ristorante 180 manufactured by Valoriani of Via Caselli alla Fornace 213, 50066 Reggello, Firenze, Italy	Instruction manual reference 'OOLinst.14 GR 180 and OT 180 v2' dated January 2011	Untreated dry wood with a maximum moisture content of 20%
Wood Fired Ovens by Jamie Oliver Ltd's GR Valoriani Ristorante 140x160 and OT Valoriani Ristorante 140x160 manufactured by Valoriani of Via Caselli alla Fornace 213, 50066 Reggello, Firenze, Italy	Instruction manual reference 'OOLinst.12 GR 140x160 and OT 140x160 v2' dated January 2011	Untreated dry wood with a maximum moisture content of 20%
Wood Fired Ovens by Jamie Oliver Ltd's Valoriani Casa 100 manufactured by Valoriani of Via Caselli alla Fornace 213, 50066 Reggello, Firenze, Italy	Instruction manual reference 'OOLinst.2 FVR 100 v2' dated January 2011	Untreated dry wood with a maximum moisture content of 20%
Wood Fired Ovens by Jamie Oliver Ltd's Valoriani Casa 110 manufactured by Valoriani of Via Caselli alla Fornace 213, 50066 Reggello, Firenze, Italy	Instruction manual reference 'OOLinst.3 FVR 110 v2' dated January 2011	Untreated dry wood with a maximum moisture content of 20%
Wood Fired Ovens by Jamie Oliver Ltd's Valoriani Casa 110x160 manufactured by Valoriani of Via Caselli alla Fornace 213, 50066 Reggello, Firenze, Italy	Instruction manual reference 'OOLinst.5 FVR 110x160 v2' dated January 2011	Untreated dry wood with a maximum moisture content of 20%
Wood Fired Ovens by Jamie Oliver Ltd's Valoriani Casa 120 manufactured by Valoriani of Via Caselli alla Fornace 213, 50066 Reggello, Firenze, Italy	Instruction manual reference 'OOLinst.4 FVR 120 v2' dated January 2011	Untreated dry wood with a maximum moisture content of 20%
Wood Fired Ovens by Jamie Oliver Ltd's Valoriani Casa 80 manufactured by Valoriani of	Instruction manual reference 'OOLinst.1 FVR 80 v2' dated January 2011	Untreated dry wood with a maximum moisture content of 20%

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
Via Caselli alla Fornace 213, 50066 Reggello, Firenze, Italy		
Wood Fired Ovens by Jamie Oliver Ltd's Valoriani Piccolo manufactured by Valoriani of Via Caselli alla Fornace 213, 50066 Reggello, Firenze, Italy	Instruction manual reference 'OOLinst.15 Valoriani Piccolo v2' dated January 2011	Untreated dry wood with a maximum moisture content of 20%
Wood Fired Ovens by Jamie Oliver Ltd's Valoriani Villa 100 manufactured by Valoriani of Via Caselli alla Fornace 213, 50066 Reggello, Firenze, Italy	Instruction manual reference 'OOLinst.6 TOP 100 v2' dated January 2011	Untreated dry wood with a maximum moisture content of 20%
Wood Fired Ovens by Jamie Oliver Ltd's Valoriani Villa 120 manufactured by Valoriani of Via Caselli alla Fornace 213, 50066 Reggello, Firenze, Italy	Instruction manual reference 'OOLinst.7 TOP 120 v2' dated January 2011	Untreated dry wood with a maximum moisture content of 20%
Woodpecker 15, 25 and 45 wood pellet boilers manufactured by Woodpecker Energy UK, Abbey Manor Business Centre Preston Road. Yeovil. BA20 2EN. Previously manufactured by Garranlea Renewables Ltd of Barnard, Garranlea, New Inn, Cashel, Co. Tipperary, Ireland	Instruction manual reference "Installation and Operating Manual Issue 6 dated May 2012"	Wood pellets conforming to CEN TS 14961 ⁽¹⁾
Woodpecker 50kW wood pellet boilers manufactured by Woodpecker Energy UK, Abbey Manor Business Centre, Preston Road, Yeovil, Somerset. BA20 2EN	Instruction manual reference "Installation and Operating Manual Woodpecker 50 Model Wood Pellet Boiler System Version 2 dated May 2012"	Wood pellets conforming to CEN TS 1496 ⁽¹⁾
Woodpecker Thermon 150 boiler manufactured by Woodpecker Energy UK, Abbey Manor Business Centre Preston Road. Yeovil. BA20 2EN	Instruction manual reference "Installation and Operating Manual Issue 2 dated February 2012"	6mm Wood Pellets ⁽¹⁾
Woodpecker Thermon 199 kW pellet boiler manufactured by Woodpecker Energy UK, Abbey Manor Business Centre Preston Road, Yeovil. BA20 2EN	Instruction manual reference "Issue 2.0" dated February 2012	6mm Wood Pellets ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
Woodpecker Thermon 200 boiler manufactured by Woodpecker Energy UK, Abbey Manor Business Centre Preston Road. Yeovil. BA20 2EN	Instruction manual reference “Installation and Operating Manual Issue 2 dated February 2012”	6mm Wood Pellets ⁽¹⁾
Woodpecker Thermon 250 boiler manufactured by Woodpecker Energy UK, Abbey Manor Business Centre, Preston Road. Yeovil. BA20 2EN	Instruction manual reference “Installation and Operating Manual Issue 2 dated February 2012”	6mm Wood Pellets ⁽¹⁾
Woodpecker Thermon 300 boiler manufactured by Woodpecker Energy UK, Abbey Manor Business Centre, Preston Road. Yeovil. BA20 2EN	Instruction manual reference “Installation and Operating Manual Issue 2 dated February 2012”	6mm Wood Pellets ⁽¹⁾
The Wood Waste Technology Ltd WT5 manufactured by Wood Waste Technology Limited, Units 1 & 2, Drummond Road, Astonfields Industrial Estate, Stafford, Staffordshire ST16 3HJ	The manufacturer’s instructions dated 16th February 2009, reference WT5_v2	Medium density fibreboard, chipboard and hard and softwood offcuts ⁽¹⁾
The Wood Waste Technology Heater, models WT10 and WT15, manufactured by Wood Waste Technology Limited, Units 1 & 2, Drummond Road, Astonfields Industrial Estate, Stafford, Staffordshire ST16 3HJ	The manufacturer’s instructions dated 19th January 2005, reference WT10 and WT15	Medium density fibreboard, chipboard and hard and softwood offcuts ⁽¹⁾
WTA WT Auto 200 kW Airheater manufactured by Wood Waste Technology Limited, Units 1, 2 & 3 Drummond Road, Astonfields Industrial Estate, Stafford. ST16 3HJ	Instruction manual references “WTA Installation Operation & Maintenance Instructions” WTA v1 Issue A dated April 2011.	Chipboard, Medium Density Fibreboard, Softwood, Hardwood. All fuels to be chipped to a maximum size of 25mm and a maximum moisture content of 20%. Maximum fines (sawdust) content 5% ⁽¹⁾
Xeoos 5 kW stove Versions - Natur, Style, Harmony, Pur, Classic, Elegance and Stone Xeoos 8kW stove Versions - Basic, Pur, Classic,	“Operating and Installation Instructions Xeoos 5kW/8kW Model 2008” Reference; Revisions – Index 01/08 Fassung Januar 2008	Wood logs ⁽¹⁾ Conforming to DIN 51731

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>Fireplace</i>	<i>Conditions</i>	
Elegance Stone and Air Instruction manual references Manufactured by Specht Modulare Ofensysteme GmbH & Co, KG i.V. Dipl.-Ing. Frank Werner Projektmanagement Bahnhofstr. 2 D 35116 Hatzfeld		
Yeoman CL3 (3.8 kW) and CL5 (4.9 kW) multifuel stoves manufactured by Stovax Limited, Falcon Road, Sowton Industrial Estate, Exeter, Devon, EX2 7LF	Instruction manual references PM489 Issue 1 dated June 2010 and smoke control kit instruction manual PM491 Issue 1 dated 5th April 2010. A permanent stop must be positioned to prevent closure of the secondary air control below the 50% open position	Wood logs ⁽¹⁾
Yeoman CL5 (4.9 kW) wood Stove manufactured by Stovax Limited, Falcon Road, Sowton Industrial Estate, Exeter, Devon, EX2 7LF	Instruction manual references PM489 Issue 1 dated June 2010 and smoke control kit instruction manual PM491 Issue 1 dated 5 April 2010. A permanent stop must be positioned to prevent closure of the secondary air control below the 50% open position	Wood logs ⁽¹⁾
Yeoman CL 7 (7 kW) inset appliance Product code YM-CL7NMF manufactured by Stovax Limited, Falcon Road, Sowton Industrial Estate, Exeter, Devon, EX2 7LF	Instruction manual reference “PM553 - Issue 1” dated June 2011 and smoke control kit instruction manual reference “PM491 Issue 2” dated June 2011. A permanent stop must be in place on the secondary air inlet to prevent closure beyond the 50% open position.	Wood logs ⁽¹⁾
Yeoman CL Milner Stove Product code YM-CLMB manufactured by Stovax Limited, Falcon Road, Sowton Industrial Estate, Exeter, Devon, EX2 7LF	Instruction manual reference “PM559 - Issue 1” dated June 2011 and smoke control kit instruction manual reference “PM491 Issue 2” dated June 2011. A permanent stop must be positioned to prevent closure of	Wood logs ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preserveds or coatings.

<i>Fireplace</i>	<i>Conditions</i>	
	the secondary air control below the 50% open position.	
Yeoman Devon Multifuel Flat Top 1 Door, Flat Top 2 Door, Low Canopy 1 Door, Low Canopy 2 Door, High Canopy 1 Door and High Canopy 2 Door (9kW) Stoves manufactured by Stovax Limited, Falcon Road, Sowton Industrial Estate, Exeter, Devon, EX2 7LF	<p>Instruction manual references PM184 Issue 3 dated February 2008 and smoke control kit instruction manual PM403 Issue 1 dated January 2010.</p> <p>A permanent stop must be positioned to prevent closure of the secondary air control below the 50% open position and a system that ensures a gap of 1mm for bleed of primary air when the spin wheels are rotated to their fully closed positions</p>	Wood logs ⁽¹⁾
Yeoman Exe Multifuel Flat Top 1 Door, Flat Top 2 Door, Low Canopy 1 Door and Low Canopy 2 Door (4.9kW) Stoves manufactured by Stovax Limited, Falcon Road, Sowton Industrial Estate, Exeter, Devon, EX2 7LF	<p>Instruction manual references PM184 Issue 3 dated February 2008 and smoke control kit instruction manual PM403 Issue 1 dated January 2010.</p> <p>A permanent stop must be positioned to prevent closure of the secondary air control below the 60% open position and a system that prevents full closure of the primary air controls</p>	Wood logs ⁽¹⁾
Yeoman Exmoor Multifuel Flat Top and Multifuel Low Canopy(4.9 kW) Stoves manufactured by Stovax Limited, Falcon Road, Sowton Industrial Estate, Exeter, Devon, EX2 7LF	<p>Instruction manual references PM184 Issue 3 dated February 2008 and smoke control kit instruction manual PM403 Issue 1 dated January 2010</p> <p>A permanent stop must be positioned to prevent closure of the secondary air control below the 60% open position and a system that prevents full closure of the primary air controls</p>	Wood logs ⁽¹⁾

(1) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preserveds or coatings.

Changes to legislation: There are outstanding changes not yet made by the [legislation.gov.uk](https://www.legislation.gov.uk) editorial team to *The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012*. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) [View outstanding changes](#)

EXPLANATORY NOTE

(This note is not part of the Order)

This Order revokes and replaces with amendments the Smoke Control Areas (Exempted Fireplaces) (England) Order 2012 ([S.I. 2012/815](#)).

It exempts the fireplaces listed in the Schedule from the provisions of section 20 of the Clean Air Act 1993 (prohibition of smoke emissions in smoke control areas), subject to the conditions set out in the Schedule. Several additional fireplaces have been exempted.

A full impact assessment has not been produced as no impact on the private, voluntary or public sectors is foreseen.

Changes to legislation:

There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Smoke Control Areas (Exempted Fireplaces) (England) (No. 2) Order 2012. Any changes that have already been made by the team appear in the content and are referenced with annotations. [View outstanding changes](#)

Changes and effects yet to be applied to the whole Instrument associated Parts and Chapters:

- Order revoked by [S.I. 2013/462 art. 3](#)