

THE SCHEDULE

Regulation 3

THE LINCOLNSHIRE COUNTY COUNCIL (RIVER WITHAM BRIDGE) SCHEME 2013

The Lincolnshire County Council (“the Council”) make this Scheme in exercise of their powers under Section 106(3) of the Highways Act 1980 and of all other powers enabling them in that behalf:-

1. The Council are authorised to construct over the navigable waters of the River Witham the bridge specified in the Schedule to this Scheme as part of the highway they are proposing to construct from the A15 Wragby Road East roundabout to the A15 Sleaford Road in the Parish of Greetwell in the District of West Lindsey, the Parish of Canwick, the Parish of Branston and Mere and the Parish of Bracebridge Heath, all in the District of North Kesteven and the Abbey Ward of the District of Lincoln all in the County of Lincolnshire.

2. This Scheme may be cited as The Lincolnshire County Council (River Witham Bridge) Scheme 2013.

Given under the Common Seal of the County Council of Lincolnshire on the 22nd day of July 2013

THE COMMON SEAL of the Council of the County of Lincolnshire was hereunto affixed in the presence of:-

Authorised Officer

THE SCHEDULE TO THE SCHEME

Regulation 3

Plans and Specifications of the River Witham Bridge

The location and general design of the Bridge are shown on plan numbered B/1054738/1700/RW/D001 Rev.0.2 marked “The Lincolnshire County Council (River Witham Bridge) Scheme 2013”.

Points of Commencement and Termination

Commencing from a point to the north of the River Witham 140 metres north of the middle of the Sustrans cycle route (measured along the line of the proposed highway).

The bridge will pass over the North Delph the River Witham the South Delph, Soak Dyke/ Canwick Fen Drain.

Terminating on the south side of the River Witham at a point 85.2 meters south of the middle of the Sustrans cycle route (Measured along the line of the proposed highway).

Spans

A five span structure, from the north the individual square spans are 36.23 metres, 39.42 metres, 52.00 metres, 52.00 metres and 36.27 metres. The span over the River Witham is 52.00 metres. The overall span of the structure is 215.92 metres.

Headway and Waterway

The Headway shall not be less than 5.20 metres above normal water level of 2.90 metres Above Ordnance Datum. This Headway shall be maintained over 50 percent of the River Witham width at normal water level.

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Overall Dimensions

The overall square Bridge width will vary from 15.800 metres excluding parapets at the south abutment end to 16.970 metres excluding parapets at the north abutment. The Bridge will carry a 7.3 metre wide carriageway, bordered on either side by hard strips of one metre in width. A 4.0 metre wide cycle / footway will be provided on the west side. On the east side, there will be a hardened verge that varies in width from 2.500 metres at the south abutment to 3.670 metres at the north abutment.

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

