STATUTORY INSTRUMENTS

2015 No. 591

The Wireless Telegraphy (Ultra-Wideband Equipment) (Exemption) Regulations 2015

PART 6

USE OF ULTRA-WIDEBAND EQUIPMENT FOR MATERIAL SENSING DEVICES

Transmission limits for fixed installations

- **27.** The condition referred to in regulation 25(4) is that the ultra-wideband equipment only emits transmissions which—
 - (a) in frequencies up to 1.73 GHz when measured in any direction have—
 - (i) a maximum mean power spectral density no greater than -85.0 dBm/MHz; and
 - (ii) a maximum mean power spectral density in the horizontal plane of -85.0 dBm/MHz; and
 - (iii) a maximum peak power no greater than -60.0 dBm;
 - (b) in frequency band 1.73 GHz to 2.2GHz when measured in any direction have—
 - (i) a maximum mean power spectral density no greater than -65.0 dBm/MHz; and
 - (ii) a maximum mean power spectral density in the horizontal plane of -70.0 dBm/MHz; and
 - (iii) a maximum peak power no greater than -40.0 dBm;
 - (c) in frequency band 2.2 GHz to 2.5GHz when measured in any direction have—
 - (i) a maximum mean power spectral density no greater than -50.0 dBm/MHz; and
 - (ii) a maximum mean power spectral density in the horizontal plane of -50.0 dBm/MHz; and
 - (iii) a maximum peak power no greater than -25.0 dBm;
 - (d) in frequency band 2.5 GHz to 2.69GHz when measured in any direction have—
 - (i) a maximum mean power spectral density—
 - (aa) no greater than -65.0 dBm/MHz; or
 - (bb) no greater than -50.0 dBm/MHz provided that a listen before talk mechanism described in harmonised standard EN 302 435-1 is used to mitigate interference to other users of the electromagnetic spectrum;
 - (ii) a maximum mean power spectral density in the horizontal plane of -70.0 dBm/MHz; and
 - (iii) a maximum peak power no greater than -40dBm;
 - (e) in frequency band 2.69 GHz to 2.7GHz when measured in any direction have—

- (i) a maximum mean power spectral density no greater than -55.0 dBm/MHz;
- (ii) a maximum mean power spectral density in the horizontal plane of -75.0 dBm/MHz;
- (iii) a maximum peak power no greater than -30.0 dBm;
- (f) in frequency band 2.7 GHz to 2.9 GHz when measured in any direction have—
 - (i) a maximum mean power spectral density no greater than -50.0 dBm/MHz;
 - (ii) a maximum mean power spectral density in the horizontal plane of -70.0 dBm/MHz; and
 - (iii) a maximum peak power no greater than -25.0 dBm;
- (g) in frequency band 2.9 GHz to 3.4 GHz when measured in any direction have—
 - (i) a maximum mean power spectral density no greater than -50.0 dBm/MHz;
 - (ii) a maximum mean power spectral density in the horizontal plane of -70.0 dBm/MHz; and
 - (iii) a maximum peak power no greater than -25.0 dBm;
- (h) in frequency band 3.4 GHz to 3.8 GHz when measured in any direction have—
 - (i) a maximum mean power spectral density no greater than -50.0 dBm/MHz;
 - (ii) a maximum mean power spectral density in the horizontal plane of -70.0 dBm/MHz; and
 - (iii) a maximum peak power no greater than -25.0 dBm;
- (i) in frequency band 3.8 GHz to 4.8 GHz when measured in any direction have—
 - (i) a maximum mean power spectral density no greater than -50.0 dBm/MHz;
 - (ii) a maximum mean power spectral density in the horizontal plane of -50.0 dBm/MHz; and
 - (iii) a maximum peak power no greater than -25.0 dBm;
- (j) in frequency band 4.8 GHz to 5.0 GHz when measured in any direction have—
 - (i) a maximum mean power spectral density no greater than -55.0 dBm/MHz;
 - (ii) a maximum mean power spectral density in the horizontal plane of -75.0 dBm/MHz;
 - (iii) a maximum peak power no greater than -30.0 dBm;
- (k) in frequency band 5 GHz to 5.25 GHz when measured in any direction have—
 - (i) a maximum mean power spectral density no greater than -50.0 dBm/MHz;
 - (ii) a maximum mean power spectral density in the horizontal plane of -50.0 dBm/MHz; and
 - (iii) a maximum peak power no greater than -25.0 dBm;
- (1) in frequency band 5.25 GHz to 5.35 GHz when measured in any direction have—
 - (i) a maximum mean power spectral density no greater than -50.0 dBm/MHz;
 - (ii) a maximum mean power spectral density in the horizontal plane of -60.0 dBm/MHz; and
 - (iii) a maximum peak power no greater than -25.0 dBm;
- (m) in frequency band 5.35 GHz to 5.6 GHz when measured in any direction have—
 - (i) a maximum mean power spectral density no greater than -50.0 dBm/MHz;

- (ii) a maximum mean power spectral density in the horizontal plane of -50.0 dBm/MHz; and
- (iii) a maximum peak power no greater than -25.0 dBm;
- (n) in frequency band 5.6 GHz to 5.65 GHz when measured in any direction have—
 - (i) a maximum mean power spectral density no greater than -50.0 dBm/MHz;
 - (ii) a maximum mean power spectral density in the horizontal plane of -65.0 dBm/MHz; and
 - (iii) a maximum peak power no greater than -25.0 dBm;
- (o) in frequency band 5.65 GHz to 5.725 GHz when measured in any direction have—
 - (i) a maximum mean power spectral density no greater than -50.0 dBm/MHz;
 - (ii) a maximum mean power spectral density in the horizontal plane of -60.0 dBm/MHz; and
 - (iii) a maximum peak power no greater than -25.0 dBm;
- (p) in frequency band 5.725 GHz to 8.5 GHz when measured in any direction have—
 - (i) a maximum mean power spectral density no greater than -50.0 dBm/MHz;
 - (ii) a maximum mean power spectral density in the horizontal plane of -50.0 dBm/MHz;
 - (iii) a maximum peak power no greater than -25.0 dBm;
- (q) in frequency band 8.5 GHz to 10.6 GHz when measured in any direction have—
 - (i) a maximum mean power spectral density no greater than -65.0 dBm/MHz;
 - (ii) a maximum mean power spectral density in the horizontal plane of -65.0 dBm/MHz; and
 - (iii) a maximum peak power no greater than -40.0 dBm; and
- (r) in frequency bands above 10.6 GHz when measured in any direction have—
 - (i) a maximum mean power spectral density no greater than -85.0 dBm/MHz;
 - (ii) a maximum mean power spectral density in the horizontal plane of -85.0 dBm/MHz; and
 - (iii) a maximum peak power no greater than -60.0 dBm;