SCHEDULE 4

Upright signs that control waiting, loading and parking along a road

 $$\operatorname{\textsc{PART}}$3$$ Symbols and legends used in combination with a yellow panel

Sign table — Schedule 4, Part 3

(1,	(2)	(3)	(4)	(5)	(6)
Ite	mDescription	Symbol	Legend	Variant of legend	Legend height (by reference to x-height)
1	Waiting prohibited for a time that is not continuous throughout the year		A time period min max	The legend may include either or both of— (a) "No waiting"; and (b) "except" followed by one or more of "taxis", "ambulances", "police vehicles", and where more than one exception is provided for "and" or "&" must precede the final exception	Not less than 15 mm and not more than 40 mm
2	Stopping prohibited		1. "No stopping"; and min raaxexcept" followed by— (a) "buses"; (b) "local buses"; or (c) one or more of "taxis", "ambulances", "police vehicles", and where more than one exception is provided for "and" or	1. The legend may include a time period 2. The legend may include "taxis" with a time period 3. The legend may include "BUS STAND" provided it is	Not less than 15 mm and not more than 40 mm

1

(1,	(2)	(3)	(4)	(5)	(6)
Ite	mDescription	Symbol	Legend	Variant of legend	Legend height (by reference to x-height)
			"&" must precede the final exception	displayed above "No Stopping" and used in combination with "except buses" or "except local buses"	
3	Waiting of goods vehicles over the maximum gross		A time period min max		Not less than 15 mm and not more than 40 mm
	weight shown or buses (or	112.5 mi 300 max			
	both) prohibited The lorry	5 t l			
	symbols are alternative types				
	The bus symbols are	127.5 mi 340 max			
	alternative types	-00	,		
4	Waiting prohibited in a Pedestrian Zone or a Restricted Parking Zone	12	1. "Pedestrian Zone" or "Restricted Parking Zone"; and 2. A time period		25 mm
5	Waiting prohibited on a verge or on a footway		"At any time on" followed byin" verge or footway", "footway" or "verge"		Not less than 20 mm and not more than 40 mm
6	Stopping prohibited on a verge or on a footway	100	"At any time on" followed byin" verge or footway", "footway" or "verge"		Not less than 20 mm and not more than 40 mm

(1,	(2)	(3)	(4)	(5)	(6)
Ite	mDescription	Symbol	Legend	Variant of legend	Legend height (by reference to x-height)
7	Entrance to a designated off-road loading area		1. "Loading area"; 202. "Except by permitted vehicles"; and 3. A time period		1. 50 mm for "Loading area" 2. 40 mm for "Except by permitted vehicles" 3. 40 mm for the time period
8	Waiting prohibited in a designated off- road loading area	2	1. "Except by permitted yehicles"; and 2. A time period		40 mm
9	Stopping prohibited in a lay-by except in emergency	8	"No stopping except in 75emergency"		37.5 mm or 50 mm
10	Stopping prohibited on entrance markings		1. "No stopping"; and 02. "on entrance markings"	A time period may be included	1. 50 mm for "No stopping" 2. 40 mm for "on entrance markings" 3. 40 mm for any time period