

THE NATURAL MINERAL WATER, SPRING WATER AND BOTTLED DRINKING WATER (ENGLAND) (AMENDMENT) REGULATIONS 2018 – TRANSPOSITION TABLES

1. The Natural Mineral Water, Spring Water and Bottled Drinking Water (England) Regulations 2007 (S.I. 2007/2785) (“the 2007 Regulations”), as amended, implement various EU legislation in England relating to:
 - (a) natural mineral water,
 - (b) spring water, and
 - (c) bottled drinking water (other than bottled natural mineral water and bottled spring water).

2. The main EU Directives that regulate bottled water are:
 - (a) Council Directive 98/83/EC on the quality of water for human consumption (OJ No. L 330, 5.12.1998, p. 32). The Directive regulates public and private water supplies, spring water and bottled drinking water (but not natural mineral water) and includes microbiological, chemical and indicator parameters for water. Previously, it also regulated radioactive substances in water but those provisions have now been superseded by the provisions in Council Directive 2013/51/Euratom laying down requirements for the protection of the health of the general public with regard to radioactive substances in water intended for human consumption (OJ No. L 296, 7.11.2013, p. 12). The 2007 Regulations implement the provisions in Directive 98/83/EC so far as they affect spring water and bottled drinking water. Public and private supplies of water are dealt with separately and covered by the Water Supply (Water Quality) Regulations 2016 (S.I. 2016/614) and the Private Water Supplies (England) Regulations 2016 (S.I. 2016/618). The EU Commission has started work on a recast of Directive 98/83/EC, the provisions of which are likely to apply after the day on which the UK leaves the EU;
 - (b) Directive 2009/54/EC of the European Parliament and of the Council on the exploitation and marketing of natural mineral waters, which regulates natural mineral water and spring water but not bottled drinking water (OJ No. L164, 26.6.2009, p. 45).

3. The 2007 Regulations implement both Directives 98/83/EC and 2009/54/EC.

4. The Natural Mineral Water, Spring Water and Bottled Drinking Water (England)(Amendment) Regulations 2018 amend the 2007 Regulations to implement, in relation to England, the provisions in the following Directives so far as they relate to bottled spring water and bottled drinking water—
 - (a) Council Directive 2013/51/Euratom laying down requirements for the protection of the health of the general public with regard to radioactive substances in water intended for human consumption (OJ No. L 296,

7.11.2013, p. 12) (the provisions do not apply to natural mineral water), and

- (b) Commission Directive (EU) 2015/1787 amending Annexes II and III to Council Directive 98/83/EC on the quality of water intended for human consumption (OJ No. L 260, 7.10.2015, p. 6) (the provisions do not apply to natural mineral water).
5. The amendments made by the 2018 amending Regulations do not affect natural mineral water.
 6. Among other things, the 2018 amending Regulations replace Schedule 2 to the 2007 Regulations with a new Schedule 2 (the substituted Schedule 2). Schedule 2 is the place where the parametric values and concentrations for microbiological, chemical and radioactive substances are to be found. Indicator parameters (monitored by food authorities but not mandatory requirements that food businesses have to comply with in relation to the marketing of spring water and bottled drinking water) are contained in Part 9 of the new Schedule 12 to the 2007 Regulations (“the new Schedule 12”).
 7. The new Schedule 12 to the 2007 Regulations contains the monitoring provisions relating to microbiological, chemical, radioactive and indicator parameters for spring water and bottled drinking water. They implement the provisions in Annex III to Directive 98/83/EC, as amended by Directive 2015/1787, and Directive 2013/51/Euratom. They include provisions relating to sampling, analysis and methods of analysis. Paragraph 7 and Part 4 of the new Schedule 12 regulate microbiological parameters (Directive 98/83/EC). Paragraph 8 and Part 5 of the new Schedule 12 regulate chemical parameters (Directive 98/83/EC). Paragraph 9 and Part 6 regulate radon (Directive 2013/51/Euratom). Paragraph 10 and Part 7 regulate tritium (Directive 2013/51/Euratom). Paragraph 11 and Part 8 regulate indicative dose (a measure of radioactivity) (Directive 2013/51/Euratom). Paragraph 12 and Part 9 regulate indicator parameters (Directive 98/83/EC).

ANNEX I TO COUNCIL DIRECTIVE 98/83/EC ON THE QUALITY OF WATER INTENDED FOR HUMAN CONSUMPTION

No.	Provision in Annex I to Directive 98/83/EC	Description	Provision in <i>The Natural Mineral Water, Spring Water and Bottled Drinking Water (England) Regulations 2007</i> , as last amended by the 2018 amending Regulations	Comment
1.	Part A	Microbiological	Part 2 of the	

No.	Provision in Annex I to Directive 98/83/EC	Description	Provision in <i>The Natural Mineral Water, Spring Water and Bottled Drinking Water (England) Regulations 2007</i> , as last amended by the 2018 amending Regulations	Comment
		parameters	substituted Schedule 2 to the 2007 Regulations	
2.	Part B	Chemical parameters	Part 3 of the substituted Schedule 2 to the 2007 Regulations	
3.	Note 1	Note relating to residual monomer for acrylamide, epichlorohydrin and vinyl chloride	N/A	<p>The note in the Directive is explanatory. It explains the reason behind the levels set for the parametric concentrations for acrylamide, epichlorohydrin and vinyl chloride.</p> <p>The note does not itself impose a mandatory requirement and has not, therefore, been included as an entry in the 2007 Regulations, as amended.</p>
4.	Note 2	Note relating to bromate	N/A	<p><u>First sentence:</u> contains an aspirational provision for Member States. It is not a provision that it suitable for including in the 2007 Regulations unless an implementation</p>

No.	Provision in Annex I to Directive 98/83/EC	Description	Provision in <i>The Natural Mineral Water, Spring Water and Bottled Drinking Water (England) Regulations 2007</i> , as last amended by the 2018 amending Regulations	Comment
				<p>decision is made to impose a stricter parametric concentration.</p> <p><u>Second sentence:</u> contains an expired transitional provision.</p>
5.	Note 3	Note relating to copper and lead, nickel	N/A	Relates to tap water not bottled water.
6.	Note 4	Note relating to lead	N/A	The note contains expired transitional provisions.
7.	Note 5	Note relating to nitrate and nitrite	The entries in the fourth column of the table in Part 3 of the substituted Schedule 2 relating to nitrate and nitrite.	
8.	Note 6	Note relating to pesticides – definition and need to monitor	<p><u>First paragraph - definition:</u></p> <ul style="list-style-type: none"> regulation 2(1) of the 2007 Regulations, as amended, contains a definition of ‘pesticides’. It cross-refers to the definition in note 6 	

No.	Provision in Annex I to Directive 98/83/EC	Description	Provision in <i>The Natural Mineral Water, Spring Water and Bottled Drinking Water (England) Regulations 2007</i> , as last amended by the 2018 amending Regulations	Comment
			<p><u>Second paragraph – need to monitor:</u></p> <ul style="list-style-type: none"> the entry in the fourth column of the table in Part 3 of the substituted Schedule 2 relating to pesticides 	
9.	Note 7	Note relating to pesticides – parametric value applies to each individual pesticide and provision relating to aldrin, dieldrin, heptachlor and heptachlor epoxide	<p><u>First sentence:</u></p> <ul style="list-style-type: none"> the entries in the table in Part 3 of the substituted Schedule 2 relating to pesticides – the ‘individual substances’ rows <p><u>Second sentence relating to aldrin, dieldrin, heptachlor and heptachlor epoxide:</u></p> <ul style="list-style-type: none"> the entries in the table in Part 3 of the substituted Schedule 2 relating to pesticides – individual substances’ row (i) 	

No.	Provision in Annex I to Directive 98/83/EC	Description	Provision in <i>The Natural Mineral Water, Spring Water and Bottled Drinking Water (England) Regulations 2007</i> , as last amended by the 2018 amending Regulations	Comment
10.	Note 8	Note relating to pesticides - meaning of "total"	The entry in the fourth column of the table in Part 3 of the substituted Schedule 2 relating to pesticides – row (b) ("total pesticides")	
11.	Note 9	Note relating to polycyclic aromatic hydrocarbons – definition	Regulation 2(1) of the 2007 Regulations, as amended, contains a definition of 'polycyclic aromatic hydrocarbons'. It mirrors the definition in note 9	
12.	Note 10	Note relating to trihalomethanes	<p><u>First paragraph:</u> N/A</p> <p><u>Second paragraph:</u> regulation 2(1) of the 2007 Regulations, as amended, contains a definition of "trihalomethanes". It mirrors the definition in note 10.</p> <p><u>Third, fourth and fifth paragraphs:</u> expired transitional provisions.</p>	<p><u>First paragraph:</u> contains an aspirational provision for Member States. It is not a provision that it suitable for including in the 2007 Regulations unless an implementation decision is made to impose a stricter parametric concentration.</p> <p><u>Third, fourth and fifth paragraphs:</u> expired transitional provisions.</p>
13.	Part C	Indicator	Section 1 in Part 9 of	

No.	Provision in Annex I to Directive 98/83/EC	Description	Provision in <i>The Natural Mineral Water, Spring Water and Bottled Drinking Water (England) Regulations 2007</i> , as last amended by the 2018 amending Regulations	Comment
		parameters	the new Schedule 12 to the 2007 Regulations	
14.	Part D	Parameters for radioactive substances	Part 4 of the substituted Schedule 2 to the 2007 Regulations	Superseded by Directive 2013/51/Euratom
15.	Note 1	Note relating to the aggressiveness of water	The entries in the fifth column of the table in Section 1 of Part 9 of the new Schedule 12 relating to chloride, conductivity, hydrogen ion concentration and sulphate.	
16.	Note 2	Note relating to <i>Clostridium perfringens</i>	<p><u>First sentence</u>: the entry in the fourth column of the table in Section 1 of Part 9 of the new Schedule 12 in the row relating to <i>Clostridium perfringens</i></p> <p><u>Second sentence</u>: paragraph 51 of the new Schedule 12</p> <p><u>Third sentence</u> – N/A</p>	<p><u>Third sentence</u> – not included in the 2007 Regulations because it relates to a Member State reporting function. It imposes a direct obligation on Member States. It is appropriate to include it in the 2007 Regulations.</p>
17.	Note 3	Note relating to	The entry in the fifth	

No.	Provision in Annex I to Directive 98/83/EC	Description	Provision in <i>The Natural Mineral Water, Spring Water and Bottled Drinking Water (England) Regulations 2007</i> , as last amended by the 2018 amending Regulations	Comment
		hydrogen ion concentration	column of the table in Section 1 of Part 9 of the new Schedule 12 in the row relating to hydrogen ion concentration	
18.	Note 4	Note relating to oxidisability	The entry in the fourth column of the table in Section 1 of Part 9 of the new Schedule 12 in the row relating to oxidisability	
19.	Note 5	Note relating to coliform bacteria	The entry in the third column of the table in Section 1 of Part 9 of the new Schedule 12 in the row relating to coliform bacteria	
20.	Note 6	Note relating to total organic carbon	The entry in the fourth column of the table in Section 1 of Part 9 of the new Schedule 12 in the row relating to total organic carbon	
21.	Note 7	Note relating to turbidity	N/A	Note 7 contains an aspirational provision for Member States. It is not appropriate to include a provision relating to it in the 2007 Regulations.
22.	Note 8	Note relating to monitoring	N/A – superseded by provisions in Directive	Sampling frequencies for

No.	Provision in Annex I to Directive 98/83/EC	Description	Provision in <i>The Natural Mineral Water, Spring Water and Bottled Drinking Water (England) Regulations 2007</i> , as last amended by the 2018 amending Regulations	Comment
		frequencies for tritium	2013/51/Euratom	tritium are contained in Part 3 of the new Schedule 12 and implements provisions in Directive 2013/51/Euratom.
23.	Note 9	Note relating to monitoring frequencies for indicative dose	N/A – superseded by provisions in Directive 2013/51/Euratom	Sampling frequencies for indicative dose are contained in Part 3 of the new Schedule 12 and implements provisions in Directive 2013/51/Euratom.
24.	Note 10	Note relating to tritium and indicative dose	N/A – superseded by provisions in Directive 2013/51/Euratom	The new Schedule 12 contains provisions implementing the requirements of Directive 2013/51/Euratom.

DIRECTIVE 2013/51/EURATOM LAYING DOWN REQUIREMENTS FOR THE PROTECTION OF THE HEALTH OF THE GENERAL PUBLIC WITH REGARD TO RADIOACTIVE SUBSTANCES IN WATER INTENDED FOR HUMAN CONSUMPTION

No	Provision in Directive 2013/51/Euratom	Description	Provision in <i>The Natural Mineral Water, Spring Water and Bottled Drinking Water (England) Regulations 2007</i> , as last amended by the 2018 amending Regulations	Comment
1.	Article 1	Subject matter	Part 4 of the substituted Schedule 2 and regulation 16A and the new Schedule 12	<p>Parametric values for radon, tritium and indicative dose are laid down in Part 4 of the substituted Schedule 2.</p> <p>Sampling frequencies are laid down in in paragraph 6 of the new Schedule 12 and in the table in Part 3 of that Schedule.</p> <p>Methods for monitoring radioactive substances are contained in Part 6 (radon), Part 7 (tritium) and Part 8 (indicative dose) of the new Schedule 12.</p>
Article 2 - Definitions				
2.	Article 2(1)	'water	See regulation	

No	Provision in Directive 2013/51/Euratom	Description	Provision in <i>The Natural Mineral Water, Spring Water and Bottled Drinking Water (England) Regulations 2007</i> , as last amended by the 2018 amending Regulations	Comment
		intended for human consumption'	3(1)(c) of the 2007 Regulations (excludes water not intended for sale for drinking by humans) The provisions of the Regulations apply generally to water intended for human consumption but also see paragraph 3(1) of the new Schedule 12 (application)	
3.	Article 2(2)	'radioactive substance'	Part 1 (interpretation) of the new Schedule 12	
4.	Article 2(3)	'indicative dose'	Part 1 (interpretation) of the new Schedule 12	
5.	Article 2(4)	'parametric value'	Part 1 (interpretation) of the new Schedule 12 contains a definition of "parametric concentration"	
Article 3: Scope and exemptions				
6.	Article 3(1)	Application	Regulation 3(1)(c) of the 2007 Regulations	

No	Provision in Directive 2013/51/Euratom	Description	Provision in <i>The Natural Mineral Water, Spring Water and Bottled Drinking Water (England) Regulations 2007</i> , as last amended by the 2018 amending Regulations	Comment
			as amended by regulation 4 of the 2018 amending Regulations.	
7.	Article 3(2)	Water to which the Directive does not apply	<p><u>Natural mineral water exemption:</u> regulation 16A and the new Schedule 12 only apply to bottled spring water and bottled drinking water. They do not apply to natural mineral water.</p> <p><u>Medicinal products exemption:</u> regulation 3(1)(a) of the 2007 Regulations as amended by regulation 4 of the 2018 amending Regulations.</p>	
8.	Article 3(3)	Power to exempt	N/A	Not relevant in relation to bottled water
9.	Article 3(4)	Relating to Article 3(3) exemptions	N/A	Not relevant in relation to bottled water
Article 4: General obligations				
10.	Article 4	Obligation to establish	Regulation 16A and the following	

No	Provision in Directive 2013/51/Euratom	Description	Provision in <i>The Natural Mineral Water, Spring Water and Bottled Drinking Water (England) Regulations 2007</i> , as last amended by the 2018 amending Regulations	Comment
		<p>monitoring programme – assessment</p> <p>Obligation to take remedial action</p>	<p>paragraphs of the new Schedule 12:</p> <p><u>Monitoring</u></p> <ul style="list-style-type: none"> • paragraph 23 (radon) • paragraph 29 (tritium) • paragraph 35 (indicative dose) <p><u>Remedial treatment</u></p> <ul style="list-style-type: none"> • paragraph 26 (radon) as read with paragraph 57 (remedial treatment) • paragraph 32 (tritium) as read with paragraph 57 (remedial treatment) • paragraph 46 (indicative dose) as read with paragraph 57 (remedial treatment) 	
Article 5: Parametric values and points of compliance				

No	Provision in Directive 2013/51/Euratom	Description	Provision in <i>The Natural Mineral Water, Spring Water and Bottled Drinking Water (England) Regulations 2007</i> , as last amended by the 2018 amending Regulations	Comment
11.	Article 5(1)	Setting of parametric values	Part 4 of the substituted Schedule 2	
12.	Article 5(2)	Points of compliance	Paragraph 4(3) of the new Schedule 12	Only point (c) of Article 5(2) is relevant in relation to bottled water
13.	Article 5(3)	Point of compliance provision relating to distribution networks	N/A	Not relevant in relation to bottled water
Article 6: Monitoring and analysis				
14.	Article 6(1), first subparagraph	Monitoring to be undertaken in accordance with Annex II	<p>The following paragraphs of the new Schedule 12:</p> <p><u>Monitoring</u></p> <ul style="list-style-type: none"> • paragraphs 9 and 23/Part 6 of the new Schedule 12 (radon) • paragraphs 10 and 29/Part 7 of the new Schedule 12 (tritium) 	

No	Provision in Directive 2013/51/Euratom	Description	Provision in <i>The Natural Mineral Water, Spring Water and Bottled Drinking Water (England) Regulations 2007</i> , as last amended by the 2018 amending Regulations	Comment
			<ul style="list-style-type: none"> • paragraphs 11 and 35/Part 8 of the new Schedule 12 (indicative dose) <p><u>Frequencies</u></p> <ul style="list-style-type: none"> • paragraph 6 of the new Schedule 12 and Part 3 of that Schedule 	
15.	Article 6(1), second subparagraph	Samples to be representative of the quality of water consumed through the year and without prejudice to the application of the principles of HACCP in Regulation (EC) No 852/2004 and the principles of official controls laid down in Regulation (EC) No	<u>Samples to be representative of the quality of water consumed through the year:</u> paragraph 6 of the new Schedule 12 as also read with- <ul style="list-style-type: none"> • paragraph 26 (radon) – see, in particular, paragraph 26(3) and (4) • paragraph 32 (tritium) - see, in particular, paragraph 32(2) and (3) • paragraph 46 	No provisions needed in relation to the principles of HACCP in Regulation (EC) No 852/2004 and the principles of official controls in Regulation (EC) No 882/2004. Those Regulations are directly applicable and apply in any event.

No	Provision in Directive 2013/51/Euratom	Description	Provision in <i>The Natural Mineral Water, Spring Water and Bottled Drinking Water (England) Regulations 2007</i> , as last amended by the 2018 amending Regulations	Comment
		882/2004	(indicative dose) - see, in particular, paragraph 46(3) and (4)	
16.	Article 6(2)	Monitoring for indicative dose to be carried out in accordance with Annex III	Paragraph 11 and Part 8 of the new Schedule 12	
17.	Article 6(3)	Requirement relating to laboratories	Paragraph 15(2) and (3) of the new Schedule 12	
Article 7: Remedial action and notification of the general public				
18.	Article 7(1)	Obligation to investigate	Paragraph 57(1)(a) of the new Schedule 12	
19.	Article 7(2)	Assessment where a failure to comply with a parametric value occurs	Paragraph 57(1)(b) of the new Schedule 12	
20.	Article 7(3)	Action to be taken where there is a risk	Paragraph 57(1)(c) to (e) of the new Schedule 12	

No	Provision in Directive 2013/51/Euratom	Description	Provision in <i>The Natural Mineral Water, Spring Water and Bottled Drinking Water (England) Regulations 2007</i> , as last amended by the 2018 amending Regulations	Comment
Article 8: Transposition into national law				
21.	Article 8(1), first subparagraph	Obligation to implement	Coming into force provisions (late implementation)	The transposition will be notified to the Commission in the usual way.
22.	Article 8(1), second subparagraph	Reference to the Directive in national provisions	A reference to the Directive is contained in the Explanatory Note	
23.	Article 8(2)	Obligation to communicate texts of the main provisions of national law to the Commission		Defra will provide the Commission with a copy of the 2018 amending Regulations.
24.	Article 9	Entry into force of the Directive	N/A	No need for implementation in national legislation
25.	Article 10	Addressees	N/A	No need for implementation in national legislation
Annex I: Parametric values for radon, tritium and indicative dose of water intended for human consumption				

No	Provision in Directive 2013/51/Euratom	Description	Provision in <i>The Natural Mineral Water, Spring Water and Bottled Drinking Water (England) Regulations 2007</i> , as last amended by the 2018 amending Regulations	Comment
26.	Table	Parametric concentrations for radon and tritium and parametric value for indicative dose	The table in Part 4 of the substituted Schedule 2	
27.	Note 1(a)	Member State discretion in setting a parametric concentration for radon	The first row of the table in Part 4 of the substituted Schedule 2 to the 2007 Regulations	The level for radon has been set at the level provided for in the Directive.
28.	Notes 1(b)	Radon concentrations exceeding 1,000 Bq/l – need for remedial action without further consideration	Paragraphs 26(2) and 57(1) and (2) of the new Schedule 12	
29.	Note 2	Elevated levels of tritium	Paragraph 32(2)(d) of the new Schedule 12	
Annex II: Monitoring of radioactive substances				

No	Provision in Directive 2013/51/Euratom	Description	Provision in <i>The Natural Mineral Water, Spring Water and Bottled Drinking Water (England) Regulations 2007</i> , as last amended by the 2018 amending Regulations	Comment
Point 1: General principles and monitoring frequencies				
30.	First subparagraph, first sentence	Obligation to monitor the parametric values of parameters	<p>The following paragraphs in the new Schedule 12:</p> <ul style="list-style-type: none"> • paragraphs 9 and 23 (radon), • paragraphs 10 and 29 (tritium), and • paragraphs 11 and 35 (indicative dose) 	<p><u>General note</u></p> <p>The new Schedule 12 contains monitoring provisions relating parameters regulated by Directive 98/83/EC (microbiological, chemical and indicator) and Directive 2013/51/Euratom (radon, tritium and indicative dose). The provisions relation to radon, tritium and indicative dose are mainly contained in:</p> <ul style="list-style-type: none"> • <u>radon</u>: paragraph 9 and Part 6 • <u>tritium</u>: paragraph 10 and Part 7 • <u>indicative dose</u>: paragraph 11 and Part 8

No	Provision in Directive 2013/51/Euratom	Description	Provision in <i>The Natural Mineral Water, Spring Water and Bottled Drinking Water (England) Regulations 2007</i> , as last amended by the 2018 amending Regulations	Comment
31.	First subparagraph, second sentence	Exemption from monitoring	<p>The following paragraphs in the new Schedule 12:</p> <ul style="list-style-type: none"> • paragraph 24 (radon), • paragraph 30 (tritium), and • paragraph 36 (indicative dose) 	
32.	Second subparagraph, first sentence	Frequency of sampling – derogation in relation to naturally occurring radionuclides	<p>The basic provisions relating to sampling frequency are contained in paragraph 6 and Part 3. They should be read with the following paragraphs in the new Schedule 12, which contain reduced frequency sampling provisions:</p> <ul style="list-style-type: none"> • paragraph 27 (radon), • paragraph 33 (tritium), and • paragraphs 42 (screening for indicative dose) and 47 (indicative dose determination) 	

No	Provision in Directive 2013/51/Euratom	Description	Provision in <i>The Natural Mineral Water, Spring Water and Bottled Drinking Water (England) Regulations 2007</i> , as last amended by the 2018 amending Regulations	Comment
			s)	
33.	Second subparagraph, second sentence	Exemption from monitoring	<p>The following paragraphs in the new Schedule 12:</p> <ul style="list-style-type: none"> • paragraph 24 (radon), • paragraph 30 (tritium), and • paragraph 36 (indicative dose) 	
34.	Second subparagraph, third sentence	Exemption from monitoring – obligation to notify the Commission	<p>N/A but the following paragraphs in the new Schedule 12 will ensure that the Secretary of State has the information that he needs to make a notification to the Commission:</p> <ul style="list-style-type: none"> • paragraph 24(1)(b) (radon), • paragraph 30(1)(b) (tritium), and • paragraph 36(1)(b) (indicative dose) 	<p>The third sentence of the second subparagraph of point 1 of the Annex II to Directive 2013/51/Euratom imposes an obligation on Member States to notify the Commission in cases where it has assessed and come to the conclusion that it does not need to monitor water for radon, tritium or indicative dose. It must provide the Commission with copies of the relevant surveys</p>

No	Provision in Directive 2013/51/Euratom	Description	Provision in <i>The Natural Mineral Water, Spring Water and Bottled Drinking Water (England) Regulations 2007</i> , as last amended by the 2018 amending Regulations	Comment
				<p>etc. used as a basis on which to make that decision. This imposes a direct obligation on Member States and it will be the Secretary of State that makes that notification. There is no need for that to be provided for in the 2007 Regulations.</p> <p>The 2007 Regulations, as amended, provide for the food authority to notify the Secretary of State when it is intending to use an exemption and to provide the appropriate documentation in such cases. This will enable the Secretary of State to supply that information to the Commission when making the necessary notifications.</p>
35.	Second subparagraph, fourth sentence	Minimum sampling frequencies in point 6 – when they do	The following paragraphs in the new Schedule 12:	

No	Provision in Directive 2013/51/Euratom	Description	Provision in <i>The Natural Mineral Water, Spring Water and Bottled Drinking Water (England) Regulations 2007</i> , as last amended by the 2018 amending Regulations	Comment
		not apply	<ul style="list-style-type: none"> • paragraph 6(a) • paragraph 24 (radon), • paragraph 30 (tritium), • paragraph 36 (screening for indicative dose) • paragraph 47 (indicative dose) 	
Point 2: radon				
36.	Point 2, first sentence	Representative surveys	Paragraph 22(1) of the new Schedule 12	
37.	Point 2, second sentence	Representative surveys – identification of factors etc.	Paragraph 22(2) of the new Schedule 12	
38.	Point 2, third sentence	Obligation to monitor	Paragraph 23 of the new Schedule 12	
Point 3: tritium				
39.	Point 3, first sentence	Monitoring obligation	Paragraph 29 of the new Schedule 12	

No	Provision in Directive 2013/51/Euratom	Description	Provision in <i>The Natural Mineral Water, Spring Water and Bottled Drinking Water (England) Regulations 2007</i> , as last amended by the 2018 amending Regulations	Comment
40.	Point 3, second sentence	Monitoring frequencies	Paragraph 6 and Part 3 of the new Schedule 12	
41.	Point 3, third sentence	Need for further investigation	Paragraph 32 of the new Schedule 12 (see, in particular, paragraph 32(2)(d))	
Point 4: indicative dose				
42.	Point 4, first sentence	Monitoring obligation	Paragraph 35 of the new Schedule 12	
43.	Point 4, second sentence	Monitoring frequencies	Paragraph 6 and Part 3 of the new Schedule 12	
44.	Point 4, third sentence	Monitoring - screening	Paragraph 6 and Part 3 of the new Schedule 12 as read with 42	
45.	Point 4, fourth sentence	Monitoring checks - frequency	Paragraph 6 and Part 3 of the new Schedule 12 as read with 42	
46.	Point 4, fifth sentence	Monitoring – need for recheck where a single check	Paragraph 6 and Part 3 of the new Schedule 12 as read with 42 and, in particular, paragraph	

No	Provision in Directive 2013/51/Euratom	Description	Provision in <i>The Natural Mineral Water, Spring Water and Bottled Drinking Water (England) Regulations 2007</i> , as last amended by the 2018 amending Regulations	Comment
		for natural radioactivity is done	42(2)	
Point 5: water treatment				
47.	Point 5	Water treatment	Paragraphs 28 (radon), 34 (tritium) and 48 (indicative dose) of the new Schedule 12	
Point 6: minimum sampling and analysis frequencies				
48.	Point 6, first subparagraph and table	Minimum sampling and frequencies supplied from a distribution network, a tanker or used in a food production undertaking	N/A	Not applicable to bottled water but see the unnumbered note below the point 6 table relating to bottled water which permits Member States to define sampling frequencies for bottled water.
49.	Point 6, note 1	“supply zone” – meaning	Table footnote (2), table in Part 3 of the new Schedule 12	
50.	Point 6, note 2	Calculation of volumes	Table footnote (1), table in Part 3 of the new Schedule 12	

No	Provision in Directive 2013/51/Euratom	Description	Provision in <i>The Natural Mineral Water, Spring Water and Bottled Drinking Water (England) Regulations 2007</i> , as last amended by the 2018 amending Regulations	Comment
51.	Point 6, note 3	Distribution of samples	Paragraph 6(b) of the new Schedule 12	
52.	Point 6, note 4	Monitoring frequency – intermittent short-term supply of water distributed by tankers	N/A	Not applicable to bottled waters
53.	Point 6, note 5	Monitoring frequency for volume of 100 m ³ or less per day – Member State discretion	First row of the table in Part 3 of the new Schedule 12	
54.	Point 6, unnumbered paragraph after note 5	Bottled water – Member States to define sampling frequencies	Paragraph 6 and Part 3 of the new Schedule 12 as read with paragraphs 27 (radon), 33 (tritium) and 42 and 47 (indicative dose)	
Point 7: resampling and averaging				
55.	Point 7	Resampling and averaging	<p>The following provisions of the new Schedule 12:</p> <ul style="list-style-type: none"> • paragraph 26 	

No	Provision in Directive 2013/51/Euratom	Description	Provision in <i>The Natural Mineral Water, Spring Water and Bottled Drinking Water (England) Regulations 2007</i> , as last amended by the 2018 amending Regulations	Comment
			(radon), <ul style="list-style-type: none"> • paragraph 32 (tritium), and • paragraph 46 (indicative dose) 	
ANNEX III – MONITORING FOR INDICATIVE DOSE AND ANALYTICAL PERFORMANCE CHARACTERISTICS				
Point 1 – Monitoring for compliance with the indicative dose				
56.	First subparagraph, first sentence	Use of screening strategies	Paragraphs 37 to 41 of the new Schedule 12	
57.	First subparagraph, second sentence	Types of screening strategies	Paragraphs 38 to 41 of the new Schedule 12	
58.	First subparagraph, point (a), first paragraph, first sentence	Screening for certain radionuclides or an individual radionuclide – need for analysis of additional radionuclides	The following paragraphs of the new Schedule 12: <ul style="list-style-type: none"> • paragraph 40(2) and (4) (screening based on analysis of one radionuclide) • paragraph 41(2) and (5) (screening 	

No	Provision in Directive 2013/51/Euratom	Description	Provision in <i>The Natural Mineral Water, Spring Water and Bottled Drinking Water (England) Regulations 2007</i> , as last amended by the 2018 amending Regulations	Comment
			based on analyses of more than one radionuclide)	
59.	First subparagraph, point (a), first paragraph, second sentence	Screening for certain radionuclides or an individual radionuclide – selection of additional radionuclides	<p>The following paragraphs of the new Schedule 12:</p> <ul style="list-style-type: none"> • paragraph 40(5) (screening based on analysis of one radionuclide) • paragraph 41(5) (screening based on analyses of more than one radionuclide) 	
60.	First subparagraph, point (b), first paragraph	Screening strategies - gross alpha activity and gross beta activity	Paragraphs 38 and 39 of the new Schedule 12	

No	Provision in Directive 2013/51/Euratom	Description	Provision in <i>The Natural Mineral Water, Spring Water and Bottled Drinking Water (England) Regulations 2007</i> , as last amended by the 2018 amending Regulations	Comment
61.	First subparagraph, point (b), second paragraph	Screening - gross alpha activity and gross beta activity – screening levels	<u>Gross alpha activity:</u> paragraph 38(2) of the new Schedule 12 <u>Gross beta activity:</u> paragraph 39(2) of the new Schedule 12	
62.	First subparagraph, point (b), third paragraph	Screening for gross alpha activity and gross beta activity – assumption that indicative dose is less than 0.1 Bq/l	<u>Gross alpha activity:</u> paragraph 38(3) and (4) of the new Schedule 12 <u>Gross beta activity:</u> paragraph 39(3) and (4) of the new Schedule 12	
63.	First subparagraph, point (b), fourth paragraph	Screening for gross alpha activity and gross beta activity – obligation where screening level is exceeded	<u>Gross alpha activity:</u> paragraph 38(5) of the new Schedule 12 <u>Gross beta activity:</u> paragraph 39(5) of the new Schedule 12	
64.	First subparagraph, point (b), fifth paragraph	Screening for gross alpha activity and gross beta activity – setting alternative screening levels	<u>Gross alpha activity:</u> paragraph 38(6) of the new Schedule 12 <u>Gross beta activity:</u> paragraph 39(6) of the new Schedule 12	
65.	First	Radionuclides	<u>Gross alpha activity:</u> paragraph 38(5) of	

No	Provision in Directive 2013/51/Euratom	Description	Provision in <i>The Natural Mineral Water, Spring Water and Bottled Drinking Water (England) Regulations 2007</i> , as last amended by the 2018 amending Regulations	Comment
	subparagraph, point (b), sixth paragraph, first sentence	to be measured to be determined by Member States	the new Schedule 12 <u>Gross beta activity</u> : paragraph 39(5) of the new Schedule 12	
66.	First subparagraph, point (b), sixth paragraph, second sentence	Elevated levels of tritium	Paragraph 32(2)(c) of the new Schedule 12	
Point 2: Calculation of the indicative dose				
67.	Point 2, first subparagraph, first sentence	Calculation of the indicative dose	Paragraphs 45(5) and 49 of the new Schedule 12	Directive 96/29/Euratom has been repealed and replaced and there is no equivalent to Table A in Annex III to Directive 96/29/Euratom in the replacement Directive. ICRP Publication 119 has the relevant information in Annex F and is used in the 2007 Regulations, as amended, instead.
68.	Point 2, first subparagraph, second sentence	Result of calculation of the indicative dose	Paragraph 45(2) to (7) of the new Schedule 12	

No	Provision in Directive 2013/51/Euratom	Description	Provision in <i>The Natural Mineral Water, Spring Water and Bottled Drinking Water (England) Regulations 2007</i> , as last amended by the 2018 amending Regulations	Comment
69.	Point 2 formula	Indicative dose formula	Paragraph 45(2) and (3) of the new Schedule 12	
70.	Point 2, table	Derived concentrations for radioactivity in water intended for human consumption	Paragraph 49(1) (including table) of the new Schedule 12	
71.	Point 2, table, note (1)	Derived concentrations	Paragraph 49(2) and (3) of the new Schedule 12	
72.	Point 2, table, note (2)	Note relating to uranium	N/A	The note is explanatory in nature, not prescriptive, and has not therefore been included in the 2007 Regulations.
Point 3: performance characteristics and methods of analysis				
73.	Point 3, table	Performance characteristics for methods of analysis	<p>The following provisions of the new Schedule 12:</p> <ul style="list-style-type: none"> • paragraph 31(2) (tritium) • paragraph 	

No	Provision in Directive 2013/51/Euratom	Description	Provision in <i>The Natural Mineral Water, Spring Water and Bottled Drinking Water (England) Regulations 2007</i> , as last amended by the 2018 amending Regulations	Comment
			25(2) (radon) <ul style="list-style-type: none"> • paragraph 38(7) (gross alpha activity) • paragraph 39(7) (gross beta activity) • section 2 of Part 8 (other radionuclides) 	
74.	Point 3, table note 1	Limit of detection	The following provisions of the new Schedule 12: <ul style="list-style-type: none"> • paragraph 25(3) (radon) • paragraph 31(3) (tritium) • paragraph 38(8) (gross alpha activity) • paragraph 39(8) (gross beta activity) • paragraph 43(4) (other radionuclides) 	
75.	Point 3, table note 2	Measurement uncertainties	The following provisions of the new Schedule 12:	

No	Provision in Directive 2013/51/Euratom	Description	Provision in <i>The Natural Mineral Water, Spring Water and Bottled Drinking Water (England) Regulations 2007</i> , as last amended by the 2018 amending Regulations	Comment
			<ul style="list-style-type: none"> • paragraph 25(4) (radon) • paragraph 31(3) (tritium) • paragraph 38(8) (gross alpha activity) • paragraph 39(8) (gross beta activity) • paragraph 43(4) (other radionuclides) 	
76.	Point 3, table, note 3	Note relating to the limit of detection for tritium and radon	N/A	The note is explanatory in nature, not prescriptive, and has not therefore been included in the 2007 Regulations.
77.	Point 3, table, note 4	Note relating to the limit of detection for gross alpha activity and gross beta activity	N/A	The note is explanatory in nature, not prescriptive, and has not therefore been included in the 2007 Regulations.

No.	Provision in Directive 2013/51/Euratom	Description	Provision in <i>The Natural Mineral Water, Spring Water and Bottled Drinking Water (England) Regulations 2007</i> , as last amended by the 2018 amending Regulations	Comment
78.	Point 3, table note 5	Limited of detection – Ra-228	The entry in the third column of the table in Section 2 of Part 8 of the new Schedule 12	

COMMISSION DIRECTIVE (EU) 2015/1787 AMENDING ANNEXES II AND III TO COUNCIL DIRECTIVE 98/83/EC ON THE QUALITY OF WATER INTENDED FOR HUMAN CONSUMPTION

No.	Provision in Commission Directive (EU) 2015/1787	Description	Provision in <i>The Natural Mineral Water, Spring Water and Bottled Drinking Water (England) Regulations 2007</i> , as last amended by the 2018 amending Regulations	Comment
Article 1 – amends Directive 98/83/EC				
1.	Article 1(1)	Replaces Annex II to Directive 98/83/EC with a new Annex II	N/A	The new Annex II to Directive 98/83/EC does not apply to bottled water. ‘Whereas’ paragraph (8) in the preamble to Directive 2015/1787 explains the position as follows:

No.	Provision in Commission Directive (EU) 2015/1787	Description	Provision in <i>The Natural Mineral Water, Spring Water and Bottled Drinking Water (England) Regulations 2007</i> , as last amended by the 2018 amending Regulations	Comment
				<p>“Table B2 in Annex II to Directive 98/83/EC, which concerns water put into bottles or containers intended for sale, has become obsolete, as those products are covered by Regulation (EC) No 178/2002 of the European Parliament and of the Council. Those products are also covered by the principle of ‘hazard analysis and critical control point’ (HACCP) laid down in Regulation (EC) No 852/2004 of the European Parliament and of the Council and the principles of official controls as laid down in Regulation (EC) No 882/2004 of the European Parliament and of the Council. As a consequence of the adoption of those Regulations, Annex II to Directive 98/83/EC de facto no longer applies to water put into bottles or</p>

No.	Provision in Commission Directive (EU) 2015/1787	Description	Provision in <i>The Natural Mineral Water, Spring Water and Bottled Drinking Water (England) Regulations 2007</i> , as last amended by the 2018 amending Regulations	Comment
				containers intended for sale.”
2.	Article 1(2)	Amends Annex III to Directive 98/83/EC	<p>The following paragraphs of the new Schedule 12:</p> <ul style="list-style-type: none"> • paragraph 7 and Part 4 (microbiological parameters) • paragraph 8 and Part 5 (chemical parameters) • paragraph 12 and Part 9 (indicator parameters) • paragraph 13 (other parameters) • paragraph 15(1) (quality management practices) • paragraph 16(1) (validation and documentation) 	
Article 2: Transposition into national law				

No.	Provision in Commission Directive (EU) 2015/1787	Description	Provision in <i>The Natural Mineral Water, Spring Water and Bottled Drinking Water (England) Regulations 2007</i> , as last amended by the 2018 amending Regulations	Comment
3.	Article 2(1), first subparagraph	Obligation to implement	The amendments made to the 2007 Regulations by the 2018 amending Regulations will implement the provisions of Directive 2015/1787.	Defra will be notifying the Commission of the making of the 2018 Regulations.
4.	Article 2(1), second subparagraph	Obligation to include a reference to the Directive in the national implementing provisions	The second, third and fourth paragraphs of the Explanatory Note	
5.	Article 2(2)	Obligation to communicate texts of the main provisions of national law to the Commission	N/A	Defra will be providing the Commission with a copy of the 2018 amending Regulations.
6.	Article 3	Entry into force	N/A	Does not need implementing in national law.
7.	Article 4	Addressees	N/A	Does not need implementing in national law.
Annex I: substitutes Annex II to Directive 98/83/EC with a new Annex II				
8.	Annex I	Substitutes Annex II	N/A	Not regarded as relevant to

No.	Provision in Commission Directive (EU) 2015/1787	Description	Provision in <i>The Natural Mineral Water, Spring Water and Bottled Drinking Water (England) Regulations 2007</i> , as last amended by the 2018 amending Regulations	Comment
				bottled water
Annex II: Amends Annex III to Directive 98/83/EC				
Annex II, point (1): replacement of introductory paragraph of Annex III to Directive 98/83/EC				
9.	Annex II, point (1)	Replacement paragraph, first subparagraph, first sentence: validation and documenting methods of analysis	Paragraph 16(1) of the new Schedule 12	
10.	Annex II, point (1) continued	Replacement paragraph - first subparagraph, second sentence: quality management practices	Paragraph 15(1) of the new Schedule 12	
11.	Annex II, point (1) continued	Replacement paragraph - second subparagraph	<u>Chemical parameters:</u> paragraph 17(b) <u>Indicator parameters:</u> paragraph 53(b)	
Annex II, point (2): Amendment of point 1 of Annex III to Directive 98/83/EC (microbiological parameters)				
12.	Annex II, point (2)(a)	Replacement of point 1 heading	N/A	

No.	Provision in Commission Directive (EU) 2015/1787	Description	Provision in <i>The Natural Mineral Water, Spring Water and Bottled Drinking Water (England) Regulations 2007</i> , as last amended by the 2018 amending Regulations	Comment
13.	Annex II, point (2)	Amendment of point 1 of Annex III to Directive 98/83/EC (methods of analysis relating to microbiological parameters)	<p>The following provisions of the new Schedule 12:</p> <ul style="list-style-type: none"> • Part 4 (methods of analysis relating to specified microbiological parameters); • paragraph 50(2)(a) in relation to <i>Clostridium perfringens</i> (an indicator parameter). 	
Annex II, point (3): Amendment of point 2 of Annex III to Directive 98/83/EC (chemical and indicator parameters)				
14.	Annex II, point (3)(a)	Replacement of point 2 heading	N/A	
15.	Annex II, point (3)(b)	Replacement of point 2.1, first subparagraph, first sentence	<p>The following provisions in the new Schedule 12:</p> <ul style="list-style-type: none"> • the definition of “limit of quantification” in Part 1 <p><u>Chemical parameters</u></p> <ul style="list-style-type: none"> • paragraph 	

No.	Provision in Commission Directive (EU) 2015/1787	Description	Provision in <i>The Natural Mineral Water, Spring Water and Bottled Drinking Water (England) Regulations 2007</i> , as last amended by the 2018 amending Regulations	Comment
			<p>17(a): methods of analysis</p> <ul style="list-style-type: none"> • paragraph 18(1): minimum performance characteristics in relation to methods of analysis for certain chemical parameters • paragraph 19(1): minimum performance characteristics in relation to methods of analysis for pesticides <p><u>Indicator parameters</u></p> <ul style="list-style-type: none"> • paragraph 53(a) (methods of analysis) • paragraph 54(1): minimum performance characteristics in relation to methods of analysis for indicator parameters 	
16.	Annex II, point	Replacement of	The following	

No.	Provision in Commission Directive (EU) 2015/1787	Description	Provision in <i>The Natural Mineral Water, Spring Water and Bottled Drinking Water (England) Regulations 2007</i> , as last amended by the 2018 amending Regulations	Comment
	(3)(b)	point 2.1, first subparagraph, second sentence	provisions in the new Schedule 12: <u>Chemical parameters</u> <ul style="list-style-type: none"> • paragraph 18(2) • paragraph 19(2) <u>Indicator parameters</u> <ul style="list-style-type: none"> • paragraph 54(6) 	
17.		Replacement of point 2.1, second subparagraph	The following provisions in the new Schedule 12: <u>Chemical parameters</u> <ul style="list-style-type: none"> • paragraph 20 – alternative minimum performance characteristics in relation to methods of analysis for chemical parameters <u>Indicator parameters</u> <ul style="list-style-type: none"> • paragraph 55 – alternative minimum performance characteristics in relation to methods of 	

No.	Provision in Commission Directive (EU) 2015/1787	Description	Provision in <i>The Natural Mineral Water, Spring Water and Bottled Drinking Water (England) Regulations 2007</i> , as last amended by the 2018 amending Regulations	Comment
			analysis for indicator parameters	
18.		Replacement of point 2.1, third subparagraph	<p>The following provisions in the new Schedule 12:</p> <p><u>Chemical parameters:</u> paragraph 8(4)</p> <p><u>Indicator parameters:</u> paragraph 52</p>	
19.		Table 1 - minimum performance characteristic “uncertainty of measurement”	<p>The following provisions in the new Schedule 12:</p> <p><u>Chemical parameters:</u></p> <ul style="list-style-type: none"> • the table in Section 2 of Part 5 in relation to all Part B chemical parameters covered by ‘Table 1’ except for pesticides; and • paragraph 19(1) in relation to an individual pesticide <p><u>Indicator parameters:</u></p> <ul style="list-style-type: none"> • paragraph 	

No.	Provision in Commission Directive (EU) 2015/1787	Description	Provision in <i>The Natural Mineral Water, Spring Water and Bottled Drinking Water (England) Regulations 2007</i> , as last amended by the 2018 amending Regulations	Comment
			<p>54(1) and the table in Section 4 of Part 9 in relation to all Part C indicator parameters covered by 'Table 1' except for pesticides</p> <ul style="list-style-type: none"> paragraph 54(3) in relation to hydrogen ion concentration pH 	
20.		Table 1 end paragraph relating to acrylamide, epichlorohydrin and vinyl chloride	Paragraph 8(3) of the new schedule 12	
21.		Table 2 – alternative minimum performance characteristics “trueness”, “precision” and “limit of detection” that may be used until 31st December 2019	<p>The following provisions in the new Schedule 12:</p> <p><u>Chemical parameters:</u></p> <ul style="list-style-type: none"> the table in Section 3 of Part 5 in relation to all Part B chemical parameters covered by 'Table 2' <p><u>Indicator parameters:</u></p>	

No.	Provision in Commission Directive (EU) 2015/1787	Description	Provision in <i>The Natural Mineral Water, Spring Water and Bottled Drinking Water (England) Regulations 2007</i> , as last amended by the 2018 amending Regulations	Comment
			<ul style="list-style-type: none"> • paragraph 55(1) and the table in Section 5 of Part 9 in relation to all Part C indicator parameters covered by 'Table 2' except for hydrogen ion concentration pH • paragraph 55(2) in relation to hydrogen ion concentration pH (an indicator parameter) 	
22.		Table 2 end paragraph relating to acrylamide, epichlorohydrin and vinyl chloride	Paragraph 8(3) of the new schedule 12	
Annex II, point (3)(c): replacement of point 2.2 (notes to Tables 1 and 2)				
23.	Note 1, first sentence	Uncertainty of measurement, first sentence	Definition of "uncertainty of measurement" in Part 1 of the new Schedule 12	

No.	Provision in Commission Directive (EU) 2015/1787	Description	Provision in <i>The Natural Mineral Water, Spring Water and Bottled Drinking Water (England) Regulations 2007</i> , as last amended by the 2018 amending Regulations	Comment
24.	Note 1, second sentence	Uncertainty of measurement, second sentence – performance criterion	<u>Chemical parameters:</u> <ul style="list-style-type: none"> • paragraph 21(1) of the new Schedule 12 <u>Indicator parameters:</u> <ul style="list-style-type: none"> • paragraph 54(2) and (4) of the new Schedule 12 	
25.	Note 1, third sentence	Uncertainty of measurement, third sentence – estimating uncertainty of measurement	<u>Chemical parameters:</u> <ul style="list-style-type: none"> • paragraph 21(2) of the new Schedule 12 <u>Indicator parameters:</u> <ul style="list-style-type: none"> • paragraph 54(5) of the new Schedule 12 	
26.	Note 2	Note relating to trueness	A definition of “trueness” is contained in Part 1 of the new Schedule 12	
27.	Note 3	Note relating to precision	<u>Chemical parameters:</u> <ul style="list-style-type: none"> • paragraph 20(2) of the new Schedule 	

No.	Provision in Commission Directive (EU) 2015/1787	Description	Provision in <i>The Natural Mineral Water, Spring Water and Bottled Drinking Water (England) Regulations 2007</i> , as last amended by the 2018 amending Regulations	Comment
			<p>12</p> <p><u>Indicator parameters:</u></p> <ul style="list-style-type: none"> paragraph 55(3) of the new Schedule 12 	
28.	Note 4	Note relating to limit of detection	<p><u>Chemical parameters:</u></p> <ul style="list-style-type: none"> paragraph 20(3) of the new Schedule 12 <p><u>Indicator parameters:</u></p> <ul style="list-style-type: none"> paragraph 55(4) of the new Schedule 12 	
29.	Note 5	Note relating to benzo(a)pyrene	The entry in the third column of the table in Section 2 of Part 5 of the new Schedule 12 relating to benzo(a)pyrene	
30.	Note 6	Note relating to cyanide	The entry in the fourth column of the table in Section 2 of Part 5 and the entry in the fifth column of the table in	

No.	Provision in Commission Directive (EU) 2015/1787	Description	Provision in <i>The Natural Mineral Water, Spring Water and Bottled Drinking Water (England) Regulations 2007</i> , as last amended by the 2018 amending Regulations	Comment
			Section 3 of Part 5 of the new Schedule 12 relating to cyanide	
31.	Note 7	Note relating to hydrogen ion concentration pH	Paragraphs 54(3) and 55(2) of the new Schedule 12	
32.	Note 8	Note relating to oxidisability	N/A	The Directive note refers to a reference method. This is a method that may be used but it is not compulsory. For this reason it has not been included in the 2007 Regulations.
33.	Note 9	Note relating to pesticides	Paragraph 19(1) of the new Schedule 12	
34.	Note 10	Note relating to polycyclic aromatic hydrocarbons	The entries in the first and second columns of row (a) of the entries relating to polycyclic aromatic hydrocarbons in the table in Section 2 of Part 5 of the new Schedule 12	

No.	Provision in Commission Directive (EU) 2015/1787	Description	Provision in <i>The Natural Mineral Water, Spring Water and Bottled Drinking Water (England) Regulations 2007</i> , as last amended by the 2018 amending Regulations	Comment
			The entries in the first and second columns of row (a) of the entries relating to polycyclic aromatic hydrocarbons in the table in Section 3 of Part 5 of the new Schedule 12	
35.	Note 11	Note relating to tetrachloroethene and trichloroethene	<p>The entries in the first and second columns of row (a) of the entries relating to tetrachloroethene and trichloroethene in the table in Section 2 of Part 5 of the new Schedule 12</p> <p>The entries in the first and second columns of row (a) of the entries relating to tetrachloroethene and trichloroethene in the table in Section 3 of Part 5 of the new Schedule 12</p>	
36.	Note 12, first sentence	Note relating to total organic carbon (TOC), first sentence	The entry in the third column of the table relating to total organic carbon in Section 4 of Part 9 of the new Schedule 12	

No.	Provision in Commission Directive (EU) 2015/1787	Description	Provision in <i>The Natural Mineral Water, Spring Water and Bottled Drinking Water (England) Regulations 2007</i> , as last amended by the 2018 amending Regulations	Comment
37.	Note 12, second sentence	Note relating to total organic carbon (TOC), second sentence	The entry in the fourth column of the table relating to total organic carbon (TOC) in Section 4 of Part 9 of the new Schedule 12	
38.	Note 13	Note relating to turbidity	The entry in the third column of the table relating to turbidity in Section 4 of Part 9 of the new Schedule 12	
39.	Annex II, point (4)	Deleted point 3	Implemented by having no explicit provisions in the 2007 Regulations, as amended, relating to parameters for which no method of analysis is specified	