SCHEDULES

SCHEDULE 11

Article 61

TRAFFIC REGULATION MEASURES, ETC.

PART 1

SPEED LIMITS AND RESTRICTED ROADS

Note 1: Where roads are to become restricted roads as indicated in Part 1 of this Schedule and as shown on the plans relating to this Schedule (the traffic regulation measures plans (speed limits and restricted roads)), speed limits are to apply in accordance with the provisions of the 1984 Act (which defines national speed limits of 30 miles per hour on 'restricted roads' by reference to street lighting).

Note 2: Where existing speed limits (to be retained) are shown on the traffic regulation measures plans (speed limits and restricted roads) (sheets 1 to 4) which relate to Part 1 of this Schedule, this is for information only and such speed limits are not subject to this order.

Borough	Road name, number and length	Speed limit and restricted road
(1)	(2)	status
		(3)
The traffic regulatio	n measures plans (speed limits and restricted roads)	sheet 1
Royal Borough of Greenwich	Silvertown Tunnel southern approach Southbound	Restricted road
	A length of new highway from the south portal of the Silvertown Tunnel Southbound, in a generally south-easterly direction to a point where it merges with the existing A102 Blackwall Tunnel southern approach southbound.	
	Silvertown Tunnel southern approach Northbound A length of new highway from its junction with the existing A102 Blackwall Tunnel southern approach northbound, in a generally northerly direction to the south portal of the Silvertown Tunnel Northbound.	Restricted road
	Pavilion Lane (realigned) A length of new highway from a point on the existing A102 Blackwall Tunnel southern approach Southbound 130 metres south of the existing Blackwall Tunnel Southbound South Portal, in a generally southerly direction then turning eastwards to its junction with the northbound carriageway	Restricted road

1

Borough	Road name, number and length	Speed limit and restricted road
(1)	(2)	status
		(2)
	of the existing Millennium Way, for a distance of 150 metres, and a length of new highway from a point on the northbound carriageway of the existing Millennium Way 75 metres to the north west of its junction with the existing Edmund Halley Way, in a generally southerly direction to its junction with the Silvertown Tunnel southern approach Northbound, for a distance of 215 metres.	(3)
	n measures plans (speed limits and restricted roads) s	1
Royal Borough of Greenwich	Silvertown Tunnel A length of new highway (tunnel) from the Borough	Restricted road
	boundary between the Royal Borough of Greenwich and the London Borough of Newham at the centre of the river Thames to the south portal of the Silvertown Tunnel southern approach along both the northbound and southbound carriageways of the tunnel.	
	n measures plans (speed limits and restricted roads) s	
London Borough of Newham	A length of new highway (tunnel) from the north portal of the Silvertown Tunnel northern approach to the Borough boundary between the Royal Borough of Greenwich and the London Borough of Newham at the centre of the river Thames, along both the northbound and southbound carriageways of the tunnel.	Restricted road
The traffic regulatio	n measures plans (speed limits and restricted roads)	sheet 3
London Borough of Newham	Silvertown Tunnel northern approach A length of new highway from the point where Silvertown Tunnel northern approach meets Tidal Basin Roundabout in a generally south-easterly direction to the north portal of the Silvertown Tunnel along both the northbound and southbound carriageways.	Restricted road
	Silvertown Way Off-Slip (Dedicated Left Turn) A length of new highway from a point on the A1020 Silvertown Way off-slip 40 metres south-east of the Tidal Basin Roundabout initially in a north-westerly direction then turning in a southerly direction to a point where it joins the Silvertown Tunnel northern approach southbound.	Restricted road

Borough	Road name, number and length	Speed limit and restricted road
(1)	(2)	status
		(3)
	Dock Road (realigned)	Restricted road
	A length of new highway from the point where the realigned Dock Road meets Tidal Basin Roundabout, in a south easterly direction, for a distance of 430 metres.	
	Tidal Basin Roundabout	Restricted road
	A length of the circulatory carriageway, including the north to south through link, from a point on the existing Tidal Basin Roundabout at the centre point of where the existing Tidal Basin Roundabout passes under the existing A1011 Silvertown Way, and continuing in a generally south-westerly direction and then turning southwards and then turning eastwards to the centre point of where the existing Tidal Basin Roundabout passes under the existing A1011 Silvertown Way.	
	Tunnel Services Compound Access Road (off realigned Dock Road)	20 miles per hour
	A length of new highway from its junction with the realigned Dock Road (360 metres south-east from where Dock Road meets the new Tidal Basin Roundabout) in a generally north westerly direction, for a distance of 80 metres.	Removal of restricted road status
The traffic regulation	on measures plans (speed limits and restricted roads)	sheet 4
London Borough of Tower Hamlets	Leamouth Circus Roundabout The length of circulatory carriageway on the existing Leamouth Circus Roundabout.	Restricted road
	Aspen Way (Westbound)	Restricted road
	A length of existing highway from the point where Aspen Way westbound carriageway meets Leamouth Circus Roundabout in a westerly direction for 40 metres.	
	A1020 Leamouth Road	Restricted road
	A length of existing highway from the point where A1020 Leamouth Road meets Leamouth Circus Roundabout in northerly direction for 150 metres along both the northbound and southbound carriageways.	

PART 2
TRAFFIC REGULATION MEASURES (CLEARWAYS AND PROHIBITIONS)

Borough	Road name, number and length	Measures	
(1)	(2)	(3)	
The traffic regulatio	n measures (clearways and prohibitions) plans, sheet	t 1	
Royal Borough of Greenwich	Silvertown Tunnel southern approach Southbound A length of new highway from the south portal of the Silvertown Tunnel Southbound, in a generally south-easterly direction to a point where it merges with the existing A102 Southbound.	Clearway (Red Route) (to include verges)	
	Silvertown Tunnel southern approach Northbound A length of new highway from its junction with the existing A102 Blackwall Tunnel southern approach northbound, in a generally northerly direction to the south portal of the Silvertown Tunnel Northbound.	Clearway (Red Route) (to include verges)	
	Pavilion Lane (realigned) A length of new highway from a point on the existing A102 Blackwall Tunnel southern approach Southbound 130 metres south of the existing Blackwall Tunnel Southbound South Portal, in a generally southerly direction then turning eastwards to its junction with the northbound carriageway of the existing Millennium Way, for a distance of 150 metres, and a length of new highway from a point on the northbound carriageway of the existing Millennium Way 75 metres to the north west of its junction with the existing Edmund Halley Way, in a generally southerly direction to its junction with the Silvertown Tunnel southern approach Northbound, for a distance of 215 metres.	Clearway (Red Route Side Road) (to include verges)	
The traffic regulatio	n measures (clearways and prohibitions) plans, sheet	ts 1 and 2	
Royal Borough of Greenwich	A length of new highway (tunnel) from the Borough boundary between the Royal Borough of Greenwich and the London Borough of Newham at the centre of the river Thames to the south portal of the Silvertown Tunnel southern approach along both the northbound and southbound carriageways.	Clearway (Red Route) (to include verges)	
The traffic regulation measures (clearways and prohibitions) plans, sheets 2 and 3			
London Borough of Newham	Silvertown Tunnel A length of new highway (tunnel) from the north portal of the Silvertown Tunnel northern approach	Clearway (Red Route) (to include verges)	

Borough	Road name, number and length	Measures
(1)	(2)	(3)
	to the Borough boundary between Royal Borough of Greenwich and London Borough of Newham at the centre of the river Thames along both the northbound and southbound carriageways.	
The traffic regulatio	n measures (clearways and prohibitions) plans, shee	t 3
London Borough of Newham	A length of new highway from the point where Silvertown Tunnel northern approach meets Tidal Basin Roundabout in a generally south easterly direction to the north portal of the Silvertown Tunnel along both the northbound and southbound carriageways.	Clearway (Red Route) (to include verges)
	Silvertown Way Off-Slip (Dedicated Left Turn) A length of new highway from a point on the A1020 Silvertown Way off-slip 40 metres southeast of the Tidal Basin Roundabout initially in a north-westerly direction then turning in a southerly direction to a point where it joins the Silvertown Tunnel Approach Southbound.	No Stopping (Red Route)
	Tidal Basin Roundabout The length of the entire circulatory carriageway of the Tidal Basin Roundabout including the north to south through link.	
	A1020 Silvertown Way Northbound Off-Slip A length of existing slip road from the start of the nosing on the A1020 Silvertown Way northbound to the point where the slip road meets Tidal Basin Roundabout.	No Stopping (Red Route Side Road)
	A1020 Silvertown Way Southbound On-Slip The length of existing slip road from where it meets Tidal Basin Roundabout to the end of the nosing on A1020 Silvertown Way southbound.	No Stopping (Red Route Side Road)
	Tidal Basin Road A length of existing highway from the point where Tidal Basin Road meets Tidal Basin Roundabout, to its junction with Western Gateway along both the westbound and eastbound carriageway.	No Stopping (Red Route Side Road)
	Tunnel Services Compound Access Road (off realigned Dock Road)	Waiting and loading restriction

		,
Borough	Road name, number and length	Measures
(1)	(2)	(3)
	A length of new highway from its junction with the realigned Dock Road (360 metres south-east from where Dock Road meets the new Tidal Basin Roundabout) in a generally north westerly direction, for a distance of approximately 80 metres.	No waiting or loading at any time
	Dock Road (realigned) A length of new highway from the point where Dock Road meets Tidal Basin Roundabout in a southerly direction to the northern kerb line of Scarab Close junction.	No Stopping (Red Route Side Road)
The traffic regulatio	n measures (clearways and prohibitions) plans, sheet	ts 3 and 4
London Borough of Newham	A1020 Lower Lea Crossing A length of existing highway from the point where Lower Lea Crossing meets Tidal Basin Roundabout, to the Borough boundary between London Borough of Newham and London Borough of Tower Hamlets along both the eastbound and westbound carriageways.	No Stopping (Red Route)
The traffic regulatio	n measures (clearways and prohibitions) plans, shee	t 4
	A1020 Lower Lea Crossing A length of existing highway from the Borough boundary between London Borough of Newham and London Borough of Tower Hamlets to the point where Lower Lea Crossing meets the Leamouth Circus Roundabout along both the eastbound and westbound carriageways.	No Stopping (Red Route)
	A1020 Lower Lea Crossing to Canning Town Station Access A length of existing highway from its on-slip with A1020 Lower Lea Crossing westbound to 45 metres north along the access road and a length of existing highway from its off-slip with A1020 Lower Lea Crossing westbound to 45 metres north along the access road. Orchard Place Northern Slip Road	No Stopping (Red Route Side Road) No Stopping (Red
	A length of the existing slip road from its junction with A1020 Lower Lea Crossing Eastbound carriageway in a generally easterly direction to its junction with Orchard Place. Orchard Place Southern Slip Road	Route Side Road) No Stopping (Red Route Side Road)

Borough	Borough Road name, number and length	
(1)	(2)	(3)
	A length of the existing slip road from its junction with A1020 Lower Lea Crossing Westbound carriageway in a generally easterly direction to its junction with Orchard Place.	
	Leamouth Circus Roundabout	No Stopping (Red Route Side Road)
	The length of the circulatory carriageway on the existing Leamouth Circus Roundabout.	·
	Blackwall Way	No Stopping (Red Route Side Road)
	A length of existing highway from the point where Blackwall Way meets Leamouth Circus Roundabout to the start of the north splitter island on the Blackwall Way/Newport Avenue roundabout along both the northbound and southbound carriageways.	ŕ
	Aspen Way (Westbound)	Clearway (Red Route Side Road)
	A length of existing highway from the point where Aspen Way westbound carriageway meets Leamouth Circus Roundabout, in a westerly direction for 30 metres.	(to include verges)
	Saffron Avenue	No Stopping (Red Route Side Road)
	A length of existing private highway from the point where Saffron Avenue meets Leamouth Circus Roundabout to the point where it meets the Saffron Avenue/Oregano Drive mini-roundabout.	Saffron Avenue is a private road. This measure can only be effected with the landowner's consent.
	A1020 Leamouth Road	No Stopping (Red Route Side Road)
	A length of existing highway from the point where the A1020 Leamouth Road meets Leamouth Circus Roundabout in northerly direction for 150 metres along both the northbound and southbound carriageways.	,
	Silvocea Way	No Stopping (Red Route Side Road)
	A length of existing highway from the point where Silvocea Way meets Leamouth Circus Roundabout in a generally northerly direction for a distance of 35 metres to the southern kerb line of the access to the petrol station.	

PART 3 PRESCRIBED ROUTES

Borough	Road name, number and length	Measures
(1)	(2)	(3)
The traffic regule	ation measures (clearways and prohibitions) plans, si	heet 1
Royal Borough of Greenwich	Pavilion Way (Realigned)	New prescribed route
Greenwich	A length of new highway from a point on the existing A102 Blackwall Tunnel southern approach Southbound 130 metres south of the existing Blackwall Tunnel Southbound South Portal, in a generally southerly direction then turning eastwards to its junction with the northbound carriageway of the existing Millennium Way, for a distance of 150 metres, and a length of new highway from a point on the northbound carriageway of the existing Millennium Way 75 metres to the north west of its junction with the existing Edmund Halley Way, in a generally southerly direction to its junction with the Silvertown Tunnel southern approach Northbound, for a distance of 215 metres.	Prohibition of entry (no entry at any time except by buses)
	Silvertown Tunnel southern approach Southbound	New prescribed route
	The nearside lane of a length of new highway from the south portal of the Silvertown Tunnel Southbound, in a generally south easterly direction, for a distance of 20 metres.	Prohibition of entry in the nearside lane (no entry at any time with the exception of buses, taxis and goods vehicles in excess of 7.5 tonnes)
	Silvertown Tunnel southern approach Northbound	New prescribed route
	The nearside lane of a length of new highway from a point 50 metres south of the south portal of the Silvertown Tunnel northbound, in a generally northerly direction to the south portal of the Silvertown Tunnel northbound.	Prohibition of entry in the nearside lane (no entry at any time with the exception of buses, taxis and goods vehicles in excess of 7.5 tonnes)
	A102 Blackwall Tunnel southern approach Northbound On-Slip	New prescribed route
	A length of new highway from its junction with A102 Blackwall Tunnel southern approach northbound carriageway 70 metres south of Blackwall Tunnel Gatehouse, to its junction with Tunnel Avenue.	Prohibition of entry (no entry at any time except by buses)

Borough	Road name, number and length	Measures
Borough	Road name, namber and tengin	Wicasures
(1)	(2)	(3)
The traffic regula	ation measures (clearways and prohibitions) plans, sl	neets 1 and 2
	Silvertown Tunnel	New prescribed route
Greenwich		
	A length of new highway (tunnel) from the Borough	Prohibition of entry
	boundary between Royal Borough of Greenwich	in the nearside lane
	and London Borough of Newham at the centre	(no entry at any time
	of the river Thames to the south portal of the	with the exception of
	Silvertown Tunnel southern approach along the	buses, taxis and goods
	nearside lane of the northbound and southbound	vehicles in excess of
	carriageways.	7.5 tonnes)
The traffic regula	ation measures (clearways and prohibitions) plans, sl	neets 2 and 3
London Borough	Silvertown Tunnel	New prescribed route
of Newham		•
	A length of new highway (tunnel) from the Borough	Prohibition of entry
	boundary between Royal Borough of Greenwich	in the nearside lane
	and London Borough of Newham at the centre	(no entry at any time
	of the river Thames to the north portal of the	with the exception of
	Silvertown Tunnel northern approach along the	buses, taxis and goods
	nearside lane of the northbound and southbound	vehicles in excess of
	carriageways.	7.5 tonnes)
The traffic regula	ation measures (clearways and prohibitions) plans, sl	neet 3
London Borough	Silvertown Tunnel northern approach Northbound	New prescribed route
of Newham	and Southbound	
		Prohibition of entry
	A length of new highway from the north portal	in the nearside lane
	of the Silvertown Tunnel, in a generally northerly	(no entry at any time)
	direction, for a distance of 10 metres along the	with the exception of
	nearside lane of the northbound and southbound	buses, taxis and goods
	carriageways.	vehicles in excess of
		7.5 tonnes
		7.5 tonnes

PART 4 REVOCATIONS & VARIATIONS OF EXISTING TRAFFIC REGULATION ORDERS

Borough	Road name, number and length	Title of Order	Revocations or Variations
(1)	iengin	(3)	variations
	(2)		(4)
The traffic regula	ution measures (clearways a	and prohibitions) plans, sheet	1
Royal Borough of	Tunnel Avenue	The GLA and GLA	Order to be partially
Greenwich		Side Roads (Greenwich)	revoked
	Tunnel Avenue, from	Red Route (Clearway)	
	its junction with A102	Consolidation Traffic Order	As identified on
	Blackwall Tunnel	(GLA 2007 No. 417)	sheet 1 by a dashed

Borough	Road name, number and	Title of Order	Revocations or
	length	(2)	Variations
(1)	(2)	(3)	(4)
The traffic regula	southern approach 100 metres south east of Blackwall Tunnel Gatehouse to a point 35 metres south-east of the extended south easternmost building line of No. 215 Blackwall Tunnel Approach.	and prohibitions) plans, shee	purple line broken by the characters "xx"
	Dock Road (Realigned)	Traffic Management Order	Order to be varied
of Newham	A length of new highway from the northern kerb line of Scarab Close junction in a south easterly direction, for a distance of 430 metres.	The Newham (Waiting and Loading Restriction) Order 2011 No. 107	(varying the length of the realigned Dock Road to which the Order applies) Dock Road, along both sides, from the northern kerb line of Scarab Close junction and a point 20 metres southeast of the northwestern boundary of Waterfront Studios Business Centre As identified on sheet 3 by a dashed orange line broken by the character "A"
	Tidal Basin Roundabout	Traffic Management Order	Order to be partially revoked
	The length of the entire existing circulatory carriageway of the Tidal Basin Roundabout.	The Newham (Waiting and Loading Restriction) Order 2011 No. 107	As identified on sheet 3 by a dashed orange line broken by the characters "xx"
The traffic regula	ation measures (clearways d	and prohibitions) plans, sheet	ts 3 and 4
London Borough of Newham	A1020 Lower Lea Crossing	Traffic Management Order	Order to be partially revoked

Borough	Road name, number and	Title of Order	Revocations or
(1)	length	(2)	Variations
(1)	(2)	(3)	(4)
	A length of existing highway from the point where Lower Lea Crossing meets Tidal Basin roundabout to the Borough boundary between London Borough of Newham and London Borough of Tower Hamlets along both the westbound and eastbound carriageways.	The Newham (Waiting and Loading Restriction) Order 2011 No. 107	As identified on sheets 3 and 4 by a dashed orange line broken by the characters "xx"
The traffic regula	<u> </u>	 und prohibitions) plans, sheet	<u> </u> t 4
London Borough of Tower Hamlets	A1020 Lower Lea Crossing A length of existing highway from the Borough boundary between London Borough of Newham and London Borough of Tower Hamlets to the point where Lower Lea Crossing meets the Leamouth Circus Roundabout along both the eastbound and westbound carriageways.	Traffic Management Order The Tower Hamlets (Waiting and Loading Restriction) Order 2012 No. 14	Order to be partially revoked As identified on sheet 4 by a dashed orange line broken by the characters "xx"
	Orchard Place Northern Slip Road A length of the existing slip road from its junction with A1020 Lower Lea Crossing Eastbound carriageway in a generally easterly direction for 115 metres to its junction with Orchard Place. Orchard Place Southern	Traffic Management Order The Tower Hamlets (Waiting and Loading Restriction) Order 2012 No. 14 Traffic Management Order	Order to be partially revoked As identified on sheet 4 by a dashed orange line broken by the characters "xx" Order to be partially
	A length of the existing slip road from its junction with A1020	The Tower Hamlets (Waiting and Loading Restriction) Order 2012 No. 14	As identified on sheet 4 by a dashed orange line broken

Borough	Road name, number and length	Title of Order	Revocations or Variations
(1)	(2)	(3)	(4)
	Lower Lea Crossing Westbound carriageway in a generally easterly direction for 140 metres to its junction with Orchard Place.		by the characters "xx"
	Blackwall Way	Traffic Management Order	Order to be partially revoked
	A length of the existing Blackwall Way from the point where it meets Leamouth Circus Roundabout to the start of the north splitter island on Blackwall Way/Newport Avenue roundabout along both the northbound and southbound carriageway.	The Tower Hamlets (Waiting and Loading Restriction) Order 2012 No. 14	As identified on sheet 4 by a dashed orange line broken by the characters "xx"
	A1020 Leamouth Road	Traffic Management Order	Order to be partially revoked
	A length of existing highway from the point where the A1020 Leamouth Road meets Leamouth Circus Roundabout, in a northerly direction for 150 metres along both the northbound and southbound carriageways.	The Tower Hamlets (Waiting and Loading Restriction) Order 2012 No. 14	As identified on sheet 4 by a dashed orange line broken by the characters "xx"
	Silvocea Way	Traffic Management Order	Order to be partially revoked
	A length of existing highway from the point where Silvocea Way meets Leamouth Circus Roundabout in a generally northerly direction for a distance of 35 metres to the southern kerb line of the access to the petrol station.	The Tower Hamlets (Waiting and Loading Restriction) Order 2012 No. 14	As identified on sheet 4 by a dashed orange line broken by the characters "xx"

PART 5

VARIATIONS OF EXISTING TRAFFIC REGULATION ORDERS DUE TO ROAD RE-CLASSIFICATION

Borough	Title of Order	Revocations or
(1)	(2)	Variations (3)
Royal Borough of Greenwich	Traffic Management Order	Orders to be varied
	The Greenwich (Waiting and Loading Restriction) Order 2007 No. 28	Substitute all references to A102 Blackwall Tunnel
	Traffic Management Order	southern approach with A12 Blackwall Tunnel
	The Greenwich (Prescribed Routes) (No. 132) Traffic Order 2007	Southern Approach. Substitute all references
	Traffic Management Order	to A102 Blackwall Tunnel with A12 Blackwall
	The Greenwich (Prescribed Routes) (No. 141) Traffic Order 2009	Tunnel.
		Substitute all references to A102 Blackwall Tunnel northern approach with A12 Blackwall Tunnel
Davel Darayah of	CLA 2005 No. 016	northern approach.
Royal Borough of Greenwich, London	GLA 2005 No. 016	
Borough of Newham,		
and London Borough of		
Tower Hamlets	Blackwall Tunnel southern approach Road and Northbound Blackwall Tunnel,	
	London Boroughs of Greenwich and	
	Tower Hamlets) (Restricted Road) Order 2005	
	GLA 2006 No. 044	
	The A12/A102 GLA Road (Blackwall Tunnel northern approach Road, Blackwall Tunnel southern approach Road	
	and the Southbound Blackwall Tunnel, London Boroughs of Greenwich and Tower Hamlets) (Variable Speed Limits) Order 2006	
	GLA 2006 No. 403	
	The A102 GLA Road (Blackwall Tunnel southern approach Road, London Borough	

Borough	Title of Order	Revocations or
(1)	(2)	Variations (3)
	of Greenwich) (Prohibition of Traffic and Pedestrians) Order 2006	
	GLA 2011 No. 279	
	The A102 GLA Side Road (Tunnel Avenue, London Borough of Greenwich) Banned Turn Experimental Traffic Order 2011	
	GLA 2009 No. 152	
	The A12 and 102 GLA Roads (Blackwall Tunnel and Blackwall Tunnel Approaches, Greenwich and Tower Hamlets) Prescribed Routes Traffic Order 2009	
	GLA 2011 No. 452	
	The Blackwall Tunnel (No. 1) Traffic Order 1982 A102 GLA Road (London Borough of Greenwich) Experimental Variation Order 2011	
	GLA 2007 No. 417	
	The GLA Roads and GLA Side Roads (Greenwich) Red Route (Clearway) Consolidation Traffic Order 2007	