



---

OFFERYNNAU STATUDOL  
CYMRU

---

---

WELSH STATUTORY  
INSTRUMENTS

---

**2008 Rhif 3100 (Cy.274)**

**2008 No. 3100 (W.274)**

**AER GLÂN, CYMRU**

**CLEAN AIR, WALES**

Rheoliadau Ardaloedd Rheoli Mwg  
(Tanwyddau Awdurdodedig)  
(Cymru) 2008

The Smoke Control Areas  
(Authorised Fuels) (Wales)  
Regulations 2008

**NODYN ESBONIADOL**

**EXPLANATORY NOTE**

*(Nid yw'r nodyn hwn yn rhan o'r Rheoliadau)*

*(This note is not part of the Regulations)*

Mae adran 20 o Ddeddf Aer Glân 1993 ("Deddf 1993") yn darparu, pan fo simnai naill ai—

Section 20 of the Clean Air Act 1993 ("the 1993 Act") provides that where a chimney is either—

- (a) yn simnai adeilad; neu
- (b) yn simnai sy'n gwasanaethu ffwrnais bwyler sefydlog neu beiriannau diwydiannol,

- (a) a chimney of a building; or
- (b) a chimney serving the furnace of a fixed boiler or industrial plant,

fod meddiannydd yr adeilad, neu (yn ôl y digwydd) y person sy'n meddu ar y bwyler neu'r peiriannau yn euog o dramgwydd os yw'r simnai mewn ardal rheoli mwg ac yn gollwng mwg. Er hynny, mae'n amddiffyniad os gellir profi mai drwy ddefnyddio tanwydd awdurdodedig yn unig yr achoswyd y gollyngiad honedig.

then the occupier of the building or (as the case may be) the person having possession of the boiler or plant is guilty of an offence if the chimney is in a smoke control area and emits smoke. However, it is a defence to prove that the alleged emission was caused solely by the use of an authorised fuel.

Yng Nghymru, ystyr tanwydd awdurdodedig yw tanwydd y datgenir ei fod wedi'i awdurdodi drwy Reoliadau a wnaed gan Weinidogion Cymru.

In Wales, an authorised fuel means a fuel declared to be authorised by Regulations made by the Welsh Ministers.

Mae'r rheoliadau hyn yn pennu pob tanwydd sydd wedi'i awdurdodi i'w ddefnyddio yng Nghymru at ddibenion adran 20 o Ddeddf 1993. Maent yn dirymu ac yn cymryd lle Rheoliadau Ardaloedd Rheoli Mwg (Tanwyddau Awdurdodedig) (Cymru) 2006 (O.S. 2006/2979) (Cy.270)).

These regulations specify all fuels which are currently authorised for use in Wales for the purposes of Section 20 of the 1993 Act. They revoke and replace the Smoke Control Areas (Authorised Fuels) (Wales) Regulations 2006 (S.I. 2006/2979) (W.270)).

Mae'r rhan fwyaf o'r tanwyddau yn y Rheoliadau hyn wedi bod yn danwyddau awdurdodedig o'r blaen. Er hynny, mae'r disgrifiad o frics glo Aimcor Excel, brics glo Aimcor Pureheat a Long Beach Lump nuts wedi cael eu hadolygu i adlewyrchu newidiadau yn eu gweithgynhyrchu.

Most of the fuels in these Regulations have previously been authorised fuels. However, the description of Aimcor Excel briquettes, Aimcor Pureheat briquettes, and Long Beach Lump nuts have been revised to reflect changes in their manufacture.

Awdurdodir defnyddio'r canlynol am y tro cyntaf: Big K Instant Lighting Fire Logs, briciau glo Ecoal, La Hacienda Easy Logs, Optima Fire Logs, Pyrobloc Fire

Big K Instant Lighting Fire Logs, Ecoal briquettes, La Hacienda Easy Logs, Optima Fire Logs, Pyrobloc Fire Logs, and Unicite are authorised for use for the

Logs, ac Unicite. Cafodd math arall o Zip Firelog hefyd ei awdurdodi am y tro cyntaf.

Mae darpariaeth arbed (gweler Rheoliad 3(2)) yn sicrhau y bydd tanwyddau awdurdodedig a weithgynhrychwyd cyn dyfodiad y Rheoliadau hyn i rym yn parhau i fod yn danwyddau awdurdodedig. Bydd defnyddio tanwyddau o'r fath felly yn parhau i fod yn amddiffyniad yn erbyn unrhyw honiad bod mwg wedi'i ollwng yn anghyfreithlon, hynny yw, yn groes i adran 20 o Ddeddf 1993.

Cafodd asesiad effaith rheoleiddiol ei baratoi mewn cysylltiad â'r Rheoliadau hyn. Gellir cael copi ohono gan Lywodraeth Cynulliad Cymru, Parc Cathays, Caerdydd CF10 3NQ.

first time. A further type of Zip Firelog has also been authorised for the first time.

A savings provision (see Regulation 3(2)) ensures that authorised fuels manufactured before these Regulations came into force will continue to be authorised fuels. Use of such fuels will therefore continue to provide a defence to any allegation of an unlawful emission of smoke contrary to Section 20 of the 1993 Act.

A regulatory impact assessment has been prepared in connection with these Regulations. A copy can be obtained from the Welsh Assembly Government, Cathays Park, Cardiff CF10 3NQ.

**2008 Rhif 3100 (Cy.274)**

**AER GLÂN, CYMRU**

**Rheoliadau Ardaloedd Rheoli Mwg  
(Tanwyddau Awdurdodedig)  
(Cymru) 2008**

*Gwnaed* 3 Rhagfyr 2008

*Gosodwyd gerbron Cynulliad  
Cenedlaethol Cymru* 4 Rhagfyr 2008

*Yn dod i rym* 31 Rhagfyr 2008

Mae Gweinidogion Cymru, drwy arfer y pwerau a roddwyd i'r Ysgrifennydd Gwladol gan adran 20(6) a 63(1) o Ddeddf Aer Glân 1993(1), ac a freiniwyd bellach yng Ngweinidogion Cymru(2) drwy hyn yn gwneud y Rheoliadau a ganlyn:

**Enwi, cychwyn a chymhwyso**

1.—(1) Enw'r Rheoliadau hyn yw Rheoliadau Ardaloedd Rheoli Mwg (Tanwyddau Awdurdodedig) (Cymru) 2008 a deuant i rym ar 31 Rhagfyr 2008.

(2) Mae'r rheoliadau hyn yn gymwys o ran Cymru.

**Tanwyddau awdurdodedig at ddibenion Rhan III  
o Ddeddf Aer Glân 1993**

2. Datgenir bod glo caled, glo lled-galed, trydan, nwy, gloeau stêm isel eu hanweddolrwydd a'r tanwyddau a ddisgrifir yn yr Atodlen yn danwyddau awdurdodedig at ddibenion Rhan III o Ddeddf Aer Glân 1993.

**2008 No. 3100 (W.274)**

**CLEAN AIR, WALES**

**The Smoke Control Areas  
(Authorised Fuels) (Wales)  
Regulations 2008**

*Made* 3 December 2008

*Laid before the National Assembly  
for Wales* 4 December 2008

*Coming into force* 31 December 2008

The Welsh Ministers in exercise of the powers conferred upon the Secretary of State by section 20(6) and 63(1) of the Clean Air Act 1993(1) and now vested in the Welsh Ministers (2) make the following Regulations:

**Title, commencement, and application**

1.—(1) The title of these Regulations is the Smoke Control Areas (Authorised Fuels) (Wales) Regulations 2008 and they come into force on 31 December 2008.

(2) These Regulations apply in relation to Wales.

**Authorised fuels for the purposes of Part III of the  
Clean Air Act 1993**

2. Anthracite, semi-anthracite, electricity, gas, low volatile steam coals and the fuels described in the Schedule are declared to be authorised fuels for the purposes of Part III of the Clean Air Act 1993.

---

(1) 1993 p.11.

(2) Trosglwyddwyd swyddogaethau perthnasol yr Ysgrifennydd Gwladol i'r Cynulliad Cenedlaethol gan Erthygl 2 o Orchymyn Cynulliad Cenedlaethol Cymru (Trosglwyddo Swyddogaethau) 1999, ac Atodlen 1 iddo (O.S. 1999/672) a'u trosglwyddo wedi hynny i Weinidogion Cymru gan adran 162 o Ddeddf Llywodraeth Cymru 2006 a pharagraff 30 o Atodlen 11 iddi (p.32).

---

(1) 1993 c.11.

(2) The relevant powers of the Secretary of State were transferred to the National Assembly by Article 2 of, and Schedule 1 to, the National Assembly for Wales (Transfer of Functions) Order 1999 (S.I. 1999/672) and thereafter transferred to the Welsh Ministers by section 162 of, and paragraph 30 of Schedule 11 to the Government of Wales Act 2006 (c.32).

### **Dirymiadau ac arbedion**

3.—(1) Dirymir Rheoliadau Ardaloedd Rheoli Mwg (Tanwyddau Awdurdodedig) (Cymru) 2006(1).

(2) Bydd unrhyw danwydd a weithgynhychwyd cyn i'r Rheoliadau hyn ddod i rym, ac a oedd yn danwydd awdurdodedig adeg ei weithgynhyrchu, yn parhau i fod yn danwydd awdurdodedig er bod Rheoliadau Ardaloedd Rheoli Mwg (Tanwyddau Awdurdodedig) (Cymru) 2006 wedi'u dirymu.

### **Revocations and savings**

3.—(1) The Smoke Control Areas (Authorised Fuels) (Wales) Regulations 2006(1) are revoked.

(2) Any fuel manufactured before the coming into force of these Regulations which was an authorised fuel when it was manufactured will continue to be an authorised fuel notwithstanding the revocation of The Smoke Control Areas (Authorised Fuels) (Wales) Regulations 2006.

*Jane Davidson*

Y Gweinidog dros yr Amgylchedd, Cynaliadwyedd a Thai, un o Weinidogion Cymru

Minister for Environment, Sustainability and Housing, one of the Welsh Ministers

3 Rhagfyr 2008

3 December 2008

## TANWYDDAU AWDURDODEDIG

## AUTHORISED FUELS

1. Brics glo Aimcor Excel, a weithgynhyrchir gan Applied Industrial Materials UK Limited yn Newfield, County Durham, neu a weithgynhyrchir gan Oxbow Carbon & Minerals UK Limited yn Windsor House, Cornwall Road, Harrogate, North Yorkshire—

- (a) sy'n cynnwys golosg petrolewm (sef rhyw 60 i 75 y cant o'r cyfanswm pwysau), glo isel ei anweddolrwydd a golosg adweithiol (sef rhyw 20 i 25 y cant o'r cyfanswm pwysau) a rhwymwr resin sy'n caledu pan fo'n oer (sef gweddill y pwysau);
- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys rhoio-wasgu;
- (c) sy'n frics glo heb eu marcio ar siâp gobennydd, yn pwyso 73 gram ar gyfartaledd; ac
- (ch) nad ydynt yn cynnwys mwy na 2 y cant o sylffwr o'r cyfanswm pwysau.

2. Brics glo Aimcor Pureheat a weithgynhyrchir gan Applied Industrial Materials UK Limited yn Immingham, North East Lincolnshire, neu a weithgynhyrchir gan Oxbow Carbon & Minerals UK Limited yn Windsor House, Cornwall Road, Harrogate, North Yorkshire —

- (a) sy'n cynnwys glo caled (sef rhyw 60 y cant o'r cyfanswm pwysau), golosg petrolewm (sef rhyw 25 y cant o'r cyfanswm pwysau) a rhwymwr (sef gweddill y pwysau);
- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys rhoio-wasgu a thriniaeth wres ar ryw 250°C;
- (c) sy'n frics glo ar siâp gobennydd gydag un llinell wedi'i hindentio ar un ochr a dwy linell wedi'u hindentio ar yr ochr arall ac sy'n pwyso 75 gram ar gyfartaledd; ac
- (ch) nad ydynt yn cynnwys mwy na 2 y cant o sylffwr o'r cyfanswm pwysau.

3. Brics glo Ancit, a weithgynhyrchir gan Coal Products Limited yn Immingham Briquetting Works, Immingham, North East Lincolnshire—

- (a) sy'n cynnwys glo caled (sef rhyw 60 i 95 y cant o'r cyfanswm pwysau), golosg petrolewm (sef rhyw 30 y cant o'r cyfanswm pwysau), glo meddal (sef rhyw 15 y cant o'r cyfanswm pwysau) a rhwymwr triagl ac asid ffosfforig neu rywymwr organig (sef gweddill y pwysau);

1. Aimcor Excel briquettes, manufactured by Applied Industrial Materials UK Limited at Newfield, County Durham, or manufactured by Oxbow Carbon & Minerals UK Limited at Windsor House, Cornwall Road, Harrogate, North Yorkshire, which—

- (a) comprise petroleum coke (as to approximately 60 to 75 per cent of the total weight), low volatile coal and reactive coke (as to approximately 20 to 25 per cent of the total weight) and cold-setting resin binder (as to the remaining weight);
- (b) were manufactured from those constituents by a process involving roll-pressing;
- (c) are unmarked pillow-shaped briquettes and have an average weight of 73 grammes; and
- (d) have a sulphur content not exceeding 2 per cent of the total weight.

2. Aimcor Pureheat briquettes, manufactured by Applied Industrial Materials UK Limited at Immingham, North East Lincolnshire, or manufactured by Oxbow Carbon & Minerals UK Limited at Windsor House, Cornwall Road, Harrogate, North Yorkshire, which—

- (a) comprise anthracite (as to approximately 60 per cent of the total weight), petroleum coke (as to approximately 25 per cent of the total weight) and binder (as to the remaining weight);
- (b) were manufactured from those constituents by a process involving roll-pressing and heat treatment at about 250°C;
- (c) are pillow-shaped briquettes with a single line indentation on one side and a double line indentation on the reverse side and have an average weight of 75 grammes; and
- (d) have a sulphur content not exceeding 2 per cent of the total weight.

3. Ancit briquettes, manufactured by Coal Products Limited at Immingham Briquetting Works, Immingham, North East Lincolnshire, which—

- (a) comprise anthracite (as to approximately 60 to 95 per cent of the total weight), petroleum coke (as to approximately 30 per cent of the total weight), bituminous coal (as to approximately 15 per cent of the total weight) and a molasses and phosphoric acid binder or an organic binder (as to the remaining weight);

- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys rholio-wasgu a thriniaeth wres ar ryw 300°C;
- (c) sy'n frics glo heb eu marcio ar siâp clustog sy'n pwyso 48 gram ar gyfartaledd; ac
- (ch) nad ydynt yn cynnwys mwy na 2 y cant o sylffwr o'r cyfanswm pwysau.

**4. Big K Lighting Fire Logs, a weithgynhyrchir gan Allspan BV yn Macroweg 4, 5804 CL Venray, Yr Iseldiroedd—**

- (a) sy'n cynnwys cwyr hydrin (sef rhyw 58 i 59 y cant o'r cyfanswm pwysau), a blawd llif pren caled (sef gweddill y pwysau);
- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses triniaeth wres ac allwthio;
- (c) sy'n foncyffion tân, rhyw 235 milimetr eu hyd a 80 milimetr eu dyfnder, gyda rhigolau ar hyd yr wynebau, ac sy'n pwyso 1.1 cilogram ar gyfartaledd; ac
- (ch) nad ydynt yn cynnwys mwy na 0.1 y cant o sylffwr o'r cyfanswm pwysau.

**5. Brics glo Black Diamond Gem, a weithgynhyrchir gan Coal Products Limited yn Immingham Briquetting Works, Immingham, North East Lincolnshire—**

- (a) sy'n cynnwys llwch glo caled (sef rhyw 20 i 30 y cant o'r cyfanswm pwysau), golosg petrolewm (sef rhyw 40 i 45 y cant o'r cyfanswm pwysau), glo meddal (sef rhyw 12 i 22 y cant o'r cyfanswm pwysau) a rhwymwr triagl ac asid ffosfforig (sef gweddill y pwysau);
- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys rholio-wasgu a thriniaeth wres ar ryw 300°C;
- (c) sy'n frics glo ar siâp gobennydd wedi'u marcio â dwy linell gyfochrog sydd wedi'u hindentio ac yn rhedeg yn lledredol o amgylch y fricsen ac sy'n pwyso 160 gram ar gyfartaledd; ac
- (ch) nad ydynt yn cynnwys mwy na 1.5 y cant o sylffwr o'r cyfanswm pwysau.

**6. Bord na Móna Firelogs, a weithgynhyrchir gan Bord na Móna Fuels Limited, Newbridge, County Kildare, Gweriniaeth Iwerddon—**

- (a) sy'n cynnwys cwyr hydrin (sef rhyw 55 y cant o'r cyfanswm pwysau) a blawd llif pren caled (sef gweddill y pwysau);
- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses triniaeth wres ac allwthio;
- (c) sy'n foncyffion tân, rhyw 255 milimetr eu hyd a 75 milimetr eu diamedr, a chyda rhigolau ar hyd un wyneb hydredol, yn pwyso 1.3 cilogram (net) ar gyfartaledd; ac
- (ch) nad ydynt yn cynnwys mwy na 0.1 y cant o sylffwr o'r cyfanswm pwysau.

- (b) were manufactured from those constituents by a process involving roll-pressing and heat treatment at about 300° C;
- (c) are unmarked cushion-shaped briquettes with an average weight of 48 grammes; and
- (d) have a sulphur content not exceeding 2 per cent of the total weight.

**4. Big K Lighting Fire Logs, manufactured by Allspan BV at Macroweg 4, 5804 CL Venray, the Netherlands, which—**

- (a) comprise slack wax (as to approximately 58 to 59 per cent of the total weight), and hardwood sawdust (as to the remaining weight);
- (b) were manufactured from those constituents by a process of heat treatment and extrusion;
- (c) are fire logs approximately 235 millimetres in length and 80 millimetres in depth, with grooves along their faces and have an average weight of 1.1 kilograms; and
- (d) have a sulphur content not exceeding 0.1 per cent of the total weight.

**5. Black Diamond Gem briquettes, manufactured by Coal Products Limited at Immingham Briquetting Works, Immingham, North East Lincolnshire, which—**

- (a) comprise anthracite duff (as to approximately 20 to 30 per cent of the total weight), petroleum coke (as to approximately 40 to 45 per cent of the total weight), bituminous coal (as to approximately 12 to 22 per cent of the total weight) and molasses and phosphoric acid binder (as to the remaining weight);
- (b) were manufactured from those constituents by a process involving roll-pressing and heat treatment at about 300° C;
- (c) are pillow-shaped briquettes marked with two parallel indented lines running latitudinally around the briquette and have an average weight of 160 grammes; and
- (d) have a sulphur content not exceeding 1.5 per cent of the total weight.

**6. Bord na Móna Firelogs, manufactured by Bord na Móna Fuels Limited, Newbridge, County Kildare, Republic of Ireland, which—**

- (a) comprise slack wax (as to approximately 55 per cent of the total weight) and hardwood sawdust (as to the remaining weight);
- (b) were manufactured from those constituents by a process of heat treatment and extrusion;
- (c) are firelogs, approximately 255 millimetres in length and 75 millimetres in diameter, and with grooves along one longitudinal face, and have an average weight of 1.3 kilogrammes (net); and
- (d) have a sulphur content not exceeding 0.1 per cent of the total weight.

7. Brics glo Bord na Móna Firepak (sy'n cael eu marchnata hefyd fel brics glo Arigna Special) a weithgynhyrchir gan Bord na Móna Fuels Limited, Newbridge, County Kildare, Gweriniaeth Iwerddon—

- (a) sy'n cynnwys glo caled (sef rhyw 50 y cant o'r cyfanswm pwysau), golosg petrolewm (sef rhyw 20 i 40 y cant o'r cyfanswm pwysau), glo meddal (sef rhyw 10 i 30 y cant o'r cyfanswm pwysau) a rhwymwr sydd wedi'i seilio ar starts (sef gweddill y pwysau);
- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys rhoio-wasgu a thriniaeth wres;
- (c) sy'n frics glo heb eu marcio ar siâp gobennydd, yn pwyso 50 gram ar gyfartaledd; ac
- (ch) nad ydynt yn cynnwys mwy nag 1.5 y cant o sylffwr o'r cyfanswm pwysau.

8. Brics glo Briteflame, a weithgynhyrchir gan Maxibrite Limited ar Ystad Ddiwydiannol Mwyndy, Llantrisant, Rhondda Cynon Taf—

- (a) sy'n cynnwys glo meddal (sef rhyw 10 i 15 y cant o'r pwysau cyfan), golosg petrolewm (sef rhyw 10 i 15 y cant o'r pwysau cyfan), llwch glo caled (sef rhyw 70 i 80 y cant o'r pwysau cyfan) a rhwymwr starts (sef gweddill y pwysau);
- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys rhoio-wasgu a thriniaeth wres ar ryw 260°C;
- (c) sy'n frics glo heb eu marcio ar siâp gobennydd, yn pwyso 140 gram ar gyfartaledd; ac
- (ch) nad ydynt yn cynnwys mwy nag 1.9 y cant o sylffwr pan fyddant yn sych.

9. Bryant and May Firelogs a weithgynhyrchir gan Swedish Match yn Kostenetz, Bwlgaria—

- (a) sy'n cynnwys cwyr paraffin (sef rhyw 50 y cant o'r cyfanswm pwysau), pren poplys mâl (sef rhyw 25 y cant o'r cyfanswm pwysau), blawd gwenith (sef rhyw 15 y cant o'r cyfanswm pwysau), solidau cyneuadwy ar wasgar mewn cwyr paraffin ar ffurf jel (sef rhyw 1 y cant o'r cyfanswm pwysau) a dwr, cyfryngau chwyddo a chadwolyn (sef gweddill y pwysau);
- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys eu hallwthio;
- (c) y mae iddynt drawstoriadau cwadrant o ryw 80 milimetr o radiws, ac sy'n rhyw 265 milimetr o hyd gyda sribyn cynnau ar hyd un ymyl, ac sy'n pwyso rhyw 1.15 cilogram; ac
- (ch) nad ydynt yn cynnwys mwy nag 0.1 y cant o sylffwr o'r cyfanswm pwysau.

7. Bord na Móna Firepak briquettes (also marketed as Arigna Special coal briquettes), manufactured by Bord na Móna Fuels Limited, Newbridge, County Kildare, Republic of Ireland, which—

- (a) comprise anthracite (as to approximately 50 per cent of the total weight), petroleum coke (as to approximately 20 to 40 per cent of the total weight), bituminous coal (as to approximately 10 to 30 percent of the total weight) and starch based binder (as to the remaining weight);
- (b) were manufactured from those constituents by a process involving roll-pressing and heat treatment;
- (c) are unmarked pillow-shaped briquettes and have an average weight of 50 grammes; and
- (d) have a sulphur content not exceeding 1.5 per cent of the total weight.

8. Briteflame briquettes, manufactured by Maxibrite Limited at Mwyndy Industrial Estate, Llantrisant, Rhondda Cynon Taff, which—

- (a) comprise bituminous coal (as to approximately 10 to 15 per cent of the total weight), petroleum coke (as to approximately 10 to 15 per cent of the total weight), anthracite duff (as to approximately 70 to 80 per cent of the total weight), and starch binder (as to the remaining weight);
- (b) were manufactured from those constituents by a process involving roll-pressing and heat treatment at about 260°C;
- (c) are unmarked pillow-shaped briquettes and have an average weight of 140 grammes; and
- (d) have a sulphur content not exceeding 1.9 per cent sulphur on a dry basis.

9. Bryant and May Firelogs manufactured by Swedish Match at Kostenetz, Bulgaria, which—

- (a) comprise paraffin wax (as to approximately 50 per cent of the total weight), ground poplar wood (as to approximately 25 per cent of the total weight), wheatflour (as to approximately 15 per cent of the total weight), ignitable solids dispersed in gelled paraffin wax (as to approximately 1 per cent of the total weight) and water, swelling agents and preservative (as to the remaining weight);
- (b) were manufactured from those constituents by a process involving extrusion;
- (c) are of quadrant cross sections with a radius of approximately 80 millimetre, and length approximately 265 millimetres with an ignition strip along one edge, and having an approximate weight of 1.15 kilogrammes; and
- (d) have a sulphur content not exceeding 0.1 per cent of the total weight.

**10.** Brics glo Charglow, a weithgynhyrchir gan Polchar Spolka z ograniczona odpowiedzialnoscia, Police, Zachodniopomorskie, Gwlad Pwyl—

- (a) sy'n cynnwys golosg glo meddal (sef rhyw 45 i 95 y cant o'r cyfanswm pwysau), glo caled (sef rhyw 0 i 20 y cant o'r cyfanswm pwysau), golosg petrolewm (sef rhyw 0 i 20 y cant o'r cyfanswm pwysau), glo meddal (sef rhyw 0 i 10 y cant o'r cyfanswm pwysau) a rhwymwr organig (sef gweddill y pwysau);
- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys rhoio-wasgu a thriniaeth wres ar ryw 110°C;
- (c) sy'n frics glo heb eu marcio ar siâp gobennydd, yn pwyso 100 gram ar gyfartaledd; ac
- (ch) nad ydynt yn cynnwys mwy na 1.5 y cant o sylffwr o'r cyfanswm pwysau.

**11.** Coalite a weithgynhyrchir gan Coalite Products Limited yn Bolsover, ger Chesterfield, Derbyshire ac yn Grimethorpe, South Yorkshire drwy ddefnyddio proses carboneiddio tymheredd isel.

**12.** Golosg a weithgynhyrchir gan—

- (a) Coal Products Limited yn Cwm Coking Works, Llanilltud Faerdref, Pontypridd, Rhondda Cynon Taf, a'i werthu fel "Sunbrite";
- (b) Monckton Coke & Chemical Company Limited yn Royston, ger Barnsley, South Yorkshire a'i werthu fel "Sunbrite" neu "Monckton Boiler Beans";
- (c) Corus UK Limited yn Teesside Works, Redcar & Cleveland a'i werthu fel "Redcar Coke Nuts (Doubles)"; ac
- (ch) Coal Products Limited yn Cwm Coking Works, Llanilltud Faerdref, Pontypridd, Rhondda Cynon Taf a'i werthu fel "Cwm Coke Doubles".

**13.** Cosycoke (sy'n cael ei farchnata hefyd fel Lionheart Crusader neu Sunbrite Plus) a weithgynhyrchir gan Monckton Coke & Chemical Company Limited yn Royston, ger Barnsley, South Yorkshire ac Aimcor Supercoke (sydd hefyd yn cael ei farchnata fel Supercoke), a weithgynhyrchir gan M & G Fuels Limited yn Hartlepool Docks, Hartlepool, sydd ym mhob achos—

- (a) yn cynnwys golosg caled o faint penodol (sef rhyw 45 i 65 y cant o'r cyfanswm pwysau) a golosg petrolewm o faint penodol (sef gweddill y pwysau);
- (b) wedi'i weithgynhyrchu o'r cyfansoddion hynny drwy eu cyfuno;
- (c) sy'n hapsiapiau heb eu marcio; ac
- (ch) nad ydynt yn cynnwys mwy na 2 y cant o sylffwr o'r cyfanswm pwysau.

**10.** Charglow briquettes, manufactured by Polchar Spolka z ograniczona odpowiedzialnoscia, Police, Zachodniopomorskie, Poland, which—

- (a) comprise bituminous coal char (as to approximately 45 per cent to 95 per cent of the total weight), anthracite (as to approximately 0 per cent to 20 per cent of the total weight), petroleum coke (as to approximately 0 per cent to 20 per cent of the total weight), bituminous coal (as to approximately 0 per cent to 10 per cent of the total weight) and an organic binder (as to the remaining weight);
- (b) were manufactured from those constituents by a process involving roll pressing and heat treatment at about 110° C;
- (c) are unmarked pillow-shaped briquettes and have an average weight of 100 grammes; and
- (d) have a sulphur content not exceeding 1.5 per cent of the total weight.

**11.** Coalite manufactured by Coalite Products Limited at Bolsover, near Chesterfield, Derbyshire and at Grimethorpe, South Yorkshire using a low temperature carbonisation process.

**12.** Coke manufactured by—

- (a) Coal Products Limited at Cwm Coking Works, Llantwit Fardre, Pontypridd, Rhondda Cynon Taff, and sold as "Sunbrite";
- (b) Monckton Coke & Chemical Company Limited at Royston, near Barnsley, South Yorkshire and sold as "Sunbrite" or "Monckton Boiler Beans";
- (c) Corus UK Limited at Teesside Works, Redcar & Cleveland and sold as "Redcar Coke Nuts (Doubles)"; and
- (d) Coal Products Limited at Cwm Coking Works, Llantwit Fardre, Pontypridd, Rhondda Cynon Taff and sold as "Cwm Coke Doubles".

**13.** Cosycoke (also marketed as Lionheart Crusader or Sunbrite Plus) manufactured by Monckton Coke & Chemical Company Limited at Royston, near Barnsley, South Yorkshire and Aimcor Supercoke (also marketed as Supercoke), manufactured by M & G Fuels Limited at Hartlepool Docks, Hartlepool, which in each case—

- (a) comprise sized hard coke (as to approximately 45 to 65 per cent of the total weight) and sized petroleum coke (as to the remaining weight);
- (b) were manufactured from those constituents by blending;
- (c) are unmarked random shapes; and
- (d) have a sulphur content not exceeding 2 per cent of the total weight.

**14.** Brics glo Dragonbrite, a weithgynhyrchir gan Tower Colliery Limited yn Aberdâr, Rhondda Cynon Taf—

- (a) sy'n cynnwys llwch y twr (sef rhyw 95 y cant o gyfanswm y pwysau) a rhwymwr wedi ei seilio ar resin (sef gweddill y pwysau);
- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys rhoio-wasgu a chaledu oer;
- (c) sy'n frics glo ar siâp gobennydd, wedi eu marcio â'r llythyren "T" ar un ochr ac sy'n pwyso 50 gram ar gyfartaledd; ac
- (ch) nad ydynt yn cynnwys mwy nag 1 y cant o sylffwr o'r cyfanswm pwysau.

**15.** Brics glo Dragonbrite, a weithgynhyrchir gan Tower Colliery Limited yn Aberdâr, Rhondda Cynon Taf—

- (a) sy'n cynnwys llwch y twr (sef rhyw 95 y cant o gyfanswm y pwysau) a rhwymwr wedi ei seilio ar resin (sef gweddill y pwysau);
- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys rhoio-wasgu a chaledu oer;
- (c) sy'n frics glo heb eu marcio ar siâp gobennydd, yn pwyso 100 gram ar gyfartaledd; ac
- (ch) nad ydynt yn cynnwys mwy nag 1 y cant o sylffwr o'r cyfanswm pwysau.

**16.** Duraflame Firelogs, a weithgynhyrchir gan Paramelt B.V., Costerstraat 18, PO Box 86, 1700 AB Heerhugowaard, Yr Iseldiroedd—

- (a) sy'n cynnwys cwyr petrolewm sydd wedi'i seilio ar fwynau (sef rhyw 55 y cant o'r cyfanswm pwysau) a ffibr pren caled mâl (sef rhyw 45 y cant o'r cyfanswm pwysau);
- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses triniaeth wres ac allwthio;
- (c) sy'n foncyffion tân rhyw 320 milimetr eu hyd, 90 milimetr eu uchder ac 85 milimetr eu lled, yn pwyso 1.45 cilogram ar gyfartaledd, ac
- (ch) nad ydynt yn cynnwys mwy nag 0.1 y cant o sylffwr o'r cyfanswm pwysau.

**17.** Brics glo Ecoal, a weithgynhyrchir gan Coal Products Limited yn Immingham Briquetting Works, Immingham, North East Lincolnshire—

- (a) sy'n cynnwys gronynnau glo caled (sef rhyw 40 i 65 y cant o'r cyfanswm pwysau), golosg petrolewm (sef rhyw 20 i 40 y cant o'r cyfanswm pwysau), cols (sef rhyw 0 i 10 y cant o'r cyfanswm pwysau), glo meddal (sef rhyw 0 i 20 y cant o'r cyfanswm pwysau), biomas (sef rhyw 5 i 20 y cant o'r cyfanswm pwysau) a rhwymwr triagl ac asid ffosfforig (sef gweddill y pwysau);

**14.** Dragonbrite briquettes, manufactured by Tower Colliery Limited at Aberdare, Rhondda Cynon Taff which—

- (a) comprise tower duff (as to approximately 95 per cent of the total weight) and a resin-based binder (as to the remaining weight);
- (b) were manufactured from those constituents by a process involving cold cure roll pressing;
- (c) are pillow-shaped briquettes marked with the letter "T" on one side and have an average weight of 50 grammes; and
- (d) have a sulphur content not exceeding 1 per cent of the total weight.

**15.** Dragonglow briquettes, manufactured by Tower Colliery Limited at Aberdare, Rhondda Cynon Taf, which—

- (a) comprise tower duff (as to approximately 95 per cent of the total weight) and a resin-based binder (as to the remaining weight);
- (b) were manufactured from those constituents by a process involving cold cure roll pressing;
- (c) are unmarked pillow-shaped briquettes and have an average weight of 100 grammes; and
- (d) have a sulphur content not exceeding 1 per cent of the total weight.

**16.** Duraflame Firelogs, manufactured by Paramelt B.V., Costerstraat 18, PO Box 86, 1700 AB Heerhugowaard, The Netherlands, which—

- (a) comprise mineral-based petroleum wax (as to approximately 55 per cent of the total weight) and ground hardwood fibre (as to the remaining weight);
- (b) were manufactured from those constituents by a process of heat treatment and extrusion;
- (c) are firelogs approximately 320 millimetres in length, 90 millimetres high and 85 millimetres wide and have an average weight of 1.45 kilogrammes; and
- (d) have a sulphur content not exceeding 0.1 per cent of the total weight.

**17.** Ecoal briquettes, manufactured by Coal Products Limited at Immingham Briquetting Works, Immingham, North East Lincolnshire, which—

- (a) comprise anthracite fines (as to approximately 40 to 65 per cent of the total weight), petroleum coke (as to approximately 20 to 40 per cent of the total weight), char (as to approximately 0 to 10 per cent of the total weight), bituminous coal (as to approximately 0 to 20 per cent of the total weight), biomass (as to approximately 5 to 20 per cent of the total weight) and molasses and phosphoric acid as a binder (as to the remaining weight);

- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys rhoio-wasgu;
- (c) sy'n frics glo chweochrog heb eu marcio ac sy'n pwyso 125 gram ar gyfartaledd; ac
- (ch) nad ydynt yn cynnwys mwy na 2 y cant o sylffwr o'r cyfanswm pwysau.

**18.** Brics glo Ecobrite, a weithgynhyrchir gan Arigna Fuels Limited yn Arigna, Carrick-on-Shannon, County Roscommon, Gweriniaeth Iwerddon—

- (a) sy'n cynnwys gronynnau glo caled (sef rhyw 96 y cant o'r cyfanswm pwysau) a starts yn rhwymwr (sef gweddill y pwysau);
- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys rhoio-wasgu a thriniaeth wres ar ryw 250°C;
- (c) sy'n frics glo heb eu marcio ar siâp gobennydd mewn dau faint sydd, ar gyfartaledd, yn pwyso 37 gram ar gyfartaledd yn achos y maint lleiaf a 48 gram yn achos y maint mwyaf; ac
- (ch) nad ydynt yn cynnwys mwy nag 1.5 y cant o sylffwr o'r cyfanswm pwysau.

**19.** Brics glo Extracite, a weithgynhyrchir gan Sophia-Jacoba Handelsgesellschaft GmbH yn Hückelhoven, Yr Almaen—

- (a) sy'n cynnwys llwch glo caled (sef rhyw 95.5 y cant o'r cyfanswm pwysau) a lleisw amoniwm lignosylffonad yn rhwymwr (sef gweddill y pwysau);
- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys rhoio-wasgu a thriniaeth wres ar ryw 260°C;
- (c) sy'n frics glo ariannaidd ar siâp clustog a'r llythrennau "S" a "J" wedi'u marcio arnynt ac sy'n pwyso 40 gram ar gyfartaledd; ac
- (ch) sy'n cynnwys rhyw 1.2 y cant o sylffwr o'r cyfanswm pwysau.

**20.** Brics glo Fireglo, a weithgynhyrchir gan Les Combustibles de Normandie yn Caen, Ffrainc, a chan La Société Rouennaise de Défumage yn Rouen, Ffrainc—

- (a) sy'n cynnwys llychau Cymreig wedi'u golchi (sef rhyw 92 y cant o'r cyfanswm pwysau) a rhwymwr pyg glo (sef gweddill y pwysau);
- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys rhoio-wasgu a thriniaeth wres ar ryw 330°C;
- (c) sy'n ofoidau â thair llinell ar un ochr a'r ochr arall yn llyfn ac sy'n pwyso 30 gram ar gyfartaledd; ac
- (ch) nad ydynt yn cynnwys mwy na 0.8 y cant o sylffwr o'r cyfanswm pwysau.

- (b) were manufactured from those constituents by a process involving roll-pressing;
- (c) are unmarked hexagonal briquettes having an average weight of 125 grammes; and
- (d) have a sulphur content not exceeding 2 per cent of the total weight.

**18.** Ecobrite briquettes, manufactured by Arigna Fuels Limited at Arigna, Carrick-on-Shannon, County Roscommon, Republic of Ireland, which—

- (a) comprise anthracite fines (as to approximately 96 per cent of the total weight) and starch as binder (as to the remaining weight);
- (b) were manufactured from those constituents by a process involving roll-pressing and heat treatment at about 250° C;
- (c) are unmarked pillow-shaped briquettes in two sizes having an average weight of 37 grammes for the smaller size and 48 grammes for the larger size; and
- (d) have a sulphur content not exceeding 1.5 per cent of the total weight.

**19.** Extracite briquettes, manufactured by Sophia-Jacoba Handelsgesellschaft mbH at Hückelhoven, Germany, which—

- (a) comprise anthracite duff (as to approximately 95.5 per cent of the total weight) and ammonium lignosulphonate lye as binder (as to the remaining weight);
- (b) were manufactured from those constituents by a process involving roll-pressing and heat treatment at about 260° C;
- (c) are cushion-shaped briquettes with a silvery appearance and are marked with the letters "S" and "J" and have an average weight of 40 grammes; and
- (d) have a sulphur content of approximately 1.2 per cent of the total weight.

**20.** Fireglo briquettes, manufactured by Les Combustibles de Normandie at Caen, France, and by La Société Rouennaise de Défumage at Rouen, France, which—

- (a) comprise washed Welsh duffs (as to approximately 92 per cent of the total weight) and coal pitch binder (as to the remaining weight);
- (b) were manufactured from those constituents by a process involving roll-pressing and heat treatment at about 330° C;
- (c) are ovoids with three lines on one side and are smooth on the other side and have an average weight of 30 grammes; and
- (d) have a sulphur content not exceeding 0.8 per cent of the total weight.

**21.** Brics glo Homefire, a weithgynhyrchir gan Coal Products Limited yn Immingham Briquetting Works, Immingham, North East Lincolnshire—

- (a) sy'n cynnwys gronynnau glo caled (sef rhyw 40 i 70 y cant o'r cyfanswm pwysau), golosg petrolewm (sef rhyw 20 i 45 y cant o'r cyfanswm pwysau), cols (sef rhyw 0 i 10 y cant o'r cyfanswm pwysau), glo meddal (sef rhyw 5 i 30 y cant o'r cyfanswm pwysau) a rhwymwr organig neu rhwymwr triagl ac asid ffosfforig (sef gweddill y pwysau);
- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys rhoio-wasgu;
- (c) sydd, fel brics glo gorffenedig, yn cynnwys nid llai na 9 y cant ac nid mwy na 15 y cant o fater anweddol o'r cyfanswm pwysau pan fyddant yn sych;
- (ch) sy'n frics glo chweochrog heb eu marcio ac sy'n pwyso 140 gram ar gyfartaledd; ac
- (d) nad ydynt yn cynnwys mwy na 2 y cant o sylffwr o'r cyfanswm pwysau.

**22.** Homefire Ovals, a weithgynhyrchir gan Coal Products Limited yn Immingham Briquetting Works, Immingham, North East Lincolnshire—

- (a) sy'n cynnwys llwch glo caled (sef rhyw 57 y cant o'r cyfanswm pwysau), golosg petrolewm (sef rhyw 17 y cant o'r cyfanswm pwysau), glo meddal (sef rhyw 13 y cant o'r cyfanswm pwysau) a rhwymwr triagl ac asid ffosfforig (sef gweddill y pwysau);
- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys rhoio-wasgu a thriniaeth wres ar ryw 300°C;
- (c) sy'n frics glo ar siâp gobennydd wedi'u marcio â dwy linell gyfochrog sydd wedi'u hindentio ac yn rhedeg yn lledredol o amgylch y fricsen ac sy'n pwyso 135 gram ar gyfartaledd; ac
- (ch) nad ydynt yn cynnwys mwy na 2 y cant o sylffwr o'r cyfanswm pwysau.

**23.** Homefire Ovals (R), a weithgynhyrchir gan Coal Products Limited yn Immingham Briquetting Works, Immingham, North East Lincolnshire—

- (a) sy'n cynnwys gronynnau glo caled (sef rhyw 50 i 75 y cant o'r cyfanswm pwysau), golosg petrolewm (sef rhyw 20 i 45 y cant o'r cyfanswm pwysau), glo meddal (sef rhyw 5 i 17 y cant o'r cyfanswm pwysau) a rhwymwr organig (sef gweddill y pwysau);
- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys rhoio-wasgu;
- (c) sy'n frics glo ar siâp gobennydd wedi'u marcio â dwy linell gyfochrog sydd wedi'u hindentio ac yn rhedeg yn lledredol o amgylch y fricsen ac sy'n pwyso 130 gram ar gyfartaledd; ac

**21.** Homefire briquettes, manufactured by Coal Products Limited at Immingham Briquetting Works, Immingham, North East Lincolnshire, which—

- (a) comprise anthracite fines (as to approximately 40 to 70 per cent of the total weight), petroleum coke (as to approximately 20 to 45 per cent of the total weight), char (as to approximately 0 to 10 per cent of the total weight), bituminous coal (as to approximately 5 to 30 per cent of the total weight) and an organic binder or a molasses and phosphoric acid binder (as to the remaining weight);
- (b) were manufactured from those constituents by a process involving roll-pressing;
- (c) have a volatile matter content in the finished briquette of neither less than 9 nor more than 15 per cent of the total weight on a dry basis;
- (d) are unmarked hexagonal briquettes and have an average weight of 140 grammes; and
- (e) have a sulphur content not exceeding 2 per cent of the total weight.

**22.** Homefire ovals, manufactured by Coal Products Limited at Immingham Briquetting Works, Immingham, North East Lincolnshire, which—

- (a) comprise anthracite duff (as to approximately 57 per cent of the total weight), petroleum coke (as to approximately 17 per cent of the total weight), bituminous coal (as to approximately 13 per cent of the total weight) and molasses and phosphoric acid as binder (as to the remaining weight);
- (b) were manufactured from those constituents by a process involving roll-pressing and heat treatment at about 300°C;
- (c) are pillow-shaped briquettes with two parallel indented lines running latitudinally around the briquette and have an average weight of 135 grammes; and
- (d) have a sulphur content not exceeding 2 per cent of the total weight.

**23.** Homefire Ovals (R), manufactured by Coal Products Limited at Immingham Briquetting Works, Immingham, North East Lincolnshire, which—

- (a) comprise anthracite fines (as to approximately 50 to 75 per cent of the total weight), petroleum coke (as to approximately 20 to 45 per cent of the total weight), bituminous coal (as to approximately 5 to 17 per cent of the total weight) and an organic binder (as to the remaining weight);
- (b) were manufactured from those constituents by a process involving roll-pressing;
- (c) are pillow-shaped briquettes with two parallel indented lines running latitudinally around the briquette and have an average weight of 130 grammes; and

(ch) nad ydynt yn cynnwys mwy na 2 y cant o sylffwr o'r cyfanswm pwysau.

**24.** Island Lump ac Island Nuts, a weithgynhyrchir gan Unocal Refinery, California, Unol Daleithiau America—

- (a) sy'n cynnwys golosg petrolewm;
- (b) a weithgynhyrchwyd o'r golosg petrolewm drwy broses sy'n cynnwys triniaeth wres a chwistrellu stêm;
- (c) sy'n hapsiapiau heb eu marcio ac sy'n pwyso 80 gram ar gyfartaledd (Island Lump) neu 30 gram ar gyfartaledd (Island Nuts); ac
- (ch) nad ydynt yn cynnwys mwy na 2 y cant o sylffwr o'r cyfanswm pwysau.

**25.** Brics glo Jewel, a weithgynhyrchir gan Eldon Colliery Limited yn Newfield Works, Bishop Auckland, County Durham—

- (a) sy'n cynnwys glo caled (sef rhyw 30 i 50 y cant o'r cyfanswm pwysau) a golosg petrolewm Long Beach (sef rhyw 50 i 70 y cant o'r cyfanswm pwysau) a rhwymwr carbohydrad (sef gweddill y pwysau);
- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys rhoio-wasgu a thriniaeth wres ar ryw 150°C;
- (c) sy'n frics glo heb eu marcio ar siâp gobennydd, yn pwyso 33 gram ar gyfartaledd; ac
- (ch) nad ydynt yn cynnwys mwy na 1.5 y cant o sylffwr o'r cyfanswm pwysau.

**26.** La Hacienda Easy Logs, a weithgynhyrchir gan Allspan BV yn Macroweg 4, 5804 CL Venray, Yr Iseldiroedd—

- (a) sy'n cynnwys cwyr hydrin (sef rhyw 58 i 59 y cant o'r cyfanswm pwysau), a blawd llif pren caled (sef gweddill y pwysau);
- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses triniaeth wres ac allwthio;
- (c) sy'n foncyffion tân, rhyw 235 milimetr eu hyd a 80 milimetr eu dyfnder, gyda rhigolau ar hyd yr wyneb, ac sy'n pwyso 1.1 cilogram ar gyfartaledd; ac
- (ch) nad ydynt yn cynnwys mwy na 0.1 y cant o sylffwr o'r cyfanswm pwysau.

**27.** Long Beach Lump nuts (a elwir fel arall yn LBL nuts), a weithgynhyrchir gan Aimcor Carbon Corporation yn Long Beach, California, Unol Daleithiau America neu a weithgynhyrchir gan Oxbow Carbon & Minerals LLC, 330 Golden Shore, Suite 210, Long Beach, California 90802, Unol Daleithiau America—

- (a) sy'n cynnwys golosg petrolewm (sef rhyw 85 i 100 y cant o'r cyfanswm pwysau), calchfaen (sef rhyw 0 i 10 y cant o'r cyfanswm pwysau)

(d) have a sulphur content not exceeding 2 per cent of the total weight.

**24.** Island Lump and Island Nuts, manufactured by Unocal Refinery, California, the United States of America, which—

- (a) comprise petroleum coke;
- (b) were manufactured from the petroleum coke by a process involving heat treatment and steam injection;
- (c) are unmarked random shapes and have an average weight of 80 grammes (Island Lump) or 30 grammes (Island Nuts); and
- (d) have a sulphur content not exceeding 2 per cent of the total weight.

**25.** Jewel briquettes, manufactured by Eldon Colliery Limited at Newfield Works, Bishop Auckland, County Durham, which—

- (a) comprise anthracite (as to approximately 30 to 50 per cent of the total weight) and Long Beach petroleum coke (as to approximately 50 to 70 per cent of the total weight) and a carbohydrate binder (as to the remaining weight);
- (b) were manufactured from those constituents by a process involving roll-pressing and heat treatment at about 150°C;
- (c) are unmarked pillow-shaped briquettes and have an average weight of 33 grammes; and
- (d) have a sulphur content not exceeding 1.5 per cent of the total weight.

**26.** La Hacienda Easy Logs, manufactured by Allspan BV at Macroweg 4, 5804 CL Venray, the Netherlands, which—

- (a) comprise slack wax (as to approximately 58 to 59 per cent of the total weight), and hardwood sawdust (as to the remaining weight);
- (b) were manufactured from those constituents by a process of heat treatment and extrusion;
- (c) are fire logs approximately 235 millimetres in length and 80 millimetres in depth, with grooves along their faces and have an average weight of 1.1 kilograms; and
- (d) have a sulphur content not exceeding 0.1 per cent of the total weight.

**27.** Long Beach Lump nuts (otherwise known as LBL nuts), manufactured by Aimcor Carbon Corporation at Long Beach, California, the United States of America, or manufactured by Oxbow Carbon & Minerals LLC, 330 Golden Shore, Suite 210, Long Beach, California 90802, the United States of America, which—

- (a) comprise petroleum coke (as to approximately 85 to 100 per cent of the total weight), limestone (as to approximately 0 to 10 per cent

a phyg tar glo (sef gweddill y pwysau);

- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys triniaeth wres a chwistrellu stêm;
- (c) sy'n hapsiapiau heb eu marcio; ac
- (ch) nad ydynt yn cynnwys mwy na 2 y cant o sylffwr o'r cyfanswm pwysau.

**28.** Brics glo Maxibrite, a weithgynhyrchir gan Maxibrite Limited yn Llantrisant, Rhondda Cynon Taf—

- (a) sy'n cynnwys gronynnau glo caled (sef rhyw 84 y cant o'r cyfanswm pwysau), golosg petrolewm (sef rhyw 12 y cant o'r cyfanswm pwysau) a starts yn rhwymwr (sef gweddill y pwysau);
- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys rholio-wasgu a thriniaeth wres ar ryw 250°C;
- (c) sy'n frics ar siâp clustog wedi'u marcio â'r llythyren "M" ac sy'n pwyso 35 gram ar gyfartaledd; ac
- (ch) nad ydynt yn cynnwys mwy na 2 y cant o sylffwr o'r cyfanswm pwysau.

**29.** Brics glo Multiheat, a weithgynhyrchir gan Coal Products Limited yn Immingham Briquetting Works, Immingham, North East Lincolnshire—

- (a) sy'n cynnwys glo caled (sef rhyw 60 i 80 y cant o'r cyfanswm pwysau), golosg petrolewm (sef rhyw 10 i 30 y cant o'r cyfanswm pwysau) a rhwymwr triagl ac asid ffosfforig (sef gweddill y pwysau);
- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys rholio-wasgu a thriniaeth wres ar ryw 300°C;
- (c) sy'n frics glo heb eu marcio ar siâp gobennydd, yn pwyso naill ai 55 neu 80 gram ar gyfartaledd fesul bricsen; ac
- (ch) nad ydynt yn cynnwys mwy na 2 y cant o sylffwr o'r cyfanswm pwysau.

**30.** Brics glo Newflame, a weithgynhyrchir gan Maxibrite Limited yn Llantrisant, Rhondda Cynon Taf—

- (a) sy'n cynnwys gronynnau glo caled (sef rhyw 84 y cant o'r cyfanswm pwysau), golosg petrolewm (sef rhyw 12 y cant o'r cyfanswm pwysau) a starts yn rhwymwr (sef gweddill y pwysau);
- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys rholio-wasgu a thriniaeth wres ar ryw 260°C;
- (c) sy'n frics glo heb eu marcio ar siâp gobennydd, yn pwyso 78 gram ar gyfartaledd; ac

of the total weight) and coal tar pitch (as to the remaining weight);

- (b) were manufactured from those constituents by a process involving heat treatment and steam injection;
- (c) are unmarked random shapes; and
- (d) have a sulphur content not exceeding 2 per cent of the total weight.

**28.** Maxibrite briquettes, manufactured by Maxibrite Limited at Llantrisant, Rhondda Cynon Taff, which—

- (a) comprise anthracite fines (as to approximately 84 per cent of the total weight), petroleum coke (as to approximately 12 per cent of the total weight) and starch as binder (as to the remaining weight);
- (b) were manufactured from those constituents by a process involving roll-pressing and heat treatment at 250° C;
- (c) are cushion-shaped briquettes marked with the letter "M" and have an average weight of 35 grammes; and
- (d) have a sulphur content not exceeding 2 per cent of the total weight.

**29.** Multiheat briquettes, manufactured by Coal Products Limited at Immingham Briquetting Works, Immingham, North East Lincolnshire, which—

- (a) comprise anthracite (as to approximately 60 to 80 per cent of the total weight), petroleum coke (as to approximately 10 to 30 per cent of the total weight) and a molasses and phosphoric acid binder (as to the remaining weight);
- (b) were manufactured from those constituents by a process involving roll-pressing and heat treatment at about 300°C;
- (c) are unmarked pillow-shaped briquettes and have average weights per briquette of either 55 or 80 grammes; and
- (d) have a sulphur content not exceeding 2 per cent of the total weight.

**30.** Newflame briquettes, manufactured by Maxibrite Limited at Llantrisant, Rhondda Cynon Taff, which—

- (a) comprise anthracite fines (as to approximately 84 per cent of the total weight), petroleum coke (as to approximately 12 per cent of the total weight) and starch as binder (as to the remaining weight);
- (b) were manufactured from those constituents by a process involving roll-pressing and heat treatment at about 260° C;
- (c) are unmarked pillow-shaped briquettes and have an average weight of 78 grammes; and

(ch) nad ydynt yn cynnwys mwy na 2 y cant o sylffwr o'r cyfanswm pwysau.

**31.** Optima Fire Logs, a weithgynhyrchir gan Allspan BV yn Macroweg 4, 5804 CL Venray, Yr Iseldiroedd—

- (a) sy'n cynnwys cwyr hydrin (sef rhyw 58 i 59 y cant o'r cyfanswm pwysau), a blawd llif pren caled (sef gweddill y pwysau);
  - (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses triniaeth wres ac allwthio;
  - (c) sy'n foncyffion tân, rhyw 235 milimetr eu hyd a 80 milimetr eu dyfnder, gyda rhigolau ar hyd yr wynebaw, ac sy'n pwyso 1.1 cilogram ar gyfartaledd; ac
- (ch) nad ydynt yn cynnwys mwy na 0.1 y cant o sylffwr o'r cyfanswm pwysau.

**32.** Brics glo Phurnacite, a weithgynhyrchir gan Coal Products Limited yn Immingham Briquetting Works, Immingham, North East Lincolnshire—

- (a) sy'n cynnwys llwch glo caled (sef rhyw 65 i 85 y cant o'r cyfanswm pwysau), golosg petrolewm (sef rhyw 20 y cant o'r cyfanswm pwysau) a rhwymwr triagl ac asid ffosfforig (sef gweddill y pwysau);
  - (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys rhoio-wasgu a thriniaeth wres ar ryw 300°C;
  - (c) sy'n frics glo ar siâp ofoidau â dwy linell gyfochrog yn rhedeg yn hydredol o amgylch y fricsen ac sy'n pwyso 40 gram ar gyfartaledd; ac
- (ch) nad ydynt yn cynnwys mwy na 2 y cant o sylffwr o'r cyfanswm pwysau.

**33.** Pyrobloc Fire Logs, a weithgynhyrchir gan Allspan BV yn Macroweg 4, 5804 CL Venray, Yr Iseldiroedd—

- (a) sy'n cynnwys cwyr hydrin (sef rhyw 58 i 59 y cant o'r cyfanswm pwysau), a blawd llif pren caled (sef gweddill y pwysau);
  - (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses triniaeth wres ac allwthio;
  - (c) sy'n foncyffion tân, rhyw 265 milimetr eu hyd a 80 milimetr eu dyfnder, gyda rhigolau ar hyd yr wynebaw, ac sy'n pwyso 1.3 cilogram ar gyfartaledd; ac
- (ch) nad ydynt yn cynnwys mwy na 0.1 y cant o sylffwr o'r cyfanswm pwysau.

**34.** Safelight Firelogs, a weithgynhyrchir gan Advanced Natural Fuels Limited, yn Pocklington, East Riding of Yorkshire—

- (a) sy'n cynnwys sglodion pren (sef rhyw 40 i 55 y cant o'r cyfanswm pwysau) a rhwymwr cwyr palmwydden (sef gweddill y pwysau);

(d) have a sulphur content not exceeding 2 per cent of the total weight.

**31.** Optima Fire Logs, manufactured by Allspan BV at Macroweg 4, 5804 CL Venray, the Netherlands, which—

- (a) comprise slack wax (as to approximately 58 to 59 per cent of the total weight), and hardwood sawdust (as to the remaining weight);
  - (b) were manufactured from those constituents by a process of heat treatment and extrusion;
  - (c) are fire logs approximately 235 millimetres in length and 80 millimetres in depth, with grooves along their faces and have an average weight of 1.1 kilograms; and
- (d) have a sulphur content not exceeding 0.1 per cent of the total weight.

**32.** Phurnacite briquettes, manufactured by Coal Products Limited at Immingham Briquetting Works, Immingham, North East Lincolnshire, which—

- (a) comprise anthracite duff (as to approximately 65 to 85 per cent of the total weight), petroleum coke (as to approximately 20 per cent of the total weight) and a molasses and phosphoric acid binder (as to the remaining weight);
  - (b) were manufactured from those constituents by a process involving roll-pressing and heat treatment at about 300°C;
  - (c) are ovoid-shaped briquettes with two parallel indented lines running longitudinally around the briquette and have an average weight of 40 grammes; and
- (d) have a sulphur content not exceeding 2 per cent of the total weight.

**33.** Pyrobloc Fire Logs, manufactured by Allspan BV at Macroweg 4, 5804 CL Venray, the Netherlands, which—

- (a) comprise slack wax (as to approximately 58 to 59 per cent of the total weight), and hardwood sawdust (as to the remaining weight);
  - (b) were manufactured from those constituents by a process of heat treatment and extrusion;
  - (c) are fire logs approximately 265 millimetres in length and 80 millimetres in depth, with grooves along their faces and have an average weight of 1.3 kilograms; and
- (d) have a sulphur content not exceeding 0.1 per cent of the total weight.

**34.** Safelight Firelogs, manufactured by Advanced Natural Fuels Limited, at Pocklington, East Riding of Yorkshire, which—

- (a) comprise woodchip (as to approximately 40 to 55 per cent of the total weight) and palm wax binder (as to the remaining weight);

- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys gwasgu'r cynhwysion, ar ôl eu cymysgu, ar ryw 40°C i 50°C;
- (c) sy'n foncyffion tân petryal caled â dwy agen ddofn sy'n gorgyffwrdd yn yr wyneb uchaf, un agen ddi-dor yn yr wyneb isaf, ac sy'n pwyso 1.8 cilogram ar gyfartaledd; ac
- (ch) nad ydynt yn cynnwys mwy na 2 y cant o sylffwr o'r cyfanswm pwysau.

**35.** Brics glo Sovereign, a weithgynhyrchir gan Monckton Coke & Chemical Company Limited yn Royston, ger Barnsley, South Yorkshire—

- (a) sy'n cynnwys glo caled (sef rhyw 75 y cant o'r cyfanswm pwysau), glo a golosg adweithiol (sef rhyw 21 y cant o'r cyfanswm pwysau) a rhwymwr resin sy'n caledu pan fo'n oer (sef gweddill y pwysau);
- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys eu hallwthio;
- (c) sy'n frics glo chweochrog heb eu marcio ac sy'n pwyso 130 gram ar gyfartaledd; ac
- (ch) nad ydynt yn cynnwys mwy na 2 y cant o sylffwr o'r cyfanswm pwysau.

**36.** Brics glo Stoveheat Premium, a weithgynhyrchir gan Coal Products Limited yn Immingham Briquetting Works, Immingham, North East Lincolnshire—

- (a) sy'n cynnwys llwch glo caled (sef rhyw 65 i 85 y cant o'r cyfanswm pwysau), golosg petrolewm (sef rhyw 20 y cant o'r cyfanswm pwysau) a rhwymwr triagl ac asid ffosfforig (sef gweddill y pwysau);
- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys rholio-wasgu a thriniaeth wres ar ryw 300°C;
- (c) sy'n frics glo heb eu marcio ar siâp ofoidau ac sy'n pwyso 40 gram ar gyfartaledd, ac
- (ch) nad ydynt yn cynnwys mwy na 2 y cant o sylffwr o'r cyfanswm pwysau.

**37.** Supabrite Coke Doubles, a weithgynhyrchir gan H. J. Banks and Company Limited yn Inkerman Road Depot, Tow Law, County Durham—

- (a) sy'n cynnwys golosg metelegol (sef rhyw 40 i 60 y cant o'r cyfanswm pwysau) a golosg petrolewm (sef gweddill y pwysau);
- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys eu cyfuno a'u sgrinio;
- (c) sy'n hapsiapiau heb eu marcio; ac
- (ch) nad ydynt yn cynnwys mwy na 1.95 y cant o sylffwr o'r cyfanswm pwysau.

- (b) were manufactured from those constituents by a process involving pressing of the mixed ingredients at about 40° C to 50° C;
- (c) are rectangular hard finish firelogs with two deep overlapping slots in the top surface, a single continuous slot in the base surface, and have an average weight of 1.8 kilogrammes; and
- (d) have a sulphur content not exceeding 2 per cent of the total weight.

**35.** Sovereign briquettes, manufactured by Monckton Coke & Chemical Company Limited at Royston, near Barnsley, South Yorkshire which—

- (a) comprise anthracite (as to approximately 75 per cent of the total weight), coal and reactive coke (as to approximately 21 per cent of the total weight) and cold-setting resin binder (as to the remaining weight);
- (b) were manufactured from those constituents by a process involving extrusion;
- (c) are unmarked hexagonal briquettes and have an average weight of 130 grammes; and
- (d) have a sulphur content not exceeding 2 per cent of the total weight.

**36.** Stoveheat Premium briquettes, manufactured by Coal Products Limited at Immingham Briquetting Works, Immingham, North East Lincolnshire, which—

- (a) comprise anthracite duff (as to approximately 65 to 85 per cent of the total weight), petroleum coke (as to approximately 20 per cent of the total weight) and a molasses and phosphoric acid binder (as to the remaining weight);
- (b) were manufactured from those constituents by a process involving roll pressing and heat treatment at about 300°C;
- (c) are unmarked ovoid-shaped briquettes and have an average weight of 40 grammes; and
- (d) have a sulphur content not exceeding 2 per cent of the total weight.

**37.** Supabrite Coke Doubles, manufactured by H. J. Banks and Company Limited at Inkerman Road Depot, Tow Law, County Durham, which—

- (a) comprise metallurgical coke (as to approximately 40 to 60 per cent of the total weight) and petroleum coke (as to the remaining weight);
- (b) were manufactured from those constituents by a process involving blending and screening;
- (c) are unmarked random shapes; and
- (d) have a sulphur content not exceeding 1.95 per cent of the total weight.

**38.** Supacite briquettes, a weithgynhyrchir gan Maxibrite Limited yn Llantrisant, Rhondda Cynon Taf—

- (a) sy'n cynnwys gronynnau glo caled (sef rhyw 84 y cant o'r cyfanswm pwysau), golosg petrolewm (sef rhyw 12 y cant o'r cyfanswm pwysau) a starts yn rhwymwr (sef gweddill y pwysau);
- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys rhoio-wasgu a thriniaeth wres ar ryw 240°C;
- (c) sy'n ofoidau heb eu marcio ac sy'n pwyso 45 gram ar gyfartaledd; ac
- (ch) nad ydynt yn cynnwys mwy na 2 y cant o sylffwr o'r cyfanswm pwysau.

**39.** Brics glo Supertherm, a weithgynhyrchir gan Coal Products Limited yn Immingham Briquetting Works, Immingham, North East Lincolnshire—

- (a) sy'n cynnwys cyfuniad (mewn cyfrannedd o 19:1) o lo caled a glo canolig ei anweddolrwydd (sef rhyw 93 y cant o'r cyfanswm pwysau) a rhwymwr organig sy'n caledu pan fo'n oer neu rwymwr triagl ac asid ffosfforig (sef gweddill y pwysau);
- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys rhoio-wasgu;
- (c) sy'n ofoidau heb eu marcio ac sy'n pwyso 160 gram ar gyfartaledd; ac
- (ch) nad ydynt yn cynnwys mwy na 1.5 y cant o sylffwr o'r cyfanswm pwysau.

**40.** Brics glo Supertherm II, a weithgynhyrchir gan Coal Products Limited yn Immingham Briquetting Works, Immingham, North East Lincolnshire—

- (a) sy'n cynnwys glo caled (sef rhyw 36 i 51 y cant o'r cyfanswm pwysau), golosg petrolewm (sef rhyw 40 i 55 y cant o'r cyfanswm pwysau) a rhwymwr organig neu rwymwr triagl ac asid ffosfforig (sef gweddill y pwysau);
- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys rhoio-wasgu;
- (c) sy'n ofoidau heb eu marcio ac sy'n pwyso 140 gram ar gyfartaledd; ac
- (ch) nad ydynt yn cynnwys mwy na 2 y cant o sylffwr o'r cyfanswm pwysau.

**41.** Brics glo Taybrite (a elwir fel arall yn frics glo Surefire), a weithgynhyrchir gan Coal Products Limited yn Immingham Briquetting Works, Immingham, North East Lincolnshire—

- (a) sy'n cynnwys glo caled (sef rhyw 60 i 80 y cant o'r cyfanswm pwysau), golosg petrolewm (sef rhyw 10 i 30 y cant o'r cyfanswm pwysau) a rhwymwr triagl ac asid ffosfforig (sef gweddill y pwysau);

**38.** Supacite briquettes, manufactured by Maxibrite Limited at Llantrisant, Rhondda Cynon Taff, which—

- (a) comprise anthracite fines (as to approximately 84 per cent of the total weight), petroleum coke (as to approximately 12 per cent of the total weight) and starch as binder (as to the remaining weight);
- (b) were manufactured from those constituents by a process involving roll-pressing and heat treatment at about 240° C;
- (c) are unmarked ovoids and have an average weight of 45 grammes; and
- (d) have a sulphur content not exceeding 2 per cent of the total weight.

**39.** Supertherm briquettes, manufactured by Coal Products Limited at Immingham Briquetting Works, Immingham, North East Lincolnshire, which—

- (a) comprise a blend (in the proportion of 19:1) of anthracite and medium volatile coal (as to approximately 93 per cent of the total weight) and cold-setting organic binder or a molasses and phosphoric acid binder (as to the remaining weight);
- (b) were manufactured from those constituents by a process involving roll-pressing;
- (c) are unmarked ovoids and have an average weight of 160 grammes; and
- (d) have a sulphur content not exceeding 1.5 per cent of the total weight.

**40.** Supertherm II briquettes, manufactured by Coal Products Limited at Immingham Briquetting Works, Immingham, North East Lincolnshire, which—

- (a) comprise anthracite (as to approximately 36 to 51 per cent of the total weight), petroleum coke (as to approximately 40 to 55 per cent of the total weight) and an organic binder or a molasses and phosphoric acid binder (as to the remaining weight);
- (b) were manufactured from those constituents by a process involving roll-pressing;
- (c) are unmarked ovoids and have an average weight of 140 grammes; and
- (d) have a sulphur content not exceeding 2 per cent of the total weight.

**41.** Taybrite briquettes (otherwise known as Surefire briquettes), manufactured by Coal Products Limited at Immingham Briquetting Works, Immingham, North East Lincolnshire, which—

- (a) comprise anthracite (as to approximately 60 to 80 per cent of the total weight), petroleum coke (as to approximately 10 to 30 per cent of the total weight) and a molasses and phosphoric acid binder (as to the remaining weight);

- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys rholio-wasgu a thriniaeth wres ar ryw 300°C;
- (c) sy'n frics glo ar siâp gobennydd sydd wedi'u marcio ag un llinell wedi'i hindentio yn rhedeg yn hydredol ar hyd pob wyneb, yn gorwedd 10 milimetr oddi wrth y llinell gyfatebol neu heb eu marcio, ac sydd yn y naill achos a'r llall yn pwyso 80 gram ar gyfartaledd; ac
- (ch) nad ydynt yn cynnwys mwy na 2 y cant o sylffwr o'r cyfanswm pwysau.

**42.** Brics glo Thermac, a weithgynhyrchir gan Coal Products Limited yn Immingham Briquetting Works, Immingham, North East Lincolnshire—

- (a) sy'n cynnwys glo caled (sef rhyw 90 y cant o'r cyfanswm pwysau) a rhwymwr organig sy'n caledu pan fo'n oer (sef gweddill y pwysau);
- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys rholio-wasgu;
- (c) sy'n frics glo heb eu marcio ar siâp gobennydd, yn pwyso 48 gram ar gyfartaledd; ac
- (ch) nad ydynt yn cynnwys mwy na 1.5 y cant o sylffwr o'r cyfanswm pwysau.

**43.** Unicite, a weithgynhyrchir gan DJ Davies Fuels Ltd yn Blaenau Fuel Depot, Rhydaman, Sir Gaerfyrddin, neu a weithgynhyrchir gan A.I.Simson yn Cabby Latch, Logie by Kirriemuir, Angus—

- (a) sy'n gymysgwch o'r gwahanol danwyddau a ganlyn—
  - (i) nyttiau mawr glo caled, a
  - (ii) briciau tân Union fel a ddisgrifir yn is-baragraff (ch) a weithgynhyrchir gan RWE Power A.G. yn Cologne, yr Almaen (sef dim mwy nac oddeutu 40 i 42 y cant o gyfanswm pwysau Unicite);
- (b) nad ydynt yn cynnwys mwy na 0.5 y cant o sylffwr o'r cyfanswm pwysau;
- (c) y datgenir mai dim ond i'r graddau y mae cyfran y briciau tân Union a losgir wrth ddefnyddio Unicite heb fod uwchlaw yr ystod canranol a bennir yn is-baragraff (a) (ii) y mae'n danwydd awdurdodedig; , ac
- (ch) i'r graddau y mae wedi'i gyfansoddi o'r briciau tân Union y cyfeirir atynt yn is-baragraff (a) (ii), rhaid iddo gynnwys lignit wedi'i gywasgu gyda phob bricsen dân yn mesur oddeutu 75 o filimetrau o led, 60 o filimetrau o uchter a 55 o filimetrau o drwch.

**44.** Bonycffion tân ZIP Cracklelog, bonycffion tân ZIP Crackle-log a bonycffion tân ZIP Crackling Log, a weithgynhyrchir gan Allspan B.V., Macroweg 4, 5804 CL Venray, Yr Iseldiroedd—

- (a) sy'n cynnwys cwyr hydrin (sef rhyw 55 y cant o'r cyfanswm pwysau), blawd llif pren caled (sef rhyw 42 y cant o'r cyfanswm pwysau) a

- (b) were manufactured from those constituents by a process involving roll-pressing and heat treatment at about 300° C;
- (c) are pillow-shaped briquettes marked with a single indented line running longitudinally along each face offset from its counterpart by 10 millimetres, or unmarked, and in either case have an average weight of 80 grammes; and
- (d) have a sulphur content not exceeding 2 per cent of the total weight.

**42.** Thermac briquettes, manufactured by Coal Products Limited at Immingham Briquetting Works, Immingham, North East Lincolnshire, which—

- (a) comprise anthracite (as to approximately 90 per cent of the total weight) and cold-setting organic binder (as to the remaining weight);
- (b) were manufactured from those constituents by a process involving roll-pressing;
- (c) are unmarked pillow-shaped briquettes and have an average weight of 48 grammes; and
- (d) have a sulphur content not exceeding 1.5 per cent of the total weight.

**43.** Unicite, manufactured by DJ Davies Fuels Ltd at Blaenau Fuel Depot, Ammanford, Carmarthenshire, or manufactured by A.I.Simson at Cabby Latch, Logie by Kirriemuir, Angus, which—

- (a) is a mixture of the following separate fuels—
  - (i) anthracite large nuts, and
  - (ii) Union briquettes of the description in sub paragraph (d) manufactured by RWE Power A.G. at Cologne, Germany (as to no more than approximately 40 to 42 per cent of Unicite's total weight);
- (b) has a sulphur content not exceeding 0.5 per cent of the total weight;
- (c) is declared to be an authorised fuel only in so far as the proportion of Union briquettes combusted in the use of Unicite does not exceed the percentage range specified in sub paragraph (a) (ii); and
- (d) in so far as it is constituted by the Union briquettes referred to in sub paragraph (a) (ii), must consist of compressed lignite with each briquette measuring approximately 75 millimetres wide, 60 millimetres high and 55 millimetres thick.

**44.** ZIP Cracklelog firelogs, ZIP Crackle-log firelogs and ZIP Crackling Log firelogs, manufactured by Allspan B.V., Macroweg 4, 5804 CL Venray, The Netherlands, which—

- (a) comprise slack wax (as to approximately 55 per cent of the total weight), hardwood sawdust (as to approximately 42 per cent of the

hadau clecian (sef rhyw 3.2 y cant o'r cyfanswm pwysau);

- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses triniaeth wres ac allwthio;
- (c) sy'n foncyffion tân, rhyw 235 milimetr eu hyd a 80 milimetr eu diamedr, gyda rhigolau ar hyd yr wyneb, ac sy'n pwysu 1.1 cilogram ar gyfartaledd, ac
- (ch) nad ydynt yn cynnwys mwy na 0.1 y cant o sylffwr o'r cyfanswm pwysau.

**45.** ZIP Firelogs, a weithgynhyrchir gan Allspan B.V., Macroweg 4, 5804 CL Venray, Yr Iseldiroedd—

- (a) sy'n cynnwys cwyr hydrin (sef rhyw 58 i 59 y cant o'r cyfanswm pwysau) a blawd llif pren caled (sef gweddill y pwysau);
- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses triniaeth wres ac allwthio;
- (c) sy'n foncyffion tân, rhyw 265 milimetr eu hyd a 80 milimetr eu dyfnder, gyda rhigolau ar hyd yr wyneb, ac sy'n pwysu 1.3 cilogram ar gyfartaledd; ac
- (ch) nad ydynt yn cynnwys mwy na 0.1 y cant o sylffwr o'r cyfanswm pwysau.

**46.** ZIP Firelogs, a weithgynhyrchir gan Allspan B.V., Macroweg 4, 5804 CL Venray, Yr Iseldiroedd—

- (a) sy'n cynnwys cwyr hydrin (sef rhyw 58 i 59 y cant o'r cyfanswm pwysau) a blawd llif pren caled (sef gweddill y pwysau);
- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses triniaeth wres ac allwthio;
- (c) sy'n foncyffion tân, rhyw 235 milimetr eu hyd a 80 milimetr eu dyfnder, gyda rhigolau ar hyd yr wyneb, ac sy'n pwysu 1.1 cilogram ar gyfartaledd; ac
- (ch) nad ydynt yn cynnwys mwy nag 0.1 y cant o sylffwr o'r cyfanswm pwysau.

**47.** ZIP Firelogs, a weithgynhyrchir gan Woodflame Moerdijk B.V., Apolloweg 4, Harbour No: M189A, 4782 SB Moerdijk, Yr Iseldiroedd—

- (a) sy'n cynnwys cwyr hydrin (sef rhyw 55 i 60 y cant o'r cyfanswm pwysau) a blawd llif pren caled (sef gweddill y pwysau);
- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses triniaeth wres ac allwthio;
- (c) sy'n foncyffion tân rhyw 255 milimetr eu hyd a 75 milimetr eu diamedr, gyda rhigolau ar hyd un wyneb hydredol, ac sy'n pwysu 1.3 cilogram ar gyfartaledd, ac
- (ch) nad ydynt yn cynnwys mwy na 0.1 y cant o sylffwr o'r cyfanswm pwysau.

total weight) and crackle seeds (as to approximately 3.2 per cent of the total weight);

- (b) were manufactured from those constituents by a process of heat treatment and extrusion;
- (c) are firelogs approximately 235 millimetres in length and 80 millimetres in diameter, with grooves along the faces and have an average weight of 1.1 kilogrammes; and
- (d) have a sulphur content not exceeding 0.1 per cent of the total weight.

**45.** ZIP Firelogs, manufactured by Allspan B.V., Macroweg 4, 5804 CL Venray, The Netherlands, which—

- (a) comprise slack wax (as to approximately 58 to 59 per cent of the total weight) and hardwood sawdust (as to the remaining weight);
- (b) were manufactured from those constituents by a process of heat treatment and extrusion;
- (c) are firelogs approximately 265 millimetres in length and 80 millimetres in depth, with grooves along the faces and have an average weight of 1.3 kilogrammes; and
- (d) have a sulphur content not exceeding 0.1 per cent of the total weight.

**46.** ZIP Firelogs, manufactured by Allspan B.V., Macroweg 4, 5804 CL Venray, The Netherlands, which—

- (a) comprise slack wax (as to approximately 58 to 59 per cent of the total weight) and hardwood sawdust (as to the remaining weight);
- (b) were manufactured from those constituents by a process of heat treatment and extrusion;
- (c) are firelogs approximately 235 millimetres in length and 80 millimetres in depth, with grooves along the faces and have an average weight of 1.1 kilogrammes; and
- (d) have a sulphur content not exceeding 0.1 per cent of the total weight

**47.** ZIP Firelogs, manufactured by Woodflame Moerdijk B.V., Apolloweg 4, Harbour No: M189A, 4782 SB Moerdijk, The Netherlands, which—

- (a) comprise slack wax (as to approximately 55 to 60 per cent of the total weight) and hardwood sawdust (as to the remaining weight);
- (b) were manufactured from those constituents by a process of heat treatment and extrusion;
- (c) are firelogs approximately 255 millimetres in length and 75 millimetres in diameter, with grooves along one longitudinal face and have an average weight of 1.3 kilogrammes; and
- (d) have a sulphur content not exceeding 0.1 per cent of the total weight.

---

OFFERYNNAU STATUDOL  
CYMRU

---

**2008 Rhif 3100 (Cy.274)**

**AER GLÂN, CYMRU**

Rheoliadau Ardaloedd Rheoli Mwg  
(Tanwyddau Awdurdodedig)  
(Cymru) 2008

---

WELSH STATUTORY  
INSTRUMENTS

---

**2008 No. 3100 (W.274)**

**CLEAN AIR, WALES**

The Smoke Control Areas  
(Authorised Fuels) (Wales)  
Regulations 2008

©© Hawlfraint y Goron 2009

Argraffwyd a chyhoeddwyd yn y Deyrnas Unedig gan The Stationery Office Limited o dan awdurdod ac arolygiaeth Carol Tullo, Rheolwr Gwasg Ei Mawrhydi ac Argraffydd Deddfau Seneddol y Frenhines.

© Crown copyright 2009

Printed and Published in the UK by the Stationery Office Limited under the authority and superintendence of Carol Tullo, Controller of Her Majesty's Stationery Office and Queen's Printer of Acts of Parliament.

**£5.00**

W403/01/09

ON