**SCHEDULE** Article 2

Column 1 Column 2 **Conditions** *Type and make of trap* Aldrich Spring Activated Animal Snare The trap may be used only for the purpose of manufactured by or under the authority of Mr taking large, terrestrial mammals of the order D. Schimetz, P.O. Box 158, Sekiu, Washington carnivora such as wolves. 98381, USA. BMI Magnum 55 manufactured by or under the The trap may be used only for the purpose authority of Butera Manufacturing Industries, of killing grey squirrels, rats, mice and other 1068 E 134th St., Cleveland, OH, 44110-2248, small ground vermin (except for those species USA. listed in Schedule 5 or 6 to the Wildlife and Countryside Act 1981(1)). The trap must be set in a natural or artificial tunnel which is, in either case, suitable for the BMI Magnum 110 manufactured by or The trap may only be used for the purpose of under the authority of Butera Manufacturing killing grey squirrels, weasels, rats, mice, other Industries, 1068 E 134th St., Cleveland, OH, small ground vermin (except for those species 44110-2248, USA. listed in Schedule 5 or 6 to the Wildlife and Countryside Act 1981) and, before 1 April 2020, stoat. The trap must be set in a natural or artificial tunnel which is, in either case, suitable for the purpose. **BMI Magnum 116** manufactured by or The trap may only be used for the purpose of under the authority of Butera Manufacturing killing grey squirrels, mink, rabbits, weasels, Industries, 1068 E 134th St., Cleveland, OH, rats, mice, other small ground vermin (except for those species listed in Schedule 5 or 6 to the 44110-2248, USA. Wildlife and Countryside Act 1981) and, before 1 April 2020, stoat.

**DOC** 150 manufactured by or under the When used in a closed-end trap configuration, authority of the Department of Conservation, the trap may be used only for the purpose of Wellington, New Zealand.

killing grey squirrels, rats, stoats and weasels.

The trap must be set in a natural or artificial tunnel which is, in either case, suitable for the

The trap must be set in an artificial tunnel constructed to the design specified by the Department of Conservation, using materials suitable for the purpose.

1

purpose.

<sup>(1) 1981</sup> c. 69. Schedule 5 was amended by S.I. 1991/367, 1992/2350, 1998/878, 2007/1843, 2008/431, 2008/2172 and 2011/2015.

Column 1	Column 2
Type and make of trap	Conditions  When used in a run-through trap configuration, the trap may be used only for the purpose of killing rats, stoats and weasels.
	The trap must be set in accordance with the manufacturer's instructions for the run- through configuration in a natural or artificial tunnel which is, in either case, suitable for the purpose.
DOC 200 manufactured by or under the authority of the Department of Conservation, Wellington, New Zealand.	
	The trap must be set in an artificial tunnel constructed to the design specified by the Department of Conservation, using materials suitable for the purpose.
	When used in a run-through trap configuration, the trap may be used only for the purpose of killing rats, stoats and weasels.
	The trap must be set in accordance with the manufacturer's instructions for the run- through configuration in a natural or artificial tunnel which is, in either case, suitable for the purpose.
DOC 250 manufactured by or under the authority of the Department of Conservation, Wellington, New Zealand.	
	The trap must be set in an artificial tunnel constructed to the design specified by the Department of Conservation, using materials suitable for the purpose.
	When used in a run-through trap configuration, the trap may be used only for the purpose of killing rats, stoats and weasels.
	The trap must be set in accordance with the manufacturer's instructions for the runthrough configuration in a natural or artificial

purpose.

through configuration in a natural or artificial tunnel which is, in either case, suitable for the

Column I	Column 2
Type and make of trap	Conditions
<b>Duke 116</b> manufactured by or under the authority of Duke Company, 508 E. Brame Avenue, West Point, MS 39773, USA.	
	The trap must be set in an artificial tunnel which is suitable for the purpose.
Fenn Rabbit Trap Mark I manufactured by or under the authority of DB Springs, Unit 1, Double Century Works, High Street, Astwood Bank, Redditch, Worcestershire, B96 6AR (previously Mr A. A. Fenn of FHT Works, High Street, Astwood Bank, Redditch, Worcestershire).	
	tunnel which is, in either case, suitable for the
Fenn Vermin Trap Mark IV (Heavy Duty) manufactured by or under the authority of DB Springs, Unit 1, Double Century Works, High Street, Astwood Bank, Redditch, Worcestershire, B96 6AR (previously Mr A. A. Fenn of FHT Works, High Street, Astwood Bank, Redditch, Worcestershire).	killing grey squirrels, weasels, rats, mice, other small ground vermin (except for those species listed in Schedule 5 or 6 to the Wildlife and Countryside Act 1981) and, before 1 April
	The trap must be set in a natural or artificial tunnel which is, in either case, suitable for the purpose.
Worcestershire, B96 6AR (previously Mr A. A. Fenn of FHT Works, High Street, Astwood	killing grey squirrels, mink, rabbits, weasels, rats, mice, other small ground vermin (except for those species listed in Schedule 5 or 6 to the Wildlife and Countryside Act 1981) and, before
Bank, Redditch, Worcestershire).	The trap must be set in a natural or artificial tunnel which is, in either case, suitable for the purpose.
Fuller Trap manufactured by or under the authority of Fuller Industries, Three Trees, Loxwood Road, Bucks Green, Rudgwick, Sussex.	
	The trap must be set within the housing provided by the manufacturer.
Goodnature A18 Grey Squirrel Trap manufactured by or under the authority of Goodnature Limited, 4-12 Cruickshank Street, Kilbirnie 6022, Wellington, New Zealand.	The trap may be used only for the purpose of killing grey squirrels and rats.
	The trap must be placed so that it can only be entered by way of an artificial tunnel which is suitable for the purpose.
Goodnature A18 Mink Trap manufactured by or under the authority of Goodnature	

Column 1	Column 2
Type and make of trap	Conditions
Limited, 4-12 Cruickshank Street, Kilbirnie	The trap must be placed so that it can only be
6022, Wellington, New Zealand.	entered by way of an artificial tunnel which is
, ,	suitable for the purpose.
	• •
Goodnature A24 Pro manufactured by or under the authority of Goodnature Limited, 4-12 Cruickshank Street, Kilbirnie 6022, Wellington,	1 2 1 1
	killing rats and mice.
New Zealand.	The trap must be placed so that it can only be
	entered by way of an artificial tunnel which is
	suitable for the purpose.
	The trap may be used only for the purpose of
manufactured by or under the authority of Goodnature Limited, 4-12 Cruickshank Street,	killing stoats, rats, weasels and mice.
Kilbirnie 6022, Wellington, New Zealand.	The trap must be placed so that it can only be
	entered by way of an artificial tunnel which is
	suitable for the purpose.
Kania Trap 2000 manufactured by or under the	
authority of Kania Industries Inc., 63 Centennial	
Road, British Colombia, V9R 6N6, Canada.	dormice (Glis glis)(2), rats, mice, other small
	ground vermin (except for those species listed in Schedule 5 or 6 to the Wildlife and
	Countryside Act 1981), and, before 1 April
	2020, stoat.
	The tran must be set within the housing
	The trap must be set within the housing provided by the manufacturer.
Kania Trap 2500 manufactured by or under the	<u>*</u>
authority of Kania Industries Inc., 63 Centennial	
Road, British Colombia, V9R 6N6, Canada.	edible dormice ( <i>Glis glis</i> ), rats, mice and,
	before 1 April 2020, stoat.
	The trap must be set in a natural or artificial
	tunnel which is, in either case, suitable for the
	purpose.
KORO Large Rodent Double Coil Spring Snap Trap manufactured by or under the authority of Koro Traps, Box 5 Grp.22 RR2, Dugald, Manitoba, R0E 0K0, Canada.	
	killing grey squirrels and rats.
	The trap must be placed so that animals can
	only enter it from the front, and set within an
	artificial blind tunnel which is suitable for the
	purpose. (The front is the side from which
	the letters KORO can be read face-on and the
	correct way up.)

See, however, section 11(2)(b) of, and Schedule 6 to, the Wildlife and Countryside Act 1981. By virtue of those provisions, whether or not the trap in question is approved by this Order, it is an offence to use any trap for the purpose of taking or killing any dormouse, except pursuant to a licence granted by the appropriate authority under section 16 of that Act.

4

Column 1	Column 2
Type and make of trap	Conditions
<b>KORO Rodent Snap Trap</b> manufactured by or under the authority of Koro Traps, Box 5 Grp.22 RR2, Dugald, Manitoba, R0E 0K0, Canada.	
	The trap must be placed so that animals can only enter it from the front, and set within an artificial blind tunnel which is suitable for the purpose. (The front is the side from which the letters KORO can be read face-on and the correct way up.)
Nooski Rat Trap manufactured by or under the authority of Nooski Trap Systems, 50 White Street, Rotorua, New Zealand.	
	The trap must be set within the housing and artificial tunnel provided by the manufacturer.
<b>Nooski Mouse Trap</b> manufactured by or under the authority of Nooski Trap Systems, 50 White Street, Rotorua, New Zealand.	
	The trap must be set within the housing and artificial tunnel provided by the manufacturer.
<b>Procull Trap</b> manufactured by or under the authority of Elgeeco, 108 Downlands Way, South Wonston, Winchester, Hampshire, SO21 3HS.	The trap may be used only for the purpose of killing grey squirrels.
<b>Skinns Superior Squirrel Trap</b> manufactured by or under the authority of E. Skinns Ltd., Witham Road, Woodhall Spa, Lincolnshire, LN10 6QX.	
	The trap must be set in a natural or artificial tunnel which is, in either case, suitable for the purpose.
<b>Solway Spring Trap Mk4</b> manufactured by or under the authority of Solway Feeders Ltd., Main Street, Dundrennan, Kirkcudbright, DG6 4QH.	killing grey squirrels, weasels, edible dormice
	The trap must be set in a natural or artificial tunnel which is, in either case, suitable for the purpose.
<b>Solway Spring Trap Mk6</b> manufactured by or under the authority of Solway Feeders Ltd., Main Street, Dundrennan, Kirkcudbright, DG6 4QH.	killing grey squirrels, mink, rabbits, weasels,
	The trap must be set in a natural or artificial tunnel which is, in either case, suitable for the purpose.

Column 1	Column 2
Type and make of trap	Conditions
Springer No. 4 Multi-purpose (Heavy Duty) manufactured by or under the authority of AB County Products Ltd., Unit 3, Wellington Works, 15 The High Street, Redditch, Worcestershire.	The trap may be used only for the purpose of killing grey squirrels, weasels, rats, mice, other small ground vermin (except for those species listed in Schedule 5 or 6 to the Wildlife and Countryside Act 1981) and, before 1 April 2020, stoat.
	The trap must be set in a natural or artificial tunnel which is, in either case, suitable for the purpose.
<b>Springer No. 6 Multi-purpose</b> manufactured by or under the authority of AB County Products Ltd., Unit 3, Wellington Works, 15 The High Street, Redditch, Worcestershire.	killing grey squirrels, mink, rabbits, weasels,
	The trap must be set in a natural or artificial tunnel which is, in either case, suitable for the purpose.
<b>Tully Trap</b> manufactured by or under the authority of KM Pressings Ltd, 37B Copenhagen Road, Sutton Fields Industrial Estate, Hull, East Yorkshire, HU7 0XQ.	
	The trap must be set in a natural or artificial tunnel which is, in either case, suitable for the purpose.
VS squirrel trap manufactured by or under the authority of Pescon Services, 394 York Road, Stevenage, Hertfordshire, SH1 4EN.	
	The trap must be set within the artificial tunnel provided by the manufacturer.
WCS Collarum Stainless UK Fox Model manufactured by or under the authority of Wildlife Control Supplies, LLC, P.O. Box 538, East Granby, CT 06026, USA.	
WCS Tube Trap International manufactured by or under the authority of Wildlife Control Supplies, LLC, P.O. Box 538, East Granby, CT 06026, USA.	killing grey squirrels, mink, weasels, rats and,
	The trap must be set within the artificial tunnel provided by the manufacturer for use in the UK.
<b>WiseTrap 110</b> (article number 100110 or 110110), <b>WiseTrap 160</b> (article number 100160, 110160, 101160 or 111160), <b>WiseTrap 200</b> (article number 100200, 110200, 101200 or	

Status: This is the original version (as it was originally made).

Column 1	Column 2
Type and make of trap	Conditions
111200) and WiseTrap 250 (article number	The trap must be set within a sewer, drainpipe,
101250 or 111250) manufactured by WiseCon	or similar structure.
A/S, Skovgaardsvej 25, DK-3200 Helsinge,	
Denmark.	