SCHEDULE 2

Article 3(1)

Part A.

Plant pests whose introduction into, and whose spread within, Great Britain shall be banned if they are present on certain plants or plant products.

Section 1.

Plant pests not known to occur in the Communityand relevant for the entire Community.

(A) INSECTS, MITES AND NEMATODES, AT ALL STAGES OF THEIR DEVELOPMENT

Species	Subject of contamination
1. Aculops fuchsiae Keifer	Plants of <i>Fuchsia</i> L., intended for planting, other than seeds
2. Aleurocanthus spp.	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds
3. Anthonomus bisignifer Schenkling	Plants of <i>Fragaria</i> L., intended for planting, other than seeds
4. Anthonomus signatus(Say)	Plants of <i>Fragaria</i> L., intended for planting, other than seeds
5. Aonidiella citrina(Coquillett)	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds
6. Aphelenchoides besseyi Christie*	Seeds of <i>Oryza</i> spp.
7. Aschistonyx eppoi Inouye	Plants of <i>Juniperus</i> L., other than fruitand seeds, originating in non-European countries
8. Bursaphelenchus xylophilus(Steiner e Buhrer) Nickle.	t Plants of <i>Abies</i> Mill., <i>Cedrus</i> Trew, <i>Larix</i> Mill., <i>Picea</i> A. Dietr., <i>Pinus</i> L., <i>Pseudotsuga</i> Carr. and <i>Tsuga</i> Carr., other than fruitand seeds, and wood of conifers (Coniferales), originating in non-European countries
9. Carposina niponensis(Walsingham)	Plants of <i>Cydonia</i> Mill., <i>Malus</i> Mill., <i>Prunus</i> L., and <i>Pyrus</i> L., other than seeds, originating in non-European countries
10. Diaphorina citri Kuway.	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, and <i>Murraya</i> König, other than fruitand seeds
11. Enarmonia packardi(Zeller)	Plants of <i>Cydonia</i> Mill., <i>Malus</i> Mill., <i>Prunus</i> L., and <i>Pyrus</i> L., other than seeds, originating in non-European countries
12. Enarmonia prunivora Walsh	Plants of <i>Cydonia</i> Mill., <i>Malus</i> Mill., <i>Prunus</i> L., and <i>Pyrus</i> L., other than seeds, originating in non-European countries

^{*} Aphelenchoides besseyi Christie is not present on Oryza spp. in the Community.

Species	Subject of contamination	
13. Eotetranychus lewisi(McGregor)	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruitand seeds	
14. Eotetranychus orientalis Klein	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruitand seeds	
15. Grapholitha inopinata Heinrich	Plants of <i>Cydonia</i> Mill., <i>Malus</i> Mill., <i>Prunus</i> L. and <i>Pyrus</i> L., other than seeds, originating in non-European countries	
16. Hishimonus phycitis(Distant)	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus Raf.</i> , and their hybrids, other than fruit and seeds	
17. Leucaspis japonica Ckll	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus Raf.</i> , and their hybrids, other than fruitand seeds	
18. Listronotus bonariensis(Kuschel)	Seeds of Cruciferae, Gramineae and <i>Trifolium</i> spp., originating in Argentina, Australia, Bolivia, Chile, New Zealand and Uruguay	
19. Margarodes, non-European species, such	Plants of Vitis L., other than fruit and seeds	
 as: (a) Margarodes vitis(Philippi) (b) Margarodes vredendalensis De Klerk (c) Margarodes prieskaensis(Jakubski) 		
20. Numonia pyrivorella(Matsumura)	Plants of <i>Pyrus</i> L., other than seeds, originating in non-European countries	
21. Oligonychus perditus Pritchard et Baker	Plants of <i>Juniperus</i> L., other than fruit and seeds, originating in non-European countries	
22. Pissodes spp. (non-European)	Plants of conifers (Coniferales) other than fruit and seeds, wood of conifers (Coniferales) with bark, and isloated bark of conifers (Coniferales), originating in non-European countries	
23. Radopholus citrophilus Huettel Dickson et Kaplan	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids other than fruit and seeds, and plants of Araceae, Marantaceae, Musaceae, <i>Persea</i> spp., Strelitziaceae, rooted or with growing medium attached or associated	
24. Saissetia nigra(Nietm.)	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds	
25. Scirtothrips aurantii Faure	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds	
26. Scirtothrips dorsalis Hood	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds	
27. Scirtothrips citri(Moultex)	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds	
28. Scolytidae spp. (non-European)	Plants of conifers (Coniferales), over 3 m in height, other than fruit and seeds, wood of conifers (Coniferales) with bark, and isolated	

^{*} Aphelenchoides besseyi Christie is not present on Oryza spp. in the Community.

Species	Subject of contamination
	bark of conifers (Coniferales), originating in non-European countries
29. Tachypterellus quadrigibbus(Say)	Plants of <i>Cydonia</i> Mill., <i>Malus</i> Mill., <i>Prunus</i> L., and <i>Pyrus</i> L., other than seeds, originating in non-European countries
30. Toxoptera citricidus(Kirk)	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds
31. Trioza erytreae(Del Guercio)	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, and <i>Clausena</i> Burm.f., other than fruit and seeds
32. <i>Unaspis citri</i> (Comstock)	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds

* Aphelenchoides besseyi Christie is not present on Oryza spp. in the Community.

(B) BACTERIA

Species	Subject of contamination	
1. Citrus greening bacterium	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds	
2. Citrus variegated chlorosis	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds	
3. Erwinia stewartii(Smith) Dye	Seeds of Zea mais L.	
4. <i>Xanthomonas campestris</i> (Pammel) Dowson (all strains pathogenic to Citrus)	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle <i>Poncirus</i> Raf., and their hybrids, other than seeds	
5. Xanthomonas campestris pv.oryzae(Ishiyama) Dye and pv.oryzicola(Fang et al.) Dye	Seeds of <i>Oryza</i> spp.	

(C) FUNGI

Species	Subject of contamination
1. Alternaria alternata(Fr.) Keissler (non-European pathogenic isolates)	Plants of <i>Cydonia</i> Mill., <i>Malus</i> Mill. and <i>Pyrus</i> L., intended for planting, other than seeds, originating in non-European countries
2. Apiosporina morbosa(Schwein.) v. Arx	Plants of $Prunus$ L., intended for planting, other than seeds
3. Atropellis spp	Plants of <i>Pinus</i> L., other than fruit and seeds, isolated bark and wood of <i>Pinus</i> L.
4. Ceratocystis coerulescens(Münch) Bakshi	Plants of <i>Acer saccharum</i> Marsh., other than fruit and seeds, originating in North American countries, wood of <i>Acer saccharum</i> Marsh., including wood which has not kept its natural round surface, originating in North American countries

Pinus L., other than fruit and seeds, and Pinus L. Citrus L., Fortunella Swingle, Poncirus
Citrus L., Fortunella Swingle, Poncirus
their hybrids, other than seeds
f Camellia L., intended for planting, n seeds, originating in non-European
Vaccinium spp., intended for planting, n seeds
Citrus L., Fortunella Swingle, Poncirus their hybrids, other than fruit and seeds
Phoenix spp., other than fruit and seeds
Citrus L., Fortunella Swingle, Poncirus their hybrids, other than seeds
Cydonia Mill., Malus Mill., Prunus L. us L., other than seeds, originating in opean countries
Solanaceae, other than fruit and seeds
Pinus L., other than fruit and seeds
f Pyrus L., intended for planting, n seeds, originating in non-European

(D) VIRUSES AND VIRUS-LIKE ORGANISMS

Species	Subject of contamination
1. Beet curly top virus (non-European isolates)	Plants of <i>Beta vulgaris</i> L., intended for planting, other than seeds
2. Black raspberry latent virus	Plants of Rubus L., intended for planting
3. Blight and Blight-like	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds
4. Cadang-Cadang viroid	Plants of Palmae, intended for planting, other than seeds, originating in non-European countries
5. Cherry leaf roll virus*	Plants of Rubus L., intended for planting
6. Citrus mosaic virus	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds
7. Citrus tristeza virus (non-European isolates)	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds

^{*} Cherry leaf roll virus is not present in *Rubus* L. in the Community.

^{**} Prunus necrotic ringspot virus is not present in *Rubus* L. in the Community.

Species	Subject of contamination
8. Leprosis	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds
9. Little cherry pathogen (non-European isolates)	Plants of <i>Prunus cerasus</i> L., <i>Prunus avium</i> L., <i>Prunus incisa</i> Thunb., <i>Prunus sargentii</i> Rehd., <i>Prunus serrula</i> Franch., <i>Prunus serrulata</i> Lindl., <i>Prunus speciosa</i> (Koidz.) Ingram, <i>Prunus subhirtella</i> Miq., <i>Prunus yedoensis</i> Matsum., and hybrids and cultivars thereof, intended for planting, other than seeds
10. Naturally spreading psorosis	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds
11. Palm lethal yellowing mycoplasm	Plants of Palmae, intended for planting, other than seeds, originating in non-European countries
12. Prunus necrotic ringspot virus**	Plants of Rubus L., intended for planting
13. Satsuma dwarf virus	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds
14. Tatter leaf virus	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds
15. Witches broom (MLO)	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds

cherry leaf roll virus is not present in *Rubus* L. in the Community.

Section 2.

Plant pests known to occur in the Community and relevant for the entire Community.

(A) INSECTS, MITES AND NEMATODES, AT ALL STAGES OF THEIR DEVELOPMENT

Species	Subject of contamination
1. Aphelenchoides besseyi Christie	Plants of <i>Fragaria</i> L., intended for planting, other than seeds
2. Daktulosphaira vitifoliae(Fitch)	Plants of Vitis L., other than fruitand seeds
3. Ditylenchus destructor Thorne	Flower bulbs and corms of the genera <i>Crocus</i> L., <i>Gladiolus</i> Tourn. ex L., <i>Hyacinthus</i> L., <i>Iris</i> L., <i>Tigridia</i> Juss., <i>Tulipa</i> L., intended for planting, and potato tubers (<i>Solanum tuberosum</i> L.), intended for planting
4. Ditylenchus dipsaci(Kühn) Filipjev	Seeds and bulbs of Allium cepa L., Allium porrum L., and Allium schoenoprasum L., bulbs and corms of Camassia Lindl., Chionodoxa Boiss., Crocus flavus Weston "Golden Yellow", Galanthus L., Galtonia candicans (Baker) Decne, Hyacinthus L., Ismene

^{**} Prunus necrotic ringspot virus is not present in *Rubus* L. in the Community.

Species	Subject of contamination
	Herbert, Muscari Miller, Narcissus
	L., Ornithogalum L., Puschkinia
	Adams, Scilla(L.), Tulipa L., intended for
	planting, and seeds of <i>Medicago sativa</i> L.
5. Circulifer haematoceps(Mussant and Rey)	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds
6. Circulifer tenellus(Baker)	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds
7. Radopholus similis(Cobb) Thorne	Plants of Araceae, Marantaceae, Musaceae, <i>Persea</i> spp., Strelitziaceae, rooted or with growing medium attached or associated

(B) BACTERIA

(B) DAG	CIENIA
Species	Subject of contamination
1. Clavibacter michiganensis ssp.insidiosus(McCulloch) Davis et al.	Seeds of Medicago sativa L.
2. Clavibacter michiganensis ssp.michiganensis(Smith) Davis et al.	Plants of <i>Lycopersicon lycopersicum</i> (L.) Karsten ex Farw., intended for planting
3. Erwinia amylovora(Burr.) Winsl. et al.	Plants of <i>Chaenomeles</i> Lindl., <i>Cotoneaster</i> Ehrh., <i>Crataegus</i> L., <i>Cydonia</i> Mill., <i>Eriobotrya</i> Lindl., <i>Malus</i> Mill., <i>Mespilus</i> L., <i>Pyracantha</i> Roem., <i>Pyrus</i> L., <i>Sorbus</i> L. other than <i>Sorbus intermedia</i> (Ehrh.) Pers. and <i>Stranvaesia</i> Lindl., intended for planting, other than seeds
4. <i>Erwinia chrysanthemi</i> pv. <i>dianthicola</i> (Hellmers) Dickey	Plants of <i>Dianthus</i> L., intended for planting, other than seeds
5. <i>Pseudomonas caryophylli</i> (Burkholder) Starr et Burkholder	Plants of <i>Dianthus</i> L., intended for planting, other than seeds
6. Pseudomonas solanacearum(Smith) Smith	Plants of <i>Lycopersicon lycopersicum</i> (L.) Karsten ex. Farw. and <i>Solanum melongena</i> L., intended for planting, other than seeds, and tubers of <i>Solanum tuberosum</i> L.
7. <i>Pseudomonas syringae</i> pv. <i>persicae</i> (Prunier et al.) Young et al.	Plants of <i>Prunus persica</i> (L.) Batsch and <i>Prunus persica</i> var. <i>nectarina</i> (Ait.) Maxim, intended for planting, other than seeds
8. <i>Xanthomonas campestris</i> pv. <i>phaseoli</i> (Smith) Dye	Seeds of <i>Phaseolus</i> L.
9. <i>Xanthomonas campestris</i> pv. <i>pruni</i> (Smith) Dye	Plants of <i>Prunus</i> L., intended for planting, other than seeds
10. Xanthomonas campestris pv.vesicatoria(Doidge) Dye	Plants of <i>Lycopersicon lycopersicum</i> (L.) Karsten ex Farw.,and <i>Capsicum</i> spp., intended for planting

Species			Subject of contamination
11. Xanthomonas fragariae Kennedy et King		gariae Kennedy et King	Plants of <i>Fragaria</i> L., intended for planting, other than seeds
12. Wille	<i>Xylophilus</i> ms et al.	ampelinus(Panagopoulos)	Plants of Vitis L., other than fruitand seeds

(C) FUNGI

Species	Subject of contamination
1. Ceratocystis fimbriata f.sp. platani Walter	Plants of <i>Platanus</i> L., intended for planting, other than seeds, and wood of <i>Platanus</i> L., including wood which has not kept its natural round surface
2. Colletotrichum acutatum Simmonds	Plants of <i>Fragaria</i> L., intended for planting, other than seeds
3. Cryphonectria parasitica(Murrill) Barr	Plants of <i>Castanea</i> Mill., and <i>Quercus</i> L., intended for planting, other than seeds, wood and isolated bark of <i>Castanea</i> Mill.
4. <i>Didymella ligulicola</i> (Baker, Dimock et Davis) v. Arx	Plants of <i>Dendranthema</i> (DC.) Des Moul., intended for planting, other than seeds
5. <i>Phialophora cinerescens</i> (Wollenweber) van Beyma	Plants of <i>Dianthus</i> L., intended for planting, other than seeds
6. <i>Phoma tracheiphila</i> (Petri) Kanchaveli et Gikashvili	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than seeds
7. <i>Phytophthora fragariae</i> Hickman var. <i>fragariae</i>	Plants of <i>Fragaria</i> L., intended for planting, other than seeds
8. Plasmopara halstedii(Farlow) Berl. et de Toni	Seeds of Helianthus annuus L.
9. Puccinia horiana Hennings	Plants of <i>Dendranthema</i> (DC.) Des Moul., intended for planting, other than seeds
10. Scirrhia pini Funk et Parker	Plants of $Pinus$ L., intended for planting, other than seeds
11. Verticillium albo-atrum Reinke et Berthold	Plants of <i>Humulus lupulus</i> L., intended for planting, other than seeds
12. Verticillium dahliae Klebahn	Plants of <i>Humulus lupulus</i> L., intended for planting, other than seeds

(D) VIRUSES AND VIRUS-LIKE ORGANISMS

Species	Subject of contamination
1. Arabis mosaic virus	Plants of <i>Fragaria</i> L. and <i>Rubus</i> L., intended for planting, other than seeds
2. Beet leaf curl virus	Plants of <i>Beta vulgaris</i> L., intended for planting, other than seeds

Species	Subject of contamination	
3. Chrysanthemum stunt viroid	Plants of <i>Dendranthema</i> (DC.) Des Moul., intended for planting, other than seeds	
4. Citrus tristeza virus (European isolates)	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds	
5. Citrus vein enation woody gall	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds	
6. Grapevine Flavescence doree MLO	Plants of Vitis L., other than fruit and seeds	
7. Plum pox virus	Plants of <i>Prunus</i> L., intended for planting, other than seeds	
8. Potato stolbur mycoplasm	Plants of Solanaceae, intended for planting, other than seeds	
9. Raspberry ringspot virus	Plants of <i>Fragaria</i> L. and <i>Rubus</i> L., intended for planting, other than seeds	
10. Spiroplasma citri Saglio et al.	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds	
11. Strawberry crinkle virus	Plants of <i>Fragaria</i> L., intended for planting, other than seeds	
12. Strawberry latent ringspot virus	Plants of <i>Fragaria</i> L. and <i>Rubus</i> L., intended for planting, other than seeds	
13. Strawberry mild yellow edge virus	Plants of <i>Fragaria</i> L., intended for planting, other than seeds	
14. Tomato black ring virus	Plants of <i>Fragaria</i> L. and <i>Rubus</i> L., intended for planting, other than seeds	
15. Tomato spotted wilt virus	Plants of Apium graveolens L., Capsicum annuum L., Cucumis melo L., Dendranthema (DC.) Des Moul., all varieties of New Guinea hybrids Impatiens, Lactuca sativa L., Lycopersicon lycopersicum (L.) Karsten ex Farw., Nicotiana tabacum L., of which there shall be evidence that they are intended for sale to professional tobacco production, Solanum melongena L., Solanum tuberosum L., intended for planting	

Part B.

Plant pests whose introduction into, and whose spread within, certain protected zones shall be banned if they are present on certain plants or plant products

(A) INSECTS, MITES AND NEMATODES, AT ALL STAGES OF THEIR DEVELOPMENT

Species	Subject of contamination	Protected Zone(s)
1. Anthonomus grandis(Boh.)	Seed and fruits (bolls) of Gossypium spp.	EL, E, I
2. Cephalcia lariciphila(Klug)	Plants of <i>Larix</i> Mill., intended for planting, other than seeds	F, IRL, UK (N-IRL, Isle of Man)
3. Dendroctonus micans(Kugelan)	Plants of conifers (Coniferales), over 3 m in height, other than fruit and seeds, wood of conifers with bark, isolated bark of conifers	EL, E, IRL, I, P, UK*
4. Gilpinia hercyniae(Hartig)	Plants of <i>Picea</i> A. Dietr., intended for planting, other than seeds	EL, F, IRL, UK (N-IRL, Isle of Man)
5. Gonipterus scutellatus Gyll	Plants of <i>Eucalyptus</i> l'Herit, other than fruit and seeds	EL, P
6 (a) Ips amitinus(Eichhoff)	Plants of conifers (Coniferales), over 3 m in height, other than fruit and seeds, wood of conifers (Coniferales) with bark, isolated bark of conifers	EL, E, F (Corsica), IRL, I, P, UK
(b) Ips cembrae(Heer)	Plants of conifers (Coniferales), over 3 m in height, other than fruit and seeds, wood of conifers (Coniferales) with bark, isolated bark of conifers	EL, E, IRL, P, UK (N-IRL, Isle of Man)
(c) Ips duplicatus(Sahlberg)	Plants of conifers (Coniferales), over 3 m in height, other than fruit and seeds, wood of conifers (Coniferales) with bark, isolated bark of conifers	EL, E, IRL, I, P, UK
(d) Ips sexdentatus(Boerner)	Plants of conifers (Coniferales), over 3 m in height, other than fruit and seeds, wood	EL, IRL, UK(N-IRL, Isle of Man)

^{* (}Scotland, Northern Ireland, Isle of Man, the following counties and areas of England: Bedfordshire, Berkshire, Buckinghamshire, Cambridgeshire, Cleveland, Cornwall, Cumbria, Devon, Dorset, Durham, Essex, Hampshire, Hertfordshire, Humberside, Isle of Wight, Isles of Scilly, Kent, Lincolnshire, Norfolk, Northamptonshire, Northumberland, Nottinghamshire, Oxfordshire, Somerset, Suffolk, Surrey, East Sussex, West Sussex, Tyne and Wear, Wiltshire, South Yorkshire, West Yorkshire, and the following parts of counties; in Avon that part of the county to the south of the southern boundary of the M4 motorway; in Derbyshire the districts of north-east Derbyshire, Chesterfield, Bolsover; in Leicestershire the districts of Charnwood, Melton, Rutland, Harborough, Oadby and Wigston, Leicester, Blaby; in North Yorkshire the districts of Scarborough, Ryedale, Hambleton, Richmondshire, Harrogate, York, Selby).

Species	Subject of contamination	Protected Zone(s)
	of conifers (Coniferales) with bark, isolated bark of conifers	
(e) Ips typographus De Geer	Plants of conifers (Coniferales), over 3 m in height, other than fruit and seeds, wood of conifers (Coniferales) with bark, isolated bark of conifers	EL, E, IRL, P, UK
7. Matsucoccus feytaudi Duc	Isolated bark and wood of conifers (Coniferales)	F (Corsica)
8. Pissodes spp. (European)	Plants of conifers (Coniferales), other than fruit and seeds, wood of conifers (Coniferales), isolated bark of conifers (Coniferales)	IRL, UK (N-IRL, Isle of Man)
9. Sternochetus mangiferae(Fabricius)	Seeds of <i>Mangifera</i> spp. originating in third countries	E, P
10. Thaumetopoea pityocampa(Den. et Schiff.)	Plants of <i>Pinus</i> L., intended for planting, other than fruit and seeds	E (Ibiza)

^{* (}Scotland, Northern Ireland, Isle of Man, the following counties and areas of England: Bedfordshire, Berkshire, Buckinghamshire, Cambridgeshire, Cleveland, Cornwall, Cumbria, Devon, Dorset, Durham, Essex, Hampshire, Hertfordshire, Humberside, Isle of Wight, Isles of Scilly, Kent, Lincolnshire, Norfolk, Northamptonshire, Northumberland, Nottinghamshire, Oxfordshire, Somerset, Suffolk, Surrey, East Sussex, West Sussex, Tyne and Wear, Wiltshire, South Yorkshire, West Yorkshire, and the following parts of counties; in Avon that part of the county to the south of the southern boundary of the M4 motorway; in Derbyshire the districts of north-east Derbyshire, Chesterfield, Bolsover; in Leicestershire the districts of Charnwood, Melton, Rutland, Harborough, Oadby and Wigston, Leicester, Blaby; in North Yorkshire the districts of Scarborough, Ryedale, Hambleton, Richmondshire, Harrogate, York, Selby).

(B) BACTERIA

Species	Subject of contamination	Protected Zone(s)
1. Curtobacterium flaccumfaciens pv.flaccumfaciens(Hedges) Collins et Jones	Seeds of <i>Phaseolus vulgaris</i> L. and <i>Dolichos</i> Jacq.	EL, E, I, P
2. Erwinia amylovora(Burr.) Winsl. et al.	intended for planting, but including live pollen for pollination of <i>Chaenomeles</i> Lindl., <i>Cotoneaster</i> Ehrh., <i>Crataegus</i> L., <i>Cydonia</i>	Alsace except department of Bas-Rhin-, Lorraine, Franche-Comté, Rhône-Alpes, Bourgogne, Auvergne, Provence-Alpes-Côte d'Azur, Corse, Languedoc-Roussillon), IRL, I, P, UK (N-IRL, Isle of

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

(C) FUNGI

Species	Subject of contamination	Protected Zone(s)
1. Glomerella gossypii Edgerton	Seed and fruits (bolls) of Gossypium spp.	EL, I (Sicily)
2. Gremmeniella abietina(Lag.) Morelet	Plants of <i>Abies</i> Mill., <i>Larix</i> Mill., <i>Picea</i> A. Dietr., <i>Pinus</i> L., and <i>Pseudotsuga</i> Carr., intended for planting, other than seeds	IRL, UK (N-IRL, Isle of Man)
3. <i>Hypoxylon mammatum</i> (Wahl.) J. Miller	Plants of <i>Populus</i> L., intended for planting, other than seeds	IRL, UK (N-IRL, Isle of Man)
4. Phytophthora cinnamomi Rands	Plants of <i>Persea americana</i> P Mill., other than fruit and seeds	EL (Crete)

NB. In Part B of this Schedule Member States are indicated by the initials in general use in the European community and relevant regions of the Member States appear in parentheses.