SCHEDULE 4

Article 3(1)

Part A

Special requirements which must be met for the introduction and movement of plants, plant products and other objects into and within Great Britain.

Section 1.

Plants, plant products and other objects originating outside the Community.

Plants, plant products and other objects

1.1. Wood of conifers (Coniferales), except that of Thuja L., other than wood in the form of:

- chips, particles, wood waste, or scrap obtained in whole or part from these conifers.
- packing cases, crates or drums,
- pallets, box pallets or other load boards,
- dunnage, spacers and bearers,

but including that which has not kept its natural round surface, originating in Canada, China, Japan, Korea, Taiwan and the USA

1.2 Wood of conifers (Coniferales), in the form Official statement of chips, particles, wood waste or scrap obtained (a) in whole or part from these conifers, originating in Canada, China, Japan, Korea, Taiwan and the **USA**

- Taiwan and the USA
- 1.4 Wood of *Thuja* L., including that which has The wood shall be stripped of its bark, and shall USA
- 1.5 Wood of conifers (Coniferales), other than (a) wood in the form of chips, particles, wood waste or scrap obtained in whole or part from these conifers, but including that which has not kept its natural round surface, originating in non-European countries, other than Canada, China, (b) Japan, Korea, Taiwan and the USA

Special requirements

There shall be evidence by application of an indicator system, applied to the wood, that it has undergone an appropriate heat treatment to achieve a minimum wood core temperature of 56°C for 30 minutes

- that the product has undergone an appropriate fumigation shipboard or in a container prior to shipment and
- (b) that the product shall be shipped in sealed containers or in such a way as to prevent any reinfestation

1.3 Wood of conifers (Coniferales), except that The wood shall be stripped of its bark, and shall of Thuja L., in the form of packing cases, be free from grub holes, caused by the genus crates, drums, pallets, box pallets or other load Monochamus(non-European spp.), defined for boards, dunnage, spacers and bearers including this purpose as those which are larger than 3 that which has not kept its natural round surface, mm across, and shall have a moisture content originating in Canada, China, Japan, Korea, expressed as a percentage of dry matter, of less than 20%, achieved at the time of manufacture

not kept its natural round surface, originating in be free from grub holes, caused by the genus Canada, China, Japan, Korea, Taiwan and the *Monochamus*(non-European spp.), defined for this purpose as those which are larger than 3 mm

- The wood shall be stripped of its bark and shall be free from grub holes, caused by the genus *Monochamus*(non-European spp.), defined for this purpose as those which are larger than 3 mm across, or there shall be evidence by a mark
- "Kiln-dried", or "K.D." or another

1

Special requirements

internationally recognised mark, put on the wood or on its packaging in accordance with current commercial usage, that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, at time of manufacture, achieved through an appropriate time/temperature schedule

wood which has not kept its natural round dried", "K.D." or another internationally surface, other than wood intended for the recognised mark, put on the wood or on production of veneer, originating in North its packaging in accordance with current American countries

2.1 Wood of Acer saccharum Marsh., including There shall be evidence by a mark "Kilncommercial usage, that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, at time of manufacture, achieved through an appropriate time/temperature schedule

American countries

2.2 Wood of Acer Saccharum Marsh., other There shall be evidence by the appropriate than wood listed in 2.1, originating in North accompanying documents, or some other means that the wood is intended for the production of veneer sheets

3 Wood of Castanea Mill, and Quercus L., The wood shall be stripped of its bark, and including wood which has not kept its natural round surface, originating in North American countries

- (a) either be squared so as to remove entirely the rounded surface, or
- (b) official statement that the water content of the wood does not exceed 20% expressed as a percentage of the dry matter, or
- official statement that the wood has been disinfected by an appropriate hot-air or hot water treatment,

or in the case of sawn wood with or without residual bark attached, there shall be evidence by a mark "Kiln-dried", "K.D." or another internationally recognised mark, put on the wood or its packaging in accordance with current commercial usage, that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, at time of manufacture, achieved through an appropriate time/temperature schedule

4 Wood of Castanea Mill.

Without prejudice to the requirements applicable to the plant products listed in Schedule 4A1(3),

- official statement that the wood originates in areas known to be free from Cryphonectria parasitica(Murrill) Barr,
- (b) the wood shall be stripped of its bark

Special requirements

5 Wood of Platanus L., including wood which There shall be evidence by a mark "Kilnin the USA or Armenia

has not kept its natural round surface, originating dried", "K.D." or another internationally recognised mark, put on the wood or on its packaging in accordance with current commercial usage, that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, at time of manufacture, achieved through an appropriate time/temperature schedule

6 Wood of *Populus* L., originating in countries The wood shall be stripped of its bark of the American continent

Japan, Korea, Taiwan and the USA

7 Wood in the form of chips, particles, wood The product shall have been produced waste or scrap and obtained in whole or exclusively from wood which was stripped part from Acer saccharum Marsh, Castanea of its bark or which has undergone either Mill., Platanus L., Populus L., and Quercus kiln-drying to below 20% moisture content, L., originating in non-European countries, expressed as a percentage of dry matter and conifers (Coniferales) originating in non- at time of manufacture, achieved through European countries other than Canada, China, an appropriate time/temperature schedule or fumigation shipboard or in a container prior to shipment, and shall be shipped in sealed containers or in such a way as to prevent any reinfestation

countries

8.1 Plants of conifers (Coniferales) other than Without prejudice to the prohibitions applicable fruit and seeds originating in non-European to the plants listed in Schedule 3A(1), where appropriate, official statement that the plants have been produced in nurseries and that the place of production is free from *Pissodes* spp. (non-European)

8.2 Plants of conifers (Coniferales) other than Without prejudice to the provisions applicable non-European countries

fruit and seeds, over 3 m in height, originating in to the plants listed in Schedule 3A(1), and Schedule 4A1 (8.1), where appropriate, official statement that the plants have been produced in nurseries and that the place of production is free from Scolytidae spp. (non-European)

than seeds

9 Plants of *Pinus* L., intended for planting, other Without prejudice to the provisions applicable to the plants listed in Schedule 3A(1), and Schedule 4A1 (8.1), (8.2), official statement that no symptoms of *Scirrhia acicola*(Dearn.) Siggers or Scirrhia pini Funk et Parker have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation

Carr. intended for planting, other than seeds

10 Plants of Abies Mill., Larix Mill., Picea A. Without prejudice to the provisions applicable Dietr., Pinus L., Pseudotsuga Carr., and Tsuga to the plants listed in Schedule 3A(1), and Schedule 4A1 (8.1), (8.2) or (9), where appropriate, official statement that no symptoms of Melampsora medusae Thümen have been observed at the place of production or in its

Special requirements
immediate vicinity since the beginning of the last complete cycle of vegetation
Without prejudice to the prohibitions applicable to the plants listed in Schedule 3A(2),
official statement that the plants originate in areas known to be free from <i>Ceratocystis fagacearum</i> (Bretz) Hunt
Without prejudice to the provisions applicable to the plants listed in Schedule 3A(2) and Schedule 4A1 (11.1), official statement that: (a) the plants originate in areas known to be free from <i>Cryphonectria parasitica</i> (Murrill) Barr, or (b) no symptoms of <i>Cryphonectria parasitica</i> (Murrill) Barr have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation
Official statement that no symptoms of <i>Ceratocystis fimbriata</i> f.sp. <i>platani</i> Walter have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation
Without prejudice to the prohibitions applicable to the plants listed in Schedule 3A(3), official statement that no symptoms of <i>Melampsora medusae</i> Thümen have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation
Without prejudice to the provisions applicable to the plants listed in Schedule 3A(3) and Schedule 4A1 (13.1), official statement that no symptoms of <i>Mycosphaerella populorum</i> G. E. Thompson have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation

countries

14 Plants of *Ulmus* L., intended for planting, Official statement that no symptoms of Elm other than seeds, originating in North American phloem necrosis mycoplasm have been observed

at the place of production or in its immediate

Special requirements

vicinity since the beginning of the last complete cycle of vegetation

L.,Cydonia Mill., Prunus L., Pyrus L., intended for planting, Schedule 3B(1), where appropriate, official other than seeds, originating in non-European statement that: countries

15 Plants of *Chaenomeles Lindl., Crataegus* Without prejudice to the prohibitions applicable Mill., Eriobotrya Lindl., Malus to the plants listed in Schedule 3A(9), (18) and

- the plants originate in a country known to (a) be free from *Monilinia fructicola*(Winter) Honey, or
- (b) the plants originate in an area recognised as being free from Monilinia fructicola(Winter) Honey, and no symptoms of Monilinia fructicola(Winter) Honey have been observed at the place of production since the beginning of the last complete cycle of vegetation

16 From 15 February to 30 September, fruits of Official statement that: Prunus L.,

- - the fruits originate in a country known to be free from Monilinia fructicola(Winter) Honey, or
 - the fruits originate in an area recognised as being free from Monilinia fructicola(Winter) Honey, or
 - the fruits have been subjected to appropriate inspection and treatment procedures prior to harvest and/or export to ensure freedom from *Monilinia* spp.

16.1 Fruits of Citrus Swingle, Poncirus Raf. and originating in third countries

L. Fortunella Without prejudice to the prohibitions applicable their hybrids, to the fruits in Schedule 3B(2), (3) the fruits shall be free from peduncles and leaves and the packaging shall bear an appropriate origin mark

16.2 Fruits of Citrus Swingle, *Poncirus* Raf. originating third countries *Xanthomonas campestris*(all strains pathogenic statement that: to Citrus) is known to occur

L., Fortunella Without prejudice to the provisions applicable and their hybrids, to the fruits in Schedule 3B(2), (3) and where Schedule 4A1(16.1), (16.3) and (16.4), official

- the fruits originate in areas known to (a) be free from the relevant pest, or, if this requirement cannot be met
- no symptoms of the relevant pest have (b) been observed at the place of production and in its immediate vicinity since the beginning of the last cycle of vegetation, and representative samples of leaves drawn not earlier than 15 days before fruit harvesting have shown, in appropriate official testing, to be free from the relevant pest, and none of the fruits harvested at the place of production has shown, in appropriate official examination, symptoms of the relevant

Special requirements

- pest, or, if this requirement can also not be met.
- (c) the fruits have not shown symptoms of the relevant pest and have been subjected to appropriate treatment such as chlorine or sodium orthophenylphenate
- 16.3 of Fruits Citrus Swingle, Poncirus Raf. and their hybrids, to the fruits in Schedule 3B(2), (3) and originating in third countries where Cercospora Schedule 4A1(16.1), (16.2) and (16.4), official angolensis Carv. et Mendes or Guignardia statement that: citricarpa Kiely (all strains pathogenic to Citrus) (a) are known to occur
 - L. Fortunella Without prejudice to the provisions applicable
 - the fruits originate in areas known to be free from the relevant pests, or, if this requirement cannot be met
 - (b) no symptoms of the relevant pests have been observed at the place of production and in its immediate vicinity since the beginning of the last cycle of vegetation and none of the fruits harvested at the place of production has shown, in appropriate official examination, symptoms of the relevant pests, or, if this requirement can also not be met,
 - (c) the fruits have been subjected to appropriate treatment against the relevant pests

16.4 Fruits of Citrus Swingle, Poncirus Raf. and their hybrids, to the fruits in Schedule 3B(2), (3) and originating in non-European third countries Schedule 4A1 (16.1), (16.2) and (16.3), official where Tephritidae (non-European) are known to statement that: occur on these fruits

L., Fortunella Without prejudice to the provisions applicable

- the fruits originate in areas known to be (a) free from the relevant pests, or, if this requirement cannot be met
- no signs of the relevant pests have been observed at the place of production and in its immediate vicinity since the beginning of the last complete cycle of vegetation, on official inspections carried out at least monthly during the three months prior to harvesting, and none of the fruits harvested at the place of production has shown, in appropriate official examination, signs of the relevant pests, or, if this requirement can also not be met.
- the fruits have shown, in appropriate official examination on representative samples, to be free from the relevant pests in all stages of their development, or, if this requirement can also not be met,
- the fruits have been subjected to an appropriate treatment; any acceptable

Special requirements

vapour heat treatment, cold treatment, or quick freeze treatment, which has been shown to be efficient against the relevant pests without damaging the fruit, and, where not available, chemical treatment as far as it is acceptable by Community legislation

17 Plants of *Chaenomeles Lindl., Cotoneaster* Without prejudice to the provisions applicable Ehrh., Crataegus L., Cydonia Mill., Eriobotrya to the plants listed in Schedule 3A(9), (18), Lindl., Malus Mill., Mespilus L., Pyracantha Schedule 3B(1) or Schedule 4A1(15), where Roem., Pyrus L., Sorbus L. other than Sorbus appropriate, official statement: intermedia(Ehrh.) Pers., Stranvaesia Lindl., (a) intended for planting, other than seeds

- that the plants originate in countries recognised as being free from Erwinia amylovora(Burr.) Winsl. et al. or
- that the plants in the field of production and in its immediate vicinity, which have shown symptoms of Erwinia amylovora(Burr.) Winsl. et al., have been rogued out

of 18 **Plants** Citrus Swingle, Poncirus Raf., and their hybrids, to the plants listed in Schedule 3A(16), where other than fruit and seeds, and plants of appropriate, official statement that: Araceae, Marantaceae, Musaceae, Persea spp. (a) and Strelitziaceae, rooted or with growing medium attached or associated

L., Fortunella Without prejudice to the prohibitions applicable

- the plants originate in countries known to be free from *Radopholus* citrophilus Huettel et al. and Radopholus similis(Cobb) Thorne, or
- (b) representative samples of soil and roots from the place of production have been subjected, since the beginning of the last complete cycle of vegetation, to official nematological testing for at least Radopholus citrophilus Huettel et al. and Radopholus similis(Cobb) Thorne and have been found, in these tests, free from those plant pests

planting, other than seeds, originating in to the plants listed in Schedule 3A(9), and countries where *Phyllosticta solitaria* Ell. et Ev. Schedule 4A1 (15), (17), official statement that is known to occur

19.1 Plants of Crataegus L., intended for Without prejudice to the provisions applicable no symptoms of Phyllosticta solitaria Ell. et Ev. have been observed on plants at the place of production since the beginning of the last complete cycle of vegetation

19.2 Plants of Cydonia Mill.Fragaria L.,Malus Mill., Prunus L., Pyrus L., Ribes L., Rubus L., intended for planting, other than seeds, originating in countries where the relevant plant pests are known to occur on the genera concerned

Without prejudice to the provisions applicable to the plants, where appropriate, listed in Schedule 3A(9), (18), or Schedule 4A1(15), (17), official statement that no symptoms of diseases caused by the relevant plant pests have been observed on the plants at the place of production since the beginning of the last complete cycle of vegetation

The relevant plant pests are

Special requirements

— on *Fragaria* L.

Phytophthora fragariae Hickman

var.fragariae

Arabis mosaic virus

Raspberry ringspot virus

Strawberry crinkle virus

Strawberry latent ringspot virus

Strawberry mild yellow edge virus

Tomato black ring virus

Xanthomonas fragariae Kennedy et

King

- on Malus Mill.:

Phyllosticta solitaria Ell. et Ev.

- on Prunus L.:

Apricot chlorotic leafroll

mycoplasm

Xanthomonas campestris pv. pruni

(Smith) Dye

— on *Prunus persica*(L.) Batsch:

Pseudomonas syringae

pv.persicae(Prunier et al.) Young et

al.

on Pyrus L.:

Phyllosticta solitaria Ell. et Ev.

on Rubus L.:

Arabis mosaic virus

Raspberry ringspot virus

Strawberry latent ringspot virus

Tomato black ring virus

— on all species:

non-European viruses and virus-like organisms

mycoplasm is known to occur

20 Plants of Cydonia Mill. and Pyrus Without prejudice to the provisions applicable L., intended for planting, other than seeds, to plants, listed in Schedule 3A(9), (18), originating in countries where Pear decline and Schedule 4A1(15), (17), (19.2), official statement that plants at the place of production and in its immediate vicinity, which have shown symptoms giving rise to the suspicion of contamination by Pear decline mycoplasm, have been rogued out at that place within the last three complete cycles of vegetation

21.1 Plants of Fragaria L., intended for planting, other than seeds, originating in countries where the relevant plant pests are known to occur.

The relevant plant pests are:

Strawberry latent 'C' virus

Strawberry vein banding virus

Strawberry witches' broom mycoplasm

Special requirements

Without prejudice to the provisions applicable to plants, listed in Schedule 3A(18) and Schedule 4A1(19.2), official statement that:

- the plants, other than those raised from seed, have been:
 - either officially certified under a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and subjected to official testing for at least the relevant plant pests using appropriate indicators or equivalent methods and has been found free, in these tests, from those plant pests,
 - derived in direct line from material which is maintained under appropriate conditions and has been subjected, within the last three complete cycles of vegetation, at least once, to official testing, for at least the relevant plant pests using appropriate indicators or equivalent methods and has been found free, in these tests, from those plant pests
- no symptoms of diseases caused by the relevant plant pests have been observed on plants at the place of production, or on susceptible plants in its immediate vicinity, since the beginning of the last complete cycle of vegetation
- 21.2 Plants of Fragaria L., intended for planting, Without prejudice to the provisions applicable other than seeds, originating in countries where to plants listed in Schedule 3A(18) and Aphelenchoides besseyi Christie is known to Schedule 4A1(19.2), (21.1), official statement occur

- either no symptoms of Aphelenchoides (a) besseyi Christie have been observed on plants at the place of production since the beginning of the last complete cycle of vegetation, or
- in the case of plants in tissue culture, (b) the plants have been derived from plants which complied with section (a) of this item or have been officially tested by appropriate nematological methods and have been found free from Aphelenchoides besseyi Christie
- other than seeds

21.3 Plants of Fragaria L., intended for planting, Without prejudice to the provisions applicable to the plants listed in Schedule 3A(18) and

Special requirements

22.1 Plants of Malus Mill., intended for planting, other than seeds, originating in countries where the relevant plant pests are known to occur on Malus Mill.

The relevant plant pests are: Cherry rasp leaf virus (American) Tomato ringspot virus

Schedule 4A1 (19.2), (21.1), (21.2), official statement that the plants originate in an area known to be free from *Anthonomus signatus* Say and Anthonomus bisignifer(Schenkling)

Without prejudice to the provisions applicable to the plants, listed in Schedule 3A(9), (18), Schedule 3B(1) and Schedule 4A1(15), (17), (19.2), official statement that:

- the plants have been:
 - either officially certified under a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and subjected to official testing for at least the relevant plant pests using appropriate indicators or equivalent methods and has been found free, in these tests, from those plant pests,
 - derived in direct line from material which is maintained under appropriate conditions and has been subjected, within the last three complete cycles of vegetation, at least once, to official testing for at least the relevant plant pests using appropriate indicators or equivalent methods and has been found free, in these tests, from those plant pests
- (b) no symptoms of diseases caused by the relevant plant pests have been observed on plants at the place of production or on susceptible plants in its immediate vicinity, since the beginning of the last three complete cycles of vegetation

22.2 Plants of Malus Mill., intended for planting, Without prejudice to the provisions applicable other than seeds, originating in countries where to the plants, listed in Schedule 3A(9), (18), Apple proliferation mycoplasm is known to Schedule 3B(1) and Schedule 4A1(15), (17), occur

(19.2), (22.1), official statement that:

- the plants originate in areas known to be free from Apple proliferation mycoplasm,
- (b) (aa) the plants, other than those raised from seed, have been:
 - either officially certified under a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions

Special requirements

and subjected to official testing for at least Apple proliferation mycoplasm using appropriate indicators or equivalent methods and has been found free, in these tests, from that plant pest, or

- derived in direct line from material which is maintained under appropriate conditions and has been subjected, within the last six complete cycles of vegetation, at least once, to official testing for at least Apple proliferation mycoplasm using appropriate indicators or equivalent methods and has been found free, in these tests, from that plant pest
- (bb) no symptoms of diseases caused by Apple proliferation mycoplasm have been observed on plants at the place of production, or on susceptible plants in its immediate vicinity, since the beginning of the last three complete cycles of vegetation

23.1 Plants of the following species of *Prunus* L., intended for planting, other than seeds, originating in countries where Plum pox virus is known to occur:

Prunus amygdalus Batsch

Prunus armeniaca L.

Prunus blireiana Andre

Prunus brigantina Vill.

Prunus cerasifera Ehrh.

Prunus cistena Hansen

Prunus curdica Fenzl et Fritsch.

Prunus domestica ssp.domestica L.

Prunus domestica ssp.insititia(L.) C.K.

Schneid.

Prunus domestica ssp.italica(Borkh.)

Hegi

Prunus glandulosa Thunb.

Prunus holosericea Batal.

Prunus hortulana Bailey

Prunus japonica Thunb.

Prunus mandshurica(Maxim.) Koehne

Prunus maritima Marsh.

Prunus mume Sieb. et Zucc.

Without prejudice to the provisions applicable to the plants, listed in Schedule 3A(9), (18) and Schedule 4A1(15) (19.2), official statement that:

- (a) the plants, other than those raised from seed, have been:
 - either officially certified under a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and subjected to official testing for, at least, Plum pox virus using appropriate indicators or equivalent methods and has been found free, in these tests, from that plant pest, or
 - derived in direct line from material which is maintained under appropriate conditions and has been subjected, within the last three complete cycles of vegetation, at least once, to official testing for at least Plum pox virus using

Prunus nigra Ait.

Prunus persica(L.) Batsch

Prunus salicina L.

Prunus sibirica L.

Prunus simonii Carr.

Prunus spinosa L.

Prunus tomentosa Thunb.

Prunus triloba Lindl.

other species of *Prunus* L. susceptible to plum pox virus

23.2 Plants of Prunus L., intended for planting,

- (a) originating in countries where the relevant plant pests are known to occur on *Prunus* L.
- (b) other than seeds, originating in countries where the relevant plant pests are known to occur
- (c) other than seeds, originating in non-European countries where the relevant plant pests are known to occur

The relevant plant pests are:

— for the case under (a):

Tomato ringspot virus

— for the case under (b):

Cherry rasp leaf virus (American)
Peach mosaic virus (American)
Peach phony rickettsia
Peach rosette mycoplasm
Peach yellows mycoplasm
Plum line pattern virus (American)
Peach X-disease mycoplasm

— for the case under (c):

Little cherry pathogen

Special requirements

appropriate indicators or equivalent methods and has been found free, in these tests, from that plant pest

- (b) no symptoms of disease caused by Plum pox virus have been observed on plants at the place of production or on susceptible plants in its immediate vicinity, since the beginning of the last three complete cycles of vegetation
- (c) plants at the place of production which have shown symptoms of disease caused by other viruses or virus-like pathogens, have been rogued out

Without prejudice to the provisions applicable to the plants, where appropriate, listed in Schedule 3A(9), (18) or Schedule 4A1(15), (19.2), (23.1), official statement that:

- (a) the plants have been:
 - either officially certified under a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and subjected to official testing for at least the relevant plant pests using appropriate indicators or equivalent methods and has been found free, in these tests, from those plant pests, or
 - derived in direct line from material which is maintained under appropriate conditions and has been subjected, within the last three complete cycles of vegetation, at least once, to official testing for at least the relevant plant pests using appropriate indicators or equivalent methods and has been found free, in these tests, from those plant pests
- (b) no symptoms of diseases caused by the relevant plant pests have been observed on plants at the place of production or on susceptible plants in its immediate vicinity, since the beginning of the last three complete cycles of vegetation

24 Plants of Rubus L., intended for planting,

(a) originating in countries where the relevant plant pests are known to occur on *Rubus* L.

Without prejudice to the requirements applicable to the plants listed in Schedule 4A1(19.2),

- (a) the plants shall be free from aphids, including their eggs
- (b) official statement that:

Special requirements

other than seeds, originating in countries where the relevant plant pests are known to occur

The relevant plant pests are:

— in the case of (a):

Tomato ringspot virus Black raspberry latent virus Cherry leafroll virus Prunus necrotic ringspot virus

- in the case of (b):

Raspberry leaf curl virus (American)

Cherry rasp leaf virus (American)

- (aa) the plants have been:
 - either officially certified under a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and subjected to official testing for at least the relevant plant pests using appropriate indicators or equivalent methods and has been found free, in these tests, from those plant pests, or
 - derived in direct line from material which is maintained under appropriate conditions and has been subjected, within the last three complete cycles of vegetation, at least once, to official testing for at least the relevant plant pests using appropriate indicators or equivalent methods and has been found free, in these tests, from those plant pests,
- (bb) no symptoms of diseases caused by the relevant plant pests have been observed on plants at the place of production, or on susceptible plants in its immediate vicinity, since the beginning of the last three complete cycles of vegetation
- originating in countries where Synchytrium to the tubers listed in Schedule 3A(10), (11), endobioticum(Schilbersky) Percival is known to (12), official statement that: occur

25.1 Tubers of Solanum tuberosum L., Without prejudice to the prohibitions applicable

- the tubers originate in areas known to be free from Synchytrium endobioticum(Schilbersky) Percival (all races other than Race 1, the common European race), and no symptoms of *Synchytrium endobioticum*(Schilbersky) Percival have been observed either at the place of production or in its immediate vicinity since the beginning of an adequate period, or
- provisions recognised as equivalent to the Community provisions on combating *Synchytrium endobioticum*(Schilbersky) Percival have been complied with, in the country of origin

Plants, plant products and other objects	Special requirements
25.2 Tubers of Solanum tuberosum L.,	Without prejudice to the provisions listed in Schedule 3A(10), (11), (12) and Schedule 4A1(25.1), official statement that: (a) the tubers originate in countries known to be free from <i>Clavibacter michiganensis</i> ssp. <i>sepedonicus</i> (Spieckermann et Kotthoff) Davis et al., or (b) provisions recognised as equivalent to the Community provisions on combating <i>Clavibacter michiganensis</i> ssp. <i>sepedonicus</i> (Spieckermann et Kotthoff) Davis et al., have been complied with, in the country of origin
25.3 Tubers of <i>Solanum tuberosum</i> L., other than early potatoes, originating in countries where Potato spindle tuber viroid is known to occur	
25.4 Tubers of <i>Solanum tuberosum</i> L., intended for planting	Without prejudice to the provisions applicable to tubers listed in Schedule 3A(10), (11), (12) and Schedule 4A1(25.1), (25.2), (25.3), official statement that the tubers originate from a field known to be free from Globodera rostochiensis (Wollenweber) Behrens and Globodera pallida (Stone) Behrens
25.5 Plants of Solanaceae, intended for planting, other than seeds, originating in countries where Potato stolbur mycoplasm is known to occur	Without prejudice to the provisions applicable to tubers listed in Schedule 3A(10), (11), (12), (13), and Schedule 4A1(25.1), (25.2), (25.3), (25.4), official statement that no symptoms of Potato stolbur mycoplasm have been observed on the plants at the place of production since the beginning of the last complete cycle of vegetation
L. and other than seeds of Lycopersicon lycopersicum(L.) Karsten ex Farw., originating	Without prejudice to the provisions applicable to the plants listed in Schedule 3A(11), (13), and Schedule 4A1(25.5), where appropriate, official statement that no symptoms of Potato spindle tuber viroid have been observed on plants at the place of production since the beginning of the last complete cycle of vegetation
26 Plants of <i>Humulus lupulus</i> L., intended for planting, other than seeds	Official statement that no symptoms of Verticillium albo-atrum Reinke and Berthold and Verticillium dahliae Klebahn have been

27.1 Plants of *Dendranthema*(DC.) Des Official statement that: Moul., Dianthus L. and Pelargonium L'Herit. ext (a) no signs of Heliothis armigera Hübner, or Ait., intended for planting, other than seeds

vegetation

Spodoptera littoralis(Boisd.) have been

observed on hops at the place of production since the beginning of the last complete cycle of Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Plants, plant products and other objects

Special requirements

- observed at the place of production since the beginning of the last complete cycle of vegetation, or
- the plants have undergone appropriate treatment to protect them from the said pests

27.2 Plants of *Dendranthema (DC.)* Des Without prejudice to the requirements Moul., Dianthus L. and Pelargonium L'Herit ex applicable to the plants listed in Ait., other than seeds

Schedule 4A1(27.1), official statement that:

- no signs of Spodoptera eridania Cramer, Spodoptera frugiperda Smith, or Spodoptera litura (Fabricius) have been observed at the place of production since the beginning of the last complete cycle of vegetation, or
- (b) the plants have undergone appropriate treatment to protect them from the said pests

intended for planting, other than seeds

28 Plants of *Dendranthema*(DC.) Des Moul., Without prejudice to the requirements applicable to the plants, listed in Schedule 4A1(27.1), (27.2), official statement that:

- the plants are no more than third (a) generation stock derived from material which has been found to be free from Chrysanthemum stunt viroid during virological tests, or are directly derived from material of which a representative sample of at least 10% has been found to be free from Chrysanthemum stunt viroid during an official inspection carried out at the time of flowering
- the plants or cuttings:
 - have come from premises which have been officially inspected at least monthly, during the three months prior to dispatch and on which no symptoms of *Puccinia* horiana Hennings have been observed during that period, and in the immediate vicinity of which no symptoms of Puccinia horiana Hennings have been known to have occurred during the three months prior to export, or
 - have undergone appropriate treatment against Puccinia horiana Hennings
- (c) in the case of unrooted cuttings, no symptoms of Didymella ligulicola(Baker, Dimock et Davis) v. Arx were observed

Special requirements

either on the cuttings or on the plants from which the cuttings were derived, or that, in the case of rooted cuttings, no symptoms of *Didymella ligulicola*(Baker, Dimock et Davis) v. Arx were observed either on the cuttings or on the rooting bed

other than seeds

29 Plants of *Dianthus* L., intended for planting, Without prejudice to the requirements applicable to the plants listed in Schedule 4A1(27.1), (27.2), official statement that:

- the plants have been derived in direct line from mother plants which have been found free from Erwinia chrysantemi pv.dianthicola Hellmers) Dickey, Pseudomonas carvophylli(Burkholder) Starr et Burkholder and Phialophora cinerescens(Wollenw.) Van Beyma on officially approved tests, carried out at least once within the two previous years,
- no symptoms of the above plant pests have been observed on the plants

30 Bulbs of Tulipa L. and Narcissus L., other Official statement that no symptoms of than those for which there shall be evidence by *Ditylenchus dipsaci*(Kühn) Filipjev have been their packaging, or by other means, that they are observed on the plants since the beginning of the intended for sale to final consumers not involed last complete cycle of vegetation in professional cut flower production

- 31 Plants of *Pelargonium* L'Herit. ex Ait., intended for planting, other than seeds, originating in countries where Tomato ringspot virus is known to occur:
- where Xiphinema americanum cobbsensu lato(non-European populations) or other vectors of Tomato ringspot virus are not known to occur
- where Xiphinema americanum Cobbsensu lato(non-European populations) or other vectors of Tomato ringspot virus are known to occur

Without prejudice to the requirements applicable to the plants listed in Schedule 4A1(27.1), (27.2),

official statement that the plants:

- are directly derived from places of (a) production known to be free from Tomato ringspot virus, or
- (b) are of no more than fourth generation stock, derived from mother plants found to be free from Tomato ringspot virus under an officially approved system of virological testing

official statement that the plants:

- are directly derived from places of production known to be free from Tomato ringspot virus in the soil or plants, or
- are of no more than second generation (b) stock, derived from mother plants found to be free from Tomato ringspot virus

Special requirements

under an officially approved system of virological testing

32.1 Plants of *Apium graveolens* L., Argyranthemum spp., Aster spp., Brassica spp., Capsicum annuum L., Cucumis spp., Dendranthema(DC.) Des Moul., Dianthus L. and hybrids, Exacum spp., Gerbera Cass., Gypsophila L., Lactuca spp.,Leucanthemum L.,Lupinus L., Lycopersicon lycopersicum(L.) Karsten ex Farw., Solanum melongena L., Tanacetum L., and Verbena L., intended for planting, other than seeds, originating in countries where it has been ascertained, in accordance with the procedure laid down in Article 16a of Directive 77/93/EEC, that the relevant plant pests:

- Amauromyza maculosa (Malloch),
- *Liriomyza bryoniae* (Kaltenbach),
- Liriomyza huidobrensis (Blanchard),
- *Liriomyza sativae* Blanchard,
- *Liriomyza trifolii*(Burgess) are not known to occur

Without prejudice to the provisions applicable to the plants listed in Schedule 3A(11), (13), or Schedule 4A1(27.1), (27.2), (28), (29), where appropriate, official statement that:

- either no signs of any of the relevant plant pests have been observed at the place of production, on official inspections carried out at least monthly during the three months prior to export, or
- immediately prior to export the plants (b) have been inspected and found free from signs of the relevant plant pests and have been subjected to an appropriate treatment aimed at eradicating the relevant plant pests

Plants of species covered than seeds, originating in American countries (13), or in any other third country not covered by (28), Schedule 4A1(32.1)

by Without prejudice to the provisions applicable Schedule 4A1(32.1), intended for planting, other to the plants listed in Schedule 3A(11), or Schedule 4A1(27.1), (27.2),(29),(32.1)where appropriate, official statement that no signs Amauromyza maculosa(Malloch),Liriomyza bryoniae(Kaltenbach), Liriomyza huidobrensis(Blanchard),Liriomyza sativae(Blanchard), or Liriomyza *trifolii*(Burgess) have been observed at the place of production, on official inspections carried out at least monthly during the three months prior to export

32.3 Plants of herbaceous species other than Without prejudice to the provisions applicable those covered by Schedule 4A1(32.1) intended for planting, other than seeds, originating in countries not covered by Schedule 4A1(32.1)

to the plants listed in Schedule 3A(11), (13) and Schedule 4A1(27.1), (27.2), (28), (29), where appropriate, official statement that:

- either no signs of Amauromyza maculosa(Malloch), or Liriomyza sativae Blanchard have been observed at the place of production on an official inspection carried out prior to export, or
- (b) immediately prior to export the plants have been inspected and found free from signs of the relevant plant pests and have been subjected to an appropriate treatment aimed at eradicating the relevant plant pests

Special requirements

33 Plants with roots, planted or intended for Official planting, grown in the open air

place statement that the of production is known be to from Clavibacter free michiganensis ssp.sepedonicus(Spieckermann et Kotthoff) Davis et al. Globodera pallida(Stone) Behrens, Globodera rostochiensis(Wollenweber) Behrens, Synchytrium endobioticum(Schilbersky) Percival

34 Soil and growing medium attached to or associated with plants, consisting in whole or in part of soil or solid organic substances such as parts of plants, humus including peat or bark or any solid inorganic substance, intended to sustain the vitality of the plants, originating in:

- Turkey
- Belarus, Estonia, Latvia, Lithuania, Moldavia, Russia, Ukraine
- non-European countries other than Cyprus, Egypt, Israel, Libya, Malta, Morocco, Tunisia

Official statement that:

- the growing medium, at the time of planting was:
 - either free from soil, and organic matter, or
 - found free from insects and harmful nematodes and subjected to appropriate examination or heat treatment or fumigation to ensure that it was free from other plant pests, or
 - subjected to appropriate heat treatment or fumigation to ensure freedom from plant pests, and
- (b) since planting:
 - either appropriate measures have been taken to ensure that the growing medium has been maintained free from plant pests, or
 - within two weeks prior to dispatch, the plants were shaken free from the medium leaving the minimum amount necessary to sustain vitality during transport, and, of replanted, the growing medium used for that purpose meets the requirements laid down in (a)
- planting, other than seeds

35.1 Plants of Beta vulgaris L., intended for Official statement that no symptoms of Beet curly top virus (non-European isolates) have been observed at the place of production since the beginning of the last complete cycle of vegetation

35.2 Plants of Beta vulgaris L., intended Without prejudice to the requirements for planting, other than seeds, originating in applicable to the plants listed in countries where Beet leaf curl virus is known to Schedule 4A1(35.1), official statement that: occur

- Beet leaf curl virus has not been known to (a) occur in the ara of production, and
- no symptoms of Beet leaf curl virus have (b) been observed at the place of production or in its immediate vicinity since the

Special requirements

beginning of the last complete cycle of vegetation

36 Plants, intended for planting, other than seeds, Official statement that: originating in countries where Thrips palmi (a) Karny is known to occur

- - the place of production has been found free from Thrips palmi Karny on official inspections carried out at least monthly during the three months prior to export, or
 - the consignment has undergone appropriate treatment to ensure freedom from Thysanoptera

37 Plants of Palmae, intended for planting, Without prejudice to the prohibition applicable other than seeds, originating in non-European to the plants listed in Schedule 3A(17), where countries

appropriate, official statement that:

- either the plants originate in an area known to be free from Palm lethal yellowing mycoplasm and Cadang-Cadang viroid, and no symptoms have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation, or
- no symptoms of Palm lethal yellowing mycoplasm and Cadang-Cadang viroid have been observed on the plants since the beginning of the last complete cycle of vegetation, and plants at the place of production which have shown symptoms giving rise to the suspicion of contamination by the diseases have been rogued out at that place and the plants have undergone appropriate treatment to rid them of Myndus crudus Van Duzee
- in the case of plants in tissue culture, the plants were derived from plants which have met the requirements laid down in (a) or (b)
- 38.1 Plants of *Camellia* L., intended for planting, Official statement that: other than seeds, originating in non-European (a) countries

- the plants originate in areas known to be free from Ciborinia camelliae Kohn, or
- (b) no symptoms of Ciborinia camelliae Kohn have been observed on plants in flower on the place of production since the beginning of the last complete cycle of vegetation
- 38.2 Plants of Fuchsia L., intended for planting, Official statement that no symptoms of Aculops

other than seeds originating in the USA or Brazil *fuchsiae* Keifer have been observed at the place of production and that immediately prior to export the plants have been inspected and found free from Aculops fuchsiae Keifer

Special requirements

39 Trees and shrubs, intended for planting, Without prejudice to the provisions applicable other than seeds and plants in tissue culture, to the plants listed in Schedule 3A(1), (2), (3), originating in third countires other than (9), (13), (15), (16), (17), (18), Schedule 3B(1) European and Mediterranean countries

and Schedule 4A1(8.1), (8.2), (9.1), (9.2), (10, (11.1), (11.2), (12), (13), (14), (15), (17),(18), (19.1), (19.2), (20), (22.1), (22.2), (23.1), (23.2), (24), (25.5), (25.6), (26), (27.1), (27.2),(28), (29), (32.1), (32.2), (33), (34), (36), (37), (38.1), (38.2), where appropriate, official statement that the plants:

- are clean (i.e. free from plant debris) and free from flowers and fruits, and
- have been grown in nurseries, and
- have been inspected at appropriate times and prior to export and found free from symptoms of harmful bacteria, viruses and virus-like organisms, and either found free from signs or symptoms of harmful nematodes, insects, mites and fungi. or have been subjected to appropriate treatment to eliminate such organisms

40 Deciduous trees and shrubs, intended for Without prejudice to the provisions applicable European and Mediterranean countries

planting, other than seeds and plants in tissue to the plants listed in Schedule 3A(1), (2), (3), culture, originating in third countries other than (9), (13), (15), (16), (17), (18), Schedule 3B(1), or Schedule 4A1(8.1), (8.2), (9.1), (9.2), (10), (11.1), (11.2), (12), (13), (14), (15), (17), (18), (19.1), (19.2), (20), (22.1), (22.2), (23.1), (23.2),(23.2), (24), (25.5), (25.6), (26), (27.1), (27.2),(28), (29), (32.1), (32.2), (33), (34), (36), (37), (38.1), (38.2), (39), where appropriate, official statement that the plants are dormant and free from leaves

41 Annual and biennial plants, other than Without prejudice to the provisions applicable Gramineae, intended for planting, other than to the plants, where appropriate, listed in European and Mediterranean countries

seeds, originating in countries other than Schedule 3A(11), (13), or Schedule 4A1(25.5), (25.6), (32.1), (32.2), (32.3), (33), (34), (35.1),(35.2), (36), official statement that the plants:

- have been grown in nurseries, and
- are free from plant debris, flowers and fruits, and
- have been inspected at appropriate times and prior to export, and
- found free from symptoms of harmful bacteria, viruses and virus-like organisms,
- either found free from signs or symptoms of harmful nematodes, insects, mites and fungi, or have been subjected to appropriate treatment to eliminate such pests

Special requirements

Plants of the family Gramineae ornamental perennial grasses of the subfamilies applicable to the plants, where appropriate, Bambusoideae, Panicoideae and of genera Buchloe, Bouteloua Lag., Calamagrostis, Cortaderia Stapf., Glyceria R. Br., Hakonechloa Mak. ex Honda, Hystrix, Molinia Phalaris L., Shibataea, Spartina Schreb., Stipa L., Uniola L., intended for planting, other than seeds, originating in countries other than European and Mediterranean countries

of Without prejudice to the requirements the listed in Schedule 4A1(33), (34), (36), official statement that the plants:

- have been grown in nurseries, and
- are free from plant debris, flowers and fruits, and
- have been inspected at appropriate times and prior to export, and
- found free from symptoms of harmful bacteria, viruses and virus-like organisms,
- either found free from signs or symptoms of harmful nematodes, insects, mites and fungi, or have been subjected to appropriate treatment to eliminate such pests

43 Plants of the bonsai-type, intended for Without prejudice to the provisions applicable planting, other than seeds, originating in non- to the plants listed in Schedule 3A(1), (2), (3), European countries

(9), (13), (15), (16), (17), (18), Schedule 3B(1), or Schedule 4A1(8.1), (8.2), (9.1), (9.2), (10), (11.1), (11.2), (12), (13), (14), (15), (17), (18), (19.1), (19.2), (20), (22.1), (22.2), (23.1), (23.2), (24), (25.5), (25.6), (26), (27.1),(27.2), (28), (32.1), (32.2), (33), (34), (36),(37), (38.1), (38.2), (39), (40), (42) where appropriate, official statement that:

- The plants shall have been grown and trained for at least two consecutive years in officially registered 'bonsai' nurseries, which are subjected to an officially supervised control regime
- The plants shall: (b)
 - (aa) at least during the two last years prior to dispatch,
 - have been grown in either an unused artificial growing medium or in a natural growing medium which has been treated by fumigation or by appropriate heat treatment to ensure freedom from plant pests, and from which appropriate measures have been taken to ensure that the growing medium has been maintained free from plant pests,
 - be potted, in pots which are placed on shelves at least 50 cm above ground

Special requirements

- have been subjected to appropriate treatments to ensure freedom of non-European rusts
- be placed only in insect-proof screened structures
- (bb) within two weeks prior to dispatch, have been shaken free from the medium leaving the minimum amount necessary to sustain vitality during transport, and, if replanted, the growing medium used for that purpose meets the requirements laid down in (aa)
- (c) The plants which have been grown in the registered 'bonsai' nurseries and those plants in the immediate vicinity thereof shall have been officially inspected at least six times a year at appropriate times for the presence of plant pests of concern

The inspections shall be carried out at least by visual examination of each row in the field or nursery and by visual examination of all plant parts above the growing medium, using a random sample of at least 300 plants in a genus where the genus comprises of not more than 3000 plants or 10% of the plants if there are more than 3000 plants in the genus. The plant pests of concern are those listed in the schedules to this Order, and any other plant organism in so far as it does not exist in the community

(d) The plants shall have been found free, in these inspections, from the relevant plant pests of concern. Infested plants shall be removed. The remaining plants, where appropriate, shall be effectively treated, and in addition shall be held for an appropriate period to ensure freedom from such plant pests

The material shall be packed in closed containers which have been officially sealed and bear a distinguishing mark to be reproduced on the phytosanitary certificate enabling the consignments to be identified

44 Herbaceous perennial plants intended Without prejudice to the requirements for planting, other than seeds, of the applicable to the plants, where appropriate

Special requirements

families Caryophylaceae (except *Dianthus* listed in Schedule 4A1(32.1), (32.2), (32.3), L.), Compositae (except *Dendranthema*(DC), (33), (34), (36), official statement that the Des Moul.), Cruciferae, Leguminosae and plants: Rosaceae (except Fragaria L.), originating in third countries other than European and Mediterranean countries

- have been grown in nurseries, and
- are free from plant debris, flowers and fruits, and
- have been inspected at appropriate times and prior to export and
 - found free from symptoms of harmful bacteria, viruses and viruslike organisms, and
 - either found free from signs or symptoms of harmful nematodes, insects, mites and fungi, or have been subjected to appropriate treatment to eliminate such pests

45 Plants of Euphorbia pulcherrima Willd. Official statement that: intended for planting, other than seeds, originating in countries where Bemisia tabaci Genn. (non-European populations) is known to occur

- the plants originate in areas known to be free from Bemisia tabaci Genn., or
- no signs of Bemisia tabaci Genn. have been observed on plants at the place of production, on official inspections carried out at least monthly during the three months prior to export

Without prejudice to the requirements applicable to plants listed in Schedule 3A(13), and Schedule 4A1(25.5), (25.6), (32.1), (32.2), (32.3), (35.1), (35.2), (36), (44), (45) where appropriate,

46 Plants intended for planting other than seeds, bulbs, tubers, corms, rhizomes, originating in countries where the relevant plant pests are known to occur

The relevant plant pests are:

- Bean golden mosaic virus
- Cowpea mild mottle virus
- Lettuce infectious vellows virus
- Pepper mild tigré virus
- Squash leaf curl virus
- other viruses transmitted by *Bemisia* tabaci Genn.
- pests are not known to occur
- (b) Where Bemisia tabaci Genn. (non-European official statement that no symptoms of the populations) or other vectors of the relevant plant relevant plant pests have been observed on the pests are known to occur

(a) Where Bemisia tabaci Genn. (non-European official statement that no symptoms of the populations) or other vectors of the relevant plant relevant plant pests have been observed on the plants during their complete cycle of vegetation

plants during an adequate period, and

- the plants originate in areas known to be free from Bemisia tabaci Genn. and other vectors of the relevant plant pests, or
- the place of production has been found free from Bemisia tabaci Genn. and other vectors of the relevant plant pests

Plants, plant products and other objects	Special requirements
	on official inspections carried out at appropriate times, or (c) the plants have been subjected to an appropriate treatment aimed at eradicating <i>Bemisia tabaci</i> Genn.
47 Seeds of Helianthus annuus L.	Official statement that: (a) the seeds originate in areas known to be free from <i>Plasmopara halstedii</i> (Farlow) Berl. et de Toni, or (b) the seeds, other than those seeds that have been produced on varieties resistant to all races of <i>Plasmopara halstedii</i> (Farlow) Berl. et de Toni present in the area of production, have been subjected to an appropriate treatment against <i>Plasmopara halstedii</i> (Farlow) Berl. et de Toni
48 Seeds of Lycopersicon lycopersicum(L.) Karsten ex Farw.	Official statement that the seeds have been obtained by means of an appropriate acid extraction method or an equivalent method and (a) either the seeds originate in areas where Clavibacter michiganensis ssp.michiganensis(Smith) Davis et al.,Xanthomonas campestris pv. and vesicatoria(Doidge) Dye and potato spindle tuber viroid are not known to occur, or (b) no symptoms of diseases caused by those plant pests have been observed on the plants at the place of production during their complete cycle of vegetation, or (c) the seeds have been subjected to official testing for at least those plant pests, on a representative sample and using appropriate methods, and have been found in these tests, free from those plant pests
49.1 Seeds of Medicago sativa L.	Official statement that: (a) no symptoms of <i>Ditylenchus</i> dipsaci(Kühn) Filipjev have been observed at the place of production since the beginning of the last complete cycle of vegetation and that no <i>Ditylenchus</i> dipsaci(Kühn) Filipjev has been revealed by laboratory tests on a representative sample, or (b) fumigation has taken place prior to export
49.2 Seeds of <i>Medicago sativa</i> L., originating in countries where <i>Clavibacter michigamensis</i> ssp. <i>insidiosus</i> Davis et al. is known to occur	Without prejudice to the requirements

Special requirements

- (a) Clavibacter michiganensis ssp.insidiosus
 Davis et al. has not been known to occur
 on the farm or in the immediate vicinity
 since the beginning of the past 10 years
- (b) either
 - the crop belongs to a variety recognised as being highly resistant to *Clavibacter michigamensis* ssp.*insidiosus* Davis et al., or
 - it had not yet started its fourth complete cycle of vegetation from sowing when the seed was harvested, and there was not more than one preceding seed harvest from the crop, or
 - the content of inert matter which has been determined in accordance with the rules applicable for the certification of seed marketed in the Community, does not exceed 0.1% by weight
- (c) no symptoms of *Clavibacter*michiganensis ssp.insidiosus Davis et
 al. have been observed at the place of
 production or on any *Medicago sativa*L. crop adjacent to it, during the last
 complete cycle of vegetation or, where
 appropriate, the last two cycles of
 vegetation
- (d) the crop has been grown on land on which no previous *medicago sativa* L. crop has been present during the last three years prior to sowing

50 Seeds of Oryza sativa L.

51 Seeds of Phaseolus L.

Official statement that:

(a) the seeds have been officially tested by appropriate nematological tests and have been found free from *Aphelenchoides* besseyi Christie,

or

(b) the seeds have been subjected to an appropriate hot water treatment or other appropriate treatment against *Aphelenchoides besseyi* Christie

Official statement that:

(a) the seeds originate in a country known to be free from *Xanthomonas campestris* pv.*phaseoli*(Smith) Dye,

or

2.5

Plants, plant products and other objects	Special requirements
	(b) a representative sample of the seeds has been tested and found free from <i>Xanthomonas campestris</i> pv. <i>phaseoli</i> (Smith) Dye on these tests
52 Seeds of Zea mais L.	Official statement that: (a) the seeds originate in areas known to be free from <i>Erwinia stewartii</i> (Smith) Dye,
	or (b) a representative sample of the seeds has been tested and found free from <i>Erwinia stewartii</i> (Smith) Dye in this test.

Section 2. Plants, plant products, and other objects originating in the Community.

Plants, plant products and other objects	Special requirements
1 Wood of Castanea Mill.	 (a) Official statement that the wood originates in areas known to be free from <i>Cryphonectria parasitica</i>(Murrill) Barr, or (b) the wood shall be stripped of its bark
2 Wood of <i>Platanus</i> L., including wood which has not kept its natural round surface	(a) Official statement that the wood originates in areas known to be free from <i>Ceratocystis fimbriata</i> f.sp. <i>platani</i> Walter,
	or (b) there shall be evidence by a mark 'Kilndried,' 'K.D.' or another internationally recognised mark, put on the wood or on its packaging in accordance with current commercial usage, that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, at time of manufacture, achieved through an appropriate time/temperature schedule
3 Isolated bark of <i>Castanea</i> Mill.	Official statement: (a) that the bark originates in areas known to be free from <i>Cryphonectria parasitica</i> (Murrill) Barr, or (b) that the consignment has been subjected to fumigation or other appropriate treatment against <i>Cryphonectria</i>
	parasitica(Murrill) Barr

than seeds

4 Plants of Pinus L., intended for planting, other Official Statement that no symptoms of Scirrhia pini Funk et Parker have been observed at the place of production or in its immediate vicinity

Special requirements

since the beginning of the last complete cycle of vegetation

Dietr., Pinus L., Pseudotsuga Carr., and Tsuga Carr., intended for planting, other than seeds

5 Plants of Abies Mill., Larix Mill., Picea A. Without prejudice to the requirements applicable to the plants listed in Schedule 4A2(4), where appropriate, official statement that no symptoms of Melampsora medusae Thümen have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation

6 Plants of Populus L., intended for planting Official statement that no symptoms of other than seeds

Melampsora medusae Thümen have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation

7 Plants of Castanea Mill. and Quercus L., Official statement that: intended for planting, other than seeds

- the plants originate in areas known (a) to be free from Cryphonectria parasitica(Murrill) Barr, or
- no symptoms of Cryphonectria (b) parasitica(Murrill) Barr have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation

8 Plants of *Platanus* L. intended for planting, Official statement that: other than seeds

- the plants originate in an area known to be free from Ceratocystis fimbriata f.sp.*platani* Walter, or
- no symptoms of Ceratocystis fimbriata f.sp.platani Walter have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation.
- 9 Plants of Chaenomeles Lindl., Cotoneaster Official statement: Ehrh...Crataegus L...Cvdonia Mill..Eriobotrva (a) Lindl., Malus Mill., Mespilus L., Pyracantha Roem., Pyrus L., Sorbus L., other than Sorbus intermedia(Ehrh.) Pers. and Stranvaesia Lindl., intended for planting, other than seeds

that the plants originate in zones recognised as being free from Erwinia amylovora(Burr.) Winsl. et al.

- that the plants in the field of production (b) and in its immediate vicinity, which have shown symptoms of Erwinia amylovora(Burr.) Winsl. et al., have been rogued out
- 10 Plants of Citrus Swingle, *Poncirus* Raf., and their hybrids, other (a) than fruit and seeds
- L., Fortunella Official statement that:

the plants originate in areas known to be free from Spiroplasma citri Saglio et al., Phoma tracheiphila l(Petri) Kanchaveli and Gikashvili, Citrus vein

Special requirements

- enation woody gall and Citrus tristeza virus (European strains), or
- (b) the plants derive from a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and has been subjected to official individual testing for, at least, Citrus tristeza virus (European strains) and Citrus vein enation woody gall, using appropriate indicators or equivalent methods, and have been growing permanently in an insect proof glasshouse or in an isolated cage on which no symptoms of Spiroplasma citri Saglio et al., Phoma tracheiphila, Citrus tristeza virus (European strains) and Citrus vein enation woody gall have been observed, or
- (c) the plants:
 - have been derived from a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and has been subjected to official individual testing for, at least, Citrus vein enation woody gall and Citrus tristeza virus (European strains), using appropriate indicators or equivalent methods, and has been found, in these tests, free from Citrus tristeza virus (European strains), and certified free from, at least, Citrus tristeza virus (European strains) in official individual tests carried out according to the methods mentioned in this indent;
 - and have been inspected and no symptoms of *Spiroplasma citri* Saglio et al., *Phoma tracheiphila*(Petri) Kanchaveli and Gikashvili and of Citrus vein enation woody gall and Citrus tristeza virus have been observed since the beginning of the last complete cycle of vegetation
- 11 Plants of Araceae, Marantaceae, Off Musaceae, *Persea* ssp. and Strelitiziaceae, rooted (a) or with growing medium attached or associated

Marantaceae, Official statement that:

no contamination by *Radopholus similis*(Cobb) Thorne has been observed at the place of production, since the

Special requirements

beginning of the last complete cycle of vegetation, or

- (b) soil and roots from suspected plants have been subjected since the beginning of the last complete cycle of vegetation to official nematological testing for at least Radopholus similis(Cobb) Thorne and have been found, in these tests, free from that plant pest
- 12 Plants of Fragaria L., Prunus L., Rubus L., Official statement that: intended for planting, other than seeds

- The plants originate in areas known to be free from the relevant plant pests, or
- no symptoms of diseases caused by the (b) relevant plant pests have been observed on plants at the place of production since the beginning of the last complete cycle of vegetation

The relevant plant pests are:

— on Fragaria L.:

Phytophthora fragariae Hickman var.fragariae Arabis mosaic virus Raspberry ringspot virus Strawberry crinkle virus Strawberry latent ringspot virus Strawberry mild yellow edge virus Tomato black ring virus Xanthomonas fragariae Kennedy et King

– on *Prunus* L.:

Apricot chlorotic leafroll mycoplasm Xanthomonas campestris pv.pruni(Smith) Dye

on Prunus persica(L.) Batsch:

Pseudomonas syringae pv. persicae(Prunier et al.) Young et al.

on Rubus L.:

Arabis mosaic virus Raspberry ringspot virus Strawberry latent ringspot virus Tomato black ring virus

- 13 Plants of Cydonia Mill., and Pyrus L. Without prejudice to the requirements intended for planting, other than seeds
 - applicable to plants listed in Schedule 4A2(9), official statement that:
 - the plants originate in areas known to be free from Pear decline mycoplasm, or
 - (b) the plants at the place of production and in its immediate vicinity, which have shown symptoms giving rise to

	Plants.	plant	products	and	other	ob	iects
--	---------	-------	----------	-----	-------	----	-------

Special requirements

the suspicion of contamination by Pear decline mycoplasm, have been rogued out at that place within the last three complete cycles of vegetation

14 Plants of *Fragaria* L., intended for planting, other than seeds

Without prejudice to the requirements applicable to the plants, listed in Schedule 4A2(12), official statement that:

- the plants originate in areas known to be free from Aphelenchoides besseyi Christie, or
- no symptoms of Aphelenchoides besseyi Christie have been observed on plants at the place of production since the beginning of the last complete cycle of vegetation, or
- in the case of plants in tissue culture, the plants have been derived from plants complying with section (b) of this item or have been officially tested by appropriate nematological methods and have been found free from Aphelenchoides besseyi Christie

15 Plants of Malus Mill., intended for planting, Without prejudice to the requirements other than seeds

applicable to the plants listed in Schedule 4A2(9), official statement that:

- the plants originate in areas known to be free from Apple proliferation mycoplasm
- (aa) the plants, other than those raised (b) from seed, have been:
 - either officially certified under a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and subjected to official testing for at least Apple proliferation mycoplasm using appropriate indicators or equivalent methods and has been found, in these tests, free from that plant pest, or
 - derived in direct line from material which is maintained under appropriate conditions and has been subjected, within the last six complete cycles of vegetation, at least once, to official testing for, at least, Apple proliferation

Special requirements

mycoplasm using appropriate indicators or equivalent methods and has been found, in these tests, free from that plant pest

(bb) no symptoms of diseases caused by Apple proliferation mycoplasm have been observed on plants at the place of production, or on susceptible plants in its immediate vicinity, since the beginning of the last three complete cycles of vegetation

16 Plants of the following species of *Prunus* L., Without prejudice to the requirements intended for planting other than seeds:

Prunus amygdalus Batsch

Prunus armeniaca L.

Prunus blireiana Andre

Prunus brigantina Vill.

Prunus cerasifera Ehrh.

Prunus cistena Hansen

Prunus curdica Fenzl and Fritsch.

Prunus domestica ssp.domestica L.

Prunus domestica ssp.insititia(L.)

C.K. Schneid.

Prunus domestica ssp.italica

(Borkh.) Hegi.

Prunus glandulosa Thunb.

Prunus holosericea Batal.

Prunus hortulana Bailey

Prunus japonica Thunb.

Prunus mandshurica(Maxim.)

Koehne

Prunus maritima Marsh.

Prunus mume Sieb. et Zucc.

Prunus nigra Ait.

Prunus persica(L.) Batsch

Prunus salicina L.

Prunus sibirica L.

Prunus simonii Carr.

Prunus spinosa L.

Prunus tomentosa Thunb.

Prunus triloba Lindl.

other species of *Prunus* L.

susceptible to Plum pox virus

applicable to the plants, listed in Schedule 4A2(12), official statement that:

- the plants originate in areas known to be free from Plum pox virus, or
- (b) (aa) the plants, other than those raised from seed, have been:

either officially certified under a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and subjected to official testing for, at least, Plum pox virus using appropriate indicators or equivalent methods and has been found, in these tests, free from that plant pest, or derived in direct line from material which is maintained under appropriate conditions and has been subjected. within the last three complete cycles of vegetation, at least once, to official testing for at least Plum pox virus using appropriate indicators or equivalent methods and has been found, in these tests, free from that plant pest

(bb) no symptoms of disease caused by Plum pox virus have been observed on plants at the place of production or on susceptible plants in its immediate vicinity, since the

Special requirements

- beginning of the last three complete cycles of vegetation
- (cc) plants at the place of production which have shown symptoms of disease caused by other viruses or virus-like pathogens, have been rogued out

18 Plants of Vitis L., other than fruit and seeds

Official statement that no symptoms of Grapevine Flavescence dorée MLO and Xylophilus ampelinus(Panagopoulos) Willems et al. have been observed on the mother-stock plants at the place of production since the beginning of the last two complete cycles of vegetation

19.1 Tubers of Solanum tuberosum L., intended Official statement that: for planting

- the Community provisions to combat *Synchytrium endobioticum*(Schilbersky) Percival have been complied with, and
- (b) either the tubers originate in an area known to be free from Clavibacter michiganensis ssp.sepedonicus(Spieckermann et Kotthoff) Davis et al., or the Community provisions to combat Clavibacter michiganensis ssp.sepedonicus(Spieckermann et Kotthoff) Davis et al. have been complied with, and
- the tubers originate from a field known to be free from Globodera rostochiensis(Wollenweber) Behrens and Globodera pallida(Stone) Behrens

19.2 Tubers of Solanum tuberosum L., intended Without prejudice to the special requirements for planting, other than tubers of those varieties applicable to the tubers listed in officially accepted in one or more Member States Schedule 4A2(19.1) official statement that the pursuant to Council Directive 70/457/EEC

tubers:

- belong to advanced selections such a statement being indicated in an appropriate way on the document accompanying the relevant tubers
- have been produced within the Community, and
- have been derived in a direct line from material which has been maintained under appropriate conditions and has been subjected within the Community to official quarantine testing in accordance with appropriate methods and has been found, in these tests, free from plant pests

Special requirements

19.3 Plants of stolonor tuber-forming species (a) of *Solanum* L., or their hybrids, intended for planting, other than those tubers of *Solanum tuberosum* L. specified in Schedule 4A2(19.1) or (19.2), and other than culture maintenance (b) material being stored in genebanks or genetic stock collections

- The plants shall have been held under quarantine conditions and shall have been found free of any plant pests in quarantine testing
- The quarantine testing referred to in (a) shall:
- (aa) be supervised by the official plant protection organisation of the Member State concerned and executed by scientifically trained staff of that organisation or of any officially approved body
- (bb) be executed at a site provided with appropriate facilities sufficient to contain plant pests and maintain the material including indicator plants in such a way as to eliminate any risk of spreading plant pests
- (cc) be executed on each unit of the material.
 - by visual examination at regular intervals during the full length of at least one vegetative cycle, having regard to the type of material and its stage of development during the testing programme, for symptoms caused by any plant pests
 - by testing:

in the case of all potato material at least for Andean potato latent virus Arracacha virus B, oca Potato black ringspot virus Potato spindle tuber viroid Potato virus T Andean potato mottle common potato viruses A, M, S, V, X and Y (including Y^o, Yⁿ and Y^c) and Potato leaf roll virus Clavibacter michiganensis

Special requirements

ssp.sepedonicus(Spieckermann et Kotthoff) Davis et al.

- in the case of true seed of potato at least for the viruses and viroid listed above
- (dd) by appropriate testing on any other symptom observed in the visual examination in order to identify the plant pests having caused such symptoms
- Any material, which has not been found (c) free, under the testing specified under (b) from plant pests as specified under (b) shall be immediately destroyed or subjected to procedures which eliminate the plant pests
- Each organisation or research body holding this material shall inform their official Member State Plant Protection Service of the material held
- of Solanum L., or their hybrids, intended for material shall inform their official Member State planting, being stored in gene banks or genetic Plant Protection Service of the material held stock collections

19.4 Plants of stolonor tuber-forming species Each organisation or research body holding such

19.5 Tubers of Solanum tuberosum L. other than There shall be evidence by a registration those mentioned in Schedule 4A2(19.1), (19.2), number put on the packaging, or in the case (19.3) or (19.4)

of loose loaded potatoes transported in bulk, on the vehicle transporting the potatoes, that the potatoes have been grown by an offically registered producer, or originate from officially registered collective storage or dispatching centres located in the area of production indicating that the tubers are free from Pseudomonas solanacearum(Smith) Smith and that

- the Community provisions to combat *Synchytrium endobioticum*(Schilbersky) Percival, and
- (b) where appropriate, the Community provisions to combat Clavibacter michiganensis ssp.sepedonicus(Spieckermann et Kotthoff) Davis et al., are complied with

19.6 Plants of Solanaceae, intended for planting, Without prejudice to the requirements other than seeds and other than plants mentioned applicable to the plants, listed in in Schedule 4A2(19.4) or (19.5)

Schedule 4A2(19.1), (19.2), (19.3), where appropriate official statement that:

the plants originate in areas known to be (a) free from Potato stolbur mycoplasm, or

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Plants, plant products and other objects

Special requirements

- no symptoms of Potato stolbur mycoplasm have been observed on the plants at the place of production since the beginning of the last complete cycle of vegetation
- planting, other than seeds

20 Plants of Humulus lupulus L., intended for Official statement that no symptoms of Verticillium albo-atrum Reinke and Berthold and Verticillium dahliae Klebahn have been observed on hops at the place of production since the beginning of the last complete cycle of vegetation

Plants of*Dendranthema*(DC) Moul., Dianthus L. and Pelargonium L'Herit. ex (a) Ait., intended for planting, other than seeds

Des Official statement that:

- no signs of Heliothis armigera Hübner, or Spodoptera littoralis(Boisd.) have been observed at the place of production since the beginning of the last complete cycle of vegetation, or
- (b) the plants have undergone appropriate treatment to protect them from the said pests
- 22.1 Plants of *Dendranthema*(DC.) Des Moul., Without prejudice to the requirements intended for planting, other than seeds

applicable to the plants listed in Schedule 4A2(21), official statement that:

- the plants are no more than third generation stock derived from material which has been found to be free from Chrysanthemum stunt viroid during virological tests, or are directly derived from material of which a representative sample of at least 10% has been found to be free from Chrysanthemum stunt viroid during an official inspection carried out at the time of flowering
- (b) the plants or cuttings have come from premises:
 - which have been officially inspected at least monthly, during the three months prior to dispatch and on which no symptoms of Puccinia horiana Hennings have been observed during that period, and in the immediate vicinity of which no symptoms of Puccinia horiana Hennings have been known to have occurred during the three months prior to marketing, or
 - the consignment has undergone appropriate treatment against Puccinia horiana Hennings

Special requirements

- in the case of unrooted cuttings no symptoms of *Didymella ligulicola*(Baker, Dimock et Davis) v. Arx were observed either on the cuttings or on the plants from which the cuttings were derived, or that, in the case of rooted cuttings no symptoms of *Didymella ligulicola*(Baker, Dimock et Davis) v. Arx were observed either on the cuttings or the rooting bed.
- 22.2 Plants of *Dianthus* L., intended for planting Without prejudice to the requirements other than seeds

applicable to the plants listed in Schedule 4A2(21), official statement that:

- the plants have been derived in direct line from mother plants which have been found free from Erwinia chrysanthemi pv. dianthicola (Hellmers) Dickey, Pseudomonas carvophylli(Burkholder) Starr et Burkholder, and Phialophora cinerescens(Wollenw.) van Beyma on officially approved tests carried out at least once within the two previous years
- no symptoms of the above plant pests have been observed on the plants
- 23 Bulbs of Tulipa L. and Narcissus L., other Official statement that no symptoms of than those for which there shall be evidence by Ditylenchus dipsaci(Kühn) Filipjev have been their packaging, or by other means, that they are observed on the plants since the beginning of the intended for sale to final consumers not involved last complete cycle of vegetation in professional cut flower production

Plants of Apium L., Argyranthemum ssp., Aster ssp., Capsicum annuum ssp., Dendranthema(DC.) Des Moul, Dianthus official statement that: hybrids, Exacum and ssp., Gerbera (a) L. Cass., Gvpsophilia L.,Lactuca ssp.,Leucanthemum L.,Lupinus L.,Lycopersicon lycopersicum(L.) Karsten ex. Farw., Solanum melongena L., Spinacia L., Tanacetum L. and Verbena L. intended for planting, other than (b) seeds

graveolens Without prejudice to the requirements ssp., Brassica applicable to the plants, where appropriate, L., Cucumis listed in Schedule 4A2(21), (22.1), (22.2),

- the plants originate in an area known to be free from Liriomyza bryoniae(Kaltenbach), Liriomyzu huidobrensis(Blanchard) and Liriomyza trifolii(Burgess), or
- either no signs of *Liriomyza* bryoniae(Kaltenbach), Liriomyza huidobrensis(Blanchard) or Liriomyza trifolii(Burgess) have been observed at the place of production, on official inspections carried out at least monthly during the three months prior to harvesting, or
- immediately prior to marketing the plants (c) have been inspected and found free from signs of the relevant plant pests and have been subjected to an appropriate

Plan	s. D	lant	prod	ucts	and	oth	er ol	pjects
------	------	------	------	------	-----	-----	-------	--------

Special requirements

treatment aimed at eradicating *Liriomyza* bryoniae(Kaltenbach), Liriomyza huidobrensis(Blanchard) and Liriomyza trifolii(Burgess)

25 Plants with roots, planted or intended for There planting, grown in the open air

shall be evidence that the place production of is known to free from *Clavibacter* michiganensis ssp.sepedonicus(Spieckermann et Kotthoff) Davis al., Globodera pallida(Stone) et Behrens, Globodera rostochiensis(Wollenweber) Behrens and Synchytrium endobioticum(Schilbersky) Percival

26 Plants of Beta vulgaris L., intended for Official statement that: planting, other than seeds

- (a) the plants originate in areas known to be free from Beet leaf curl virus, or (b) Beet leaf curl virus has not been known to occur in the area of production, and no symptoms of Beet leaf curl virus have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation
- 27 Seeds of Helianthus annuus L.

Official statement that:

- the seeds originate in areas known to be free from *Plasmopara halstedii*(Farlow) Berl. et de Toni, or
- the seeds, other than those seeds that have been produced on varieties resistant to all races of *Plasmopara halstedii*(Farlow) Berl. et de Toni present in the area of production, have been subjected to an appropriate treatment against Plasmopara halstedii(Farlow) Berl. et de Toni
- 28 Seeds of Lycopersicon lycopersicum(L.) Official statement that the seeds have been Karsten ex Farw.
- obtained by means of an appropriate acid extraction method or an equivalent method and
 - either the seeds originate in areas where Clavibacter michiganensis ssp.michiganensis(Smith) Davis et al., or Xanthomonas campestris pv.vesicatoria(Doidge) Dye are not known to occur, or
 - no symptoms of diseases caused by those plant pests have been observed on the plants at the place of production during their last complete cycle of vegetation, or
 - the seeds have been subjected to official testing for at least those plant pests, on a representative sample and using

Plants, plant pre	oducts and	l other	obiects
-------------------	------------	---------	---------

Special requirements

appropriate methods, and have been found, in these tests, to be free from those plant pests

29.1 Seeds of Medicago sativa L.

Official statement that:

- (a) no symptoms of *Ditylenchus*dipsaci(Kühn) Filipjev have been
 observed at the place of production since
 the beginning of the last complete cycle
 of vegetation and that no *Ditylenchus*dipsaci(Kühn) Filipjev has been revealed
 by laboratory tests on a representative
 sample, or
- (b) that fumigation has taken place prior to marketing

29.2 Seeds of *Medicago sativa* L.

Without prejudice to the requirements applicable to the plants listed in Schedule 4A2(29.1),

Official statement that:

- (a) the seeds originate in areas known to be free from *Clavibacter michiganensis* ssp.*insidiosus* Davis et al.
- (b) Clavibacter michiganensis
 ssp.insidiosus Davis et al. has not
 been known to occur on the farm or
 in the immediate vicinity since the
 beginning of the past 10 years,
 - and
 - the crop belongs to a variety recognised as being highly resistant to *Clavibacter michiganensis* ssp.*insidiosus* Davis et al., or
 - it had not yet started its fourth complete cycle of vegetation from sowing when the seed was harvested, and there was not more than one preceding seed harvest from the crop, or
 - the content of inert matter which has been determined in accordance with the rules applicable for certification of seed marketed in the Community, does not exceed 0.1% by weight
 - no symptoms of *Clavibacter* michiganensis ssp.insidiosus Davis et al. have been observed at the place of production, or on any *Medicago sativa* L. crop adjacent

Plants, plant products and other objects	Special requirements
	to it, during the last complete cycle of vegetation or, where appropriate, the last two cycles of vegetation — the crop has been grown on land on which no previous <i>Medicago sativa</i> L. crop has been present during the last three years prior to sowing
30 Seeds of <i>Phaseolus</i> L.	Official statement that:
	 (a) the seeds originate in areas known to be free from <i>Xanthomonas campestris</i> pv.<i>phaseoli</i>(Smith Dye, or (b) a representative sample of the seeds has been tested and found free from <i>Xanthomonas campestris</i> pv.<i>phaseoli</i>(Smith) Dye in these tests
31.1 Fruits of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf. and their hybrids	The packaging shall bear an appropriate origin mark
	Without prejudice to the requirements applicable to the fruits in the Schedule 4A2(31.1), the fruits shall be free from leaves and peduncles

Part B.

Special requirements which shall be laid down for the introduction and movement of plants, plant products and other objects into and within certain protected zones

Plants, plant other objects	products and	Special requirements	Protected zone(s)
1 Wood (Coniferales)	of conifers	Without prejudice to the requirements applicable to the wood listed in Schedule 4A1(1.1), (1.2), (1.3), (1.4), (1.5) or (7), where appropriate, (a) the wood shall be stripped of its bark, or (b) official statement that the wood originates in areas known to be free from	EL, E, IRL, I, P, UK()

^{* (}Scotland, Northern Ireland, Isle of Man, the following counties and areas of England: Bedfordshire, Berkshire, Buckinghamshire, Cambridgeshire, Cleveland, Cornwall, Cumbria, Devon, Dorset, Durham, Essex, Hampshire, Hertfordshire, Humberside, Isle of Wight, Isles of Scilly, Kent, Lincolnshire, Norfolk, Northamptonshire, Northumberland, Nottinghamshire, Oxfordshire, Somerset, Suffolk, Surrey, East Sussex, West Sussex, Tyne and Wear, Wiltshire, South Yorkshire, West Yorkshire, and the following parts of counties; in Avon that part of the county to the south of the southern boundary of the M4 motorway; in Derbyshire the districts of north-east Derbyshire, Chesterfield, Bolsover; in Leicestershire the districts of Charnwood, Melton, Rutland, Harborough, Oadby and Wigston, Leicester, Blaby; in North Yorkshire the districts of Scarborough, Ryedale, Hambleton, Richmondshire, Harrogate, York, Selby.)

Plants, plant products and Special requirements other objects

Protected zone(s)

Dendroctonus micans Kugelan, or

- there shall be evidence by a mark Kilndried, K.D. or another internationally recognised mark, put on the wood or on its packaging in accordance with current commercial usage, that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, at time of manufacture, achieved through an appropriate time/ temperature schedule
- Wood (Coniferales)

of

conifers Without prejudice to the requirements applicable to the wood listed in Schedule 4A1(1.1), (1.2), (1.3), (1.4), (1.5), (7),

> where appropriate and Schedule 4B(1),

- the wood shall be (a) stripped of its bark, or
- (b) official statement that the wood originates in areas known to be free from Ips duplicatus Sahlberg,
- there shall be evidence (c) by a mark Kilndried, K.D. or another internationally recognised mark, put on the wood or on its packaging in accordance with current commercial usage, that it has undergone kiln-drying to below 20% moisture

EL, E, IRL, I, P, UK

⁽Scotland, Northern Ireland, Isle of Man, the following counties and areas of England: Bedfordshire, Berkshire, Buckinghamshire, Cambridgeshire, Cleveland, Cornwall, Cumbria, Devon, Dorset, Durham, Essex, Hampshire, Hertfordshire, Humberside, Isle of Wight, Isles of Scilly, Kent, Lincolnshire, Norfolk, Northamptonshire, Northumberland, Nottinghamshire, Oxfordshire, Somerset, Suffolk, Surrey, East Sussex, West Sussex, Tyne and Wear, Wiltshire, South Yorkshire, West Yorkshire, and the following parts of counties; in Avon that part of the county to the south of the southern boundary of the M4 motorway; in Derbyshire the districts of north-east Derbyshire, Chesterfield, Bolsover; in Leicestershire the districts of Charnwood, Melton, Rutland, Harborough, Oadby and Wigston, Leicester, Blaby, in North Yorkshire the districts of Scarborough, Ryedale, Hambleton, Richmondshire, Harrogate, York, Selby.)

Plants, plant other objects	products and	Special requirements	Protected zone(s)
		content, expressed as a percentage of dry matter, at time of manufacture, achieved through an appropriate time/temperature schedule	
3 Wood (Coniferales)	of conifers	Without prejudice to the requirements applicable to the wood listed in Schedule 4A1(1.1), (1.2), (1.3), (1.4), (1.5), (7), where appropriate, and Schedule 4B(1), (2), (a) the wood shall be stripped of its bark, or (b) official statement that the wood originates in areas known to be free from <i>Ips typographus</i> Heer, or (c) there shall be evidence by a mark Kilndried, K.D.or another internationally recognised mark, put on the wood or on its packaging in accordance with current commercial usage, that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, at time of manufacture, achieved through an appropriate time/temperature schedule	EL, E, IRL, P, UK
4 Wood (Coniferales)	of conifers	Without prejudice to the requirements applicable to the wood listed in Schedule 4A1(1.1), (1.2), (1.3), (1.4), (1.5), (7), where appropriate and Schedule 4B(1), (2), (3),	EL, E, F (Corsica), IRL, I, P, UK

^{* (}Scotland, Northern Ireland, Isle of Man, the following counties and areas of England: Bedfordshire, Berkshire, Buckinghamshire, Cambridgeshire, Cleveland, Cornwall, Cumbria, Devon, Dorset, Durham, Essex, Hampshire, Hertfordshire, Humberside, Isle of Wight, Isles of Scilly, Kent, Lincolnshire, Norfolk, Northamptonshire, Northumberland, Nottinghamshire, Oxfordshire, Somerset, Suffolk, Surrey, East Sussex, West Sussex, Tyne and Wear, Wiltshire, South Yorkshire, West Yorkshire, and the following parts of counties; in Avon that part of the county to the south of the southern boundary of the M4 motorway; in Derbyshire the districts of north-east Derbyshire, Chesterfield, Bolsover; in Leicestershire the districts of Charnwood, Melton, Rutland, Harborough, Oadby and Wigston, Leicester, Blaby; in North Yorkshire the districts of Scarborough, Ryedale, Hambleton, Richmondshire, Harrogate, York, Selby.)

Protected zone(s)

Plants, plant products and Special requirements

other objects	p. ou.		special requirements	
omer objects			(a) the wood shall be stripped of its bark, or (b) official statement that the wood originates in areas known to be free from <i>Ips amitinus</i> Eichhoff, or (c) there shall be evidence by a mark Kilndried, K.D. or another internationally recognised mark, put on the wood or on its packaging in accordance with current commercial usage, that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, at time of manufacture, achieved through an appropriate time/temperature schedule	
5 Wood (Coniferales)	of	conifers	Without prejudice to the requirements applicable to the wood listed in Schedule 4A1(1.1), (1.2), (1.3), (1.4), (1.5), (7), where appropriate, and Schedule 4B(1), (2), (3), (4), (a) the wood shall be stripped of its bark, or (b) official statement that the wood originates in areas known to be free from <i>Ips cembrae</i> Heer, or (c) there shall be evidence by a mark 'Kilndried', 'K.D.' or another internationally recognised mark, put on the wood or on its packaging in accordance with current commercial	EL, E, IRL, P, UK (N-IRL, Islo of Man)

^{* (}Scotland, Northern Ireland, Isle of Man, the following counties and areas of England: Bedfordshire, Berkshire, Buckinghamshire, Cambridgeshire, Cleveland, Cornwall, Cumbria, Devon, Dorset, Durham, Essex, Hampshire, Hertfordshire, Humberside, Isle of Wight, Isles of Scilly, Kent, Lincolnshire, Norfolk, Northamptonshire, Northumberland, Nottinghamshire, Oxfordshire, Somerset, Suffolk, Surrey, East Sussex, West Sussex, Tyne and Wear, Wiltshire, South Yorkshire, West Yorkshire, and the following parts of counties; in Avon that part of the county to the south of the southern boundary of the M4 motorway; in Derbyshire the districts of north-east Derbyshire, Chesterfield, Bolsover; in Leicestershire the districts of Charnwood, Melton, Rutland, Harborough, Oadby and Wigston, Leicester, Blaby; in North Yorkshire the districts of Scarborough, Ryedale, Hambleton, Richmondshire, Harrogate, York, Selby.)

(Coniferales)

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Plants, plant other objects	products and	Special requirements	Protected zone(s)
eme sojecia		usage, that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, at time of manufacture, achieved through an appropriate time/ temperature schedule	
6 Wood (Coniferales)		Without prejudice to the requirements applicable to the wood listed in Schedule 4A1(1.1), (1.2), (1.3), (1.4), (1.5), (7), where appropriate and Schedule 4B(1), (2), (3), (4), (5), (a) the wood shall be stripped of its bark, or (b) official statement that the wood originates in areas known to be free from <i>Ips sexdentatus</i> Boerner, or (c) there shall be evidence by a mark 'Kilndried', 'K.D.' or another internationally recognised mark, put on the wood or on its packaging in accordance with current commercial usage, that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, at time of manufacture, achieved through an appropriate time/temperature schedule	EL, IRL, UK (N-IRL, Isle of Man)
6a Wood	of confiers	Without prejudice to the	IRL, UK (N-IRL, Isle of Man)

^{* (}Scotland, Northern Ireland, Isle of Man, the following counties and areas of England: Bedfordshire, Berkshire, Buckinghamshire, Cambridgeshire, Cleveland, Cornwall, Cumbria, Devon, Dorset, Durham, Essex, Hampshire, Hertfordshire, Humberside, Isle of Wight, Isles of Scilly, Kent, Lincolnshire, Norfolk, Northamptonshire, Northumberland, Nottinghamshire, Oxfordshire, Somerset, Suffolk, Surrey, East Sussex, West Sussex, Tyne and Wear, Wiltshire, South Yorkshire, West Yorkshire, and the following parts of counties; in Avon that part of the county to the south of the southern boundary of the M4 motorway; in Derbyshire the districts of north-east Derbyshire, Chesterfield, Bolsover; in Leicestershire the districts of Charnwood, Melton, Rutland, Harborough, Oadby and Wigston, Leicester, Blaby; in North Yorkshire the districts of Scarborough, Ryedale, Hambleton, Richmondshire, Harrogate, York, Selby.)

requirements applicable

Protected zone(s)

Plants, plant products and Special requirements

other objects	1		
		to the wood listed in Schedule 4A1(1.1), (1.2), (1.3), (1.4), (1.5), (7), where appropriate, and Schedule 4B(1), (2), (3), (4), (5), (6), (a) the wood shall be stripped of its bark, or (b) official statement that the wood originates in areas known to be free from <i>Pissodes</i> spp. (European), or (c) there shall be evidence by a mark 'Kiln- dried', 'K.D.' or another internationally recognised mark, put on the wood or on its packaging in accordance with current commercial usage, that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matters, at time of manufacture, achieved through an appropriate time/temperature schedule	
6b Wood (Coniferales)	of conifer	s Without prejudice to the requirements applicable to the wood listed in Schedule 4A1(1.1), (1.2), (1.3), (1.4), (1.5), (7), where appropriate and Schedule 4B(4), (a) the wood shall be stripped of its bark, or (b) official statement that the wood originates in areas known to be free from	F(Corsica)

⁽Scotland, Northern Ireland, Isle of Man, the following counties and areas of England: Bedfordshire, Berkshire, Buckinghamshire, Cambridgeshire, Cleveland, Cornwall, Cumbria, Devon, Dorset, Durham, Essex, Hampshire, Hertfordshire, Humberside, Isle of Wight, Isles of Scilly, Kent, Lincolnshire, Norfolk, Northamptonshire, Northumberland, Nottinghamshire, Oxfordshire, Somerset, Suffolk, Surrey, East Sussex, West Sussex, Tyne and Wear, Wiltshire, South Yorkshire, West Yorkshire, and the following parts of counties; in Avon that part of the county to the south of the southern boundary of the M4 motorway; in Derbyshire the districts of north-east Derbyshire, Chesterfield, Bolsover; in Leicestershire the districts of Charnwood, Melton, Rutland, Harborough, Oadby and Wigston, Leicester, Blaby; in North Yorkshire the districts of Scarborough, Ryedale, Hambleton, Richmondshire, Harrogate, York, Selby.)

Plants, plant products and other objects	Special requirements	Protected zone(s)
	Matsucoccus feytaudi Duc.	
	Without prejudice to the provisions applicable to the plants listed in Schedule 3A(1), Schedule 4A1(8.1), (8.2), (9), (10) or Schedule 4A2(4), (5), where appropriate, official statement that the place of production is free from <i>Dendroctonus micans</i> Kugelan	EL, E, IRL, I, P, UK()
	Without prejudice to the provisions applicable to the plants listed in Schedule 3A(1), Schedule 4A1(8.1), (8.2), (9), (10), Schedule 4A2(4), (5) and Schedule 4B(7), where appropriate, official statement that the place of production is free from <i>Ips duplicatus</i> Sahlberg	EL, E, IRL, I, P, UK
	Without prejudice to the provisions applicable to the plants listed in Schedule 3A(1), Schedule 4A1(8.1), (8.2), (9), (10), Schedule 4A2(4), (5), and Schedule 4B(7), (8), where appropriate, official statement that the place of production is free from <i>Ips typographus</i> Heer	
(Coniferales), other than fruit and seeds, over 3 m in height	Without prejudice to the provisions applicable to the plants listed in Schedule 3A(1), Schedule 4A1(8.1), (8.2), (9), (10), Schedule 4A2(4), (5), and Schedule 4B(7), (8), (9), where appropriate, official statement that the place of production is free from <i>Ips amitinus</i> Eichhof of Man, the following counties and are	

^{* (}Scotland, Northern Ireland, Isle of Man, the following counties and areas of England: Bedfordshire, Berkshire, Buckinghamshire, Cambridgeshire, Cleveland, Cornwall, Cumbria, Devon, Dorset, Durham, Essex, Hampshire, Hertfordshire, Humberside, Isle of Wight, Isles of Scilly, Kent, Lincolnshire, Norfolk, Northamptonshire, Northumberland, Nottinghamshire, Oxfordshire, Somerset, Suffolk, Surrey, East Sussex, West Sussex, Tyne and Wear, Wiltshire, South Yorkshire, West Yorkshire, and the following parts of counties; in Avon that part of the county to the south of the southern boundary of the M4 motorway; in Derbyshire the districts of north-east Derbyshire, Chesterfield, Bolsover; in Leicestershire the districts of Charnwood, Melton, Rutland, Harborough, Oadby and Wigston, Leicester, Blaby; in North Yorkshire the districts of Scarborough, Ryedale, Hambleton, Richmondshire, Harrogate, York, Selby.)

Plants, plant products and other objects	Special requirements	Protected zone(s)
	Without prejudice to the provisions applicable to the plants listed in Schedule 3A(1), Schedule 4A1(8.1), (8.2), (9), (10), Schedule 4A2(4), (5), and Schedule 4B(7), (8), (9), (10), where appropriate, official statement that the place of production is free from <i>Ips cembrae</i> Heer	EL, E, IRL, P, UK (N-IRL, Isle of Man)
	Without prejudice to the provisions applicable to the plants listed in Schedule 3A(1), Schedule 4A1(8.1), (8.2), (9), (10), Schedule 4A2(4), (5), and Schedule 4B(7), (8), (9), (10(, (11), where appropriate, official statement that the place of production is free from <i>Ips sexdentatus</i> Boerner	EL IRL, UK (N-IRL, Isle of Man)
	Without prejudice to the provisions applicable to the plants listed in Schedule 3A(1), Schedule 4A1(8.1), (8.2), (9), (10), Schedule 4A2(4), (5), and Schedule 4B(7), (8), (9), (10), (11), (12), where appropriate, official statement that the place of production is free from <i>Pissodes</i> spp. (European)	IRL, UK (N-IRL, Isle of Man)
14a Isolated bark of conifers (Coniferales)	Without prejudice to the provisions applicable to the bark listed in Schedule 3A(4), official statement that the consignment: (a) has been subjected to fumigation or other appropriate treatments against bark beetles, or (b) originates in areas known to be free from	EL, E, IRL, I, P, UK [*]
* (Scotland, Northern Ireland, Isle	of Man, the following counties and area	as of England: Bedfordshire, Berkshire,

^{* (}Scotland, Northern Ireland, Isle of Man, the following counties and areas of England: Bedfordshire, Berkshire, Buckinghamshire, Cambridgeshire, Cleveland, Cornwall, Cumbria, Devon, Dorset, Durham, Essex, Hampshire, Hertfordshire, Humberside, Isle of Wight, Isles of Scilly, Kent, Lincolnshire, Norfolk, Northamptonshire, Northumberland, Nottinghamshire, Oxfordshire, Somerset, Suffolk, Surrey, East Sussex, West Sussex, Tyne and Wear, Wiltshire, South Yorkshire, West Yorkshire, and the following parts of counties; in Avon that part of the county to the south of the southern boundary of the M4 motorway; in Derbyshire the districts of north-east Derbyshire, Chesterfield, Bolsover; in Leicestershire the districts of Charnwood, Melton, Rutland, Harborough, Oadby and Wigston, Leicester, Blaby; in North Yorkshire the districts of Scarborough, Ryedale, Hambleton, Richmondshire, Harrogate, York, Selby.)

Plants, plant products and other objects	Special requirements	Protected zone(s)
	Dendroctonus micans Kugelan	
14b Isolated bark of conifers (Coniferales)	Without prejudice to the provisions applicable to the bark listed in Schedule 3A(4), Schedule 4B(14a), official statement that the consignment: (a) has been subjected to fumigation or other appropriate treatments against bark beetles, or (b) originates in areas known to be free from <i>Ips amitinus</i> Eichhof	EL, E, F(Corsica), IRL, I, P, UK
14c Isolated bark of conifers (Coniferales)	Without prejudice to the provisions applicable to the bark listed in Schedule 3A(4), Schedule 4B(14a), (14b), official statement that the consignment: (a) has been subjected to fumigation or other appropriate treatments against bark beetles, or (b) originates in areas known to be free from <i>Ips cembrae</i> Heer	EL, E, IRL, P, UK (N-IRL, Isle of Man)
14d Isolated bark of conifers (Coniferales)	Without prejudice to the provisions applicable to the bark listed in Schedule 3A(4), Schedule 4B(14a), (14b), (14c), official statement that the consignment: (a) has been subjected to fumigation or other appropriate treatments against bark beetles, or (b) originates in areas known to be free from <i>Ips duplicatus</i> Sahlberg	EL, E, IRL, I, P, UK

^{* (}Scotland, Northern Ireland, Isle of Man, the following counties and areas of England: Bedfordshire, Berkshire, Buckinghamshire, Cambridgeshire, Cleveland, Cornwall, Cumbria, Devon, Dorset, Durham, Essex, Hampshire, Hertfordshire, Humberside, Isle of Wight, Isles of Scilly, Kent, Lincolnshire, Norfolk, Northamptonshire, Northumberland, Nottinghamshire, Oxfordshire, Somerset, Suffolk, Surrey, East Sussex, West Sussex, Tyne and Wear, Wiltshire, South Yorkshire, West Yorkshire, and the following parts of counties; in Avon that part of the county to the south of the southern boundary of the M4 motorway; in Derbyshire the districts of north-east Derbyshire, Chesterfield, Bolsover; in Leicestershire the districts of Charnwood, Melton, Rutland, Harborough, Oadby and Wigston, Leicester, Blaby; in North Yorkshire the districts of Scarborough, Ryedale, Hambleton, Richmondshire, Harrogate, York, Selby.)

Plants, plant products and other objects	Special requirements	Protected zone(s)
14e Isolated bark of conifers (Coniferales)	Without prejudice to the provisions applicable to the bark listed in Schedule 3A(4), Schedule 4B(14a), (14b), (14c), (14d), official statement that the consignment: (a) has been subjected to fumigation or other appropriate treatments against bark beetles, or (b) originates in areas known to be free from <i>Ips sexdentatus</i> Boerner	EL, IRL, UK (N-IRL, Isle of Man)
14f Isolated bark of conifers (Coniferales)	Without prejudice to the provisions applicable to the bark listed in Schedule 3A(4), Schedule 4B(14a), (14b), (14c), (14d), (14e), official statement that the consignment: (a) has been subjected to fumigation or other appropriate treatments against bark beetles, or (b) originates in areas known to be free from <i>Ips typographus</i> Heer	EL, E, IRL, P, UK
14g Isolated bark of conifers (Coniferales)	Without prejudice to the provisions applicable to the bark listed in Schedule 3A(4), Schedule 4B(14b), official statement that the consignment: (a) has been subjected to fumigation or other appropriate treatments, or (b) originates in areas known to be free from <i>Matsucoccus feytaudi</i> Duc.	F (Corsica)
14h Isolated bark of conifers (Coniferales)	Without prejudice to the provisions applicable to the	IRL, UK (N-IRL, Isle of Man)

^{* (}Scotland, Northern Ireland, Isle of Man, the following counties and areas of England: Bedfordshire, Berkshire, Buckinghamshire, Cambridgeshire, Cleveland, Cornwall, Cumbria, Devon, Dorset, Durham, Essex, Hampshire, Hertfordshire, Humberside, Isle of Wight, Isles of Scilly, Kent, Lincolnshire, Norfolk, Northamptonshire, Northumberland, Nottinghamshire, Oxfordshire, Somerset, Suffolk, Surrey, East Sussex, West Sussex, Tyne and Wear, Wiltshire, South Yorkshire, West Yorkshire, and the following parts of counties; in Avon that part of the county to the south of the southern boundary of the M4 motorway; in Derbyshire the districts of north-east Derbyshire, Chesterfield, Bolsover; in Leicestershire the districts of Charnwood, Melton, Rutland, Harborough, Oadby and Wigston, Leicester, Blaby; in North Yorkshire the districts of Scarborough, Ryedale, Hambleton, Richmondshire, Harrogate, York, Selby.)

Plants, plant products and other objects	Special requirements	Protected zone(s)
	bark listed in Schedule 3A(4), Schedule 4B(14a), (14b), (14c), (14d), (14e), (14f), official statement that the consignment: (a) has been subjected to fumigation or other appropriate treatments against bark beetles, or (b) originates in areas known to be free from <i>Pissodes</i> spp. (European)	
15. Plants of <i>Larix</i> Mill. intended for planting, other than seeds	Without prejudice to the provisions applicable to the plants listed in Schedule 3A(1), Schedule 4A1(8.1), (8.2), (10), Schedule 4A2(5), and Schedule 4B(7), (8), (9), (10), (11), (12), (13), official statement that the plants have been produced in nurseries and that the place of production is free from <i>Cephalcia lariciphila</i> (Klug.)	F, IRL, UK, (N-IRL, Isle of Man)
	Without prejudice to the provisions applicable to the plants listed in Schedule 3A(1), Schedule 4A1(8.1), (8.2), (9), Schedule 4A2(4), and Schedule 4B(7), (8), (9), (10), (11), (12), (13), (15), where appropriate, official statement that the plants have been produced in nurseries and that the place of production is free from <i>Gremmeniella abietina</i> (Lag.) Morelet	IRL, UK (N-IRL, Isle of Man)
17 Plants of <i>Pinus</i> L., intended for planting, other than seeds * (Scotland, Northern Ireland, Isle	Without prejudice to the provisions applicable to the plants listed in Schedule 3A(1), Schedule 4A1(8.1), (8.2), (9), Schedule 4A2(4) and Schedule 4B(7), (8), (9), (10), of Man, the following counties and area	E (Ibiza) as of England: Bedfordshire, Berkshire,

^{* (}Scotland, Northern Ireland, Isle of Man, the following counties and areas of England: Bedfordshire, Berkshire, Buckinghamshire, Cambridgeshire, Cleveland, Cornwall, Cumbria, Devon, Dorset, Durham, Essex, Hampshire, Hertfordshire, Humberside, Isle of Wight, Isles of Scilly, Kent, Lincolnshire, Norfolk, Northamptonshire, Northumberland, Nottinghamshire, Oxfordshire, Somerset, Suffolk, Surrey, East Sussex, West Sussex, Tyne and Wear, Wiltshire, South Yorkshire, West Yorkshire, and the following parts of counties; in Avon that part of the county to the south of the southern boundary of the M4 motorway; in Derbyshire the districts of north-east Derbyshire, Chesterfield, Bolsover; in Leicestershire the districts of Charnwood, Melton, Rutland, Harborough, Oadby and Wigston, Leicester, Blaby; in North Yorkshire the districts of Scarborough, Ryedale, Hambleton, Richmondshire, Harrogate, York, Selby.)

Plants, plant products and other objects	Special requirements	Protected zone(s)
	(11), (12), (13), (16), official statement that the plants have been produced in nurseries and that the place of production and its immediate vicinity is free from <i>Thaumetopoea pityocampa</i> (Den. et Schiff.)	
18 Plants of <i>Picea</i> A. Dietr., intended for planting other than seeds	Without prejudice to the provisions applicable to the plants listed in Schedule 3A(1), Schedule 4A1(8.1), (8.2), (10), Schedule 4B(7), (8), (9), (10), (11), (12), (13), (16), official statement that the plants have been produced in nurseries and that the place of production is free from Gilpinia hercyniae(Hartig)	
19 Plants of <i>Eucalyptus</i> l'Herit, other than fruit and seeds	Official statement that: (a) the plants are free from soil, and have been subjected to a treatment against <i>Gonipterus scutellatus</i> Gyll., or (b) the plants originate in areas known to be free from <i>Gonipterus scutellatus</i> Gyll.	EL, P
	Without prejudice to the provisions applicable to the plants listed in Schedule 3A(10), (11), Schedule 4A1(25.1), (25.2), (25.3), (25.4), (25.5), (25.6), Schedule 4A2(19.1), (19.2), (19.3), (19.4), (19.6), official statement that the tubers: (a) were grown in an area where Beet necrotic yellow vein virus (BNYVV) is known not to occur, or	DK, IRL, P (Azores), UK

^{* (}Scotland, Northern Ireland, Isle of Man, the following counties and areas of England: Bedfordshire, Berkshire, Buckinghamshire, Cambridgeshire, Cleveland, Cornwall, Cumbria, Devon, Dorset, Durham, Essex, Hampshire, Hertfordshire, Humberside, Isle of Wight, Isles of Scilly, Kent, Lincolnshire, Norfolk, Northamptonshire, Northumberland, Nottinghamshire, Oxfordshire, Somerset, Suffolk, Surrey, East Sussex, West Sussex, Tyne and Wear, Wiltshire, South Yorkshire, West Yorkshire, and the following parts of counties; in Avon that part of the county to the south of the southern boundary of the M4 motorway; in Derbyshire the districts of north-east Derbyshire, Chesterfield, Bolsover; in Leicestershire the districts of Charnwood, Melton, Rutland, Harborough, Oadby and Wigston, Leicester, Blaby; in North Yorkshire the districts of Scarborough, Ryedale, Hambleton, Richmondshire, Harrogate, York, Selby.)

Plants, plant products and Special requirements other objects

Protected zone(s)

- were grown on land, or in growing media consisting of soil that is known to be free from BNYVV, or officially tested by appropriate methods and found free from BNYVV,
- have been washed free (c) from soil
- 20.2 Tubers of tuberosum L., than those mentioned in of soil Schedule 4B(20.1) and other those intended starch production at premises with approved waste disposal facilities

Solanum The consignment or lot shall not DK, IRL, P (Azores), UK other contain more than 1% by weight

21 Plants and live pollen for Without prejudice to the pollination of: Chaenomeles prohibitions applicable Lindl., Cotoneaster Ehrh., Crataegus Mill., Eriobotrya Lindl., Malus Schedule 3B(1), where Mill., Mespilus L., Pyracantha appropriate, official statement Roem., Pyrus L., Sorbus L. other that: than Sorbus intermedia(Ehrh.) (a) Pers., Stranvaesia, Lindl., other than fruit and seeds

to the plants listed in L., Cydonia Schedule 3A(9), (18), and

- the plants originate in the protected zones E, F (Champagne-Ardennes, Alsaceexcept department of Bas Rhin -, Lorraine, Franche-Comté, Rhône-Alpes, Bourgogne, Auvergne, Provence-Alpes-Côte d'Azur, Corse, Languedoc-Roussillon), IRL, I, P, UK (N-IRL, the Isle of Man, the Channel Islands) or,
- the plants have been produced or, if moved into a 'buffer zone'

E, F (Champagne-Ardennes, Alsace-except department of Bas Rhin Franche-Comté, Lorraine, Rhône-Alpes, Bourgogne, Provence-Alpes-Auvergne, Côte d'Azur, Corse, Languedoc-Roussillon), IRL, I, P, UK (N-IRL, the Isle of Man, the Channel Islands)

⁽Scotland, Northern Ireland, Isle of Man, the following counties and areas of England: Bedfordshire, Berkshire, Buckinghamshire, Cambridgeshire, Cleveland, Cornwall, Cumbria, Devon, Dorset, Durham, Essex, Hampshire, Hertfordshire, Humberside, Isle of Wight, Isles of Scilly, Kent, Lincolnshire, Norfolk, Northamptonshire, Northumberland, Nottinghamshire, Oxfordshire, Somerset, Suffolk, Surrey, East Sussex, West Sussex, Tyne and Wear, Wiltshire, South Yorkshire, West Yorkshire, and the following parts of counties; in Avon that part of the county to the south of the southern boundary of the M4 motorway; in Derbyshire the districts of north-east Derbyshire, Chesterfield, Bolsover; in Leicestershire the districts of Charnwood, Melton, Rutland, Harborough, Oadby and Wigston, Leicester, Blaby; in North Yorkshire the districts of Scarborough, Ryedale, Hambleton, Richmondshire, Harrogate, York, Selby.)

Plants, plant products and Special requirements other objects

Protected zone(s)

maintained, for a period of at least one year, on a field:

- (aa) located in an officially designated 'buffer zone' covering at least 50 km² i.e. an area where host plants are subjected to an officially approved and supervised control regime with the object of minimising the risk of Erwinia amvlovora(Burr.) Winsl. et al. being spread from the plants grown there
- (bb) which has been officially approved, before the start of the last complete cycle of vegetation, for the cultivation of plants under the requirements laid down in this point,
- (cc) which, as well as the other parts of the 'buffer zone', has been found free from *Erwinia amylovora*(Burr.) Winsl. et al. since the beginning of the last complete cycle of vegetation,
 - at official inspections carried out at least twice in

^{* (}Scotland, Northern Ireland, Isle of Man, the following counties and areas of England: Bedfordshire, Berkshire, Buckinghamshire, Cambridgeshire, Cleveland, Cornwall, Cumbria, Devon, Dorset, Durham, Essex, Hampshire, Hertfordshire, Humberside, Isle of Wight, Isles of Scilly, Kent, Lincolnshire, Norfolk, Northamptonshire, Northumberland, Nottinghamshire, Oxfordshire, Somerset, Suffolk, Surrey, East Sussex, West Sussex, Tyne and Wear, Wiltshire, South Yorkshire, West Yorkshire, and the following parts of counties; in Avon that part of the county to the south of the southern boundary of the M4 motorway; in Derbyshire the districts of north-east Derbyshire, Chesterfield, Bolsover; in Leicestershire the districts of Charnwood, Melton, Rutland, Harborough, Oadby and Wigston, Leicester, Blaby; in North Yorkshire the districts of Scarborough, Ryedale, Hambleton, Richmondshire, Harrogate, York, Selby.)

Protected zone(s) Plants, plant products and Special requirements other objects the field, as well as in the surrounding zone of a radius of at least 250 m, i.e. once during July/ August and once during September/ October, and at official spot checks carried out in the surrounding zone of a radius of at least 1 km, at least once during July to October, in selected appropriate places, in particular where appropriate indicator plants are present, and at official tests carried out in accordance with an appropriate laboratory method on samples officially drawn, since the start of the last complete

^{* (}Scotland, Northern Ireland, Isle of Man, the following counties and areas of England: Bedfordshire, Berkshire, Buckinghamshire, Cambridgeshire, Cleveland, Cornwall, Cumbria, Devon, Dorset, Durham, Essex, Hampshire, Hertfordshire, Humberside, Isle of Wight, Isles of Scilly, Kent, Lincolnshire, Norfolk, Northamptonshire, Northumberland, Nottinghamshire, Oxfordshire, Somerset, Suffolk, Surrey, East Sussex, West Sussex, Tyne and Wear, Wiltshire, South Yorkshire, West Yorkshire, and the following parts of counties; in Avon that part of the county to the south of the southern boundary of the M4 motorway; in Derbyshire the districts of north-east Derbyshire, Chesterfield, Bolsover; in Leicestershire the districts of Charnwood, Melton, Rutland, Harborough, Oadby and Wigston, Leicester, Blaby; in North Yorkshire the districts of Scarborough, Ryedale, Hambleton, Richmondshire, Harrogate, York, Selby.)

Plants, plant products and other objects	Special requirements	Protected zone(s)
	cycle of vegetation, from plants having show symptoms of Erwinia amylovora(B Winsl. et al. on the field of in other parts of the 'buffer zone', and (dd) from which, as well as from the other parts of the 'buffer zone', no host plants showing symptom of Erwinia amylovora(Burr.) Winsl. et al. have been removed without prior official investigation or approval	Burr.) Or S
22 Plants of Allium porrum L., Apium L., Beta L., Brassica napus L., Brassica rapa L., Daucus L., other than plants intended for planting	contain more than 1% by weigh	
23 Plants of <i>Beta vulgaris</i> L., intended for planting other than seed	(a) Without prejudice to the requirements applicable to the plants listed in Schedule 4A1(35.1), (35.2), Schedule 4A2(26), and Schedule 4B(22), officia statement that the plants (aa) have been officiall individually tested and found free from Beet necrotic	nl : y

^{* (}Scotland, Northern Ireland, Isle of Man, the following counties and areas of England: Bedfordshire, Berkshire, Buckinghamshire, Cambridgeshire, Cleveland, Cornwall, Cumbria, Devon, Dorset, Durham, Essex, Hampshire, Hertfordshire, Humberside, Isle of Wight, Isles of Scilly, Kent, Lincolnshire, Norfolk, Northamptonshire, Northumberland, Nottinghamshire, Oxfordshire, Somerset, Suffolk, Surrey, East Sussex, West Sussex, Tyne and Wear, Wiltshire, South Yorkshire, West Yorkshire, and the following parts of counties; in Avon that part of the county to the south of the southern boundary of the M4 motorway; in Derbyshire the districts of north-east Derbyshire, Chesterfield, Bolsover; in Leicestershire the districts of Charnwood, Melton, Rutland, Harborough, Oadby and Wigston, Leicester, Blaby; in North Yorkshire the districts of Scarborough, Ryedale, Hambleton, Richmondshire, Harrogate, York, Selby.)

Plants, plant products and Special requirements other objects

Protected zone(s)

yellow vein virus (BNYVV), or (bb) have been grown from seeds complying with the requirements listed in Schedule 4B(27), and

- grown in areas where BNYVV is known not to occur, or
- grown on land, or in growing media, officially tested by appropriate methods and found free from BNYVV, and
- sampled, and the sample tested and found free from BNYVV
- the organisation or research body holding the material shall inform their official Member State Plant Protection Service of the material held

24 Plants of Begonia L. and Official statement that: Euphorbia pulcherrima Willd., (a) other than those for which there shall be evidence by their packaging or their flower (or bract) development or by other (b) means that they are intended for sale to final consumers

- the plants originate in an area known to be free from Bemisia tabaci Genn., or
- no signs of *Bemisia* tabaci Genn. have been observed on plants at

(Scotland, Northern Ireland, Isle of Man, the following counties and areas of England: Bedfordshire, Berkshire, Buckinghamshire, Cambridgeshire, Cleveland, Cornwall, Cumbria, Devon, Dorset, Durham, Essex, Hampshire, Hertfordshire, Humberside, Isle of Wight, Isles of Scilly, Kent, Lincolnshire, Norfolk, Northamptonshire, Northumberland, Nottinghamshire, Oxfordshire, Somerset, Suffolk, Surrey, East Sussex, West Sussex, Tyne and Wear, Wiltshire, South Yorkshire, West Yorkshire, and the following parts of counties; in Avon that part of the county to the south of the southern boundary of the M4 motorway; in Derbyshire the districts of north-east Derbyshire, Chesterfield, Bolsover; in Leicestershire the districts of Charnwood, Melton, Rutland, Harborough, Oadby and Wigston, Leicester, Blaby, in North Yorkshire the districts of Scarborough, Ryedale, Hambleton, Richmondshire, Harrogate, York, Selby.)

DK, IRL, P, UK

Plants, plant products and other objects	Special requirements	Protected zone(s)
not involved in professional plant production, intended for planting, other than seeds	the place of production on official inspections carried out at least monthly during the three months prior to marketing, or (c) immediately prior to marketing the plants have been subjected to an appropriate treatment aimed at eradicating Bemisia tabaci Genn. and have been inspected and found free from signs of the living plant pest	
25.1 Plants of <i>Beta vulgaris</i> L. intended for animal fodder	Official statement that: the consignment of plants has been either (a) heat treated to eliminate contamination with beet	DK, IRL, P (Azores), UK
	necrotic yellow vein virus, or (b) processed to remove soil and lateral roots and to de-vitalise the plants	
25.2 Plants of <i>Beta vulgaris</i> L., intended for industrial processing		DK, IRL, P (Azores), UK
26 Soil and unsterlised waste from beet	Official statement that the soil or waste has been treated to eliminate contamination with Beet necrotic yellow vein virus	DK, IRL, P (Azores), UK
27 Seeds of Beta vulgaris L.	Official statement that:	DK, IRL, P (Azores), UK

^{* (}Scotland, Northern Ireland, Isle of Man, the following counties and areas of England: Bedfordshire, Berkshire, Buckinghamshire, Cambridgeshire, Cleveland, Cornwall, Cumbria, Devon, Dorset, Durham, Essex, Hampshire, Hertfordshire, Humberside, Isle of Wight, Isles of Scilly, Kent, Lincolnshire, Norfolk, Northamptonshire, Northumberland, Nottinghamshire, Oxfordshire, Somerset, Suffolk, Surrey, East Sussex, West Sussex, Tyne and Wear, Wiltshire, South Yorkshire, West Yorkshire, and the following parts of counties; in Avon that part of the county to the south of the southern boundary of the M4 motorway; in Derbyshire the districts of north-east Derbyshire, Chesterfield, Bolsover; in Leicestershire the districts of Charnwood, Melton, Rutland, Harborough, Oadby and Wigston, Leicester, Blaby; in North Yorkshire the districts of Scarborough, Ryedale, Hambleton, Richmondshire, Harrogate, York, Selby.)

Plants, plant products and other objects	Special requirements	Protected zone(s)
	(a) the seeds satisfy the conditions laid down in Annex I(B)(3) of Directive 66/400/EEC, or (b) the seeds have been produced from a crop grown in an area where Beet necrotic yellow vein virus is known not to occur	
28 Seeds of Gossypium spp.	Official statement that: (a) the seed has been aciddelinted, and (b) no symptoms of Glomerella gossypii Edgerton have been observed at the place of production since the beginning of the last complete cycle of vegetation, and that a representative sample has been tested and has been found free from Glomerella gossypii Edgerton in those tests	EL. I (Sicily)
29 Seeds of Mangifera spp.	Official statement that the seeds originate in areas known to be free from <i>Sternochetus mangifera</i> Fabricius	E, P
	The machinery shall be cleaned and free from soil and plant debris	

^{* (}Scotland, Northern Ireland, Isle of Man, the following counties and areas of England: Bedfordshire, Berkshire, Buckinghamshire, Cambridgeshire, Cleveland, Cornwall, Cumbria, Devon, Dorset, Durham, Essex, Hampshire, Hertfordshire, Humberside, Isle of Wight, Isles of Scilly, Kent, Lincolnshire, Norfolk, Northamptonshire, Northumberland, Nottinghamshire, Oxfordshire, Somerset, Suffolk, Surrey, East Sussex, West Sussex, Tyne and Wear, Wiltshire, South Yorkshire, West Yorkshire, and the following parts of counties; in Avon that part of the county to the south of the southern boundary of the M4 motorway; in Derbyshire the districts of north-east Derbyshire, Chesterfield, Bolsover; in Leicestershire the districts of Charnwood, Melton, Rutland, Harborough, Oadby and Wigston, Leicester, Blaby; in North Yorkshire the districts of Scarborough, Ryedale, Hambleton, Richmondshire, Harrogate, York, Selby.)

NB. In Part B of this Schedule Member States are indicated by the initials in general use in the European Community and relevant regions of the Member States appear in parentheses.