

## ANNEX

The following entry shall be added at the end of the table in Annex I to Directive 91/414/EEC:

No	Common name, identification numbers	IUPAC name	Purity <sup>a</sup>	Entry into force	Expiration of inclusion	Specific provisions
'191	Chloridazon CAS No 1698-60-8 CIPAC No 111	5-amino-4-chloro-2-phenylpyridazin-3(2H)-one	920 g/kg The impurity 4-amino-5-chloro-isomer is considered to be of toxicological concern and a maximum level of 60 g/kg is established.	1 January 2009	31 December 2018	<p>PART A Only uses as herbicide in application max. of 2,6 kg/ha only every third year on the same field may be authorised.</p> <p>PART B For the implementation of the uniform principles of Annex VI, the conclusions of the review report on chloridazon, and in particular</p>

---

<sup>a</sup> Further details on identity and specification of active substance are provided in the review report.

---

---

**Status:** EU Directives are being published on this site to aid cross referencing from UK legislation. After  
IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

---

Appendices  
I  
and  
II  
thereof,  
as  
finalised  
in  
the  
Standing  
Committee  
on  
the  
Food  
Chain  
and  
Animal  
Health  
on  
4  
December  
2007  
shall  
be  
taken  
into  
account.

In this  
overall  
assessment  
Member  
States  
must pay  
particular  
attention to:  
— the  
operator  
safety  
and  
ensure  
that  
conditions  
of  
use  
prescribe  
the  
application  
of  
adequate  
personal  
protective  
equipment,

---

**a** Further details on identity and specification of active substance are provided in the review report.

---

						<p>— the protection of aquatic organisms,</p> <p>— the protection of the groundwater, when the active substance is applied in regions with vulnerable soil and/or climatic conditions.</p> <p>Conditions of authorisation should include risk mitigation measures and monitoring programmes should be initiated to verify potential groundwater contamination from metabolites B and B1 in vulnerable zones, where appropriate.’</p>
<b>a</b>	Further details on identity and specification of active substance are provided in the review report.					