Commission Directive 2008/49/EC of 16 April 2008 amending Annex II to Directive 2004/36/EC of the European Parliament and of the Council regarding the criteria for the conduct of ramp inspections on aircraft using Community airports (Text with EEA relevance)

#### ANNEX

# ANNEX II

#### Manual of EC SAFA ramp inspection procedures — Core elements

# 1. GENERAL INSTRUCTIONS

- 1.1. SAFA ramp inspections shall be performed by inspectors possessing the necessary knowledge relevant to the area of inspection whereby technical, airworthiness and operational knowledge must be represented in case all items of the checklist are being verified. When a ramp inspection is performed by two or more inspectors, the main elements of the inspection the visual inspection of the aircraft exterior, the inspection in the flight deck and the inspectors of the passenger cabin and/or cargo compartments may be divided among the inspectors.
- 1.2. Inspectors must identify themselves to the aircraft pilot in command or, in his/her absence, to a member of the flight crew or to the most senior representative of the operator prior to commencing the onboard part of their ramp inspection. When it is not possible to inform any representative of the operator or when there is no such representative present in or near the aircraft, the general principle will be not to perform a SAFA ramp inspection. In special circumstances it may be decided to perform a SAFA ramp inspection but this shall be limited to a visual check of the aircraft exterior.
- 1.3. The inspection shall be as comprehensive as possible within the time and resources available. This means that if only a limited amount of time or resources is available, not all inspection items but a reduced number may be verified. According to the time and resources available for a SAFA ramp inspection, the items that will be inspected shall be selected accordingly in conformity with the objectives of the EC SAFA Programme.
- 1.4. A ramp inspection shall not cause an unreasonable delay in the departure of the inspected aircraft. Possible causes for delay may be, but are not limited to, doubts regarding the correctness of the flight preparation, the airworthiness of the aircraft or any matters directly related to the safety of the aircraft and its occupants.
- 2. QUALIFICATION OF INSPECTORS
- 2.1. Member States shall ensure that with effect from 1 January 2009, all SAFA ramp inspections conducted in their territory are performed by qualified inspectors.
- 2.2. Member States shall ensure that their inspectors meet the qualification criteria as provided hereunder.
- 2.3. Qualification criteria
- 2.3.1. Eligibility criteria

As a prerequisite for eligibility to qualification, Member States shall ensure that candidates for qualification as SAFA inspectors possess the necessary aeronautical education and/or practical knowledge relevant to their area/s of inspection, namely:

- (a) operation of aircraft;
- (b) personnel licensing;

- (c) airworthiness of aircraft;
- (d) dangerous goods.
- 2.3.2. Training requirements

Prior to qualification, candidates must have successfully completed training consisting of:

- theoretical classroom training to be delivered by a SAFA training organisation as defined in paragraph 2.4,
- practical training to be delivered by a SAFA training organisation as defined in paragraph 2.4 or by a senior inspector appointed by a Member State as provided in paragraph 2.5 acting independently from a SAFA training organisation,
- on the job training: to be delivered over a series of inspections by a senior inspector appointed by a Member State as provided in paragraph 2.5.
- 2.3.3. Requirements for maintaining the validity of the qualification

Member States shall ensure that once qualified, inspectors maintain the validity of their qualification by:

- (a) undergoing recurrent training which shall consist of theoretical classroom training to be delivered by a SAFA training organisation as defined in paragraph 2.4;
- (b) performing a minimum number of ramp inspections in every 12-month period since last undergoing SAFA training unless the inspector is also a qualified flight operations or airworthiness inspector of the national aviation authority of a Member State and is regularly engaged in the performance of inspections on aircraft of domestic operators.
- 2.3.4. Guidance material

EASA shall develop and publish by not later than 30 September 2008 detailed guidance material in order to assist the Member States in the implementation of paragraphs 2.3.1, 2.3.2 and 2.3.3.

- 2.4. SAFA training organisations
- 2.4.1. A SAFA training organisation may be a part of a Member State's competent authority or a third party organisation.

A third party organisation may be:

- part of another Member State's competent authority,
- an independent entity.
- 2.4.2. Member States shall ensure that training courses referred to in paragraphs 2.3.2 and 2.3.3(a) undertaken by their national authority is conducted, as a minimum, in accordance with the relevant syllabi established and published by EASA.
- 2.4.3. Member States employing a third party organisation for the purpose of SAFA-related training shall put in place a system to evaluate such an organisation. The system shall be simple, transparent and proportionate and take account of any relevant guidance materials established and published by EASA. Such a system may take into account evaluations conducted by other Member States.
- 2.4.4. A third party training organisation may only be used if the evaluation shows that training will be provided in accordance with the relevant syllabi established and published by EASA.

- 2.4.5. Member States shall ensure that their competent authorities' training programmes and/or their systems for the evaluation of third party training organisations are amended accordingly to reflect any recommendations arising from the standardisation audits conducted by EASA in accordance with the working methods provided under Commission Regulation (EC) No 736/2006<sup>(1)</sup>.
- 2.4.6. A Member State may request EASA to evaluate the training organisation and issue an advice on which the Member State may base its own evaluation.
- 2.4.7. EASA shall develop and publish detailed guidance material in order to assist the Member States in the implementation of this paragraph by not later than 30 September 2008.
- 2.5. Senior inspectors
- 2.5.1. A Member State may appoint senior inspectors provided that they meet the relevant qualification criteria to be established by that Member State.
- 2.5.2. Member States shall ensure that the criteria mentioned in 2.5.1 contain at least the following requirements whereby the appointee:
- has been a qualified SAFA inspector over the three years prior to the appointment,
- has performed a minimum of 36 SAFA inspections during the three years prior to the appointment.
- 2.5.3. Member States shall ensure that practical training and/or on the job training delivered by their senior inspectors is based on the relevant syllabi established and published by EASA.
- 2.5.4. Member States may also assign their senior inspectors to deliver practical training and/ or on the job training to trainees of other Member States.

EASA shall develop and publish detailed guidance material in order to assist the Member States in the implementation of this paragraph by not later than 30 September 2008.

- 2.6. Transitional measures
- 2.6.1. SAFA inspectors who meet the eligibility criteria referred to in paragraph 2.3.1, as well as the recent experience criteria referred to in paragraph 2.3.3(b) at the date established under Article 3 of Commission Directive 2008/49/EC shall be considered to qualify as inspectors in accordance with the requirements set out in this chapter.
- 2.6.2. Notwithstanding the provisions of paragraph 2.3.3(a), inspectors considered to be qualified in accordance with paragraph 2.6.1 shall undergo recurrent training to be delivered progressively by a SAFA training organisation by not later than 1 July 2010 and subsequently as provided under paragraph 2.3.3(a).
- 3. STANDARDS
- 3.1. The ICAO Standards and the ICAO European Regional Supplementary Procedures are the baseline against which the aircraft and the operator are being inspected under the EC SAFA Programme. In addition, when inspecting the technical condition of an aircraft, it shall be checked against the aircraft manufacturer's standards.

4. INSPECTION PROCESS

Checklist items

- 4.1. The items to be inspected will be selected from those mentioned on the checklist in the SAFA Ramp Inspection Report which contains a total of 54 items. (see Attachment 1).
- 4.2. The inspection and the resulting findings, if any, have to be reflected in the SAFA Ramp Inspection Report after the inspection is completed.

SAFA detailed guidance

4.3. For each inspection item of the checklist in the SAFA Ramp Inspection Report a detailed description will be established specifying the scope and method of inspection. In addition a reference will be made to the relevant requirements in the ICAO Annexes. This will be developed and published as detailed guidance material by EASA and amended as necessary to reflect the latest applicable standards.

Inclusion of reports into centralised SAFA database

- 4.4. A report of the inspection shall be entered into the SAFA centralised database as soon as possible and in any case not later than 15 working days after the date of the inspection, even if no findings were identified.
- 5. CATEGORISATION OF FINDINGS
- 5.1. For each inspection item, three categories of possible deviations from the relevant standards established under paragraph 3.1 are defined as findings. Such findings will be categorised as follows:
- a category 1 finding is considered to have a minor influence on safety,
- a category 2 finding may have a significant influence on safety, and
- a category 3 finding may have a major influence on safety.
- 5.2. Instructions on the categorisation of findings will be developed and published as detailed guidance material by EASA and amended as necessary in order to reflect relevant scientific and technical progress.
- 6. FOLLOW-UP ACTIONS TO BE TAKEN
- 6.1. Without prejudice to paragraph 1.2, a proof of inspection containing at least the elements set out in Appendix 2 must be completed and a copy handed over to the aircraft pilot in command, or in his/her absence, to a member of the flight crew or to the most senior representative of the operator present in or near the aircraft upon completion of the SAFA inspection. A signed acknowledgment of receipt of the proof of inspection shall be requested from the recipient and be retained by the inspector. Refusal by the recipient to sign shall be recorded in the document. Relevant detailed instructions will be developed and published by EASA as detailed guidance material.
- 6.2. Based on how the findings have been categorised, certain follow-up actions have been defined. The relations between the category of findings and the resulting actions to take are presented in the class of actions and will be developed and published by EASA as detailed guidance material.
- 6.3. Class 1 action: This action consists of providing information about the results of the SAFA Ramp inspection to the aircraft pilot in command, or in his/her absence, to another member of the flight crew or to the most senior representative of the operator present. This action consists of a verbal debriefing and the delivery of the proof of inspection. A class 1 action shall be taken after each inspection, regardless of whether findings have been identified or not.
- 6.4. Class 2 action: This action consists of

- (1) a written communication with the operator concerned and shall contain request for evidence of corrective actions taken, and
- (2) a written communication with the responsible state (state of operator and/or registry) addressing the results of inspections carried out on aircraft operated under the safety oversight of the respective state. The communication shall contain, where appropriate, a request for confirmation that they are satisfied with the corrective actions taken under point (1).

Member States shall make available to EASA a monthly report on the status of follow-up actions which they have taken pursuant to ramp inspections.

A class 2 action shall be taken after inspections where category 2 or category 3 findings have been identified.

Relevant detailed instructions will be developed and published by EASA as detailed guidance material.

- 6.5. Class 3 actions: A class 3 action shall be taken after an inspection where a category 3 finding has been identified. Owing to the significance of category 3 findings with regard to their potential influence on the safety of the aircraft and its occupants, the following sub-classes have been identified:
- (1) Class 3a Restriction on the aircraft flight operation: The competent authority performing the ramp inspection concludes that following deficiencies identified during the inspection, the aircraft may depart only under certain restrictions.
- (2) Class 3b Corrective actions before flight: The ramp inspection identifies deficiencies which require corrective action(s) before the intended flight may take place.
- (3) Class 3c Aircraft grounded by the inspecting national aviation authority: An aircraft is grounded in a situation where following the identification of category 3 (major) findings, the competent authority performing the ramp inspection is not satisfied that corrective measures will be taken by the aircraft operator to rectify the deficiencies before flight departure, thereby posing an immediate safety hazard to the aircraft and its occupants. In such cases, the national aviation authority performing the ramp inspection shall ground the aircraft until the hazard is removed and shall immediately inform the competent authorities of the operator concerned and of the State of registration of the aircraft.

Actions taken under paragraphs 2 and 3 may include a non-revenue positioning flight to the maintenance base.

(4) Class 3d — Immediate operating ban: A Member State may react to an immediate and obvious safety hazard by imposing an operating ban as provided under the applicable national and Community law.

### Appendix 1

### SAFA Ramp Inspection Report

	\$ \$	***										
National Aviation Authority (name)												
(State)												
SAFA												
Ramp Inspection Report												
No												
Source:	RI											
Date:	<u> </u>	Place:										
Local time:	:											
Operator:	_	AOC Number:										
State:	_	Type of Operation:										
Route from:		Flight Number:										
Route to:		Flight Number:										
Chartered by Operator*: * (where applicable)		Charterer's State*:										
Aircraft Type:		Registration marks:										
Aircraft Configuration:		Construction Number:										
second State of Licensing*: * (where applicable)												
Findings:												
Code / Std / Ref / Cat / Finding		Detailed Description										
Class of actions taken:		Detailed Description										
3(d) Immediate operating ban												
□ 3(c) Aircraft grounded by inspecting	NAA											
□ 3(b) Corrective actions before flight	ation											
<ul> <li>3(a) Restriction on aircraft flight oper</li> <li>2 Information to the Authority and Operation</li> </ul>												
□ 1 Information to Captain												
Additional information (if any)												
Inanastara' nomen av sumbara												
Inspectors' names or numbers:												
<ul> <li>This report represents an indication of the intended flight.</li> </ul>	or what was found on this occas	ion and must not be construed as	a determination that the aircraft is fit for									
- Data submitted in this report can be	subject to changes for correct	wording upon entering into the SA	AFA database.									

#### National Aviation Authority (Name)

(State)

	Item code		Checked		Remark
	A. Flight Deck				
	General	1			
1	General Condition	1		1	
	Emergency Exit	2		2	
	Equipment	3		3	
5.	Documentation				
4	Manuals	4		4	
	Checklists	5		5	
	Radio Navigation Charts	6		6	
	Minimum Equipment List	7		7	
	Certificate of registration	8		8	
	Noise certificate (where applicable)	9		9	
	AOC or equivalent	10		10	
	Radio licence	11		11	
		12			
12.	Certificate of Airworthiness (C of A)	12		12	
10	Flight data	1.0		10	
	Flight preparation	13		13	
14.	Weight and balance sheet	14		14	
	Safety Equipment				
	Hand fire extinguishers	15		15	
	Life jackets/flotation device	16		16	
	Harness	17		17	
	Oxygen equipment	18		18	
19.	Flash Light	19		19	
	Flight Crew				
20.	Flight crew licence	20		20	
	Journey log book/Technical Log or equivalent				
21.	Journey Log Book, or equivalent	21		21	
22.	Maintenance release	22		22	
23.	Defect notification and rectification (including Tech Log)	23		23	
24.	Pre-flight inspection	24		24	
	B. Safety/Cabin				
1.	General Internal Condition	1		1	
2.	Cabin attendant's station and crew rest area	2		2	
З.	First Aid Kit/Emergency medical kit	3		3	
4.	Hand fire extinguishers	4		4	
5.	Life jackets/Flotation devices	5		5	
6.	Seat belt and seat condition	6		6	
7.	Emergency exit, lighting and marking, Torches	7		7	
8.	Slides/Life-Rafts (as required), ELT	8		8	
	Oxygen supply (Cabin Crew and Passengers)	9		9	
	Safety Instructions	10		10	
	Cabin crew members	11		11	
	Access to emergency exits	12		12	
	Safety of passenger baggage's	13		13	
	Seat capacity	14		14	
		1		1	

	Item Code		Checked		Remark
	C. Aircraft Condition				
1.	General external condition	1		1	
2.	Doors and hatches	2		2	
З.	Flight controls	3		3	
4.	Wheels, tyres and brakes	4		4	
5.	Undercarriage skids/floats	5		5	
6.	Wheel well	6		6	
7.	Powerplant and pylon	7		7	
8.	Fan blades	8		8	
9.	Propellers, Rotors (main & tail)	9		9	
10.	Obvious repairs	10		10	
11.	Obvious unrepaired damage	11		11	
12.	Leakage	12		12	
	D. Cargo				
1.	General condition of cargo compartment	1		1	
2.	Dangerous Goods	2		2	
З.	Safety of cargo on board	3		3	
	E. General				
1.	General	1		1	

### Appendix 2

# **Proof of Inspection Form**

						Proof of Insp	ection								
Date:	:	Time:				Place:									
Operator:						State:		AOC No:							
Route from: Flight No:						Route to:			ht No			- Free format			
Flight type: Chartered by Operator:			r:		Aircraft type:			Aircraft configuration:			information of inspecting NAA (logo,				
Charterer's state:					Registration mark:			Cor	nstructi	on No	<b>D:</b>	contact tel/fax/e	details		
Flight	t crew state(s) of licens	sina				Acknowledgeme	ant of Rece	aint (*	5				ŕ		
, ngin		5.1.g.	Name		Acknowledgement of Receipt (*)										
			1				Signature	e:							
		Check	Remark				Chec	k Ber	mark		I	c	heck Re	amark	
A	Flight deck				Flig	ht crew				С	Aircraft condition				
1	General condition			20	Flig	ht crew licence				1	General external	l condition		П	
2	Emergency exit				Jou	rney log book/Technic	al Log or e	quiva	lent	2	Doors and hatches				
3	Equipment			21	Jou	rney log book or equiva	lent			3	Flight controls			Н	
	Documentation			22	Mai	ntenance release				4	Wheels, tyres ar				
4	Manuals			23	Def	ect notification and recti I. Tech Log)	fication		$\square$	3	Undercarriage, s			Π	
5	Checklists			24		flight inspection		$\vdash$	$\square$	6	Wheel well		+	$\vdash$	
6	Radio navigation charts					<u> </u>				7	Powerplant and	pylon	+	$\vdash$	
7	Minimum equipment list			в	Saf	ety/Cabin				8	Fan blades		+	$\vdash$	
8	Certificate of registration					neral internal condition		Г		9	Propellers, Roto	rs (main/tail)	+	$\vdash$	
9	Noise certificate (where a	applicable)		2		in attendant's station an	d crew rest		$\square$	10	Obvious repairs	(	+	Η	
10	AOC or equivalent			3	Firs	t aid kit/Emergency med	lical kit	$\vdash$	$\square$	11	Obvious unrepai	red damage	+	$\vdash$	
11	Radio licence			4	Han	d fire extinguishers		$\vdash$	$\square$	12	Leakage		+	$\vdash$	
12	Certificate of Airworthines	ss (C of A)		5	Life	jackets/Flotation device	s	$\vdash$	$\square$						
H	Flight data	(,		6		t belt and seat condition		$\vdash$	$\square$	D	Cargo				
13	Flight preparation			7	Eme	ergency exit, lighting and			Π	1	General conditio compartment	n of cargo		$\square$	
14	Weight and balance shea	at		8		es/Llfe-Rafts (as require	d), ELT	$\vdash$	$\square$	2	Dangerous good	İs	+	$\vdash$	
	Safety equipment			9	Оху	gen Supply (Cabin Crev sengers)		$\square$	Π	3	Safety of cargo			$\square$	
15	Hand fire extinguishers			10		ety Instructions		$\vdash$	$\square$					ட	
16	Life jackets/flotation device	ces		11	Cab	in crew members		$\vdash$		E	General				
17	Harness			12	Acc	ess to emergency exits		$\vdash$		1	General			П	
18	Oxygen equipment			13	Safe	ety or passenger bagga	<b>3</b> 0	$\vdash$							
19	Flash light			14	Sea	t capacity	-		$\square$						
Actio	on taken			Item		Remarks									
	(3c) Aircraft grounded by	inspecting	NAA												
	(3b) Corrective actions b	efore flight		11											
	(3a) Restrictions on the a	aircraft opera	ation												
	(2) Informatin to the auth	ority and op	erator	1											
	(1) Information to the cap	oitain													
	(0) No remarks			11											
Inspe	ector(s) sign or number														
														-	
						1									
(")	Signature by any member of the transformed series of the s	of the crew o	or other re	presentat	ive of	the inspected operator	does in no w	ay im	ply acc	eptanc	e of the listed find	ings but simply a	confrima	ation	
	This report represents an i Data submitted in this repo	indication of	what was	s found o	n this	s occasion and must no	t be constru	ed as	a dete A datab	rminat ase.'	ion that the aircra	ft is fit for the inte	ended fl	ight.	
				<b>Q</b>		<b>,</b> ,	-								

(**1**) OJ L 129, 17.5.2006, p. 10.