

## ANNEX IV

## EU-TYPE EXAMINATION FOR LIFTS AND SAFETY COMPONENTS FOR LIFTS(module B)

**A. EU-type examination of safety components for lifts**

1. EU-type examination is the part of a conformity assessment procedure in which a notified body examines the technical design of a safety component for lifts and verifies and attests that the technical design of the safety component for lifts satisfies the applicable essential health and safety requirements of Annex I and will enable a lift in which it is correctly incorporated to satisfy those requirements.
2. The application for EU-type examination shall be lodged by the manufacturer, or his authorised representative, with a single notified body of his choice.

The application shall include:

- (a) the name and address of the manufacturer and, if the application is lodged by the authorised representative, his name and address as well and the place of manufacture of the safety components for lifts;
  - (b) a written declaration that the same application has not been lodged with any other notified body;
  - (c) the technical documentation;
  - (d) a representative specimen of the safety component for lifts or details of the place where it can be examined. The notified body may request further specimens if needed for carrying out the test programme;
  - (e) the supporting evidence for the adequacy of the technical design solution. This supporting evidence shall mention any documents, including other relevant technical specifications, that have been used, in particular where the relevant harmonised standards have not been applied in full. The supporting evidence shall include, where necessary, the results of tests carried out in accordance with other relevant technical specifications by the appropriate laboratory of the manufacturer, or by another testing laboratory on his behalf and under his responsibility.
3. The technical documentation shall make it possible to assess whether the safety component for lifts meets the conditions referred to in point 1 and shall include an adequate analysis and assessment of the risk(s). The technical documentation shall specify the applicable requirements and cover, as far as relevant for the assessment, the design, manufacture and operation of the safety component for lifts.

The technical documentation shall contain, where applicable, the following:

- (a) a description of the safety component for lifts, including its area of use (in particular possible limits on speed, load and power) and conditions (in particular explosive environments and exposure to the elements);
- (b) design and manufacturing drawings and diagrams;
- (c) explanations necessary for the understanding of those drawings and diagrams and the operation of the safety component for lifts;
- (d) a list of the harmonised standards applied in full or in part the references of which have been published in the *Official Journal of the European Union* and, where those

---

*Status: EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.*

---

harmonised standards have not been applied, descriptions of the solutions adopted to enable the safety component for lifts to meet the conditions referred to in point 1, including a list of other relevant technical specifications applied. In the event of partly applied harmonised standards, the technical documentation shall specify the parts which have been applied;

- (e) results of design calculations performed by or for the manufacturer;
  - (f) test reports;
  - (g) a copy of the instructions for the safety components for lifts;
  - (h) steps taken at the manufacturing stage to ensure that series-produced safety components for lifts conform to the safety component for lifts examined.
4. The notified body shall:
- (a) examine the technical documentation and the supporting evidence to assess the adequacy of the technical design of the safety component for lifts;
  - (b) agree with the applicant on a location where the examinations and tests will be carried out;
  - (c) verify that the representative specimen(s) has(have) been manufactured in conformity with the technical documentation, and identify the elements which have been designed in accordance with the applicable provisions of the relevant harmonised standards, as well as the elements which have been designed in accordance with other relevant technical specifications;
  - (d) carry out appropriate examinations and tests, or have them carried out, to check whether, where the manufacturer has chosen to apply the specifications of the relevant harmonised standards, these have been applied correctly;
  - (e) carry out appropriate examinations and tests, or have them carried out, to check whether, where the specifications of the relevant harmonised standards have not been applied, the solutions adopted by the manufacturer applying other relevant technical specifications enable the safety component for lifts to meet the conditions referred to in point 1.

The notified body shall draw up an evaluation report that records the examinations, verifications and tests carried out and their outcome. Without prejudice to its obligations vis-à-vis the notifying authorities, the notified body shall release the content of that report, in full or in part, only with the agreement of the manufacturer.

5. Where the type of the safety component for lifts meets the conditions referred to in point 1, the notified body shall issue an EU-type examination certificate to the manufacturer. That certificate shall contain the name and address of the manufacturer the conclusions of the EU-type examination, any conditions of validity of the certificate and the particulars necessary to identify the approved type.

The EU-type examination certificate may have one or more annexes attached.

The EU-type examination certificate and its annexes shall contain all relevant information to allow the conformity of manufactured safety components for lifts with the examined type to be evaluated and to allow for in-service control.

Where the type of the safety component for lifts does not satisfy the conditions referred to in point 1, the notified body shall refuse to issue an EU-type examination certificate and shall inform the applicant accordingly, giving detailed reasons for its refusal.

The notified body shall keep a copy of the EU-type examination certificate, its annexes and additions, as well as the technical documentation and the evaluation report, for 15 years from the date of issue of that certificate.

6. The notified body shall keep itself apprised of any changes in the generally acknowledged state of the art which indicate that the approved type may no longer meet the conditions referred to in point 1 and shall determine whether such changes require further investigation. If so, the notified body shall inform the manufacturer accordingly.
7. The manufacturer shall inform the notified body that holds the technical documentation relating to the EU-type examination certificate of any modification to the approved type that may affect the conformity of the safety component for lifts with the conditions referred to in point 1 or the conditions of validity of the EU-type examination certificate.

The notified body shall examine the modification and inform the applicant whether the EU-type examination certificate remains valid or whether further examinations, verifications or tests are needed. As appropriate, the notified body shall issue an addition to the original EU-type examination certificate or ask for a new application for an EU-type examination to be submitted.

8. Each notified body shall inform its notifying authority concerning the EU-type examination certificates and any additions thereto which it has issued or withdrawn, and shall, periodically or upon request, make available to its notifying authority the list of such certificates and any additions thereto refused, suspended or otherwise restricted.

Each notified body shall inform the other notified bodies concerning the EU-type examination certificates and any additions thereto which it has refused, withdrawn, suspended or otherwise restricted, and, upon request, concerning such certificates and/or additions thereto which it has issued.

9. The Commission, the Member States and the other notified bodies may, on request, obtain a copy of the EU-type examination certificates and additions thereto. On request, the Commission and the Member States may obtain a copy of the technical documentation and of the report on the examinations, verifications and tests carried out by the notified body.
10. The manufacturer shall keep with the technical documentation a copy of EU-type examination certificates, its annexes and additions at the disposal of the national authorities for 10 years after the safety component for lifts has been placed on the market.
11. Authorised representative

The manufacturer's authorised representative may lodge the application referred to in point 2 and fulfil the obligations set out in points 7 and 10, provided that they are specified in the mandate.

## **B. EU-type examination of lifts**

1. EU-type examination of lifts is the part of a conformity assessment procedure in which a notified body examines the technical design of a model lift, or a lift for which there

---

*Status: EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.*

---

is no provision for an extension or variant, and verifies and attests that the technical design of the model lift or the lift meets the applicable essential health and safety requirements set out in Annex I.

EU-type examination of a lift includes an examination of a representative specimen of a complete lift.

2. The application for EU-type examination shall be lodged by the installer or his authorised representative with a single notified body of his choice.

The application shall include:

- (a) the name and address of the installer; and, if the application is lodged by the authorised representative, his name and address as well;
  - (b) a written declaration that the same application has not been lodged with any other notified body;
  - (c) the technical documentation;
  - (d) details of the place where the specimen lift can be examined. The specimen lift submitted for examination shall include the terminal parts and be capable of serving at least three levels (top, middle and bottom);
  - (e) the supporting evidence for the adequacy of the technical design solution. This supporting evidence shall mention any documents, including other relevant technical specifications that have been used, in particular where the relevant harmonised standards have not been applied in full. The supporting evidence shall include, where necessary, the results of tests carried out in accordance with other relevant technical specifications by the appropriate laboratory of the installer, or by another testing laboratory on his behalf and under his responsibility.
3. The technical documentation shall make it possible to assess the conformity of the lift with the applicable essential health and safety requirements set out in Annex I.

The technical documentation shall contain, where applicable, the following:

- (a) a description of the model lift indicating clearly all the permitted variations of the model lift;
- (b) design and manufacturing drawings and diagrams;
- (c) explanations necessary for the understanding of those drawings and diagrams and of the operation of the lift;
- (d) a list of the essential health and safety requirements taken into consideration;
- (e) a list of the harmonised standards applied in full or in part the references of which have been published in the *Official Journal of the European Union* and, where those harmonised standards have not been applied, descriptions of the solutions adopted to meet the essential health and safety requirements of the Directive, including a list of other relevant technical specifications applied. In the event of partly applied harmonised standards, the technical documentation shall specify the parts which have been applied;
- (f) a copy of the EU declarations of conformity of the safety components for lifts incorporated in the lift;

- (g) results of design calculations performed by or for the installer;
  - (h) test reports;
  - (i) a copy of the instructions referred to in point 6.2 of Annex I;
  - (j) steps taken at the installation stage to ensure that the series-produced lift conforms to the essential health and safety requirements set out in Annex I.
4. The notified body shall:
- (a) examine the technical documentation and supporting evidence to assess the adequacy of the technical design of the model lift or of the lift for which there is no provision for an extension or variant;
  - (b) agree with the installer on a location where the examinations and tests will be carried out;
  - (c) examine the specimen lift to check that it has been manufactured in accordance with the technical documentation, and identify the elements which have been designed in accordance with the applicable provisions of the relevant harmonised standards, as well as the elements which have been designed in accordance with other relevant technical specifications;
  - (d) carry out appropriate examinations and tests, or have them carried out, to check whether, where the installer has chosen to apply the specifications of the relevant harmonised standards, these have been applied correctly;
  - (e) carry out appropriate examinations and tests, or have them carried out, to check whether, where the specifications of the relevant harmonised standards have not been applied, the solutions adopted by the installer applying other relevant technical specifications meet the corresponding essential health and safety requirements of this Directive.
5. The notified body shall draw up an evaluation report that records the examinations, verifications and tests carried out and their outcome. Without prejudice to its obligations vis-à-vis the notifying authorities, the notified body shall release the content of that report, in full or in part, only with the agreement of the installer.
6. Where the type meets the essential health and safety requirements set out in Annex I applicable to the lift concerned, the notified body shall issue an EU-type examination certificate to the installer. That certificate shall contain the name and address of the installer, the conclusions of the EU-type examination, any conditions of validity of the certificate and the particulars necessary to identify the approved type.

The EU-type examination certificate may have one or more annexes attached.

The EU-type examination certificate and its annexes shall contain all the information necessary to enable the conformity of lifts with the approved type to be assessed during the final inspection.

Where the type does not comply with the essential health and safety requirements set out in Annex I, the notified body shall refuse to issue an EU-type examination certificate and shall inform the installer accordingly, giving detailed reasons for its refusal.

The notified body shall keep a copy of the EU-type examination certificate, its annexes and additions, as well as the technical documentation and the evaluation report for 15 years from the date of issue of that certificate.

---

*Status: EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.*

---

7. The notified body shall keep itself apprised of any changes in the generally acknowledged state of the art which indicate that the approved type may no longer comply with the essential health and safety requirements set out in Annex I, and shall determine whether such changes require further investigation. If so, the notified body shall inform the installer accordingly.
8. The installer shall inform the notified body of any modifications to the approved type, including variations not specified in the original technical documentation, that may affect the conformity of the lift with the essential health and safety requirements set out in Annex I or the conditions of validity of the EU-type examination certificate.

The notified body shall examine the modification and inform the installer whether the EU-type examination certificate remains valid or whether further examinations, verifications or tests are needed. As appropriate the notified body shall issue an addition to the original EU-type examination certificate or ask for a new application for an EU-type examination to be submitted.

9. Each notified body shall inform its notifying authority concerning the EU-type examination certificates and any additions thereto which it has issued or withdrawn, and shall, periodically or upon request, make available to its notifying authority the list of such certificates and any additions thereto refused, suspended or otherwise restricted.

Each notified body shall inform the other notified bodies concerning the EU-type examination certificates and any additions thereto which it has refused, withdrawn, suspended or otherwise restricted, and, upon request, concerning such certificates and additions thereto which it has issued.

10. The Commission, the Member States and the other notified bodies may, on request, obtain a copy of the EU-type examination certificates and additions thereto. On request, the Commission and the Member States may obtain a copy of the technical documentation and of the report on the examinations, verifications and tests carried out by the notified body.
11. The installer shall keep with the technical documentation a copy of the EU-type examination certificate, including its annexes and additions, at the disposal of the national authorities for 10 years after the lift has been placed on the market.
12. Authorised representative

The installer's authorised representative may lodge the application referred to in point 2 and fulfil the obligations set out in points 8 and 11, provided that they are specified in the mandate.