
SCOTTISH STATUTORY INSTRUMENTS

2000 No. 22

AGRICULTURE

PESTICIDES

**The Pesticides (Maximum Residue Levels in Crops,
Food and Feeding Stuff)s (Scotland) Regulations 2000**

Made - - - - *31st January 2000*

Coming into force - - *1st February 2000*

The Scottish Ministers, in exercise of the powers conferred on them by section 2(2) of the European Communities Act 1972^{M1} and by section 16(2) of the Food and Environment Protection Act 1985^{M2}, and of all other powers enabling them in that behalf, after consultation in accordance with section 16(9) of the said Act of 1985 with the Advisory Committee on Pesticides established under section 16(7) of that Act^{M3}, hereby make the following Regulations, a draft of which has been laid before and approved by resolution of the Scottish Parliament:

Marginal Citations

- M1** 1972 c.68. Section 2(2) was amended by the [Scotland Act 1998 \(c.46\)](#), [Schedule 8](#), paragraph 15(3). The function conferred upon the Minister of the Crown under section 2(2) of the European Communities Act 1972, insofar as within devolved competence, was transferred to the Scottish Ministers by virtue of section 53 of the Scotland Act 1998.
- M2** 1985 c.48; see [section 24\(1\)](#) for a definition of “the Ministers” and section 24(3) on the exercise of the power conferred by section 16. Section 16 was amended by the [Pesticides \(Fees and Enforcement\) Act 1989 \(c.27\)](#), [section 1\(2\)](#) and by the [Pesticides Act 1998 \(c.26\)](#), [section 1](#). The functions of “the Ministers” were transferred to the Scottish Ministers by virtue of section 53 of the [Scotland Act 1998 \(c.46\)](#).
- M3** Established by [S.I. 1985/1516](#).

Citation, commencement and extent

1.—(1) These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff)s (Scotland) Regulations 2000 and shall come into force on 1st February 2000.

(2) These Regulations extend to Scotland only.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to *The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000*. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) [View outstanding changes](#)

Interpretation

2.—(1) In these Regulations—

“EEA State” means a State which is a Contracting Party to the Agreement on the European Economic Area signed at Oporto on 2nd May 1992^{M4} as adjusted by the Protocol signed at Brussels on 17 March 1993^{M5};

“product” means any crop, food or feeding stuff specified in Schedules 2 or 3;

“putting into circulation” means any handing over, whether or not for a consideration of any product—

(a) in the case of fruit and vegetables, after they have been harvested, and

(b) in any other case, at any time; and

“the Residues Directives” means Council Directive [86/362/EEC](#)^{M6} (as amended by Council Directives [88/298/EEC](#)^{M7}, [90/654/EEC](#)^{M8}, [93/57/EEC](#)^{M9}, [94/29/EC](#)^{M10}, [95/39/EC](#)^{M11}, [96/33/EC](#)^{M12}, [97/41/EC](#)^{M13} and Commission Directives [97/71/EC](#)^{M14}, [98/82/EC](#)^{M15}, [1999/65/EC](#)^{M16} and [1999/71/EC](#)^{M17}, together with Council Directive [86/363/EEC](#)^{M18} (as amended by Council Directives [93/57/EEC](#), [94/29/EC](#), [95/39/EC](#), [96/33/EC](#), [97/41/EC](#) and Commission Directives [97/71/EC](#), [98/82/EC](#) and [1999/71/EC](#)) and Council Directive [90/642/EEC](#)^{M19} (as amended by Council Directives [93/58/EEC](#)^{M20}, [94/30/EC](#)^{M21}, [95/38/EC](#)^{M22}, [95/61/EC](#)^{M23}, [96/32/EC](#)^{M24}, [97/41/EC](#) and Commission Directives [97/71/EC](#), [98/82/EC](#), [1999/65/EC](#) and [1999/71/EC](#)).

(2) The words and expressions “dried”, “processed”, “composite food”, “drying” and “processing”, when used either in regulation 4 or in paragraphs (d) and (e) of regulation 6 shall have the same meaning as when used in the Residues Directives and any related expressions shall be construed accordingly.

(3) Any reference in these Regulations to a pesticide residue is a reference to the substance named in column 2 of Schedule 1 opposite the pesticide named in column 1 of that Schedule from which, or from the metabolites and breakdown or reaction products of which, it can be derived.

(4) Any reference in these Regulations to a numbered Schedule or regulation shall be construed as a reference to the Schedule or, as the case may be, regulation so numbered in these Regulations.

(5) Any reference in any Schedule to these Regulations to any product, figure or pesticide includes any qualifying words relating to that product, figure or pesticide in that Schedule.

Marginal Citations

M4 O.J. No. L1, 3.1.94, p.3.

M5 O.J. No. L1, 3.1.94, p.572.

M6 O.J. No. L221, 7.8.86, p.37.

M7 O.J. No. L126, 20.5.88, p.53.

M8 O.J. No. L353, 17.12.90, p.48.

M9 O.J. No. L211, 23.8.93, p.1.

M10 O.J. No. L189, 23.7.94, p.67.

M11 O.J. No. L197, 22.8.95, p.29.

M12 O.J. No. L144, 18.6.96, p.35.

M13 O.J. No. L184, 12.7.97, p.33.

M14 O.J. No. L347, 18.12.97, p.42.

M15 O.J. No. L290, 29.10.98, p.25.

M16 O.J. No. L172, 8.7.99, p.40.

M17 O.J. No. L194, 27.7.99, p.36.

M18 O.J. No. L221, 7.8.86, p.43.

M19 O.J. No. L350, 14.12.90, p.71.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) [View outstanding changes](#)

- M20** O.J. No. L211, 23.8.93, p.6.
- M21** O.J. No. L189, 23.7.94, p.70.
- M22** O.J. No. L197, 22.8.95, p.14.
- M23** O.J. No. L292, 7.12.95, p.27.
- M24** O.J. No. L144, 18.6.96, p.12.

Maximum residue levels

3. The maximum level of any pesticide residue which may be left in any product named in Part I of Schedule 2 shall be the number of milligrams of the pesticide residue per kilogram of the product (if any) specified opposite the name of that product under the name of the pesticide concerned.

4.—(1) No person shall put into circulation any product named in Part 2 of Schedule 2 which contains a level of pesticide residue greater than the number of milligrams of that pesticide residue per kilogram of the product (if any) specified opposite the name of that product under the name of the pesticide concerned.

(2) Subject to the provisions of regulation 6, the provisions of this regulation shall apply—

- (a) to any products which after drying or processing are obtained from any of the products named in Part 2 of Schedule 2; and
- (b) to any composite foods which include any of the products named in that Part of that Schedule,

notwithstanding that no maximum permitted level has been expressly specified therein for the amount of pesticide residue which may be contained in that dried or processed product or composite food.

(3) Any person who, without reasonable excuse, contravenes or causes or permits any other person to contravene any provision of this regulation shall be guilty of an offence, and shall be liable—

- (a) on summary conviction, to a fine not exceeding the statutory maximum; and
- (b) on conviction on indictment, to a fine.

(4) In any proceedings for an offence under this regulation, it is a defence for the person charged to prove that when the product in question was put into circulation—

- (a) it was so put with the intention of its being exported to a country which is not an EEA State and the offence was caused by a treatment applied to that product being a treatment—
 - (i) required by the country of destination in order to prevent the introduction of harmful organisms into its territory; or
 - (ii) necessary to protect the product from harmful organisms during transport to the country of destination and storage there, or
- (b) it was so put with the intention that—
 - (i) it be used in the manufacture of things other than foodstuffs and animal feed; or
 - (ii) it be used for sowing or planting.

(5) Sections 19 and 22 of, and Schedule 2 to, the Food and Environment Protection Act 1985 shall apply for the purposes of this regulation as they apply for the purposes of that Act taking references therein to that Act or any Part of it to be references to this regulation.

(6) In paragraph (4)(a) “country which is not an EEA state” does not include any part of the United Kingdom.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) [View outstanding changes](#)

Seizure or disposal of crops, food or feeding stuffs

5. If any product contains a level of pesticide residue above that permitted under either regulations 3 or 4(1), the Scottish Ministers shall have the power—

- (a) to seize or dispose of the consignment containing that product, or any part of it, or to require that some other person shall dispose of it, or
- (b) to direct some other person to take such remedial action as appears to the Scottish Ministers to be necessary.

Sampling and analysis

6. In determining for the purposes of regulations 3 or 4(1) whether the level of pesticide residue left or contained in any product exceeds the maximum permitted—

- (a) the whole or such part only of that product shall, so far as is practicable, be taken into account as specified in column 3 of Schedule 3 opposite the name of that product in column 2 of that Schedule;
- (b) the procedure laid down in the Codex Recommended Method of Sampling for the Determination of Pesticide Residues^{M25} shall so far as is practicable be followed;
- (c) in the case of any product named in paragraphs 3, 4, or 5 of Part 1 of Schedule 2 which has been dried, that Part of that Schedule shall have effect as if for the number of milligrams of each pesticide residue specified opposite the name of that product there were substituted that number of milligrams divided by the fraction of 1 kilogram to which 1 kilogram of the product is reduced by the drying process;
- (d) in the case of any product named in Part 2 of Schedule 2 which has been dried or processed, that Part of that Schedule shall have effect where no such maximum permitted level of pesticide residue is specified therein for the product in its dried or processed form as if the maximum permitted level of pesticide residue specified opposite the name of the product in that Part of that Schedule has been modified to take account of the concentration of the product caused by the drying process or, as the case may be, the dilution or concentration of the product caused by the processing; and
- (e) in a case where two or more products have been mixed to form a single composite food in relation to which no such maximum permitted levels are specified in Part 2 of Schedule 2, that Part of that Schedule shall have effect as if such maximum permitted levels had been specified in relation to that composite food for each of the pesticide residues which are specified therein opposite the names of each of the products which have been mixed to form the composite food, taking into account—
 - (i) the relative concentrations of each of the constituent products in the mixture; and
 - (ii) the provisions of paragraph (d) above.

Marginal Citations

M25 Food and Agriculture Organisation of the United Nations and World Health Organisation Joint Food Standards Programme Codex Alimentarius Commission, Recommended Method of Sampling for the Determination of Pesticides Residues, *Volume 2 Section 3 Codex Alimentarius*, 1993

Revocations

7. The Regulations specified in Schedule 4 are hereby revoked.

Changes to legislation: *There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) [View outstanding changes](#)*

St Andrew's House, Edinburgh
31st January 2000

ROSS FINNIE
A member of the Scottish Executive

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

SCHEDULE 1

Regulation 2

| Column 1 Pesticide | Column 2 Residues |
|---|---|
| Acephate | Acephate |
| Aldrin & Dieldrin | singly or combined, expressed as dieldrin (HEOD) |
| 2-Aminobutane | 2-aminobutane |
| Aminotriazole | Aminotriazole |
| Atrazine | Atrazine |
| Azinphos-methyl | azinphos-methyl |
| Benalaxyl | Benalaxyl |
| Benfuracarb | Benfuracarb |
| Binapacryl | Binapacryl |
| Biphenthrin | Biphenthrin |
| Bitertanol | Bitertanol |
| Bromophos-ethyl | bromophos-ethyl |
| Camphechlor (Toxaphene) | camphechlor (toxaphene) |
| Captafol | Captafol |
| Captan | Captan |
| Carbaryl | Carbaryl |
| Carbendazim, Benomyl and Thiophanate-methyl | carbendazim, benomyl and thiophanate-methyl (expressed as carbendazim) |
| Carbon disulphide | carbon disulphide |
| Carbon Tetrachloride | carbon tetrachloride |
| Carbofuran | sum of carbofuran and 3-hydroxy-carbofuran, expressed as carbofuran |
| Carbophenothion | sum of carbophenothion, its sulphoxide and its sulphone, expressed as carbophenothion |
| Carbosulfan | Carbosulfan |
| Cartap | Cartap |
| Chlordane | (1)for products of animal origin: sum of <i>cis</i> - and <i>trans</i> -isomers and oxychlordane expressed as chlordane; (2)for cereals, fruit and vegetables: sum of <i>cis</i> - and <i>trans</i> - isomers expressed as chlordane |
| Chlorfenvinphos | sum of E- and Z-isomers of chlorfenvinphos |
| Chlormequat | Chlormequat |

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) [View outstanding changes](#)

| | |
|---------------------|--|
| Chlorothalonil | Chlorothalonil |
| Chlorobenzilate | Chlorobenzilate |
| Chlorpyrifos | Chlorpyrifos |
| Chlorpyrifos-methyl | chlorpyrifos-methyl |
| Cyfluthrin | cyfluthrin, including other mixed isomeric constituents (sum of isomers) |
| Cypermethrin | cypermethrin (sum of isomers) |
| Daminozide | sum of daminozide and 1,1-dimethyl-hydrazine expressed as daminozide |
| DDT | sum of pp'-DDT, op'-DDT, pp'-DDE and pp'-TDE (DDD) expressed as DDT |
| Deltamethrin | Deltamethrin |
| Diazinon | Diazinon |
| 1,2-Dibromoethane | 1,2-dibromoethane |
| Dichlofluanid | Dichlofluanid |
| Dichlorvos | Dichlorvos |
| Dichlorprop | dichlorprop (including dichlorprop P) |
| Dicofol | Dicofol |
| Diflubenzuron | Diflubenzuron |
| Dimethipin | Dimethipin |
| Dimethoate | Dimethoate |
| Dinoseb | Dinoseb |
| Dioxathion | Dioxathion |
| Disulfoton | sum of disulfoton, disulfoton sulphoxide and disulfoton sulphone expressed as disulfoton |
| Endosulfan | sum of alpha-and beta-isomers and of endosulfan sulphate, expressed as endosulfan |
| Endrin | Endrin |
| Ethephon | Ethephon |
| Ethion | Ethion |
| Etrimfos | Etrimfos |
| Fenarimol | Fenarimol |
| Fenbutatin oxide | fenbutatin oxide |
| Fenchlorphos | fenchlorphos (sum of fenchlorphos and fenchlorphos oxon, expressed as fenchlorphos) |
| Fenitrothion | Fenitrothion |
| Fentin | fentin expressed as triphenyltin cation |

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) [View outstanding changes](#)

| | |
|---|---|
| Fenvalerate | fenvalerate (sum of isomers) |
| Fluazifop | fluazifop and esters (including conjugates) of fluazifop, expressed as free acid |
| Flurochloridone | Flurochloridone |
| Furathiocarb | Furathiocarb |
| Glyphosate | Glyphosate |
| Haloxifop | haloxifop and esters (including conjugates) of haloxifop, expressed as free acid |
| Hexachlorobenzene (HCB) | Hexachlorobenzene |
| Hexachlorocyclohexane (HCH) | Hexachlorocyclohexane (HCH) alpha, beta and gamma isomers individually or summed as in Schedule 2 |
| Heptachlor | sum of heptachlor and heptachlor epoxide, expressed as heptachlor |
| Hydrogen cyanide | cyanides expressed as hydrogen cyanide |
| Hydrogen phosphide | phosphides expressed as hydrogen phosphide |
| Imazalil | Imazalil |
| Inorganic bromide | determined and expressed as total bromine from all sources |
| Ioxynil | Ioxynil |
| Iprodione | Iprodione |
| Lambda-cyhalothrin | lambda-cyhalothrin |
| Malathion | sum of malathion and malaoxon, expressed as malathion |
| Maleic hydrazide | maleic hydrazide |
| Maneb, Mancozeb, Metiram Propineb and Zineb | determined and expressed as carbon disulphide (CS ₂) |
| Mecarbam | Mecarbam |
| Mercury compounds | determined as total mercury and expressed as mercury |
| Metalaxyl | metalaxyl |
| Methacrifos | methacrifos |
| Methamidophos | methamidophos |
| Methyl bromide (bromomethane) | methyl bromide (bromomethane) |
| Mevinphos | sum of <i>cis</i> - and <i>trans</i> - mevinphos |
| Monocrotophos | monocrotophos |
| Omethoate | omethoate (from use of formothion, dimethoate and omethoate) |

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) [View outstanding changes](#)

| | |
|-------------------|--|
| Paraquat | paraquat |
| Parathion | parathion |
| Parathion-methyl | parathion-methyl |
| Permethrin | permethrin (and sum of isomers) |
| Phorate | sum of phorate, its oxygen analogue and their sulfoxides and sulphones expressed as phorate |
| Phosalone | phosalone |
| Phosmet | phosmet |
| Phosphamidon | sum of phosphamidon (E-and Z-isomers) and N-desethylphosphamidon (E-and Z-isomers) expressed as phosphamidon |
| Pirimiphos-methyl | pirimiphos-methyl |
| Procymidone | procymidone |
| Propargite | propargite |
| Propiconazole | propiconazole |
| Propoxur | propoxur |
| Propyzamide | propyzamide |
| Pyrethrins | sum of pyrethrins I and II, cinerins I and II, jasmolins I and II |
| Quinalphos | quinalphos |
| Quintozene | sum of quintozene, pentachloroaniline and methyl pentachlorophenyl sulphide expressed as quintozene |
| Tecnazene | tecnazene |
| TEPP | TEPP |
| Thiabendazole | thiabendazole |
| Triazophos | triazophos |
| Trichlorfon | trichlorfon |
| Triforine | triforine |
| 2, 4, 5-T | 2, 4, 5-T |
| Vinclozolin | sum of vinclozolin and all metabolites containing 3, 5-dichloroaniline moiety, expressed as vinclozolin |

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

| Group to which food belongs | Groups include the following products | PART I | | | | | | | | | | | |
|--|---|-----------------|---------------|-----------------|------------|--------|----------|-------------|-----------------|------------|-----------------|------------------|----------|
| | | Azin & Dieldrin | 2-Aminobutane | Azinphos-methyl | Bifenthrin | Captaf | Carbaryl | Carbendazim | Carbophenothion | Chloridane | Chlorfenvinphos | Chloro benzilate | Diazinon |
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts | | | | | | | | | | | | | |
| i) CITRUS FRUIT | | | | | | | | | | | | | |
| | Grapefruit | 0.05 | 5 | 2 | | 0.1 | 7 | | 2 | 0.02* | 1 | 1 | 5 |
| | Lemons | 0.05 | 5 | 2 | | 0.1 | 7 | | 2 | 0.02* | 1 | 1 | 5 |
| | Limes | 0.05 | 5 | 2 | | 0.1 | 7 | | 2 | 0.02* | 1 | 1 | 5 |
| | Mandarins (inc clementines & similar hybrids) | 0.05 | 5 | 2 | | 0.1 | 7 | | 2 | 0.02* | 1 | 1 | 5 |
| | Oranges | 0.05 | 5 | 2 | | 0.1 | 7 | | 2 | 0.02* | 1 | 1 | 5 |
| | Pomeios | 0.05 | 5 | 2 | | 0.1 | 7 | | 2 | 0.02* | 1 | 1 | 5 |
| | Others | 0.05 | 5 | 2 | | 0.1 | 7 | | 2 | 0.02* | 1 | 1 | 5 |
| ii) TREE NUTS (shelled or unshelled) | | | | | | | | | | | | | |
| | Almonds | | | | | | | | | | | | |
| | Brazil nuts | | | | | | | | | | | | |
| | Cashew nuts | | | | | | | | | | | | |
| | Chestnuts | | | | | | | | | | | | |
| | Cocanuts | | | | | | | | | | | | |
| | Hazelnuts | | | | | | | | | | | | |
| | Macadamia nuts | | | | | | | | | | | | |
| | Pecans | | | | | | | | | | | | |
| | Pine nuts | | | | | | | | | | | | |
| | Pistachios | | | | | | | | | | | | |
| | Walnuts | | | | | | | | | | | | |
| | Others | | | | | | | | | | | | |
| iii) POME FRUIT | | | | | | | | | | | | | |
| | Apples | 0.05 | | 1 | 1 | 3 | 5 | | 1 | 0.02* | 0.05 | | 5 |
| | Pears | 0.05 | | 1 | 1 | 3 | 5 | | 1 | 0.02* | 0.05 | | 5 |
| | Quinces | 0.05 | | 1 | 1 | 3 | 5 | | 1 | 0.02* | 0.05 | | 5 |
| | Others | 0.05 | | 1 | 1 | 3 | 5 | | 1 | 0.02* | 0.05 | | 5 |
| iv) STONE FRUIT | | | | | | | | | | | | | |
| | Apricots | 0.05 | | 4 | 1 | 2 | 10 | | 1 | 0.02* | 0.05 | | 5 |
| | Cherries | | | | | | | | | | | | |
| | Peaches (incl nectarines & similar hybrids) | 0.05 | | 4 | 1 | 2 | 10 | | 1 | 0.02* | 0.05 | | 5 |
| | Plums | 0.05 | | 1 | 1 | 2 | 10 | | 1 | 0.02* | 0.05 | | 5 |
| | Others | | | | | | | | | | | | |
| v) BERRIES AND SMALL FRUIT | | | | | | | | | | | | | |
| a) Table & wine grapes | | | | | | | | | | | | | |
| | Table grapes | 0.05 | | 2 | | 3 | 5 | | | 0.02* | 0.05 | | 15 |
| | Wine grapes | 0.05 | | 2 | | 3 | 5 | | | 0.02* | 0.05 | | 15 |

| Group to which food belongs | Groups include the following products | PART I | | | | | | | | | | | |
|--|---------------------------------------|-----------------|---------------|-----------------|------------|--------|----------|-------------|-----------------|------------|-----------------|------------------|----------|
| | | Azin & Dieldrin | 2-Aminobutane | Azinphos-methyl | Bifenthrin | Captaf | Carbaryl | Carbendazim | Carbophenothion | Chloridane | Chlorfenvinphos | Chloro benzilate | Diazinon |
| b) Strawberries (other than wild) | | | | | | | | | | | | | |
| | Strawberries (other than wild) | 0.05 | | 1 | | 3 | 7 | 5 | | 0.02* | 0.05 | | 10 |
| c) Cane Fruit (other than wild) | | | | | | | | | | | | | |
| | Blackberries | 0.05 | | 1 | | 3 | 10 | | | 0.02* | 0.05 | | 15 |
| | Loganberries | 0.05 | | 1 | | 3 | 10 | | | 0.02* | 0.05 | | 15 |
| | Raspberries | 0.05 | | 1 | | 3 | 10 | 5 | | 0.02* | 0.05 | | 15 |
| | Others | 0.05 | | 1 | | 3 | 10 | | | 0.02* | 0.05 | | 15 |
| d) Other small fruit & berries (other than wild) | | | | | | | | | | | | | |
| | Bilberries | 0.05 | | 1 | | 3 | 10 | | | 0.02* | 0.05 | | 15 |
| | Cranberries | 0.05 | | 1 | | 3 | 10 | | | 0.02* | 0.05 | | 15 |
| | Currents (red, black & white) | 0.05 | | 1 | | 3 | 10 | | | 0.02* | 0.05 | | 15 |
| | Gooseberries | 0.05 | | 1 | | 3 | 10 | | | 0.02* | 0.05 | | 15 |
| | Others | 0.05 | | 1 | | 3 | 10 | | | 0.02* | 0.05 | | 15 |
| e) Wild berries & wild fruit | | | | | | | | | | | | | |
| v) MISCELLANEOUS FRUIT | | | | | | | | | | | | | |
| | Avocados | | | | | | | | | | | | |
| | Bananas | 0.05 | | 1 | 0.5 | 0.1 | 5 | | | 0.02* | 0.05 | | 5 |
| | Dates | | | | | | | | | | | | |
| | Figs | | | | | | | | | | | | |
| | Kiwi fruit | | | | | | | | | | | | |
| | Kumquats | | | | | | | | | | | | |
| | Lichis | | | | | | | | | | | | |
| | Mangos | | | | | | | | | | | | |
| | Oives | | | | | | | | | | | | |
| | Passion fruit | | | | | | | | | | | | |
| | Pineapples | | | | | | | | | | | | |
| | Pomegranates | | | | | | | | | | | | |
| | Others | | | | | | | | | | | | |
| 2. Vegetables, fresh or uncooked, frozen or dry | | | | | | | | | | | | | |
| i) ROOT AND TUBER VEGETABLES | | | | | | | | | | | | | |
| | Beetroot | | | | | | | | | | | | |
| | Carrots | 0.05 | | 0.5 | | 0.1 | 2 | | | 0.02* | 0.5 | | 5 |
| | Celeriac | | | | | | | | | | | | |
| | Horseradish | 0.05 | | 0.5 | | 0.1 | 2 | | | 0.02* | 0.5 | | 5 |
| | Jerusalem artichokes | | | | | | | | | | | | |
| | Parsnips | 0.05 | | 0.5 | | 0.1 | 2 | | | 0.02* | 0.5 | | 5 |
| | Parsley root | 0.05 | | 0.5 | | 0.1 | 2 | | | 0.02* | 0.5 | | 5 |
| | Radishes | | | | | | | | | | | | |
| | Salsify | 0.05 | | 0.5 | | 0.1 | 2 | | | 0.02* | 0.5 | | 5 |
| | Sweet potatoes | | | | | | | | | | | | |
| | Swedes | 0.05 | | 0.5 | | 0.1 | 2 | | | 0.02* | 0.5 | | 5 |

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

| Group to which food belongs | Groups include the following products | Aldrin & Dieldrin | 2-Aminobutane | Azinphos-methyl | Bifenthrin | Captan | Carbaryl | Carbendazim | Carbophenothion | Chloridane | Chlorpyrifos | Chlorobenzilate | Diazinon | Dichlorofluorid |
|------------------------------------|---------------------------------------|-------------------|---------------|-----------------|------------|--------|----------|-------------|-----------------|------------|--------------|-----------------|----------|-----------------|
| | Turnips | 0.05 | 0.5 | | 0.1 | 1 | | | | 0.02* | 0.5 | | | 5 |
| | Yams | | | | | | | | | | | | | |
| | Others | | | | | | | | | | | | | |
| ii) BULB VEGETABLES | | | | | | | | | | | | | | |
| | Garlic | 0.05 | 0.5 | | 0.1 | 1 | | | | 0.02* | 0.5 | | | 5 |
| | Onions | 0.05 | 0.5 | | 0.1 | 1 | | | | 0.02* | 0.5 | | | 5 |
| | Shallots | 0.05 | 0.5 | | 0.1 | 1 | | | | 0.02* | 0.5 | | | 5 |
| | Spring onions | | | | | | | | | | | | | |
| | Others | | | | | | | | | | | | | |
| iii) FRUITING VEGETABLES | | | | | | | | | | | | | | |
| | a) Solanaceae | | | | | | | | | | | | | |
| | Tomatoes | 0.05 | 0.5 | | 3 | 5 | | | | 0.02* | 0.1 | | | 5 |
| | Peppers | 0.05 | 0.5 | | 3 | 5 | | | | 0.02* | 0.1 | | | 5 |
| | Aubergines | 0.05 | 0.5 | | 3 | 5 | | | | 0.02* | 0.1 | | | 5 |
| | Others | 0.05 | 0.5 | | 3 | 5 | | | | 0.02* | 0.1 | | | 5 |
| | b) Cucurbitaceae | | | | | | | | | | | | | |
| | Cucumbers | 0.05 | 0.5 | | 0.1 | 3 | | | | 0.02* | 0.1 | | | 5 |
| | Citron | 0.05 | 0.5 | | 0.1 | 3 | | | | 0.02* | 0.1 | | | 5 |
| | Courgettes | 0.05 | 0.5 | | 0.1 | 3 | | | | 0.02* | 0.1 | | | 5 |
| | Others | 0.05 | 0.5 | | 0.1 | 3 | | | | 0.02* | 0.1 | | | 5 |
| | c) Cucurbitaceae inedible peel | | | | | | | | | | | | | |
| | Melons | | | | | | | | | | | | | |
| | Squashes | | | | | | | | | | | | | |
| | Watermelons | | | | | | | | | | | | | |
| | Others | | | | | | | | | | | | | |
| | d) Sweet corn | | | | | | | | | | | | | |
| iv) BRASSICA VEGETABLES | | | | | | | | | | | | | | |
| | a) Flowering Brassicas | | | | | | | | | | | | | |
| | Broccoli | | | | | | | | | | | | | |
| | Cauliflower | 0.05 | 0.5 | | 0.1 | 1 | | | 0.5 | 0.02* | 0.1 | | | 5 |
| | Others | | | | | | | | | | | | | |
| | b) Head Brassicas | | | | | | | | | | | | | |
| | Brussels sprouts | 0.05 | 1 | | 0.1 | 1 | | | 0.5 | 0.02* | 0.1 | | | 5 |
| | Head cabbage | 0.05 | 0.5 | | 0.1 | 5 | | | | 0.02* | 0.1 | | | 5 |
| | Others | | | | | | | | | | | | | |
| | c) Leafy Brassicas | | | | | | | | | | | | | |
| | Chinese cabbage | | | | | | | | | | | | | |
| | Kale | | | | | | | | | | | | | |
| | Others | | | | | | | | | | | | | |
| | d) Kohlrabi | | | | | | | | | | | | | |
| v) LEAF VEGETABLES AND FRESH HERBS | | | | | | | | | | | | | | |
| | a) Lettuce & similar | | | | | | | | | | | | | |
| | Cress | | | | | | | | | | | | | |

| Group to which food belongs | Groups include the following products | Aldrin & Dieldrin | 2-Aminobutane | Azinphos-methyl | Bifenthrin | Captan | Carbaryl | Carbendazim | Carbophenothion | Chloridane | Chlorpyrifos | Chlorobenzilate | Diazinon | Dichlorofluorid |
|-------------------------------|---------------------------------------|-------------------|---------------|-----------------|------------|--------|----------|-------------|-----------------|------------|--------------|-----------------|----------|-----------------|
| | Lentil's lettuce | | | | | | | | | | | | | |
| | Lettuce | 0.05 | 0.5 | | 2 | 10 | | | | 0.02* | 0.1 | | | 10 |
| | Spinach | | | | | | | | | | | | | |
| | Others | | | | | | | | | | | | | |
| | b) Spinach & similar | | | | | | | | | | | | | |
| | Beet leaves (chard) | | | | | | | | | | | | | |
| | c) Watercress | | | | | | | | | | | | | |
| | d) Wildrad | | | | | | | | | | | | | |
| | e) Herbs | | | | | | | | | | | | | |
| | Chervil | | | | | | | | | | | | | |
| | Chives | | | | | | | | | | | | | |
| | Parsley | | | | | | | | | | | | | |
| | Celery leaves | | | | | | | | | | | | | |
| | Others | | | | | | | | | | | | | |
| vi) LEGUME VEGETABLES (fresh) | | | | | | | | | | | | | | |
| | Beans (with pods) | 0.5 | 0.5 | | 2 | 5 | | | | 0.02* | 0.1 | | | 5 |
| | Beans (without pods) | | | | | | | | | | | | | |
| | Peas (with pods) | 0.5 | 0.5 | | 2 | 5 | | | | 0.02* | 0.1 | | | 5 |
| | Peas (without pods) | | | | | | | | | | | | | |
| | Others | | | | | | | | | | | | | |
| vii) STEM VEGETABLES | | | | | | | | | | | | | | |
| | Asparagus | | | | | | | | | | | | | |
| | Cardoons | | | | | | | | | | | | | |
| | Celery | 0.5 | 2 | | 0.1 | 3 | | | | 0.02* | 0.5 | | | |
| | Fennel | | | | | | | | | | | | | |
| | Globe artichokes | | | | | | | | | | | | | |
| | Leeks | 0.5 | 0.5 | | 2 | 1 | | | | 0.02* | 0.1 | | | 5 |
| | Rhubarb | 0.5 | 2 | | 0.1 | 3 | | | | 0.02* | 0.5 | | | |
| | Others | | | | | | | | | | | | | |
| viii) FUNGI | | | | | | | | | | | | | | |
| | a) Cultivated mushrooms | 0.05 | | | | 0.1 | 1 | | | 0.02* | 0.05 | | | |
| | b) Wild mushrooms | | | | | | | | | | | | | |
| 3. PULSES | | | | | | | | | | | | | | |
| | Beans | | | | | | | | | | | | | |
| | Lentils | | | | | | | | | | | | | |
| | Peas | | | | | | | | | | | | | |
| | Others | | | | | | | | | | | | | |
| 4. OILSEEDS | | | | | | | | | | | | | | |
| | Linseed | | | | | | | | | | | | | |
| | Peanuts | | | | | | | | | | | | | |
| | Poppy seed | | | | | | | | | | | | | |
| | Sesame seed | | | | | | | | | | | | | |
| | Sunflower seed | | | | | | | | | | | | | |
| | Rape seed | | | | | | | | | | | | | |
| | Soya bean | | | | | | | | | | | | | |
| | Mustard seed | | | | | | | | | | | | | |
| | Cotton seed | | | | | | | | | | | | | |

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

| Group to which food belongs | Groups include the following products | Aldrin & Dieldrin | 2-Aminobutane | Azinphos-methyl | Bifenthrin | Captan | Carbaryl | Carbendazim | Carbophenothion | Chlorpyrifos | Chlorobenzilate | Diazinon | Difluo fluanid |
|-----------------------------|--|-------------------|---------------|-----------------|------------|--------|----------|-------------|-----------------|--------------|-----------------|----------|----------------|
| Others | | | | | | | | | | | | | |
| 5. POTATOES | Early potatoes | 0.05 | | 0.2 | | 0.1 | 0.2 | | | 0.02* | 0.5 | | 0.1 |
| | Ware potatoes | 0.05 | 1 | 0.2 | | 0.1 | 0.2 | | | 0.02* | 0.5 | 0.5 | 0.1 |
| 6. TEA | dried leaves and stalks, fermented or otherwise, Camellia sinensis | | | | | | | | | | | | |
| 7. HOPS (dried) | including hop pellets & unconcentrated powder | | | | | | | | | | | | |

| Regulation | | | | | | | | | | | | | | |
|--|---|------------|--------|--------------|------------|------------|--------|--------------|----------|-------------------|-----------|-----------------------------|-----------------------------|-----------|
| Group to which food belongs | Groups include the following products | Dichlorvos | Diolof | Deltamethrin | Dimethoate | Endosulfan | Ethion | Fenitrothion | Fipronil | Flupyrifluoridone | Haloxypip | Hexachlorocyclohexane (HCH) | Inorganic isocyanil bromide | Molathion |
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts | | | | | | | | | | | | | | |
| i) CITRUS FRUIT | | | | | | | | | | | | | | |
| | Grapefruit | 0.1 | 1 | | 2 | | 2 | 2 | | | | 1 | 30 | 2 |
| | Lemons | 0.1 | 1 | | 2 | | 2 | 2 | | | | 1 | 30 | 2 |
| | Limes | 0.1 | 1 | | 2 | | 2 | 2 | | | | 1 | 30 | 2 |
| | Mandarins (inc clementines & similar hybrids) | 0.1 | 1 | | 2 | | 2 | 2 | | | | 1 | 30 | 2 |
| | Oranges | 0.1 | 1 | | 2 | | 2 | 2 | | | | 1 | 30 | 2 |
| | Pomelos | 0.1 | 1 | | 2 | | 2 | 2 | | | | 1 | 30 | 2 |
| | Others | 0.1 | 1 | | 2 | | 2 | 2 | | | | 1 | 30 | 2 |
| ii) TREE NUTS (shelled or unshelled) | | | | | | | | | | | | | | |
| | Almonds | | | | | | | 1 | | | | | | |
| | Brazil nuts | | | | | | | | | | | | | |
| | Cashew nuts | | | | | | | | | | | | | |
| | Chestnuts | | | | | | | | | | | | | |
| | Coconuts | | | | | | | | | | | | | |
| | Hazelnuts | | | | | | | | | | | | | |
| | Macadamia nuts | | | | | | | | | | | | | |
| | Pecans | | | | | | | | | | | | | |
| | Pine nuts | | | | | | | | | | | | | |
| | Pistachios | | | | | | | | | | | | | |
| | Walnuts | | | | | | | | | | | | | |
| | Others | | | | | | | | | | | | | |
| iii) POME FRUIT | | | | | | | | | | | | | | |
| | Apples | 0.1 | 1 | | 1 | | 0.5 | 0.5 | | | 0.05* | 1 | 20 | 0.5 |
| | Pears | 0.1 | 1 | | 1 | | 0.5 | 0.5 | | | 0.05* | 1 | 20 | 0.5 |
| | Quinces | 0.1 | 1 | | 1 | | 0.5 | 0.5 | | | 0.05* | 1 | 20 | 0.5 |
| | Others | 0.1 | 1 | | 1 | | 0.5 | 0.5 | | | 0.05* | 1 | 20 | 0.5 |
| iv) STONE FRUIT | | | | | | | | | | | | | | |
| | Apricots | 0.1 | 5 | | 2 | | 0.5 | 0.5 | | | | 1 | 20 | 0.5 |
| | Cherries | | | | | | | | | | | | | |
| | Peaches (incl nectarines & similar hybrids) | 0.1 | 5 | | 2 | | 0.5 | 0.5 | | | | 1 | 20 | 0.5 |
| | Plums | 0.1 | 5 | 1 | 2 | | 0.5 | 0.5 | | | | 1 | 20 | 0.5 |
| | Others | | | | | | | | | | | | | |
| v) BERRIES AND SMALL FRUIT | | | | | | | | | | | | | | |
| a) Table & wine grapes | | | | | | | | | | | | | | |
| | Table grapes | 0.1 | | | 1 | | 0.5 | 0.5 | | | | 0.5 | 20 | 0.5 |
| | Wine grapes | 0.1 | | | 1 | | 0.5 | 0.5 | | | | 0.5 | 20 | 0.5 |

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

| Group to which food belongs | Groups include the following products | Dichlorvos | Docotal | DFlubenzuron | Dimethipin | Dimethoate | Endosulfan | Ethion | Fenitrothion | Fenflorfen | Flurochloridone | Haloxyfop | Hexachloro cyclohexane (HCH) | Inorganic boron | Imazalil | Malathion |
|-----------------------------|--|------------|---------|--------------|------------|------------|------------|--------|--------------|------------|-----------------|-----------|------------------------------|-----------------|----------|-----------|
| | b) Strawberries (other than wild) | 0.1 | | | | 1 | 2 | 0.1 | 0.5 | | | | 1 | 30 | | 0.5 |
| | c) Citrus fruit (other than wild) | | | | | | | | | | | | | | | |
| | Blackberries | 0.1 | | | | 1 | | 2 | 0.1 | 0.5 | | | 3 | 30 | | 0.5 |
| | Loganberries | 0.1 | | | | 1 | | | 0.1 | 0.5 | | | 3 | 30 | | 0.5 |
| | Raspberries | 0.1 | | | | 1 | | | 0.1 | 0.5 | | | 3 | 30 | | 0.5 |
| | Others | 0.1 | | | | 1 | | | 0.1 | 0.5 | | | 3 | 30 | | 0.5 |
| | d) Other small fruit & berries (other than wild) | | | | | | | | | | | | | | | |
| | Rubus | 0.1 | | | | 2 | | | 0.1 | 0.5 | | | 3 | 30 | | 0.5 |
| | Cranberries | 0.1 | | | | 2 | | | 0.1 | 0.5 | | | 3 | 30 | | 0.5 |
| | Currents (red, black & white) | 0.1 | 5 | | | 2 | 2 | | 0.1 | 0.5 | | | 3 | 30 | | 0.5 |
| | Gooseberries | 0.1 | | | | 2 | 2 | | 0.1 | 0.5 | | | 3 | 30 | | 0.5 |
| | Others | 0.1 | | | | 2 | | | 0.1 | 0.5 | | | 3 | 30 | | 0.5 |
| | e) Wild berries & wild fruit | | | | | | | | | | | | | | | |
| | vi) MISCELLANEOUS FRUIT | | | | | | | | | | | | | | | |
| | Avocado | | | | | | | 1 | | | | | | | | |
| | Bananas | 0.1 | | | | 1 | | 0.1 | 0.5 | | | | 1 | 30 | | 0.5 |
| | Dates | | | | | | | | | | | | | | | |
| | Figs | | | | | | | | | | | | | | | |
| | Kiwi fruit | | | | | | | | | | | | | | | |
| | Kumquats | | | | | | | | | | | | | | | |
| | Lichee | | | | | | | | | | | | | | | |
| | Mangoes | | | | | | | | | | | | | | | |
| | Olives | | | | | | | | | | | | | | | |
| | Passion fruit | | | | | | | | | | | | | | | |
| | Pineapples | | | | | | | | | | | | | | | |
| | Pomegranates | | | | | | | | | | | | | | | |
| | Others | | | | | | | | | | | | | | | |
| | 2. Vegetables, fresh or uncooked, frozen or dry | | | | | | | | | | | | | | | |
| | i) ROOT AND TUBER VEGETABLES | | | | | | | | | | | | | | | |
| | Beetroot | | | | | | | | | | | | | | | |
| | Carrots | 0.5 | | | | 1 | | 0.1 | 0.5 | | 0.01* | | 0.2 | | | 0.5 |
| | Celeriac | | | | | | | | | | | | | | | |
| | Hieracium | 0.5 | | | | 1 | | 0.1 | 0.5 | | 0.01* | | 0.2 | | | 0.5 |
| | Jerusalem artichokes | | | | | | | | | | | | | | | |
| | Parsnips | 0.5 | | | | 1 | | 0.1 | 0.5 | | 0.01* | | 0.2 | | | 0.5 |
| | Parsley root | 0.5 | | | | 1 | | 0.1 | 0.5 | | 0.01* | | 0.2 | | | 0.5 |
| | Radishes | | | | | | | | | | | | | | | |
| | Salsify | 0.5 | | | | 1 | | 0.1 | 0.5 | | 0.01* | | 0.2 | | | 0.5 |
| | Sweet potatoes | | | | | | | | | | | | | | | |
| | Swedes | 0.5 | | | | 1 | | 0.1 | 0.5 | | 0.01* | | 1 | | | 0.5 |

| Group to which food belongs | Groups include the following products | Dichlorvos | Docotal | DFlubenzuron | Dimethipin | Dimethoate | Endosulfan | Ethion | Fenitrothion | Fenflorfen | Flurochloridone | Haloxyfop | Hexachloro cyclohexane (HCH) | Inorganic boron | Imazalil | Malathion |
|-----------------------------|---------------------------------------|------------|---------|--------------|------------|------------|------------|--------|--------------|------------|-----------------|-----------|------------------------------|-----------------|----------|-----------|
| | Turnips | 0.5 | | | | 1 | | 0.1 | 0.5 | | 0.01* | | 1 | | | 0.5 |
| | Yams | | | | | | | | | | | | | | | |
| | Others | | | | | | | | | | | | | | | |
| | ii) BULB VEGETABLES | | | | | | | | | | | | | | | |
| | Garlic | 0.5 | 5 | | | 1 | | 0.1 | 0.5 | | 0.01* | | 1 | | 0.1 | 3 |
| | Onions | 0.5 | | | | 1 | | 0.1 | 0.5 | | 0.01* | | 1 | | 0.1 | 3 |
| | Shallots | 0.5 | | | | 1 | | 0.1 | 0.5 | | 0.01* | | 1 | | 0.1 | 3 |
| | Spring onions | | | | | | | | | | | | | | | |
| | Others | | | | | | | | | | | | | | | |
| | iii) FRUITING VEGETABLES | | | | | | | | | | | | | | | |
| | a) Solanaceae | | | | | | | | | | | | | | | |
| | Tomatoes | 0.5 | | 1 | | 1 | | 0.1 | 0.5 | | | | 2 | 75 | | 3 |
| | Peppers | 0.5 | | 1 | | 1 | | 0.1 | 0.5 | | | | 2 | 75 | | 3 |
| | Aubergines | 0.5 | | 1 | | 1 | | 0.1 | 0.5 | | | | 2 | 75 | | 3 |
| | Others | 0.5 | | 1 | | 1 | | 0.1 | 0.5 | | | | 2 | 75 | | 3 |
| | b) Cucurbitaceae-edible peel | | | | | | | | | | | | | | | |
| | Cucumbers | 0.5 | | | | 2 | | 0.1 | 0.5 | | | | 1 | 50 | | 3 |
| | Gherkins | 0.5 | | | | 2 | | 0.1 | 0.5 | | | | 1 | 50 | | 3 |
| | Courgettes | 0.5 | | | | 2 | | 0.1 | 0.5 | | | | 1 | 50 | | 3 |
| | Others | 0.5 | | | | 2 | | 0.1 | 0.5 | | | | 1 | 50 | | 3 |
| | c) Cucurbitaceae-inedible peel | | | | | | | | | | | | | | | |
| | Melons | | | | | | | | | | | | | | | |
| | Squashes | | | | | | | | | | | | | | | |
| | Watermelons | | | | | | | | | | | | | | | |
| | Others | | | | | | | | | | | | | | | |
| | d) Sweet corn | | | | | | | | | | | | | | | |
| | iv) BRASSICA VEGETABLES | | | | | | | | | | | | | | | |
| | a) Flowering Brassicas | | | | | | | | | | | | | | | |
| | Broccoli | | | | | | | | | | | | | | | |
| | Cauliflower | 0.5 | | | | 2 | | 0.1 | 0.5 | | | | 2 | | | 3 |
| | Others | | | | | | | | | | | | | | | |
| | b) Head Brassicas | | | | | | | | | | | | | | | |
| | Brussels sprouts | 0.5 | | 1 | | 2 | | 0.1 | 0.5 | | | | 2 | | | 3 |
| | Head cabbage | 0.5 | | 1 | | 2 | | 0.1 | 0.5 | | | | 2 | 100 | | 3 |
| | Others | | | | | | | | | | | | | | | |
| | c) Leafy Brassicas | | | | | | | | | | | | | | | |
| | Chinese cabbage | | | | | | | | | | | | | | | |
| | Kale | | | | | | | | | | | | | | | |
| | Others | | | | | | | | | | | | | | | |
| | d) Kohlrabi | | | | | | | | | | | | | | | |
| | v) LEAF VEGETABLES AND FRESH HERBS | | | | | | | | | | | | | | | |
| | a) Lettuce & similar | | | | | | | | | | | | | | | |
| | Cress | | | | | | | | | | | | | | | |

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to *The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2000*. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

| Group to which food belongs | Groups include the following products | Dichlorvos | Dicofol | Diflubenzuron | Dinethipn | Dimethoate | Endo sultan | Ethion | Fenitrothion | Fluzilop | Flurochloridone | Haloxypip | Hexachloro cyclohexane (HCH) | Inorganic isocyanil bromide | Melathion |
|-----------------------------|---------------------------------------|------------|---------|---------------|-----------|------------|-------------|--------|--------------|----------|-----------------|-----------|------------------------------|-----------------------------|-----------|
| | | | | | | | | | | | | | Y | | |
| | Lettuce's lettuce | | | | | | | | | | | | | | |
| | Lettuce | | | | | 2 | | 0.1 | 0.5 | | | | | | 3 |
| | Scarola | 1 | | | | | | | | | | | | | |
| | Others | | | | | | | | | | | | | | |
| | b) Spinach & similar | | | | | | | | | | | | | | |
| | Basil leaves (chard) | | | | | | | | | | | | | | |
| | c) Watercress | | | | | | | | | | | | | | |
| | d) Wildfool | | | | | | | | | | | | | | |
| | e) Herbs | | | | | | | | | | | | | | |
| | Chervil | | | | | | | | | | | | | | |
| | Chives | | | | | | | | | | | | | | |
| | Parsley | | | | | | | | | | | | | | |
| | Celery leaves | | | | | | | | | | | | | | |
| | Others | | | | | | | | | | | | | | |
| vi) | LEGUME VEGETABLES (fresh) | | | | | | | | | | | | | | |
| | Beans (with pods) | 0.5 | | | | 2 | | 0.1 | 0.5 | | | | 1 | | 3 |
| | Beans (without pods) | | | | | | | | | | | | | | |
| | Peas (with pods) | 0.5 | | | | 1 | | 0.1 | 0.5 | | | | 0.1 | | 3 |
| | Peas (without pods) | | | | | | | | | | | | | | |
| | Others | | | | | | | | | | | | | | |
| vi) | STEM VEGETABLES | | | | | | | | | | | | | | |
| | Asparagus | | | | | | | | | | | | | | |
| | Cardoons | | | | | | | | | | | | | | |
| | Celery | 0.5 | | | | 1 | | 0.1 | 0.5 | | | | 1 | 300 | 3 |
| | Fennel | | | | | | | | | | | | | | |
| | Globe artichokes | | | | | | | | | | | | | | |
| | Leeks | 0.5 | | | | 1 | | 0.1 | 0.5 | | | | 1 | | 3 |
| | Rhubarb | 0.5 | | | | 1 | | 0.1 | 0.5 | | | | 1 | | 3 |
| | Others | | | | | | | | | | | | | | |
| vii) | FUNGI | | | | | | | | | | | | | | |
| | a) Cultivated mushrooms | 0.5 | 5 | 0.1 | | 1 | | 0.1 | 0.5 | | | | 1 | | 3 |
| | b) Wild mushrooms | | | | | | | | | | | | | | |
| 3. | PULSES | | | | | | | | | | | | | | |
| | Beans | | | | | | | | | | | | | | |
| | Lentils | | | | | | | | | | | | | | |
| | Peas | | | | | | | | | | | | | | |
| | Others | | | | | | | | | | | | | | |
| 4. | OILSEEDS | | | | | | | | | | | | | | |
| | Linseed | | | | | | | | | | | | | | |
| | Peanuts | | | | | | | | | | | | | | |
| | Poppy seed | | | | | | | | | | | | | | |
| | Sesame seed | | | | | | | | | | | | | | |
| | Sunflower seed | | | | | | | | | | | | | | |
| | Rape seed | | | | | | | | | | | | | | |
| | Soya bean | | | | | | | | | | | | | | |
| | Mustard seed | | | | | | | | | | | | | | |
| | Cotton seed | | | | | | | | | | | | | | |

| Group to which food belongs | Groups include the following products | Dichlorvos | Dicofol | Diflubenzuron | Dinethipn | Dimethoate | Endo sultan | Ethion | Fenitrothion | Fluzilop | Flurochloridone | Haloxypip | Hexachloro cyclohexane (HCH) | Inorganic isocyanil bromide | Melathion |
|-----------------------------|--|------------|---------|---------------|-----------|------------|-------------|--------|--------------|----------|-----------------|-----------|------------------------------|-----------------------------|-----------|
| | | | | | | | | | | | | | Y | | |
| | Others | | | | | | | | | | | | | | |
| 5. | POTATOES | | | | | | | | | | | | | | |
| | Early potatoes | 0.5 | | | 0.1* | 0.05 | 0.2 | | 0.05* | 0.1 | 0.01* | | 0.05* | | 0.5 |
| | Ware potatoes | 0.5 | | | 0.1* | 0.05 | 0.2 | | 0.05* | 0.1 | 0.01* | | 0.05* | | 0.5 |
| 6. | TEA | | | | | | | | | | | | | | |
| | (dried leaves and stalks, fermented or otherwise, Camellia sinensis) | | | | | | | | | | | | | | |
| 7. | HOPS (dried) | | | | | | | | | | | | | | |
| | (including hop pellets & unconcentrated powder) | | | | | | | | | | | | | | |

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

| Group to which food belongs | Groups include the following products | Mercury compounds | Metalaxyl | Nevinphos | Omethoate | Parathion | Parathion-methyl | Phosalone | Quintozene | Tecnazene | Thiabendazole | Triazophos | Vindoxolin |
|--|---|-------------------|-----------|-----------|-----------|-----------|------------------|-----------|------------|-----------|---------------|------------|------------|
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts | | | | | | | | | | | | | |
| i) CITRUS FRUIT | | | | | | | | | | | | | |
| | Orangefruit | | 5 | 0.2 | 1 | 1 | 0.2 | 1 | | | | | |
| | Lemons | | 5 | 0.2 | 1 | 1 | 0.2 | 1 | | | | | |
| | Limes | | 5 | 0.2 | 1 | 1 | 0.2 | 1 | | | | | |
| | Mandarin (no dexamethas & similar hybrids) | | 5 | 0.2 | 1 | 1 | 0.2 | 1 | | | | | |
| | Oranges | | 5 | 0.2 | 1 | 1 | 0.2 | 1 | | | | | |
| | Pomelos | | 5 | 0.2 | 1 | 1 | 0.2 | 1 | | | | | |
| | Others | | 5 | 0.2 | 1 | 1 | 0.2 | 1 | | | | | |
| ii) TREE NUTS (shelled or unshelled) | | | | | | | | | | | | | |
| | Almonds | | | | | | | | | | | | |
| | Brazil nuts | | | | | | | | | | | | |
| | Cashew nuts | | | | | | | | | | | | |
| | Chestnuts | | | | | | | | | | | | |
| | Coconuts | | | | | | | | | | | | |
| | Hazelnuts | | | | | | | | | | | | |
| | Macadamia nuts | | | | | | | | | | | | |
| | Pecans | | | | | | | | | | | | |
| | Pine nuts | | | | | | | | | | | | |
| | Pistachios | | | | | | | | | | | | |
| | Walnuts | | | | | | | | | | | | |
| | Others | | | | | | | | | | | | |
| iii) POME FRUIT | | | | | | | | | | | | | |
| | Apples | 0.02 | | 0.2 | 0.2 | | | | | | | 2 | |
| | Pears | 0.02 | | 0.2 | 0.2 | | | | | | | 2 | |
| | Quinces | 0.02 | | 0.2 | 0.2 | | | | | | | 2 | |
| | Others | 0.02 | | 0.2 | 0.2 | | | | | | | 2 | |
| iv) STONE FRUIT | | | | | | | | | | | | | |
| | Apricots | | | 0.2 | 1 | | | | | | | | 2 |
| | Cherries | | | | | | | | | | | | |
| | Peaches (incl nectarines & similar hybrids) | | | 0.5 | 1 | | | | | | | | 2 |
| | Plums | | | 0.5 | 1 | | | | | | | | 1 |
| | Others | | | | | | | | | | | | |
| v) BERRIES AND SMALL FRUIT | | | | | | | | | | | | | |
| a) Table & wine grapes | | | | | | | | | | | | | |
| | Table grapes | | | 0.1 | 1 | | | | | | | | 1 |
| | Wine grapes | | | 0.1 | 1 | | | | | | | | 1 |

| Group to which food belongs | Groups include the following products | Mercury compounds | Metalaxyl | Nevinphos | Omethoate | Parathion | Parathion-methyl | Phosalone | Quintozene | Tecnazene | Thiabendazole | Triazophos | Vindoxolin |
|--|---------------------------------------|-------------------|-----------|-----------|-----------|-----------|------------------|-----------|------------|-----------|---------------|------------|------------|
| b) Strawberries (other than wild) | | | | | | | | | | | | | |
| | | | | 0.1 | 1 | | | | | | | | 1 |
| c) Berry Fruit (other than wild) | | | | | | | | | | | | | |
| | Blackberries | | | 0.1 | 1 | | | | | | | | 1 |
| | Loganberries | | | 0.1 | 1 | | | | | | | | 1 |
| | Raspberries | | | 0.1 | 1 | | | | | | | | 1 |
| | Others | | | 0.1 | 1 | | | | | | | | 1 |
| d) Other small fruit & berries (other than wild) | | | | | | | | | | | | | |
| | Bilberries | | | 0.1 | 1 | | | | | | | | 1 |
| | Cranberries | | | 0.1 | 1 | | | | | | | | 1 |
| | Currants (red, black & white) | | | 0.1 | 1 | | | | | | | | 1 |
| | Gooseberries | | | 0.1 | 1 | | | | | | | | 1 |
| | Others | | | 0.1 | 1 | | | | | | | | 1 |
| e) Wild berries & wild fruit | | | | | | | | | | | | | |
| | | | | | | | | | | | | | 1 |
| vi) MISCELLANEOUS FRUIT | | | | | | | | | | | | | |
| | Avocados | | | | | | | | | | | | |
| | Bananas | | | | 0.2 | | | | 1 | | | | 1 |
| | Onions | | | | | | | | | | | | |
| | Figs | | | | | | | | | | | | |
| | Kiwi fruit | | | | | | | | | | | | |
| | Kumquats | | | | | | | | | | | | |
| | Litchis | | | | | | | | | | | | |
| | Mangos | | | | | | | | | | | | |
| | Olives | | | | | | | | | | | | |
| | Passion fruit | | | | | | | | | | | | |
| | Pineapples | | | | | | | | | | | | |
| | Pomegranates | | | | | | | | | | | | |
| | Others | | | | | | | | | | | | |
| 2. Vegetables, fresh or uncooked, frozen or dry | | | | | | | | | | | | | |
| i) ROOT AND TUBER VEGETABLES | | | | | | | | | | | | | |
| | Beetroot | | | | | | | | | | | | |
| | Carrots | 0.02 | | 0.1 | 0.2 | | | | | | | | 0.1 |
| | Celeriac | | | | | | | | | | | | |
| | Horseradish | 0.02 | | 0.1 | 0.2 | | | | | | | | 0.1 |
| | Jerusalem artichokes | | | | | | | | | | | | |
| | Parsnips | 0.02 | | 0.1 | 0.2 | | | | | | | | 0.1 |
| | Parsley root | 0.02 | | 0.1 | 0.2 | | | | | | | | 0.1 |
| | Raddishes | | | | | | | | | | | | |
| | Salsify | 0.02 | | 0.1 | 0.2 | | | | | | | | 0.1 |
| | Sweet potatoes | | | | | | | | | | | | |
| | Swedes | 0.02 | | 0.1 | 2 | | | | | | | | 0.1 |

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

| Group to which food belongs | Groups include the following products | Mercury compounds | Metals/pesticides | Mevinphos | Omethoate | Parathion | Parathion-methyl | Phosalone | Quintozene | Teprazine | Thiabendazole | Triazophos | Vinclozolin |
|------------------------------------|---------------------------------------|-------------------|-------------------|-----------|-----------|-----------|------------------|-----------|------------|-----------|---------------|------------|-------------|
| | Turnips | 0.02 | | 0.1 | 0.2 | | | 0.1 | | | | | |
| | Yams | | | | | | | | | | | | |
| | Others | | | | | | | | | | | | |
| ii) BULB VEGETABLES | | | | | | | | | | | | | |
| | Garlic | 0.02 | | 0.1 | 0.1 | | | 1 | | | | 0.05* | |
| | Onions | 0.02 | | 0.1 | 0.1 | | | 1 | | | | 0.05* | |
| | Shallots | 0.02 | | 0.1 | 0.1 | | | 1 | | | | 0.05* | |
| | Spring onions | | | | | | | | | | | | |
| | Others | | | | | | | | | | | | |
| iii) FRUITING VEGETABLES | | | | | | | | | | | | | |
| | a) Solanaceae | | | | | | | | | | | | |
| | Tomatoes | 0.02 | | 0.1 | 1 | | | 1 | | 0.1 | | | |
| | Peppers | 0.02 | | 0.1 | 1 | | | 1 | | 0.1 | | | |
| | Aubergines | 0.02 | | 0.1 | 1 | | | 1 | | 0.1 | | | |
| | Others | 0.02 | | 0.1 | 1 | | | 1 | | 0.1 | | | |
| | b) Cucurbitaceae | | | | | | | | | | | | |
| | Cucumbers | 0.02 | | 0.1 | 0.2 | | | 1 | | 1 | | | |
| | Gherkins | 0.02 | | 0.1 | 0.2 | | | 1 | | 1 | | | |
| | Courgettes | 0.02 | | 0.1 | 0.2 | | | 1 | | 1 | | | |
| | Others | 0.02 | | 0.1 | 0.2 | | | 1 | | 1 | | | |
| | c) Cucurbitaceae | | | | | | | | | | | | |
| | Melons | | | | | | | | | | | | |
| | Squashes | | | | | | | | | | | | |
| | Watermelons | | | | | | | | | | | | |
| | Others | | | | | | | | | | | | |
| | d) Sweet corn | | | | | | | | | | | | |
| iv) BRASSICA VEGETABLES | | | | | | | | | | | | | |
| | a) Flowering Brassicas | | | | | | | | | | | | |
| | Broccoli | | | | | | | | | | | | |
| | Cauliflower | 0.02 | | 0.1 | 0.2 | | | 1 | | 0.02 | | | |
| | Others | | | | | | | | | | | | |
| | b) Head Brassicas | | | | | | | | | | | | |
| | Brussels sprouts | 0.02 | | 0.1 | 0.2 | | | 1 | | | | 0.1 | |
| | Head cabbage | 0.02 | | 0.1 | 0.2 | | | 1 | | 0.02 | | 0.1 | |
| | Others | | | | | | | | | | | | |
| | c) Leafy Brassicas | | | | | | | | | | | | |
| | Chinese cabbage | | | | | | | | | | | | |
| | Kale | | | | | | | | | | | | |
| | Others | | | | | | | | | | | | |
| | d) Kohlrabi | | | | | | | | | | | | |
| v) LEAF VEGETABLES AND FRESH HERBS | | | | | | | | | | | | | |
| | a) Lettuce & similar | | | | | | | | | | | | |
| | Cress | | | | | | | | | | | | |

| Group to which food belongs | Groups include the following products | Mercury compounds | Metals/pesticides | Mevinphos | Omethoate | Parathion | Parathion-methyl | Phosalone | Quintozene | Teprazine | Thiabendazole | Triazophos | Vinclozolin |
|-------------------------------|---------------------------------------|-------------------|-------------------|-----------|-----------|-----------|------------------|-----------|------------|-----------|---------------|------------|-------------|
| | Lamb's lettuce | | | | | | | | | | | | |
| | Lettuce | 0.02 | | 0.5 | 0.2 | | | 1 | 3 | 2 | | | |
| | Scarole | | | | | | | | | | | | |
| | Others | | | | | | | | | | | | |
| | b) Spinach & similar | | | | | | | | | | | | |
| | Beet leaves (chard) | | | | | | | | | | | | |
| | c) Watercress | | | | | | | | | | | | |
| | d) Witloof | | | | | | | | | | | | |
| | e) Herbs | | | | | | | | | | | | |
| | Chervil | | | | | | | | | | | | |
| | Chives | | | | | | | | | | | | |
| | Parsley | | | | | | | | | | | | |
| | Celery leaves | | | | | | | | | | | | |
| | Others | | | | | | | | | | | | |
| vi) LEGUME VEGETABLES (fresh) | | | | | | | | | | | | | |
| | Beans (with pods) | | | 0.1 | 0.2 | | | 1 | | 0.01 | | | |
| | Beans (without pods) | | | | | | | | | 1 | | | |
| | Peas (with pods) | | | 0.1 | 0.2 | | | 1 | | | | | |
| | Peas (without pods) | | | | | | | | | | | | |
| | Others | | | | | | | | | | | | |
| vii) STEM VEGETABLES | | | | | | | | | | | | | |
| | Asparagus | | | | | | | | | | | | |
| | Cardoons | | | | | | | | | | | | |
| | Celery | 0.02 | | 0.1 | 0.2 | | | 1 | | | | | 5 |
| | Fennel | | | | | | | | | | | | |
| | Globe artichokes | | | | | | | | | | | | |
| | Leeks | 0.02 | | 0.1 | 0.2 | | | 1 | | | | | |
| | Rhubarb | 0.02 | | 0.1 | 0.2 | | | 1 | | | | | |
| | Others | | | | | | | | | | | | |
| viii) FUNGI | | | | | | | | | | | | | |
| | a) Cultivated mushrooms | 0.02 | | 0.1 | 0.2 | | | 1 | | | | | |
| | b) Wild mushrooms | | | | | | | | | | | | |
| 3. PULSES | | | | | | | | | | | | | |
| | Beans | | | | | | | | | | | | |
| | Lentils | | | | | | | | | | | | |
| | Peas | | | | | | | | | | | | |
| | Others | | | | | | | | | | | | |
| 4. OILSEEDS | | | | | | | | | | | | | |
| | Linseed | | | | | | | | | | | | |
| | Peanuts | | | | | | | | | | | | |
| | Poppy seed | | | | | | | | | | | | |
| | Sesame seed | | | | | | | | | | | | |
| | Sunflower seed | | | | | | | | | | | | |
| | Rape seed | | | | | | | | | | | | |
| | Soya bean | | | | | | | | | | | | |
| | Mustard seed | | | | | | | | | | | | |
| | Cotton seed | | | | | | | | | | | | |

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

| Group to which food belongs | Groups include the following products | Mercury compounds | Metolaxyl | Mevinphos | Omethoate | Parathion | Parathion-methyl | Phosalone | Quintozene | Tecnazene | Thiabendazole | Triazophos | Vinclozolin |
|-----------------------------|--|-------------------|-----------|-----------|-----------|-----------|------------------|-----------|------------|-----------|---------------|------------|-------------|
| Others | | | | | | | | | | | | | |
| 5. POTATOES | Early potatoes | 0.02 | | 0.1 | 0.05 | | | 0.1* | 0.2 | | 5 | | 0.05* |
| | Ware potatoes | 0.02 | | 0.1 | 0.05 | | | 0.1* | 0.2 | | | | 0.05* |
| 6. TEA | (dried leaves and stalks, fermented or otherwise, Camellia sinensis) | | | | | | | | | | | | |
| 7. HOPS (dried) | including hop pellets & unconcentrated powder | | | | | | | | | | | | |

| Group to which food belongs | Groups include the following products | Chlorpyrifos | Diazinon | Dichlorvos | Diflubenzuron | Etimfos | Fenitrothion | Mercury compounds | Methacrifos |
|------------------------------|--|--------------|----------|------------|---------------|---------|--------------|-------------------|-------------|
| 8. CEREALS | | | | | | | | | |
| | Wheat | | | | | 5 | 5 | 0.02 | 5 |
| | Rye | | | | | 5 | 5 | 0.02 | 5 |
| | Barley | | | | | 5 | 5 | 0.02 | 5 |
| | Oats | | | | | 5 | 5 | 0.02 | 5 |
| | Triticale | | | | | 5 | 5 | 0.02 | 5 |
| | Maize | | | | | 5 | 5 | 0.02 | 5 |
| | Rice ⁽¹⁾ | | | | | | | | |
| | Other cereals ⁽²⁾ | | | | | 5 | 5 | 0.02 | 5 |
| 9. PRODUCTS OF ANIMAL ORIGIN | | | | | | | | | |
| | Meat, fat & preparations of meat ⁽³⁾ | 0.2 | 0.7 | 0.05 | 0.05* | | | | |
| | Milk ⁽⁴⁾ & Dairy produce ⁽⁵⁾ | 0.005 | 0.02 | 0.02 | 0.05* | | | 1 | |
| | Eggs ⁽⁶⁾ | | | 0.05* | 0.05* | | | | |

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

FOOTNOTES

UNITS:

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

KEY:

* Level at or about the limit of determination.

FOOTNOTES:

1. Paddy or rough rice, husked rice and semi-milled or wholly milled rice
2. Other cereals do not include rice
3. Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight.
 - In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01mg/kg.
4. These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
5. For preserved, concentrated or sweetened cow's milk, for raw milk and whole cream milk of another animal origin: and for butter, cheese or curd whether made from cow's milk or other milk of a combination, the following levels apply:
 - if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
 - if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk
6. Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared)

Regulation 4 (1)

| SCHEDULE 2 PART 1 | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|----------|----------|----------------|---------------------------|--------|----------|---------------|---------|------------|------------|--------------|------------|------------|--------------------|-----------------|-------------------|--------------|------------|------------|--------------|------------|-------|
| Group to which the food belongs | Groups include the following products | Acyphate | Abiactin | Abzin & dactin | Azinphosmethyl (Azinphos) | Acetaz | Atrazine | Acrylonitrile | Bemeton | Berthosulf | Bifenthrin | Chlorpyrifos | Cyfluthrin | Dimethoate | Emamectin benzoate | Flupyradifurone | Gamma-cyhalothrin | Imidacloprid | Permethrin | Spinetoram | Thiamethoxam | Triazophos | |
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts | | | | | | | | | | | | | | | | | | | | | | | |
| i) CITRUS FRUIT | | | | | | | | | | | | | | | | | | | | | | | |
| | Citrus fruit | 1 | 0.2 | 0.05* | | 0.1* | 0.05* | 0.05* | | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Lemons | 1 | 0.2 | 0.05* | | 0.1* | 0.05* | 0.05* | | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Limes | 1 | 0.2 | 0.05* | | 0.1* | 0.05* | 0.05* | | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Mandarin (inc clementine & similar hybrids) | 1 | 0.2 | 0.05* | | 0.1* | 0.05* | 0.05* | | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Oranges | 1 | 0.2 | 0.05* | | 0.1* | 0.05* | 0.05* | | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Pomelos | 1 | 0.2 | 0.05* | | 0.1* | 0.05* | 0.05* | | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Others | 1 | 0.2 | 0.05* | | 0.1* | 0.05* | 0.05* | | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| ii) TREE NUTS (shelled or unshelled) | | | | | | | | | | | | | | | | | | | | | | | |
| | Almonds | 0.02* | 0.05* | 0.05* | 0.02* | 0.1* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Brazil nuts | 0.02* | 0.05* | 0.05* | 0.02* | 0.1* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Cashew nuts | 0.02* | 0.05* | 0.05* | 0.02* | 0.1* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Coconut | 0.02* | 0.05* | 0.05* | 0.02* | 0.1* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Hazelnuts | 0.02* | 0.05* | 0.05* | 0.02* | 0.1* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Macadamia nuts | 0.02* | 0.05* | 0.05* | 0.02* | 0.1* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Peanut | 0.02* | 0.2 | 0.05* | 0.02* | 0.1* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Pine nuts | 0.02* | 0.05* | 0.05* | 0.02* | 0.1* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Practicoles | 0.02* | 0.05* | 0.05* | 0.02* | 0.1* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Walnuts | 0.02* | 0.05* | 0.05* | 0.02* | 0.1* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | 0.05* | 0.02* | 0.1* | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| iii) POME FRUIT | | | | | | | | | | | | | | | | | | | | | | | |
| | Apples | 1 | 0.05* | 0.05* | 1 | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Pears | 1 | 0.05* | 0.05* | 1 | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Quince | 1 | 0.05* | 0.05* | 1 | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Others | 1 | 0.05* | 0.05* | 1 | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| iv) STONE FRUIT | | | | | | | | | | | | | | | | | | | | | | | |
| | Apricots | 0.02* | 0.05* | 0.05* | | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Cherries | 0.02* | 0.05* | 0.05* | | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Peaches (inc nectarines & similar hybrids) | 0.2 | 0.05* | 0.05* | | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Plums | 2 | 0.05* | 0.05* | | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | 0.05* | | 0.1* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

| Group to which food belongs | Groups include the following products | Acetate | Adicarb | Adim & dactin | Azinphos (Azinphos) | Amixas | Asacina | Azoxystrobin | Benlate | Benfuracarb | Brasopyr | Bupirifin | Bromoxynil | Bromopropylate | Carphaclo (Tetraphenol) | Cyfluthrin | Carbendazim |
|--|---|---------|---------|---------------|---------------------|--------|---------|--------------|---------|-------------|----------|-----------|------------|----------------|-------------------------|------------|-------------|
| v) BERRIES AND SMALL FRUIT | | | | | | | | | | | | | | | | | |
| a) Table & wine grapes | | | | | | | | | | | | | | | | | |
| | Table grapes | 0.02* | 0.05* | | 0.02* | 0.1* | 2 | 0.2 | 0.05* | 0.02* | | | 0.08* | | 0.1* | 0.02* | 2 |
| | Wine grapes | 0.02* | 0.05* | | 0.02* | 0.1* | 2 | 0.2 | 0.08* | 0.02* | | | 0.08* | | 0.1* | 0.02* | 2 |
| b) Strawberries (other than wild) | | | | | | | | | | | | | | | | | |
| c) Other Fruit (other than wild) | | | | | | | | | | | | | | | | | |
| | Blackberries | 0.02* | 0.05* | | 0.02* | 0.2* | 0.1* | 0.08* | 0.02* | 0.02* | | | 0.08* | | 0.1* | 0.02* | 0.1* |
| | Dewberries | 0.02* | 0.05* | | 0.02* | 0.2* | 0.1* | 0.08* | 0.02* | 0.02* | | | 0.08* | | 0.1* | 0.02* | 0.1* |
| | Loganberries | 0.02* | 0.05* | | 0.02* | 0.2* | 0.1* | 0.08* | 0.02* | 0.02* | | | 0.08* | | 0.1* | 0.02* | 0.1* |
| | Raspberries | 0.02* | 0.05* | | 0.02* | 0.2* | 0.1* | 0.08* | 0.02* | 0.02* | | | 0.08* | | 0.1* | 0.02* | 0.1* |
| | Others | 0.02* | 0.05* | | 0.02* | 0.2* | 0.1* | 0.08* | 0.02* | 0.02* | | | 0.08* | | 0.1* | 0.02* | 0.1* |
| | Other small fruit & berries (other than wild) | | | | | | | | | | | | | | | | |
| | Gilberries | 0.02* | 0.05* | | 0.02* | 0.2* | 0.1* | 0.08* | 0.02* | 0.02* | | | 0.08* | | 0.1* | 0.02* | 0.1* |
| | Cherries | 0.02* | 0.05* | | 0.02* | 0.2* | 0.1* | 0.08* | 0.02* | 0.02* | | | 0.08* | | 0.1* | 0.02* | 0.1* |
| | Currents (red, black & white) | 0.02* | 0.05* | | 0.02* | 0.2* | 0.1* | 0.08* | 0.02* | 0.02* | | | 0.08* | | 0.1* | 0.02* | 0.1* |
| | Gooseberries | 0.02* | 0.05* | | 0.02* | 0.2* | 0.1* | 0.08* | 0.02* | 0.02* | | | 0.08* | | 0.1* | 0.02* | 0.1* |
| | Citrus | 0.02* | 0.05* | | 0.02* | 0.2* | 0.1* | 0.08* | 0.02* | 0.02* | | | 0.08* | | 0.1* | 0.02* | 0.1* |
| | Mild berries & wild fruit | 0.02* | 0.05* | | 0.02* | 0.2* | 0.1* | 0.08* | 0.02* | 0.02* | | | 0.08* | | 0.1* | 0.02* | 0.1* |
| v) MISCELLANEOUS FRUIT | | | | | | | | | | | | | | | | | |
| | Avocado | 0.02* | 0.05* | | 0.02* | 0.2* | 0.1* | 0.08* | 0.02* | 0.02* | | | 0.08* | | 0.1* | 0.02* | 0.1* |
| | Bananas | 0.02* | 0.05* | | 0.02* | 0.2* | 0.1* | 0.08* | 0.02* | 0.02* | | | 0.08* | | 0.1* | 0.02* | 0.1* |
| | Dates | 0.02* | 0.05* | | 0.02* | 0.2* | 0.1* | 0.08* | 0.02* | 0.02* | | | 0.08* | | 0.1* | 0.02* | 0.1* |
| | Figs | 0.02* | 0.05* | | 0.02* | 0.2* | 0.1* | 0.08* | 0.02* | 0.02* | | | 0.08* | | 0.1* | 0.02* | 0.1* |
| | Hot fruit | 0.02* | 0.05* | | 0.02* | 0.2* | 0.1* | 0.08* | 0.02* | 0.02* | | | 0.08* | | 0.1* | 0.02* | 0.1* |
| | Rumicots | 0.02* | 0.05* | | 0.02* | 0.2* | 0.1* | 0.08* | 0.02* | 0.02* | | | 0.08* | | 0.1* | 0.02* | 0.1* |
| | Limes | 0.02* | 0.05* | | 0.02* | 0.2* | 0.1* | 0.08* | 0.02* | 0.02* | | | 0.08* | | 0.1* | 0.02* | 0.1* |
| | Mangoes | 0.02* | 0.05* | | 0.02* | 0.2* | 0.1* | 0.08* | 0.02* | 0.02* | | | 0.08* | | 0.1* | 0.02* | 0.1* |
| | Olives (table consumption) | 0.02* | 0.05* | | 0.02* | 0.2* | 0.1* | 0.08* | 0.02* | 0.02* | | | 0.08* | | 0.1* | 0.02* | 0.1* |
| | Olives (oil extract) | 0.02* | 0.05* | | 0.02* | 0.2* | 0.1* | 0.08* | 0.02* | 0.02* | | | 0.08* | | 0.1* | 0.02* | 0.1* |
| | Peaches | 0.02* | 0.05* | | 0.02* | 0.2* | 0.1* | 0.08* | 0.02* | 0.02* | | | 0.08* | | 0.1* | 0.02* | 0.1* |
| | Pineapples | 0.02* | 0.05* | | 0.02* | 0.2* | 0.1* | 0.08* | 0.02* | 0.02* | | | 0.08* | | 0.1* | 0.02* | 0.1* |
| | Pomegranates | 0.02* | 0.05* | | 0.02* | 0.2* | 0.1* | 0.08* | 0.02* | 0.02* | | | 0.08* | | 0.1* | 0.02* | 0.1* |
| | Others | 0.02* | 0.05* | | 0.02* | 0.2* | 0.1* | 0.08* | 0.02* | 0.02* | | | 0.08* | | 0.1* | 0.02* | 0.1* |

| Group to which food belongs | Groups include the following products | Acetate | Adicarb | Adim & dactin | Azinphos (Azinphos) | Amixas | Asacina | Azoxystrobin | Benlate | Benfuracarb | Brasopyr | Bupirifin | Bromoxynil | Bromopropylate | Carphaclo (Tetraphenol) | Cyfluthrin | Carbendazim |
|---|---------------------------------------|---------|---------|---------------|---------------------|--------|---------|--------------|---------|-------------|----------|-----------|------------|----------------|-------------------------|------------|-------------|
| 2 Vegetables, fresh or uncooked, frozen or dry | | | | | | | | | | | | | | | | | |
| i) ROOT AND TUBER VEGETABLES | | | | | | | | | | | | | | | | | |
| | Bananas | 0.02* | | | 0.02* | 0.2* | 0.1* | 0.08* | 0.02* | 0.02* | | | 0.08* | | 0.1* | 0.02* | 0.1* |
| | Carrots | 0.02* | | | 0.02* | 0.2* | 0.1* | 0.08* | 0.02* | 0.02* | | | 0.08* | | 0.1* | 0.02* | 0.1* |
| | Celeries | 0.02* | 0.05* | | 0.02* | 0.2* | 0.1* | 0.08* | 0.02* | 0.02* | | | 0.08* | | 0.1* | 0.02* | 0.1* |
| | Horseradish | 0.02* | 0.05* | | 0.02* | 0.2* | 0.1* | 0.08* | 0.02* | 0.02* | | | 0.08* | | 0.1* | 0.02* | 0.1* |
| | Jerusalem artichokes | 0.02* | 0.05* | | 0.02* | 0.2* | 0.1* | 0.08* | 0.02* | 0.02* | | | 0.08* | | 0.1* | 0.02* | 0.1* |
| | Parsnips | 0.02* | 0.05* | | 0.02* | 0.2* | 0.1* | 0.08* | 0.02* | 0.02* | | | 0.08* | | 0.1* | 0.02* | 0.1* |
| | Parsley root | 0.02* | 0.05* | | 0.02* | 0.2* | 0.1* | 0.08* | 0.02* | 0.02* | | | 0.08* | | 0.1* | 0.02* | 0.1* |
| | Rutabagas | 0.02* | 0.05* | | 0.02* | 0.2* | 0.1* | 0.08* | 0.02* | 0.02* | | | 0.08* | | 0.1* | 0.02* | 0.1* |
| | Salsify | 0.02* | 0.05* | | 0.02* | 0.2* | 0.1* | 0.08* | 0.02* | 0.02* | | | 0.08* | | 0.1* | 0.02* | 0.1* |
| | Sweet potatoes | 0.02* | 0.05* | | 0.02* | 0.2* | 0.1* | 0.08* | 0.02* | 0.02* | | | 0.08* | | 0.1* | 0.02* | 0.1* |
| | Swedes | 0.02* | 0.05* | | 0.02* | 0.2* | 0.1* | 0.08* | 0.02* | 0.02* | | | 0.08* | | 0.1* | 0.02* | 0.1* |
| | Turnips | 0.02* | 0.05* | | 0.02* | 0.2* | 0.1* | 0.08* | 0.02* | 0.02* | | | 0.08* | | 0.1* | 0.02* | 0.1* |
| | Yams | 0.02* | 0.05* | | 0.02* | 0.2* | 0.1* | 0.08* | 0.02* | 0.02* | | | 0.08* | | 0.1* | 0.02* | 0.1* |
| | Others | 0.02* | 0.05* | | 0.02* | 0.2* | 0.1* | 0.08* | 0.02* | 0.02* | | | 0.08* | | 0.1* | 0.02* | 0.1* |
| ii) BULB VEGETABLES | | | | | | | | | | | | | | | | | |
| | Garlic | 0.02* | 0.05* | | 0.02* | 0.2* | 0.1* | 0.08* | 0.02* | 0.02* | | | 0.08* | | 0.1* | 0.02* | 0.1* |
| | Onions | 0.02* | 0.05* | | 0.02* | 0.2* | 0.1* | 0.08* | 0.02* | 0.02* | | | 0.08* | | 0.1* | 0.02* | 0.1* |
| | Shallots | 0.02* | 0.05* | | 0.02* | 0.2* | 0.1* | 0.08* | 0.02* | 0.02* | | | 0.08* | | 0.1* | 0.02* | 0.1* |
| | Spring onions | 0.02* | 0.05* | | 0.02* | 0.2* | 0.1* | 0.08* | 0.02* | 0.02* | | | 0.08* | | 0.1* | 0.02* | 0.1* |
| | Others | 0.02* | 0.05* | | 0.02* | 0.2* | 0.1* | 0.08* | 0.02* | 0.02* | | | 0.08* | | 0.1* | 0.02* | 0.1* |
| iii) FRUITING VEGETABLES | | | | | | | | | | | | | | | | | |
| a) Solanaceae | | | | | | | | | | | | | | | | | |
| | Tomatoes | 0.5 | | | 0.02* | 0.5 | 0.1* | 0.08* | 0.2 | 0.02* | 0.02* | | 0.02* | | 0.1* | 0.02* | 0.5 |
| | Peppers | 0.02* | | | 0.02* | 0.2* | 0.1* | 0.08* | 0.2 | 0.02* | 0.02* | | 0.02* | | 0.1* | 0.02* | 0.1* |
| | Aubergines | 0.5 | 0.02* | | 0.02* | 0.2* | 0.1* | 0.08* | 0.02* | 0.02* | | | 0.02* | | 0.1* | 0.02* | 0.5 |
| | Others | 0.02* | 0.05* | | 0.02* | 0.2* | 0.1* | 0.08* | 0.02* | 0.02* | | | 0.02* | | 0.1* | 0.02* | 0.1* |
| b) Cucurbitaceae | | | | | | | | | | | | | | | | | |
| | Cucumbers | 0.02* | 0.05* | | 0.02* | 0.2* | 0.1* | 0.08* | 0.02* | 0.02* | | | 0.02* | | 0.1* | 0.02* | 0.5 |
| | Gherkins | 0.02* | 0.05* | | 0.02* | 0.2* | 0.1* | 0.08* | 0.02* | 0.02* | | | 0.02* | | 0.1* | 0.02* | 0.5 |
| | Cauliflowers | 0.02* | 0.05* | | 0.02* | 0.2* | 0.1* | 0.08* | 0.02* | 0.02* | | | 0.02* | | 0.1* | 0.02* | 0.5 |
| | Others | 0.02* | 0.05* | | 0.02* | 0.2* | 0.1* | 0.08* | 0.02* | 0.02* | | | 0.02* | | 0.1* | 0.02* | 0.5 |
| c) Cucurbitaceae (edible part) | | | | | | | | | | | | | | | | | |
| | Melons | 0.02* | 0.05* | | 0.02* | 0.2* | 0.1* | 0.08* | 0.02* | 0.02* | | | 0.02* | | 0.1* | 0.02* | 0.5 |
| | Squashes | 0.02* | 0.05* | | 0.02* | 0.2* | 0.1* | 0.08* | 0.02* | 0.02* | | | 0.02* | | 0.1* | 0.02* | 0.5 |
| | Watermelons | 0.02* | 0.05* | | 0.02* | 0.2* | 0.1* | 0.08* | 0.02* | 0.02* | | | 0.02* | | 0.1* | 0.02* | 0.5 |
| | Others | 0.02* | 0.05* | | 0.02* | 0.2* | 0.1* | 0.08* | 0.02* | 0.02* | | | 0.02* | | 0.1* | 0.02* | 0.5 |
| d) Sweet corn | | | | | | | | | | | | | | | | | |
| | Sweet corn | 0.02* | 0.05* | | 0.02* | 0.2* | 0.1* | 0.08* | 0.02* | 0.02* | | | 0.02* | | 0.1* | 0.02* | 0.5 |

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

| Group to which the food belongs | Group to which the following products belong | Carbofuran | Carbofenthat | Caripal | Chlorfens | Chlorfenthat | Chlorfenthat | Chlorpyrifos-methyl | Chlorpyrifos-methyl | Cyfluthrin | Cypermethrin | Deltamethrin | DDT | Deltamethrin | Diazinon | 1,2-Dibromo-ethane | Dicofolprop |
|--|--|------------|--------------|---------|-----------|--------------|--------------|---------------------|---------------------|------------|--------------|--------------|-------|--------------|----------|--------------------|-------------|
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts | | | | | | | | | | | | | | | | | |
| i) CITRUS FRUIT | | | | | | | | | | | | | | | | | |
| | Grapefruit | | | | 0.01* | 0.01* | 0.3 | 0.01* | 0.02* | 2 | 0.02* | 0.01* | 0.01* | 0.5 | 0.01* | 0.01* | |
| | Lemons | | | | 0.01* | 0.01* | 0.2 | 0.3 | 0.02* | 2 | 0.02* | 0.01* | 0.01* | 0.5 | 0.01* | 0.01* | |
| | Limes | | | | 0.01* | 0.01* | 0.3 | 0.01* | 0.02* | 2 | 0.02* | 0.01* | 0.01* | 0.5 | 0.01* | 0.01* | |
| | Mandarin (incl. clementines & similar hybrids) | | | | 0.01* | 0.01* | 2 | 1 | 0.02* | 2 | 0.02* | 0.01* | 0.01* | 0.5 | 0.01* | 0.01* | |
| | Oranges | | | | 0.01* | 0.01* | 0.3 | 0.5 | 0.02* | 2 | 0.02* | 0.01* | 0.01* | 0.5 | 0.01* | 0.01* | |
| | Pomelos | | | | 0.01* | 0.01* | 0.3 | 0.01* | 0.02* | 2 | 0.02* | 0.01* | 0.01* | 0.5 | 0.01* | 0.01* | |
| | Others | | | | 0.01* | 0.01* | 0.3 | 0.01* | 0.02* | 2 | 0.02* | 0.01* | 0.01* | 0.5 | 0.01* | 0.01* | |
| ii) TREE NUTS (shelled or unshelled) | | | | | | | | | | | | | | | | | |
| | Almonds | 0.1* | 0.01* | | 0.1* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* |
| | Brazil nuts | 0.1* | 0.01* | | 0.1* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* |
| | Cashew nuts | 0.1* | 0.01* | | 0.1* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* |
| | Chickpeas | 0.1* | 0.01* | | 0.1* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* |
| | Custards | 0.1* | 0.01* | | 0.1* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* |
| | Hazelnuts | 0.1* | 0.01* | | 0.1* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* |
| | Macadamia nuts | 0.1* | 0.01* | | 0.1* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* |
| | Pecans | 0.1* | 0.01* | | 0.1* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* |
| | Pine nuts | 0.1* | 0.01* | | 0.1* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* |
| | Walnuts | 0.1* | 0.01* | | 0.1* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* |
| | Others | 0.1* | 0.01* | | 0.1* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* |
| iii) POME FRUIT | | | | | | | | | | | | | | | | | |
| | Apples | | | | | | 1 | 0.5 | 0.5 | 0.2 | 1 | 0.02* | 0.01* | 0.1 | 0.5 | 0.01* | 0.01* |
| | Pears | | | | 3 | 1 | 0.5 | 0.5 | 0.2 | 1 | 0.02* | 0.01* | 0.01* | 0.1 | 0.5 | 0.01* | 0.01* |
| | Quinces | | | | 0.01* | 1 | 0.5 | 0.5 | 0.2 | 1 | 0.02* | 0.01* | 0.01* | 0.1 | 0.5 | 0.01* | 0.01* |
| | Others | | | | 0.01* | 1 | 0.5 | 0.5 | 0.2 | 1 | 0.02* | 0.01* | 0.01* | 0.1 | 0.5 | 0.01* | 0.01* |
| iv) STONE FRUIT | | | | | | | | | | | | | | | | | |
| | Apricots | | | | 0.01* | 1 | 0.01* | 0.01* | 0.01* | 2 | 0.02* | 0.01* | 0.1 | 0.5 | 0.01* | 0.01* | 0.01* |
| | Cherries | | | | 0.01* | 0.01* | 0.3 | 0.01* | 0.01* | 0.2 | 1 | 0.02* | 0.01* | 0.1 | 0.5 | 0.01* | 0.01* |
| | Peaches (incl. nectarines & similar hybrids) | | | | 0.01* | 1 | 0.2 | 0.5 | 0.01* | 2 | 0.02* | 0.01* | 0.1 | 0.5 | 0.01* | 0.01* | 0.01* |
| | Plums | | | | 0.01* | 0.01* | 0.2 | 0.01* | 0.01* | 0.2 | 1 | 0.02* | 0.01* | 0.1 | 0.5 | 0.01* | 0.01* |
| | Others | | | | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.1 | 0.5 | 0.01* | 0.01* |
| v) BERRIES AND SMALL FRUIT | | | | | | | | | | | | | | | | | |
| a) Table & wine grapes | | | | | | | | | | | | | | | | | |
| | Table grapes | 0.1* | 0.01* | | | | 1 | 1 | 0.5 | 0.2 | 0.5 | 0.01* | 0.01* | 0.1 | 0.5 | 0.01* | 0.01* |
| | Wine grapes | 0.1* | 0.01* | | | | 1 | 3 | 0.5 | 0.2 | 0.5 | 0.01* | 0.01* | 0.1 | 0.5 | 0.01* | 0.01* |
| b) Strawberries (other than wild) | | | | | | | | | | | | | | | | | |
| | Strawberries | | | | | | 3 | 0.2 | 0.5 | | 0.01* | 0.01* | 0.01* | 0.01* | 0.5 | 0.01* | 0.01* |
| c) Other small fruit & berries (other than wild) | | | | | | | | | | | | | | | | | |
| | Blackberries | 0.1* | 0.01* | | 0.01* | 10 | 0.5 | 0.01* | 0.01* | 0.5 | 0.01* | 0.01* | 0.01* | 0.5 | 0.01* | 0.01* | 0.01* |
| | Chokeberries | 0.1* | 0.01* | | 0.01* | 10 | 0.01* | 0.01* | 0.01* | 0.5 | 0.01* | 0.01* | 0.01* | 0.5 | 0.01* | 0.01* | 0.01* |
| | Loganberries | 0.1* | 0.01* | | 0.01* | 10 | 0.01* | 0.01* | 0.01* | 0.5 | 0.01* | 0.01* | 0.01* | 0.5 | 0.01* | 0.01* | 0.01* |
| | Raspberries | 0.1* | 0.01* | | 0.01* | 10 | 0.5 | 0.01* | 0.01* | 0.5 | 0.01* | 0.01* | 0.01* | 0.5 | 0.01* | 0.01* | 0.01* |
| | Others | 0.1* | 0.01* | | 0.01* | 10 | 0.01* | 0.01* | 0.01* | 0.5 | 0.01* | 0.01* | 0.01* | 0.5 | 0.01* | 0.01* | 0.01* |
| d) Wild berries & wild fruit | | | | | | | | | | | | | | | | | |
| | Wild berries | 0.1* | 0.01* | | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* |
| vi) MISCELLANEOUS FRUIT | | | | | | | | | | | | | | | | | |
| | Avocado | 0.1* | 0.01* | | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* |
| | Bananas | 0.1* | 0.01* | | 0.01* | 0.2 | 3 | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* |
| | Dates | 0.1* | 0.01* | | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* |
| | Figs | 0.1* | 0.01* | | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* |
| | Kiwi fruit | 0.1* | 0.01* | | 0.01* | 0.01* | 2 | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* |
| | Kumquats | 0.1* | 0.01* | | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* |
| | Limes | 0.1* | 0.01* | | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* |
| | Mangoes | 0.1* | 0.01* | | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* |
| | Olives (table consumption) | 0.1* | 0.01* | | 0.1* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.1 | 0.5 | 0.01* | 0.01* |
| | Olives (oil extract) | 0.1* | 0.01* | | 0.1* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.1 | 0.5 | 0.01* | 0.01* |
| | Peaches (fruit) | 0.1* | 0.01* | | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* |
| | Pineapples | 0.1* | 0.01* | | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* |
| | Pomegranates | 0.1* | 0.01* | | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* |
| | Others | 0.1* | 0.01* | | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* | 0.01* |

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

| Group to which the food belongs | Groups include the following products | Carbendazim | Carbosulfan | Carpr | Chloranil | Chlorantraniliprol | Chlorothaloxyl | Chlorpyrifos | Chlorpyrifos-methyl | Cyfluthrin | Cypermethrin | Daminozide | DDT | Deltamethrin | Diazinon | 1,2-Dibromo-ethane | Diflufenican | |
|--|---------------------------------------|-------------|-------------|-------|-----------|--------------------|----------------|--------------|---------------------|------------|--------------|------------|-------|--------------|----------|--------------------|--------------|-------|
| 2. Vegetables, fresh or uncooked, frozen or dry | | | | | | | | | | | | | | | | | | |
| i) ROOT AND TUBER VEGETABLES | | | | | | | | | | | | | | | | | | |
| | Beetroot | 0.1* | 0.05* | | 0.01* | 0.01* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.5 | 0.01* | 0.05* |
| | Carrots | 0.3 | 0.1 | | 0.01* | 1 | 0.1 | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.5 | 0.01* | 0.05* |
| | Celeriac | | 0.05* | | 0.05* | 0.5 | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.5 | 0.01* | 0.05* |
| | Horseradish | 0.1* | 0.05* | | 0.01* | 0.01* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.5 | 0.01* | 0.05* |
| | Jerusalem artichokes | 0.1* | 0.05* | | 0.01* | 0.01* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.5 | 0.01* | 0.05* |
| | Parsnips | 0.3 | 0.1 | | 0.01* | 0.01* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.5 | 0.01* | 0.05* |
| | Parsley root | 0.1* | 0.05* | | 0.01* | 0.01* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.5 | 0.01* | 0.05* |
| | Rapeseed | 0.5 | 0.05* | | 0.01* | 0.01* | 0.2 | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.5 | 0.01* | 0.05* |
| | Salsify | 0.1* | 0.05* | | 0.01* | 0.01* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.5 | 0.01* | 0.05* |
| | Sweet potatoes | 0.1* | 0.05* | | 0.01* | 0.01* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.5 | 0.01* | 0.05* |
| | Swedes | | 0.05* | | 0.01* | 0.01* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.5 | 0.01* | 0.05* |
| | Turnips | | 0.05* | | 0.01* | 0.01* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.5 | 0.01* | 0.05* |
| | Yams | 0.1* | 0.05* | | 0.01* | 0.01* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.5 | 0.01* | 0.05* |
| | Others | 0.1* | 0.05* | | 0.01* | 0.01* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.5 | 0.01* | 0.05* |
| ii) BULB VEGETABLES | | | | | | | | | | | | | | | | | | |
| | Garlic | 0.3 | 0.05* | | 0.01* | 0.5 | | 0.01* | 0.01* | 0.1 | 0.02* | 0.02* | 0.02* | 0.1 | 0.5 | 0.01* | 0.05* | |
| | Onions | 0.3 | 0.05* | | 0.01* | 0.5 | | 0.01* | 0.01* | 0.1 | 0.02* | 0.02* | 0.02* | 0.1 | 0.5 | 0.01* | 0.05* | |
| | Shallots | 0.3 | 0.05* | | 0.01* | 0.5 | | 0.01* | 0.01* | 0.1 | 0.02* | 0.02* | 0.02* | 0.1 | 0.5 | 0.01* | 0.05* | |
| | Spring onions | 0.1* | 0.05* | | 0.01* | 0.5 | | 0.01* | 0.01* | 0.1 | 0.02* | 0.02* | 0.02* | 0.1 | 0.5 | 0.01* | 0.05* | |
| | Others | 0.1* | 0.05* | | 0.01* | 0.01* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.5 | 0.01* | 0.05* |
| iii) FRUITING VEGETABLES | | | | | | | | | | | | | | | | | | |
| a) Solanaceae | | | | | | | | | | | | | | | | | | |
| | Tomatoes | 0.1* | 0.05* | | | 2 | 0.5 | 0.5 | 0.05 | 0.5 | 0.02* | 0.02* | 0.02* | 0.2 | 0.5 | 0.01* | 0.05* | |
| | Peppers | 0.1* | 0.05* | | 0.05* | 2 | 0.5 | 0.5 | 0.05 | 0.5 | 0.02* | 0.02* | 0.02* | 0.2 | 0.5 | 0.01* | 0.05* | |
| | Aubergines | 0.1* | 0.05* | | 0.05* | 2 | 0.5 | 0.5 | 0.02* | 0.5 | 0.02* | 0.02* | 0.02* | 0.2 | 0.5 | 0.01* | 0.05* | |
| | Others | 0.1* | 0.05* | | 0.05* | 2 | 0.5 | 0.5 | 0.02* | 0.5 | 0.02* | 0.02* | 0.02* | 0.2 | 0.5 | 0.01* | 0.05* | |
| b) Cucurbitaceae-edible part | | | | | | | | | | | | | | | | | | |
| | Cucumbers | 0.1* | 0.05* | | 0.01* | 1 | 0.05* | 0.05* | 0.02 | 0.2 | 0.02* | 0.02* | 0.02* | 0.1 | 0.5 | 0.01* | 0.05* | |
| | Gherkins | 0.1* | 0.05* | | 0.01* | 1 | 0.05* | 0.05* | 0.02 | 0.2 | 0.02* | 0.02* | 0.02* | 0.1 | 0.5 | 0.01* | 0.05* | |
| | Courgettes | 0.1* | 0.05* | | 0.01* | 1 | 0.05* | 0.05* | 0.02 | 0.2 | 0.02* | 0.02* | 0.02* | 0.1 | 0.5 | 0.01* | 0.05* | |
| | Others | 0.1* | 0.05* | | 0.01* | 1 | 0.05* | 0.05* | 0.02 | 0.2 | 0.02* | 0.02* | 0.02* | 0.1 | 0.5 | 0.01* | 0.05* | |
| c) Cucurbitaceae-inedible part | | | | | | | | | | | | | | | | | | |
| | Melons | | | | 0.02* | 1 | 0.05* | 0.05* | 0.02* | 0.2 | 0.02* | 0.02* | 0.02* | 0.1 | 0.5 | 0.01* | 0.05* | |
| | Squashes | 0.1* | | | 0.02* | 1 | 0.05* | 0.05* | 0.02* | 0.2 | 0.02* | 0.02* | 0.02* | 0.1 | 0.5 | 0.01* | 0.05* | |
| | Watermelons | 0.1* | | | 0.02* | 1 | 0.05* | 0.05* | 0.02* | 0.2 | 0.02* | 0.02* | 0.02* | 0.1 | 0.5 | 0.01* | 0.05* | |
| | Others | 0.1* | | | 0.02* | 1 | 0.05* | 0.05* | 0.02* | 0.2 | 0.02* | 0.02* | 0.02* | 0.1 | 0.5 | 0.01* | 0.05* | |
| d) Sweet corn | | | | | | | | | | | | | | | | | | |
| | | | 0.05* | | 0.01* | 0.01* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.5 | 0.01* | 0.05* |

| Group to which the food belongs | Groups include the following products | Carbendazim | Carbosulfan | Carpr | Chloranil | Chlorantraniliprol | Chlorothaloxyl | Chlorpyrifos | Chlorpyrifos-methyl | Cyfluthrin | Cypermethrin | Daminozide | DDT | Deltamethrin | Diazinon | 1,2-Dibromo-ethane | Diflufenican |
|---|---------------------------------------|-------------|-------------|-------|-----------|--------------------|----------------|--------------|---------------------|------------|--------------|------------|-------|--------------|----------|--------------------|--------------|
| iv) BRASSICA VEGETABLES | | | | | | | | | | | | | | | | | |
| a) Flowering brassicas | | | | | | | | | | | | | | | | | |
| | Broccoli | 0.2 | | | 0.01* | 3 | 0.02* | 0.02* | 0.02* | 0.02* | 0.5 | 0.02* | 0.02* | 0.1 | 0.5 | 0.01* | 0.05* |
| | Cauliflower | 0.2 | | | 0.01* | 3 | 0.02* | 0.02* | 0.02* | 0.02* | 0.5 | 0.02* | 0.02* | 0.1 | 0.5 | 0.01* | 0.05* |
| | Others | 0.2 | | | 0.01* | 3 | 0.02* | 0.02* | 0.02* | 0.02* | 0.5 | 0.02* | 0.02* | 0.1 | 0.5 | 0.01* | 0.05* |
| b) Head brassicas | | | | | | | | | | | | | | | | | |
| | Brussels sprouts | | | | 0.01* | 0.5 | 0.02* | 0.02* | 0.02* | 0.2 | 0.5 | 0.02* | 0.02* | 0.1 | 0.5 | 0.01* | 0.05* |
| | Head-salads | | | | 0.01* | 2 | 1 | 0.02* | 0.02* | 0.2 | 0.5 | 0.02* | 0.02* | 0.1 | 0.5 | 0.01* | 0.05* |
| | Others | | | | 0.01* | 0.01* | 0.02* | 0.02* | 0.02* | 0.2 | 0.5 | 0.02* | 0.02* | 0.1 | 0.5 | 0.01* | 0.05* |
| c) Leafy brassicas | | | | | | | | | | | | | | | | | |
| | Chinese cabbage | | | | 0.05* | 0.01* | 0.5 | 0.02* | | | 1 | 0.02* | 0.02* | 0.5 | 0.5 | 0.01* | 0.05* |
| | Kale | | | | 0.05* | 0.01* | 0.02* | 0.02* | | | 1 | 0.02* | 0.02* | 0.5 | 0.5 | 0.01* | 0.05* |
| | Others | | | | 0.05* | 0.01* | 0.02* | 0.02* | | | 1 | 0.02* | 0.02* | 0.5 | 0.5 | 0.01* | 0.05* |
| d) Kohlrabi | | | | | | | | | | | | | | | | | |
| | | 0.2 | | | 0.02* | 0.01* | 0.02* | 0.02* | 0.02* | 0.2 | 0.02* | 0.02* | 0.02* | 0.02* | 0.5 | 0.01* | 0.05* |
| v) LEAF VEGETABLES AND FRESH HERBS | | | | | | | | | | | | | | | | | |
| a) Lettuce & similar | | | | | | | | | | | | | | | | | |
| | Cress | 0.1* | 0.05* | | 0.02* | 0.01* | 0.01* | 0.02* | 0.5 | 2 | 0.02* | 0.02* | 0.5 | 0.5 | 0.01* | 0.05* | |
| | Leafy lettuce | 0.1* | 0.05* | | 0.02* | 0.01* | 0.01* | 0.02* | 0.5 | 2 | 0.02* | 0.02* | 0.5 | 0.5 | 0.01* | 0.05* | |
| | Lettuce | 0.1* | 0.05* | | 0.02* | 0.01* | 0.01* | 0.02* | 0.5 | 2 | 0.02* | 0.02* | 0.5 | 0.5 | 0.01* | 0.05* | |
| | Spinach | 0.1* | 0.05* | | 0.02* | 0.01* | 0.01* | 0.02* | 0.5 | 2 | 0.02* | 0.02* | 0.5 | 0.5 | 0.01* | 0.05* | |
| | Others | 0.1* | 0.05* | | 0.02* | 0.01* | 0.01* | 0.02* | 0.5 | 2 | 0.02* | 0.02* | 0.5 | 0.5 | 0.01* | 0.05* | |
| b) Spinach & similar | | | | | | | | | | | | | | | | | |
| | Spinach | 0.1* | 0.05* | | 0.02* | 0.01* | 0.01* | 0.02* | 0.02* | 0.5 | 0.02* | 0.02* | 0.5 | 0.5 | 0.01* | 0.05* | |
| | Beet leaves (chard) | 0.1* | 0.05* | | 0.02* | 0.01* | 0.01* | 0.02* | 0.02* | 0.5 | 0.02* | 0.02* | 0.5 | 0.5 | 0.01* | 0.05* | |
| | Others | 0.1* | 0.05* | | 0.02* | 0.01* | 0.01* | 0.02* | 0.02* | 0.5 | 0.02* | 0.02* | 0.5 | 0.5 | 0.01* | 0.05* | |
| c) Watercress | | | | | | | | | | | | | | | | | |
| | | 0.1* | 0.05* | | 0.02* | 0.01* | 0.01* | 0.02* | 0.02* | 0.5 | 0.02* | 0.02* | 0.5 | 0.5 | 0.01* | 0.05* | |
| d) Watercress | | | | | | | | | | | | | | | | | |
| | | 0.1* | 0.05* | | 0.02* | 0.01* | 0.01* | 0.02* | 0.02* | 0.5 | 0.02* | 0.02* | 0.5 | 0.5 | 0.01* | 0.05* | |
| e) Herbs | | | | | | | | | | | | | | | | | |
| | Chervil | 0.1* | 0.05* | | 0.02* | 5 | 0.02* | 0.02* | 0.02* | 2 | 0.02* | 0.02* | 0.5 | 0.5 | 0.01* | 0.05* | |
| | Chives | 0.1* | 0.05* | | 0.02* | 5 | 0.02* | 0.02* | 0.02* | 2 | 0.02* | 0.02* | 0.5 | 0.5 | 0.01* | 0.05* | |
| | Flatleaf | 0.1* | 0.05* | | 0.02* | 5 | 0.02* | 0.02* | 0.02* | 2 | 0.02* | 0.02* | 0.5 | 0.5 | 0.01* | 0.05* | |
| | Culinary lavender | 0.1* | 0.05* | | 0.02* | 5 | 0.02* | 0.02* | 0.02* | 2 | 0.02* | 0.02* | 0.5 | 0.5 | 0.01* | 0.05* | |
| | Others | 0.1* | 0.05* | | 0.02* | 5 | 0.02* | 0.02* | 0.02* | 2 | 0.02* | 0.02* | 0.5 | 0.5 | 0.01* | 0.05* | |
| vi) LEGUME VEGETABLES (fresh) | | | | | | | | | | | | | | | | | |
| | Beans (with pods) | 0.05* | | | | | 0.01* | 0.05* | 0.02* | 0.5 | 0.5 | 0.02* | 0.02* | 0.2 | 0.5 | 0.01* | 0.05* |
| | Beans (without pods) | 0.05* | | | | | 0.02* | 0.05* | 0.02* | 0.5 | 0.5 | 0.02* | 0.02* | 0.2 | 0.5 | 0.01* | 0.05* |
| | Fava (with pods) | 0.1* | 0.05* | | | | 0.02* | 0.05* | 0.02* | 0.5 | 0.5 | 0.02* | 0.02* | 0.2 | 0.5 | 0.01* | 0.05* |
| | Fava (without pods) | 0.1* | 0.05* | | | | 0.02* | 0.05* | 0.02* | 0.5 | 0.5 | 0.02* | 0.02* | 0.2 | 0.5 | 0.01* | 0.05* |
| | Others | 0.1* | 0.05* | | | | 0.02* | 0.05* | 0.02* | 0.5 | 0.5 | 0.02* | 0.02* | 0.2 | 0.5 | 0.01* | 0.05* |
| vii) STEM VEGETABLES | | | | | | | | | | | | | | | | | |
| | Asparagus | 0.1* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.5 | 0.01* | 0.05* |
| | Cardoons | 0.1* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.5 | 0.01* | 0.05* |
| | Celery | 0.05* | 0.01* | | 0.02* | 10 | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.5 | 0.01* | 0.05* |
| | Fennel | 0.1* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.5 | 0.01* | 0.05* |
| | Globe artichokes | 0.1* | 0.05* | | 0.02* | 0.01* | 1 | 0.02* | 0.02* | 2 | 0.02* | 0.02* | 0.1 | 0.5</ | | | |

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

| Group to which the food belongs | Group to which the following products belong | Cyfluthrin | Carbofenthrin | Carip | Chloranil | Chloranilquat | Chlorpyrifos | Chlorpyrifos-methyl | Cyfluthrin | Cypermethrin | Daminozide | DDT | Deltamethrin | Diazinon | 1,2-Dichloro-ethane | Dichloroprop |
|---------------------------------|--|------------|---------------|-------|-----------|---------------|--------------|---------------------|------------|--------------|------------|-------|--------------|----------|---------------------|--------------|
| vii) FUNGI | | | | | | | | | | | | | | | | |
| | a) Cultivated mushrooms | 0.1* | 0.05* | | | | 2 | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | b) Wild mushrooms | 0.1* | 0.05* | | | | | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| 3. | PULSES | | | | | | | | | | | | | | | |
| | Broad beans | 0.1* | 0.05* | | | | | | | | | | | | | |
| | Lentils | 0.1* | 0.05* | | | | | | | | | | | | | |
| | Peas | 0.1* | 0.05* | | | | | | | | | | | | | |
| | Other | 0.1* | 0.05* | | | | | | | | | | | | | |
| 4. | OLESEEDS | | | | | | | | | | | | | | | |
| | Linseed | 0.1* | 0.05* | | | | | | | | | | | | | |
| | Flaxseed | 0.1* | 0.05* | | | | | | | | | | | | | |
| | Sesame seed | 0.1* | 0.05* | | | | | | | | | | | | | |
| | Sunflower seed | 0.1* | 0.05* | | | | | | | | | | | | | |
| | Rape seed | 0.1* | 0.05* | | | | | | | | | | | | | |
| | Soya bean | 0.1* | 0.05* | | | | | | | | | | | | | |
| | Mustard seed | 0.1* | 0.05* | | | | | | | | | | | | | |
| | Cotton seed | 0.1* | 0.05* | | | | | | | | | | | | | |
| | Others | 0.1* | 0.05* | | | | | | | | | | | | | |
| 5. | POTATOES | | | | | | | | | | | | | | | |
| | Early potatoes | 0.05* | | | | | | | | | | | | | | |
| | White potatoes (dried leaves and stalks) | 0.05* | | | | | | | | | | | | | | |
| 6. | TEA | | | | | | | | | | | | | | | |
| | Unfermented or otherwise, Camellia sinensis | 0.2* | 0.1* | 30 | 0.05* | 0.1* | 0.1* | 0.1* | 0.1* | 0.5 | 0.1* | 0.2 | 5 | 0.05* | 0.1* | 0.1* |
| 7. | HOPS (bale) | | | | | | | | | | | | | | | |
| | including hop pellets & uncracked powder | 10 | | | | | 80 | 0.1* | 0.1* | 30 | 30 | 0.1* | 0.05* | 5 | 0.05* | 0.1* |

| Group to which the food belongs | Group to which the following products belong | Diflufenican | Glufosinate | Dimethoate | Diazinon | Diazinon | Endosulfan | Endrin | Ethion | Ethion | Fenitrothion | Fenitrothion | Fenitrothion | Fenitrothion | Fenitrothion | Fenitrothion |
|--|--|--------------|-------------|------------|----------|----------|------------|--------|--------|--------|--------------|--------------|--------------|--------------|--------------|--------------|
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts | | | | | | | | | | | | | | | | |
| i) CITRUS FRUIT | | | | | | | | | | | | | | | | |
| | Orange | 2 | | | 0.05* | 0.05* | 0.05* | 1 | 0.01* | | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Lemon | 2 | | | 0.05* | 0.05* | 0.05* | 1 | 0.01* | | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Lime | 2 | | | 0.05* | 0.05* | 0.05* | 1 | 0.01* | | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Mandarin (inc clementines & similar hybrids) | 2 | | | 0.05* | 0.05* | 0.05* | 1 | 0.01* | | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Orange | 2 | | | 0.05* | 0.05* | 0.05* | 1 | 0.01* | | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Pomelo | 2 | | | 0.05* | 0.05* | 0.05* | 1 | 0.01* | | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Others | 2 | | | 0.05* | 0.05* | 0.05* | 1 | 0.01* | | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| ii) TREE NUTS (shelled or unshelled) | | | | | | | | | | | | | | | | |
| | Almond | 0.05* | | | 0.05* | 0.05* | 0.05* | 0.1* | 0.01* | 0.1* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Brazil nut | 0.05* | | | 0.05* | 0.05* | 0.05* | 0.1* | 0.01* | 0.1* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Cashew nut | 0.05* | | | 0.05* | 0.05* | 0.05* | 0.1* | 0.01* | 0.1* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Chestnut | 0.05* | | | 0.05* | 0.05* | 0.05* | 0.1* | 0.01* | 0.1* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Coconut | 0.05* | | | 0.05* | 0.05* | 0.05* | 0.1* | 0.01* | 0.1* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Hickory | 0.05* | | | 0.05* | 0.05* | 0.05* | 0.1* | 0.01* | 0.1* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Macadamia nut | 0.05* | | | 0.05* | 0.05* | 0.05* | 0.1* | 0.01* | 0.1* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Peanut | 0.05* | | | 0.05* | 0.05* | 0.05* | 0.1* | 0.01* | 0.1* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Pine nut | 0.05* | | | 0.05* | 0.05* | 0.05* | 0.1* | 0.01* | 0.1* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Pistachio | 0.05* | | | 0.05* | 0.05* | 0.05* | 0.1* | 0.01* | 0.1* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Walnut | 0.05* | | | 0.05* | 0.05* | 0.05* | 0.1* | 0.01* | 0.1* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Others | 0.05* | | | 0.05* | 0.05* | 0.05* | 0.1* | 0.01* | 0.1* | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| iii) POME FRUIT | | | | | | | | | | | | | | | | |
| | Apple | 1 | | | 0.05* | 0.05* | 0.05* | 1 | 0.01* | 3 | 0.3 | 2 | 0.05* | 0.05* | 0.05* | 1 |
| | Pear | 1 | | | 0.05* | 0.05* | 0.05* | 1 | 0.01* | 3 | 0.3 | 2 | 0.05* | 0.05* | 0.05* | 1 |
| | Quince | 1 | | | 0.05* | 0.05* | 0.05* | 1 | 0.01* | 3 | 0.3 | 2 | 0.05* | 0.05* | 0.05* | 1 |
| | Others | 1 | | | 0.05* | 0.05* | 0.05* | 1 | 0.01* | 3 | 0.3 | 2 | 0.05* | 0.05* | 0.05* | 1 |
| iv) STONE FRUIT | | | | | | | | | | | | | | | | |
| | Apricot | 0.05* | | | 0.05* | 0.05* | 0.05* | 1 | 0.01* | 0.05* | | | 0.05* | 0.05* | 0.05* | 0.05* |
| | Cherry | 0.05* | | | 0.05* | 0.05* | 0.05* | 1 | 0.01* | 3 | | | 0.05* | 0.05* | 0.05* | 0.05* |
| | Peaches (incl nectarines & similar hybrids) | 0.05* | | | 0.05* | 0.05* | 0.05* | 1 | 0.01* | 0.05* | | | 0.05* | 0.05* | 0.05* | 0.05* |
| | Peach | 0.05* | | | 0.05* | 0.05* | 0.05* | 1 | 0.01* | 0.05* | | | 0.05* | 0.05* | 0.05* | 0.05* |
| | Others | 0.05* | | | 0.05* | 0.05* | 0.05* | 1 | 0.01* | 0.05* | | | 0.05* | 0.05* | 0.05* | 0.05* |

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000. Any changes that have already been made in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

| Group to which the food belongs | Groups include the following products | Dithionin | Docol | Domepate | Disosb | Dioxathion | Doubuthion | Endosulfan | Ethion | Ethephon | Ethion | Fenitrothion | Fenprophos | Fenprophos | Fenprophos | Fenprophos | Fenprophos |
|---|---------------------------------------|-----------|-------|----------|--------|------------|------------|------------|--------|----------|--------|--------------|------------|------------|------------|------------|------------|
| IV) BRASSICA VEGETABLES | | | | | | | | | | | | | | | | | |
| a) Flowering Brassicas | | | | | | | | | | | | | | | | | |
| | Broccoli | 0.02* | | 0.05* | 0.05* | | 1 | 0.01* | 0.05* | | 0.02* | 0.05* | 0.01* | | 0.05* | 1 | |
| | Cauliflower | 0.02* | | 0.05* | 0.05* | | 1 | 0.01* | 0.05* | | 0.02* | 0.05* | 0.01* | | 0.05* | 1 | |
| | Others | 0.02* | | 0.05* | 0.05* | 0.02* | 1 | 0.01* | 0.05* | | 0.02* | 0.05* | 0.01* | | 0.05* | 1 | |
| b) Head Brassicas | | | | | | | | | | | | | | | | | |
| | Brussels sprouts | 0.02* | | 0.05* | 0.05* | | 1 | 0.01* | 0.05* | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Head cabbage | 0.02* | | 0.05* | 0.05* | | 1 | 0.01* | 0.05* | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Others | 0.02* | | 0.05* | 0.05* | 0.02* | 1 | 0.01* | 0.05* | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| c) Leafy Brassicas | | | | | | | | | | | | | | | | | |
| | Chinese cabbage | 0.02* | | 0.05* | 0.05* | 0.02* | 1 | 0.01* | 0.05* | | 0.02* | 0.05* | 0.01* | | 0.05* | 1 | |
| | Kale | 0.02* | | 0.05* | 0.05* | 0.02* | 1 | 0.01* | 0.05* | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Others | 0.02* | | 0.05* | 0.05* | 0.02* | 1 | 0.01* | 0.05* | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Others | 0.02* | | 0.05* | 0.05* | | 0.05* | 0.01* | 0.05* | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| v) LEAF VEGETABLES AND FRESH HERBS | | | | | | | | | | | | | | | | | |
| a) Lettuce & similar | | | | | | | | | | | | | | | | | |
| | Cress | 0.02* | | 0.05* | 0.05* | 0.02* | 1 | 0.01* | 0.05* | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Leafy lettuce | 0.02* | | 0.05* | 0.05* | 0.02* | 1 | 0.01* | 0.05* | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Lettuces | 0.02* | | 0.05* | 0.05* | 0.02* | 1 | 0.01* | 0.05* | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Spinach | 0.02* | | 0.05* | 0.05* | 0.02* | 1 | 0.01* | 0.05* | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Others | 0.02* | | 0.05* | 0.05* | 0.02* | 1 | 0.01* | 0.05* | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| b) Spinach & similar | | | | | | | | | | | | | | | | | |
| | Spinach | 0.02* | | 0.05* | 0.05* | 0.02* | 1 | 0.01* | 0.05* | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Beet leaves (chard) | 0.02* | | 0.05* | 0.05* | 0.02* | 1 | 0.01* | 0.05* | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Others | 0.02* | | 0.05* | 0.05* | 0.02* | 1 | 0.01* | 0.05* | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| c) Watercress | | | | | | | | | | | | | | | | | |
| | Watercress | 0.02* | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| d) Wild radish | | | | | | | | | | | | | | | | | |
| | Wild radish | 0.02* | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| e) Herbs | | | | | | | | | | | | | | | | | |
| | Chervil | 0.02* | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Cilantro | 0.02* | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Parsley | 0.02* | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Cooking leaves | 0.02* | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Others | 0.02* | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| v) LEGUME VEGETABLES (fresh) | | | | | | | | | | | | | | | | | |
| | Beans (with pods) | 0.5 | | 0.05* | 0.05* | | 1 | 0.01* | 0.05* | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Beans (without pods) | 0.5 | | 0.05* | 0.05* | | 1 | 0.01* | 0.05* | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Peas (with pods) | 0.5 | | 0.05* | 0.05* | | 1 | 0.01* | 0.05* | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Peas (without pods) | 0.5 | | 0.05* | 0.05* | 0.02* | 1 | 0.01* | 0.05* | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Others | 0.02* | | 0.05* | 0.05* | | 1 | 0.01* | 0.05* | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| vii) STEM VEGETABLES | | | | | | | | | | | | | | | | | |
| | Asparagus | 0.02* | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Cardoons | 0.02* | | 0.05* | 0.05* | 0.02* | 1 | 0.01* | 0.05* | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Celery | 0.02* | | 0.05* | 0.05* | 0.02* | 1 | 0.01* | 0.05* | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Fennel | 0.02* | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Globe artichokes | 0.02* | | 0.05* | 0.05* | 0.02* | 1 | 0.01* | 0.05* | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Leeks | 0.02* | | 0.05* | 0.05* | 0.02* | 1 | 0.01* | 0.05* | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Rhubarb | 0.02* | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Others | 0.02* | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |

| Group to which the food belongs | Groups include the following products | Dithionin | Docol | Domepate | Disosb | Dioxathion | Doubuthion | Endosulfan | Ethion | Ethephon | Ethion | Fenitrothion | Fenprophos | Fenprophos | Fenprophos | Fenprophos | Fenprophos |
|---------------------------------|---|-----------|-------|----------|--------|------------|------------|------------|--------|----------|--------|--------------|------------|------------|------------|------------|------------|
| viii) FUNGI | | | | | | | | | | | | | | | | | |
| a) Cultivated mushrooms | | | | | | | | | | | | | | | | | |
| | Wild mushrooms | 0.02* | | 0.05* | 0.05* | 0.02* | 1 | 0.01* | 0.05* | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| 3. PULSES | | | | | | | | | | | | | | | | | |
| | Beans | 0.02* | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Lentils | 0.02* | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Peas | 0.02* | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Others | 0.02* | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| 4. OILSEEDS | | | | | | | | | | | | | | | | | |
| | Linseed | 0.05* | | 0.05* | 0.05* | 0.02* | | 0.01* | 0.05* | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.1 | |
| | Peanuts | 0.05* | | 0.05* | 0.05* | 0.02* | 0.1* | 0.01* | 0.05* | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.1 | |
| | Poppy seed | 0.05* | | 0.05* | 0.05* | 0.02* | 0.1* | 0.01* | 0.05* | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.1 | |
| | Sesame seed | 0.05* | | 0.05* | 0.05* | 0.02* | 0.1* | 0.01* | 0.05* | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.1 | |
| | Sunflower seed | 0.05* | | 0.05* | 0.05* | 0.02* | | 0.01* | 0.05* | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.1 | |
| | Rape seed | 0.05* | | 0.05* | 0.05* | 0.02* | | 0.01* | 0.05* | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.1 | |
| | Soya bean | 0.05* | | 0.05* | 0.05* | 0.02* | | 0.01* | 0.05* | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.1 | |
| | Mustard seed | 0.05* | | 0.05* | 0.05* | 0.02* | | 0.01* | 0.05* | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.1 | |
| | Cotton seed | 0.1 | | 0.05* | 0.05* | 0.02* | 0.3 | 0.01* | 0.05* | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.1 | |
| | Others | 0.05* | | 0.05* | 0.05* | 0.02* | 0.1* | 0.01* | 0.05* | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.1 | |
| 5. POTATOES | | | | | | | | | | | | | | | | | |
| | Early potatoes | 0.02* | | 0.05* | 0.05* | | | 0.01* | 0.05* | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.1 | 0.05* |
| | Main potatoes (tubers and stalks) | 0.02* | | 0.05* | 0.05* | | | 0.01* | 0.05* | | 0.02* | 0.05* | 0.01* | | 0.05* | 0.1 | 0.05* |
| 6. TEA | | | | | | | | | | | | | | | | | |
| | fermented or otherwise, Camellia sinensis | 0.1* | 20 | 0.2 | 0.1* | 0.1* | 0.05* | 30 | 0.01* | 0.1* | 2 | 0.05* | 0.1* | 0.1* | 0.5 | 0.1* | 10 |
| 7. HOPS (dried) | | | | | | | | | | | | | | | | | |
| | Including hop pellets & unenriched powder | 50 | | | 0.1* | 0.1* | | | 0.1* | 0.1* | | 5 | 0.1* | | 0.5 | 0.5 | 2 |

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

| Group to which the food belongs | Groups include the following products | Fluopyrimate | Fenitrothion | Glyphosate | Hesperidin | Hexachloro- | Hexachloro- | Hexachloro- | Hexachloro- | Imazalil | Iprodione | Lambda-cyhalothrin | Malathion | Methidathion | Methidathion | Methidathion | Methidathion | Methidathion | Methidathion |
|--|---|--------------|--------------|------------|------------|---------------|-------------------|-------------------|-------------------|----------|-----------|--------------------|-----------|--------------|--------------|--------------|--------------|--------------|--------------|
| | | | | | | benzene (HCB) | cyclohexane (HCH) | cyclohexane (HCH) | cyclohexane (HCH) | | | | | | | | | | |
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts | | | | | | | | | | | | | | | | | | | |
| i) CITRUS FRUIT | | | | | | | | | | | | | | | | | | | |
| | Grapefruit | 0.05* | 0.1* | 0.01* | | | | | | 5 | 0.02* | | | | 1* | 5 | 2 | | |
| | Lemons | 0.05* | 0.1* | 0.01* | | | | | | 5 | 5 | | | | 1* | 5 | 2 | | 0.2 |
| | Limes | 0.05* | 0.1* | 0.01* | | | | | | 5 | 0.02* | | | | 1* | 5 | 2 | | 0.2 |
| | Mandarin (inc. clementines & similar hybrids) | 0.05* | 0.1* | 0.01* | | | | | | 5 | 2 | | | | 1* | 5 | 2 | | 0.2 |
| | Oranges | 0.05* | 0.1* | 0.01* | | | | | | 5 | 0.02* | | | | 1* | 5 | 2 | | 0.2 |
| | Pomelos | 0.05* | 0.1* | 0.01* | | | | | | 5 | 0.02* | | | | 1* | 5 | 2 | | 0.2 |
| | Others | 0.05* | 0.1* | 0.01* | | | | | | 5 | 0.02* | | | | 1* | 5 | 2 | | 0.2 |
| ii) TREE NUTS (shelled or unshelled) | | | | | | | | | | | | | | | | | | | |
| | Almonds | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | 0.05* | | | 1* | 0.1* | 0.05* | 0.05* | 0.01* |
| | Cashew nuts | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | 0.05* | | | 1* | 0.1* | 0.05* | 0.05* | 0.01* |
| | Chestnuts | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | 0.05* | | | 1* | 0.1* | 0.05* | 0.05* | 0.01* |
| | Coconuts | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | 0.05* | | | 1* | 0.1* | 0.05* | 0.05* | 0.01* |
| | Hazelnuts | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | 0.05* | | | 1* | 0.1* | 0.05* | 0.05* | 0.01* |
| | Macadamia nuts | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | 0.05* | | | 1* | 0.1* | 0.05* | 0.05* | 0.01* |
| | Pecans | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | 0.05* | | | 1* | 0.1* | 0.05* | 0.05* | 0.01* |
| | Pine nuts | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | 0.05* | | | 1* | 0.1* | 0.05* | 0.05* | 0.01* |
| | Pistachios | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | 0.05* | | | 1* | 0.1* | 0.05* | 0.05* | 0.01* |
| | Walnuts | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | 0.05* | | | 1* | 0.1* | 0.05* | 0.05* | 0.01* |
| | Others | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | 0.05* | | | 1* | 0.1* | 0.05* | 0.05* | 0.01* |
| iii) POME FRUIT | | | | | | | | | | | | | | | | | | | |
| | Apples | 0.05* | 0.1* | 0.01* | | | | | | 5 | 10 | 0.1 | | | 1* | 3 | 0.05* | 1 | 0.05 |
| | Pears | 0.05* | 0.1* | 0.01* | | | | | | 5 | 10 | 0.1 | | | 1* | 3 | 0.05* | 1 | 0.05 |
| | Quinces | 0.05* | 0.1* | 0.01* | | | | | | 5 | 10 | 0.1 | | | 1* | 3 | 0.05* | 1 | 0.05 |
| | Others | 0.05* | 0.1* | 0.01* | | | | | | 5 | 10 | 0.1 | | | 1* | 3 | 0.05* | 1 | 0.05 |
| iv) STONE FRUIT | | | | | | | | | | | | | | | | | | | |
| | Apricots | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 5 | 0.1 | | | 1* | 2 | 0.05* | 0.05* | 0.1 |
| | Cherries | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 5 | 0.1 | | | 1* | 2 | 0.05* | 0.05* | 0.1 |
| | Peaches (incl. nectarines & similar hybrids) | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 5 | 0.1 | | | 1* | 2 | 0.05* | 0.05* | 0.1 |
| | Plums | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 5 | 0.1 | | | 1* | 2 | 0.05* | 0.05* | 0.1 |
| | Others | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 5 | 0.1 | | | 1* | 2 | 0.05* | 0.05* | 0.1 |

| Group to which the food belongs | Groups include the following products | Fluopyrimate | Fenitrothion | Glyphosate | Hesperidin | Hexachloro- | Hexachloro- | Hexachloro- | Hexachloro- | Imazalil | Iprodione | Lambda-cyhalothrin | Malathion | Methidathion | Methidathion | Methidathion | Methidathion | Methidathion | Methidathion |
|-----------------------------------|--|--------------|--------------|------------|------------|---------------|-------------------|-------------------|-------------------|----------|-----------|--------------------|-----------|--------------|--------------|--------------|--------------|--------------|--------------|
| | | | | | | benzene (HCB) | cyclohexane (HCH) | cyclohexane (HCH) | cyclohexane (HCH) | | | | | | | | | | |
| v) BERRIES AND SMALL FRUIT | | | | | | | | | | | | | | | | | | | |
| | a) Table & wine grapes | | | | | | | | | | | | | | | | | | |
| | Table grapes | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 10 | 0.2 | | | 1* | 2 | 0.05* | 2 | 0.05* |
| | Wine grapes | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 10 | 0.2 | | | 1* | 2 | 0.05* | 1 | 0.05* |
| | b) Strawberries (other than wild) | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 10 | 0.2 | | | 1* | 2 | 0.05* | 0.5 | 0.05* |
| | c) Cane Fruit (other than wild) | | | | | | | | | | | | | | | | | | |
| | Raspberries | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 5 | 0.02* | | | 1* | 0.05* | 0.05* | | 0.05* |
| | Blackberries | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 5 | 0.02* | | | 1* | 0.05* | 0.05* | | 0.05* |
| | Loganberries | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 5 | 0.02* | | | 1* | 0.05* | 0.05* | | 0.05* |
| | Raspberries | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 5 | 0.02* | | | 1* | 0.05* | 0.05* | | 0.05* |
| | Others | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 5 | 0.02* | | | 1* | 0.05* | 0.05* | | 0.05* |
| | d) Other small fruit & berries (other than wild) | | | | | | | | | | | | | | | | | | |
| | Bilberries | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 10 | 0.02* | | | 1* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Cranberries | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | 0.02* | | | 1* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Currents (red, black & white) | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 10 | 0.1 | | | 1* | 5 | 0.05* | 0.05* | 0.05* |
| | Cranberries | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 10 | 0.1 | | | 1* | 5 | 0.05* | 0.05* | 0.05* |
| | Others | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | 0.02* | | | 1* | 0.05* | 0.05* | 0.05* | 0.05* |
| | e) Wild berries & wild fruit | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | 0.02* | | | 1* | 0.05* | 0.05* | 0.05* | 0.05* |
| vi) MISCELLANEOUS FRUIT | | | | | | | | | | | | | | | | | | | |
| | Avocado | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | 0.02* | | | 1* | 0.05* | 0.05* | | 0.05* |
| | Bananas | 0.05* | 0.1* | 0.01* | | | | | | 2 | 2 | 0.02* | | | 1* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Dates | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | 0.02* | | | 1* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Figs | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | 0.02* | | | 1* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Rose fruit | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 5 | 0.02* | | | 1* | 0.05* | 0.05* | | 0.05* |
| | Humbugs | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | 0.02* | | | 1* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Lichis | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | 0.02* | | | 1* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Mangoes | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | 0.02* | | | 1* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Olive (edible consumption) | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | 0.02* | | | 1* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Olive (oil extract) | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | 0.02* | | | 1* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Passion fruit | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | 0.02* | | | 1* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Pineapples | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | 0.02* | | | 1* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Pomegranates | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | 0.02* | | | 1* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Others | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | 0.02* | | | 1* | 0.05* | 0.05* | 0.05* | 0.05* |

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

| Group to which the food belongs | Groups include the following products | Fluopyramide | Fenflorothal | Glyphosate | Heptachlor | Hexachloro-benzene (HCB) | Hexachloro-cyclopentadiene (HCH) α | Hexachloro-cyclopentadiene (HCH) β | Hexachloro-cyclopentadiene (HCH) γ | Inazalil | iprodione | Lambda-cyhalothrin | Methidathion | Malic-Hydroxide | Manab-Metoxenol Propargol Zinc | Hexachloro-Cyclopentadiene | Metalaxyl | Methamidophos |
|--|---------------------------------------|--------------|--------------|------------|------------|--------------------------|------------------------------------|------------------------------------|------------------------------------|----------|-----------|--------------------|--------------|-----------------|--------------------------------|----------------------------|-----------|---------------|
| 2. Vegetables, fresh or uncooked, frozen or dry | | | | | | | | | | | | | | | | | | |
| i) ROOT AND TUBER VEGETABLES | | | | | | | | | | | | | | | | | | |
| | Beetroot | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.5 | 0.02* | | 1* | 0.05* | | 0.02* | 0.01* |
| | Carrots | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.5 | 0.02* | | 1* | 0.05* | | 0.02* | 0.01* |
| | Caulis | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | 0.02* | | 1* | 0.05* | | 0.02* | 0.01* |
| | Horse radish | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.1 | 0.02* | | 1* | 0.05* | | 0.02* | 0.01* |
| | Jerusalem artichoke | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | 0.02* | | 1* | 0.05* | | 0.02* | 0.01* |
| | Parsnip | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.1 | 0.02* | | 1* | 0.05* | | 0.02* | 0.01* |
| | Parsley root | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | 0.02* | | 1* | 0.05* | | 0.02* | 0.01* |
| | Rutabaga | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.3 | 0.02* | | 1* | 0.05* | | 0.02* | 0.01* |
| | Salsify | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | 0.02* | | 1* | 0.05* | | 0.02* | 0.01* |
| | Sweet potatoes | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | 0.02* | | 1* | 0.05* | | 0.02* | 0.01* |
| | Sweet peas | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | 0.02* | | 1* | 0.05* | | 0.02* | 0.01* |
| | Turnips | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | 0.02* | | 1* | 0.05* | | 0.02* | 0.01* |
| | Yams | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | 0.02* | | 1* | 0.05* | | 0.02* | 0.01* |
| | Others | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | 0.02* | | 1* | 0.05* | | 0.02* | 0.01* |
| ii) BULB VEGETABLES | | | | | | | | | | | | | | | | | | |
| | Garlic | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 5 | 0.02* | | 10 | 0.5 | 0.05* | | 0.01* |
| | Onions | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 5 | 0.02* | | 10 | 0.5 | 0.05* | | 0.01* |
| | Shallots | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 5 | 0.02* | | 10 | 0.5 | 0.05* | | 0.01* |
| | Spring onions | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 3 | 0.02* | | 10 | 0.05* | | 0.02* | 0.01* |
| | Others | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | 0.02* | | 10 | 0.05* | | 0.02* | 0.01* |
| iii) FRUITING VEGETABLES | | | | | | | | | | | | | | | | | | |
| a) Solanaceae | | | | | | | | | | | | | | | | | | |
| | Tomatoes | 0.05* | 0.1* | 0.01* | | | | | | 0.5 | 5 | | | 1* | 3 | 0.05* | | 0.5 |
| | Peppers | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 5 | | | 1* | 3 | 0.05* | | 0.01* |
| | Aubergines | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 5 | | | 1* | 3 | 0.05* | 0.05* | 0.2 |
| | Others | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 5 | | | 1* | 3 | 0.05* | 0.05* | 0.01* |
| b) Cucurbitaceae (edible part) | | | | | | | | | | | | | | | | | | |
| | Cucumbers | 0.05* | 0.1* | 0.01* | | | | | | 0.2 | 2 | 0.1 | | 1* | 0.5 | 0.05* | | 1 |
| | Gherkins | 0.05* | 0.1* | 0.01* | | | | | | 0.2 | 2 | 0.1 | | 1* | 0.5 | 0.05* | | 0.01* |
| | Courgettes | 0.05* | 0.1* | 0.01* | | | | | | 0.2 | 2 | 0.1 | | 1* | 0.5 | 0.05* | | 0.01* |
| | Others | 0.05* | 0.1* | 0.01* | | | | | | 0.2 | 2 | 0.1 | | 1* | 0.05* | | 0.05* | 0.01* |
| c) Cucurbitaceae (inedible part) | | | | | | | | | | | | | | | | | | |
| | Melons | 0.05* | 0.1* | 0.01* | | | | | | 2 | 0.3 | | | 1* | 0.5 | 0.05* | | 0.01* |
| | Squashes | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | | | 1* | 0.5 | 0.05* | 0.05* | 0.01* |
| | Watermelons | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | | | 1* | 0.5 | 0.05* | 0.05* | 0.01* |
| | Others | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | | | 1* | 0.5 | 0.05* | 0.05* | 0.01* |
| | Sweet corn | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | 0.02* | | 1* | 0.05* | | 0.05* | 0.01* |

| Group to which the food belongs | Groups include the following products | Fluopyramide | Fenflorothal | Glyphosate | Heptachlor | Hexachloro-benzene (HCB) | Hexachloro-cyclopentadiene (HCH) α | Hexachloro-cyclopentadiene (HCH) β | Hexachloro-cyclopentadiene (HCH) γ | Inazalil | iprodione | Lambda-cyhalothrin | Methidathion | Malic-Hydroxide | Manab-Metoxenol Propargol Zinc | Hexachloro-Cyclopentadiene | Metalaxyl | Methamidophos |
|---|---------------------------------------|--------------|--------------|------------|------------|--------------------------|------------------------------------|------------------------------------|------------------------------------|----------|-----------|--------------------|--------------|-----------------|--------------------------------|----------------------------|-----------|---------------|
| iv) BRASSICA VEGETABLES | | | | | | | | | | | | | | | | | | |
| a) Flowering Brassicas | | | | | | | | | | | | | | | | | | |
| | Broccoli | 0.1 | 0.1* | 0.01* | | | | | | 0.02* | 0.05 | | | 1* | 1 | 0.05* | | 0.5 |
| | Cauliflower | 0.1 | 0.1* | 0.01* | | | | | | 0.02* | 0.05 | | | 1* | 1 | 0.05* | | 0.5 |
| | Others | 0.1 | 0.1* | 0.01* | | | | | | 0.02* | 0.05 | | | 1* | 1 | 0.05* | | 0.5 |
| b) Head Brassicas | | | | | | | | | | | | | | | | | | |
| | Brussels sprouts | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.5 | 0.05 | | 1* | 1 | 0.05* | 0.05* | 0.5 |
| | Head cabbage | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 5 | 0.2 | | 1* | 1 | 0.05* | 1 | 0.5 |
| | Others | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | 0.02* | | 1* | 1 | 0.05* | 0.05* | 0.5 |
| c) Leafy Brassicas | | | | | | | | | | | | | | | | | | |
| | Chinese cabbage | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 5 | | | 1* | 0.5 | 0.05* | | 0.01* |
| | Kale | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | | | 1* | 0.5 | 0.05* | | 0.01* |
| | Others | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | | | 1* | 0.5 | 0.05* | 0.05* | 0.01* |
| d) Non-heading | | | | | | | | | | | | | | | | | | |
| | Kohlrabi | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.1 | 0.1 | | 1* | 0.1* | 0.05* | 0.05* | 0.01* |
| v) LEAF VEGETABLES AND FRESH HERBS | | | | | | | | | | | | | | | | | | |
| a) Lettuce & similar | | | | | | | | | | | | | | | | | | |
| | Cress | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 10 | 1 | | 1* | 5 | 0.05* | | 0.01* |
| | Lamb's lettuce | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 10 | 1 | | 1* | 5 | 0.05* | | 0.01* |
| | Lettuce | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 10 | 1 | | 1* | 5 | 0.05* | | 0.2 |
| | Scallop | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 10 | 1 | | 1* | 5 | 0.05* | | 0.01* |
| | Others | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 10 | 1 | | 1* | 5 | 0.05* | | 0.01* |
| b) Spinach & similar | | | | | | | | | | | | | | | | | | |
| | Spinach | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | | | 1* | 0.05* | | 0.05* | 0.01* |
| | Beet leaves (chard) | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | | | 1* | 0.05* | | 0.05* | 0.01* |
| | Others | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | | | 1* | 0.05* | | 0.05* | 0.01* |
| c) Watercress | | | | | | | | | | | | | | | | | | |
| | Watercress | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | 0.02* | | 1* | 0.3 | 0.05* | | 0.01* |
| d) Wildcilantro | | | | | | | | | | | | | | | | | | |
| | Wildcilantro | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 2 | | | 1* | 0.2 | 0.05* | | 0.01* |
| e) Herbs | | | | | | | | | | | | | | | | | | |
| | Chervil | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 10 | 1 | | 1* | 5 | 0.05* | | 0.01* |
| | Chives | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 10 | 1 | | 1* | 5 | 0.05* | | 0.01* |
| | Parsley | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 10 | 1 | | 1* | 5 | 0.05* | | 0.01* |
| | Celery leaves | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 10 | 1 | | 1* | 5 | 0.05* | | 0.01* |
| | Others | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 10 | 1 | | 1* | 5 | 0.05* | | 0.01* |
| vi) LEGUME VEGETABLES (fresh) | | | | | | | | | | | | | | | | | | |
| | Beans (with pods) | | 0.1* | 0.01* | | | | | | 0.02* | 5 | 0.2 | | 1* | 1 | 0.05* | 0.05* | 0.5 |
| | Beans (without pods) | | 0.1* | 0.01* | | | | | | 0.02* | | 0.02* | | 1* | 0.1 | 0.05* | 0.05* | 0.01* |
| | Peas (with pods) | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 1 | 0.2 | | 1* | 1 | 0.05* | 0.05* | 0.5 |
| | Peas (without pods) | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.2 | 0.02* | | 1* | 0.1 | 0.05* | 0.05* | 0.01* |
| | Others | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | 0.02* | | 1* | 0.05* | 0.05* | 0.05* | 0.01* |
| vii) STEM VEGETABLES | | | | | | | | | | | | | | | | | | |
| | Asparagus | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | 0.02* | | 1* | 0.05* | 0.05* | 0.05* | 0.01* |
| | Carrots | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | | | 1* | 0.05* | 0.05* | 0.05* | 0.01* |
| | Celery | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | | | 1* | 0.5 | 0.05* | 0.05* | 0.01* |
| | Fennel | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | | | 1* | 0.05* | 0.05* | 0.05* | 0.01* |
| | Onion (with stalks) | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | | | 1* | 0.05* | 0.05* | 0.05* | 0.01* |
| | Leeks | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | | | 1* | 3 | 0.05* | | 0.01* |
| | Radishes | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.2 | | | 1* | 0.05* | 0.05* | 0.05* | 0.01* |
| | Others | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | | | 1* | 0.05* | 0.05* | 0.05* | 0.01* |

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

| Group to which the food belongs | Groups include the following products | Fluopythrin | Fenprophamid | Glyphosate | Imidacloprid | Hexachloro- | Hexachloro- | Hexachloro- | Hexachloro- | Imazalil | Iprodione | Lambdacyhalothrin | Malathion | Metalaxyl | Metals | | | |
|---------------------------------|---|-------------|--------------|------------|--------------|---------------|-------------------|-------------------|-------------------|----------|-----------|-------------------|-----------|-----------|-----------|-----------|-----------|-------|
| | | | | | | terreno (PCH) | cyclohexene (PCH) | cyclohexene (PCH) | cyclohexene (PCH) | | | | | | Magnesium | Manganese | Propyltin | Zinc |
| vii) FUNGI | | | | | | | | | | | | | | | | | | |
| | a) Cultivated mushrooms (by MSU mushrooms) | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | 0.02* | | 1* | 0.05* | 0.05* | 0.05* | 0.01* |
| 3. PULSES | | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | 0.02* | | 1* | 0.05* | 0.05* | 0.05* | 0.01* |
| | Beans | | | | | | | | | 0.02* | 0.2 | 0.02* | | 1* | 0.05* | 0.05* | 0.05* | 0.01* |
| | Lentils | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.2 | 0.02* | | 1* | 0.05* | 0.05* | 0.05* | 0.01* |
| | Peas | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.2 | 0.02* | | 1* | 0.05* | 0.05* | 0.05* | 0.01* |
| | Others | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.2 | 0.02* | | 1* | 0.05* | 0.05* | 0.05* | 0.01* |
| 4. OILSEEDS | | | | | | | | | | | | | | | | | | |
| | Linseed | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.1 | 0.02* | | 1* | 0.1* | 0.05* | 0.05* | 0.01* |
| | Peanuts | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.2* | 0.02* | | 1* | 0.1* | 0.05* | 0.05* | 0.01* |
| | Peanut seed | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.2* | 0.02* | | 1* | 0.1* | 0.05* | 0.05* | 0.01* |
| | Sunflower seed | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.2* | 0.02* | | 1* | 0.1* | 0.05* | 0.05* | 0.01* |
| | Soya seed | | | | | | | | | 0.02* | 0.2 | 0.02* | | 1* | 0.1* | 0.05* | 0.05* | 0.01* |
| | Soya bean | | | | | | | | | 0.02* | 0.2* | 0.02* | | 1* | 0.1* | 0.05* | 0.05* | 0.01* |
| | Mustard seed | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.2* | 0.02* | | 1* | 0.1* | 0.05* | 0.05* | 0.01* |
| | Cotton seed | | | | | | | | | 0.02* | 0.2* | 0.02* | | 1* | 0.1* | 0.05* | 0.05* | 0.01* |
| | Others | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.2* | 0.02* | | 1* | 0.1* | 0.05* | 0.05* | 0.01* |
| 5. POTATOES | | | | | | | | | | | | | | | | | | |
| | Early potatoes | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | 0.02* | | 1* | 0.05* | 0.05* | 0.05* | 0.01* |
| | Ware potatoes (dried leaves and tubers) | 0.05* | 0.1* | 0.01* | | | | | | 0.02* | 0.02* | 0.02* | | 1* | 0.05* | 0.05* | 0.05* | 0.01* |
| 6. TEA | fermented or otherwise, Camellia sinensis | 0.1* | 0.1* | 0.01* | 0.02* | 0.01* | 0.2 | 0.02* | 0.02* | 0.1* | 0.1* | 1 | 0.5 | 1* | 0.1* | 0.05* | 0.05* | 0.01* |
| 7. HOPS (dried) | Including hop pellets & unconcentrated powder | | 0.1* | 0.01* | | | | | | 0.1* | 0.1* | 10 | | 1* | 0.1* | 0.05* | 0.05* | 0.01* |

| Group to which the food belongs | Groups include the following products | Methidathion | Methoxyfenothrin | Methyl bromide | Miconazole | Oxime | Pazufloxacin | Permethrin | Phoxim | Phosalone | Phoxim | Phosphamidon | Prochloraz | Propiconazole | Propoxur | Propyltin | Propyltin | Propyltin |
|--------------------------------------|--|--------------|------------------|----------------|------------|-------|--------------|------------|--------|-----------|--------|--------------|------------|---------------|----------|-----------|-----------|-----------|
| | | | | | | | | | | | | | | | | | | |
| i) CITRUS FRUIT | | | | | | | | | | | | | | | | | | |
| | Orangfruit | 0.2 | 0.05* | | | | 0.05* | 0.5 | 0.05* | | | 1 | 0.02* | | | 0.05* | 0.05* | 0.02* |
| | Lemons | 0.2 | 0.05* | | | | 0.05* | 0.5 | 0.05* | | | 1 | 0.02* | | | 0.05* | 0.05* | 0.02* |
| | Limes | 0.2 | 0.05* | | | | 0.05* | 0.5 | 0.05* | | | 1 | 0.02* | | | 0.05* | 0.05* | 0.02* |
| | Mandarin (inc clementines & similar hybrids) | 0.2 | 0.05* | | | | 0.05* | 0.5 | 0.05* | | | 2 | 0.02* | | | 0.05* | 0.05* | 0.02* |
| | Oranges | 0.2 | 0.05* | | | | 0.05* | 0.5 | 0.05* | | | 1 | 0.02* | | | 0.05* | 0.05* | 0.02* |
| | Pomelos | 0.2 | 0.05* | | | | 0.05* | 0.5 | 0.05* | | | 1 | 0.02* | | | 0.05* | 0.05* | 0.02* |
| | Others | 0.2 | 0.05* | | | | 0.05* | 0.5 | 0.05* | | | 1 | 0.02* | | | 0.05* | 0.05* | 0.02* |
| ii) TREE NUTS (shelled or unshelled) | | | | | | | | | | | | | | | | | | |
| | Almonds | 0.05* | 0.05* | | | | 0.05* | 0.1 | 0.05* | | | 0.05* | 0.05* | | | 0.05* | 0.05* | 0.02* |
| | Brazil nuts | 0.05* | 0.05* | | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.05* | | | 0.05* | 0.05* | 0.02* |
| | Cashew nuts | 0.05* | 0.05* | | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.05* | | | 0.05* | 0.05* | 0.02* |
| | Chestnuts | 0.05* | 0.05* | | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.05* | | | 0.05* | 0.05* | 0.02* |
| | Coconuts | 0.05* | 0.05* | | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.05* | | | 0.05* | 0.05* | 0.02* |
| | Hazelnuts | 0.05* | 0.05* | | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.05* | | | 0.05* | 0.05* | 0.02* |
| | Macadamia nuts | 0.05* | 0.05* | | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.05* | | | 0.05* | 0.05* | 0.02* |
| | Peanuts | 0.05* | 0.05* | | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.05* | | | 0.05* | 0.05* | 0.02* |
| | Pine nuts | 0.05* | 0.05* | | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.05* | | | 0.05* | 0.05* | 0.02* |
| | Pistachios | 0.05* | 0.05* | | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.05* | | | 0.05* | 0.05* | 0.02* |
| | Walnuts | 0.05* | 0.05* | | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.05* | | | 0.05* | 0.05* | 0.02* |
| | Others | 0.05* | 0.05* | | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.05* | | | 0.05* | 0.05* | 0.02* |
| iii) POME FRUIT | | | | | | | | | | | | | | | | | | |
| | Apples | 0.3 | 1 | 0.05* | | | 0.05* | 1 | 0.05* | | | 0.05* | 0.05* | | | 0.05* | 0.05* | 0.02* |
| | Pears | 0.3 | 0.05* | | | | 0.05* | 1 | 0.05* | | | 0.05* | 0.05* | | | 0.05* | 0.05* | 0.02* |
| | Quinces | 0.3 | 0.05* | 0.05* | | | 0.05* | 1 | 0.05* | | | 0.05* | 0.05* | | | 0.05* | 0.05* | 0.02* |
| | Others | 0.3 | 0.05* | 0.05* | | | 0.05* | 1 | 0.05* | | | 0.05* | 0.05* | | | 0.05* | 0.05* | 0.02* |
| iv) STONE FRUIT | | | | | | | | | | | | | | | | | | |
| | Apricots | 0.2 | | | | | 0.05* | 1 | 0.05* | | | 0.05* | 0.05* | | | 0.05* | 0.05* | 0.02* |
| | Cherries | | | | | | 0.05* | 1 | 0.05* | | | 0.05* | 0.05* | | | 0.05* | 0.05* | 0.02* |
| | Peaches (incl nectarines & similar hybrids) | 0.2 | | | | | 0.05* | 1 | 0.05* | | | 0.05* | 0.05* | | | 0.05* | 0.05* | 0.02* |
| | Plums | 0.2 | | | | | 0.05* | 1 | 0.05* | | | 0.05* | 0.05* | | | 0.05* | 0.05* | 0.02* |
| | Others | 0.2 | | | | | 0.05* | 1 | 0.05* | | | 0.05* | 0.05* | | | 0.05* | 0.05* | 0.02* |

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

| Group to which the food belongs | Groups include the following products | Methidathion | Methoxyflorfenbutyl | Methyl bromide | Monocrotophos | Oxamethozon | Paraquat | Permethrin | Phosfol | Phosmet | Phoxin | Pirimiphos-methyl | Procyprifos | Proflenophos | Propargite | Propiconazole | Propoxur | Proprazine |
|--|---------------------------------------|--------------|---------------------|----------------|---------------|-------------|----------|------------|---------|---------|--------|-------------------|-------------|--------------|------------|---------------|----------|------------|
| v) BERRIES AND SMALL FRUIT | | | | | | | | | | | | | | | | | | |
| a) Table & wine grapes | | | | | | | | | | | | | | | | | | |
| | Table grapes | 0.5 | 3 | | | 0.01* | 1 | 0.05* | | | | 5 | | | 0.5 | 3 | 0.02* | |
| | Wine grapes | 0.5 | 3 | | | 0.01* | 1 | 0.05* | | | | 5 | | | 0.5 | 3 | 0.02* | |
| b) Strawberry (other than wild) | | | | | | | | | | | | | | | | | | |
| c) Cane fruit (other than wild) | | | | | | | | | | | | | | | | | | |
| | Blackberries | 0.02* | 0.05* | 0.05* | | 0.05* | 0.05* | 0.05* | | | | 0.05* | 0.02* | | 0.05* | 3 | 0.02* | |
| | Deerberries | 0.02* | 0.05* | 0.05* | | 0.05* | 0.05* | 0.05* | | | | 0.05* | 0.02* | | 0.05* | 0.02* | 0.02* | |
| | Loganberries | 0.02* | 0.05* | 0.05* | | 0.05* | 0.05* | 0.05* | | | | 0.05* | 0.02* | | 0.05* | 0.02* | 0.02* | |
| | Raspberries | 0.02* | 0.05* | 0.05* | | 0.05* | 0.05* | 0.05* | | | | 0.05* | 0.02* | | 0.05* | 10 | 0.02* | |
| | Others | 0.02* | 0.05* | 0.05* | | 0.05* | 0.05* | 0.05* | | | | 0.05* | 0.02* | | 0.05* | 0.02* | 0.02* | |
| d) Other small fruit & berries (other than wild) | | | | | | | | | | | | | | | | | | |
| | Bilberries | 0.02* | 0.05* | 0.05* | | 0.05* | 0.05* | 0.05* | | | | 0.05* | 0.02* | | 0.05* | 0.02* | 0.02* | |
| | Cranberries | 0.02* | 0.05* | 0.05* | | 0.05* | 0.05* | 0.05* | | | | 0.05* | 0.02* | | 0.05* | 0.02* | 0.02* | |
| | Currants (red, black & white) | 0.02* | 0.05* | 0.05* | | 0.05* | 0.05* | 0.05* | | | | 0.05* | 0.02* | | 0.05* | 0.2 | | |
| | Gooseberries | 0.02* | 0.05* | 0.05* | | 0.05* | 0.05* | 0.05* | | | | 0.05* | 0.02* | | 0.05* | 0.2 | | |
| | Others | 0.02* | 0.05* | 0.05* | | 0.05* | 0.05* | 0.05* | | | | 0.05* | 0.02* | | 0.05* | 0.02* | 0.02* | |
| e) Wild berries & wild fruit | | | | | | | | | | | | | | | | | | |
| | Others | 0.02* | 0.05* | 0.05* | | 0.05* | 0.05* | 0.05* | | | | 0.05* | 0.02* | | 0.05* | 0.02* | 0.02* | |
| v) MISCELLANEOUS FRUIT | | | | | | | | | | | | | | | | | | |
| | Avocado | 0.02* | 0.05* | 0.05* | | 0.05* | 0.05* | 0.05* | | | | 0.05* | 0.02* | | 0.05* | 0.05* | 0.02* | |
| | Bananas | 0.02* | 0.05* | 0.05* | | 0.05* | 0.05* | 0.05* | | | | 0.05* | 0.02* | | 0.05* | 0.02* | 0.02* | |
| | Dates | 0.02* | 0.05* | 0.05* | | 0.05* | 0.05* | 0.05* | | | | 0.05* | 0.02* | | 0.05* | 0.02* | 0.02* | |
| | Figs | 0.02* | 0.05* | 0.05* | | 0.05* | 0.05* | 0.05* | | | | 0.05* | 0.02* | | 0.05* | 0.02* | 0.02* | |
| | Kwai fruit | 0.02* | 0.05* | 0.05* | | 0.05* | 1 | 0.05* | | | | 2 | 5 | | 0.05* | 0.02* | 0.02* | |
| | Kumquats | 0.02* | 0.05* | 0.05* | | 0.05* | 0.05* | 0.05* | | | | 0.05* | 0.02* | | 0.05* | 0.02* | 0.02* | |
| | Lichee | 0.02* | 0.05* | 0.05* | | 0.05* | 0.05* | 0.05* | | | | 0.05* | 0.02* | | 0.05* | 0.02* | 0.02* | |
| | Mangoes | 0.02* | 0.05* | 0.05* | | 0.05* | 0.05* | 0.05* | | | | 0.05* | 0.02* | | 0.05* | 0.02* | 0.02* | |
| | Olives (table consumption) | 1 | | 0.05* | | 0.05* | 0.05* | 0.05* | | | | 0.05* | 0.02* | | 0.05* | 3 | 0.02* | |
| | Olives (oil extract) | 1 | | 0.05* | | 0.05* | 0.05* | 0.05* | | | | 0.05* | 0.02* | | 0.05* | 3 | 0.02* | |
| | Passion fruit | 0.02* | 0.05* | 0.05* | | 0.05* | 0.05* | 0.05* | | | | 0.05* | 0.02* | | 0.05* | 0.02* | 0.02* | |
| | Pineapples | 0.02* | 0.05* | 0.05* | | 0.05* | 0.05* | 0.05* | | | | 0.05* | 0.02* | | 0.05* | 0.02* | 0.02* | |
| | Pomegranates | 0.02* | 0.05* | 0.05* | | 0.05* | 0.05* | 0.05* | | | | 0.05* | 0.02* | | 0.05* | 0.02* | 0.02* | |
| | Others | 0.02* | 0.05* | 0.05* | | 0.05* | 0.05* | 0.05* | | | | 0.05* | 0.02* | | 0.05* | 0.02* | 0.02* | |

| Group to which the food belongs | Groups include the following products | Methidathion | Methoxyflorfenbutyl | Methyl bromide | Monocrotophos | Oxamethozon | Paraquat | Permethrin | Phosfol | Phosmet | Phoxin | Pirimiphos-methyl | Procyprifos | Proflenophos | Propargite | Propiconazole | Propoxur | Proprazine |
|--|---------------------------------------|--------------|---------------------|----------------|---------------|-------------|----------|------------|---------|---------|--------|-------------------|-------------|--------------|------------|---------------|----------|------------|
| 2. Vegetables, fresh or uncooked, frozen or dry | | | | | | | | | | | | | | | | | | |
| i) ROOT AND TUBER VEGETABLES | | | | | | | | | | | | | | | | | | |
| | Betroot | 0.02* | 0.05* | 0.05* | | 0.05* | 0.05* | | | | | 0.05* | 0.02* | | 0.05* | 3 | 0.02* | |
| | Carrots | 0.02* | 0.05* | 0.05* | | 0.05* | 0.05* | | | | | 1 | 0.02* | | 0.05* | 0.05* | 0.02* | |
| | Celery | 0.02* | 0.05* | 0.05* | | 0.05* | 0.1 | 0.05* | | | | 0.05* | 0.02* | | 0.05* | 3 | 0.02* | |
| | Horseradish | 0.02* | 0.05* | 0.05* | | 0.05* | 0.05* | 0.05* | | | | 0.05* | 0.02* | | 0.05* | 0.05* | 0.02* | |
| | Jerusalem artichokes | 0.02* | 0.05* | 0.05* | | 0.05* | 0.05* | 0.05* | | | | 0.05* | 0.02* | | 0.05* | 0.05* | 0.02* | |
| | Peasprng | 0.02* | 0.05* | 0.05* | | 0.05* | 0.05* | 0.05* | | | | 0.05* | 0.02* | | 0.05* | 0.05* | 0.02* | |
| | Parsley root | 0.02* | 0.05* | 0.05* | | 0.05* | 0.05* | 0.05* | | | | 0.05* | 0.02* | | 0.05* | 0.05* | 0.02* | |
| | Radishes | 0.02* | 0.05* | 0.05* | | 0.05* | 0.1 | 0.05* | | | | 0.05* | 0.02* | | 0.05* | 0.05* | 0.02* | |
| | Salsify | 0.02* | 0.05* | 0.05* | | 0.05* | 0.05* | 0.05* | | | | 0.05* | 0.02* | | 0.05* | 0.05* | 0.02* | |
| | Sweet potatoes | 0.02* | 0.05* | 0.05* | | 0.05* | 0.05* | 0.05* | | | | 0.05* | 0.02* | | 0.05* | 0.05* | 0.02* | |
| | Swedes | 0.02* | 0.05* | 0.05* | | 0.05* | 0.05* | 0.05* | | | | 0.05* | 0.02* | | 0.05* | 0.05* | 0.02* | |
| | Turnips | 0.02* | 0.05* | 0.05* | | 0.05* | 0.05* | 0.05* | | | | 0.05* | 0.02* | | 0.05* | 0.05* | 0.02* | |
| | Yams | 0.02* | 0.05* | 0.05* | | 0.05* | 0.05* | 0.05* | | | | 0.05* | 0.02* | | 0.05* | 0.05* | 0.02* | |
| | Others | 0.02* | 0.05* | 0.05* | | 0.05* | 0.05* | 0.05* | | | | 0.05* | 0.02* | | 0.05* | 0.05* | 0.02* | |
| ii) BULB VEGETABLES | | | | | | | | | | | | | | | | | | |
| | Garlic | 0.02* | 0.05* | 0.05* | | 0.05* | 0.05* | 0.05* | | | | 0.2 | | | 0.05* | 0.05* | 0.02* | |
| | Onions | 0.02* | 0.05* | 0.05* | | 0.05* | 0.05* | 0.05* | | | | 0.2 | | | 0.05* | 0.05* | 0.02* | |
| | Shallots | 0.02* | 0.05* | 0.05* | | 0.05* | 0.05* | 0.05* | | | | 0.2 | | | 0.05* | 0.05* | 0.02* | |
| | Spring onions | 0.02* | 0.05* | 0.05* | | 0.05* | 0.05* | 0.05* | | | | 0.2 | | | 0.05* | 0.05* | 0.02* | |
| | Others | 0.02* | 0.05* | 0.05* | | 0.05* | 0.05* | 0.05* | | | | 0.2 | | | 0.05* | 0.05* | 0.02* | |
| iii) FRUITING VEGETABLES | | | | | | | | | | | | | | | | | | |
| a) Solanaceae | | | | | | | | | | | | | | | | | | |
| | Tomatoes | 0.02* | 0.05* | 0.05* | | 0.05* | 0.5 | | | | | 2 | | | 0.05* | 0.05* | 0.02* | |
| | Peppers | 0.02* | 0.05* | 0.05* | | 0.05* | 0.5 | | | | | 2 | | | 0.05* | 0.05* | 0.02* | |
| | Aubergines | 0.02* | 0.05* | 0.05* | | 0.05* | 0.5 | | | | | 2 | | | 0.05* | 0.05* | 0.02* | |
| | Others | 0.02* | 0.05* | 0.05* | | 0.05* | 0.5 | | | | | 2 | | | 0.05* | 0.05* | 0.02* | |
| b) Cucurbitaceae - edible part | | | | | | | | | | | | | | | | | | |
| | Cucumbers | 0.02* | 0.05* | 0.05* | | 0.05* | 0.1 | 0.05* | | | | 1 | | | 0.05* | 0.05* | 0.02* | |
| | Onions | 0.02* | 0.05* | 0.05* | | 0.05* | 0.1 | 0.05* | | | | 1 | | | 0.05* | 0.05* | 0.02* | |
| | Courgettes | 0.02* | 0.05* | 0.05* | | 0.05* | 0.1 | 0.05* | | | | 1 | | | 0.05* | 0.05* | 0.02* | |
| | Others | 0.02* | 0.05* | 0.05* | | 0.05* | 0.1 | 0.05* | | | | 1 | | | 0.05* | 0.05* | 0.02* | |
| c) Cucurbitaceae - inedible part | | | | | | | | | | | | | | | | | | |
| | Melons | 0.02* | 0.2 | 0.05* | | 0.05* | 0.1 | 0.05* | | | | 1 | | | 0.05* | 0.05* | 0.02* | |
| | Squashes | 0.02* | 0.2 | 0.05* | | 0.05* | 0.1 | 0.05* | | | | 1 | | | 0.05* | 0.05* | 0.02* | |
| | Watermelons | 0.02* | 0.2 | 0.05* | | 0.05* | 0.1 | 0.05* | | | | 1 | | | 0.05* | 0.05* | 0.02* | |
| | Others | 0.02* | 0.2 | 0.05* | | 0.05* | 0.1 | 0.05* | | | | 1 | | | 0.05* | 0.05* | 0.02* | |
| d) Sweet corn | | | | | | | | | | | | | | | | | | |
| | Others | 0.02* | 0.05* | 0.05* | | 0.05* | 0.1 | 0.05* | | | | 0.05* | 0.02* | | 0.05* | 0.05* | 0.02* | |

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

| Group to which the food belongs | Group to which the following products belong | Methidathion | Methoxyflorfenoxon | Methyl benzoate | Monocrotophos | Oximecho | Paraquat | Permethrin | Phosalone | Phosmet | Phosin | Phosphor-methyl | Procyimifos | Potamophos | Propargil | Propiconazole | Propoxur | Proxymet | |
|---------------------------------|--|--------------|--------------------|-----------------|---------------|----------|----------|------------|-----------|---------|--------|-----------------|-------------|------------|-----------|---------------|----------|----------|--|
| iv) BRASSICA VEGETABLES | a) Flowering Brassicas | | | | | | | | | | | | | | | | | | |
| | | 0.02* | 0.02* | 0.02* | | | 0.05* | 0.05* | | | | | 0.02* | | | 0.05* | 3 | 0.02* | |
| | | 0.02* | 0.02* | 0.02* | | | 0.05* | 0.1 | 0.02* | | | 1 | 0.02* | | | 0.05* | 3 | 0.02* | |
| | | 0.02* | 0.02* | 0.02* | | | 0.05* | 0.05* | | | | 1 | 0.02* | | | 0.05* | 3 | 0.02* | |
| | b) Head Brassicas | | | | | | | | | | | | | | | | | | |
| | | 0.02* | 0.02* | 0.02* | | | 0.05* | 0.05* | | | | 2 | 0.02* | | | 0.05* | 3 | 0.02* | |
| | | 0.02* | 0.02* | 0.02* | | | 0.05* | 1 | 0.02* | | | | 0.02* | | | 0.05* | 3 | 0.02* | |
| | | 0.02* | 0.02* | 0.02* | | | 0.05* | 0.05* | | | | | 0.02* | | | 0.05* | 3 | 0.02* | |
| | c) Leafy Brassicas | | | | | | | | | | | | | | | | | | |
| | | 0.02* | 0.02* | 0.02* | | | 0.05* | 1 | 0.02* | | | | 0.02* | | | 0.05* | 3 | 0.02* | |
| | | 0.02* | 0.02* | 0.02* | | | 0.05* | 1 | 0.02* | | | | 0.02* | | | 0.05* | 3 | 0.02* | |
| | | 0.02* | 0.02* | 0.02* | | | 0.05* | 1 | 0.02* | | | | 0.02* | | | 0.05* | 3 | 0.02* | |
| | | 0.02* | 0.02* | 0.02* | | | 0.05* | 0.05* | 0.05* | | | | 0.02* | | | 0.05* | 3 | 0.02* | |
| | v) LEAF VEGETABLES AND FRESH HERBS | | | | | | | | | | | | | | | | | | |
| | a) Lettuce & similar | | | | | | | | | | | | | | | | | | |
| | 0.02* | 0.02* | 0.02* | | | 0.05* | 2 | | | | | 5 | | | 0.05* | 0.02* | | | |
| | 0.02* | 0.02* | 0.02* | | | 0.05* | 2 | | | | | 5 | | | 0.05* | 3 | | | |
| | 0.02* | 0.02* | 0.02* | | | 0.05* | 2 | | | | | 5 | | | 0.05* | 3 | | | |
| | 0.02* | 0.02* | 0.02* | | | 0.05* | 2 | | | | | 5 | | | 0.05* | 3 | | | |
| | 0.02* | 0.02* | 0.02* | | | 0.05* | 2 | | | | | 5 | | | 0.05* | 3 | | | |
| b) Spinach & similar | | | | | | | | | | | | | | | | | | | |
| | 0.02* | 2 | 0.02* | | | 0.05* | 1 | 0.05* | | | | 0.02* | | | 0.05* | 3 | 0.02* | | |
| | 0.02* | 2 | 0.02* | | | 0.05* | 1 | 0.05* | | | | 0.02* | | | 0.05* | 3 | 0.02* | | |
| | 0.02* | 2 | 0.02* | | | 0.05* | 1 | 0.05* | | | | 0.02* | | | 0.05* | 3 | 0.02* | | |
| c) Watercress | | | | | | | | | | | | | | | | | | | |
| | 0.02* | 0.02* | 0.02* | | | 0.05* | 0.05* | 0.05* | | | | 0.02* | 0.02* | | 0.05* | 0.02* | 0.02* | | |
| d) Wildstich | | | | | | | | | | | | | | | | | | | |
| | 0.02* | 0.02* | 0.02* | | | 0.05* | 0.05* | 0.05* | | | | 0.02* | 2 | | 0.05* | 0.02* | 0.02* | | |
| e) Herbs | | | | | | | | | | | | | | | | | | | |
| | 0.02* | 0.02* | 0.02* | | | 0.05* | 2 | | | | | 0.02* | | | 0.05* | 3 | | | |
| | 0.02* | 0.02* | 0.02* | | | 0.05* | 2 | | | | | 0.02* | | | 0.05* | 3 | | | |
| | 0.02* | 0.02* | 0.02* | | | 0.05* | 2 | | | | | 0.02* | | | 0.05* | 3 | | | |
| | 0.02* | 0.02* | 0.02* | | | 0.05* | 2 | | | | | 0.02* | | | 0.05* | 3 | | | |
| vi) LEGUME VEGETABLES (fresh) | | | | | | | | | | | | | | | | | | | |
| | 0.02* | 0.02* | 0.02* | | | 0.05* | 0.5 | | | | | 0.02* | | | 0.05* | 3 | | | |
| | 0.02* | 0.02* | 0.02* | | | 0.05* | 0.05* | | | | | 0.02* | | | 0.05* | 0.02* | | | |
| | 0.02* | 0.02* | 0.02* | | | 0.05* | 0.1 | | | | | 1 | | | 0.05* | 3 | 0.02* | | |
| | 0.02* | 0.02* | 0.02* | | | 0.05* | 0.05* | | | | | 0.02* | 0.3 | | 0.05* | 0.02* | 0.02* | | |
| vii) STEM VEGETABLES | | | | | | | | | | | | | | | | | | | |
| | 0.02* | 0.02* | 0.02* | | | 0.05* | 0.05* | 0.05* | | | | 0.02* | | | 0.05* | 0.02* | 0.02* | | |
| | 0.02* | 0.02* | 0.02* | | | 0.05* | 0.05* | 0.05* | | | | 0.02* | | | 0.05* | 0.02* | 0.02* | | |
| | 0.02* | 0.02* | 0.02* | | | 0.05* | 2 | | | | | 0.02* | | | 0.05* | 3 | 0.02* | | |
| | 0.02* | 0.02* | 0.02* | | | 0.05* | 0.05* | 0.05* | | | | 0.02* | | | 0.05* | 3 | 0.02* | | |
| | 0.02* | 0.02* | 0.02* | | | 0.05* | 0.05* | 0.05* | | | | 0.02* | | | 0.05* | 3 | 0.02* | | |
| | 0.02* | 0.02* | 0.02* | | | 0.05* | 0.5 | 0.05* | | | | 0.02* | | | 0.05* | 1 | 0.02* | | |
| | 0.02* | 0.02* | 0.02* | | | 0.05* | 2 | 0.05* | | | | 0.02* | | | 0.05* | 0.02* | 0.02* | | |
| | 0.02* | 0.02* | 0.02* | | | 0.05* | 0.05* | 0.05* | | | | 0.02* | | | 0.05* | 0.02* | 0.02* | | |

| Group to which the food belongs | Group to which the following products belong | Methidathion | Methoxyflorfenoxon | Methyl benzoate | Monocrotophos | Oximecho | Paraquat | Permethrin | Phosalone | Phosmet | Phosin | Phosphor-methyl | Procyimifos | Potamophos | Propargil | Propiconazole | Propoxur | Proxymet | |
|---------------------------------|--|--------------|--------------------|-----------------|---------------|----------|----------|------------|-----------|---------|--------|-----------------|-------------|------------|-----------|---------------|----------|----------|--|
| viii) FUNGI | a) Cultivated mushrooms | 0.02* | 0.02* | 0.02* | | | 0.05* | 0.05* | 0.05* | | | 2 | 0.02* | | | 0.05* | 0.05* | 0.02* | |
| | b) Wild mushrooms | 0.02* | 0.02* | 0.02* | | | 0.05* | 0.05* | 0.05* | | | 0.02* | 0.02* | | | 0.05* | 0.05* | 0.02* | |
| 3. PULSES | | | | | | | | | | | | | | | | | | | |
| | | 0.02* | 0.02* | | | | 0.05* | 0.05* | | | | | 0.02* | | | 0.05* | 0.05* | 0.02* | |
| | | 0.02* | 0.02* | | | | 0.05* | 0.05* | 0.05* | | | | 0.02* | | | 0.05* | 0.05* | 0.02* | |
| | | 0.02* | 0.02* | | | | 0.05* | 0.05* | 0.05* | | | | 0.02* | | | 0.05* | 0.05* | 0.02* | |
| 4. OILSEEDS | | | | | | | | | | | | | | | | | | | |
| | | 0.02* | 0.02* | 0.1* | | | 0.05* | 0.05* | | | | | 0.02* | | | 0.05* | 0.05* | 0.02* | |
| | | 0.02* | 0.02* | 0.1* | | | 0.05* | 0.1 | 0.1 | | | | 0.02* | | | 0.05* | 0.05* | 0.02* | |
| | | 0.02* | 0.02* | 0.1* | | | 0.05* | 0.05* | 0.05* | | | | 0.02* | | | 0.05* | 0.05* | 0.02* | |
| | | 0.02* | 0.02* | 0.1* | | | 0.05* | 0.05* | 0.05* | | | | 0.02* | | | 0.05* | 0.05* | 0.02* | |
| | | 0.02* | 0.02* | 0.1* | | | 0.05* | 0.05* | 0.05* | | | | 0.02* | | | 0.05* | 0.05* | 0.02* | |
| | | 0.02* | 0.02* | 0.1* | | | 0.05* | 0.1 | 0.1 | | | | 1 | | | 0.05* | 0.05* | 0.02* | |
| | | 0.02* | 0.02* | 0.1* | | | 0.05* | 0.05* | 0.05* | | | | 0.02* | | | 0.05* | 0.05* | 0.02* | |
| | | 0.02* | 0.02* | 0.1* | | | 0.05* | 0.2 | 0.05* | | | | 0.02* | | | 0.05* | 0.05* | 0.02* | |
| | | 0.02* | 0.02* | 0.1* | | | 0.05* | 0.05* | 0.05* | | | | 0.02* | | | 0.05* | 0.05* | 0.02* | |
| 5. POTATOES | | | | | | | | | | | | | | | | | | | |
| | | 0.02* | 0.02* | 0.02* | | | 0.05* | 0.05* | | | | 0.02* | 0.02* | | | 0.05* | 0.05* | 0.02* | |
| | | 0.02* | 0.02* | 0.02* | | | 0.05* | 0.05* | | | | 0.02* | 0.02* | | | 0.05* | 0.05* | 0.02* | |
| 6. TEA | | | | | | | | | | | | | | | | | | | |
| | | 0.1* | 0.1* | 0.02* | 0.1* | 0.1 | 0.1* | 2 | 0.1* | 0.1* | 0.1* | 0.02* | 0.1* | 0.1* | 5 | 0.1* | 0.1* | 0.02* | |
| 7. HOPS (dried) | | | | | | | | | | | | | | | | | | | |
| | 2 | 10 | 0.02* | | | 0.1* | 0.1* | 0.1* | | | 0.02* | 0.1* | | | 0.1* | 0.1* | | | |

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

| Group to which the food belongs | Groups include the following products | Quinalphos | TEPP | Thiabendazole | Triazophos | Trifluine | 2,4,5-T | Vinclozolin |
|--|---|------------|-------|---------------|------------|-----------|---------|-------------|
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts | | | | | | | | |
| i) CITRUS FRUIT | | | | | | | | |
| | Grapefruit | 0.01* | 6 | | 0.05* | 0.05* | 0.05* | |
| | Lemons | 0.01* | 6 | | 0.05* | 0.05* | 0.05* | |
| | Limes | 0.01* | 6 | | 0.05* | 0.05* | 0.05* | |
| | Mandarins (inc clementines & similar hybrids) | 0.01* | 6 | | 0.05* | 0.05* | 0.05* | |
| | Oranges | 0.01* | 6 | | 0.05* | 0.05* | 0.05* | |
| | Pineapples | 0.01* | 6 | | 0.05* | 0.05* | 0.05* | |
| | Others | 0.01* | 6 | | 0.05* | 0.05* | 0.05* | |
| ii) TREE NUTS (shelled or unshelled) | | | | | | | | |
| | Almonds | 0.01* | 3.1* | | 0.05* | 0.05* | 0.05* | 0.05* |
| | Brazil nuts | 0.01* | 3.1* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Cashew nuts | 0.01* | 3.1* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Chestnuts | 0.01* | 3.1* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Coconuts | 0.01* | 3.1* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Hazelnuts | 0.01* | 3.1* | | 0.05* | 0.05* | 0.05* | 0.05* |
| | Macadamia nuts | 0.01* | 3.1* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Pecans | 0.01* | 3.1* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Pine nuts | 0.01* | 3.1* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Pistachios | 0.01* | 3.1* | | 0.05* | 0.05* | 0.05* | 0.05* |
| | Walnuts | 0.01* | 3.1* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Others | 0.01* | 3.1* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* |
| iii) POME FRUIT | | | | | | | | |
| | Apples | 0.01* | 5 | | 2 | 0.05* | 1 | |
| | Pears | 0.01* | 5 | | 2 | 0.05* | 1 | |
| | Quinces | 0.01* | 5 | | 2 | 0.05* | 1 | |
| | Others | 0.01* | 5 | | 2 | 0.05* | 1 | |
| iv) STONE FRUIT | | | | | | | | |
| | Apricots | 0.01* | 0.05* | | | 0.05* | 2 | |
| | Cherries | 0.01* | | 0.02* | 2 | 0.05* | 0.5 | |
| | Peaches (incl nectarines & similar hybrids) | 0.01* | 0.05* | | | 0.05* | 2 | |
| | Plums | 0.01* | 0.05* | 0.02* | 1 | 0.05* | 2 | |
| | Others | 0.01* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | |

| Group to which the food belongs | Groups include the following products | Quinalphos | TEPP | Thiabendazole | Triazophos | Trifluine | 2,4,5-T | Vinclozolin |
|--|---------------------------------------|------------|-------|---------------|------------|-----------|---------|-------------|
| v) BERRIES AND SMALL FRUIT | | | | | | | | |
| a) Table & wine grapes | | | | | | | | |
| | Table grapes | 0.01* | | 0.02* | | 0.05* | 5 | |
| | Wine grapes | 0.01* | | 0.02* | | 0.05* | 5 | |
| b) Strawberries (other than wild) | | | | | | | | |
| | Strawberries | 0.01* | 5 | | | 0.05* | 5 | |
| c) Stone Fruit (other than wild) | | | | | | | | |
| | Raspberries | 0.01* | 0.05* | 0.02* | 0.05* | 0.05* | 5 | |
| | Drasberries | 0.01* | 0.05* | 0.02* | 0.05* | 0.05* | 5 | |
| | Loganberries | 0.01* | 0.05* | 0.02* | 0.05* | 0.05* | 5 | |
| | Raspberries | 0.01* | 0.05* | 0.02* | 0.05* | 0.05* | 5 | |
| | Others | 0.01* | 0.05* | 0.02* | 0.05* | 0.05* | 5 | |
| d) Other small fruit & berries (other than wild) | | | | | | | | |
| | Bilberries | 0.01* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | |
| | Cranberries | 0.01* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | |
| | Currants (red, black & white) | 0.01* | | 0.02* | 2 | 0.05* | 10 | |
| | Gooseberries | 0.01* | | 0.02* | 2 | 0.05* | 0.05* | |
| | Others | 0.01* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | |
| | Wild berries & wild fruit | 0.01* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | |
| vi) MISCELLANEOUS FRUIT | | | | | | | | |
| | Avocado | 0.01* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | |
| | Bananas | 0.01* | 2 | 0.02* | 0.05* | 0.05* | 0.05* | |
| | Dates | 0.01* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | |
| | Figs | 0.01* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | |
| | Kiwi fruit | 0.01* | 0.05* | 0.02* | 0.05* | 0.05* | 10 | |
| | Kiwifruit | 0.01* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | |
| | Lichee | 0.01* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | |
| | Mangoes | 0.01* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | |
| | Olives (table consumption) | 0.01* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | |
| | Olives (oil extract) | 0.01* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | |
| | Passion fruit | 0.01* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | |
| | Pineapples | 0.01* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | |
| | Pomegranates | 0.01* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | |
| | Others | 0.01* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | |

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

| Group to which the food belongs | Groups include the following products | Quinolphos | TEPP | Thiabendazole | Triazophos | Tribenuron | 2,4,5-T | Verdopole |
|--|---------------------------------------|------------|-------|---------------|------------|------------|---------|-----------|
| 2. Vegetables, fresh or uncooked, frozen or dry | | | | | | | | |
| i) ROOT AND TUBER VEGETABLES | | | | | | | | |
| | Beetroot | | 0.01* | | | 0.05* | 0.05* | 0.05* |
| | Carrots | | 0.01* | 0.05* | 1 | 0.05* | 0.05* | 0.5 |
| | Celery | | 0.01* | 0.05* | | 0.05* | 0.05* | 0.05* |
| | Horseradish | | 0.01* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Jerusalem artichokes | | 0.01* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Parsnips | | 0.01* | 0.05* | 1 | 0.05* | 0.05* | 0.05* |
| | Parsley root | | 0.01* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Radishes | | 0.01* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Salsify | | 0.01* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Sweet potatoes | | 0.01* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Sweetie | | 0.01* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Turnips | | 0.01* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Yams | | 0.01* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Others | | 0.01* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| ii) BULB VEGETABLES | | | | | | | | |
| | Onion | | 0.01* | | | | 0.05* | 1 |
| | Onions | | 0.01* | | | | 0.05* | 1 |
| | Shallots | | 0.01* | | | | 0.05* | 1 |
| | Spring onions | | 0.01* | 0.05* | 0.02* | | 0.05* | 1 |
| | Others | | 0.01* | 0.05* | 0.02* | | 0.05* | 1 |
| iii) FRUITING VEGETABLES | | | | | | | | |
| a) Solanaceae | | | | | | | | |
| | Tomatoes | | 0.01* | | 0.02* | | 0.05* | 3 |
| | Peppers | | 0.01* | | 0.02* | | 0.05* | 3 |
| | Aubergines | | 0.01* | 0.05* | 0.02* | | 0.05* | 3 |
| | Others | | 0.01* | 0.05* | 0.02* | | 0.05* | 3 |
| b) Cucurbitaceae | | | | | | | | |
| | Cucumbers | | 0.01* | | | 0.5 | 0.05* | 1 |
| | Courgettes | | 0.01* | 0.05* | | 0.5 | 0.05* | 1 |
| | Courgettes | | 0.01* | 0.05* | | 0.5 | 0.05* | 1 |
| | Others | | 0.01* | 0.05* | | 0.5 | 0.05* | 1 |
| c) Cucurbitaceae | | | | | | | | |
| | Melons | | 0.01* | | | | 0.05* | 1 |
| | Squashes | | 0.01* | 0.05* | | | 0.05* | 1 |
| | Watermelons | | 0.01* | | | | 0.05* | 1 |
| | Others | | 0.01* | 0.05* | | | 0.05* | 1 |
| | d) Sweet corn | | 0.01* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |

| Group to which the food belongs | Groups include the following products | Quinolphos | TEPP | Thiabendazole | Triazophos | Tribenuron | 2,4,5-T | Verdopole |
|---|---------------------------------------|------------|-------|---------------|------------|------------|---------|-----------|
| iv) BRASSICA VEGETABLES | | | | | | | | |
| a) Flowering Brassicas | | | | | | | | |
| | Broccoli | | 0.01* | 0.05* | | | 0.05* | 0.05* |
| | Cauliflower | | 0.01* | 0.05* | | | 0.05* | 0.05* |
| | Others | | 0.01* | 0.05* | | | 0.05* | 0.05* |
| b) Head Brassicas | | | | | | | | |
| | Brussels sprouts | | 0.01* | 0.05* | | | 0.05* | 0.05* |
| | Head cabbage | | 0.01* | 0.05* | | | 0.05* | 0.05* |
| | Others | | 0.01* | 0.05* | | | 0.05* | 0.05* |
| c) Leafy Brassicas | | | | | | | | |
| | Chinese cabbage | | 0.01* | 0.05* | | | 0.05* | 3 |
| | Kale | | 0.01* | 0.05* | | | 0.05* | 0.05* |
| | Others | | 0.01* | 0.05* | | | 0.05* | 0.05* |
| d) Kohlrabi | | | | | | | | |
| | Kohlrabi | | 0.01* | 0.05* | 0.02* | | 0.05* | 0.05* |
| v) LEAF VEGETABLES AND FRESH HERBS | | | | | | | | |
| a) Lettuce & similar | | | | | | | | |
| | Chico | | 0.01* | 0.05* | 0.02* | | 0.05* | 5 |
| | Lamb's lettuce | | 0.01* | 0.05* | 0.02* | 0.05* | 0.05* | 5 |
| | Lettuce | | 0.01* | 0.05* | 0.02* | 0.05* | 0.05* | 5 |
| | Scarole | | 0.01* | 0.05* | 0.02* | 0.05* | 0.05* | 5 |
| | Others | | 0.01* | 0.05* | 0.02* | 0.05* | 0.05* | 5 |
| b) Spinach & similar | | | | | | | | |
| | Spinach | | 0.01* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Beet leaves (chard) | | 0.01* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Others | | 0.01* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| c) Watercress | | | | | | | | |
| | Watercress | | 0.01* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| d) Herbs | | | | | | | | |
| | Chervil | | 0.01* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Chives | | 0.01* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Parsley | | 0.01* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Culinary herbs | | 0.01* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Others | | 0.01* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| vi) LEGUME VEGETABLES (fresh) | | | | | | | | |
| | Beans (with pods) | | 0.01* | | | | 0.05* | 2 |
| | Beans (without pods) | | 0.01* | | | | 0.05* | 0.5 |
| | Favas (with pods) | | 0.01* | 0.05* | | | 0.05* | 2 |
| | Favas (without pods) | | 0.01* | 0.05* | | | 0.05* | 0.3 |
| | Others | | 0.01* | 0.05* | 0.02* | | 0.05* | 0.05* |
| vii) STEM VEGETABLES | | | | | | | | |
| | Asparagus | | 0.01* | 0.05* | | | 0.05* | 0.05* |
| | Cardoons | | 0.01* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Celery | | 0.01* | 0.05* | | 0.05* | 0.05* | 0.05* |
| | Fennel | | 0.01* | 0.05* | | 0.05* | 0.05* | 0.05* |
| | Other stalks | | 0.01* | 0.05* | | 0.05* | 0.05* | 0.05* |
| | Leeks | | 0.01* | 0.05* | | 0.05* | 0.05* | 0.05* |
| | Rhubarb | | 0.01* | 0.05* | | 0.05* | 0.05* | 0.05* |
| | Others | | 0.01* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* |

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

| Group to which the food belongs | Groups include the following products | Cyfluthrin | TEPP | Thiabendazole | Triazophos | Tilfene | 2,4,5-T | Validolins |
|---------------------------------|---|------------|-------|---------------|------------|---------|---------|------------|
| III) FUNGI | | | | | | | | |
| | a) Cultivated mushrooms | 0.01* | | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* |
| | b) Wild mushrooms | 0.01* | | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* |
| 3. PULSES | | | | | | | | |
| | Beans | 0.01* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.5 |
| | Lentils | 0.01* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* |
| | Peas | 0.01* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.5 |
| | Others | 0.01* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* |
| 4. OLSEEDS | | | | | | | | |
| | Limesed | 0.01* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* |
| | Peas | 0.01* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* |
| | Pigeon seed | 0.01* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* |
| | Sesamio seed | 0.01* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* |
| | Sunflower seed | 0.01* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* |
| | Rape seed | 0.01* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 1 |
| | Soya bean | 0.01* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* |
| | Mustard seed | 0.01* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* |
| | Cotton seed | 0.01* | 0.02* | 0.1 | 0.02* | 0.02* | 0.02* | 0.02* |
| | Others | 0.01* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* |
| 5. POTATOES | | | | | | | | |
| | Early potatoes | 0.01* | | | | 0.02* | 0.02* | 0.02* |
| | Ware potatoes (fresh tubers and tubers) | 0.01* | 5 | | | 0.02* | 0.02* | 0.02* |
| 6. TEA | fermented or otherwise, Camellia sinensis) | 1 | 0.02* | 0.1* | 0.02* | 0.1* | 0.02* | 0.1* |
| 7. HOPS (direct) | including hop pellets & whole/intermediate powder | 0.02* | 0.1* | 0.02* | 0.1 | 0.02* | | 40 |

| Group to which food belongs | Groups include the following products | Acetophenone | Aldicarb | Azin & Dieldrin | Amtriaz | Acetylcholin | Benazoxyl | Benflumazone | Captafol | Carbaryl | Carbendazim | Carbofuran | Carbon disulphide |
|------------------------------|--|--------------|----------|-----------------|----------------------|--------------|-----------|--------------|----------|----------|-------------|------------|-------------------|
| 8. CEREALS | | | | | | | | | | | | | |
| | Wheat | 0.02* | 0.02* | 0.01 | 0.02* | 0.3 | 0.02* | 0.02* | 0.02* | 0.5 | 0.1* | 0.1* | 0.1 |
| | Rye | 0.02* | 0.02* | 0.01 | 0.02* | 0.3 | 0.02* | 0.02* | 0.02* | 0.5 | 0.1* | 0.1* | 0.1 |
| | Barley | 0.02* | 0.02* | 0.01 | 0.02* | 0.3 | 0.02* | 0.02* | 0.02* | 0.5 | 0.1* | 0.1* | 0.1 |
| | Sorghum | 0.02* | 0.02* | 0.01 | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.5 | 0.1* | 0.1* | 0.1 |
| | Oats | 0.02* | 0.02* | 0.01 | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.5 | 0.1* | 0.1* | 0.1 |
| | Triticale | 0.02* | 0.02* | 0.01 | 0.02* | 0.3 | 0.02* | 0.02* | 0.02* | 0.5 | 0.1* | 0.1* | 0.1 |
| | Milzo | 0.02* | 0.02* | 0.01 | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.5 | 0.1* | 0.1* | 0.1 |
| | Buckwheat | 0.02* | 0.02* | 0.01 | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.5 | 0.1* | 0.1* | 0.1 |
| | Millet | 0.02* | 0.02* | 0.01 | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.5 | 0.1* | 0.1* | 0.1 |
| | Rice ⁽¹⁾ | 0.02* | 0.02* | 0.01 | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 1 | 0.1* | 0.1* | 0.1 |
| | Other cereals ⁽²⁾ | 0.02* | 0.02* | 0.01 | 0.02* | 0.02* | 0.02* | 0.02* | 0.02* | 0.5 | 0.1* | 0.1* | 0.1 |
| 9. PRODUCTS OF ANIMAL ORIGIN | | | | | | | | | | | | | |
| | Meat, fat & preparations of meat ⁽³⁾ | 0.02* | 0.02* | 0.2 | 0.02* ⁽⁴⁾ | 0.02* | 0.02* | 0.02* | | | 0.1* | 0.1* | |
| | Milk ⁽⁵⁾ & Dairy produce ⁽⁶⁾ | 0.02* | 0.02* | 0.005 | | 0.02* | 0.02* | 0.02* | | | 0.1* | 0.1* | |
| | Eggs ⁽⁷⁾ | 0.02* | 0.02* | 0.02 | 0.02* | 0.02* | 0.02* | 0.02* | | | 0.1* | 0.1* | |

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

| Group to which food belongs | Groups include the following products | Carbaryl (nitenchlore) | Carbofenthen | Chloridane | Chloromequat | Chlorothaloxyl | Chlorpyrifos | Chlorpyrifos-methyl | Cyfluthrin | Cypermethrin | Demeton |
|-------------------------------------|--|------------------------|--------------|------------|--------------|----------------|---------------------|---------------------|------------|---------------------|---------|
| 5. CEREALS | | | | | | | | | | | |
| | Wheat | 0.1 | 0.05* | 0.02 | 2 | 0.1 | 0.05* | 3 | 0.02* | 0.05* | 0.02* |
| | Rye | 0.1 | 0.05* | 0.02 | 2 | 0.1 | 0.05* | 3 | 0.02* | 0.05* | 0.02* |
| | Barley | 0.1 | 0.05* | 0.02 | 2 | 0.1 | 0.2 | 3 | 0.02* | 0.2 | 0.02* |
| | Sorghum | 0.1 | 0.05* | 0.02 | 0.05* | 0.01* | 0.05* | 3 | 0.02* | 0.05* | 0.02* |
| | Oats | 0.1 | 0.05* | 0.02 | 8 | 0.1 | 0.05* | 3 | 0.02* | 0.2 | 0.02* |
| | Triticale | 0.1 | 0.05* | 0.02 | 2 | 0.1 | 0.05* | 3 | 0.02* | 0.05* | 0.02* |
| | Maize | 0.1 | 0.05* | 0.02 | 0.01* | 0.01* | 0.05* | 3 | 0.02* | 0.05* | 0.02* |
| | Buckwheat | 0.1 | 0.05* | 0.02 | 0.05* | 0.01* | 0.05* | 3 | 0.02* | 0.05* | 0.02* |
| | Millet | 0.1 | 0.05* | 0.02 | 0.05* | 0.01* | 0.05* | 3 | 0.02* | 0.05* | 0.02* |
| | Rice ¹⁾ | 0.1 | 0.05* | 0.02 | 0.05* | 0.01* | 0.05* | 3 | 0.02* | 0.05* | 0.02* |
| | Other cereals ²⁾ | 0.1 | 0.05* | 0.02 | 0.05* | 0.01* | 0.05* | 3 | 0.02* | 0.05* | 0.02* |
| 9. PRODUCTS OF ANIMAL ORIGIN | | | | | | | | | | | |
| | Meat, fat & preparations of meat ³⁾ | | 0.05* | 0.02 | | 0.01* | 0.05* ⁴⁾ | 0.05* | 0.02 | 0.05* ⁵⁾ | 0.02* |
| | Milk ⁶⁾ & Dairy produce ⁷⁾ | | 0.05* | 0.02 | | 0.01* | 0.01* | 0.01* | 0.02* | 0.02 | 0.05* |
| | Eggs ⁸⁾ | | 0.05* | 0.02 | | 0.01* | 0.01* | 0.01* | 0.02* | 0.05* | 0.02* |

| Group to which food belongs | Groups include the following products | DDT | Deltamethrin | Diazinon | 1,2-Dibromo ethane | Dithiopyr | Dicofol | Disulfoton | Endosulfan | Endrin | Ethionon | Fenitrothion | Fenprophos |
|-------------------------------------|--|------|---------------------|----------|--------------------|-----------|---|------------|-------------------|--------|----------|---------------------|------------|
| 5. CEREALS | | | | | | | | | | | | | |
| | Wheat | 0.05 | 1 | 0.05 | 0.01* | 2 | 0.02* | 0.1 | 0.1 | 0.01 | 0.2 | | 0.05* |
| | Rye | 0.05 | 1 | 0.05 | 0.01* | 2 | 0.02* | 0.02* | 0.1 | 0.01 | 0.5 | 0.02* | 0.05* |
| | Barley | 0.05 | 1 | 0.05 | 0.01* | 2 | 0.02* | 0.2 | 0.1 | 0.01 | 0.5 | | 0.05* |
| | Sorghum | 0.05 | 1 | 0.05 | 0.01* | 2 | 0.02* | 0.2 | 0.05* | 0.01 | 0.05* | 0.02* | 0.05* |
| | Oats | 0.05 | 1 | 0.05 | 0.01* | 2 | 0.02* | 0.02* | 0.1 | 0.01 | 0.05* | 0.02* | 0.05* |
| | Triticale | 0.05 | 1 | 0.05 | 0.01* | 2 | 0.02* | 0.02* | 0.1 | 0.01 | 0.2 | 0.02* | 0.05* |
| | Maize | 0.05 | 1 | 0.05 | 0.01* | 2 | 0.02* | 0.02* | 0.2 | 0.01 | | | 0.05* |
| | Buckwheat | 0.05 | 1 | 0.02* | 0.01* | 2 | 0.02* | 0.02* | 0.05* | 0.01 | 0.05* | 0.02* | 0.05* |
| | Millet | 0.05 | 1 | 0.02* | 0.01* | 2 | 0.02* | 0.02* | 0.02* | 0.01 | 0.05* | 0.02* | 0.05* |
| | Rice ¹⁾ | 0.05 | 1 | 0.05 | 0.01* | 2 | 0.02* | 0.02* | 0.05* | 0.01 | 0.05* | 0.02* | 0.05* |
| | Other cereals ²⁾ | 0.05 | 1 | 0.05 | 0.01* | 2 | 0.02* | 0.02* | 0.05* | 0.01 | 0.05* | 0.02* | 0.05* |
| 9. PRODUCTS OF ANIMAL ORIGIN | | | | | | | | | | | | | |
| | Meat, fat & preparations of meat ³⁾ | 1 | 0.05* ⁴⁾ | | | | 0.5 ⁵⁾ 0.1 ⁶⁾ 0.05* ⁷⁾ | 0.02* | 0.1 ⁸⁾ | 0.05 | 0.05* | 0.02* ⁹⁾ | 0.05* |
| | Milk ¹⁰⁾ & Dairy produce ¹¹⁾ | 0.04 | | | | | 0.02 | 0.02 | 0.004 | 0.0006 | 0.05* | 0.02* | 0.05* |
| | Eggs ¹²⁾ | 0.1 | 0.05* | | | | 0.05* | 0.02* | | 0.005 | 0.05* | 0.02* | 0.05* |

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

| Group to which food belongs | Groups include the following products | Permethrin | Fenoxystrobin | Fenpropiorex | Glyphosate | Heptachlor | Hexachlorocyclopentadiene (HCCP) | Hexachlorocyclopentadiene (HCCP) α | Hexachlorocyclopentadiene (HCCP) β | Hexachlorocyclopentadiene (HCCP) γ | Hydrogen cyanide | Hydrogen phosphide |
|-------------------------------------|--|------------|---------------------|--------------|--------------------|------------|----------------------------------|------------------------------------|------------------------------------|------------------------------------|------------------|--------------------|
| 8. CEREALS | | | | | | | | | | | | |
| | Wheat | 0.05* | 0.05* | 0.05* | 5 | 0.01 | 0.01 | 0.02 | } sum of alpha & beta | 0.1 | 15 | 0.1 |
| | Rye | 0.05* | 0.05* | 0.05* | 5 | 0.01 | 0.01 | 0.02 | | 0.1 | 15 | 0.1 |
| | Barley | 0.05* | 0.2 | 0.05* | 20 | 0.01 | 0.01 | 0.02 | | 0.1 | 15 | 0.1 |
| | Sorghum | 0.05* | 0.05* | 0.05* | 20 | 0.01 | 0.01 | 0.02 | | 0.1 | 15 | 0.1 |
| | Oats | 0.05* | 0.2 | 0.05* | 20 | 0.01 | 0.01 | 0.02 | | 0.1 | 15 | 0.1 |
| | Triticale | 0.05* | 0.05* | 0.05* | 5 | 0.01 | 0.01 | 0.02 | | 0.1 | 15 | 0.1 |
| | Milo | 0.05* | 0.05* | 0.05* | 5.1* | 0.01 | 0.01 | 0.02 | | 0.1 | 15 | 0.1 |
| | Buckwheat | 0.05* | 0.05* | 0.05* | 0.1* | 0.01 | 0.01 | 0.02 | | 0.1 | 15 | 0.1 |
| | Millet | 0.05* | 0.05* | 0.05* | 0.1* | 0.01 | 0.01 | 0.02 | | 0.1 | 15 | 0.1 |
| | Rice ⁽¹⁾ | 0.05* | 0.05* | 0.05* | 0.1* | 0.01 | 0.01 | 0.02 | | 0.1 | 15 | 0.1 |
| | Other cereals ⁽²⁾ | 0.05* | 0.05* | 0.05* | 0.1* | 0.01 | 0.01 | 0.02 | 0.1 | 15 | 0.1 | |
| 9. PRODUCTS OF ANIMAL ORIGIN | | | | | | | | | | | | |
| | Meat, fat & preparations of meat ⁽³⁾ | 0.05* | 0.5 ⁽⁴⁾ | 0.05* | 0.5 ⁽⁵⁾ | 0.2 | 0.2 | 0.2 | 0.1 | 2 ⁽⁷⁾ | | |
| | | | 0.05 ⁽⁶⁾ | | 0.1 ⁽⁸⁾ | | | | | 1 ⁽⁹⁾ | | |
| | Milk ⁽¹⁰⁾ & Dairy produce ⁽¹¹⁾ | 0.05* | 0.05 | 0.05* | 0.1* | 0.004 | 0.01 | 0.004 | 0.003 | 0.004 | | |
| | Eggs ⁽¹²⁾ | 0.05* | 0.05* | 0.05* | 0.1* | 0.02 | 0.02 | 0.02 | 0.01 | 0.1 | | |

| Group to which food belongs | Groups include the following products | Imazalil | Triazophos | Iprodione | Lambda-cyhalothrin ⁽¹⁾ | Malathion | Imidacloprid | Metolachlor | Methidathion | Methoxyfenosulfuron | Methidathion | Methoxyfenosulfuron |
|-------------------------------------|--|----------|------------|-----------|-----------------------------------|-----------|--------------|-------------|--------------|---------------------|--------------|---------------------|
| 8. CEREALS | | | | | | | | | | | | |
| | Wheat | 0.02* | 50 | 0.5 | 0.02* | 8 | 1 | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* |
| | Rye | 0.02* | 50 | 0.02* | 0.02* | 8 | 1 | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* |
| | Barley | 0.02* | 50 | 1 | 0.05 | 8 | 2 | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* |
| | Sorghum | 0.02* | 50 | 0.02* | 0.02* | 8 | 0.05* | 0.05* | 0.01* | 0.01* | 0.02* | 0.05* |
| | Oats | 0.02* | 50 | 0.02* | 0.02* | 8 | 2 | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* |
| | Triticale | 0.02* | 50 | 0.02* | 0.02* | 8 | 0.05* | 0.05* | 0.01* | 0.01* | 0.02* | 0.05* |
| | Milo | 0.02* | 50 | 0.02* | 0.02* | 8 | 0.05* | 0.05* | 0.01* | 0.01* | 0.02* | 0.05* |
| | Buckwheat | 0.02* | 50 | 0.02* | 0.02* | 8 | 0.05* | 0.05* | 0.01* | 0.01* | 0.02* | 0.05* |
| | Millet | 0.02* | 50 | 0.02* | 0.02* | 8 | 0.05* | 0.05* | 0.01* | 0.01* | 0.02* | 0.05* |
| | Rice ⁽¹⁾ | 0.02* | 50 | 3 | 0.02* | 8 | 0.05* | 0.05* | 0.01* | 0.01* | 0.02* | 0.05* |
| | Other cereals ⁽²⁾ | 0.02* | 50 | 0.02* | 0.02* | 8 | 0.05* | 0.05* | 0.01* | 0.01* | 0.02* | 0.05* |
| 9. PRODUCTS OF ANIMAL ORIGIN | | | | | | | | | | | | |
| | Meat, fat & preparations of meat ⁽³⁾ | 0.02* | | 0.05* | 0.5 ⁽⁴⁾ | | 0.05* | | 0.05* | 0.01* | 0.02* | 0.05* |
| | | | | | 0.02 ⁽⁵⁾ | | | | | | | |
| | Milk ⁽⁶⁾ & Dairy produce ⁽⁷⁾ | 0.02* | | 0.05* | 0.05 | | 0.05* | | 0.05* | 0.01* | 0.02* | 0.05* |
| | Eggs ⁽⁸⁾ | 0.02* | | 0.05* | 0.02* | | 0.05* | | 0.05* | 0.01* | 0.02* | 0.05* |

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to *The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2000*. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) [View outstanding changes](#)

| Group to which food belongs | Groups include the following products | Methyl bromide | Permethrin | Flucyano | Phosphamidon | Pirimiphos-methyl | Procymsbena | Propiconazole | Propoxur | Propyzamide | Pyrethrin |
|-------------------------------------|--|----------------|------------|----------|--------------|-------------------|-------------|--------------------|----------|-------------------------|-----------|
| 8. CEREALS | | | | | | | | | | | |
| | Wheat | 0.1 | 2 | 0.05* | 0.05 | 5 | 0.02* | 0.05* | 0.05* | 0.02* | 3 |
| | Rye | 0.1 | 2 | 0.05* | 0.05 | 5 | 0.02* | 0.05* | 0.05* | 0.02* | 3 |
| | Barley | 0.1 | 2 | 0.05* | 0.05 | 5 | 0.02* | 0.05* | 0.05* | 0.02* | 3 |
| | Sorghum | 0.1 | 2 | 0.05* | 0.05 | 5 | 0.02* | 0.05* | 0.05* | 0.02* | 3 |
| | Oats | 0.1 | 2 | 0.05* | 0.05 | 5 | 0.02* | 0.05* | 0.05* | 0.02* | 3 |
| | Triticale | 0.1 | 2 | 0.05* | 0.05 | 5 | 0.02* | 0.05* | 0.05* | 0.02* | 3 |
| | Maize | 0.1 | 0.2 | 0.05* | 0.05 | 5 | 0.02* | 0.05* | 0.05* | 0.02* | 3 |
| | Buckwheat | 0.1 | 2 | 0.05* | 0.05 | 5 | 0.02* | 0.05* | 0.05* | 0.02* | 3 |
| | Millet | 0.1 | 2 | 0.05* | 0.05 | 5 | 0.02* | 0.05* | 0.05* | 0.02* | 3 |
| | Rice ⁽¹⁾ | 0.1 | 2 | 0.05* | 0.05 | 5 | 0.02* | 0.05* | 0.05* | 0.02* | 3 |
| | Other cereals ⁽²⁾ | 0.1 | 2 | 0.05* | 0.05 | 5 | 0.02* | 0.05* | 0.05* | 0.02* | 3 |
| 9. PRODUCTS OF ANIMAL ORIGIN | | | | | | | | | | | |
| | Meat, fat & preparations of meat ⁽³⁾ | | 0.5 | 0.05* | | 0.02* | 0.05* | 0.1 ⁽¹⁾ | 0.05* | 0.05* ⁽¹⁾⁽²⁾ | |
| | Milk ⁽⁴⁾ & Dairy produce ⁽⁵⁾ | | 0.05 | 0.02* | | 0.05* | 0.05* | 0.01* | 0.05* | 0.01 ⁽¹⁾⁽²⁾ | |
| | Eggs ⁽⁶⁾ | | 0.05 | 0.02* | | 0.05* | 0.05* | 0.05* | 0.05* | 0.02 ⁽¹⁾⁽²⁾ | |

| Group to which food belongs | Groups include the following products | Thiabendazole | Triazophos | Ticlofuran | Trifluralin | Vinylcoum |
|-------------------------------------|--|-----------------------|------------------------|------------|-------------|-----------|
| 8. CEREALS | | | | | | |
| | Wheat | | | 0.1 | 0.1 | 0.05* |
| | Rye | 0.05* | | 0.1 | 0.1 | 0.05* |
| | Barley | 0.05* | | 0.1 | 0.1 | 0.05* |
| | Sorghum | 0.05* | 0.02* | 0.1 | 0.05* | 0.05* |
| | Oats | 0.05* | | 0.1 | 0.1 | 0.05* |
| | Triticale | 0.05* | | 0.1 | 0.1 | 0.05* |
| | Maize | 0.05* | | 0.1 | 0.05* | 0.05* |
| | Buckwheat | 0.05* | 0.02* | 0.1 | 0.05* | 0.05* |
| | Millet | 0.05* | 0.02* | 0.1 | 0.05* | 0.05* |
| | Rice ⁽¹⁾ | 0.05* | 0.02* | 0.1 | 0.05* | 0.05* |
| | Other cereals ⁽²⁾ | 0.05* | 0.02* | 0.1 | 0.05* | 0.05* |
| 9. PRODUCTS OF ANIMAL ORIGIN | | | | | | |
| | Meat, fat & preparations of meat ⁽³⁾ | 0.1 ⁽¹⁾⁽²⁾ | 0.01 ⁽¹⁾⁽²⁾ | | 0.05* | 0.05* |
| | Milk ⁽⁴⁾ & Dairy produce ⁽⁵⁾ | | 0.01* | | 0.05* | 0.05* |
| | Eggs ⁽⁶⁾ | 0.1* | | | 0.05* | 0.05* |

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

FOOTNOTES

UNITS:

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

KEY:

* Level at or about the limit of determination.

FOOTNOTES:

1. Paddy or rough rice, husked rice and semi-milled or wholly milled rice
2. Other cereals do not include rice
3. Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg
4. These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
5. For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk of a combination, the following levels apply:
 - if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
 - if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk
6. Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared)
7. Sheepmeat only.
8. Poultrymeat only
9. All meat except sheepmeat.
10. Other meat products
11. All meat except poultrymeat
12. Pig kidney
13. Cattle, goat and sheep kidney
14. Procymidone: 1mg/kg applies to whole seed
0.05 mg/kg applies to seed without shell
15. All meat except liver and kidney.
16. Ruminant liver.
17. All meat except ruminant liver
18. For animal products MRLs relate to cyhalothrin (sum of isomers).
19. With the exception of meat and other ovine, bovine and caprine products.
20. Footnotes 3, 5 and 6 do not apply in cases where the lower limit of analytical determination is indicated.
21. Meat of cattle sheep and goats.
22. Other than meat or liver of cattle, sheep and goats, and poultry meat.
23. Liver of cattle, sheep and goats. The residue definition for this MRL is: 1,1-bis-(parachloropheno)-2,2-dichloroethanol (PP'-FW152), expressed as dicofol.
24. Fat, liver and kidney.
25. Other than fat, liver and kidney.
26. The residues definition for these MRLs is: sum of propyzamide and all metabolites containing the 3,5-dichlorobenzoic acid fraction expressed as propyzamid

SCHEDULE 3

Regulation 6

Note: The word 'fresh' is taken to extend to products which have been chilled.

| Column 1 Group of products | Column 2 Products included in the groups | Column 3 Part of product to which maximum residue levels apply |
|---|--|---|
| 1.Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar: nuts (i)CITRUS FRUIT | Grapefruit Lemons Limes Mandarins (including clementines and similar hybrids) Oranges Pomelos Others | Whole Product. |

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) [View outstanding changes](#)

| | | |
|--------------------------------------|--|---|
| (ii)TREE NUTS (shelled or unshelled) | Almonds | Whole product after removal of shell. |
| | Brazil nuts | |
| | Cashew nuts | |
| | Chestnuts | |
| | Coconuts | |
| | Hazelnuts | |
| | Macadamia nuts | |
| | Pecans | |
| | Pine nuts | |
| | Pistachios | |
| | Walnuts | |
| | Others | |
| | (iii)POME FRUIT | |
| Pears | | |
| Quinces | | |
| Others | | |
| (iv)STONE FRUIT | Apricots | Whole product after removal of stems. |
| | Cherries | |
| | Peaches (including nectarines and similar hybrids) | |
| | Plums | |
| | Others | |
| (v)BERRIES AND SMALL FRUIT | (a)Table and wine grapes | Whole product after removal of caps and stems (if any) and, in the case of currants, fruits with stems. |
| | Table grapes | |
| | Wine grapes | |
| | (b)Strawberries | |
| | (other than wild) | |
| | (c)Cane fruit | |

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

(other than wild)

Blackberries

Dewberries

Loganberries

Raspberries

Others

(d) *Other small fruit and berries*

(other than wild)

Bilberries

Cranberries

Currants (red, black and white)

Gooseberries

Others

(e) *Wild berries and wild fruit*

(vi) MISCELLANEOUS
FRUIT

Avocados

Whole fruit after removal of stems (if any) and in the case of pineapple, after removal of the crown.

Bananas

Dates

Figs

{Whole fruit after removal of stems (if any) after removal of soil (if any) by rinsing in running water.

Kiwi fruit

Kumquats

Litchis

Mangoes

Olives (table consumption){

Olives (oil extract)

Passion fruit

Pineapples

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

| | | |
|--|----------------------------------|--|
| | Pomegranates | |
| | Others | |
| (i)ROOT AND TUBER VEGETABLES | Beetroot | Whole product after removal of tops and adhering soil (if any) (removal of soil by rinsing in running water or by gentle brushing of the dry product). |
| | Carrots | |
| | Celeriac | |
| | Horseradish | |
| | Jerusalem artichokes | |
| | Parsnips | |
| | Parsley root | |
| | Radishes | |
| | Salsify | |
| | Sweet potatoes | |
| | Swedes | |
| | Turnips | |
| | Yams | |
| | Others | |
| 2.Vegetables, fresh or uncooked, frozen or dry | Garlic | For dry onions, shallots and garlic: whole product after removal of easily detachable skin and soil (if any). Onions, shallots and garlic other than dry, spring onions: whole product after removal of roots and soil (if any). |
| (ii)BULB VEGETABLES | Onions | |
| | Shallots | |
| | Spring Onions | |
| | Others | |
| (iii)FRUITING VEGETABLES | (a) <i>Solanacea</i> | Whole product after removal of stems. |
| | Tomatoes | |
| | Peppers | |
| | Aubergines | |
| | Others | |
| | (b) <i>Cucurbits-edible peel</i> | |

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

| | | |
|---------------------------------------|------------------------------------|---|
| | Cucumbers | |
| | Gherkin | |
| | Courgettes | |
| | Others | |
| | (c) <i>Cucurbits-inedible peel</i> | |
| | Melons | |
| | Squashes | |
| | Watermelons | |
| | Others | |
| | (d) <i>Sweet corn</i> | Kernels or cobs without husks. |
| (iv)BRASSICA VEGETABLES | (a) <i>Flowering brassicas</i> | Product after removal of decayed leaves (if any). |
| | Broccoli | |
| | Cauliflower | |
| | Others | |
| | (b) <i>Head brassicas</i> | |
| | Brussels sprouts | |
| | Head cabbage | |
| | Others | |
| | (c) <i>Leafy brassicas</i> | |
| | Chinese cabbage | |
| | Kale | |
| | Others | |
| | (d) <i>Kohlrabi</i> | Whole product after removal of tops and adhering soil (if any) (removal of soil by rinsing in running water or by gentle brushing of the dry product). |
| (v)LEAF VEGETABLES AND FRESH HERBS | (a) <i>Lettuce and similar</i> | Whole product after removal of decayed outer leaves, root and soil (if any). |
| | Cress | |

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to *The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000*. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) [View outstanding changes](#)

| | | |
|----------------------------------|--------------------------------|--|
| | Lamb's lettuce | |
| | Lettuce | |
| | Scarole | |
| | Others | |
| | (b) <i>Spinach and similar</i> | |
| | Spinach | |
| | Beet leaves (chard) | |
| | Others | |
| | (c) <i>Watercress</i> | |
| | (d) <i>Witloof</i> | |
| | (e) <i>Herbs</i> | |
| | Chervil | |
| | Chives | |
| | Parsley | |
| | Celery leaves | |
| | Others | |
| (vi)LEGUME VEGETABLES (FRESH) | Beans with pods | Whole product after removal of pods or with pods if they are intended to be eaten. |
| | Beans without pods | |
| | Peas with pods | |
| | Peas without pods | |
| | Others | |
| (vii)STEM VEGETABLES | Asparagus | Whole product after removal of decayed tissue and soil (if any); leeks and fennel: whole product after removal of roots and soil (if any). |
| | Cardoons | |
| | Celery | |
| | Fennel | |
| | Globe artichokes | |
| | Leeks | |

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) [View outstanding changes](#)

| | | |
|---|-----------------------------|--|
| | Rhubarb | |
| | Others | |
| (viii) FUNGI | Mushrooms (other than wild) | Whole product after removal of decayed tissue and soil (if any); |
| | Wild Mushrooms | leeks and fennel: whole product after removal of roots and soil (if any). |
| 3. Pulses | Beans | Whole product. |
| | Lentils | |
| | Peas | |
| | Others | |
| 4. Oil seeds | Linseed | Whole seed or kernel after removal of shell and husk, when possible. |
| | Peanuts | |
| | Poppy seed | *Whole seed including shell, when present, and whole seed without shell, when shell is absent. |
| | Rape seed | |
| | Sesame seed | |
| | Sunflower seed* | |
| | Soya bean | |
| | Others | |
| 5. Potatoes | Early potatoes | Whole product after removal of soil (if any) (removal of soil by rinsing in running water or by gentle brushing of the dry product). |
| | Ware potatoes | |
| 6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>) | | Whole product. |
| 7. Hops (dried), including hop pellets and unconcentrated powder | | Whole product. |
| 8. Cereal grains | Wheat | Whole commodity without husk. |
| | Rye | |
| | Barley | |
| | Oats | |
| | Triticale | |

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) [View outstanding changes](#)

| | | |
|-----------------------------|------------------------------------|---|
| | Maize | |
| | Rice | |
| | Other cereals | |
| 9.Products of animal origin | Meat, fat and preparations of meat | Whole commodity (For fat soluble pesticides a portion of carcass fat is analysed and MRLs apply to carcass fat. |
| | Milk | Whole commodity. |
| | Eggs | Whole egg whites and yolks combined after removal of shells. |
| 10.Spices | Cumin seed | Whole product. |
| | Juniper berries | |
| | Nutmeg | |
| | Pepper, black and white | |
| | Vanilla pods | |
| | Others | |

SCHEDULE 4

Regulation 7

REVOCATIONS

| <i>Title</i> | <i>S.I. Number</i> |
|---|---------------------------|
| The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) Regulations 1994 | S.I. 1994/1985. |
| The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Amendment) Regulations 1995 | S.I. 1995/1483. |
| The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Amendment) Regulations 1996 | S.I. 1996/1487 |
| The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Amendment) Regulations 1997 | S.I. 1997/567. |
| The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Amendment) Regulations 1998 | S.I. 1998/2922. |

Changes to legislation: There are outstanding changes not yet made by the [legislation.gov.uk](https://www.legislation.gov.uk) editorial team to *The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000*. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) [View outstanding changes](#)

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Amendment) Regulations 1999 S.I. 1999/1109.

EXPLANATORY NOTE

(This note is not part of the Regulations)

These Regulations are made under section 2(2) of the European Communities Act 1972 and Part III of the Food and Environment Protection Act 1985 and consolidate and replace the provisions of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) Regulations 1994 (S.I. 1994/1985) and the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Amendment) Regulations 1995 to 1999 (S.I. 1995/1483, 1996/1487, 1997/567, 1998/2922 and 1999/1109).

To the extent that the Regulations are made under the European Communities Act 1972, regulation 4 and Schedule 2 Part 2 specify maximum levels of pesticide residues which may be left in crops, food and feeding stuffs in implementation of Council Directive [86/362/EEC](#) (O.J. No. L221, 7.8.86, p.37) and Council Directive [86/363/EEC](#) (O.J. No. L221, 7.8.86, p.43) as regards cereals and products of animal origin, and Council Directive [90/642/EEC](#) (O.J. No. L350, 14.12.90, p.71) as regards certain products of plant origin (including fruit and vegetables), each as last amended by Commission Directive [1999/71/EC](#) (O.J. No. L194, 27.7.99, p.36) (these Directives as so amended being referred to in these Regulations as “the Residues Directives”). In particular, these Regulations specify for the first time maximum residue levels for the pesticide Azoxystrobin in implementation of Commission Directive [1999/71/EC](#). Regulation 4 also creates offences, specifies penalties, provides defences and confers enforcement powers where these maximum residue levels have been exceeded in respect of products put into circulation.

To the extent that these Regulations are made under the Food and Environment Protection Act 1985, they specify maximum levels of pesticides residues which may be left in crops, food and feeding stuffs which are not the subject of the Residues Directives. Since they are made under section 16(2)(k) of that Act, regulation 3 and Schedule 2 Part 1 do no more than specify the maximum residue level which may be left in a particular product. Offences and penalties for contravention of regulation 3 are prescribed respectively by sections 16(12) and 21(3) of that Act. The Regulations also confer powers to seize and dispose of products where maximum residue levels have been exceeded (regulation 5) and prescribe how much of a particular product is to be taken into account in determining whether a maximum residue level has been exceeded in accordance with Council Directive [90/642/EEC](#) (regulation 6 and Schedule 3). Provision is also made with regard to the manner for determining whether maximum residue levels have been exceeded when found in dried or processed products or composite foods, so far as these are the subject of the Residues Directives (regulation 6).

These Regulations revoke the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) Regulations 1994 (S.I. 1994/1985) and the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Amendment) Regulations 1995 to 1999 (S.I. 1995/1483, 1996/1487, 1997/567, 1998/2922 and 1999/1109) (regulation 7 and Schedule 4).

Changes to legislation:

There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations.

[View outstanding changes](#)

Changes and effects yet to be applied to :

- Sch 1 am by [S.S.I. 2001/221 reg 2\(1\)\(3\)](#)
- Sch 1 Table am by [S.S.I. 2001/84 reg 2\(1\)\(3\)](#)
- Sch 1 am by [S.S.I. 2003/445 reg 2\(1\)\(2\)](#)
- Sch 1 am by [S.S.I. 2005/281 reg 2\(1\)\(2\)](#)
- Sch 1 am (1.7.2004) by [S.S.I. 2003/445 reg 2\(1\)\(3\)](#)
- sch. 1 entries inserted by [S.S.I. 2004/220 reg. 2\(3\)](#)
- sch. 1 entries inserted by [S.S.I. 2004/399 reg. 2\(2\)\(c\)](#)
- sch. 1 entries omitted by [S.S.I. 2004/399 reg. 2\(2\)\(b\)](#)
- sch. 1 entries substituted by [S.S.I. 2004/399 reg. 2\(2\)\(d\)](#)
- sch. 1 entry inserted by [S.S.I. 2004/104 reg. 2\(2\)](#)
- sch. 1 entry inserted by [S.S.I. 2004/104 reg. 2\(3\)](#)
- sch. 1 entry inserted by [S.S.I. 2004/220 reg. 2\(2\)](#)
- sch. 1 entry omitted by [S.S.I. 2004/399 reg. 2\(2\)\(a\)](#)
- sch. 1 words inserted by [S.S.I. 2002/271 reg. 2\(3\)](#)
- Sch. 1 words inserted by [S.S.I. 2002/489 reg. 2\(3\)](#)
- Sch. 1 words inserted by [S.S.I. 2002/489 reg. 2\(4\)](#)
- sch. 1 words inserted by [S.S.I. 2003/118 reg. 2\(2\)](#)
- sch. 1 words inserted by [S.S.I. 2003/118 reg. 2\(3\)](#)
- Sch 2 Pt 2 am by [S.S.I. 2001/221 reg 2\(1\)\(6\) Schedule](#)
- Sch 2 Pt 2 am by [S.S.I. 2001/221 reg 2\(1\)reg 2\(7\)\(8\)](#)
- Sch 2 Pt 2 am by [S.S.I. 2003/445 reg 2\(1\)reg 2\(5\)\(a\)reg 2\(5\)\(c\)reg 2\(5\)\(d\)\(6\)Sch 1](#)
- Sch 2 Pt 2 am by [S.S.I. 2005/281 reg 2\(1\)\(3\)Sch 1](#)
- sch. 2 Pt. 1 entry omitted by [S.S.I. 2004/104 reg. 2\(4\)](#)
- Sch 2 Pt 1 rev in pt by [S.S.I. 2001/221 reg 2\(1\)\(4\)](#)
- Sch 2 Pt 2 rev in pt by [S.S.I. 2001/221 reg 2\(1\)\(5\)](#)
- Sch 2 Pt 1 Table rev in pt by [S.S.I. 2001/84 reg 2\(1\)\(4\)](#)
- Sch 2 Pt 1 rev in pt by [S.S.I. 2003/445 reg 2\(1\)\(4\)](#)
- Sch 2 Pt 2 rev in pt by [S.S.I. 2003/445 reg 2\(1\)reg 2\(5\)\(b\)](#)
- Sch 2 Pt 2 subst by [S.S.I. 2001/84 reg 2\(1\)\(5\) Schedule](#)
- Sch. 2 Pt. 2 substituted by [S.S.I. 2002/489 Sch. 1](#)
- sch. 2 Pt. 2 substituted by [S.S.I. 2003/118 Sch. 1](#)
- Sch. 2 Pt. 2 word substituted by [S.S.I. 2001/435 reg. 2\(3\)\(a\)](#)
- Sch. 2 Pt. 2 word substituted by [S.S.I. 2001/435 reg. 2\(3\)\(b\)](#)
- Sch. 2 Pt. 2 word substituted by [S.S.I. 2001/435 reg. 2\(3\)\(c\)](#)
- sch. 2 Pt. 2 word substituted by [S.S.I. 2002/271 reg. 2\(4\)\(a\)](#)
- sch. 2 Pt. 2 word substituted by [S.S.I. 2002/271 reg. 2\(4\)\(b\)](#)
- sch. 2 Pt. 2 word substituted by [S.S.I. 2002/271 reg. 2\(4\)\(c\)](#)
- sch. 2 Pt. 2 word substituted by [S.S.I. 2002/271 reg. 2\(4\)\(d\)](#)
- sch. 2 Pt. 2 word substituted by [S.S.I. 2002/271 reg. 2\(4\)\(e\)](#)
- sch. 2 Pt. 2 word substituted by [S.S.I. 2002/271 reg. 2\(4\)\(f\)](#)
- sch. 2 Pt. 2 word substituted by [S.S.I. 2002/271 reg. 2\(4\)\(g\)](#)
- sch. 2 Pt. 2 word substituted by [S.S.I. 2002/271 reg. 2\(4\)\(h\)](#)
- sch. 2 Pt. 2 word substituted by [S.S.I. 2002/271 reg. 2\(4\)\(i\)](#)
- sch. 2 Pt. 2 word substituted by [S.S.I. 2002/271 reg. 2\(4\)\(j\)](#)
- sch. 2 Pt. 2 word substituted by [S.S.I. 2004/104 reg. 2\(5\)\(a\)](#)
- sch. 2 Pt. 2 word substituted by [S.S.I. 2004/104 reg. 2\(5\)\(b\)](#)
- sch. 2 Pt. 2 word substituted by [S.S.I. 2004/104 reg. 2\(5\)\(c\)\(i\)](#)
- sch. 2 Pt. 2 word substituted by [S.S.I. 2004/104 reg. 2\(5\)\(c\)\(ii\)](#)
- sch. 2 Pt. 2 word substituted by [S.S.I. 2004/104 reg. 2\(5\)\(d\)](#)

- sch. 2 Pt. 2 word substituted by S.S.I. 2004/220 reg. 2(4)(a)
- sch. 2 Pt. 2 word substituted by S.S.I. 2004/399 reg. 2(4)(a)
- sch. 2 Pt. 2 word substituted by S.S.I. 2004/399 reg. 2(4)(b)
- Sch. 2 Pt. 2 words inserted by S.S.I. 2001/435 reg. 2(4)(a)Sch. 2
- Sch. 2 Pt. 2 words inserted by S.S.I. 2001/435 reg. 2(4)(b)Sch. 2
- sch. 2 Pt. 2 words inserted by S.S.I. 2002/271 reg. 2(5)(b)sch. 2
- sch. 2 Pt. 2 words inserted by S.S.I. 2004/104 reg. 2(6)(c)sch. 1
- sch. 2 Pt. 2 words inserted by S.S.I. 2004/220 reg. 2(4)(b)sch. 1
- sch. 2 Pt. 2 words inserted by S.S.I. 2004/220 reg. 2(4)(c)sch. 1
- sch. 2 Pt. 2 words inserted by S.S.I. 2004/399 reg. 2(4)(f)sch. 1
- sch. 2 Pt. 2 words moved by S.S.I. 2004/104 reg. 2(6)(a)
- Sch. 2 Pt. 1 words omitted by S.S.I. 2002/489 reg. 2(5)
- sch. 2 Pt. 1 words omitted by S.S.I. 2003/118 reg. 2(4)
- sch. 2 Pt. 1 words omitted by S.S.I. 2004/399 reg. 2(3)
- sch. 2 Pt. 2 words omitted by S.S.I. 2004/399 reg. 2(4)(c)
- sch. 2 Pt. 2 words omitted by S.S.I. 2004/399 reg. 2(4)(e)
- Sch. 2 Pt. 2 words substituted by S.S.I. 2001/435 reg. 2(4)(c)Sch. 2
- sch. 2 Pt. 2 words substituted by S.S.I. 2002/271 reg. 2(5)(a)sch. 2
- sch. 2 Pt. 2 words substituted by S.S.I. 2004/104 reg. 2(6)(b)sch. 1
- sch. 2 Pt. 2 words substituted by S.S.I. 2004/399 reg. 2(4)(d)sch. 1
- sch. 2 Pt. 2 words substituted by S.S.I. 2004/399 reg. 2(4)(g)sch. 1
- Sch. 2 Pt. 2 words substituted by S.S.I. 2005/109 reg. 1(2)Sch. 1
- Regulations revoked by S.S.I. 2005/599 Sch. 4
- reg 2 defn(s) subst by S.S.I. 2001/221 reg 2(1)(2)
- reg. 2(1) words substituted by S.S.I. 2001/435 Sch. 1
- reg. 2(1) words substituted by S.S.I. 2002/271 reg. 2(2)
- reg 4 am by S.S.I. 2001/84 reg 2(1)(2)
- reg. 6(b) substituted by S.S.I. 2002/489 reg. 2(2)

Changes and effects yet to be applied to the whole Instrument associated Parts and Chapters:

Whole provisions yet to be inserted into this Instrument (including any effects on those provisions):

- Sch 3 para 1 Table am by S.S.I. 2001/84 reg 2(1)reg 2(6)(a)
- Sch 3 para 2 Table am by S.S.I. 2001/84 reg 2(1)reg 2(6)(b)
- sch. 5 inserted by S.S.I. 2002/271 sch. 1
- Sch 5 subst by S.S.I. 2003/445 reg 2(1)(7)Sch 2
- Sch 5 subst by S.S.I. 2005/281 reg 2(1)(4)Sch 2
- Sch. 5 substituted by S.S.I. 2002/489 Sch. 2
- sch. 5 substituted by S.S.I. 2003/118 Sch. 2
- sch. 5 substituted by S.S.I. 2004/104 reg. 2(7)sch. 2
- sch. 5 substituted by S.S.I. 2004/220 reg. 2(5)sch. 2
- Sch. 5 substituted by S.S.I. 2004/399 reg. 2(5)Sch. 2
- Sch. 5 substituted by S.S.I. 2005/109 Sch. 2