SCOTTISH STATUTORY INSTRUMENTS

2005 No. 599

AGRICULTURE PESTICIDES

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2005

Made	28th November 2005
Laid before the Scottish	
Parliament	30th November 2005
	22nd December
Coming into force	2005

The Scottish Ministers, in exercise of the powers conferred by section 2(2) of the European Communities Act 1972(1) and of all other powers enabling them in that behalf, hereby make the following Regulations:

Citation, commencement and extent

1.—(1) These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2005 and shall come into force on 22nd December 2005.

(2) These Regulations shall extend to Scotland only.

Commencement Information

II Reg. 1 in force at 22.12.2005, see reg. 1(1)

Interpretation

2.—(1) In these Regulations–

"Directive 76/895" means Council Directive 76/895/EEC relating to the fixing of maximum levels for pesticide residues in and on fruit and vegetables(2);

^{(1) 1972} c. 68. Section 2(2) was amended by the Scotland 1998 (c. 46), Schedule 8, paragraph 15(3). The function conferred upon the Minister of the Crown under section 2(2) of the European Communities Act 1972, insofar as within devolved competence, was transferred to the Scotlish Ministers by virtue of section 53 of the Scotland Act 1998.

⁽²⁾ O.J. No. L 340, 9.12.1976, p.26, as last amended by Council Regulation (EC) No. 807/2003 (O.J. No. L 122, 16.5.2003, p.36).

"Directive 86/362" means Council Directive 86/362/EEC on the fixing of maximum levels for pesticide residues in and on cereals(**3**);

"Directive 86/363" means Council Directive 86/363/EEC on the fixing of maximum levels for pesticide residues in and on foodstuffs of animal origin(4);

"Directive 90/642" means Council Directive 90/642/EEC on the fixing of maximum levels for pesticide residues in and on certain products of plant origin, including fruit and vegetables(5);

"EEA State" means a Member State, Norway, Iceland or Liechtenstein;

"fruit or vegetable" means a product referred to in Article 1 of Directive 90/642;

"maximum residue level" means the maximum quantity of pesticide residue (measured in milligrams per kilogram of product) that a product is permitted to contain under regulation 3;

"pesticide" means any substance, preparation or organism listed in column 1 of Schedule 1;

"pesticide residue" means, in relation to any particular pesticide, the substance specified in column 2 of Schedule 1 in respect of that pesticide;

"product" means any crop, food or feeding stuff specified in Schedules 2 or 3;

"putting into circulation", in relation to any product, means handing it over (post harvest if the product is a fruit or vegetable), whether or not for consideration and any related expression shall be construed accordingly; and

"the Residues Directives" means Directive 76/895, Directive 86/362, Directive 86/363 and Directive 90/642, in each case as amended on the date these Regulations are made.

(2) The words and expressions "composite food", "drying" and "processing" when used in regulation 3 or in paragraph (c) or (d) of regulation 5 have the same meaning as when used in the Residues Directives and any related expressions shall be construed accordingly.

(3) Any reference in these Regulations to a numbered Schedule or regulation shall be construed as a reference to the Schedule or, as the case may be, regulation so numbered in these Regulations.

(4) Any reference in any Schedule to these Regulations to any product, figure or pesticide includes any qualifying words relating to that product, figure or pesticide in that Schedule.

Commencement Information

I2 Reg. 2 in force at 22.12.2005, see reg. 1(1)

Prohibition on putting into circulation products with excess residues

3.—(1) No person shall put into circulation a product named in Schedule 2 if it contains a quantity of pesticide residue, per kilogram of the product, greater than that specified in that Schedule in respect of that product and the pesticide in question, during the period (if any) specified.

(2) Subject to paragraph (3), paragraph (1) shall also apply in relation to the putting into circulation of-

- (a) any product which after drying or processing is obtained from any of the products named in Schedule 2, and
- (b) any composite food which includes any of the products named in that Schedule,

as it applies to the products so named.

(3) Where-

⁽³⁾ O.J. No. L 221, 7.8.1986, p.37, as last amended by Commission Directive 2005/48/EC (O.J. No. L 219, 24.8.05, p.29).

⁽⁴⁾ O.J. No. L 221, 7.8.1986, p.43, as last amended by Commission Directive 2005/48/EC (O.J. No. L 219, 24.8.05, p.29).

⁽⁵⁾ O.J. No. L 350, 14.12.1990, p.71, as last amended by Commission Directive 2005/48/EC (O.J. No. L 219, 24.8.05, p.29).

- (a) paragraph (1) applies in relation to a dried or processed product or a composite food by virtue of paragraph (2), and
- (b) in relation to that dried or processed product or composite food no quantity has been specified in Schedule 2 as the maximum residue level in respect of a pesticide residue which may be contained in that dried or processed product or composite food,

paragraph (1) applies as if the maximum residue level in respect of that pesticide residue were the quantity applicable under that Schedule as it has effect by virtue of regulation 5(c) or, as the case may be, (d).

(4) Any person who, without reasonable excuse, contravenes or causes or permits any other person to contravene the prohibition in paragraph (1) shall be guilty of an offence, and shall be liable–

- (a) on summary conviction, to a fine not exceeding the statutory maximum; and
- (b) on conviction on indictment, to a fine.

(5) In any proceedings for an offence under this regulation in relation to any product, whether or not dried or processed or a composite food, it is a defence for the person charged to prove that when the product was put into circulation–

- (a) it was so put with the intention of its being exported to a country which is not an EEA State and the contravention of the prohibition in paragraph (1) was caused by the product being treated in a manner-
 - (i) required by the country of destination in order to prevent the introduction of harmful organisms into its territory; or
 - (ii) necessary to protect the product from harmful organisms during transport to the country of destination and storage there, or
- (b) it was so put with the intention that-
 - (i) it be used in the manufacture of things other than foodstuffs and animal feed; or
 - (ii) it be used for sowing or planting.

(6) Sections 19 (enforcement powers), 21(5) (offences – penalties etc) and 22 (general defence of due diligence) of, and Schedule 2 (officers and their powers) to, the Food and Environment Protection Act 1985(6) shall apply for the purposes of this regulation as they apply for the purposes of that Act, taking references in those sections to that Act or any Part of it to be references to this regulation, and the general purposes of that Act to include the purposes of this regulation.

Commencement Information

I3 Reg. 3 in force at 22.12.2005, see reg. 1(1)

Seizure or disposal of crops, food or feeding stuffs

4.—(1) If any product contains a quantity of pesticide residue greater than that permitted under regulation 3(1), the Scottish Ministers may–

- (a) seize or dispose of the consignment containing that product, or any part of it, or require the owner or any person appearing to be in charge of it to dispose of it, or
- (b) direct the owner or any person appearing to be in charge of it to take such remedial action as appears to the Scottish Ministers to be necessary.

(2) Paragraph (1) applies to any product put into circulation in circumstances referred to in regulation 3(5)(a) or (b) as it applies to other products.

^{(6) 1985} c. 48.

Commencement Information

I4 Reg. 4 in force at 22.12.2005, see reg. 1(1)

Sampling and analysis

5. In determining for the purposes of regulation 3(1) whether the quantity of pesticide residue contained in any product exceeds the maximum residue level–

- (a) in relation to any product specified in column 2 of Schedule 3 (and falling within a group of products specified in column 1 of that Schedule) the whole or part only of that product shall, so far as is practicable, be taken into account as specified in column 3 of that Schedule;
- (b) the procedure to be followed for sampling for the determination of pesticide residues shall be that set out in the Annex to Commission Directive 2002/63/EC(7);
- (c) in the case of any product which has been dried or processed, Schedule 2 shall have effect where, in relation to a pesticide residue, no such maximum residue level is specified therein for the product in its dried or processed form, as if the maximum residue level specified in that Schedule in respect of that pesticide residue and in relation to the product in question were subject to an adjustment to take account of the concentration of the product caused by the drying process or, as the case may be, the dilution or concentration of the product caused by the processing; and
- (d) in a case where a product listed in Schedule 2 has been mixed with other products or ingredients to form a composite food, that Schedule shall have effect, in relation to that composite food, as if the products which have been mixed to form the composite food had not been mixed and accordingly the maximum residue levels specified for each of the pesticide residues specified applied in relation to each of those products separately taking into account—
 - (i) the relative concentrations of each of the products in the composite food; and
 - (ii) the provisions of paragraph (c).

Commencement Information

```
I5 Reg. 5 in force at 22.12.2005, see reg. 1(1)
```

Revocations

6. The Regulations specified in Schedule 4 are revoked.

```
Commencement Information
I6 Reg. 6 in force at 22.12.2005, see reg. 1(1)
```

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2005. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

St Andrew's House, Edinburgh 28th November 2005

ROSS FINNIE A member of the Scottish Executive

SCHEDULE 1

Regulation 2(1)

Pesticide Residues

Commencement InformationI7Sch. 1 in force at 22.12.2005, see reg. 1(1)	
Column 1	Column 2
Pesticide	Residue
1,1-dichloro-2,2-bis (4-ethyl-phenyl-) ethane	1,1-dichloro-2,2-bis (4-ethyl-phenyl-) ethane
1,2-Dibromoethane	(1) for products of plant origin other than cereals: 1,2-dibromoethane (ethylene dibromide)
	(2) for cereals: 1,2-dibromoethane
1,2-Dichloroethane	1,2-dichloroethane
2,4-D	(1) for products of plant origin: 2,4-D (sum of 2,4-D and its esters) expressed as 2,4-D
	(2) for foodstuffs of animal origin: 2,4-D
2,4-DB	2,4-DB
2,4,5-T	2,4,5-T
Abamectin	abamectin (sum of avermectin B1a, avermectin B1b and delta-8, 9 isomer of avermectin B1a)
Acephate	acephate
Acibenzolar-S-methyl	acibenzolar-S-methyl
Aldicarb	sum of aldicarb, its sulfoxide and its sulfone, expressed as aldicarb
Aldrin and Dieldrin	(1) for products of plant origin other than cereals: aldrin and dieldrin combined expressed as dieldrin
	(2) for cereals and foodstuffs of anima origin: aldrin and dieldrin singly or combined expressed as Dieldrin (HEOD)
Amitraz	amitraz including the metabolites containing the 2,4 dimethylaniline moiety expressed as amitraz
Amitrole	amitrole
Aramite	aramite
Atrazine	atrazine
Azimsulfuron	azimsulfuron
Azinphos-ethyl	azinphos-ethyl

Column 1	Column 2	
Pesticide	Residue	
Azinphos-methyl	azinphos-methyl	
Azocyclotin and Cyhexatin	azocyclotin and cyhexatin (sum of azocyclotin and cyhexatin expressed as cyhexatin)	
Azoxystrobin	azoxystrobin	
Barban	barban	
Benalaxyl	benalaxyl	
Benfuracarb	benfuracarb	
Benomyl, Carbendazim and Thiophanate- methyl	benomyl, carbendazim and thiophanate-methyl (expressed as carbendazim)	
Bentazone	bentazone (sum of bentazone and conjugates 6-OH- and 8-OH- bentazone expressed as bentazone)	
Bifenthrin	bifenthrin	
Binapacryl	binapacryl	
Bitertanol	bitertanol	
Bromophos-ethyl	bromophos-ethyl	
Bromopropylate	bromopropylate	
Camphechlor (Toxaphene)	(1) for products of plant origin other than cereals: camphechlor (toxaphene)	
	(2) for cereals: Camphechlor (chlorinated camphen with 67–69% chlorine)	
	(3) for foodstuffs of animal origin: camphechlor (sum of the three indicator compounds Parlar No 26 (2-endo, 3-exo,5-endo, 6-exo, 8, 8, 10, 10-octachlorobornane), Parlar No 50 (2-endo, 3-exo, 5-endo, 6-exo, 8, 8, 9, 10, 10-nonachlorobornane) and Parlar No 62 (2, 2, 5, 5, 8, 9, 9, 10, 10-nonachlorobornane)	
Captafol	captafol	
Carbaryl	carbaryl	
Carbofuran	sum of carbofuran and 3-hydroxy-carbofuran, expressed as carbofuran	
Carbon disulphide	carbon disulphide	
Carbon tetrachloride	carbon tetrachloride	
Carbosulfan	carbosulfan	
Carfentrazone-ethyl	carfentrazone-ethyl (determined as carfentrazone and expressed as carfentrazone- ethyl)	

Column 1	Column 2
Pesticide	Residue
Cartap	cartap
Chlorbenside	chlorbenside
Chlorbufam	chlorbufam
Chlordane	(1) for products of plant origin other than cereals: chlordane (sum of cis- and trans- chlordane)
	(2) for cereals: chlordane (sum of cis- and trans-isomers expressed as chlordane)
	(3) for foodstuffs of animal origin: (sum of cis- and trans-isomers and oxychlordane expressed as chlordane)
Chlorfenapyr	chlorfenapyr
Chlorfenson	chlorfenson
Chlorfenvinphos	sum of E- and Z-isomers of chlorfenvinphos
Chlormequat	chlormequat
Chlorobenzilate	chlorobenzilate
Chlorothalonil	chlorothalonil
Chloroxuron	chloroxuron
Chlorpyrifos	chlorpyrifos
Chlorpyrifos-methyl	chlorpyrifos-methyl
Chlozolinate	chlozolinate
Cinidon-ethyl	cinidon-ethyl (sum of cinidon-ethyl and its E- isomer)
Clofentezine	(1) for products of plant origin other than cereals: clofentezine
	(2) for cereals and foodstuffs of animal origin: clofentezine (sum of all compounds containing the 2-chlorobenzoyl moiety expressed as clofentezine)
Cyazofamid	cyazofamid
Cyclanilide	cyclanilide
Cyfluthrin	(1) for products of plant origin other than cereals: cyfluthrin and b- cyfluthrin (sum of isomers)
	(2) for cereals and foodstuffs of animal origin: cyfluthrin, including other mixed isomeric constituents (sum of isomers)

Column 1	Column 2
Pesticide	Residue
Cyhalofop butyl	cyhalofop butyl (sum of cyhalofop butyl and its free acids)
Cypermethrin	cypermethrin, including other mixtures of constituent isomers (sum of isomers)
Cyromazine	cyromazine
Daminozide	sum of daminozide and 1,1 -dimethyl- hydrazine expressed as daminozide
DDT	sum of pp'-DDT, op'-DDT, pp'-DDE and pp'- TDE (DDD) expressed as DDT
Deltamethrin	deltamethrin
Diallate	diallate
Diazinon	diazinon
Dichlofluanid	dichlofluanid
Dichlorprop	dichlorprop (including dichlorprop P)
Dichlorvos	dichlorvos
Dicofol	 (1) for products of plant origin and for foodstuffs of animal origin: except liver of cattle, sheep and goats: sum of P, P' and O, P' isomers (2) for foodstuffs of animal origin: liver of cattle sheep and goats: 1.1-bis-(parachlorophenol)-2,2-dichloroethanol (PP'-FW152), expressed as dicofol
Dimethoate	dimethoate (sum of dimethoate and omethoate expressed as dimethoate)
Dinoseb	dinoseb
Dinoterb	dinoterb
Dioxathion	dioxathion
Diphenylamine	diphenylamine
Diquat	diquat
Disulfoton	sum of disulfoton, disulfoton sulphoxide and disulfoton sulphone expressed as disulfoton
DNOC	DNOC
Endosulfan	sum of alpha- and beta- isomers and of endosulfan sulphate, expressed as endosulfan
Endrin	endrin
Ethephon	ethephon
Luiephon	•

Column 1	Column 2
Pesticide	Residue
Ethofumesate	ethofumesate (sum of ethofumesate and the metabolite 2, 3-dihydro-3,3-dimethyl-2-oxo- benzofuran-5-yl methane sulphonate expressed as ethofumesate)
Ethoxysulfuron	ethoxysulfuron
Ethylene oxide	ethylene oxide (sum of ethylene oxide and 2- chloro-ethanol expressed as ethylene oxide)
Famoxadone	famoxadone
Fenamidone	fenamidone
Fenamiphos	fenamiphos (sum of fenamiphos and its sulphoxide and sulphone expressed as fenamiphos)
Fenarimol	fenarimol
Fenbutatin oxide	fenbutatin oxide
Fenchlorphos	fenchlorphos (sum of fenchlorphos and fenchlorphos oxon, expressed as fenchlorphos)
Fenhexamid	fenhexamid
Fenitrothion	fenitrothion
Fenpropimorph	(1) for products of plant origin: fenpropimorph
	(2) for foodstuffs of animal origin: fenpropimorph carboxylic acid (BF 421-2) expressed as fenpropimorph
Fentin	fentin expressed as triphenyltin cation
Fentin acetate	fentin acetate
Fentin hydroxide	fentin hydroxide
Fenvalarate and Esfenvalerate	(1) sum of RR and SS isomers
	(2) sum of RS and SR isomers
Florasulam	florasulam
Flucythrinate	(1) for products of plant origin other than cereals: flucythrinate
	(2) for cereals and foodstuffs of animal origin: sum of isomers expressed as flucythrinate
Flufenacet	(1) for products of plant origin other than cereals: flufenacet (sum of all compounds containing the N fluorophenyl-N-isopropyl moiety expressed as flufenacet)
	(2) for cereals: flufenacet (sum of all compounds containing the N fluorophenyl-

Column 1	Column 2	
Pesticide	Residue	
	N-isopropyl moiety expressed as flufenacet equivalent)	
Flumioxazine	flumioxazine	
Flupyrsulfuron-methyl	flupyrsulfuron-methyl	
Fluroxypyr	(1) for products of plant origin: fluroxypyr and its esters expressed as fluroxypyr(2) for foodstuffs of animal origin: fluroxypyr	
Folpet	folpet	
Foramsulfuron	foramsulfuron	
Formothion	formothion	
Fosthiazate	fosthiazate	
Furathiocarb	furathiocarb	
Glyphosate	glyphosate	
Heptachlor	sum of heptachlor and heptachlor epoxide, expressed as heptachlor	
Hexachlorobenzene (HCB)	hexachlorobenzene	
Hexachlorocyclohexane (HCH)	HCH, sum of isomers except the gamma isomer	
Hexaconazole	hexaconazole	
Hydrogen cyanide	hydrogen cyanide, cyanides expressed as hydrogen cyanide	
Hydrogen phosphide	hydrogen phosphide, phosphides expressed as hydrogen phosphide	
Imazalil	imazalil	
Imazamox	imazamox	
Iodosulfuron-methyl sodium	iodosulfuron-methyl sodium (iodosulfuron- methyl including salts, expressed as iodosulfuron-methyl)	
Iprodione	 (1) for products of plant origin: iprodione (2) for foodstuffs of animal origin: sum of compounds and all metabolites containing the 3,5-dichloroaniline moiety expressed as 3,5 dichloroaniline 	
Iprovalicarb	iprovalicarb	
Isoproturon	isoproturon	
Isoxaflutole	isoxaflutole (sum of isoxaflutole, RPA 202248 (2-cyano-3cyclopropyl-1-(2-methylsulfonyl-4- trifluoromethylphenyl) propane-1,3-dione) and RPA 203328 (2-methane-sulfonyl-4-	

Column 1	Column 2	
Pesticide	Residue	
	trifluoromethylbenzoic acid) expressed as isoxaflutole)	
Kresoxim-methyl	(1) for products of plant origin: kresoxim- methyl	
	 (2) for foodstuffs of animal origin: eggs: kresoxim-methyl; milk: 2-[2-(4-hydroxy-2- methylphenoxymethyl) phenyl]-2- methoxy-imino-acetic acid; meat, liver, fat and kidney: 2- methyloxyimino-2-[2-(o-tolyloxymethyl) phenyl] acetic acid 	
Lambda-cyhalothrin	(1) for products of plant origin: lambda- cyhalothrin	
	(2) for foodstuffs of animal origin: lambda- cyhalothrin including other mixed isomeric constituents (sum of isomers)	
Lindane	lindane (hexachloro-cylohexane ã)	
Linuron	linuron	
Malathion	malathion (sum of malathion and malaoxon, expressed as malathion	
Maleic hydrazide	maleic hydrazide	
Maneb, Mancozeb, Metiram, Propineb and Zineb	(1) for products of plant origin other than cereals: maneb, mancozeb, metiram, propineb and zineb (sum expressed as CS2)	
	(2) for cereals and foodstuffs of animal origin: determined and expressed as carbon disulphide (CS2)	
Mecarbam	mecarbam	
Mecoprop	mecoprop (sum of mecoprop-p and mecoprop expressed as mecoprop)	
Mercury compounds	(1) for products of plant origin other than cereals: sum of mercury compounds expressed as mercury	
	(2) for cereals: mercury compounds(3) for foodstuffs of animal origin: sum of mercury compounds	
Mesotrione	mesotrione (sum of mesotrione and MNBA (4-methyl-sulfonyl-2-nitro benzoic acid), expressed as mesotrione	
Metalaxyl	(1) for products of plant origin other than cereals: metalaxyl including other mixtures of	

of isomers)(2) for cereals and foodstuffs of animal origin: metalaxylMetalaxyl-MMethacrifosMethamidophosMethidathionMethomyl thiodicarb(1) for products of plant origin other than cereals: methomyl/thiodicarb (sum expressed as methomyl)(2) for cereals and for foodstuffs of animal origin: sum of methomyl and thiodicarb expressed as methomyl)(2) for cereals and for foodstuffs of animal origin: sum of methomyl and thiodicarb expressed as methomylMethoxychlorMethoxychlorMethyl bromide (bromomethane)Methyl bromide (bromomethane)Metulfuron methylMetungthosMolinateMonocrotophosMonolurinonMyclobutanil(1) for products of plant origin: myclobutanil (2) for foodstuffs of animal origin: myclobutanil (2) for foodstuffs of animal origin: Alpha - (3-hydroxybutyl) -alpha- (4-chloro-phenyl)- 1H	Column 1	Column 2
of isomers)(2) for cereals and foodstuffs of animal origin: metalaxy1Metalaxy1-Mmetalaxy1-mMethacrifosmethacrifosMetharifosmethacrifosMetharifosmethadrifosMethidathionmethadrifosMethomyl thiodicarb(1) for products of plant origin other than cereals: methomyl/thiodicarb (sum expressed as methomyl)(2) for cereals and for foodstuffs of animal origin: sum of methomyl and thiodicarb expressed as methomylMethoxychlormethoxychlorMethyl bromide (bromomethane)methyl bromide (bromomethane)Metsulfuron methylmetsulfuron methylMevinphossum of cis- and trans- mevinphosMolinatemonocrotophosMonolurinonmonolurinonMyclobutanil(1) for products of plant origin: myclobutanil (2) for foodstuffs of animal origin: Alpha - (3-hydroxybutyl) -alpha- (4-chloro-phenyl)- 111 - 1,2,4 - triazole- 1 -propanenitrile (RH 9090) expressed as myclobutanil OxadiargylNitrofennitrofenOxadiargyloxadiargylOxydemeton methyloxydemeton methyl sum of oxydemeton methyl and demeton-S-methylsulfone expressed as oxydemeton methyl)Paraquatparaquat Parathion-methyl parathion-methyl sum of Parathion-methyl and para-oxon-methyl expressed as Parathion- methyl)	Pesticide	Residue
Metalaxyl-Mmetalaxyl-mMethacrifosmethacrifosMethamidophosmethamidophosMethidathionmethidathionMethomyl thiodicarb(1) for products of plant origin other than cereals: methomyl/thiodicarb (sum expressed as methomyl)Methoxychlor(2) for cereals and for foodstuffs of expressed as methomylMethoxychlormethoxychlorMethyl bromide (bromomethane)methyl bromide (bromomethane)Metsulfuron methylmetalufuron methylMetoryphossum of cis- and trans- mevinphosMolinatemolourinonMyclobutanil(1) for products of plant origin: myclobutanil (2) for foodstuffs of animal origin: Alpha - (3-hydroxybutyl) -alpha- (4-chloro-phenyl)- 1H - 1,2,4 -triazole -1 - propanenitrile (RH 9090) expressed as myclobutanilNitrofennitrofenOxadiargyloxadiargylOxasulfuronoxadiargylOxydemeton methyloxydemeton methyl sum of oxydemeton methyl and demoton-S-methylsulfone expressed as oxydemeton methylParaquatparaquatParathion-methylparathion-methyl (sum of Parathion-methyl parathion-methyl (sum of Parathion-methyl		constituent isomers including metalaxyl-m (sum of isomers)
MethacrifosmethacrifosMethamidophosmethamidophosMethidathionmethidathionMethomyl thiodicarb(1) for products of plant origin other than cereals: methomyl/thiodicarb (sum expressed as methomyl)Methoxychlor(2) for cereals and for foodstuffs of animal origin: sum of methomyl and thiodicarb expressed as methomyl)MethoxychlormethoxychlorMethyl bromide (bromomethane)methyl bromide (bromomethane)Metsulfuron methylmetsulfuron methylMevinphossum of cis- and trans- mevinphosMolinatemolonateMonocrotophosmonocrotophosMonolurinon(1) for products of plant origin: myclobutanil (2) for foodstuffs of animal origin: Alpha - (3-hydroxybutyl) - alpha- (4-chhoro-phenyl))- 1H - 1,2.4 + rizole- 1 - propanenitrie (RH 9090) expressed as myclobutanilNitrofennitrofenOxadiargyloxadiargylOxaduirgyloxadiargylOxydemeton methylmethorts- smethylsulfone expressed as oxydemeton methyl)ParaquatparaquatParathionparathionParathionparathionParathionparathion		
MethamidophosmethamidophosMethidathionmethidathionMethomyl thiodicarb(1) for products of plant origin other than cereals: methomyl/thiodicarb (sum expressed as methomyl)Methomyl thiodicarb(2) for cereals and for foodstuffs of animal origin: sum of methomyl and thiodicarb expressed as methomyl)MethoxychlormethoxychlorMethyl bromide (bromomethane)methyl bromide (bromomethane)Metsulfuron methylmetsulfuron methylMevinphossum of cis- and trans- mevinphosMolinatemonocrotophosMonolurinonmonocrotophosMonolurinon(1) for products of plant origin: myclobutanil (2) for foodstuffs of animal origin: Alpha - (3-hydroxybutyl) -alpha- (4-chloro-phenyl)- 1H - 1,2,4 - triazole- 1 -propanenitrile (RH 9090) expressed as myclobutanilNitrofennitrofenOxadiargyloxadiargylOxasulfuronoxaydemeton methyl (sum of oxydemeton methyl and demeton-S-methylsulfone expressed as oxydemeton methyl)ParaquatparaquatParathionparaquatParathion-methylparathion-methyl (sum of Parathion-methyl and para-oxon-methyl expressed as Parathion- methyl)	Metalaxyl-M	metalaxyl-m
MethidathionmethidathionMethomyl thiodicarb(1) for products of plant origin other than cereals: methomyl/thiodicarb (sum expressed as methomyl)(2) for cereals and for foodstuffs of animal origin: sum of methomyl and thiodicarb expressed as methomylMethoxychlormethoxychlorMethyl bromide (bromomethane)methyl bromide (bromomethane)Metsulfuron methylmetsulfuron methylMetsulfuron methylmetsulfuron methylMonocrotophossum of cis- and trans- mevinphosMonolurinonmonolurinonMyclobutanil(1) for products of plant origin: myclobutanil (2) for foodstuffs of animal origin: Alpha - (3-hydroxybutyl) -alpha- (4-chloro-phenyl)) 1H - 1,2,4 -triazole- 1 -propanenitrile (RH 9090) expressed as myclobutanilNitrofennitrofenOxadiargyloxadiargylOxasulfuronoxydemeton methyl (sum of oxydemeton methyl and demeton-S-methylsulfone expressed as oxydemeton methyl)ParaquatparaquatParathionparaquatParathionparaquat	Methacrifos	methacrifos
Methomyl thiodicarb(1) for products of plant origin other than cereals: methomyl/thiodicarb (sum expressed as methomyl)(2) for cereals and for foodstuffs of animal origin: sum of methomyl and thiodicarb expressed as methomylMethoxychlormethoxychlorMethyl bromide (bromomethane)methyl bromide (bromomethane)Metsulfuron methylmethoxychlorMetisulfuron methylmethyl bromide (bromomethane)MolinatemolinateMonocrotophosmonocrotophosMonolurinonmonolurinonMyclobutanil(1) for products of plant origin: myclobutanil (2) for foodstuffs of animal origin: Alpha - (3-hydroxybutyl) -alpha- (4-chloro-phenyl)- 1H - 1,24 - triazole- 1 - propanenitrile (RH 9090) expressed as myclobutanilNitrofennitrofenOxadiargyloxadiargylOxasulfuronoxydemeton methyl (sum of oxydemeton methyl and demeton-S-methylsulfone expressed as oxydemeton methylParaquatparaquatParathionparathion-methyl (sum of Parathion-methyl and para-oxon-methyl expressed as Parathion- methyl)	Methamidophos	methamidophos
cereals: methomyl/thiodicarb (sum expressed as methomyl)(2)for cereals and for foodstuffs of animal origin: sum of methomyl and thiodicarb expressed as methomylMethoxychlormethoxychlorMethyl bromide (bromomethane)methyl bromide (bromomethane)Metsulfuron methylmetsulfuron methylMevinphossum of cis- and trans- mevinphosMolinatemolinateMonocrotophosmonocrotophosMonolurinon(1) for products of plant origin: myclobutanil (2) for foodstuffs of animal origin: Alpha - (3-hydroxybutyl) -alpha (4-chloro-phenyl)) 1H - 1,2,4 - triazole- 1 - propanenitrile (RH 9090) expressed as myclobutanilNitrofennitrofenOxadiargyloxadiargylOxadiargyloxadiargylOxydemeton methyl and demeton-S-methylsulfone expressed as oxydemeton methylParaquatparaquatParathionparathion-methyl (sum of Parathion-methyl and para-oxon-methyl expressed as Parathion- methyl)	Methidathion	methidathion
animal origin: sum of methomyl and thiodicarb expressed as methomylMethoxychlormethoxychlorMethyl bromide (bromomethane)methyl bromide (bromomethane)Metsulfuron methylmetsulfuron methylMevinphossum of cis- and trans- mevinphosMolinatemolinateMonocrotophosmonocrotophosMonolurinonmonolurinonMyclobutanil(1) for products of plant origin: myclobutanil (2) for foodstuffs of animal origin: Alpha - (3-hydroxybutyl) -alpha- (4-chloro-phenyl)- 1H - 1,2,4 - triazole- 1 -propanenitrile (RH 9090) expressed as myclobutanilNitrofennitrofenOxadiargyloxadiargylOxasulfuronoxydemeton methyl (sum of oxydemeton methyl and demeton-S-methylsulfone expressed as oxydemeton methyl)ParaquatparaquatParathionparathion-methyl (sum of Parathion-methyl and para-oxon-methyl expressed as Parathion- methyl)	Methomyl thiodicarb	
Methyl bromide (bromomethane)methyl bromide (bromomethane)Metsulfuron methylmetsulfuron methylMevinphossum of cis- and trans- mevinphosMolinatemolinateMonocrotophosmonocrotophosMonolurinonmonolurinonMyclobutanil(1) for products of plant origin: myclobutanil (2) for foodstuffs of animal origin: Alpha - (3-hydroxybutyl) -alpha- (4-chloro-phenyl)- 1H - 1,2,4 -triazole- 1 -propanenitrile (RH 9090) expressed as myclobutanilNitrofennitrofenOxadiargyloxadiargylOxaylemeton methyloxadiargylOxydemeton methyloxydemeton methyl (sum of oxydemeton methyl and demeton-S-methylsulfone expressed as oxydemeton methyl)ParaquatparaquatParathionparathion-methyl (sum of Parathion-methyl and para-oxon-methyl expressed as Parathion- methyl)		animal origin: sum of methomyl and thiodicarb
Metsulfuron methylmetsulfuron methylMevinphossum of cis- and trans- mevinphosMolinatemolinateMonocrotophosmonocrotophosMonolurinonmonolurinonMyclobutanil(1) for products of plant origin: myclobutanil (2) for foodstuffs of animal origin: Alpha - (3-hydroxybutyl) -alpha- (4-chloro-phenyl)- 1H - 1,2,4 - triazole- 1 -propanenitrile (RH 9090) expressed as myclobutanilNitrofennitrofenOxadiargyloxadiargylOxasulfuronoxasulfuronOxydemeton methylsaydemeton methyl (sum of oxydemeton methyl and demeton-S-methylsulfone expressed as oxydemeton methyl)ParaquatparaquatParathionparathionParathion-methylparathionParathion-methylparathion-methyl (sum of Parathion-methyl and para-oxon-methyl expressed as Parathion- methyl)	Methoxychlor	methoxychlor
Mevinphossum of cis- and trans- mevinphosMolinatemolinateMonocrotophosmonocrotophosMonolurinonmonolurinonMyclobutanil(1) for products of plant origin: myclobutanil (2) for foodstuffs of animal origin: Alpha - (3-hydroxybutyl) -alpha- (4-chloro-phenyl)-1 H - 1,2,4 -triazole- 1 -propanenitrile (RH 9090) expressed as myclobutanilNitrofennitrofenOxadiargyloxadiargylOxasulfuronoxasulfuronOxydemeton methyloxydemeton methyl (sum of oxydemeton methyl and demeton-S-methylsulfone expressed as oxydemeton methyl)ParaquatparaquatParathionparathion-methyl (sum of Parathion-methyl and para-oxon-methyl expressed as Parathion- methyl)	Methyl bromide (bromomethane)	methyl bromide (bromomethane)
MolinatemolinateMonocrotophosmonocrotophosMonolurinonmonolurinonMyclobutanil(1) for products of plant origin: myclobutanil (2) for foodstuffs of animal origin: Alpha - (3-hydroxybutyl) -alpha- (4-chloro-phenyl)- 1H - 1,2,4 -triazole- 1 -propanenitrile (RH 9090) expressed as myclobutanilNitrofennitrofenOxadiargyloxadiargylOxasulfuronoxasulfuronOxydemeton methyloxydemeton methyl (sum of oxydemeton methyl and demeton-S-methylsulfone expressed as oxydemeton methyl)ParaquatparaquatParathionparathion-methyl (sum of Parathion-methyl and para-oxon-methyl expressed as Parathion- methyl)	Metsulfuron methyl	metsulfuron methyl
MonocrotophosmonocrotophosMonolurinonmonolurinonMyclobutanil(1) for products of plant origin: myclobutanil (2) for foodstuffs of animal origin: Alpha - (3-hydroxybutyl) -alpha- (4-chloro-phenyl)- 1H - 1,2,4 -triazole- 1 -propanenitrile (RH 9090) expressed as myclobutanilNitrofennitrofenOxadiargyloxadiargylOxasulfuronoxasulfuronOxydemeton methyloxydemeton methyl (sum of oxydemeton methyl and demeton-S-methylsulfone expressed as oxydemeton methyl)ParaquatparaquatParathionparathion-methyl (sum of Parathion-methyl and para-oxon-methyl expressed as Parathion- methyl)	Mevinphos	sum of cis- and trans- mevinphos
MonolurinonmonolurinonMyclobutanil(1) for products of plant origin: myclobutanil (2) for foodstuffs of animal origin: Alpha - (3-hydroxybutyl) -alpha- (4-chloro-phenyl)- 1H - 1,2,4 -triazole- 1 -propanenitrile (RH 9090) expressed as myclobutanilNitrofennitrofenOxadiargyloxadiargylOxasulfuronoxasulfuronOxydemeton methyloxydemeton methyl (sum of oxydemeton methyl and demeton-S-methylsulfone expressed as oxydemeton methyl)ParaquatparaquatParathionparathionParathion-methylparathion-methyl (sum of Parathion-methyl and para-oxon-methyl expressed as Parathion- methyl)	Molinate	molinate
Myclobutanil(1) for products of plant origin: myclobutanil (2) for foodstuffs of animal origin: Alpha - (3-hydroxybutyl) -alpha- (4-chloro-phenyl)- 1H - 1,2,4 -triazole- 1 -propanenitrile (RH 9090) expressed as myclobutanilNitrofennitrofenOxadiargyloxadiargylOxasulfuronoxasulfuronOxydemeton methyloxydemeton methyl (sum of oxydemeton methyl and demeton-S-methylsulfone expressed as oxydemeton methyl)ParaquatparaquatParathionparathion-methyl (sum of Parathion-methyl and para-oxon-methyl expressed as Parathion- methyl)	Monocrotophos	monocrotophos
(2) for foodstuffs of animal origin: Alpha - (3-hydroxybutyl) -alpha- (4-chloro-phenyl)- 1H - 1,2,4 -triazole- 1 -propanenitrile (RH 9090) expressed as myclobutanilNitrofennitrofenOxadiargyloxadiargylOxasulfuronoxasulfuronOxydemeton methyloxydemeton methyl (sum of oxydemeton methyl and demeton-S-methylsulfone expressed as oxydemeton methyl)ParaquatparaquatParathionparathionParathionparathionParathion-methylcsyno-methyl (sum of Parathion-methyl and para-oxon-methyl expressed as Parathion- methyl)	Monolurinon	monolurinon
(3-hydroxybutyl) -alpha- (4-chloro-phenyl) - 1H - 1,2,4 -triazole- 1 -propanenitrile (RH 9090) expressed as myclobutanilNitrofennitrofenOxadiargyloxadiargylOxasulfuronoxasulfuronOxydemeton methyloxydemeton methyl (sum of oxydemeton methyl and demeton-S-methylsulfone expressed as oxydemeton methyl)ParaquatparaquatParathionparathionParathion-methylparathion-methyl (sum of Parathion-methyl and para-oxon-methyl expressed as Parathion- methyl)	Myclobutanil	(1) for products of plant origin: myclobutanil
OxadiargyloxadiargylOxasulfuronoxasulfuronOxydemeton methyloxydemeton methyl (sum of oxydemeton methyl and demeton-S-methylsulfone expressed as oxydemeton methyl)ParaquatparaquatParathionparaquatParathion-methylparathion-methyl (sum of Parathion-methyl and para-oxon-methyl expressed as Parathion-		(3-hydroxybutyl) -alpha- (4-chloro-phenyl)- 1H - 1,2,4 -triazole- 1 -propanenitrile (RH 9090)
OxasulfuronoxasulfuronOxydemeton methyloxydemeton methyl (sum of oxydemeton methyl and demeton-S-methylsulfone expressed as oxydemeton methyl)ParaquatparaquatParathionparathionParathion-methylparathion-methyl (sum of Parathion-methyl and para-oxon-methyl expressed as Parathion- 	Nitrofen	nitrofen
Oxydemeton methyloxydemeton methyl (sum of oxydemeton methyl and demeton-S-methylsulfone expressed as oxydemeton methyl)ParaquatparaquatParathionparathionParathion-methylparathion-methyl (sum of Parathion-methyl and para-oxon-methyl expressed as Parathion- methyl)	Oxadiargyl	oxadiargyl
methyl and demeton-S-methylsulfone expressed as oxydemeton methyl)ParaquatParathionParathion-methylParathion-methylparathion-methyl (sum of Parathion-methyl and para-oxon-methyl expressed as Parathion- methyl)	Oxasulfuron	oxasulfuron
ParathionparathionParathion-methylparathion-methyl (sum of Parathion-methyl and para-oxon-methyl expressed as Parathion- methyl)	Oxydemeton methyl	methyl and demeton-S-methylsulfone
Parathion-methyl parathion-methyl (sum of Parathion-methyl and para-oxon-methyl expressed as Parathion-methyl)	Paraquat	paraquat
and para-oxon-methyl expressed as Parathion- methyl)	Parathion	parathion
Penconazole penconazole	Parathion-methyl	and para-oxon-methyl expressed as Parathion-
	Penconazole	penconazole

Column 1	Column 2
Pesticide	Residue
Pendimethalin	pendimethalin
Permethrin	permethrin (and sum of isomers)
Phorate	sum of phorate, its oxygen analogue and their sulfoxides and sulphones expressed as phorate
Phosalone	phosalone
Phosmet	sum of phosmet and phosmet oxon expressed as phosmet
Phosphamidon	phosphamidon
Phoxim	phoxim
Picolinafen	picolinafen
Picoxystrobin	picoxystrobin
Pirimiphos-methyl	pirimiphos-methyl
Prochloraz	prochloraz (sum of prochloraz and its metabolites containing the 2,4,6 - Trichlorophenol moiety expressed as prochloraz)
Procymidone	 (1) for products of plant origin: procymidone (2) for foodstuffs of animal origin: sum of procymidone and all metabolites containing the 3,5-dichloroaniline moiety expressed as 3,5-dichloroaniline
Profenofos	profenofos
Prohexadione	prohexadione and its salts expressed as prohexadione
Propargite	propargite
Propham	propham
Propiconazole	propiconazole
Propoxur	propoxur
Propyzamide	 (1) for products of plant origin: propyzamide (2) for foodstuffs of animal origin: sum of propyzamide and all metabolites containing the 3,5-dichlorobenzoic acid fraction expressed as propyzamide
Prosulfuron	prosulfuron
Pymetrozine	pymetrozine
Pyraflufen-ethyl	pyraflufen-ethyl
5	

Column 1	Column 2
Pesticide	Residue
Pyrethrins	sum of pyrethrins I and II, cinerins I and II, jasmolins I and II
Pyridate	pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3- phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)
Quinalphos	quinalphos
Quintozene	(1) for products of plant origin: quintozene (sum of quintozene, and pentachloroaniline expressed as quintozene)
	(2) for foodstuffs of animal origin: quintozene
Resmethrin	resmethrin, including other mixtures of constituent isomers (sum of isomers)
Silthiofam	silthiofam
Spiroxamine	 (1) for products of plant origin: spiroxamine (2) for foodstuffs of animal origin: spiroxamine carboxylic acid expressed as spiroxamine
Sulfosulfuron	sulfosulfuron
Tecnazene	tecnazene
TEPP	TEPP
Thiabendazole	(1) for products of plant origin: thiabendazole
	(2) for foodstuffs of animal origin: sum of thiabendazole and 5-hydroxy thiabendazole
Thifensulfuron methyl	thifensulfuron methyl
Triadimefon and Triadimenol	triadimefon and triadimenol (sum of triadimefon and triadimenol)
Triasulfuron	triasulfuron
Triazophos	triazophos
Trichlorfon	trichlorfon
Tridemorph	tridemorph
Trifloxystrobin	trifloxystrobin
Triforine	triforine
Vinclozolin	sum of vinclozolin and all metabolites containing 3, 5-dichloroaniline moiety, expressed as vinclozolin

SCHEDULE 2

Regulations 2(1), 3 and 5

MAXIMUM RESIDUE LEVELS

Commencement Information I8 Sch. 2 in force at 22.12.2005, see reg. 1(1)

This table is to be read with the footnotes at the end

71128304844844844844310811999			
(H),,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		Q Sockely (Site and Market State of Sta	
thisehild dy file contr		4 Estenzalerszeliu(Midianan24	24 24 24 Tritadimenol
Kostowlanguanysethyk		Decembebrebry Film Happin Hay	
1 50 //	December	2006) 200 2 007 224007 (0017) (007)	20022200762007)2006)
phenyl-)ethane	2006)	Febru 20006)) 2007)	
		,	
		Sum off	
		IRIS	
		and	
		SSR	
		issonnens	
1.			
FRUIT,			
FRESH,			
DRIED			
OR			
UNCOOKED, PRESERVED			
BY			
FREEZING			
NOT			
CONTAINING			
ADDED SUGAR:			
NUTS			
	uт		
(i) CITRUS FRU			
Colognicialinenaciónscolsta	EL CONSIDERATION DE LA CONSIDERATION DE CONSIDERATION DE LA CONSIDERATION DE		HANNEL WAR MANNAHANA
Locional and the state of the state of the	hinshinkishishinikini	ANTINA DE LA COMPANY DE LA COMPANY DE LA COMPANY DE LA COMPANY	HUNS LOS MANAGEMBER AND
Loo L ooming Concernation Constant	h ma ling in Andrian market soo	NEW MARKEN STATES AND S	HERE LOCATED AND AND AND AND AND AND AND AND AND AN
Na kondini kini kini kini kini kini kini kini	h imahini Bikuku Bukutu Kekutuku	AND AN A COMPANY AND AND A COMPANY AND A	RUNDIO COMPANY AND A
(inc			
clementines			
&			
similar			
hybrids)			

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2005. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

	Hale States Andrewski States Andrewski Alexandrike States A Alexandrike Alexandrike States Alexandrike Sta	(folkilydiadildfinithightildfin	A THE SECTION AND A CONTRACT OF A CONTRACT O
wiliseh Durch (dryfibion Kould wilenguarry eth parthylig 200077)) phenyl-)ethane	aph(afnate-	4 Estén24lers24liu((11204fran24 Decemberbrebry(1173/11114/15/piondladarua 2006) 2002007/22007/92006(1)2007) Febru220906)) 2007)	24 24 24 Tritadimenol
		Sum off RIS amd SSR iscomens	
(adamijainelikekovit)	GFTCh (ma harika) (maharika)		HUNGI LOFFICIAL PROPERTY AND A STATE OF THE ADDRESS
Roh mininin Angelon (de l'Anna La Constantia (Constantia)		HANG I CONTRACTOR MACRO 5
Orlandiside Alexand	de loc constantination and the loc	AND STATEMENT STATEMENT STATEMENT STATEMENT	and Incontraction and Incontraction
(ii) TREE NU	JTS (shelled or unshe	elled)	
	EFFIX (OUSDING CONTINUED CONTINUED CONTINUED CONTINUED CONTINUED CONTINUED CONTINUED CONTINUED CONTINUED CONTIN	AMININ INTRODUCTION CONTRACTOR AND	HIMION HOMIONIAN AND HOT DOLD
Rooming and the second se	ISTSC (COMPANYING AND	AMANYA MATATATATATATATATATATATATATATATATATATA	namman kanan manan kanan ka
Canhasan manan nuts	ESTAD COMPLEX MODERATION CONTRACTOR	ANNER A TRANSPORTATION OF A STATE	an a
Chuminane Manana	EN ESCE CONSIGNABLICATION CONSIGNABLICASSICOLO	ANNEED AD TRADUCTION AND AND AND AND AND AND AND AND AND AN	HANNING HANNAHAMANAHAMAHAMA
Communication	EN ESCE COLSION DE COMPANY MANAGERS SECON	ANTINI ANTINA ANTIN'	HANNING HANNING AND
l (terron terron ter	EN ESTA COLONIA DA COMPANYA MANAGARA SU CALA	ANNI PLAY INCLUSION CONTRACTOR AND A SUBSICIOUS AND A SUBSICIOUS AND A SUBSICIOUS AND A SUBSICIOUS AND A SUBSIC	AND
N imminin n in nuts	18 FALL COUNTRY IN CONTINUES AND	ANNALA MANAGANANA ANNA ANNA ANNA ANNA ANNA AN	and the second
Reconfiguration	IN LOCAL CONTRACTION OF CONTRACT OF		and the second state of th
Rimming and the second	15 F 902 (001900 00 1900 00 1900 00 1900 00 1900 00 1900 00 1900 00 1900 00 1900 00 1900 00 1900 00 1900 00 19	ANNELI ALTALIINKAALIIMIINLIYATIINKAALIIMIINTIINKALIINKAA TAALAANK	nanim kananim andar kataus
Riccomological and the second second	HE FOR CONSIDER HOLD CONSIDER TO STORE	ANN TANTATADARAAN MATTATAN MANDINI TANTARAAN TAADAAN	HUMBOR HUMBON ALLOW HUMBON HOT DOLD
Vicinimation	B) STA COSTOCIONICAL MARKEN CALLES PORT		HALL BOOK HALL BOOK
(International International I			annan Farmannan 1005
(iii) POME F			
	G FALL COMPANY AND	an shina bada an san san san san san san san san san	
Recommendation	<u>i) for too line work to a constant</u>		Ennilonnannan Ennile 55*
Quintersoliter	OF FOLL COMPANIES AND A STATE OF COMPANIES OF COMPANIES OF COMPANIES OF COMPANIES OF COMPANIES OF COMPANIES OF		Bunnum Hannan (1995 *
Colonication (Colonication (Co			EXAMPLE 101100000000000000000000000000 505*
() CTONE			

(iv) STONE FRUIT

CHIRENALANDI ANNALAN AND AND AND AND AND AND AND AND AND A	zzannys and an
whisehale while the set of the se	4 Estandade (1000 model - 1000 model - 10000 model - 100000 model - 100000 model - 100000 model - 1000000 model - 1000000 model - 100000000000 model -
ficel to when you any set hy 14	DecembebFebrufffithmfahgebendladeruary Febffithmaangebenabycember
perloghe 200077)) Decembe	
phenyl-)ethane 2006)	Febru20006)
	2007)
	Sum
	off
	RIS
	amd SR
	nakaradakiladan karakan karakan karakarakan karakarakan berbara karakan karakan karakan karakan karakan karaka
Charman and the second states and the second	lak jada s even daga na
	ala kun
(incl	
nectarines	
& similar	
hybrids	
-	
	$\mathbf{M} \mathbf{M} \mathbf{M} \mathbf{M} \mathbf{M} \mathbf{M} \mathbf{M} \mathbf{M} $
	1000 and 1000
(v) BERRIES AND SMA	ALL FRUIT
(a) (a) Table & wi	ine grapes
Tadadani and a state of the conditional of the condition	MARANDARIANAN MARANDARIANAN MARANDARI MARANDARI MANANGANAN MARANDARI MANANGANAN MARANDARI MARANDARI MARANDARI M
grapes	
Valuation Contraction Contraction Contraction	NARAHARIMANARAAN MUMUMUMUMUMUMUMUMUMUMUMUMUMUMUMUMUMUMU
grapes	
	nan manan
(other	
than wild)	
,	
	(other than wild)
Rozonalisation and a state of the second states of	na n
Quinning and the second state	
(d) (d) Other smal	ll fruit & berries (other than wild)

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2005. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

in Michigan and Angel States and the second states of the second s	And the state of t
Nischildheithinate-	4 Estén&alersteliu((thithiran24 24 224 24 Triadimenol
(clib) wi lenguaryy ethyl4 clibyh g30077)) December phenyl-)ethane 2006)	Decem 5ebFabry(####################################
	Sium off RIS and SSR issonmens
	dan Kuran Jawa Dan Manana Manana Maraka Kuran Kuran Kuran Kuran Manana Kuran Kuran Kuran Kuran Kuran Kuran Kura
(red,	Recorded a loc x sign condense consistence a loc x if y 2 structure construction is a construction in the construction of the const
black &	
æ white)	
, 	AMARANA FARTANINA MARANA MA
berries	
&	
wild	
fruit	
(vi) MISCELLANEOUS FRUIT	
Annon an	
Connected and the Conductor of Connected Statements and the	anning an A
(Accommendation and a choice of the second state of	
(Auguan Canada an Can	
	ann an tha ann an ann an an an an an an an an an
fruit	
(adiomicsianistic destroyed so to substances state	nan ana ang ang ang ang ang ang ang ang
(table consumption)	

(oil extract)

(Him how	Ministry of the second seco
	and SSR issomens
fruit	
Rim ang anternational sec onder and the second s	
Ram nigan in Contractor F O(maining in Contractor in Contr	
2.	
VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY	
(i) ROOT AND TUBER VEGETA	ABLES
Recommendation and the Fox Commendation and the second	
Commission in the second s	
(Indones and Constrained Institution	annanannannannannannannannannannannanna
I mmediate and an and a state of 	
Roomstational and the second second second	
Runnlingun (Mitchieffieren ander Stationeren Stationer	
Rendining and a state of the second second second	
Symmetry and a second s	

http://www.ingittegeticatestappile.com/	Qindahyafiriyiyiyiyiyiyiyiyiyiyiyiyiyiyiyiyiyiyi
His eh ikit/divifieroph(anata- (chib) wi languany ethy14 ariinyhy300077)) December pheny1-)ethane 2006)	4 Esiten34alersitettiu((Childefiran24 24 224 24 Tritadimenol Decem 5ebFabry(fftij)matinjationilad iruary Feb fftij)matinjation (1) 2006) 20027007)2200709226067536007) 2002220070969(2006) Febru2209060) 2007)
	Sum
	off RIS
	amd
	SSR issonmens
(ii) BULB VEGETABLES	
	anninekon aurinen aurinen kaisela kaiseleen kunnekon kunnekon kunnekon aurinekon korss
	Annen de Frankreisen ander en der Bergen ander en der Bergen ander der Bergen ander Bergen ander Bergen ander B
agaan ay an	annan haan haan haan Bada Afrika an haan haan haan ahaan haan haan haa
(Andrew Here Harden Haller 1902 To consider the and the second	ann an haan an
(iii) FRUITING VEGETABLES	
(a) (a) Solanacea	
Tom united and the second of the second s	annan MEGaulannanananan Swaarkan an Angelan a
Rocoppetitionen Alberta austra contrativitationen australianen australianen australianen australianen australia	an kan dan Zaman kan kan kan dan Kan Dan Kan dan kan dan kan kan kan kan kan kan kan kan kan k
dinihinan a prantik spontal and a station of the st	ndekou (A.S. Zauna andra andra ang ang ang ang ang ang ang ang ang an
	anne a she a a a a a a a a a a a a a a a a a a a
	andresenantsonranden Tarusi Contraction and the second term of the second second second second second second s
(b) (b) Cucurbits-edible pee	
	ning and the second state of the
	namen en en de sen s In de sen de s
	anna Sebasan an an Anderson an Anderson an Anderson and Anderson and Anderson and Anderson and Anderson and And

CHANNAN PARAMATAN IN STATISTICS I INTERVISION INTERVISION INTERVISION IN STATISTICS IN	driktigen i her i her Aller i her			
thisehildhyllyfibixath(finate- forkbwllanguanyethyl4 pathyllg360077)) December phenyl-)ethane 2006)	4 Esténizálerszeliu((1)///ibitran24 24 224 24 Triadimenol Decem FebFubry(ffillundEnjelundeu ruary Feb ffillugaraEighen Brycember 2006) 2002007/222007/022606/102007) 200220070/602007)2006) Febru 200906) 2007)			
	Stum off IRIS amd SSR iscomens			
National And Andrew Statement and Antonia Antonia Antonia Antonia Antonia Antonia Antonia Antonia Antonia Anton	www.www.www.www.www.www.www.www.www.ww			
Supuniting Androfenet Structure Antropy and	MARTING OF DEFENSION OF MARTINE STATES AND			
Volonnii inii ilii ilii ilii ilii ilii il	and the addition of the state of the			
Antonikiniki dinkokini si menikiniki dinfukuku	NAME AND A DESCRIPTION OF A			
(
(iv) BRASSICA VEGETABLES				
(a) (a) Flowering Brassica	S			
(Commission and the House of Consummers and the Lorent	kannaan kaan kannaan kanaan kanaa			
(amalalahan kalendar	Roman and a subscription and a subscription and a subscription of the subscription and a subscription of the subscription of t			
(Anhonistation and a statistical and a	kanan manan manan manan manan kanan manan man			
(b) (b) Head Brassicas				
Roominikan kan kan kan kan kan kan kan kan kan				
•	adamananandinananananananananananananananana			
Ontonical and Charles FOX considered and the last				
(c) (c) Leafy Brassicas				
Chiming and the second se	adamanan andar kanan kanan kanan filikan kanan kana kana Kanan kanan kana			
Kandonia and and a later of the south and a state of the south of the southoe southoe southoe south of the south of the south of the so				
(Antonical States and the states of the stat	administration and an and an and a state of the			
(v) LEAF VEGETABLES AND	FRESH HERBS			

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2005. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

liseh DADU Chyfileixaph (afnate-	Quindady (line (light in the light)) of the light 4 Estimate and the light in the light of the	24 2244 24 Triadimenol
nsennaurgarynexapranaue- Abbwltanguarygethyl4 athylg30007/) December bhenyl-)ethane 2006)	4 Estenzentersoen unternanze Decem February (Esten 2015) point and 2006) 2002007 22007 (2007) Febru20006))	ary Feb ffffbyggan fybe n Brecember
	2007)	
	Sum off	
	IRIS	
	amd SSR	
	issonnens	
An	IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	Manus Torradian Contraction Contract
ettuce		
annan kaina kai 250 kais 190 (anakakana kaina	HIDRIGHT CONTRACTOR OF THE CONTRACTOR O	NERVICE FOR FUELOWING MANAGEMENT
	an tan kata kata kata kata kata kata kat	MINING CONTRACTOR CONTRACTOR CONTRACTOR
n han den ser stander für sin sin sen stander sin	ensemble folderske en	Manana Karandi Anana Kanana Kana S
(b) (b) Spinach & similar		
prinnikasian mitalaan dire 1501 (orailakulaan direktikaala	ana	1150-600-600-600-600-600-605-55
HOLD AND AND AND AND AND AND AND AND AND AN		
eaves		
chard)		1999-1997
	annan an an an an an an Anglandia an	
(e) (e) Herbs		
ilaan marka ay karang karan	nan na ana ana ana ana ana ana ana ana	NEW WORK OF HALL CONTROL OF AN AND AND AND AND AND AND AND AND AND
ilminningalasia (staringing 150) (manadalasia) Andreadar	annananananananananan Dikitoristatan Kurtakatan	ATTACK AND
A MARANA MARA	n na sena se	MINISTRATICS STATEMENT AND
in ungan akinomis 50 (matana akina akin eaves	anna an an an an an an an Anna Rainn Rainn Rainn an Anna Rainn an Anna Rainn an Anna Rainn an Anna Rainn an Ann	
	ANTARA	
(vi) LEGUME VEGETABLES (free		
with ods)		RENERALIZEN (KONTROLEGEN KONTROLEGEN KONTROLEGEN KONTROLEGEN KONTROLEGEN KONTROLEGEN KONTROLEGEN KONTROLEGEN KO
NUMBER OF STATES AND		NUR BARKOM HINGENAMMAN AND BARKAN AND BA

pods)

	(CH) AND	A A A A A A A A A A A A A A A A A A A
padady (2007) December 2006) 2002007/2000000000000000000000000000000		4 Estén241ers244iu(1946)4iran24 24 2244 24 Triadimenol
phenyl-jethane 2006) Februar Billion States and States		
2007) *** 2007) Sium eff Kiks amd SSR insemmens Recentered for the formation of the formati		
off RKS and SSR isommerse SSR Processes SSR (vith) SSR	phonyi jemane 2000)	
off RKS and SSR isommerse Processes Quarter and		Sum
and ssg isomers is isomers is		
SR isomers weight observe and the following and		RIS
ikumens ikumens ik		
Remain and a set of the definition of the defini		
(with pods) Personal and a set of a set		
pods) Provide and a fill of a fill o		nonnanin maanananananan Darlar di maarada karaka kuma maananananan kary
And and a second		
(without pods) Quantum set of the definition of	• *	
pods) (vii) STEM VEGETABLES Augustus the field of the second seco		
Quantum initial in the original initial initinitial initinitial initinitial initinitial initial initial initial	·	
(vii) STEM VEGETABLES Automation of the following of the	· /	
An and a second		
Consistent and the field of the	(vii) STEM VEGETABLES	
Contraction Contraction		
Contraction of the second state of		
Fundamental for the formation of the for		
Guideling of the second		
artichokes Loophing and the second a		nan kana kana kana kana kana kana kana
Kunderen Statististististististististististististist	Calcolation and Colorador a	
Runden and Bander Bolton and B	artichokes	
<pre>(viii) FUNGI (viii) FUNGI (wiii) FUNGI</pre>		
<pre>(viii) FUNGI (viii) FUNGI (wiii) FUNGI</pre>		
(viii) FUNGI Culture and the second definition of the second definition	14400000000000000000000000000000000000	
Continuence de la la serie de la s serie de la serie	(Automicination and a state of the state of	nan kana kana kana kana kana kana kana
mushrooms (((viii) FUNGI	
mushrooms ((())))))))))))))))		
(Constitution of the second se		
mushrooms 3. PULSES		
3. PULSES		
PULSES		
	PULSES	
	Commentation and the Control of Commentation and Control of Contro	MARINA HANDARA MARINA MARIN

i Ministri Komeinin Hilmold Robesta pinte kote idud (hy 1	And the second	hree freezen an and a start and and and a start and and a start
thisehildh/dh/fibioqt	4 Estánzálerszáliu((Chodraz24 Decem FebFubry(fishmálh5jþindlin gruar 2006) 2002007 (240000) Febru20006)) 2007)	24 24 24 Triadimenol
	Sturn off RIS amd SSR iistormens	
		9993000 9931000000000000000000 00000000000000000
4. DILSEEDS		
		GUGGLAD FORGURAD FOURIDATION OF DUSS
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		
Roop and a second state of the second state of the second se	nan kana kana kana kana kana kana kana	INCLUSION IN LAND IN LAND IN THE INCLUSION IN THE
Sa <b>n de la company de la comp see d</b>	narkindenariaking kanang ang kanang kana	RANK <b>LO FRIMINI FRANKLING MAN</b> TO DO
Som Manifesting and States and Andrews		$0.05^{*(358)}$
Rupp <b>elletti kana kana kana kana kana kana kana</b> seed	adalla la de la desta de la	<b>BARA LOGICALITATION POLIS</b>
Sa <b>undarin di Astron</b> andarin andarina bean	nan kanan kana Kanan kanan kana	GAGO LO KALGALAG HALANDALAGACHIG LÖDD
N <b>um dadi kaluman da na kana kana kana ka</b> na kana kana kana	DANTERDAR BERNER DER BESTER BERKER	INTELLO <b>FRITULIO FRITULIO DE LO</b> DES
Constitution and the constitution of the const	nin 1976 al de la compañía de la com	anna <b>r hannar hannaranna</b> r 1055
	an a	GAGRAT <b>O FARRADO FRANCISCO DO</b> DES
5.		
POTATOES		
Romby Contraction of	nan mana mandari kaka kata ang manang Kika marang kata ang ma	AND
Van de la company de la com Potatoes		
5.		

	<b>Explosite police in the second s</b>		n on the second state of t
whisehawely hybeicathanate-		4 Están24alers244liu((tindifran24	24 224 24 Tritadimenol
flood to with an guarry weth		Decembebrebry(####################################	
petiloghle300077)) phenyl-)ethane	December 2006)	2006) 200 <b>27</b> 07) <b>2242070)9242006)</b> Febru <b>220006</b> ))	200200000000000000000000000000000000000
phenyr jeunane	2000)	2007)	
		Sum	
		æff	
		IRIS.	
		and SSR	
		issonmenss	
leaves and stalks, fermented or otherwise, Camellia sinesis)	II) I OCODALI ANNO DI DALES ESTACIO		INGUIGERIDUUU ERIKURKUULEUKSIS
7.			
HOPS (dried)			
(dried)	III () courted and constant	NEORTHEALTHIN THOMAN IS AN ANTIGEN AND	(0000) IRINDI IN FRIEDORI (1221-19)
(dried) ional and a second second second hop pellets & unconcentrated powder	III () (COURT CRUINNI LÀNDARA SANN	NERGE ER FOR THE STATE OF THE STA	Toom India In Farman (12299)
(dried) implication hop pellets & unconcentrated powder 8.	III () (MATERIA II () () () () () () () () () () () () ()	undet Häldfört Häldnörnänskänskändet Häldfäld († 1920/2020) förda av hälde hälde hälde hälde hälde hälde hälde	Täänn Innänä Korsinnänni Tär 1949)
(dried) implication hop pellets & unconcentrated powder 8. CEREALS		andet Alfalio FADOnomila Constantia (UP 2001) (2300) a Cedaballis (1 1999) - Alfalio Fadona (1999) - Alfalio Fadona (1999) 1996) - Alfalio Fadona (1999) - Alfalio Fadona (1999)	
(dried) ionalist Control of the second secon	(Chilling Alighter State)		<b>1940.Foldsinnikuskuskuskusko</b> 255*
(dried) implication hop pellets & unconcentrated powder 3. CEREALS Watania (Mathian) Recontinuitation (Mathian)	(Action Action a	Rockil and Manager and Mana Rockil and Manager and Manag	<b>1940 Folio International Actor</b> 19 <b>40 Folio International Actor</b> 19 <b>50 Folio International Actor</b> 1955
(dried) ionalist (Constrained) hop pellets & unconcentrated powder 3. CEREALS Volume (Constrained) Reconstrained (Constrained) Reconstrained (Constrained)	(Thi House California and California (Thi House California and California (Thi House California and California)	Konst falls and successful and the successful and the successful and the successful and the successful and the Rouse in the successful and the succes	<b>1940:Filming and an 1945</b> 5* 19 <b>0:Filming and an 195</b> 5* 1 <b>90:Filming and an 196</b> 5*
(dried) ionalist (Constrained) hop pellets & unconcentrated powder 3. CEREALS Volume (Constrained) Reconstrained (Constrained) Reconstrained (Constrained)	(Thi House California and California (Thi House California and California (Thi House California and California)	Rockil and Manager and Mana Rockil and Manager and Manag	<b>1940:Filming and an 1945</b> 5* 19 <b>0:Filming and an 195</b> 5* 1 <b>90:Filming and an 196</b> 5*
(dried) ionali (Magnathian) hop pellets & unconcentrated powder 8. CEREALS Volume (Magnathian) Reconcentration (Magnathian) Reconcentration (Magnathian) Reconcentration (Magnathian) Reconcentration (Magnathian) Reconcentration (Magnathian) Reconcentration (Magnathian) Reconcentration (Magnathian)	(Ohttom Altainen antos Zien) (Ohttom Altainen antos Zien) (Ohttom Altainen antos Zien)	Konst falls and successful and the successful and the successful and the successful and the successful and the Rouse in the successful and the succes	<b>1940 Folgen and an </b>
(dried) iomic file of the file of the file hop pellets & unconcentrated powder 8. CEREALS Volume of the file formation of the file f	(Dittom Albinisting States) (Dittom Albinisting States) (Dittom Albinisting States) (Dittom Albinisting States) (Dittom Albinisting States)	Ronki) albios popularia da substanti da substanti da substanti da substanti da substanti da substanti da subst Ronki) albios popularia da substanti da substanti da substanti da substanti da substanti da substanti da substan Ronki) albios popularia da substanti da substanti da substanti da substanti da substanti da substanti da substan	<b>1940 Falming and an 195</b> 5* 1940 Falming and an 1955* 1940 Falming and an 1940 Falming and an 1955* 1940 Falming and an 1940 Falming and an 1955*
(dried) iomic filler (1994) hop pellets & unconcentrated powder 8. CEREALS Volume (1994) for (1994)	(Dittom Albin in internation 20 in 1) (Dittom Albin in internation 20 in 1) (Dittom Albin in internation 20 in 1) (Dittom Albin internation 20 in 1) (Dittom Albin internation 20 in 1)	Konstrationer voor anderstaanstaan soon seeling aan aan aan aan aan aan aan aan aan a	<b>1940 Falming and an 195</b> 5* 1940 Falming and an 1955* 1940 Falming and an 1940 F5* 1940 Falming and an 1940 F5* 1940 Falming and an 1940 F5*
(dried) imministration of the second	(Chillion Chillion in Antonio Stea) (Chillion Chillion in Antonio Stea))	Konst alle and a substantial and a substantial substantial substantial substantial substantial substantial subs Rock Constantial and a substantial substantial substantial substantial substantial substantial substantial subst Rock Constantial and a substantial substantial substantial substantial substantial substantial substantial subst Rock Constantial and a substantial substantial substantial substantial substantial substantial substantial substantial substantial substantial Rock Constantial and a substantial substantia	

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2005. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

	<b>hþýile í obólábel</b> (t				<b>Pop Polania: Prop Plantin</b> A <b>h o (h(diribi)</b> (fra <b>nc(li</b> y))m
	ecember		006) 200 <b>2</b> 007)22	20000000000000000000000000000000000000	24         24         Triadimenol           Feb         Fibby and fightern Drycember         200         20007(6)
phenyl-)ethane 20	006)			ebru <b>20006))</b> 007)	
			Sum		
			ooff IRIS		
			and		
			<b>SSR</b>		
			issonnens		
COLOMNIC AND				MORIDORISADI ENDERINGEN I E DELGOGONISTIED	NGADI YADAMA MADAMA MADA MADA MADA MADA MADA
Action Constants for the states of the state		<u> Flicton Kochika</u>		D <b>URTUR SUPPORTAGE A</b> SOCIA <b>GUEDE</b>	NEW CONTRACTOR OF CONT
cereals					
·.					
FOODSTUFFS					
OF ANIMAL					
DRIGIN WE <b>HIMMUMMUM</b>					SOMARMARINESU EN MARTINASS
DRIGIN VIC <b>MARIAN (15</b> ) edibre (15) (16)	(18) (20)	(22) (17)	<b>ÖLÜLÖ DÖD 25 (14052) (1</b> (261114) (30) (31)	(14)	(16) (\$36) (8) (11)
DRIGIN Medil/Fe (15) (16) Df@d5* ⁽⁹⁾	(18) (20) 0.2	(22) (17)	(26)(14) (30) (31)	(14) @.055	(16) (\$\$\$\$) (8) (11) (0)(0)2)**(??)
DRIGIN CCONCOLOGICAL (15) (16) DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DATA DAT	(18) (20)	(22) (17)		(14)	(16) (\$36) (8) (11)
DRIGIN CCONCENTRATION edible (15) (16) Dfabts*(9) Cat(10.01*(9).05*(9) & preparations	$\begin{array}{c} (18) & (20) \\ 0.2 \\ 0.2 \\ 0.093^{*(} \\ (19) \end{array}$	(22) (17) 9) 0.1 (14)	(26 <b>(14)</b> ) (30) (31) (1.052)(92*(9) (27) (32)	(14) (0).055 (809):02	(16) ( $\mathfrak{B}\mathfrak{B}\mathfrak{G}$ ) (8) (11) ( $\mathfrak{G}\mathfrak{G}\mathfrak{G}\mathfrak{G}^{*}(\mathfrak{G})$ ) 2 ( $\mathfrak{G}\mathfrak{G}\mathfrak{G}\mathfrak{G}\mathfrak{G}^{*}(\mathfrak{G})$ )( $\mathfrak{G}\mathfrak{G}\mathfrak{G}\mathfrak{G}^{*}(\mathfrak{G})$ ) (12) (9)
DRIGIN Clean (15) (16) Df (24)5* ⁽⁹⁾ Cat ⁽¹ ).01* ⁽⁹ ).0 <b>5</b> * ⁽⁹⁾ & preparations of	$\begin{array}{c} (18) & (20) \\ 0.2 \\ 0.2 \\ (19) \\ 0.1 \end{array}$	(22) (17) ⁹⁾ 0.1	(26((14)) (30) (31) 0.051(5)(62*(9)	(14) (0).055 (809):02	(16) (6369) (8) (11) (0) (0) (9) (9) (12) (9) (12) (9) (15) (9) (12) (9) (15) (10) (10) (10) (10) (10) (10) (10) (10
DRIGIN DECOMPANY AND	$\begin{array}{c} (18) & (20) \\ 0.2 \\ 0.2 \\ 0.093^{*(} \\ (19) \end{array}$	(22) (17) (14) $0.05^{*(23)}$	(26(14)) (30) (31) $0.055(3)(23)^{*(9)}(23)^{*(9)}(27) (32)$ $0.01^{*(28)} 0.1^{*(9)}$	(14) (0).055 (809):02	(16) ( $\mathfrak{B}\mathfrak{B}\mathfrak{G}$ ) (8) (11) ( $\mathfrak{G}\mathfrak{G}\mathfrak{G}\mathfrak{G}^{*}(\mathfrak{G})$ ) 2 ( $\mathfrak{G}\mathfrak{G}\mathfrak{G}\mathfrak{G}\mathfrak{G}^{*}(\mathfrak{G})$ )( $\mathfrak{G}\mathfrak{G}\mathfrak{G}\mathfrak{G}^{*}(\mathfrak{G})$ ) (12) (9)
DRIGIN (15) (16) (15) (1	$\begin{array}{c} (18) & (20) \\ 0.2 \\ 0.2 \\ (19) \\ 0.1 \\ (12) \end{array}$	(22) (17) 9) 0.1 (14)	(26 <b>(14)</b> ) (30) (31) (1.052)(22*(9) (27) (32)	(14) (0).055 (809):02	(16) (636) (8) (11) (0) (0) (0) (0) (0) (0) (0) (0) (0) (0)
DRIGIN DRIGIN DECOMPANIAN edible (15) (16) of $30.01^{*(9)} \cdot 0.05^{*(9)}$ & preparations of meat and	$\begin{array}{c} (18) & (20) \\ 0.2 \\ 0.2 \\ (19) \\ 0.1 \end{array}$	(22) (17) (14) $0.05^{*(23)}$	(26(144)) (30) (31) $0.055(37)(32)^{*(9)}(27) (32)$ $0.01^{*(28)} 0.1^{*(9)}$ 0.02 (29)	(14) (0).055 (809):02	(16) (6369) (8) (11) (0) (0) (9) (9) (12) (9) (12) (9) (15) (9) (12) (9) (15) (10) (10) (10) (10) (10) (10) (10) (10
DRIGIN (15) $(16)(15)$ $(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)(16)$	$\begin{array}{c} (18) & (20) \\ 0.2 \\ 0.2 \\ (19) \\ 0.1 \\ (12) \end{array}$	(22) (17) (14) $0.05^{*(23)}$	(264(144)) (30) (31) $0.055(37)(32)^{*(9)}(27)^{(27)}(32)$ $0.01^{*(28)} 0.1^{*(9)}$ 0.02 (29) 0.01	(14) (0).055 (809):02	(16) (636) (8) (11) (0) (0) (0) (0) (0) (0) (0) (0) (0) (0)
DRIGIN (15) (16) (15) (1	$\begin{array}{c} (18)  (20) \\ 0.2 \\ 0.2 \\ 0.03^{*(9)} \\ 0.1 \\ (12) \\ 0.05^{*(9)} \end{array}$	(22) (17) (14) $0.05^{*(23)}$ $1^{(20)}$	$\begin{array}{c} (26)(14) & (30) & (31) \\ \hline 0.055)(27) & (32) \\ (27) & (32) \\ \hline 0.01^{*(28)} & 0.1^{*(9)} \\ \hline 0.02 \\ (29) \\ \hline 0.01 \\ (9) \end{array}$	(14) (0).055 (49).02 (17)	(16) (636) (8) (11)  (0) (0) (9)  2 (0) (0) (0) (0) (0) (0) (0) (0) (0) (0)
DRIGIN (15) (16) (15) (17) (15) (1	$\begin{array}{c} (18)  (20) \\ 0.2 \\ 0.2 \\ 0.03^{*(9)} \\ 0.1 \\ (12) \\ 0.05^{*(9)} \end{array}$	(22) (17) (14) $0.05^{*(23)}$ $1^{(20)}$	$\begin{array}{c} (26)(14) & (30) & (31) \\ \hline 0.055)(27) & (32) \\ (27) & (32) \\ \hline 0.01^{*(28)} & 0.1^{*(9)} \\ \hline 0.02 \\ (29) \\ \hline 0.01 \\ (9) \end{array}$	(14) (0).055 (49).02 (17)	(16) (636) (8) (11) (0) (0) (0) (0) (0) (0) (0) (0) (0) (0)
DRIGIN (15) (16) (15) (17) (16) (15) (16) (15) (17) (16) (15) (16) (15) (17) (16) (15) (17) (16) (16) (15) (17) (16) (15) (17) (16) (16) (17) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (1	$\begin{array}{c} (18)  (20) \\ 0.2 \\ 0.2 \\ 0.03^{*(9)} \\ 0.1 \\ (12) \\ 0.05^{*(9)} \end{array}$	(22) (17) (14) $0.05^{*(23)}$ $1^{(20)}$	$\begin{array}{c} (26)(14) & (30) & (31) \\ \hline 0.055)(27) & (32) \\ (27) & (32) \\ \hline 0.01^{*(28)} & 0.1^{*(9)} \\ \hline 0.02 \\ (29) \\ \hline 0.01 \\ (9) \end{array}$	(14) (0).055 (49).02 (17)	(16) (636) (8) (11)  (0) (0) (9)  2 (0) (0) (0) (0) (0) (0) (0) (0) (0) (0)
DRIGIN (15) (16) (15) (1	$\begin{array}{c} (18)  (20) \\ 0.2 \\ 0.2 \\ 0.03^{*(9)} \\ 0.1 \\ (12) \\ 0.05^{*(9)} \end{array}$	(22) (17) (14) $0.05^{*(23)}$ $1^{(20)}$	$\begin{array}{c} (26)(14) & (30) & (31) \\ \hline 0.055)(27) & (32) \\ (27) & (32) \\ \hline 0.01^{*(28)} & 0.1^{*(9)} \\ \hline 0.02 \\ (29) \\ \hline 0.01 \\ (9) \end{array}$	(14) (0).055 (49).02 (17)	(16) (636) (8) (11)  (0) (0) (9)  2 (0) (0) (0) (0) (0) (0) (0) (0) (0) (0)

# 

# UNITS:

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

### KEY:

* Level at or about the limit of determination.

#### FOOTNOTES:

- (1) Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
- (2) Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.
- (3) These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
- (4) For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd. Whether made from cow's milk or other milk of a combination, the following levels apply:
  - if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
     if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
- (5) Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
- (6) Scarole includes broad-leaf endive.
- (7) For eggs and egg products with a fat content higher than 10%, the maximum level is expressed in mg/kg fat. In this case, the maximum level is 10 times higher than the maximum level for fresh eggs.
- (8) Kidney except of poultry.
- (9) All other meat, edible offal, fat and preparations of meat and edible offal.
- (10) All meat.
- (11) All liver and kidney.
- (12) Liver of bovine animals.
- (13) Broccoli includes calabrese.
- (14) Meat of poultry.
- (15) Meat of bovine animals.
- (16) Fat of bovine animals.
- (17) Except poultry.
- (18) Liver of chicken.
- (19) Kidney of bovine animals.
- (20) Liver of bovine animals, sheep and goats.
- (21) Except foodstuffs of ovine origin.
- (22) Meat of bovine animals, sheep and goats.
- (23) Except meet and liver of bovine animals, sheep and poultry or meat of poultry.
- (24) This MRL also applies to spelt.
- (25) Except spelt.
- (26) Liver of bovine animals, sheep, goats, and swine.
- (27) Kidney of bovine animals, sheep, goats, and swine.
- (28) Meat of poultry, fat and edible offal.
- (29) Meat of bovine animals, sheep, goats, and swine.
- (30) All kidney.
- (31) Kidney of swine
- (32) Kidney of bovine animals sheep and goats.
- (33) This figure is the sum of the alpha and beta isomers. For meat, fat & preparations of meat MRL for aplha isomer is 0.2 mg/kg and MRL for beta isomer is 0.1 mg/kg. For milk and dairy produce MRL for alpha isomer is 0.004 mg/kg and MRL for beta isomer is 0.003 mg/kg. For eggs MRL for alpha isomer is 0.02 mg/kg and MRL for beta isomer is 0.01 mg/kg.
- (34) All meat, liver and fat.
- (358) 1 mg/kg applies to whole seeds; 0.05 mg/kg applies to seed without shell.

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2005. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

- (36) Ruminant liver.
- (37) Fat liver and kidney.
- (38) With the exception of meat and other ovine, bovine and caprine products.

# SCHEDULE 3

# Regulations 2(1) and 5(a)

Commencement Information19Sch. 3 in force at 22.12.2005, see reg. 1(1)				
Column 1	Column 2	Column 3		
Group of products	Products included in the groups	Part of product to which maximum residue levels apply		
1. Fruit, fresh, dried or unco	oked, preserved by freezing, no	ot containing added sugar; nuts		
(i) CITRUS FRUIT	Grapefruit	Whole Product		
	Lemons			
	Limes			
	Mandarins (including clementines and similar hybrids)			
	Oranges			
	Pomelos			
	Others			
(ii) TREE NUTS (shelled or unshelled)	Almonds	Whole product after removal of shell		
unshened)	Brazil nuts	01 5000		
	Cashew nuts			
	Chestnuts			
	Coconuts			
	Hazelnuts			
	Macadamia nuts			
	Pecans			
Note: The word "fresh" extends to produc	ts which have been chilled			

Column 1	Column 2	Column 3
Group of products	Products included in the groups	Part of product to which maximum residue levels apply
	Pine nuts	
	Pistachios	
	Walnuts	
	Others	
(iii) POME FRUIT	Apples	Whole product after removal of stems
	Pears	
	Quinces	
	Others	
(iv) STONE FRUIT	Apricots	Whole product after removal of stems
	Cherries	of stems
	Peaches (including nectarines and similar hybrids)	
	Plums	
	Others	
(v) BERRIES AND SMALL FRUIT	(a) (a) <i>Table and wine</i> grapes Table grapes Wine grapes	Whole product after removal of caps and stems (if any) and, in the case of currants, fruits with stems
	(b) <i>Strawberries</i> (other than wild)	
	(c) <i>Cane fruit</i> (other than wild) Blackberries Dewberries Loganberries Raspberries Others	
	(d) Other small fruit and berries (other than wild) Bilberries Cranberries Currants (red, black and white)	

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2005. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

Column 1	Column 2	Column 3
Group of products	Products included in the groups	Part of product to which maximum residue levels apply
	Gooseberries Others	
	(e) Wild berries and wild fruit	
(vi) MISCELLANEOUS	Avocados	Whole fruit after removal of
	Bananas	stems (if any) and in the case of pineapple, after removal of the crown
	Dates	
	Figs	
	Kiwi fruit	
	Kumquats	
	Litchis	
	Mangoes	
	Olives (table consumption)*	
	Olives (oil extract)	
	Рарауа	
	Passion fruit	
	Pineapples	
	Pomegranates	
	Others	
		† Whole fruit after removal of stems (if any), after removal of soil (if any) by rinsing in running water
2. Vegetables, fresh or uncoo	oked, frozen or dry	
(i) ROOT AND TUBER VEGETABLES	Beetroot	Whole product after removal of tops and adhering soil
	Carrots	(if any) (removal of soil by rinsing in running water or
	Celeriac	by gentle brushing of the dry product)
	Horseradish	-

31

Column 1 Group of products	Column 2 Products included in the	Column 3 Part of product to which
Group of products	groups	maximum residue levels apply
	Jerusalem artichokes	
	Parsnips	
	Parsley root	
	Radishes	
	Salsify	
	Sweet potatoes	
	Swedes	
	Turnips	
	Yams	
	Others	
(ii) BULB VEGETABLES	Garlic	For dry onions, shallots and
	Onions	garlic: whole product after removal of easily detachable
	Shallots	skin and soil (if any); onions, shallots and garlic other than
	Spring onions	dry, spring onions: whole product after removal of roots
	Others	and soil (if any)
(iii) FRUITING VEGETABLES	(a) (a) Solanacea Tomatoes Peppers Chilli peppe Aubergines Others	Whole product after removal of stems
	(b) Cucurbits—edible	2
	<i>peel</i> Cucumbers Gherkin Courgettes Others	
	(c) Cucurbits—inedil peel Melons Squashes Watermelon Others	

32

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2005. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

Column 1	Column 2		Column 3
Group of products	Products inclue groups	ded in the	Part of product to which maximum residue levels apply
	(d) (d)	Sweet corn	Kernels or cobs without husks
(iv) BRASSICA VEGETABLES		0	Cauliflower and broccoli curd only
			Product after removal of decayed leaves (if any)
		<i>brassicas</i> Chinese cabbage Kale Others	
	(d) (d)	Kohlrabi	Whole product after removal of tops and adhering soil (if any) (removal of soil by rinsing in running water or by gentle brushing of the dry product)
(v) LEAF VEGETABLES AND FRESH HERBS			Whole product after removal of decayed outer leaves, root and soil (if any)
		<i>ch and similar</i> Spinach Beet leaves (chard) Others	
	(c) Water	cress	
	(d) Witlo	of	
		chervil Chives Parsley Celery Leaves Others	

Note: The word "fresh" extends to products which have been chilled

Column 1	Column 2	Column 3
Group of products	Products included in the groups	Part of product to which maximum residue levels apply
(vi) LEGUME VEGETABLES (FRESH)	Beans (with pods)	Whole product after removal of pods or with pods if they are
	Beans (without pods)	intended to be eaten
	Peas (with pods)	
	Peas (without pods)	
	Others	
(vii) STEM VEGETABLES	Asparagus	Whole product after removal of decayed tissue and soil (if
	Cardoons	any); leeks and fennel: whole product after removal of roots
	Celery	and soil (if any)
	Fennel	
	Globe artichokes	
	Leeks	
	Rhubarb	
	Others	
(viii) FUNGI	Mushrooms (other than wild)	Whole product after removal of soil or growing medium
	Wild Mushrooms	
3. Pulses	Beans	Whole product
	Lentils	
	Peas	
	Others	
4. Oil seeds	Linseed	Whole seed or kernel after removal of shell and husk
	Peanuts	when possible
	Poppy seed	
	Rape seed	
	Sesame seed	
Note: The word "fresh" extends to produc	ts which have been chilled	

Group of products	Products included in the groups Sunflower seed()	Part of product to which maximum residue levels apply
	Soya bean	
	Others	
		() Whole seed, including shell when present, and whole seed without shell, when the shell is absent
5. Potatoes		
Early potatoes	Whole product after removal	
Ware potatoes	of soil (if any) (removal of soil by rinsing in running water or by gentle brushing of the dry product)	
<b>6.</b> Tea	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	Whole product
<b>7.</b> Hops	(dried), including hop pellets and unconcentrated powder	Whole product
8. Cereals	Wheat	Whole grain without husk
	Rye	
	Barley	
	Sorghum	
	Oats	
	Triticale	
	Maize	
	Buckwheat	
	Millet	
	Rice	
	Other cereals	

 $[\]begin{array}{c} 0\\ 0\\ \end{array}$ 

Column 1	Column 2	Column 3
Group of products	Products included in the groups	Part of product to which maximum residue levels apply
<b>9.</b> Foodstuffs of a origin	animal Meat, fat and preparations of meat	Whole commodity (for fat soluble pesticides a portion of carcase fat is analysed and maximum residue levels apply to carcase fat)
	Milk	Whole commodity
	Eggs	Whole egg whites and yolks combined after removal of shells

# **SCHEDULE 4**

Regulation 6

#### Revocations

#### **Commencement Information**

**I10** Sch. 4 in force at 22.12.2005, see reg. 1(1)

Title	Number
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000	S.S.I. 2000/22
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment Regulations 2001	S.S.I. 2001/84
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment (No. 2) Regulations 2001	S.S.I. 2001/221
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment (No. 3) Regulations 2001	S.S.I. 2001/435
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment Regulations 2002	S.S.I. 2002/271
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment (No. 2) Regulations 2002	S.S.I. 2002/489
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment Regulations 2003	S.S.I. 2003/118

Title	Number
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment (No. 2) Regulations 2003	S.S.I. 2003/445
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment Regulations 2004	S.S.I. 2004/104
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment (No. 2) Regulations 2004	S.S.I. 2004/220
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment (No. 3) Regulations 2004	S.S.I. 2004/399
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment Regulations 2005	S.S.I. 2005/109
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment (No. 2) Regulations 2005	S.S.I. 2005/281

#### **EXPLANATORY NOTE**

# (This note is not part of the Regulations)

These Regulations, which extend to Scotland only, are made under section 2(2) of the European Communities Act 1972 and consolidate and replace the provisions of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000 (S.S.I. 2000/22) as amended by S.S.I. 2001/84, S.S.I. 2001/221, S.S.I. 2001/435, S.S.I. 2002/271, S.S.I. 2002/489, S.S.I. 2003/118, S.S.I. 2003/445, S.S.I. 2004/104, S.S.I. 2004/220, S.S.I. 2004/399, S.S.I. 2005/109 and S.S.I. 2005/281 – see regulation 6 and Schedule 4 for revocations.

The Regulations specify maximum levels of pesticide residues which crops, food and feeding stuffs may contain in implementation of: Council Directive 76/895/EEC (O.J. No. L 340, 9.12.1976, p.26) relating to fruit and vegetables; Council Directive 86/362/EEC (OJ No. L 221, 7.8.86, p.37) and Council Directive 86/363/EEC (O.J. No. L 221, 7.8.86, p.43) as regards cereals and products of animal origin; and Council Directive 90/642/EEC (O.J. No. L 350, 14.12.90, p.71) as regards certain products of plant origin (including fruit and vegetables), as amended (these Directives as so amended being referred to in these Regulations as "the Residues Directives").

In particular, these Regulations specify new maximum residue levels on products of plant origin including cereals for the pesticides Carfentrazone-ethyl, Fenamidone, Isoxaflutole, Maleic Hydrazide, Mecoprop, Propyzamide, Trifloxystrobin in implementation of Commission Directive 2005/37/EC (O.J. No. L 141, 4.6.2005, p.10); on products of plant origin, cereals and foodstuffs of animal origin for Amitraz in implementation of Commission Directive 2005/46/EC (O.J. No. L 177, 9.7.2005, p.35); and on products of plant origin, cereals and foodstuffs of animal

origin for Flufenacet, Fosthiazate, Iodosulfuron-methyl sodium, Iprodione, Mesotrione, Molinate, Picoxystrobin, Propiconazole, Silthiofam in implementation of Commission Directive 2005/48/EC (O.J. No. L 219, 24.8.2005, p.29).

Regulation 3 also creates offences, specifies penalties, provides defences and confers enforcement powers where maximum residue levels have been exceeded in respect of products put into circulation.

The Regulations also confer powers to seize and dispose of products where maximum residue levels have been exceeded (regulation 4) and prescribe how much of a particular product is to be taken into account in determining whether a maximum residue level has been exceeded in accordance with Council Directive 90/642/EEC (regulation 5(a) and Schedule 3). Provision is also made with regard to the manner for determining whether maximum residue levels have been exceeded when found in dried or processed products or composite foods, so far as these are the subject of the Residues Directives (regulation 5(c) and (d)).

A regulatory impact assessment and transposition note have been prepared in respect of these Regulations and placed in the Scottish Parliament Information Centre. Copies of the assessment and note can be obtained from the Scottish Executive Environment and Rural Affairs Department, EPHAS2, Area 1-B, Pentland House, 47 Robb's Loan, Edinburgh, EH14 1TY.

#### **Changes to legislation:**

There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2005. Any changes that have already been made by the team appear in the content and are referenced with annotations.

View outstanding changes

# Changes and effects yet to be applied to :

- sch 1 am by S.S.I. 2006/151 regs 56
- sch 1 am by S.S.I. 2006/312 reg 4sch 2
- sch 1 am by S.S.I. 2006/548 regs 4-79
- sch 1 2 am by S.S.I. 2007/142 reg 4
- schs 12 am (19.12.2007), (19.3.2008), (6.4.2008) by S.S.I. 2007/523 regs 2 5 schs 12
- sch 1- 2 am (21.1.2008) by S.S.I. 2007/142 reg 5
- Sch. 1 entries inserted by S.S.I. 2007/306 reg. 5(a)(ii)Sch. 1
- Sch. 1 entry inserted by S.S.I. 2007/306 reg. 3(a)Sch. 1
- Sch. 1 entry substituted by S.S.I. 2007/306 reg. 5(a)(i)Sch. 1
- sch 2 am by S.S.I. 2006/151 regs 4-6
- sch 2 am by S.S.I. 2006/312 reg 4
- sch 2 am by S.S.I. 2006/312 reg 3sch 1
- sch 2 am by S.S.I. 2006/548 regs 3-7
- sch 2 am by S.S.I. 2007/142 reg 3
- sch 2 am by S.S.I. 2008/65 regs 23 schedule
- sch 2 am by S.S.I. 2008/65 regs 24 schedule
- sch 2 am by S.S.I. 2008/65 regs 25 schedule
- Sch. 2 entries inserted by S.S.I. 2007/306 reg. 3(b)(iii)Sch. 2
- Sch. 2 entries inserted by S.S.I. 2007/306 reg. 5(b)(ii)Sch. 2
- Sch. 2 entries substituted by S.S.I. 2007/306 reg. 3(b)(i)Sch. 2
- Sch. 2 entries substituted by S.S.I. 2007/306 reg. 3(b)(ii)Sch. 2
- Sch. 2 entries substituted by S.S.I. 2007/306 reg. 4(a)Sch. 2
- Sch. 2 entries substituted by S.S.I. 2007/306 reg. 5(b)(i)Sch. 2
- Sch. 2 entries substituted by S.S.I. 2007/306 reg. 6Sch. 2
- Sch. 2 entry substituted by S.S.I. 2007/306 reg. 4(b)Sch. 2
- Sch. 2 words inserted by S.S.I. 2007/306 reg. 5(b)(iii)Sch. 2
- sch 3 am by S.S.I. 2006/151 reg 4
- sch 3 am by S.S.I. 2006/312 reg 3
- sch 3 am by S.S.I. 2006/312 reg 4
- sch 3 am by S.S.I. 2006/548 regs 3510
- Regulations revoked by S.S.I. 2008/342 Sch. 2
- reg 2 am by S.S.I. 2006/151 reg 4
- reg 2 am by S.S.I. 2006/312 reg 3
- reg 2 am by S.S.I. 2006/548 reg 3
- reg 2 am by S.S.I. 2007/142 reg 3
- reg 6 rev in pt by S.S.I. 2006/548 reg 8