#### SCOTTISH STATUTORY INSTRUMENTS

### 2007 No. 142

# AGRICULTURE PESTICIDES

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment Regulations 2007

Made - - - - Ist March 2007
Laid before the Scottish

Parliament - - - 5th March 2007
Coming into force in accordance with regulation 1(3)
to (5)

The Scottish Ministers, in exercise of the powers conferred by section 2(2) of the European Communities Act 1972(1) and of all other powers enabling them in that behalf, hereby make the following Regulations:

#### Citation, interpretation and commencement

- 1.—(1) These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment Regulations 2007.
- (2) In these Regulations, "the principal Regulations" means the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2005(2).
  - (3) Subject to paragraphs (4) and (5), these Regulations shall come into force on 31st March 2007.
  - (4) Regulation 4 shall come into force on 11th May 2007.
  - (5) Regulation 5 shall come into force on 21st January 2008.

#### **Commencement Information**

II Reg. 1 in force at 31.3.2007, see reg. 1(3)

<sup>(1) 1972</sup> c. 68. Section 2(2) was amended by the Scotland Act 1998 (c. 46), Schedule 8, paragraph 15(3). The function conferred upon the Minister of the Crown under section 2(2) of the European Communities Act 1972, insofar as within devolved competence, was transferred to the Scottish Ministers by virtue of section 53 of the Scotland Act 1998.

<sup>(2)</sup> S.S.I. 2005/599 as amended by S.S.I. 2006/151, S.S.I. 2006/312 and S.S.I. 2006/548.

#### Amendment of the principal Regulations

**2.** The principal Regulations are amended in accordance with regulations 3 to 5.

# Commencement Information 12 Reg. 2 in force at 31.3.2007, see reg. 1(3)

#### Amendments coming into force on 31st March 2007

**3.**—(1) In regulation 2(1) (interpretation), for the definition of "the Residues Directives" substitute—

"the Residues Directives" means Directive 76/895(3), Directive 86/362(4), Directive 86/363(5) and Directive 90/642(6)."

(2) In Schedule 2 (maximum residue levels), in the column relating to the pesticide Atrazine, for the entries for all products (Wheat, Rye, Barley, Sorghum, Oats, Triticale, Maize, Buckwheat, Millet, Rice, and Other Cereals), in the food group 8 (Cereals), substitute "0.1".

```
Commencement Information
13 Reg. 3 in force at 31.3.2007, see reg. 1(3)
```

#### Amendments coming into force on 11th May 2007

- **4.** Schedules 1 (pesticide residues) and 2 (maximum residue levels) of the principal Regulations are amended as follows—
  - (a) in Schedule 1, in the appropriate place in the alphabetical sequence, insert the entry for the pesticide Captan set out in Schedule 1 to these Regulations; and
  - (b) in Schedule 2-
    - (i) for the entries in the columns relating to the pesticides Dichlorvos, Ethion and Folpet, substitute the entries in the columns relating to those pesticides set out in Schedule 2 to these Regulations;
    - (ii) in the appropriate place in the alphabetical sequence, insert the entries in the column relating to the pesticide Captan set out in Schedule 2 to these Regulations; and
    - (iii) at the end, insert as footnote 48, the footnote numbered (48) set out at the end of Schedule 2 to these Regulations.

## Commencement Information 14 Reg. 4 in force at 11.5.2007, see reg. 1(4)

<sup>(3)</sup> O.J. No. L 340, 9.12.76, p.26, as last amended by Commission Directive 2006/92/EC (O.J. No. L 311, 10.11.06, p.31).

<sup>(4)</sup> O.J. No. L 221, 7.8.86, p.37, as last amended by Commission Directive 2006/92/EC (O.J. No. L 311, 10.11.06, p.31).

<sup>(5)</sup> O.J. No. L 221, 7.8.86, p.43, as last amended by Commission Directive 2006/62/EC (O.J. No. L 206, 27.07.06, p.27).

<sup>(6)</sup> O.J. No. L 350, 14.12.90, p.71, as last amended by Commission Directive 2006/92/EC (O.J. No. L 311, 10.11.06, p.31).

#### **PROSPECTIVE**

#### Amendments coming into force on 21st January 2008

- **5.** Schedules 1 (pesticide residues) and 2 (maximum residue levels) of the principal Regulations are amended as follows—
  - (a) in Schedule 1, in the appropriate place in the alphabetical sequence, [F1 insert the entry for the pesticide Desmedipham] set out in Schedule 1 to these Regulations; and
  - (b) in Schedule 2-
    - (i) for the entries in the column relating to the pesticide Chlorfenvinphos substitute the entries in the column relating to that pesticide set out in Schedule 2 to these Regulations; and
    - (ii) in the appropriate place in the alphabetical sequence, [F2 insert the entries in the column relating to the pesticide Desmedipham] set out in Schedule 2 to these Regulations.
  - **F1** Words in reg. 5(a) substituted (16.8.2007) by The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment (No. 2) Regulations 2007 (revoked) 2007 (S.S.I. 2007/306), regs. 1(3), **7(a)**
  - **F2** Words in reg. 5(b)(ii) substituted (16.8.2007) by The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment (No. 2) Regulations 2007 (revoked) 2007 (S.S.I. 2007/306), regs. 1(3), **7(b)**

#### **Commencement Information**

**I5** Reg. 5 in force at 21.1.2008, see **reg. 1(5)** 

St Andrew's House, Edinburgh ROSS FINNIE
A member of the Scottish Executive

#### SCHEDULE 1

Regulations 4 and 5

#### ENTRIES INSERTED IN SCHEDULE 1 TO THE PRINCIPAL REGULATIONS

#### **Commencement Information**

- I6 Sch. 1 in force at 11.5.2007 for specified purposes, see reg. 1(4)
- I7 Sch. 1 in force at 21.1.2008 in so far as not already in force, see reg. 1(5)

Column 1	Column 2
Pesticide	Residue
Captan	captan
Desmedipham	desmedipham
Phenmedipham	(1) for products of plant origin: phenmedipham
	(2) for foodstuffs of animal origin: phenmedipham (Methyl-N-(3-hydroxyphenyl) carbamate (MHPC) expressed as phenmedipham)

#### SCHEDULE 2

Regulations 3, 4 and 5

## ENTRIES SUBSTITUTED OR INSERTED IN SCHEDULE 2 TO THE PRINCIPAL REGULATIONS

#### **Commencement Information**

- I8 Sch. 2 in force at 11.5.2007 for specified purposes, see reg. 1(4)
- 19 Sch. 2 in force at 21.1.2008 in so far as not already in force, see reg. 1(5)

Group	Groups	Captan	Chlorfenvin <b>Desors</b> ediph <b>Dric</b> hlorvosEthion	Folpet	Phenmedipham
to	include				
which	the				
food	following				
belongs	products				

## 1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS

#### i) CITRUS FRUIT

Grapefrui	t 0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
Lemons	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
Limes	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
Mandarin (inc clementin		0.02*	0.05*	0.01*	0.01*	0.02*	0.05*

Group to which food	Groups include the following	Captan	Chlorfe	nvi <b>uperon</b> ec	diph <b>Dnic</b> hloi	rvosEthion	Folpet	Phenmedipham
belongs	<i>products</i> & similar							
	hybrids)							
	Oranges	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Pomelos	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
ii) TR	EE NUTS (	Shelled or	Unshelled	d)				
	Almonds	0.3	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Brazil nuts	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Cashew nuts	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Chestnuts	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Coconuts	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Hazelnuts	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Macadami nuts	ia0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Pecans	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Pine nuts	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Pistachios	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Walnuts	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
iii) PC	ME FRUIT	Γ						
	Apples	3	0.02*	0.05*	0.01*	0.01*	3	0.05*
	Pears	3	0.02*	0.05*	0.01*	0.01*	3	0.05*
	Quinces	3	0.02*	0.05*	0.01*	0.01*	3	0.05*
	Others	3	0.02*	0.05*	0.01*	0.01*	3	0.05*
iv) ST	ONE FRUI	T						
	Apricots	3	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Cherries	5	0.02*	0.05*	0.01*	0.01*	2	0.05*
	Peaches (inc nectarines & similar hybrids)	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*

Group to which food belongs	Groups include the following		Chlorfe	nvin <b>Denon</b> ea	liph <b>Dnic</b> hlor	vosEthion	Folpet	Phenmedipham
	Plums	1	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
v) BE	RRIES AN	D SMALL	FRUIT					
a)	Table & wine grapes							
	Table grapes	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Wine grapes	0.02*	0.02*	0.05*	0.01*	0.01*	5	0.05*
b)	Strawberr (other than wild)	ries	0.02*	0.05*	0.01*	0.01*	3	0.1*
c)	Cane fruit (other than wild)							
	Blackberr	ries	0.02*	0.05*	0.01*	0.01*	3	0.05*
	Dewberri	es0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Loganber	ri <b>θ</b> s02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Raspberri	ie\$	0.02*	0.05*	0.01*	0.01*	3	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
d)	Other small fruit & berries (other than wild)							
	Bilberries	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Cranberri	e\$0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Currants (red, black & white)	3	0.02*	0.05*	0.01*	0.01*	3	0.05*
	Gooseber	ri <b>ð</b> s	0.02*	0.05*	0.01*	0.01*	3	0.05*

Group to which food	Groups include the following	Captan	Chlorfen	vi <b>nperson</b> edi	iph <b>Dnic</b> hlorv	vosEthion	Folpet	Phenmedipham
belongs	<i>products</i> Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
e)	Wild berries & wild fruit	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
vi) M	ISCELLAN	EOUS FR	UIT					
	Avocados	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Bananas	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Dates	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Figs	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Kiwi fruit	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Kumquats	s 0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Litchis	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Mangoes	2	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Olives (Table Consumpt	0.02* tion)	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Olives (Oil Extract)	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Papaya	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Passion fruit	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Pineapple	s0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Pomegran	a@e02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
2. VEGE	TABLES, 1	FRESH O	R UNCOC	OKED, FR	OZEN OR	DRY		
i) RO	OT AND T	UBER VE	GETABLE	S				
	Beetroot	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.1*
	Carrots	0.1	0.5	0.05*	0.01*	0.01*	0.02*	0.05*
	Cassava	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Celeriac	0.1	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Horseradi	s <b>b</b> .02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Jerusalem artichokes		0.02*	0.05*	0.01*	0.01*	0.02*	0.05*

Group to which food belongs	Groups include the following products	Captan	Chlorfe	nvi <b>upėsos</b> eo	diph <b>Dnic</b> hloi	rvosEthion	Folpet	Phenmedipham
00101185	Parsnips	0.02*	0.5	0.05*	0.01*	0.01*	0.02*	0.05*
	Parsley root	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Radishes	0.02*	0.5	0.05*	0.01*	0.01*	0.02*	0.05*
	Salsify	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Sweet potatoes	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Swedes	0.02*	0.5	0.05*	0.01*	0.01*	0.02*	0.05*
	Turnips	0.02*	0.5	0.05*	0.01*	0.01*	0.02*	0.05*
	Yams	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
ii) BU	LB VEGET	TABLES						
	Garlic	0.02*	0.5	0.05*	0.01*	0.01*	0.02*	0.05*
	Onions	0.02*	0.02*	0.05*	0.01*	0.01*	0.1	0.05*
	Shallots	0.02*	0.5	0.05*	0.01*	0.01*	0.02*	0.05*
	Spring onions	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
iii) FF	RUITING V	EGETABI	LES					
a)	Solanacea							
	Tomatoes	2	0.02*	0.05*	0.01*	0.01*	2	0.05*
	Peppers	0.1	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Chilli Peppers	0.1	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Aubergine	es0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Okra	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
b)	Cucurbits- edible peel	-						
	Cucumber	·s0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Gherkins	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Courgette	s0.02*	0.1	0.05*	0.01*	0.01*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*

Group to which food belongs	Groups include the following products	Captan	Chlorfen	vi <b>ilpann</b> ed	iph <b>Dnic</b> hlor	vosEthion	Folpet	Phenmedipham
c)	Cucurbits- inedible peel	-						
	Melons	0.1	0.02*	0.05*	0.01*	0.01*	1	0.05*
	Squashes	0.02*	0.02*	0.05*	0.01*	0.01*	1	0.05*
	Watermelo	ofs02*	0.02*	0.05*	0.01*	0.01*	1	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	1	0.05*
d)	Sweet corn	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
iv) BI	RASSICA V	'EGETAB	LES					
a)	Flowering Brassicas							
	Broccoli	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Cauliflow	e0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
b)	Head Brassicas							
	Brussels sprouts	0.02*	0.1	0.05*	0.01*	0.01*	0.02*	0.05*
	Head cabbage	0.02*	0.5	0.05*	0.01*	0.01*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
c)	Leafy Brassicas							
	Chinese cabbage	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Kale	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
d)	Kohlrabi	0.02*	0.3	0.05*	0.01*	0.01*	0.05	0.05*
v) LE	AF VEGET	ABLES A	ND FRESI	H HERBS				
a)	Lettuce & similar							
	Cress	0.02*	0.1	0.05*	0.01*	0.01*	0.02*	0.05*
	Lamb's lettuce	0.02*	0.1	0.05*	0.01*	0.01*	0.02*	0.05*

Group to which	Groups include the	Captan	Chlorfe	nvi <b>updson</b> ed	diph <b>Dric</b> hloi	rvosEthion	Folpet	Phenmedipham
food belongs	following products							
	Lettuce	0.02*	0.02*	0.05*	0.01*	0.01*	2	0.05*
	Scarole	2	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Ruccola	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Leaves and stems of brassica	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
b)	Spinach & similar							
	Spinach	0.1	0.1	0.05*	0.01*	0.01*	0.02*	0.5
	Beet leaves (chard)	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.5
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.5
c)	Watercres	ss0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
d)	Witloof	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
e)	Herbs							
	Chervil	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Chives	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Parsley	0.1	0.5	0.05*	0.01*	2	0.02*	0.05*
	Celery leaves	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
vi) LE	EGUME VE	EGETABL	ES (Fresh)	)				
	Beans (with pods)	2	0.02*	0.05*	0.01*	0.01*	2	0.05*
	Beans (without pods)	2	0.02*	0.05*	0.01*	0.01*	2	0.05*
	Peas (with pods)	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Peas (without pods)	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
				1.0				

Group to	Groups include	Captan	Chlorfen	vi <b>ıDdun</b> edi	iph <b>Dnic</b> hlorv	vosEthion	Folpet	Phenmedipham
which food belongs	the following products	7						
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
vii) S	TEM VEGE	ETABLES						
	Asparagus	s 0.02*	0.1	0.05*	0.01*	0.01*	0.02*	0.05*
	Cardoons	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Celery	0.1	0.5	0.05*	0.01*	0.1	0.02*	0.05*
	Fennel	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Globe artichokes	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.2
	Leeks	2	0.1	0.05*	0.01*	0.01*	0.02*	0.05*
	Rhubarb	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
<b>viii)</b> F	UNGI							
a)	Cultivated mushroon		0.05	0.05*	0.01*	0.01*	0.02*	0.05*
b)	Wild mushroon	0.02* ns	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
3. PULSI	ES							
	Beans	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Lentils	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Peas	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Lupins	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
4. OILSE	EEDS							
	Linseed	0.02*	0.02*	0.1*	0.01*	0.02*	0.02*	0.1*
	Peanuts	0.02*	0.02*	0.1*	0.01*	0.02*	0.02*	0.1*
	Poppy seed	0.02*	0.02*	0.1*	0.01*	0.02*	0.02*	0.1*
	Sesame seed	0.02*	0.02*	0.1*	0.01*	0.02*	0.02*	0.1*
	Sunflower seed (with shell)	r 0.02*	0.02*	0.1*	0.01*	0.02*	0.02*	0.1*
	Rape seed	0.02*	0.02*	0.1*	0.01*	0.02*	0.02*	0.1*

Group to which food	Groups include the following	Captan	Chlorfen	vii <b>lphon</b> ed	iph <b>Diic</b> hlor	vosEthion	Folpet	Phenmedipham
belongs	Soya bean	0.02*	0.02*	0.1*	0.01*	0.02*	0.02*	0.1*
	Mustard seed	0.02*	0.02*	0.1*	0.01*	0.02*	0.02*	0.1*
	Cotton seed	0.02*	0.02*	0.1*	0.01*	0.02*	0.02*	0.1*
	Hemp seed	0.02*	0.02*	0.1*	0.01*	0.02*	0.02*	0.1*
5. POTA	Others	0.02*	0.02*	0.1*	0.01*	0.02*	0.02*	0.1*
3.101A	Early potatoes	0.05	0.02*	0.05*	0.01*	0.01*	0.1	0.05*
	Ware potatoes	0.05	0.02*	0.05*	0.01*	0.01*	0.1	0.05*
6. TEA								
	Tea (dried leaves & stalks, fermented or otherwise, Camellia sinensis)		0.05*	0.1*	0.02*	3	0.05*	0.1*
7. HOPS	(Dried)							
	Hops (dried (including hop pellets & unconcent powder))		0.05*	0.1*	0.02*	0.02*	150	0.1*
8. CERE	ALS							
	Wheat	0.02*	0.02*	0.05*	0.01*	0.01*	2	0.05*
	Rye	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Barley	0.02*	0.02*	0.05*	0.01*	0.01*	2	0.05*
	Sorghum		0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Oats	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*

Document Generated: 2024-02-26

Status: Point in time view as at 11/05/2007. This version of this Instrument contains provisions that are prospective. Changes to legislation: There are currently no known outstanding effects for the The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment Regulations 2007. (See end of Document for details)

Group to which food	Groups include the following		Chlorfe	envi <b>upėson</b> ec	diph <b>Driv</b> chlor	vosEthion	Folpet	Phenmedipham
belongs	<i>products</i> Triticale	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Maize	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Buckwhe		0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Millet							
		0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Rice	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
9. PROD	OUCTS OF	ANIMAL		I				
	Meat, edible offal, fat & preparation of meat & edible offal	ons	0.01*		0.05			0.05*
	Milk & Dairy produce		0.01*		0.02			0.05*
	Eggs		0.01*		0.05*			0.05*
10. SPIC	ES							
	Cumin seed							
	Juniper seed							
	Nutmeg							
	Pepper, black and white							
	Vanilla pods							
	Spices – others							

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

Key:

FOOTNOTES:

<sup>\*</sup> Level at or about the limit of determination.

- a Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
- b Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.
- c These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
- d For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk or a combination, the following levels apply: -if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk; -if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
- e Bird's eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
- f Scarole includes broad—leaf endive.
- g Broccoli includes calabrese.
- h Sum of captan and folpet.

#### **EXPLANATORY NOTE**

(This note is not part of the Regulations)

These Regulations, which are made under section 2(2) of the European Communities Act 1972, amend the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2005 ("the principal Regulations").

These Regulations implement Commission Directives 2006/62/EC (O.J. No. L 206, 27.07.06, p.27) and 2006/92/EC (O.J. No. L 311, 10.11.06, p.31) and implement in part Commission Directive 2007/7/EC (O.J. No. L43, 15.02.07, p.19).

The Regulations come into force, in stages, on 31st March 2007, 11th May 2007 and 21st January 2008.

The Regulations substitute or insert-

- (a) new residue definitions for the pesticides Captan, Desmedipham and Phenmedipham in Schedule 1 to the principal Regulations which identifies the pesticide residues that are taken into account in the measuring of residue levels for each pesticide; and
- (b) new maximum residue levels for the pesticides Atrazine, Captan, Chlorfenvinphos, Desmedipham, Dichlorvos, Ethion, Folpet and Phenmedipham in Schedule 2 to the principal Regulations.

A Regulatory Impact Assessment ("RIA") was prepared in respect of the principal Regulations which provides a basis for establishing the impact of amendments to those Regulations. Copies of the RIA can be obtained from the Scottish Executive Environment and Rural Affairs Department, EPHAS2, Area 1-B, Pentland House, 47 Robb's Loan, Edinburgh, EH14 1TY. Copies have been placed in the Scottish Parliament Information Centre.

#### **Status:**

Point in time view as at 11/05/2007. This version of this Instrument contains provisions that are prospective.

#### **Changes to legislation:**

There are currently no known outstanding effects for the The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment Regulations 2007.