
STATUTORY INSTRUMENTS

1996 No. 341

HEALTH AND SAFETY

**The Health and Safety (Safety Signs
and Signals) Regulations 1996**

Made - - - - - *18th February 1996*
Laid before Parliament *23rd February 1996*
Coming into force *1st April 1996*

**THE HEALTH AND SAFETY (SAFETY
SIGNS AND SIGNALS) REGULATIONS 1996**

1. Citation and commencement
 2. Interpretation
 3. Application
 4. Provision and maintenance of safety signs
 5. Information, instruction and training
 6. Transitional provisions
 7. Enforcement
 8. Revocations and amendments
- Signature

SCHEDULE 1 —

PART I — MINIMUM REQUIREMENTS CONCERNING SAFETY SIGNS AND
SIGNALS AT WORK

1. Preliminary remarks
2. Types of signs
3. Interchanging and combining signs
4. The instructions in the table below apply to all signs...
5. The effectiveness of a sign must not be adversely affected...
6. Depending on requirements, signs and signalling devices must be cleaned,...
7. The number and positioning of signs or signalling devices to...
8. Signs requiring some form of power must be provided with...
9. The triggering of an illuminated sign and/or acoustic signal indicates...
10. Illuminated signs and acoustic signals must be checked to ensure...

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

11. If the hearing or the sight of the workers concerned...
12. Areas, rooms or enclosures used for the storage of significant...
 - PART II — MINIMUM GENERAL REQUIREMENTS CONCERNING SIGNBOARDS
 1. Intrinsic features
 2. Conditions of use
 3. Signboards to be used
 - PART III — MINIMUM REQUIREMENTS GOVERNING SIGNS ON CONTAINERS AND PIPES
 1. Containers used at work for dangerous substances or preparations defined...
 2. Signs must be mounted as follows: on the visible side(s),...
 3. Where appropriate, the signs referred to in paragraph 1 of...
 4. Without prejudice to paragraphs 1, 2 and 3, the labels...
 5. Areas, rooms or enclosures used for the storage of significant...
 - PART IV — MINIMUM REQUIREMENTS FOR THE IDENTIFICATION AND LOCATION OF FIRE-FIGHTING EQUIPMENT
 1. Preliminary remark
 2. Fire-fighting equipment must be identified by using a specific colour...
 3. The colour for identifying this equipment is red. The red...
 4. The signboards provided for in paragraph 3.5 of Part II...
 - PART V — MINIMUM REQUIREMENTS GOVERNING SIGNS USED FOR OBSTACLES AND DANGEROUS LOCATIONS, AND FOR MARKING TRAFFIC ROUTES
 1. Signs for obstacles and dangerous locations
 2. Marking of traffic routes
 - PART VI — MINIMUM REQUIREMENTS FOR ILLUMINATED SIGNS
 1. Intrinsic features
 2. Specific rules governing use
 - PART VII — MINIMUM REQUIREMENTS FOR ACOUSTIC SIGNALS
 1. Intrinsic features
 2. Code
 - PART VIII — MINIMUM REQUIREMENTS FOR VERBAL COMMUNICATION
 1. Intrinsic features
 2. Specific rules governing use
 - PART IX — MINIMUM REQUIREMENTS FOR HAND SIGNALS
 1. Features
 2. Specific rules governing use
 3. Coded signals to be used

SCHEDULE 2 — DOCUMENTS SPECIFYING ALTERNATIVE HAND SIGNALS

1. The standards issued by the British Standards Institution with the...
2. Appendix C of the Fire Service Training Manual.

SCHEDULE 3 —

PART I — REVOCATIONS

PART II — MODIFICATIONS

1. In regulation 9 of the Noise at Work Regulations 1989—...
2. In the Dangerous Substances (Notification and Marking of Sites) Regulations...

Explanatory Note