
STATUTORY INSTRUMENTS

2000 No. 932

The Weighing Equipment (Non-automatic Weighing Machines) Regulations 2000

PART III

MANNER OF ERECTION AND USE FOR TRADE

23. Where a non-automatic weighing machine is fitted with one or more level indicating devices, no person shall use the machine for trade unless each device indicates that it has been set to its reference position.

Commencement Information

I1 [Reg. 23](#) in force at 2.5.2000, see [reg. 1\(1\)](#)

24. Where a non-automatic weighing machine is marked with a temperature range, no person shall use the machine for trade in temperatures outside that range.

Commencement Information

I2 [Reg. 24](#) in force at 2.5.2000, see [reg. 1\(1\)](#)

25. Where a non-automatic weighing machine is marked with the manner of use, no person shall use the machine for trade in a manner which does not accord with the marking.

Commencement Information

I3 [Reg. 25](#) in force at 2.5.2000, see [reg. 1\(1\)](#)

26. Where a non-automatic weighing machine is fitted with a weight or any other printing device, the machine shall be so erected and used that the printing device, when used, produces a clear and durable printout.

Commencement Information

I4 [Reg. 26](#) in force at 2.5.2000, see [reg. 1\(1\)](#)

27. No person shall use for trade a non-automatic weighing machine when any live part is wholly or partly submerged in liquid, except as specified in the published particulars of the approved pattern.

Commencement Information

I5 [Reg. 27](#) in force at 2.5.2000, see [reg. 1\(1\)](#)

28. Every non-automatic weighing machine shall be erected and used in such a manner that, during a weighing operation, the load being weighed is stationary relative to the load receptor and supported only by the load receptor.

Commencement Information

I6 [Reg. 28](#) in force at 2.5.2000, see [reg. 1\(1\)](#)

29. Except as specified in the published particulars of the approved pattern, every non-automatic weighing machine shall be erected in such a manner that the operator can, notwithstanding the nature of the machine or its surroundings, readily take up a single position from which he can—

- (a) see, directly or with the aid of mirrors, closed-circuit television or other suitable permanently installed facilities, the whole of the unladen load receptor;
- (b) operate the weighing machine’s controls; and
- (c) obtain a weight reading from the weighing machine.

Commencement Information

I7 [Reg. 29](#) in force at 2.5.2000, see [reg. 1\(1\)](#)

F130.

Textual Amendments

F1 [Reg. 30](#) revoked (1.12.2015) by [The Weights and Measures \(Revocations\) Regulations 2015 \(S.I. 2015/356\)](#), [reg. 1\(2\)\(b\)](#), [Sch. Pt. 2 para. 3](#)

31.—(1) Subject to paragraph (2) below, every non-automatic weighing machine shall be properly balanced or set to zero immediately prior to use.

(2) Paragraph (1) above shall not apply in the case of a machine of an approved pattern if, in the published particulars thereof, it is described as not being so constructed as to balance when unloaded.

Commencement Information

I8 [Reg. 31](#) in force at 2.5.2000, see [reg. 1\(1\)](#)

Changes to legislation:

There are currently no known outstanding effects for the The Weighing Equipment (Non-automatic Weighing Machines) Regulations 2000, PART III.