
SCHEDULE 1

WARNING SIGNS

Regulation 11(1)

SCHEDULE 1 WARNING SIGNS (other than those for railway and tramway level crossings, bus and pedal cycle facilities, and road works)



501 Junction ahead controlled by a diagram 601.1 ("STOP") or diagram 602 ("GIVE WAY") sign

| ltem | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 20(1), 21(1) |
| 3 | Diagrams: 502, 503, 608 |
| 4 | Permitted variants: None |
| 5 | Illumination requirements: Schedule 17, item 1 |



502 Distance to a junction ahead controlled by a diagram 601.1 ("STOP") sign

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 20(1), 21(1) |
| 3 | Diagrams: 501 |
| 4 | Permitted variants: Schedule 16, item 6 |
| 5 | Illumination requirements: Schedule 17, item 8 |



503

Distance to a junction ahead controlled by a diagram 602 ("GIVE WAY") sign

Permitted variants: Schedule 16, item 6

Illumination requirements: Schedule 17, item 8

Regulations: None

Diagrams: 501

Directions: 20(1), 21(1)

ltern 1

2

3

4


5


600 (750) (900) (1200) (1500)

504.1 Crossroads ahead

| Item | |
|------|--|
| 1 | Regulations: 58(7) |
| 2 | Directions: 21(1) |
| 3 | Diagrams: 511, 572 |
| 4 | Permitted variants: Schedule 16, item 17 |
| 5 | Illumination requirements: Schedule 17, item 1 |

SCHEDULE 1 WARNING SIGNS (contd.)






505.1 T-junction ahead

| ltem | |
|------|--|
| 1 | Regulations: 58(7) |
| 2 | Directions: 21(1) |
| 3 | Diagrams: 511, 572 |
| 4 | Permitted variants: Schedule 16, item 28 |
| 5 | Illumination requirements: Schedule 17, item 1 |



| ltem | |
|------|--|
| 1 | Regulations: 58(7) |
| 2 | Directions: 21(1) |
| 3 | Diagrams: 511, 572, 7301, 7302 |
| 4 | Permitted variants: Schedule 16, items 17, 28 |
| 5 | Illumination requirements: Schedule 17, item 1 |



507.1 Staggered junction ahead


| ltem | |
|------|--|
| 1 | Regulations: 58(7) |
| 2 | Directions: 21(1) |
| 3 | Diagrams: 511, 572 |
| 4 | Permitted variants: Schedule 16, items 17, 28 |
| 5 | Illumination requirements: Schedule 17, item 1 |



508.1 Traffic merges ahead from the left

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 17, 21(1) |
| 3 | Diagrams: 572, 1010 |
| 4 | Permitted variants: None |
| 5 | Illumination requirements: Schedule 17, item 1 |

SCHEDULE 1 WARNING SIGNS (contd.)



509.1

Traffic merges ahead onto main carriageway

Regulations: None

Directions: 17, 21(1)

Diagrams: 572, 1010

Permitted variants: None

ltem 1

2

3

4

5




Roundabout ahead


| ltem | |
|------|--|
| 1 | Regulations: 58(7) |
| 2 | Directions: 21(1) |
| 3 | Diagrams: 511, 513.1, 572 |
| 4 | Permitted variants: None |
| 5 | Illumination requirements: Schedule 17, item 1 |


510




Illumination requirements: Schedule 17, item 1








512 Bend ahead



SCHEDULE 1 WARNING SIGNS (contd.)





512.1 Junction on bend ahead

| Item | |
|------|--|
| 1 | Regulations: 58(7) |
| 2 | Directions: 21(1) |
| 3 | Diagrams: 511, 513.1, 513.2, 526, 575 |
| 4 | Permitted variants: Schedule 16, item 28 |
| 5 | Illumination requirements: Schedule 17, item 1 |



| Item | |
|------|--|
| 1 | Regulations: 58(7) |
| 2 | Directions: 21(1) |
| 3 | Diagrams: 511, 513.1, 513.2, 526, 575 |
| 4 | Permitted variants: Schedule 16, item 28 |
| 5 | Illumination requirements: Schedule 17, item 1 |



513 Double bend or series of bends ahead, first to the left


| Item | |
|------|--|
| 1 | Regulations: 58(7) |
| 2 | Directions: 21(1) |
| 3 | Diagrams: 511, 513.1, 513.2, 526, 570, 575 |
| 4 | Permitted variants: Schedule 16, item 28 |
| 5 | Illumination requirements: Schedule 17, item 1 |




513.1 Adverse camber on a bend or roundabout

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 21(1) |
| 3 | Diagrams: 510, 512, 512.1, 512.2, 513 |
| 4 | Permitted variants: None |
| 5 | Illumination requirements: Schedule 17, item 8 |

SCHEDULE 1 WARNING SIGNS (contd.)



5




Illumination requirements: Schedule 17, item 8

5

CIOSS SECTION

515.1 Same as diagram 515

| ltem | |
|------|--|
| 1 | Regulations: 11(2) |
| 2 | Directions: None |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 13, 46 Same as diagram 515 |
| 5 | Illumination requirements: Schedule 17, item 4 |




Illumination requirements: Schedule 17, item 4


515.1A Sharp deviation of route at a roundabout


| Item | |
|------|---|
| 1 | Regulations: 11(2) |
| 2 | Directions: 20(3) |
| 3 | Diagrams: 515.2, 606 |
| 4 | Permitted variants: Schedule 16, item 46 Same as diagram 515 |
| 5 | Illumination requirements: Schedule 17, item 4 |

SCHEDULE 1 WARNING SIGNS (contd.)




SCHEDULE 1 WARNING SIGNS (contd.)





516 Road narrows on both sides ahead

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 21(1) |
| 3 | Diagrams: 511, 518, 519, 572, 575 |
| 4 | Permitted variants: None |
| 5 | Illumination requirements: Schedule 17, item 1 |




| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 21(1) |
| 3 | Diagrams: 511, 518, 519, 572, 575 |
| 4 | Permitted variants: Schedule 16, item 28 |
| 5 | Illumination requirements: Schedule 17, item 1 |



518 Convergence of traffic to a single file in each direction


| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 21(1) |
| 3 | Diagrams: 516, 517, 520 |
| 4 | Permitted variants: Schedule 16, items 3, 6, 11 "for" may precede a distance where added |
| 5 | Illumination requirements: Schedule 17, item 8 |




519 Road only wide enough for one line of vehicles

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 21(1) |
| з | Diagrams: 516, 517 |
| 4 | Permitted variants: Schedule 16, items 3, 6, 11 Same as diagram 518. "Single track road" may be on three lines |
| 5 | Illumination requirements: Schedule 17, item 8 |

SCHEDULE 1 WARNING SIGNS (contd.)






520 Dual carriageway ends ahead

| ltem | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 21(1) |
| 3 | Diagrams: 511, 518, 572 |
| 4 | Permitted variants: None |
| 5 | Illumination requirements: Schedule 17, item 1 |



| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 21(1) |
| 3 | Diagrams: 570, 572 |
| 4 | Permitted variants: None |
| 5 | Illumination requirements: Schedule 17, item 1 |



522 Two-way traffic on route crossing ahead

| ltem | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 21(1) |
| 3 | Diagrams: 572 |
| 4 | Permitted variants: None |
| 5 | Illumination requirements: Schedule 17, item 1 |



523.1 Steep hill downwards ahead

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 21(1) |
| 3 | Diagrams: 511, 525, 526, 527, 570, 572, 573, 817.2 |
| 4 | Permitted variants: Schedule 16, item 1 |
| 5 | Illumination requirements: Schedule 17, item 1 |

SCHEDULE 1 WARNING SIGNS (contd.)





524.1 Steep hill upwards ahead

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 21(1) |
| 3 | Diagrams: 511, 525, 526, 527, 570, 572, 573 |
| 4 | Permitted variants: Schedule 16, item 1 |
| 5 | Illumination requirements: Schedule 17, item 1 |

525 Drivers should engage low gear for steep hill

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 21(1) |
| 3 | Diagrams: 523.1, 524.1 |
| 4 | Permitted variants: None |
| 5 | Illumination requirements: Schedule 17, item 8 |




526 Drivers should keep in low gear for steep hill or tight bend

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 21(1) |
| 3 | Diagrams: 512, 512.1, 512.2, 513, 523.1, 524.1, 554.1 |
| 4 | Permitted variants: None |
| 5 | Illumination requirements: Schedule 17, item 8 |



| 1 | Regulations: None |
|---|--|
| 2 | Directions: 21(1) |
| 3 | Diagrams: 523.1, 524.1 |
| 4 | Permitted variants: Schedule 16, item 5 |
| 5 | Illumination requirements: Schedule 17, item 8 |


SCHEDULE 1 WARNING SIGNS (contd.)





| ump | bridge | aneau | |
|-----|--------|-------|--|
| | | | |
| | | | |

| ltern | |
|-------|--|
| 1 | Regulations: None |
| 2 | Directions: 21(1) |
| 3 | Diagrams: 511, 572, 573, 575, 782 |
| 4 | Permitted variants: None |
| 5 | Illumination requirements: Schedule 17, item 1 |



300


528.1 End of bridge parapet, abutment wall, tunnel mouth, or other obstruction adjacent to the carriageway

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: None |
| 3 | Diagrams: None |
| 4 | Permitted variants: None |
| 5 | Illumination requirements: Schedule 17, item 4 The parts of the sign coloured yellow may be fluorescent as well as retroreflective |



529 Opening or swing bridge ahead


| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 21(1) |
| 3 | Diagrams: 572, 573, 773 |
| 4 | Permitted variants: None |
| 5 | Illumination requirements: Schedule 17, item 1 |



529.1 Tunnel ahead

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 21(1) |
| 3 | Diagrams: 572, 573, 575, 773 |
| 4 | Permitted variants: None |
| 5 | Illumination requirements: Schedule 17, item 1 |

SCHEDULE 1 WARNING SIGNS (contd.)



530 Maximum headroom available at hazard






530.1 Reduced headroom over part of road due to overhanging building ahead

| 600 | |
|-----|--|
| 1 | Regulations: None |
| 2 | Directions: 21(1) |
| 3 | Diagrams: 530 |
| 4 | Permitted variants: Schedule 16, items 3, 6, 11 "building" may be varied to "buildings" or "structure" |
| 5 | Illumination requirements: Schedule 17, item 8 |


SCHEDULE 1 WARNING SIGNS (contd.)



5 Illumination requirements: Schedule 17, item 9 Where those parts of the sign coloured yellow are retroreflective they may also be fluorescent

Permitted variants: None

SCHEDULE 1 WARNING SIGNS (contd.)



ltem

2

3

4

Regulations: None

Directions: 21(1)

Diagrams: 531.2, 572, 573

Permitted variants: Schedule 16, item 1 Metric sign may be omitted


Illumination requirements: Schedule 17, item 1



531.2 High vehicles to use the middle of road at arch bridge ahead

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 21(1) |
| 3 | Diagrams: 531.1 |
| 4 | Permitted variants: Schedule 16, item 11 |
| 5 | Illumination requirements: Schedule 17, item 8 |


SCHEDULE 1 WARNING SIGNS (contd.)



532.2 Maximum headroom available in the centre of a road at an arch bridge




SCHEDULE 1 WARNING SIGNS (contd.)



5

Illumination requirements: Schedule 17, items 1, 9

SCHEDULE 1 WARNING SIGNS (contd.)



ltem

1 2

з

4

5

Regulations: None

Directions: 21(1), 39(2)

Permitted variants: None

543 Traffic signals ahead


Diagrams: 543.1, 547.8, 572, 573, 7030

Illumination requirements: Schedule 17, item 1



543.1 Traffic signals ahead which only operate at certain times

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 21(1) |
| 3 | Diagrams: 543, 3000, 3000.7, 3000.8, 3000.9, 3000.10 |
| 4 | Permitted variants: Schedule 16, items 3, 6, 11 "Part time" may be varied to "Peak hour" |
| 5 | Illumination requirements: Schedule 17, item 8 |



544 Zebra crossing ahead


| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 21(1) |
| 3 | Diagrams: 547.8, 572, 573 |
| 4 | Permitted variants: None |
| 5 | Illumination requirements: Schedule 17, item 1 |



544.1 Pedestrians in road ahead

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 21(1) |
| 3 | Diagrams: 547.3, 572, 573 |
| 4 | Permitted variants: None |
| 5 | Illumination requirements: Schedule 17, item 1 |


SCHEDULE 1 WARNING SIGNS (contd.)





544.2 Frail or disabled pedestrians likely to cross road ahead

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 21(1) |
| 3 | Diagrams: 547.4, 572, 573 |
| 4 | Permitted variants: None |
| 5 | Illumination requirements: Schedule 17, item 1 |



| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 20(2), 21(1), 27, 55(1) |
| 3 | Diagrams: 546, 547.1, 547.2, 547.3, 547.7, 4004 |
| 4 | Permitted variants: None |
| 5 | Illumination requirements: Schedule 17, item 1 |



546 School ahead

Permitted variants: Schedule 16, items 3, 6, 11

Illumination requirements: Schedule 17, item 8

Directions: 20(2), 21(1), 27, 55(1)

Regulations: None

Diagrams: 545, 4004

ltem 1

2

3

4

5



547.1 School crossing patrol ahead

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 20(2), 21(1), 27, 55(1) |
| 3 | Diagrams: 545, 4004 |
| 4 | Permitted variants: Schedule 16, items 3, 6, 11 |
| 5 | Illumination requirements: Schedule 17, item 8 |

SCHEDULE 1 WARNING SIGNS (contd.)



547.2

Children's playground ahead

Permitted variants: Schedule 16, items 3, 6, 11

Illumination requirements: Schedule 17, item 8

Regulations: None

Diagrams: 545

Directions: 20(2), 21(1)

ltem 1

2

з

4

5

No footway for 400 yds

> 547.3 No footway for distance indicated

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 20(2), 21(1) |
| 3 | Diagrams: 544.1, 545 |
| 4 | Permitted variants: Schedule 16, item 6 |
| 5 | Illumination requirements: Schedule 17, item 8 |



547.4 Disabled pedestrians likely to cross road ahead

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 21(1) |
| 3 | Diagrams: 544.2 |
| 4 | Permitted variants: Schedule 16, items 3, 6, 11 "Disabled" may be varied to "Blind" |
| 5 | Illumination requirements: Schedule 17, item 8 |



547.7 Disabled children likely to cross road ahead

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 20(2), 21(1), 27, 55(1) |
| 3 | Diagrams: 545, 4004 |
| 4 | Permitted variants: Schedule 16, items 3, 6, 11 "Disabled" may be varied to "Blind" or "Deaf" |
| 5 | Illumination requirements: Schedule 17, item 8 |

SCHEDULE 1 WARNING SIGNS (contd.)



547.8 Zebra crossing or signal-controlled crossing on road hump ahead

Permitted variants: Schedule 16, items 3, 6, 11 Illumination requirements: Schedule 17, item 8

ltem 1

2

3


4

5

Regulations: None

Directions: 21(1)

Diagrams: 543, 544






| ltem | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 21(1), 55(2) |
| 3 | Diagrams: 548.1, 570, 4005 |
| 4 | Permitted variants: None |
| 5 | Illumination requirements: Schedule 17, item 4 |



548.1 Supervised cattle crossing ahead


| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 21(1), 55(2) |
| 3 | Diagrams: 548, 4005 |
| 4 | Permitted variants: Schedule 16, items 6, 11 |
| 5 | Illumination requirements: Schedule 17, item 8 |



549 Sheep likely to be in road ahead

| ltern | |
|-------|--|
| 1 | Regulations: None |
| 2 | Directions: 21(1) |
| 3 | Diagrams: 570 |
| 4 | Permitted variants: None |
| 5 | Illumination requirements: Schedule 17, item 4 |

SCHEDULE 1 WARNING SIGNS (contd.)



550 Wild horses or ponies likely to be in road ahead

Illumination requirements: Schedule 17, item 4

Regulations: None

Permitted variants: None

Directions: 21(1)

Diagrams: 570


ltem 1

2

3

4

5




550.1 Accompanied horses or ponies likely to be in or crossing road ahead

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 21(1) |
| 3 | Diagrams: 570, 572, 573 |
| 4 | Permitted variants: None |
| 5 | Illumination requirements: Schedule 17, item 4 |



550.2 Horse drawn vehicles likely to be in road ahead


| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 21(1) |
| з | Diagrams: 570 |
| 4 | Permitted variants: None |
| 5 | Illumination requirements: Schedule 17, item 4 |



551 Wild animals likely to be in road ahead

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 21(1) |
| з | Diagrams: 570 |
| 4 | Permitted variants: None |
| 5 | Illumination requirements: Schedule 17, item 4 |


SCHEDULE 1 WARNING SIGNS (contd.)






551.1 Migratory toad crossing ahead

| ltem | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 21(1), 28 |
| 3 | Diagrams: 570 |
| 4 | Permitted variants: None |
| 5 | Illumination requirements: Schedule 17, item 4 |



| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 21(1) |
| 3 | Diagrams: 570 |
| 4 | Permitted variants: None |
| 5 | Illumination requirements: Schedule 17, item 4 |



552 Cattle grid ahead

| ltem | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 21(1) |
| 3 | Diagrams: 553, 572, 573 |
| 4 | Permitted variants: None |
| 5 | Illumination requirements: Schedule 17, item 4 |



553 By-pass of cattle grid

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 21(1) |
| 3 | Diagrams: 552 |
| 4 | Permitted variants: Schedule 16, item 13 |
| 5 | Illumination requirements: Schedule 17, item 8 |

SCHEDULE 1 WARNING SIGNS (contd.)



553.1 Agricultural vehicles likely to be in road ahead

ltem

1


2

3

4

5

| 600 (750) (900) (1200)



Permitted variants: Schedule 16, item 6 "Farm traffic" may be varied to "Wide vehicles" or "Tractors turning". "for" and a distance may be added

5 Illumination requirements: Schedule 17, item 8

553.2 Agricultural vehicles likely to be in road ahead

Regulations: None

Diagrams: 553.1

Directions: 20(1), 21(1)

ltern


1

2

з

4

| Regulations: None |
|--|
| Directions: 20(1), 21(1) |
| Diagrams: 553.2 |
| Permitted variants: None |
| Illumination requirements: Schedule 17, item 4 |



554.1 Risk of brake failure after crossing a ford or before descending a steep gradient

| ltern | |
|-------|--|
| 1 | Regulations: None |
| 2 | Directions: 21(1) |
| 3 | Diagrams: 526, 817.2 |
| 4 | Permitted variants: None |
| 5 | Illumination requirements: Schedule 17, item 4 |



| ltern | |
|-------|---|
| 1 | Regulations: None |
| 2 | Directions: 21(1), 39(3) |
| 3 | Diagrams: 563 (when varied to "Road liable to flooding"), 570 (when diagram 554 is varied to "Gates"), 572, 573 |
| 4 | Permitted variants: *Ford" may be varied to "Flood", *Gate*, *Gates*, or "No smoking* |
| 5 | Illumination requirements: Schedule 17, item 4 |

4


5

Permitted variants: None

Illumination requirements: Schedule 17, item 1

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 1 WARNING SIGNS (contd.)



23

3

4


5


Diagrams: 570

Permitted variants: Schedule 16, item 28

Illumination requirements: Schedule 17, item 4

SCHEDULE 1 WARNING SIGNS (contd.)






556 Uneven road ahead

| ltem | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 21(1) |
| 3 | Diagrams: 511, 570 |
| 4 | Permitted variants: None |
| 5 | Illumination requirements: Schedule 17, item 4 |



| ltem | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 20(1), 21(1) |
| 3 | Diagrams: 556.2 |
| 4 | Permitted variants: None |
| 5 | Illumination requirements: Schedule 17, item 4 |



556.2 Soft verges for distance indicated


| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 20(1), 21(1) |
| 3 | Diagrams: 556.1 |
| 4 | Permitted variants: Schedule 16, item 6 "for 2 miles" may be omitted |
| 5 | Illumination requirements: Schedule 17, item 8 |



557 Slippery road ahead


| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 21(1) |
| 3 | Diagrams: 570 |
| 4 | Permitted variants: None |
| 5 | Illumination requirements: Schedule 17, item 4 |

SCHEDULE 1 WARNING SIGNS (contd.)



557.1 Road hump or series of road humps ahead

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 17, 18(1), 20(1), 21(1) |
| 3 | Diagrams: 557.2, 557.3, 557.4, 1062 |
| 4 | Permitted variants: None |
| 5 | Illumination requirements: Schedule 17, item 1 |




557.2 Road humps ahead for the distance indicated

| Item | | |
|---------------------|---|--|
| 1 Regulations: None | | |
| 2 | Directions: 20(1), 21(1) | |
| 3 | Diagrams: 557.1 | |
| 4 | Permitted variants: Schedule 16, item 6 Illumination requirements: Schedule 17, item 8 | |
| 5 | | |



557.3 Road humps ahead in the direction and for the distance indicated


| ltern | |
|---------------------|---|
| 1 Regulations: None | |
| 2 | Directions: 20(1), 21(1) |
| 3 | Diagrams: 557.1 |
| 4 | Permitted variants: Schedule 16, items 6, 13 A second arrow pointing in the opposite direction may be added. "for 300 yards" may be omitted |
| 5 | Illumination requirements: Schedule 17, item 8 |



557.4 Road hump in the direction and at the distance indicated

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 20(1), 21(1) |
| 3 | Diagrams: 557.1 |
| 4 | Permitted variants: Schedule 16, items 6, 9, 13, 14 A second arrow pointing in the opposite direction may be added. The legend may be on two lines |
| 5 | Illumination requirements: Schedule 17, item 8 |

SCHEDULE 1 WARNING SIGNS (contd.)



558

Low flying aircraft or sudden aircraft noise likely ahead

Illumination requirements: Schedule 17, item 4

Regulations: None

Diagrams: 558.2, 570, 773

Permitted variants: None

Directions: 21(1)


ltem

2

3

4

5



558.1 Low flying helicopters or sudden helicopter noise likely ahead

| ltem | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 21(1) |
| 3 | Diagrams: 570 |
| 4 | Permitted variants: None |
| 5 | Illumination requirements: Schedule 17, item 4 |

558.1



558.2 Gliders likely ahead


| ltem | |
|---------------------|--|
| 1 Regulations: None | |
| 2 | Directions: 21(1) |
| 3 | Diagrams: 558 |
| 4 | Permitted variants: Schedule 16, item 6 "for" and a distance may be added |
| 5 | Illumination requirements: Schedule 17, item 8 |



559 Risk of falling or fallen rocks ahead

| ltem | | |
|------|--|--|
| 1 | Regulations: None | |
| 2 | Directions: 21(1) | |
| 3 | Diagrams: 570 | |
| 4 | Permitted variants: Schedule 16, item 28 | |
| 5 | Illumination requirements: Schedule 17, item 4 | |

SCHEDULE 1 WARNING SIGNS (contd.)



5 Illumination requirements: Schedule 17, item 8



Warning ltem 1

2

3

4

5

SCHEDULE 1 WARNING SIGNS (contd.)

570 Distance over which hazard or prohibition extends


For miles (50) 62.5 (75) (100) (125) (150) (200)

| لــــــــــــــــــــــــــــــــــــــ | (75) (100) |
|--|---------------|
| 563.1 ng of light signals as shown in diagram 3014 a | head |
| | |
| Regulations: None | |
| Directions: 20(1), 21(1) | |
| Diagrams: 562 | |
| Permitted variants: Schedule 16, items 3, 6, "FIRE" may be varied to "AMBULANCE" or "FIRE AND AMBULANCE" | 11 |



Illumination requirements: Schedule 17, item 8

| ltern | |
|-------|--|
| 1 | Regulations: None |
| 2 | Directions: 21(1) |
| 3 | Diagrams: 504.1, 505.1, 506.1, 507.1, 508.1, 509.1, 510, 516, 517, 520, 521, 522, 523.1, 524.1, 528, 529, 529.1, 530, 531.1, 543, 544, 544.1, 544.2, 550.1, 552, 554, 555, 770, 771, 772, 782, 950, 7001, 7009 |
| 4 | Permitted variants: Schedule 16, item 6 |
| 5 | Illumination requirements: Schedule 17, item 8 |






573 Distance and direction to hazard

| ltern | |
|--|--|
| 1 | Regulations: None |
| 2 | Directions: 21(1) |
| 3 | Diagrams: 523.1, 524.1, 528, 529, 529.1, 530, 531.1, 543, 544, 544.1, 544.2, 550.1, 552, 554, 555, 770, 771, 772, 782, 950, 7001, 7009 |
| 4 Permitted variants: Schedule 16, items 6, 9, | |
| 5 | Illumination requirements: Schedule 17, item 8 |

SCHEDULE 1 WARNING SIGNS (contd.)




Slow moving military vehicles likely to be crossing or in road ahead

| Item | | |
|------|--|--|
| 1 | Regulations: None | |
| 2 | Directions: 21(1) | |
| 3 | Diagrams: 570 Permitted variants: None | |
| 4 | | |
| 5 | Illumination requirements: Schedule 17, item 4 | |

| Item | | |
|--|--------------------------|--|
| 1 | Regulations: None | |
| 2 | Directions: 21(1) | |
| 3 | Diagrams: 570 | |
| 4 | Permitted variants: None | |
| 5 Illumination requirements: Schedule 17, item | | |

SCHEDULE 1 WARNING SIGNS (contd.)



583

Slow moving vehicles likely on incline ahead


Item 1

2

з


4

5



583.1 Distance over which slow moving vehicles likely to be encountered ahead

| | Item | |
|--|------|--|
| Regulations: None | 1 | Regulations: None |
| Directions: 20(1), 21(1) | 2 | Directions: 20(1), 21(1) |
| Diagrams: 583.1 | 3 | Diagrams: 583 |
| Permitted variants: None | 4 | Permitted variants: Schedule 16, item 5 |
| Illumination requirements: Schedule 17, item 4 | 5 | Illumination requirements: Schedule 17, item 8 |



584 Traffic queues likely on road ahead

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 20(1), 21(1) |
| 3 | Diagrams: 584.1 |
| 4 | Permitted variants: None |
| 5 | Illumination requirements: Schedule 17, item 4 |



584.1 Traffic queues likely on road ahead

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 20(1), 21(1) |
| 3 | Diagrams: 584 |
| 4 | Permitted variants: Schedule 16, item 11 "on slip road" may be added |
| 5 | Illumination requirements: Schedule 17, item 8 |