

CORRIGENDA

Corrigendum to Commission Decision 98/437/EC of 30 June 1998 on the procedure for attesting the conformity of construction products pursuant to Article 20(2) of Council Directive 89/106/EEC as regards internal and external wall and ceiling finishes

(Official Journal of the European Communities L 194 of 10 July 1998)

On page 42, Annex III under 'Product family internal and external wall and ceiling finishes (1/5)', the table should read as follows:

'Product(s)	Intended use(s)	Level(s) or class(es) (fire resistance)	Attestation of conformity system(s)
Panels	As internal or external finishes, as complete elements, used for fire protection of walls or ceilings	Any	3
Suspended ceilings (kits)	As internal or external finishes used for fire protection of ceilings		

System 3: See Directive 89/106/EEC, Annex III(2)(ii), second possibility.'

On page 44, Annex III under 'Product family internal and external wall and ceiling finishes (3/5)', the table should read as follows:

'Product(s)	Intended use(s)	Level(s) or class(es) (reaction to fire) (')	Attestation of conformity system(s)
Coverings in roll form Linings	As internal finishes in walls or ceilings subject to reaction to fire regulations	A (*), B (*) and C (*)	1
Shingles Cladding slabs	As external finishes in walls or ceilings subject to reaction to fire regulations	A (**), B (**) and C (**)	3
Suspended ceilings (kits)	As internal or external finishes in ceilings subject to reaction to fire regulations		
Tiles Sidings Panels	As internal or external finishes in walls or ceilings subject to reaction to fire regulations		
Featured profiles Suspending frames	To support internal or external wall or ceiling finishes, or suspended ceilings, subject to reaction to fire regulations	A (without testing), D, E and F	4

System 1: See Directive 89/106/EEC, Annex III(2)(i), without audit-testing of samples.

System 3: See Directive 89/106/EEC, Annex III(2)(ii), second possibility.

System 4: See Directive 89/106/EEC, Annex III(2)(ii), third possibility.

(') For reaction to fire, see Commission Decision 94/611/EC.

(*) Materials for which the reaction to fire performance is susceptible to change during the production process.

(**) Materials for which the reaction to fire performance is not susceptible to change during the production process.'