

Council Directive of 8 December 1975 concerning
the quality of bathing water (76/160/EEC) (repealed)

COUNCIL DIRECTIVE

of 8 December 1975

concerning the quality of bathing water

(76/160/EEC) (repealed)

THE COUNCIL OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Economic Community, and in particular Articles 100 and 235 thereof,

Having regard to the proposal from the Commission,

Having regard to the opinion of the European Parliament⁽¹⁾,

Having regard to the opinion of the Economic and Social Committee⁽²⁾,

Whereas, in order to protect the environment and public health, it is necessary to reduce the pollution of bathing water and to protect such water against further deterioration;

Whereas surveillance of bathing water is necessary in order to attain, within the framework of the operation of the common market, the Community's objectives as regards the improvement of living conditions, the harmonious development of economic activities throughout the Community and continuous and balanced expansion;

Whereas there exist in this area certain laws, regulations or administrative provisions in Member States which directly affect the functioning of the common market; whereas, however, not all the powers needed to act in this way have been provided for in the Treaty;

Whereas the programme of action of the European Communities on the environment⁽³⁾ provides that quality objectives are to be jointly drawn up fixing the various requirements which an environment must meet *inter alia* the definition of parameters for water, including bathing water;

Whereas, in order to attain these quality objectives, the Member States must lay down limit values corresponding to certain parameters; whereas bathing water must be made to conform to these values within 10 years following the notification of this Directive;

Whereas it should be provided that bathing water will, under certain conditions, be deemed to conform to the relevant parametric values even if a certain percentage of samples taken during the bathing season does not comply with the limits specified in the Annex;

Whereas, to achieve a certain degree of flexibility in the application of this Directive, the Member States must have the power to provide for derogations; whereas such derogations must not, however, disregard requirements essential for the protection of public health;

Status: EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

Whereas technical progress necessitates rapid adaptation of the technical requirements laid down in the Annex; whereas, in order to facilitate the introduction of the measures required for this purpose, a procedure should be provided for whereby close cooperation would be established between the Member States and the Commission within a Committee on Adaptation to Technical Progress;

Whereas public interest in the environment and in the improvement of its quality is increasing; whereas the public should therefore receive objective information on the quality of bathing water,

HAS ADOPTED THIS DIRECTIVE:

Article 1

1 This Directive concerns the quality of bathing water, with the exception of water intended for therapeutic purposes and water used in swimming pools.

2 For the purposes of this Directive:

- a 'bathing water' means all running or still fresh waters or parts thereof and sea water, in which:
 - bathing is explicitly authorized by the competent authorities of each member (SIC! Member) State, or
 - bathing is not prohibited and is traditionally practised by a large number of bathers;
- b 'bathing area' means any place where bathing water is found;
- c 'bathing season' means the period during which a large number of bathers can be expected, in the light of local custom, and any local rules which may exist concerning bathing and weather conditions.

Article 2

The physical, chemical and microbiological parameters applicable to bathing water are indicated in the Annex which forms an integral part of this Directive.

Article 3

1 Member States shall set, for all bathing areas or for each individual bathing area, the values applicable to bathing water for the parameters given in the Annex.

In the case of the parameters for which no values are given in the Annex, Member States may decide not to fix any values pursuant to the first subparagraph, until such time as figures have been determined.

2 The values set pursuant to paragraph 1 may not be less stringent than those given in column I of the Annex.

3 Where values appear in column G of the Annex, whether or not there is a corresponding value in column I of the Annex, Member States shall endeavour, subject to Article 7, to observe them as guidelines.

Article 4

1 Member States shall take all necessary measures to ensure that, within 10 years following the notification of this Directive, the quality of bathing water conforms to the limit values set in accordance with Article 3.

Status: EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

2 Member States shall ensure that, in bathing areas specially equipped for bathing to be created by the competent authorities of the Member States after the notification of this Directive, the 'I values' laid down in the Annex are observed from the time when bathing is first permitted. However, for bathing areas created during the two years following the notification of this Directive, these values need not be observed until the end of that period.

3 In exceptional circumstances Member States may grant derogations in respect of the 10-year time limit laid down in paragraph 1. Justifications for any such derogations based on plans for the management of water within the area concerned must be communicated to the Commission as soon as possible and not later than six years following the notification of this Directive. The Commission shall examine these justifications in detail and, where necessary, make appropriate proposals concerning them to the Council.

4 As regards sea water in the vicinity of frontiers and water crossing frontiers which affect the quality of the bathing water of another Member State, the consequences for the common quality objectives for bathing areas so affected shall be determined in collaboration by the riparian Member States concerned.

The Commission may participate in these deliberations.

Article 5

1 For the purposes of Article 4, bathing water shall be deemed to conform to the relevant parameters:

if samples of that water, taken at the same sampling point and at the intervals specified in the Annex, show that it conforms to the parametric values for the quality of the water concerned, in the case of:

- 95 % of the samples for parameters corresponding to those specified in column I of the Annex;
- 90 % of the samples in all other cases with the exception of the 'total coliform' and 'faecal coliform' parameters where the percentage may be 80 %

and if, in the case of the 5, 10 or 20 % of the samples which do not comply:

- the water does not deviate from the parametric values in question by more than 50 %, except for microbiological parameters, pH and dissolved oxygen;
- consecutive water samples taken at statistically suitable intervals do not deviate from the relevant parametric values.

2 Deviations from the values referred to in Article 3 shall not be taken into consideration in the calculation of the percentage referred to in paragraph 1 when they are the result of floods, other natural disasters or abnormal weather conditions.

Article 6

1 The competent authorities in the Member States shall carry out sampling operations, the minimum frequency of which is laid down in the Annex.

2 Samples should be taken at places where the daily average density of bathers is highest. Samples should preferably be taken 30 cm below the surface of the water except for mineral oil samples which shall be taken at surface level. Sampling should begin two weeks before the start of the bathing season.

3 Local investigation of the conditions prevailing upstream in the case of fresh running water, and of the ambient conditions in the case of fresh still water and sea water should be carried out scrupulously and repeated periodically in order to obtain geographical and

Status: EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

topographical data and to determine the volume and nature of all polluting and potentially polluting discharges and their effects according to the distance from the bathing area.

4 Should inspection by a competent authority or sampling operations reveal that there is a discharge or a probable discharge of substances likely to lower the quality of the bathing water, additional sampling must take place. Such additional sampling must also take place if there are any other grounds for suspecting that there is a decrease in water quality.

5 Reference methods of analysis for the parameters concerned are set out in the Annex. Laboratories which employ other methods must ensure that the results obtained are equivalent or comparable to those specified in the Annex.

Article 7

1 Implementation of the measures taken pursuant to this Directive may under no circumstances lead either directly or indirectly to deterioration of the current quality of bathing water.

2 Member States may at any time fix more stringent values for bathing water than those laid down in this Directive.

Article 8

This Directive may be waived:

- (a) in the case of certain parameters marked (0) in the Annex, because of exceptional weather or geographical conditions;
- (b) when bathing water undergoes natural enrichment in certain substances causing a deviation from the values prescribed in the Annex.

Natural enrichment means the process whereby, without human intervention, a given body of water receives from the soil certain substances contained therein.

In no case may the exceptions provided for in this Article disregard the requirements essential for public health protection.

Where a Member State waives the provisions of this Directive, it shall forthwith notify the Commission thereof, stating its reasons and the periods anticipated.

[^{F1}Article 9

The Commission shall adopt such amendments as are necessary to adapt to technical progress the G and I values for the parameters and the methods of analysis set out in the Annex to this Directive.

Those measures, designed to amend non-essential elements of this Directive, shall be adopted in accordance with the regulatory procedure with scrutiny referred to in Article 11(2).]

Textual Amendments

- F1** Substituted by [Regulation \(EC\) No 1137/2008 of the European Parliament and of the Council of 22 October 2008 adapting a number of instruments subject to the procedure laid down in Article 251 of the Treaty to Council Decision 1999/468/EC, with regard to the regulatory procedure with scrutiny Adaptation to the regulatory procedure with scrutiny — Part One.](#)

Status: EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

Article 10

1 A Committee on Adaptation to Technical Progress (hereinafter called ‘the committee’) is hereby set up. It shall consist of representatives of the Member States and be chaired by a representative of the Commission.

^{F2}

Textual Amendments

F2 Deleted by Council Regulation (EC) No 807/2003 of 14 April 2003 adapting to Decision 1999/468/EC the provisions relating to committees which assist the Commission in the exercise of its implementing powers laid down in Council instruments adopted in accordance with the consultation procedure (unanimity).

[^{F3} Article 11

1 The Commission shall be assisted by the Committee on Adaptation to Technical Progress.

[^{F12} Where reference is made to this paragraph, Article 5a(1) to (4) and Article 7 of Decision 1999/468/EC shall apply, having regard to the provisions of Article 8 thereof.]]

^{F43}

Textual Amendments

- F1** Substituted by Regulation (EC) No 1137/2008 of the European Parliament and of the Council of 22 October 2008 adapting a number of instruments subject to the procedure laid down in Article 251 of the Treaty to Council Decision 1999/468/EC, with regard to the regulatory procedure with scrutiny Adaptation to the regulatory procedure with scrutiny — Part One.
- F3** Substituted by Council Regulation (EC) No 807/2003 of 14 April 2003 adapting to Decision 1999/468/EC the provisions relating to committees which assist the Commission in the exercise of its implementing powers laid down in Council instruments adopted in accordance with the consultation procedure (unanimity).
- F4** Deleted by Regulation (EC) No 1137/2008 of the European Parliament and of the Council of 22 October 2008 adapting a number of instruments subject to the procedure laid down in Article 251 of the Treaty to Council Decision 1999/468/EC, with regard to the regulatory procedure with scrutiny Adaptation to the regulatory procedure with scrutiny — Part One.

Article 12

1 Member States shall bring into force the laws, regulations and administrative provisions necessary to comply with this Directive within two years of its notification. They shall forthwith inform the Commission thereof.

2 Member States will communicate to the Commission the texts of the main provisions of national law which they adopt in the field covered by this Directive.

[^{F5} Article 13

Every year, and for the first time by 31 December 1993, the Member States shall send to the Commission a report on the implementation of this Directive in the current year. The report shall be drawn up on the basis of a questionnaire or outline drafted by the Commission in accordance with the procedure laid down in Article 6 of Directive

Status: EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

91/692/EEC⁽⁴⁾ The questionnaire or outline shall be sent to the Member States six months before the start of the period covered by the report. The report shall be made to the Commission before the end of the year in question. The Commission shall publish a Community report on the implementation of the Directive within four months of receiving the reports from the Member States.]

.....

Textual Amendments

F5 Inserted by [Council Directive of 23 December 1991 \(91/692/EEC\)](#).

Article 14

This Directive is addressed to the Member States.

Status: EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

ANNEX

QUALITY REQUIREMENTS FOR BATHING WATER

	Parameters		G	I	Minimum sampling frequency	Method of analysis and inspection
	<i>Microbiological:</i>					
1	Total coliforms	/100 ml	500	10000	Fortnightly (1)	Fermentation in multiple tubes. Subculturing of the positive tubes on a confirmation medium. Count according to MPN (most probable number) or membrane filtration and culture on an appropriate medium such as Tergitol lactose agar, endo agar, 0,4 % Teepol broth, subculturing and identification of the
2	Faecal coliforms	/100 ml	100	2000	Fortnightly (1)	

G = guide
 I = mandatory.

(0) Provision exists for exceeding the limits in the event of exceptional geographical or meteorological conditions.

(1) When a sampling taken in previous years produced results which are appreciably better than those in this Annex and when no new factor likely to lower the quality of the water has appeared, the competent authorities may reduce the sampling frequency by factor of 2.

(2) Concentration to be checked by the competent authorities when an inspection in the bathing area shows that the substance may be present or that the quality of the water has deteriorated.

(3) These parameters must be checked by the competent authorities when there is a tendency towards the eutrophication of the water.

Status: EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

						suspect colonies. In the case of 1 and 2, the incubation temperature is variable according to whether total or faecal coliforms are being investigated.
3	Faecal streptococci	/100 ml	100	—	(2)	Litsky method. Count according to MPN (most probable number) or filtration on membrane. Culture on an appropriate medium. Fermentation in multiple tubes. Subculturing of the positive tubes on a confirmation medium. Count according to MPN (most

G = guide
I = mandatory.

(0) Provision exists for exceeding the limits in the event of exceptional geographical or meteorological conditions.

(1) When a sampling taken in previous years produced results which are appreciably better than those in this Annex and when no new factor likely to lower the quality of the water has appeared, the competent authorities may reduce the sampling frequency by factor of 2.

(2) Concentration to be checked by the competent authorities when an inspection in the bathing area shows that the substance may be present or that the quality of the water has deteriorated.

(3) These parameters must be checked by the competent authorities when there is a tendency towards the eutrophication of the water.

Status: EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

						probable number) or membrane filtration and culture on an appropriate medium such as Tergitol lactose agar, endo agar, 0,4 % Teepol broth, subculturing and identification of the suspect colonies.
4	Salomonella	/1 l	—	0	(2)	Concentration by membrane filtration. Inoculation on a standard medium. Enrichment — subculturing on isolating agar — identification.
5	Enteroviruses	PFU/10 l	—	0	(2)	Concentrating by filtration, flocculation or centrifuging

G = guide
I = mandatory.

(0) Provision exists for exceeding the limits in the event of exceptional geographical or meteorological conditions.

(1) When a sampling taken in previous years produced results which are appreciably better than those in this Annex and when no new factor likely to lower the quality of the water has appeared, the competent authorities may reduce the sampling frequency by factor of 2.

(2) Concentration to be checked by the competent authorities when an inspection in the bathing area shows that the substance may be present or that the quality of the water has deteriorated.

(3) These parameters must be checked by the competent authorities when there is a tendency towards the eutrophication of the water.

Status: EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

						and confirmation.
	<i>Physico-chemical:</i>					
6	pH		—	6 to 9 (0)	(2)	Electrometry with calibration at pH 7 and 9
7	Colour		—	No abnormal change in colour (0)	Fortnightly (1)	Visual inspection or photometry with standards on the Pt.Co scale.
			—	—	(2)	
8	Mineral oils	mg/l	—	No film visible on the surface of the water and no odour	Fortnightly (1)	Visual and olfactory inspection or extraction using an adequate volume and weighing the dry residue.
			0,3	—	(2)	
9	Surface-active substances reacting with methylene blue	mg/l (lauryl-sulfate)	—	No lasting foam	Fortnightly (1)	Visual inspection or absorption spectrophotometry with methylene blue.
			± 0,3	—	(2)	

G = guide
I = mandatory.

(0) Provision exists for exceeding the limits in the event of exceptional geographical or meteorological conditions.

(1) When a sampling taken in previous years produced results which are appreciably better than those in this Annex and when no new factor likely to lower the quality of the water has appeared, the competent authorities may reduce the sampling frequency by factor of 2.

(2) Concentration to be checked by the competent authorities when an inspection in the bathing area shows that the substance may be present or that the quality of the water has deteriorated.

(3) These parameters must be checked by the competent authorities when there is a tendency towards the eutrophication of the water.

Status: EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

10	Phenols (phenol indices)	mg/l C ₅ H ₅ OH	—	No specific odour	Fortnightly (1)	Verification of the absence of specific odour due to phenol or absorption spectrophotometry 4-aminoantipyrine (4 AAP) method.
			± 0,005	± 0,005	(2)	
11	Transparencym		2	1 (0)	Fortnightly (1)	Secchi's disc.
12	Dissolved oxygen	% saturation O ₂	80 to 120	—	2	Winkler's method or electrometric method (oxygen meter).
13	Tarry residues and floating materials such as wood, plastic articles, bottles, containers of glass, plastic, rubber or any other substance. waste or splinters.		Asence		Fortnightly (1)	Visual inspection.
14	Ammonia	mg/l NH ₄			(3)	Absorption spectrophotometry,

G = guide
 I = mandatory.

(0) Provision exists for exceeding the limits in the event of exceptional geographical or meteorological conditions.

(1) When a sampling taken in previous years produced results which are appreciably better than those in this Annex and when no new factor likely to lower the quality of the water has appeared, the competent authorities may reduce the sampling frequency by factor of 2.

(2) Concentration to be checked by the competent authorities when an inspection in the bathing area shows that the substance may be present or that the quality of the water has deteriorated.

(3) These parameters must be checked by the competent authorities when there is a tendency towards the eutrophication of the water.

Status: EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

						Nessler's method, or indophenol blue method.
15	Nitrogen Kjeldahl	mg/l N			(3)	Kjeldahl method.
	<i>Other substances regarded as indications of pollution</i>					
16	Pesticides (parathion, HCH, dieldrin)	mg/l			(2)	Extraction with appropriate solvents and chromatographic determination
17	Heavy metals such as:					Atomic absorption possibly preceded by extraction
	— arsenic	mg/l As			(2)	
	— cadmium	Cd				
	— chrome VI	Cr VI				
	— lead	Pb				
	— mercury	Hg				
18	Cyanides	mg/l Cn			(2)	Absorption spectrophotometry using a specific reagent
19	Nitrates and	mg/l NO ₃			(3)	Absorption spectrophotometry

G = guide
I = mandatory.

(0) Provision exists for exceeding the limits in the event of exceptional geographical or meteorological conditions.

(1) When a sampling taken in previous years produced results which are appreciably better than those in this Annex and when no new factor likely to lower the quality of the water has appeared, the competent authorities may reduce the sampling frequency by factor of 2.

(2) Concentration to be checked by the competent authorities when an inspection in the bathing area shows that the substance may be present or that the quality of the water has deteriorated.

(3) These parameters must be checked by the competent authorities when there is a tendency towards the eutrophication of the water.

Status: EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

	Phosphates	PO ₄				using a specific reagent
G		=	guide			
I		=	mandatory.			

(0) Provision exists for exceeding the limits in the event of exceptional geographical or meteorological conditions.

(1) When a sampling taken in previous years produced results which are appreciably better than those in this Annex and when no new factor likely to lower the quality of the water has appeared, the competent authorities may reduce the sampling frequency by factor of 2.

(2) Concentration to be checked by the competent authorities when an inspection in the bathing area shows that the substance may be present or that the quality of the water has deteriorated.

(3) These parameters must be checked by the competent authorities when there is a tendency towards the eutrophication of the water.

Status: EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

- (1) [OJ No C 128, 9.6.1975, p. 13.](#)
- (2) [OJ No C 286, 15.12.1975, p. 5.](#)
- (3) [OJ No C 112, 20.12.1973, p. 3.](#)
- (4) [^{F5}[OJ No L 377, 31.12.1991, p. 48.](#)]

Textual Amendments

F5 Inserted by [Council Directive of 23 December 1991 \(91/692/EEC\)](#).