

[^{F1}ANNEX B

Textual Amendments

- F1** Substituted by [Council Directive 2003/43/EC of 26 May 2003 amending Directive 88/407/EEC laying down the animal health requirements applicable to intra-Community trade in and imports of semen of domestic animals of the bovine species.](#)

CHAPTER I

CONDITIONS APPLYING TO THE MOVEMENT OF ANIMALS INTO APPROVED SEMEN COLLECTION CENTRES

1. For all bovine animals admitted to a semen collection centre the following requirements shall apply:
 - (a) they must have been subjected to a period of quarantine of at least 28 days in accommodation specifically approved for the purpose by the competent authority of the Member State, and where only other cloven-hoofed animals having at least the same health status are present;
 - (b) prior to their stay in the quarantine accommodation described in (a), they must have belonged to a herd which is officially tuberculosis free and officially brucellosis free in accordance with Directive 64/432/EEC. The animals shall not previously have been kept in a herd of a lower status;
 - (c) they must come from a herd officially free of enzootic bovine leukosis as defined in Directive 64/432/EEC, or have been produced by dams which have been subjected, with negative results, to a test carried out in accordance with Annex D (Chapter II) to Directive 64/432/EEC, after removal of the animals from their dam. In the case of animals derived by embryo transfer, 'dam' means the recipient of the embryo;

If this requirement cannot be fulfilled, the semen shall not be the subject of trade until the donor has reached the age of two years and has been tested in accordance with Chapter II.1(c) with a negative result;
 - (d) within the 28 days preceding the period of quarantine specified in (a), they have been subjected to the following tests with negative results in each case, except for the BVD/MD antibody test mentioned in (v):
 - (i) for bovine tuberculosis, an intradermal tuberculin test carried out in accordance with the procedure laid down in Annex B to Directive 64/432/EEC;
 - (ii) for bovine brucellosis, a serological test carried out in accordance with the procedure described in Annex C to Directive 64/432/EEC;
 - (iii) for enzootic bovine leukosis, a serological test carried out in accordance with the procedure laid down in Annex D (Chapter II) to Directive 64/432/EEC;
 - (iv) for IBR/IPV, a serological test (whole virus) on a blood sample if the animals do not come from an IBR/IPV free herd as defined in Article 2.3.5.3. of the International Animal Health Code;

Status: EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

- (v) for BVD/MD,
 - a virus isolation test or a test for virus antigen, and
 - a serological test to determine the presence or absence of antibodies.

[^{F2}The competent authority may give authorisation for the tests referred to in (d) to be carried out on samples collected in the quarantine station. In this case, the period of quarantine referred to in (a) may not commence before the date of sampling. However, should any of the tests listed in (d) prove positive, the animal concerned shall be immediately removed from the isolation unit. In the event of group isolation, the quarantine period referred to in (a) may not commence for the remaining animals until the animal which tested positive has been removed.]

- (e) within the period of quarantine specified in (a), and at least 21 days after being admitted to quarantine (at least seven days after being admitted to quarantine to search for *Campylobacter fetus* ssp. *venerealis* and *Trichomonas foetus*), they have been subjected to the following tests with negative results in each case, except for the BVD/MD antibody test (see point (iii) below):

- (i) for bovine brucellosis, a serological test carried out in accordance with the procedure described in Annex C to Directive 64/432/EEC;

- (ii) for IBR/IPV, a serological test (whole virus) on a blood sample;

If any animals test positive, these animals shall be removed immediately from the quarantine station and the other animals of the same group shall remain in quarantine and be retested, with negative results, not less than 21 days after removal of the positive animal(s).

- (iii) for BVD/MD,
 - a virus isolation test or a test for virus antigen, and
 - a serological test to determine the presence or absence of antibodies.

Any animal (seronegative or seropositive) may only be allowed entry to the semen collection facilities if no sero-conversion occurs in animals which tested seronegative before entry into the quarantine station.

If sero-conversion occurs, all animals that remain seronegative shall be kept in quarantine over a prolonged time, until there is no more sero-conversion in the group for a period of three weeks. Serologically positive animals may be allowed entry into the semen collection facilities;

- (iv) for *Campylobacter fetus* ssp. *venerealis*:
 - in the case of animals less than six months old or kept since that age in a single sex group prior to quarantine, a single test on a sample of artificial vagina washings or preputial specimen;
 - in the case of animals aged six months or older that could have had contact with females prior to quarantine, a test three times at weekly intervals on a sample of artificial vagina washings or preputial specimen;
- (v) for *Trichomonas foetus*:

Status: EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

- in the case of animals less than six months old or kept since that age in a single sex group prior to quarantine, a single test on a sample of preputial specimen;
- in the case of animals aged six months or older that could have had contact with females prior to quarantine, a test three times at weekly intervals on a sample of preputial specimen.

If any of the above tests is positive, the animal must be removed forthwith from the isolation accommodation. In the case of group isolation, the competent authority must take all necessary measures to re-establish the eligibility of the remaining animals for entry into the collection centre in accordance with the Annex.

- (f) prior to the initial dispatch of semen from BVD/MD serologically positive bulls, a semen sample from each animal shall be subjected to a virus isolation or virus antigen ELISA test for BVD/MD. In the event of a positive result, the bull shall be removed from the centre and all of its semen destroyed.

Textual Amendments

- F2** Substituted by [Commission Decision of 5 January 2006 amending Annex B to Council Directive 88/407/EEC and Annex II to Decision 2004/639/EC as regards import conditions for semen of domestic animals of the bovine species \(notified under document number C\(2005\) 5840\) \(Text with EEA relevance\) \(2006/16/EC\)](#).

2. All tests must be carried out in a laboratory approved by the Member State.
3. Animals may only be admitted to the semen collection centre with the express permission of the centre veterinarian. All movements, both in and out, must be recorded.
4. No animal admitted to the semen collection centre may show any clinical sign of disease on the day of admission. All animals must, without prejudice to paragraph 5, have come from isolation accommodation, as referred to in paragraph 1(a), which on the day of consignment officially fulfils the following conditions:
 - (a) is situated in the centre of an area of 10 kilometres radius in which there has been no case of foot-and-mouth disease for at least 30 days;
 - (b) has for at least three months been free from foot-and-mouth disease and brucellosis;
 - (c) has for at least 30 days been free from those bovine diseases which are compulsorily notifiable in accordance with Annex E to Directive 64/432/EEC.
5. Provided that the conditions laid down in paragraph 4 are satisfied and the routine tests referred to in Chapter II have been carried out during the previous 12 months, animals may be transferred from one approved semen collection centre to another of equal health status, without isolation or testing if transfer is direct. The animal in question must not come into direct or indirect contact with cloven-hoofed animals of a lower health status and the means of transport used must have been disinfected before use. If the movement from one semen collection centre to another takes place between Member States it must take place in accordance with Directive 64/432/EEC.

Status: EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

CHAPTER II

ROUTINE TESTS WHICH MUST BE APPLIED TO ALL BOVINE ANIMALS IN AN APPROVED SEMEN COLLECTION CENTRE

1. All bovine animals kept at an approved semen collection centre must be subjected at least once a year to the following tests, with negative results:
 - (a) for bovine tuberculosis, an intradermal tuberculin test, carried out in accordance with the procedure laid down in Annex B to Directive 64/432/EEC;
 - (b) for bovine brucellosis, a serological test carried out in accordance with the procedure described in Annex C to Directive 64/432/EEC;
 - (c) for enzootic bovine leukosis, a serological test carried out in accordance with the procedure described in Annex D (Chapter II) to Directive 64/432/EEC;
 - (d) for IBR/IPV, a serological test (whole virus) on a blood sample;
 - (e) for BVD/MD, a serological antibody which is applied only to seronegative animals;
Should an animal become serologically positive, every ejaculate of that animal collected since the last negative test shall be either discarded or tested for virus with negative results.
 - (f) for *Campylobacter fetus* ssp. *venerealis*, a test on a sample of preputial specimen. Only bulls on semen production or having contact with bulls on semen production need to be tested. Bulls returning to collection after a lay-off of more than six months shall be tested not more than 30 days prior to resuming production;
 - (g) for *Trichomonas foetus*, a test on a sample of preputial specimen. Only bulls on semen production or having contact with bulls on semen production need to be tested. Bulls returning to collection after a lay-off of more than six months shall be tested not more than 30 days prior to resuming production.
2. All tests must be carried out in a laboratory approved by the Member State.
3. If any of the above tests is positive, the animal must be isolated and the semen collected from it since the last negative test may not be the subject of intra-Community trade with the exception, for BVD/MD, of semen from every ejaculate which has been tested BVD/MD virus negative.

Semen collected from all other animals at the centre since the date when the positive test was carried out shall be held in separate storage and may not be the subject of intra-Community trade until the health status of the centre has been restored.]