

ANNEX I

THE LABEL

Label design

2. Note:I.

Supplier's name or trade mark.

II.

Supplier's model identifier.

III.

The energy efficiency class of the model, determined in accordance with Annex IV.
This indicator letter shall be placed at the same level as the relevant arrow.

IV.

Without prejudice to any requirements under the Community Eco-label scheme, where
a model has been granted a 'Community Eco-label' pursuant to Council Regulation
(EEC) No 880/92⁽¹⁾, a copy of the Eco-label may be added here. The 'washer-drier
label design guide' referred to below, explains how the Eco-label may be included in
the label.

V.

Energy consumption in kWh per complete operating (washing, spinning and drying)
cycle using standard 60° C cotton cycle, and 'dry cotton' drying cycle, determined in
accordance with the test procedures of the harmonized standards referred to in Article
1 (2).

VI.

Energy consumption in kWh per washing (washing and spinning only) cycle using
standard 60° C cotton cycle, determined in accordance with the test procedures of the
harmonized standards referred to in Article 1 (2).

VII.

Washing performance class determined in accordance with Annex IV.

VIII.

Maximum spin speed attained for standard 60° C cotton cycle, determined in
accordance with the test procedures of the harmonized standards referred to in Article
1 (2).

IX.

Capacity (in kg) of appliance for standard 60° C cotton cycle (without drying),
determined in accordance with the harmonized standards referred to in Article 1 (2).

X.

Capacity (in kg) of appliance for 'dry cotton' (drying) cycle, determined in accordance
with the harmonized standards referred to in Article 1 (2).

XI.

Water consumption, in litres, per complete operating (washing, spinning and drying)
cycle using standard 60° C cotton washing cycle and 'dry cotton' drying cycle,
determined in accordance with the test procedures of the harmonized standards
referred to in Article 1 (2).

XII.

Status: EU Directives are being published on this site to aid cross referencing from UK legislation. After
IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

Where applicable, noise during washing, spinning and drying cycles using standard 60° C cotton washing cycle and 'dry cotton' drying cycle, determined in accordance with Council Directive 86/594/EEC⁽²⁾.

- (1) [OJ No L 99, 11. 4. 1992, p. 1.](#)
- (2) OJ No L 344, 6. 12, 1986, p. 24. The relevant noise measurement standards are EN 60704-2-4 for washing and spinning, and EN 60704-2-6 for drying and EN 60704-3.