

Status: EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

[^{F1}ANNEX II

MINIMUM QUALITY CONDITIONS FOR LOTS OF SEED POTATOES

Textual Amendments

- F1** Substituted by [Commission Implementing Directive \(EU\) 2020/177 of 11 February 2020 amending Council Directives 66/401/EEC, 66/402/EEC, 68/193/EEC, 2002/55/EC, 2002/56/EC and 2002/57/EC, Commission Directives 93/49/EEC and 93/61/EEC and Implementing Directives 2014/21/EU and 2014/98/EU as regards pests of plants on seeds and other plant reproductive material \(Text with EEA relevance\).](#)

The following tolerances for impurities, blemishes and RNQPs, or symptoms caused by RNQPs, are allowed for seed potatoes:

- (1) presence of earth and extraneous matter: 1,0 % by mass for basic seed potatoes and 2,0 % by mass for certified seed potatoes;
- (2) dry and wet rot combined, except if caused by *Synchytrium endobioticum*, *Clavibacter michiganensis* ssp. *sepedonicus* or *Ralstonia solanacearum*: 0,5 % by mass, of which wet rot 0,2 % by mass;
- (3) external blemishes, e.g. misshapen or damaged tubers: 3,0 % by mass;
- (4) common scab affecting tubers over more than one third of their surface: 5,0 % by mass;
- (5) shrivelled tubers due to excessive dehydration or dehydration caused by silver scurf: 1,0 % by mass;
- (6) RNQPs, or symptoms caused by RNQPs, on lots of seed potatoes:

RNQPs or symptoms caused by RNQPs	Threshold of the presence of the RNQPs on basic seed potatoes by mass	Threshold of the presence of the RNQPs on certified seed potatoes by mass
<i>Candidatus</i> <i>Liberibacter solanacearum</i> Liefting <i>et al.</i>	0 %	0 %
<i>Ditylenchus destructor</i> Thorne [DITYDE]	0 %	0 %
Black scurf affecting tubers over more than 10 % of their surface as caused by <i>Thanatephorus cucumeris</i> (A.B. Frank) Donk [RHIZSO]	5,0 %	5,0 %
Powdery scab affecting tubers over more than 10 % of their surface as caused by <i>Spongospora subterranea</i> (Wallr.) Lagerh. [SPONSU]	3,0 %	3,0 %;

Status: EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

- (7) total tolerance for items 2 to 6: 6,0 % by mass for basic seed potatoes, and 8,0 % by mass for certified seed potatoes.]