Document Generated: 2023-12-13

Status: EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

ANNEX

In part A of Annex II to Directive 90/642/EEC, the columns for fenbutatin oxide, fenhexamid, cyazofamid, linuron, triadimefon/triadimenol pymetrozine, and pyraclostrobin are replaced by the following:

	Pesticide	residue and	d maximum	residue lev	vel (mg/kg)		
Groups and example of individu products to which the MRLs would apply	Fenbutat oxide al		niCyazofan			ol	in e yraclostrol
' 1.	Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts			0,05 ^{ab}			
	5 CITRUS FRUIT	0,05 ^{ab}	0,01 ^{ab}		0,1ª	0,3 ^b	1 ^b
Grapefrui	it						
Lemons							
Limes							
Mandarin (including clementin and other hybrids)	g nes						
Oranges							
Pomelos							

a Indicates lower limit of analytical determination.

b Indicates that the maximum residue level has been established provisionally in accordance with Article 4(1)(f) of Directive 91/414/EEC.'

Others						
) () 0	0.05ª REE VUTS shelled r nshelled)	0,05 ^{ab}	0,01 ^{ab}	0,2ª	0,02ªb	
Almonds						
Brazil nuts						
Cashew nuts						
Chestnuts						
Coconuts						
Hazelnuts						
Macadami	a					
Pecans						
Pine nuts						
Pistachios						1 ^b
Walnuts						
Others						0,02ªb
	2 OME RUIT	0,05 ^{ab}	0,01 ^{ab}		0,02ªb	0,3 ^b
Apples				0,2		
Pears						
Quinces						
Others				0,1ª		
(iv) S	0.05* Tone Ruit		0,01 ^{ab}	0,1ª		
Apricots		5 ^b			0,05 ^b	0,2 ^b
Cherries		5 ^b				0,2 ^b
Peaches (including nectarines and		5 ^b			0,05 ^b	0,2 ^b

a Indicates lower limit of analytical determination.

b Indicates that the maximum residue level has been established provisionally in accordance with Article 4(1)(f) of Directive 91/414/EEC.'

Document Generated: 2023-12-13

similar						
hybrids) Plums	'	1 ^b				O 1b
-					ob	0,1 ^b
Others		0,05 ^{ab}			0,02ªb	0,02 ^{ab}
(v)	BERRIES AND SMALL FRUIT				0,02 ^{ab}	
(a)	Table and wine grapes	5 ^b	0,5 ^b	2		
Table grapes						1 ^b
Wine grapes						2 ^b
(b)	Strawberries (other than wild)	5 ^b	0,01 ^{ab}	0,5		0,5b
(c)	Cane fruit (other than wild)	10 ^b	0,01 ^{ab}	0,1ª		0,02ªb
Blackbe	rries					
Dewberr	ries					
Loganbe	erries					
Raspber	ries5					
Others	0,05ª					
(d)	Other small fruit and berries (other than wild)	5 ^b	0,01 ^{ab}	1		0,02ªb

a Indicates lower limit of analytical determination.

b Indicates that the maximum residue level has been established provisionally in accordance with Article 4(1)(f) of Directive 91/414/EEC.

Bilberries						
Cranberrie	\$ \$					
Currants (red, black and white)						
Gooseberri	es					
Others						
b a w	0.05° Vild erries nd vild uit	0,05 ^{ab}	0,01 ^{ab}	0,1ª		0,02ªb
(vi) M	(ISCELLA)	NEOUS	0,01 ^{ab}		0,02 ^{ab}	
Avocados						
Bananas	3			0,2		
Dates						
Figs						
Kiwi		10 ^b				
Kumquats						
Litchis						
Mangoes						0,05 ^b
Olives						
Papaya						0,05 ^b
Passion fruit						
Pineapples				3		
Pomegrana	te					
Others	0,05ª	0,05 ^{ab}		0,1ª		0,02 ^{ab}
		•			•	

2. Vegetables, fresh or uncooked, frozen or dry

a Indicates lower limit of analytical determination.

b Indicates that the maximum residue level has been established provisionally in accordance with Article 4(1)(f) of Directive 91/414/EEC.

Document Generated: 2023-12-13

(i)	0.05° ROOT AND TUBER VEGETABL	0,05 ^{ab}	0,01 ^{ab}		0,1ª	0,02ªb	
Beetroot							
Carrots				0,2 ^b			0,1 ^b
Cassava							
Celeriac				0,5 ^b			
Horserad	lish						0,3 ^b
Jerusaler artichoke							
Parsnips				0,2 ^b			0,3 ^b
Parsley root				0,2 ^b			
Radishes	,						
Salsify							
Sweet potatoes							
Swedes							
Turnips							
Yam							
Others				0,05 ^{ab}			0,02ªb
(ii)	0.05° BULB VEGETABL	0,05 ^{ab} ES	0,01 ^{ab}	0,05 ^{ab}		0,02 ^{ab}	
Garlic							0,2 ^b
Onions					0,5		0,2 ^b
Shallots							0,2 ^b
Spring onions					1		
Others					0,1ª		0,02ªb
(iii)	FRUITING VEGETABL	ES		0,05 ^{ab}			
(a)	Solanacea						

a Indicates lower limit of analytical determination.

b Indicates that the maximum residue level has been established provisionally in accordance with Article 4(1)(f) of Directive 91/414/EEC.'

Tomatoes		1 ^b	0,2 ^b		0,3	0,5 ^b	0,2 ^b
Peppers		2 ^b			0,5	1 ^b	0,5 ^b
Aubergine	S	1 ^b				0,5 ^b	0,2 ^b
Others		0,05 ^{ab}	0,01 ^{ab}		0,1ª	0,02ab	0,02 ^{ab}
e	Cucurbits — dible beel	1 ^b	0,1 ^b		0,1ª	0,5 ^b	0,02ªb
Cucumber	s 0,5						
Gherkins							
Courgettes	0,5						
Others	0,05ª						
i	0.05* Ducurbits — nedible beel	0,05 ^{ab}	0,1 ^b		0,1ª	0,2 ^b	0,02ªb
Melons							
Squashes							
Watermelo	ons						
Others							
	0.05° Sweet corn	0,05 ^{ab}	0,01 ^{ab}		0,1ª	0,02 ^{ab}	0,02 ^{ab}
	0.05ª BRASSICA ÆGETABL	0,05 ^{ab} ES	0,01 ^{ab}	0,05 ^{ab}	0,1ª		
	Flowering rassica					0,02 ^{ab}	0,1 ^b
Broccoli (including Calabrese)							
Cauliflowe	er						
Others							
()	Head rassica						
Brussels sprouts							0,2 ^b

a Indicates lower limit of analytical determination.

b Indicates that the maximum residue level has been established provisionally in accordance with Article 4(1)(f) of Directive 91/414/EEC.'

Document Generated: 2023-12-13

Head cabbage						0,05 ^b	0,2 ^b
Others						0,02ab	0,02 ^{ab}
(c)	Leafy brassica					0,2 ^b	0,02 ^{ab}
Chinese cabbage							
Kale							
Others							
(d)	Kohlrabi					0,02ªb	0,02 ^{ab}
(v)	0.05* LEAF VEGETABL AND FRESH HERBS	ES	0,01 ^{ab}		0,1ª		
(a)	Lettuce and similar	30 ^b		0,05 ^{ab}		2 ^b	2 ^b
Cress							
Lamb's lettuce							
Lettuce							
Scarole (broad- leaf endive)							
Ruccola							
Leaves and stems of brassica							
Others							
(b)	Spinach and similar	0,05 ^{ab}		0,05 ^{ab}		0,02 ^{ab}	0,02 ^{ab}
Spinach							
						-	

a Indicates lower limit of analytical determination.

b Indicates that the maximum residue level has been established provisionally in accordance with Article 4(1)(f) of Directive 91/414/EEC.'

		ı					
Beet leaves (chard)							
Others							
(c)	Water cress	0,05 ^{ab}		0,05 ^{ab}		0,02ªb	0,02ªb
(d)	Witloof	0,05 ^{ab}		0,05 ^{ab}		0,02 ^{ab}	0,02 ^{ab}
(e)	Herbs	30 ^b		1 ^b		1 ^b	2 ^b
Chervil							
Chives							
Parsley							
Celery leaves							
Others							
(vi)	0.05 ^a LEGUME VEGETABL (fresh)	0,05 ^{ab} ES	0,01 ^{ab}		0,1ª	1 ^b	0,02 ^{ab}
Beans (with pods)							
Beans (without pods)				0,1 ^b			
Peas (with pods)							
Peas (without pods)				0,1 ^b			
Others				0,05 ^{ab}			
(vii)	0.05 ^a STEM VEGETABL (fresh)	0,05 ^{ab} ES	0,01 ^{ab}			0,02ªb	
Asparagi	us						
Cardoon	S						

a Indicates lower limit of analytical determination.

b Indicates that the maximum residue level has been established provisionally in accordance with Article 4(1)(f) of Directive 91/414/EEC.'

Document Generated: 2023-12-13

Celery				0,1 ^b			
Fennel							
Globe artichoke	S				1		
Leek							0,5 ^b
Rhubarb							
Others				0,05 ^{ab}	0,1ª		0,02 ^{ab}
(viii)	0.05ª FUNGI	0,05 ^{ab}	0,01 ^{ab}	0,05 ^{ab}	0,1ª	0,02ªb	0,02ªb
	Cultivated mushrooms						
	Wild mushrooms						
3.	Pulses	0,05 ^{ab}	0,01 ^{ab}	0,05 ^{ab}	0,1ª	0,02ªb	0,3 ^b
Beans							
Lentils							
Peas							
Others							
4.	Oilseeds	0,1 ^{ab}	0,02 ^{ab}	0,1 ^{ab}	0,2ª		0,02ªb
Linseed							
Peanuts							
Poppy seed							
Sesame seed							
Sunflowe	er						
Rape seed	h						
Soya bear	n						
Mustard seed							
Cotton seed						0,05 ^b	
T 11 .	1 1: :- 6	1 2 1 1 2					

a Indicates lower limit of analytical determination.

b Indicates that the maximum residue level has been established provisionally in accordance with Article 4(1)(f) of Directive 91/414/EEC.'

Others						0,02ªb	
5.	Potatoes	0,05 ^{ab}	0,01 ^{ab}	0,05 ^{ab}	0,1ª	0,02 ^{ab}	0,02ªb
Early potatoes							
Ware potatoes							
6.	Tea ⁰ 1 ^a (dried leaves and stalks, fermented or other-wise, Camellia sinensis)	0,1ªb	0,02 ^{ab}	0,1 ^{ab}	0,2ª	0,1 ^{ab}	0,05 ^{ab}
7.	Hops (dried), including hop pellets and unconcentrate powder	0,1 ^{ab}	0,02 ^{ab}	0,1 ^{ba}	10	15 ^b	10 ^b

 $^{{\}bf a} \qquad \text{Indicates lower limit of analytical determination}.$

b Indicates that the maximum residue level has been established provisionally in accordance with Article 4(1)(f) of Directive 91/414/EEC.'