

COUNCIL REGULATION (EEC) No 3177/78

of 19 December 1978

establishing indicative ceilings and Community supervision for imports of certain products originating in Sweden (1979)

THE COUNCIL OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Economic Community, and in particular Article 113 thereof,

Having regard to the proposal from the Commission,

Whereas an Agreement between the European Economic Community and the Kingdom of Sweden ⁽¹⁾ was signed on 22 July 1972;

Whereas Articles 1 and 2 of Protocol 1 annexed to that Agreement make provision for a specific timetable for the progressive abolition of customs duties in respect of the products to which the Agreement applies; whereas under Article 3 of that Protocol the imports of these products are limited to annual indicative ceilings above which the customs duties applicable to third countries may be reintroduced; whereas, however, under Article 3 (b), the Community has to suspend the application of certain ceilings; whereas, therefore, the ceilings to be applied in 1979 must be established; whereas in this situation it is also necessary that the Commission be regularly informed of the trend of the imports of the products in question and, in consequence, it is necessary to subject these imports to supervision;

Whereas this objective may be achieved by means of an administrative procedure based on setting off imports of the products in question against the indicative ceilings at Community level, as and when these products are entered with customs authorities for home use; whereas this administrative procedure must make provision for the reintroduction of customs tariff duties as soon as the ceilings have been reached at Community level;

Whereas this administrative procedure requires close and particularly rapid cooperation between the Member States and the Commission; whereas the latter must, in particular, be able to follow the progress of amounts set off against the indicative

ceilings and keep the Member States informed; whereas this cooperation must be all the closer since the Commission must be able to take adequate measures to reintroduce customs tariff duties whenever one of the ceilings has been reached;

Whereas the trend of imports should be followed for certain products for which, under Article 3 of Protocol 1, the Community has suspended the application of ceilings and for products which are not subject to the ceiling system; whereas it is therefore desirable that imports of such products should be subject to supervision,

HAS ADOPTED THIS REGULATION:

Article 1

1. From 1 January to 31 December 1979, imports of products originating in Sweden and indicated in Annex 1 to this Regulation shall be subject to indicative ceilings and to Community supervision.

The description of the products referred to in the preceding subparagraphs, their tariff headings and statistical numbers and the levels of the indicative ceilings are given in Annex I.

2. Amounts shall be set off against the indicative ceilings as and when products are entered with customs authorities for home use and accompanied by a movement certificate conforming to the rules contained in Protocol 3 to the Agreement.

Goods shall be set off against the indicative ceiling only if the movement certificate has been submitted before the date on which customs duties are reimposed.

The reaching of a ceiling shall be determined at Community level on the basis of imports set off against it in the manner defined in the preceding subparagraphs.

The Member States shall periodically inform the Commission of imports effected in accordance with the above rules; such information shall be supplied under the conditions laid down in paragraph 4.

3. As soon as the ceilings have been reached, the Commission may issue a Regulation reimposing the

⁽¹⁾ OJ No L 300, 31. 12. 1972, p. 96.

customs duties provided for in Article 3 (f) of Protocol 1 to the Agreement until the end of the calendar year.

4. Member States shall forward to the Commission not later than the 15th day of each month statements of the amounts set off during the preceding month. They shall, if the Commission so requests, make up such statements for periods of 10 days and forward them within five clear days of expiry of the preceding 10-day period.

Article 2

From 1 January to 31 December 1979, imports of the products referred to in Annex II which originate in Sweden shall be subject to Community supervision.

Member States shall forward to the Commission not later than the 15th day of each month statements of imports of the products in question effected during the preceding month; to this end, only products submitted to the customs authorities under cover of an entry for home use and accompanied by a movement certificate conforming to the rules contained in Protocol 3 to the Agreement shall be taken into consideration.

Article 3

For the implementation of this Regulation the Commission shall take all necessary measures in close cooperation with the Member States.

Article 4

This Regulation shall enter into force on 1 January 1979.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 19 December 1978.

For the Council

The President

H.-D. GENSCHER

ANNEX I

LIST OF PRODUCTS SUBJECT TO INDICATIVE CEILINGS UPON IMPORTATION
IN 1979

Order No	CCT heading No	Description	NIMFEXE code	Level of ceiling (tonnes)
1	2	3	4	5
	48.01	Paper and paperboard (including cellulose wadding), in rolls or sheets: C. Kraft paper and kraft board: II. Other:		
IS 1		— Kraftliner paper and board (a)	48.01-15, 21, 27, 31	464 088
IS 2		— Kraft paper for large capacity bags (a)	48.01-16, 23, 28	Ceiling delayed
IS 3		— Other	48.01-08, 09, 11, 12, 13, 17, 19, 25, 26, 29, 33	Ceiling delayed
		ex F. Other:		
IS 4		— Bible paper manifold (thin typing) paper; printing paper and writing paper, containing not more than 5 % of mechanical wood pulp or in which mechanical wood pulp does not represent more than 5 % (a)	48.01-58, 61, 62, 66	33 927
IS 5		— Printing paper and writing paper, containing more than 5 % of mechanical wood pulp (a), excluding manifold (thin typing) paper	48.01-64, 65, 69	144 209
IS 6		— Semi-chemical fluting paper for corrugated paperboard (a)	48.01-75	Ceiling delayed
IS 7		— Other, excluding cellulose wadding and webs of cellulose fibres (soft tissues)	48.01-41, 43, 45, 52, 53, 54, 55, 56, 77, 82, 84, 86, 88, 91, 93, 95, 97	Ceiling delayed
IS 8	48.04	Composite paper or paperboard (made by sticking flat layers together with an adhesive), not surface-coated or impregnated, whether or not internally reinforced, in rolls or sheets	48.04 - all Nos	Ceiling delayed
	48.05	Paper and paperboard, corrugated (with or without flat surface sheets), creped, crinkled, embossed or perforated, in rolls or sheets:		
IS 9		B. Other	48.05-21, 29, 30, 50, 80	53 896
	48.07	Paper and paperboard, impregnated, coated, surface coloured, surface-decorated or printed (not constituting printed matter within Chapter 49), in rolls or sheets:		
		C. Other:		
IS 10		— Coated printing or writing paper	48.07-57, 58, 59	45 050
IS 11		— Other	48.07-55, 56, 64, 65, 66, 68, 70, 81, 85, 91, 97, 99	123 006

(a) Subject to compliance with the definitions given in Annex III.

Order No	CCT heading No	Description	NIMEXE code	Level of ceiling (tonnes)
1	2	3	4	5
I S 12	48.15	Other paper and paperboard, cut to size or shape: B. Other	48.15-10, 21, 29, 30, 40, 50, 61, 65, 95, 99	13 906
I S 13	48.16	Boxes, bag and other packing containers, of paper or paperboard; box files, letter trays and similar articles, of paper or paperboard, of a kind commonly used in offices, shops and the like: A. Boxes, bags and other packing containers	48.16-10, 91, 95, 96, 98	Ceiling delayed
I S 14	48.21	Other articles of paper pulp, paper, paperboard or cellulose wadding: B. Napkins and napkinliners, for babies, put up for retail sale D. Other	48.21-11 48.21-15, 21, 25, 31, 33, 37, 40, 50, 60, 70, 99	15 258
I S 15	73.02	Ferro-alloys: E. Ferro-chromium and ferro-silico-chromium	73.02-51, 55	24 386
I S 16		G. Other: — Ferro-molybdenum	73.02-81	Ceiling delayed
I S 17	73.15	Alloy steel and high carbon steel in the forms mentioned in heading Nos 73.06 to 73.14: B. Alloy steel: — Stainless or refractory (a)	73.71-13, 23, 53, 93 73.72-13, 33 73.73-13, 23, 33, 43, 53, 83 73.74-23, 53, 83 73.75-23, 33, 43, 53, 63, 73, 83, 93 73.76-13	Ceiling delayed
I S 18		— High speed (a)	73.71-14, 24, 54, 94 73.73-14, 24, 34, 54 73.74-54 73.75-24, 34, 44, 54, 64, 84 73.76-14	Ceiling delayed

(a) Subject to compliance with the definitions given in Annex III.

Order No	CCT heading No	Description	NIMEXE code	Level of ceiling (tonnes)
1	2	3	4	5
I S 19	73.15 (cont'd)	— Other	73.71-19, 21, 29, 55, 56, 59, 99 73.72-11, 19, 39 73.73-19, 25, 26, 29, 35, 36, 39, 49, 55, 59, 72, 74, 89 73.74-21, 29, 51, 52, 59, 72, 74, 89, 90 73.75-11, 19, 29, 39, 49, 59, 69, 79, 89, 99 73.76-15, 16, 19	92 213 ⁽¹⁾
I S 20	73.18	Tubes and pipes and blanks therefor, of iron (other than of cast iron) or steel, excluding high-pressure hydro-electric conduits: ex C. Other: — Tubes and pipes, of stainless or refractory steel (a)	73.18-44, 51, 66, 76	Ceiling delayed
I S 21	81.04	Other base metals, unwrought or wrought, and articles thereof; cermers, unwrought or wrought, and articles thereof: K. Titanium: II. Other	81.04-58	51

⁽¹⁾ Including products covered by the ECSC Treaty.

(a) Subject to compliance with the definitions given in Annex III.

ANNEX II

LIST OF PRODUCTS REFERRED TO IN ARTICLE 2

Order No	CCT heading No	Description	NIMEXE code
1	2	3	4
II S 1	44.15	Plywood, blockboard, laminboard, battenboard and similar laminated wood products (including veneered panels and sheets); inlaid wood and wood marquetry	44.15 - all Nos
II S 2	44.18	Reconstituted wood, being wood shavings, wood chips, sawdust, wood flour or other ligneous waste agglomerated with natural or artificial resins or other organic binding substances, in sheets, blocks or the like	44.18 - all Nos
	48.01	Paper and paperboard (including cellulose wadding), in rolls or sheets: ex F. Other:	
II S 3		— Sulphite wrapping and packaging paper (a)	48.01-71, 73
II S 4	48.03	Parchment or greaseproof paper and paperboard, and imitations thereof, and glazed transparent paper, in rolls or sheets	48.03 - all Nos
II S 5	44.11	Fibre building board of wood or other vegetable material, whether or not bonded with natural or artificial resins or with other organic binders	44.11 - all Nos
	73.02	Ferro-alloys:	
II S 6		A. Ferro-manganese:	} 73.02-19, 40
		II. Other	
		D. Ferro-silico-manganese	
II S 7		C. Ferro-silicon	73.02-30
		G. Other:	
II S 8		— Ferro-vanadium	73.02-83
II S 9		— Others excluding ferro-molybdenum and ferro-vanadium	73.02-60, 70, 98
	73.15	Alloy steel and high carbon steel in the form mentioned in heading Nos 73.06 to 73.14:	
II S 10		A. High carbon steel ⁽¹⁾	73.61-10, 20, 50, 90 73.62-10, 30 73.63-10, 21, 29, 50, 72, 74, 79 73.64-20, 50, 72, 75, 79, 90 73.65-21, 23, 25, 53, 55, 70, 81, 83 73.66-40, 81, 86, 89

(a) Subject to compliance with the definition given in Annex III.

⁽¹⁾ Including products covered by the ECSC Treaty.

Order No	CCT heading No	Description	NIMEXE code
1	2	3	4
II S 11	73.18	Tubes and pipes and blanks therefor, of iron (other than of cast iron) or steel, excluding high-pressure hydro-electric conduits:	
		B. Straight and of uniform wall-thickness, other than those falling in A above, of a maximum length of 4.50 m, of alloy steel containing by weight not less than 0.90 % but not more than 1.15 % of carbon, not less than 0.50 % but not more than 2 % of chromium and not more than 0.50 % of molybdenum	73.18-15
		ex C. Other: — Tubes and pipes, straight, and of uniform wall-thickness, other than those falling in A above, of a length of more than 4.50 m, of alloy steel containing by weight not less than 0.90 % but not more than 1.15 % of carbon, not less than 0.50 % but not more than 2 % of chromium and not more than 0.50 % of molybdenum	73.18-21
II S 12	76.01	Unwrought aluminium, aluminium waste and scrap: A. Unwrought	76.01-11, 15
II S 13	81.04	Other base metals, unwrought or wrought, and articles thereof; cermets, unwrought or wrought, and articles thereof: K. Titanium: I. Unwrought, waste and scrap	81.04-56

ANNEX III

DEFINITIONS

- ex 48.01 C II Kraftliner**
'Kraftliner' means machine-finished or machine-glazed paper or paperboard, in rolls, containing not less than 80 % of chemical sulphate softwood pulp calculated on total fibre content, weighing more than 115 g/m² and having a Mullen burst ratio of not less than 35.
- ex 48.01 C II Kraft paper for large-capacity sacks**
'Kraft paper for large capacity sacks' means machine-finished paper, in rolls, containing not less than 80 % of chemical sulphate softwood pulp calculated on total fibre content, weighing not less than 60 g/m² but not more than 115 g/m², having a Mullen burst ratio of not less than 38, and having a stretch factor of more than 4.5 % in the cross direction and of more than 2 % in the machine direction.
- ex 48.01 F Printing paper and writing paper containing not more than 5 % of mechanical wood pulp**
'Printing paper and writing paper containing not more than 5 % of mechanical wood pulp' means paper other than machine-glazed, used for printing or writing, which contains not more than 5 % of mechanical wood pulp calculated on total fibre content.
- ex 48.01 F Printing paper and writing paper, containing mechanical wood pulp**
'Printing paper and writing paper containing mechanical wood pulp' means paper other than machine-glazed, used for printing and writing, containing more than 5 % of mechanical wood pulp calculated on total fibre content.
- ex 48.01 F Semi-chemical fluting paper**
'Semi-chemical fluting paper' means paper, in rolls, containing not less than 65 % of unbleached semi-chemical hardwood pulp (pulp obtained from wood by light chemical treatment followed by mechanical treatment) calculated on total fibre content and having a CMT (Concora Medium Test) crush resistance exceeding 20 kp.
- ex 48.01 F Sulphite wrapping and packaging paper**
'Sulphite wrapping and packaging paper' means machine-glazed paper, containing more than 40 % of chemical bisulphite wood pulp, calculated on total fibre content, having an ash content of not more than 8 % and having a Mullen burst ratio of not less than 15.
- ex 73.15 B Alloy steel, stainless or heat-resisting**
- ex 73.18 C 'Alloy steel, stainless or heat-resisting'** means alloy steel, containing by weight 12 % or more of chromium, with or without other alloy elements, and less than 1 % of carbon.
- ex 73.15 B High-speed alloy steel**
'High-speed alloy steel' means alloy steel containing, with or without other alloy elements, at least two of the following three elements: tungsten (wolfram), molybdenum and vanadium with a total content, by weight, of not less than 7 % of these elements taken together, and containing more than 0.6 %, by weight, of carbon.
-