

I

(Acts whose publication is obligatory)

COUNCIL REGULATION (EC) No 3093/95

of 22 December 1995

laying down the rates of duty to be applied by the Community resulting from negotiations under GATT Article XXIV.6 consequent upon the accession of Austria, Finland and Sweden to the European Union

THE COUNCIL OF THE EUROPEAN UNION,

Having regard to the Treaty establishing the European Community and in particular Articles 113 and 28 thereof,

Having regard to the proposal from the Commission,

Whereas, pursuant to Article 2 of the Act of Accession of Austria, Finland and Sweden, those Member States have applied the Common Customs Tariff as of 1 January 1995;

Whereas the Community has opened negotiations under Article XXIV, paragraph 6 of the General Agreement on Tariffs and Trade 1994 (GATT 1994), in order to resolve instances where the application of the Common Customs Tariff by the new Member States leads to modification or withdrawal of tariff concessions previously bound by them;

Whereas the application of the Common Customs Tariff by the new Member States has led in some cases to the increase and in other cases to the reduction of the tariffs previously applied by each of them;

Whereas, in the context of negotiations held with a number of third countries, it is appropriate, in respect of most non-agricultural products, to apply already as from 1 January 1996 the conventional duty rates corresponding to the third stage of tariff reductions provided for in the GATT 1994 schedule of the Community of 12 which, in accordance with that schedule, is due to take place on 1 January 1997;

Whereas for the same reasons it is also appropriate, in respect of certain chemical products which are currently the subject of autonomous duty suspensions, to reduce as from 1 January 1996 the conventional rates of duty,

Whereas, in respect of certain electronic components falling within CN headings 8541 and 8542, it is appropriate to reduce as from 1 January 1996 both the conventional and the autonomous rates of duty to the level of the final rates provided for in the GATT 1994 schedule of the Community of 12 and, in some cases, below that level;

Whereas it is appropriate, in respect of certain other products, to advance the implementation of the successive reduction stages of the conventional rates of duty provided for in the GATT 1994 schedule of the Community of 12 and in some cases to reduce the conventional rates of duty (in certain instances in the form of tariff quotas) below the level of the final rate provided for in that schedule,

HAS ADOPTED THIS REGULATION:

Article 1

1. The Community shall apply as from 1 January 1996 the conventional rates of duty corresponding to the third stage of reductions provided for in the GATT 1994 schedule of the Community of 12.
2. Paragraph 1 shall not apply in respect of agricultural products, as defined in Annex I to the WTO Agreement on Agriculture, and of those non-agricultural products which are listed in Annexes I, II and III to this Regulation.

Article 2

From 1 January 1996 the conventional rates of duty for the products listed in Annex I shall be those indicated in column 3 of that Annex.

Article 3

From 1 January 1996 the autonomous and conventional rates of duty for the products listed in Annex II shall be those indicated in column 3 and column 4 respectively, of that Annex.

Article 4

1. For the products listed in Section I of Annex III the conventional rates of duty applicable on 1 January 1996 shall be those indicated in column 3.

2. For the products listed in Section 2 of Annex III the conventional rates of duty shall be progressively reduced in accordance with the timetable contained in column 3.

3. For the products listed in Section 3 of Annex III and within the limit of the quantities indicated in column 3,

the conventional rates of duty applicable on 1 January 1996 shall be those indicated in column 4.

Article 5

For agricultural products, the Commission shall adopt the detailed rules for the application of Article 4 (3) in accordance with the procedure laid down in Article 23 of Council Regulation (EEC) No 1766/92 of 30 June 1992 on the common organization of the market in cereals ⁽¹⁾ and the corresponding provisions of the other regulations on the common organization of the markets.

Article 6

This Regulation shall enter into force on the day following that of its publication in the *Official Journal of the European Communities*.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 22 December 1995.

For the Council

The President

L. ATIENZA SERNA

⁽¹⁾ OJ No L 181, 1. 7. 1992, p. 21. Regulation as last amended by Regulation (EC) No L 1023/95 (OJ No 103, 6. 5. 1995, p. 24).

ANNEX I

CN code	Description	Rate of duty Conventional %
1	2	3
2712 20 00 ⁽¹⁾	Synthetic paraffin wax of a molecular weight of 460 or more but not exceeding 1 560	0
2712 90 90 ⁽²⁾	Blend of 1-alkenes containing by weight 80 % or more of 1-alkenes of a chain-length of 24 carbon atoms or more but not exceeding 28 carbon atoms	0
2804 29 00 ⁽³⁾	Helium	0
2810 00 00 ⁽⁴⁾	Diboron trioxide	0
2819 90 00 ⁽⁵⁾	Chromium dioxide	3,7
2820 90 00 ⁽⁶⁾	Manganese oxide containing by weight 77 % or more of manganese	0
2825 90 10 ⁽⁷⁾	Calcium hydroxide, of a purity of 98 % or more calculated on the dry weight, in the form of particles of which: — not more than 1 % by weight have a particle-size exceeding 75 micrometres and — not more than 4 % by weight have a particle-size of less than 1,3 micrometres	0
2840 19 00 ⁽⁸⁾	Disodium tetraborate pentahydrate	0
2902 90 90 ⁽⁹⁾	Vinyltoluenes	0
2902 90 90 ⁽¹⁰⁾	1,3-Diisopropylbenzene	0
2903 30 38 ⁽¹¹⁾	Dibromomethane	0
2905 16 90 ⁽¹²⁾	Octan-2-ol	0
2905 39 90 ⁽¹³⁾	Butane-1,3-diol	0
2905 39 90 ⁽¹⁴⁾	2,4,7,9-Tetramethyldec-5-yne-4,7-diol	0
2907 15 00 ⁽¹⁵⁾	1-Naphthol	0
2909 30 39 ⁽¹⁶⁾	1,2-Bis(2,4,6-tribromophenoxy)ethane, for the manufacture of acrylonitrile-butadiene-styrene (ABS) (a)	0
2909 49 10 ⁽¹⁷⁾	2-(2-Chloroethoxy)ethanol	0

⁽¹⁾ Taric code 2712 20 00 *10⁽²⁾ Taric code 2712 90 90 *20⁽³⁾ Taric code 2804 29 00 *10⁽⁴⁾ Taric code 2810 00 00 *10⁽⁵⁾ Taric code 2819 90 00 *10⁽⁶⁾ Taric code 2820 90 00 *10⁽⁷⁾ Taric code 2825 90 10 *10⁽⁸⁾ Taric code 2840 19 00 *10⁽⁹⁾ Taric code 2902 90 90 *10⁽¹⁰⁾ Taric code 2902 90 90 *60⁽¹¹⁾ Taric code 2903 30 38 *10⁽¹²⁾ Taric code 2905 16 90 *10⁽¹³⁾ Taric code 2905 39 90 *10⁽¹⁴⁾ Taric code 2905 39 90 *20⁽¹⁵⁾ Taric code 2907 15 00 *10⁽¹⁶⁾ Taric code 2909 30 39 *20⁽¹⁷⁾ Taric code 2909 49 10 *20

CN code	Description	Rate of duty Conventional %
1	2	3
2914 19 00 ⁽¹⁾	5-Methylhexan-2-one	0
2914 69 00 ⁽²⁾	1,4 Naphthoquinone	0
2915 60 10 ⁽³⁾	1-Isoprophyl-2,2-dimethyltrimethylene diisobutyrate	0
2916 19 90 ⁽⁴⁾	Crotonic acid	0
2917 13 00 ⁽⁵⁾	Sebacic acid	0
2917 39 10 ⁽⁶⁾	Ester or anhydride of tetrabromophthalic acid	0
2917 39 90 ⁽⁷⁾	Benzene-1,2,4-tricarboxylic acid	0
2917 39 90 ⁽⁸⁾	Isophthaloyl dichloride, containing by weight 0,8 % or less of terephthaloyl dichloride	0
2917 39 90 ⁽⁹⁾	Naphtalene-1,4,5,8-tetracarboxylic acid	0
2917 39 90 ⁽¹⁰⁾	Tetrachlorophthalic anhydride	0
2917 39 90 ⁽¹¹⁾	Sodium 3,5-bis (methoxycarbonyl) benzenesulphonate	0
2918 19 90 ⁽¹²⁾	2,2-bis (hydroxymethyl) propionic acid	0
2918 90 00 ⁽¹³⁾	2,6-Dimethoxybenzoic acid	0
2918 90 00 ⁽¹⁴⁾	Dicamba (ISO)	0
2918 90 00 ⁽¹⁵⁾	Sodium phenoxyacetate	0
2921 19 90 ⁽¹⁶⁾	1,1,3,3-Tetramethylbutylamine	0
2921 30 90 ⁽¹⁷⁾	Cyclohex-1,3-ylenediamine (1,3-diaminocyclohexane)	0
2921 51 10 ⁽¹⁸⁾	m-Phenylenediamine, of a purity by weight of 99 % or more and containing: — 1 % or less by weight of water, — 200 mg/kg or less of o-phenylenediamine — 450 mg/kg or less of p-phenylenediamine	0
2921 59 00 ⁽¹⁹⁾	m-Phenylenebis(methylamine)	0
2921 59 00 ⁽²⁰⁾	2,2'-Dichloro-4,4'-methylenedianitine	0

⁽¹⁾ Taric code 2914 19 00 *10⁽²⁾ Taric code 2914 69 00 *10⁽³⁾ Taric code 2915 60 10 *10⁽⁴⁾ Taric code 2916 19 90 *30⁽⁵⁾ Taric code 2917 13 00 *10⁽⁶⁾ Taric code 2917 39 10 *10⁽⁷⁾ Taric code 2917 39 90 *10⁽⁸⁾ Taric code 2917 39 90 *15⁽⁹⁾ Taric code 2917 39 90 *25⁽¹⁰⁾ Taric code 2917 39 90 *30⁽¹¹⁾ Taric code 2917 39 90 *70⁽¹²⁾ Taric code 2918 19 90 *20⁽¹³⁾ Taric code 2918 90 00 *50⁽¹⁴⁾ Taric code 2918 90 00 *70⁽¹⁵⁾ Taric code 2918 90 00 *75⁽¹⁶⁾ Taric code 2921 19 90 *20⁽¹⁷⁾ Taric code 2921 30 90 *10⁽¹⁸⁾ Taric code 2921 51 10 *10⁽¹⁹⁾ Taric code 2921 59 00 *20⁽²⁰⁾ Taric code 2921 59 00 *30

CN code	Description	Rate of duty Conventional %
1	2	3
2921 59 00 ⁽¹⁾	4,4'-Bi-o-toluidine	0
2921 59 00 ⁽²⁾	1,8-Naphthylenediamine	0
2922 49 80 ⁽³⁾	β -Alamine	0
2926 90 90 ⁽⁴⁾	Isophthalonitrite	6
2928 00 00 ⁽⁵⁾	N,N-Bis (2-methoxyethyl) hydroxylamine	0
2930 90 95 ⁽⁶⁾	2,2'-Thiodiethyl bis [3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate]	0
2930 90 95 ⁽⁷⁾	Mixture of isomers consisting of 4-methyl-2,6-bis(methylthio)-m-phenylenediamine and 2-methyl-4,6bis(methylthio)-m-phenylenediamine	0
2932 29 90 ⁽⁸⁾	1-Hydroxy-4-[1-4-hydroxy-3-methoxycarbonyl-1-naphthyl]-3-oxo-1H,3H-benzo[de]is ochromen-1-yl]-6-octadecyloxy-2-naphthoic acid	0
2932 29 90 ⁽⁹⁾	3'-Chloro-6'-cyclohexylaminospiro[isobenzofuran-1(3H),9'-xanthen]-3-one	0
2932 29 90 ⁽¹⁰⁾	6'-(N-Ethyl-p-toluidino)-2'-methylspiro[isobenzofuran-1(3H),9'-xanthen]-3-one	0
2932 29 90 ⁽¹¹⁾	Methyl 6-docosyloxy-1-hydroxy-4-[1-(4-hydroxy-3-methyl-1-phenanthryl)-3-oxo-1H,3H-naphtho[1,8-cd]pyran-1-yl]naphthalene-2-carboxylate	0
2933 39 80 ⁽¹²⁾	2,3,5,6-Tetrachloropyridine	0
2933 39 80 ⁽¹³⁾	3,6-Dichloropyridine-2-carboxylic acid	0
2933 39 80 ⁽¹⁴⁾	2-Hydroxyethylammonium 3,6-dichloropyridine-2-carboxylate	0
2933 39 80 ⁽¹⁵⁾	2-Butoxyethyl (3,5,6-trichloro-2-pyridyloxy)acetate	0
2933 39 80 ⁽¹⁶⁾	3,5-dichloro-2,4,6-trifluoropyridine	0
2933 39 80 ⁽¹⁷⁾	Fluroxypyr (ISO), methyl ester	4
2933 39 80 ⁽¹⁸⁾	4-Methylpyridine	0
2933 59 80 ⁽¹⁹⁾	1,4-Diazabicyclo[2.2.2]octane (triethylenediamine)	0
2933 69 90 ⁽²⁰⁾	2,6-Di-tert-butyl-4-[4,6-bis(octylthio)-1,3,5-triazin-2-ylamino]phenol	0
2933 90 80 ⁽²¹⁾	2,4-Di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol	0

⁽¹⁾ Taric code 2921 59 00 *40⁽²⁾ Taric code 2921 59 00 *50⁽³⁾ Taric code 2922 49 80 *20⁽⁴⁾ Taric code 2926 90 90 *30⁽⁵⁾ Taric code 2928 00 00 *70⁽⁶⁾ Taric code 2930 90 95 *01⁽⁷⁾ Taric code 2930 90 95 *13⁽⁸⁾ Taric code 2932 29 90 *20⁽⁹⁾ Taric code 2932 29 90 *40⁽¹⁰⁾ Taric code 2932 29 90 *60⁽¹¹⁾ Taric code 2932 29 90 *85⁽¹²⁾ Taric code 2933 39 80 *06⁽¹³⁾ Taric code 2933 39 80 *11⁽¹⁴⁾ Taric code 2933 39 80 *12⁽¹⁵⁾ Taric code 2933 39 80 *15⁽¹⁶⁾ Taric code 2933 39 80 *17⁽¹⁷⁾ Taric code 2933 39 80 *24⁽¹⁸⁾ Taric code 2933 39 80 *27⁽¹⁹⁾ Taric code 2933 59 80 *20⁽²⁰⁾ Taric code 2933 69 90 *10⁽²¹⁾ Taric code 2933 90 80 *15

CN code	Description	Rate of duty Conventional %
1	2	3
2934 90 99 ⁽¹⁾	Salts and esters of (6R,7R)-3-acetoxymethyl-7-[(R)-2-formyloxy-2-phenylacetamido]-8-oxo-5-thia-1-aza bicyclo[4.2.0]oct-2-ene-2-carboxylic acid	0
2934 90 99 ⁽²⁾	1-[2-(1,3-Dioxan-2-yl)ethyl]-2-methylpyridinium bromide	0
2935 00 00 ⁽³⁾	3-[1-[7-(Hexadecylphonylamino)-1H-indole-3-yl]-3-oxo-1H,3H-naphthol(1,8-cd)pyran-1-yl]-N,N-dimethyl-1H-indole-7-sulphonamide	0
2935 00 00 ⁽⁴⁾	Metosulam (ISO)	0
3207 40 90 ⁽⁵⁾	Glass, in the form of flakes of a length of 0,1 mm or more but not exceeding 3,5 mm and of a thickness of 2 micrometres or more but not exceeding 5 micrometres	0
3207 40 90 ⁽⁶⁾	Glass, in the form of powder or granules, containing by weight 99 % or more of silicon dioxide	0
3208 90 10 ⁽⁷⁾	Polyurethane of 2,2'-(tert-butylimino)diethanol and 4,4'-methylene-dicyclohexyl diisocyanate, in the form of a solution in N,N-dimethylacetamide containing by weight 48 % or more of polymer	0
3208 90 10 ⁽⁸⁾	Copolymer of p-cresol and divinylbenzene, in the form of a solution in N,N-dimethylacetamide containing by weight 48 % or more of polymer	0
3402 11 00 ⁽⁹⁾	Aqueous solution containing by weight 30 % or more but not more than 50 % of disodium alkyl[oxydi(benzenesulphonate)]	0
3507 90 00 ⁽¹⁰⁾	Lipoprotein lipase	0
3507 90 00 ⁽¹¹⁾	Aspergillus alkaline protease	0
3702 31 90 ⁽¹²⁾	Colour negative film: — of a width of 75 mm or more but not exceeding 105 mm and — of a length of 100 m or more, for the manufacture of instant-picture film-packs (a)	0
3812 20 00 ⁽¹³⁾	Reaction mixture containing benzyl 3-isobutyryloxy-1-isopropyl-2,2-dimethylprophyl phthalate and benzyl 3-isobutyryloxy-2,2,4-trimethylpentyl phthalate	0
3815 19 00 ⁽¹⁴⁾	Catalyst, in the form of grains of which 90 % or more by weight have a particle-size not exceeding 10 micrometres, consisting of a mixture of oxides on a magnesium-silicate support, containing by weight: — 20 % or more but not more than 35 % of copper and — 2 % or more but not more than 3 % of bismuth, and of an apparent specific gravity of 0,2 or more but not exceeding 1,0	0

⁽¹⁾ Taric code 2934 90 99 *16⁽²⁾ Taric code 2934 90 99 *36⁽³⁾ Taric code 2935 00 00 *35⁽⁴⁾ Taric code 2935 00 00 *65⁽⁵⁾ Taric code 3207 40 90 *10⁽⁶⁾ Taric code 3207 40 90 *20⁽⁷⁾ Taric code 3208 90 10 *10⁽⁸⁾ Taric code 3208 90 10 *20⁽⁹⁾ Taric code 3402 11 00 *10⁽¹⁰⁾ Taric code 3507 90 00 *40⁽¹¹⁾ Taric code 3507 90 00 *60⁽¹²⁾ Taric code 3702 31 90 *10⁽¹³⁾ Taric code 3812 20 00 *10⁽¹⁴⁾ Taric code 3815 19 00 *01

CN code	Description	Rate of duty Conventional %
1	2	3
3815 90 00 ⁽¹⁾	Catalyst consisting of ethyltriphenylphosphonium acetate in the form of a solution in methanol	0
3824 90 60 ⁽²⁾	Intermediate products of the antibiotics manufacturing process obtained from the fermentation of <i>Streptomyces tenebrarius</i> , whether or not dried, for use in the manufacture of human medicaments of No 3004 (a)	0
3824 90 60 ⁽³⁾	Intermediate products from the manufacture of monensin salts	0
3824 90 90 ⁽⁴⁾	Lithium niobate wafers, undoped	0
3824 90 90 ⁽⁵⁾	Mixture of amines derived from dimerized fatty acids, of an average molecular weight of 520 or more but not exceeding 550	0
3824 90 90 ⁽⁶⁾	3-(1-Ethyl-1-methylpropyl)isoxazol-5-ylamine, in the form of a solution in toluene	0
3901 20 00 ⁽⁷⁾	Polyethylene, in one of the forms mentioned in note 6 (b) to Chapter 39, of a specific gravity of 0,958 or more at 23 °C containing: — 50 mg/kg or less of aluminium — 2 mg/kg or less of calcium, — 2 mg/kg or less of chromium, — 2 mg/kg or less of iron, — 2 mg/kg or less of nickel, — 2 mg/kg or less of titanium, and — 8 mg/kg or less of vanadium, for the manufacture of chlorosulphonated polyethylene (a)	0
3901 90 00 ⁽⁸⁾	Ionomer resin consisting of a salt of a terpolymer of ethylene with isobutyl acrylate and methacrylic acid	0
3901 90 00 ⁽⁹⁾	A-B-A Block copolymer of polystyrene, ethylene-butylene copolymer and polystyrene, containing by weight 35 % or less of styrene, in one of the forms mentioned in note 6 (b) to Chapter 39	0
3902 90 00 ⁽¹⁰⁾	A-B-A Block copolymer of polystyrene, ethylene-butylene copolymer and polystyrene, containing by weight 35 % or less of styrene, in one of the forms mentioned in note 6 (b) to Chapter 39	0
3902 90 00 ⁽¹¹⁾	Polybut-1-ene, a copolymer of but-1-ene with ethylene containing by weight 10 % or less of ethylene, or a blend of polybut-1-ene with polyethylene and/or polypropylene containing by weight 10 % or less of polyethylene and/or 25 % or less of polypropylene, in one of the forms mentioned in note 6 (b) to Chapter 39	0
3903 90 00 ⁽¹²⁾	Copolymer, solely of styrene with allyl alcohol, of an acetyl value of 175 or more	0
3903 90 00 ⁽¹³⁾	Brominated polystyrene, containing by weight 58 %, or more but not more than 71 % of bromine, in one of the forms mentioned in note 6 (b) to Chapter 39	0

⁽¹⁾ Taric code 3815 90 00 *40⁽²⁾ Taric code 3824 90 60 *01⁽³⁾ Taric code 3824 90 60 *05⁽⁴⁾ Taric code 3824 90 90 *06⁽⁵⁾ Taric code 3824 90 90 *09⁽⁶⁾ Taric code 3824 90 90 *17⁽⁷⁾ Taric code 3901 20 00 *40⁽⁸⁾ Taric code 3901 90 00 *93⁽⁹⁾ Taric code 3901 90 00 *95⁽¹⁰⁾ Taric code 3902 90 00 *91⁽¹¹⁾ Taric code 3902 90 00 *96⁽¹²⁾ Taric code 3903 90 00 *10⁽¹³⁾ Taric code 3903 90 00 *30

CN code	Description	Rate of duty Conventional %
1	2	3
3904 50 00 ⁽¹⁾	Copolymer of vinylidene chloride with acrylonitrile, in the form of expansible beads of a diameter of 4 micrometres or more but not more than 20 micrometres	0
3904 69 00 ⁽²⁾	Polyvinyl fluoride, in one of the forms mentioned in note 6 (b) to chapter 39	0
3905 99 00 ⁽³⁾	Poly(vinyl formal), in one of the forms mentioned in note 6 (b) to Chapter 39, of a molecular weight of 10 000 or more but not exceeding 40 000 and containing by weight: — 9,5 % or more but not more than 13 % of acetyl groups evaluated as vinyl acetate and — 5 % or more but not more than 6,5 % of hydroxy groups evaluated as vinyl alcohol	0
3906 90 00 ⁽⁴⁾	Poly[N-(3-hydroxyimino-1,1-dimethylbutyl)acrylamide]	0
3906 90 00 ⁽⁵⁾	Copolymer of 2-diisopropylaminoethyl methacrylate with decyl methacrylate, in the form of a solution in N,N-dimethylacetamide containing by weight 55 or more of copolymer	0
3906 90 00 ⁽⁶⁾	Copolymer of acrylic acid with 2-ethylhexyl acrylate, containing by weight 10 % or more but not more than 11 % of 2-ethylhexyl acrylate	0
3906 90 00 ⁽⁷⁾	Copolymer of acrylonitrile with methyl acrylate, modified with polybutadiene-acrylonitrile (NBR)	0
3906 90 00 ⁽⁸⁾	Polymerization product of acrylic acid with alkyl methacrylate and small quantities of other monomers, for use as a thickener in the manufacture of textile printing pastes (a)	0
3906 90 00 ⁽⁹⁾	Copolymer of methyl acrylate with ethylene and a monomer containing a non-terminal carboxy group as a substituent, containing by weight 50 % or more of methyl acrylate, whether or not compounded with silica	5
3907 20 90 ⁽¹⁰⁾	Copolymer of 1-chloro-2,3-epoxypropane with ethylene oxide	0
3907 99 10 ⁽¹¹⁾	Poly(ethylene naphthalene-2,6-dicarboxylate)	0
3907 99 90 ⁽¹²⁾	Poly(ethylene naphthalene-2,6-dicarboxylate)	0
3909 50 00 ⁽¹³⁾	Polyurethane of 2,2'-(tert-butylimino)diethanol and 4,4'-methylenedicyclohexyl diisocyanate, in the form of a solution in N,N-dimethylacetamide containing by weight 48 % or more of polymer	0
3911 90 10 ⁽¹⁴⁾	Poly(oxy-1,4-phenylenesulphonyl-1,4-phenyleneoxy-1,4-phenyleneisopropylidene-1,4-phenylene) in one of the forms mentioned in note 6 (b) to Chapter 39	0

⁽¹⁾ Taric code 3904 50 00 *91

⁽²⁾ Taric code 3904 69 00 *93

⁽³⁾ Taric code 3905 99 00 *91

⁽⁴⁾ Taric code 3906 90 00 *10

⁽⁵⁾ Taric code 3906 90 00 *20

⁽⁶⁾ Taric code 3906 90 00 *30

⁽⁷⁾ Taric code 3906 90 00 *40

⁽⁸⁾ Taric code 3906 90 00 *50

⁽⁹⁾ Taric code 3906 90 00 *60

⁽¹⁰⁾ Taric code 3907 20 90 *80

⁽¹¹⁾ Taric code 3907 99 10 *20

⁽¹²⁾ Taric code 3907 99 90 *20

⁽¹³⁾ Taric code 3909 50 00 *10

⁽¹⁴⁾ Taric code 3911 90 10 *10

CN code	Description	Rate of duty Conventional %
1	2	3
3911 90 10 ⁽¹⁾	Poly(thio-1,4-phenylene)	0
3911 90 90 ⁽²⁾	Copolymer of p-cresol and divinylbenzene, in the form of a solution in N,N-dimethylacetamide containing by weight 48 % or more of polymer	0
3911 90 90 ⁽³⁾	Hydrogenated copolymers of vinyltoluene and methylstyrene	0
3912 39 90 ⁽⁴⁾	Hydroxypropylcellulose	0
3920 10 22 ⁽⁵⁾	Polyethylene film, of a thickness of 20 micrometres or more but not exceeding 40 micrometres, for the production of photoresist film used in the manufacture of semiconductors or printed circuits (a)	0
3920 10 80 ⁽⁶⁾	Synthetic paper pulp, in the form of moist sheets, made from unconnected finely branched polyethylene fibrils, whether or not blended with cellulose fibres in a quantity not exceeding 15 %, containing polyvinyl alcohol dissolved in water as the moistening agent	0
3920 59 00 ⁽⁷⁾	Copolymer of acrylic and methacrylic esters, in the form of film of a thickness not exceeding 150 micrometres	0
3920 62 10 ⁽⁸⁾	Polyethylene terephthalate film, of a thickness of 72 micrometres or more but not exceeding 79 micrometres, for the manufacture of flexible magnetic disks (a)	0
3920 62 10 ⁽⁹⁾	Polyethylene terephthalate film, of a thickness of 100 micrometres or more but not exceeding 150 micrometres, for the manufacture of photopolymer printing plates (a)	0
3920 99 19 ⁽¹⁰⁾	Polyimide sheet and strip, uncoated, or coated or covered solely with plastic	0
3920 99 50 ⁽¹¹⁾	Polyvinyl fluoride sheet	0
3920 99 50 ⁽¹²⁾	Ion-exchange membranes of fluorinated plastic material, for use in chlor-alkali electrolytic cells (a)	0
3920 99 50 ⁽¹³⁾	Biaxially-orientated polyvinyl alcohol film, containing by weight 97 % or more of polyvinyl alcohol, uncoated, of thickness not exceeding 1 mm	0
3921 90 50 ⁽¹⁴⁾	Polyimide sheet and strip, uncoated or coated or covered solely with plastic	0
3921 90 60 ⁽¹⁵⁾	Ion-exchange membranes of fluorinated plastic material, for use in chlor-alkali electrolytic cells (a)	0

⁽¹⁾ Taric code 3911 90 10 *30

⁽²⁾ Taric code 3911 90 90 *86

⁽³⁾ Taric code 3911 90 90 *88

⁽⁴⁾ Taric code 3912 39 90 *20

⁽⁵⁾ Taric code 3920 10 22 *92

⁽⁶⁾ Taric code 3920 10 80 *93

⁽⁷⁾ Taric code 3920 59 00 *10

⁽⁸⁾ Taric code 3920 62 10 *15

⁽⁹⁾ Taric code 3920 62 10 *35

⁽¹⁰⁾ Taric code 3920 99 19 *10

⁽¹¹⁾ Taric code 3920 99 50 *21

⁽¹²⁾ Taric code 3920 99 50 *22

⁽¹³⁾ Taric code 3920 99 50 *23

⁽¹⁴⁾ Taric code 3921 90 50 *20

⁽¹⁵⁾ Taric code 3921 90 60 *25

ANNEX II

CN code	Description	Rate of duty	
		Autonomous (%)	Conventional (%)
1	2	3	4
8541	Diodes, transistors and similar semiconductor devices; photosensitive semiconductor devices, including photovoltaic cells whether or not assembled in modules or made up into panels; light-emitting diodes; mounted piezo-electric crystals:		
8541 10	— Diodes, other than photosensitive or light-emitting diodes:		
8541 10 10	— — Wafers not yet cut into chips	21	7
	— — Other:		
8541 10 91	— — — Power rectifier diodes	21	7
8541 10 99	— — — Other	21	7
	— Transistors, other than photosensitive transistors:		
8541 21	— — With a dissipation rate of less than 1 W:		
8541 21 10	— — — Wafers not yet cut into chips	21	7
8541 21 90	— — — Other	21	7
8541 29	— — Other:		
8541 29 10	— — — Wafers not yet cut into chips	21	7
8541 29 20	— — — Power MOS field effective transistors	21	7
8541 29 30	— — — Insulated gate bipolar transistors (IGBTs)	21	7
8541 29 80	— — — Other	21	7
8541 30	— Thyristors, diacs and triacs, other than photosensitive devices:		
8541 30 10	— — Wafers not yet cut into chips	21	7
8541 30 90	— — Other	21	7
8541 40	Photosensitive semiconductor devices, including photovoltaic cells whether or not assembled in modules or made up into panels; light-emitting diodes:		
	— — Light-emitting diodes:		
8541 40 11	— — — Laser diodes	21	7
8541 40 19	— — — Other	21	7
	— — Other:		
8541 40 91	— — — Solar cells whether or not assembled in modules or made up into panels	16	3,7
8541 40 93	— — — Photodiodes, phototransistors, photothyristors or photocouples	16	2,8
8541 40 99	— — — Other	16	2,8
8541 50	— Other semiconductor devices:		
8541 50 10	— — Wafers not yet cut into chips	21	7
8541 50 90	— — Other	21	7
8541 60 00	— Mounted piezo-electric crystals	20	6,4
8541 90 00	— Parts	15	4,6

CN code	Description	Rate of duty	
		Autonomous (%)	Conventional (%)
1	2	3	4
8542	Electronic integrated circuits and microassemblies:		
	— Monolithic digital integrated circuits		
* 8542 12 00	— — Cards incorporating an electronic integrated circuit ('smart' cards)	21	14
8542 13	— — Metal oxide semiconductors (MOS technology):		
* 8542 13 01	— — — Wafers not yet cut into chips	21	7
* 8542 13 05	— — — Chips	21	7
	— — — Other		
	— — — — Memories:		
	— — — — — Dynamic random-access memories (D-RAMs)		
* 8542 13 11	— — — — — With a storage capacity not exceeding 4 Mbits	21	7
* 8542 13 13	— — — — — With a storage capacity exceeding 4 Mbits but not exceeding 16 Mbits	21	7
* 8542 13 15	— — — — — With a storage capacity exceeding 16 Mbits but not exceeding 64 Mbits	21	7
* 8542 13 17	— — — — — With a storage capacity exceeding 64 Mbits	21	7
	— — — — — Static random-access memories (S-RAMs), including cache random-access memories (cache-RAMs):		
* 8542 13 22	— — — — — With a storage capacity not exceeding 256 Kbits	21	free
* 8542 13 25	— — — — — With a storage capacity exceeding 256 Kbits but not exceeding 1 Mbit	21	free
* 8542 13 27	— — — — — With a storage capacity exceeding 1 Mbit	21	free
	— — — — — UV erasable, programmable, read only memories (EPROMs)		
* 8542 13 32	— — — — — With a storage capacity not exceeding 1 Mbit	21	free
* 8542 13 35	— — — — — With a storage capacity exceeding 1 Mbits but not exceeding 4 Mbits	21	free
* 8542 13 37	— — — — — With a storage capacity exceeding 4 Mbits	21	free
	— — — — — Electrically erasable, programmable, read only memories (E ² PROMs), including FLASH E ² PROMs:		
	— — — — — FLASH E ² PROM:		
* 8542 13 41	— — — — — With a storage capacity not exceeding 1 Mbit	21	free
* 8542 13 43	— — — — — With a storage capacity exceeding 1 Mbits but not exceeding 4 Mbits	21	free
* 8542 13 45	— — — — — With a storage capacity exceeding 4 Mbits but not exceeding 16 Mbits	21	free

CN code	Description	Rate of duty	
		Autonomous (%)	Conventional (%)
1	2	3	4
* 8542 13 47	— — — — — With a storage capacity exceeding 16 Mbits	21	free
* 8542 13 49	— — — — — Other	21	free
* 8542 13 51	— — — — — Read only memories, non-programmable (ROMs); content addressable memories (CAMs); first-in/first-out read/write memories (FIFOs); last-in/first-out read/write memories (LIFOs); ferroelectric memories	21	free
* 8542 13 53	— — — — — Other memories	21	7
* 8542 13 55	— — — — — Microprocessors — — — — — Microcontrollers and microcomputers:	21	free
* 8542 13 61	— — — — — With a processing capacity not exceeding 4 bits	21	7
* 8542 13 63	— — — — — With a processing capacity exceeding 4 bits but not exceeding 8 bits	21	7
* 8542 13 65	— — — — — With a processing capacity exceeding 8 bits but not exceeding 16 bits	21	7
* 8542 13 67	— — — — — With a processing capacity exceeding 16 bits but not exceeding 32 bits	21	7
* 8542 13 69	— — — — — With a processing capacity exceeding 32 bits — — — — — Other	21	7
* 8542 13 70	— — — — — Microperipherals — — — — — Other	21	7
* 8542 13 72	— — — — — Full custom logic circuits	21	7
* 8542 13 74	— — — — — Gate arrays	21	7
* 8542 13 76	— — — — — Standard cells	21	7
* 8542 13 82	— — — — — Programmable logic circuits	21	7
* 8542 13 84	— — — — — Standard logic circuits — — — — — Other	21	7
8542 13 91	— — — — — Control circuits; interface circuits; interface circuits capable of performing control functions	21	7
* 8542 13 99	— — — — — Other	21	7
8542 14	— — Circuits obtained by bipolar technology:		
* 8542 14 01	— — — Wafers not yet cut into chips	21	7
* 8542 14 05	— — — Chips — — — Other — — — Memories	21	7
* 8542 14 10	— — — Dynamic random-access memories (D-RAMs)	21	7

CN code	Description	Rate of duty	
		Autonomous (%)	Conventional (%)
1	2	3	4
* 8542 14 15	— — — — — Static random-access memories (S-RAMs), including cache random-access memories (cache-RAMs); read only memories, non-programmable (ROMs); content addressable memories (CAMs); first-in/first-out read/write memories (FIFOs); last-in/first-out read/write memories (LIFOs); ferroelectric memories	21	free
* 8542 14 20	— — — — — Electrically erasable, programmable, read only memories (E ² PROMs), including FLASH E ² PROMs	21	free
* 8542 14 25	— — — — — Other memories:		
ex (1)	— — — — — Ex UV erasable, programmable, read only memories (EPROMs)	21	free
ex (2)	— — — — — Other	21	7
* 8542 14 30	— — — — — Microprocessors	21	free
	— — — — — Microcontrollers and microcomputers		
* 8542 14 42	— — — — — With a processing capacity not exceeding 4 bits	21	7
* 8542 14 44	— — — — — With a processing capacity exceeding 4 bits	21	7
	— — — — — Other		
* 8542 14 50	— — — — — Microperipherals	21	7
	— — — — — Other		
* 8542 14 60	— — — — — Full custom logic circuits	21	7
* 8542 14 65	— — — — — Gate arrays	21	7
* 8542 14 70	— — — — — Standard cells	21	7
* 8542 14 75	— — — — — Programmable logic circuits	21	7
* 8542 14 80	— — — — — Standard logic circuits	21	7
	— — — — — Other		
* 8542 14 91	— — — — — Control circuits; interface circuits: interface circuits capable of performing control functions	21	7
* 8542 14 99	— — — — — Other	21	7
8542 19	— — Other, including circuits obtained by a combination of bipolar and MOS technologies (BIMOS technology)		
* 8542 19 01	— — — Wafers not yet cut into chips	21	7
* 8542 19 05	— — — Chips	21	7
	— — — Other		
	— — — Memories		
* 8542 19 15	— — — — — Dynamic random-access memories (D-RAMs)	21	7
	— — — — — Static random-access memories (S-RAMs), including cache random-access memories (cache-RAMs):		
* 8542 19 22	— — — — — With a storage capacity not exceeding 256 Kbits	21	free

CN code	Description	Rate of duty	
		Autonomous (%)	Conventional (%)
1	2	3	4
* 8542 19 25	— — — — — With a storage capacity exceeding 256 Kbits but not exceeding 1 Mbit	21	free
* 8542 19 27	— — — — — With a storage capacity exceeding 1 Mbit	21	free
* 8542 19 31	— — — — — UV erasable, programmable, read only memories (EPROMs)	21	free
* 8542 19 35	— — — — — Electrically erasable programmable, read only memories (E ² PROMs), including FLASH E ² PROMs	21	free
* 8542 19 41	— — — — — Read only memories, non-programmable (ROMs); content addressable memories (CAMs); first-in/first-out read/write memories (FIFOs); last-in/first-out memories (LIFOs); ferroelectric memories	21	free
* 8542 19 49	— — — — — Other memories	21	7
* 8542 19 55	— — — — — Microprocessors	21	free
	— — — — — Microcontrollers and microcomputers:		
* 8542 19 62	— — — — — With a processing capacity not exceeding 4 bits	21	7
* 8542 19 68	— — — — — With a processing capacity exceeding 4 bits	21	7
	— — — — — Other		
* 8542 19 71	— — — — — Microperipherals		
	— — — — — Other	21	7
* 8542 19 72	— — — — — Full custom logic circuits	21	7
* 8542 19 74	— — — — — Gate arrays	21	7
* 8542 19 76	— — — — — Standard cells	21	7
* 8542 19 82	— — — — — Programmable logic circuits	21	7
* 8542 19 84	— — — — — Standard logic circuits	21	7
	— — — — — Other		
* 8542 19 92	— — — — — Control circuits, interface circuits; interface circuits capable of performing control functions	21	7
* 8542 19 98	— — — — — Other	21	7
8542 30	— Other monolithic integrated circuits		
* 8542 30 10	— — Wafers not yet cut into chips	21	7
* 8542 30 20	— — Chips	21	7
	— — Other		
* 8542 30 30	— — — Amplifiers	21	7
* 8542 30 50	— — — Voltage and current regulators	21	7
	— — — Control circuits		
* 8542 30 61	— — — Smartpower circuits	21	7
	— — — Other		
8542 30 65	— — — — Mixed analogue-digital circuits	21	7

CN code	Description	Rate of duty	
		Autonomous (%)	Conventional (%)
1	2	3	4
* 8542 30 69	— — — — — Other	21	7
* 8542 30 70	— — — Interface circuits; interface circuits capable of performing control functions	21	7
	— — — — — Other		
* 8542 30 91	— — — — — Smartpower circuits	21	7
	— — — — — Other		
* 8542 30 95	— — — — — Mixed analogue-digital circuits	21	7
* 8542 30 99	— — — — — Other	21	7
8542 40	— Hybrid integrated circuits		
* 8542 40 10	— — Microprocessors, microcontrollers and microcomputers	21	7
* 8542 40 30	— — Converters	21	7
* 8542 40 50	— — Amplifiers	21	7
* 8542 40 90	— — Other	21	7
* 8542 50 00	— Electronic microrassemblies	21	7
8542 90 00	— Parts	15	4,6

Summary description CN/Taric code	CN code 1996	Rate of duty
(1)	(2)	(3)
2915 70 30	2915 70 30	5,5 %
2915 70 90	2915 70 80	5,5 %
2916 13 00	2916 13 00	6,5 %
ex 2916 14 00	2916 14 90	6,5 %
2916 39 00	2916 39 00	6,5 %
2918 19 90	2918 19 90	6,5 %
2918 30 00	2918 30 00	6,5 %
2921 30 90	2921 30 90	6,5 %
2921 43 10	2921 43 10	6,5 %
2922 49 90	2922 49 80	6,5 %
2923 90 00	2923 90 00	6,5 %
2925 19 10	2925 19 10	0 %
3206 20 90	3206 20 00	6,5 %
3206 30 00	3206 30 00	6,5 %
3207 10 10	3207 10 00	6,5 %
3207 10 90	3207 10 00	6,5 %
3212 90 10	3212 90 10	6,5 %
3212 90 90	3212 90 90	6,5 %
3506 91 00	3506 91 00	6,5 %
3506 99 10	3506 99 00	6,5 %
3506 99 90	3506 99 00	6,5 %
3602 00 00	3602 00 00	6,5 %
3701 10 10	3701 10 10	6,5 %
3701 10 90	3701 10 90	6,5 %
3701 30 00	3701 30 00	6,5 %
3701 91 10	3701 91 00	6,5 %
3701 91 90	3701 91 00	6,5 %
3702 10 00	3702 10 00	6,5 %
3702 31 90	3702 31 90	6,5 %
3702 32 31	3702 32 31	6,5 %
3702 32 91	3702 32 90	6,5 %
3702 32 99	3702 32 90	6,5 %
3702 39 00	3702 39 00	6,5 %
3702 41 00	3702 41 00	6,5 %
3702 43 00	3702 43 00	6,5 %
3702 54 00	3702 54 00	5,0 %
3702 56 10	3702 56 10	6,5 %
3702 56 90	3702 56 90	6,5 %
3702 91 10	3702 91 10	6,5 %
3702 92 10	3702 92 10	6,5 %
3702 93 10	3702 93 10	6,5 %
3702 94 10	3702 94 10	6,5 %
3702 95 00	3702 95 00	6,5 %
3703 20 10	3703 20 10	6,5 %
3804 00 90	3804 00 90	5,0 %
3806 20 00	3806 20 00	4,2 %
3806 90 00	3806 90 00	4,2 %
3909 40 00	3909 40 00	6,5 %
3911 90 10	3911 90 10	6,5 %
3912 12 00	3912 12 00	6,5 %
3912 20 90	3912 20 90	6,5 %
3912 39 90	3912 39 90	6,5 %
3920 71 90	3920 71 90	6,5 %
3920 93 00	3920 93 00	6,5 %
3920 94 00	3920 94 00	6,5 %
Pig iron		
7201 10 90	7201 10 90	0 %
Unwrought lead		
7801 10 00	7801 10 00	2,5 %
7801 99 99	7801 99 99	2,5 %

Summary description CN/Taric code	CN code 1996	Rate of duty
(1)	(2)	(3)
Unwrought zinc 7901 11 00 7901 12 10 7901 12 30 7901 20 00	7901 11 00 7901 12 10 7901 12 30 7901 20 00	2,5 % 2,5 % 2,5 % 2,5 %
Snowgroomers (Track laying tractors specially designed for travelling on snow, with rubber belt tracks and a track width of not less than 80 cm, equipped for preparing and maintaining cross-country ski trails, downhill ski trails, downhill ski slopes and snowmobile trails) ex 8701 30 00	ex 8701 30 00	0 %
Vehicles specially designed for travelling on snow ex 8703 10 10	ex 8703 10 10	5 %
Ice skates 9506 70 10	9506 70 10	0 %
Other vegetable seeds 1209 91 90	1209 91 90	3 %

Section 2

Summary description CN code	CN code 1996	Rate of duty to be applied on 1 January 1996 and in later years indicated	
(1)	(2)	(3)	
Fresh (sweet) cherries 16 June to 15 July ex 0809 20 10 ex 2	ex 0809 20 49	1996	12 %
		1997	10,5 %
		1998	9,0 %
		1999	7,5 %
		2000	6,0 %
Chemicals 2903 59 00 ex 3	2903 59 90	1996	6,1 %
		1997	5,8 %
		1998	5,5 %
2915 24 00	2915 24 00	1996	6,5 %
		1997	6,0 %
		1998	5,5 %

Summary description CN code	CN code 1996	Rate of duty to be applied on 1 January 1996 and in later years indicated	
(1)	(2)	(3)	
Newsprint			
4801 00 10	4801 00 10	1996	-4,5 %
		1997	-4,0 %
		1998	-3,5 %
		1999	-2,5 %
		2000	-1,5 %
		2001	-0,5 %
		2002	-0,0 %
4801 00 90	4801 00 90	1996	-5,5 %
		1997	-4,5 %
		1998	-3,5 %
		1999	-2,5 %
		2000	-1,5 %
		2002	-0,0 %
Uncoated paper and paperboard			
4802 60 10	4802 60 11	1996	6,0 %
	4802 60 19	1997	4,5 %
		1998	3,0 %
		1999	1,5 %
		2000	0,0 %
Non-wovens			
5603 00 10	5603 11 10	1996	-5,9 %
5603 00 91	5603 11 90	1997	-5,4 %
5603 00 93	5603 12 10	1998	-4,9 %
5603 00 95	5603 12 90	1999	-4,3 %
5603 00 99	5603 13 10		
	5603 13 90		
	5603 14 10		
	5603 14 90		
	5603 91 10		
	5603 91 90		
	5603 92 10		
	5603 92 90		
	5603 93 10		
	5603 93 90		
	5603 94 10		
	5603 94 90		
Chainsaw blades			
8202 40 00	8202 40 00	1996	-3,1 %
		1997	-1,7 %
Chromatographs			
9027 20 10	9027 20 10	1996	-4,0 %
		1997	-3,5 %
		1998	-2,5 %
Spectrometers			
9027 30 00	9027 30 00	1996	-4,0 %
		1997	-3,5 %
		1998	-2,5 %

Summary description CN code	CN code 1996	Rate of duty to be applied on 1 January 1996 and in later years indicated	
(1)	(2)	(3)	
Oscilloscopes			
9030 10 90	9030 10 90	1996	-5,5 %
9030 20 90	9030 20 90	1997	-5,5 %
9030 31 90	9030 31 90	1998	-5,0 %
9030 39 30	9030 39 30	1999	-4,2 %
9030 40 90	9030 40 90		
9030 81 90 ex 5	9030 83 90	1996	-5,0 %
9030 89 91 ex 5	9030 89 92	1997	-2,5 %
		1998	-0 %
Sardines			
1604 13 10	1604 13 11	1996	20,0 %
	1604 13 19	1997	17,5 %
		1998	15,0 %
		1999	12,5 %
Fresh apples 1 April to 31 July			
0808 10 99	0808 10 61	1996	5,3 % (*)
	63	1997	4,5 % (*)
	69	1998	3,8 % (*)
		1999	3,0 % (*)
		2000	2,3 % (*)
		2001	1,5 % (*)
	0808 10 71	1996	4,5 % (*)
	73	1997	3,8 % (*)
	79	1998	3,0 % (*)
		1999	2,3 % (*)
		2000	1,5 % (*)
Fresh pears 1 to 30 April and 1 to 15 July			
0808 20 33	0808 20 37	1996	4,4 % (*)
		1997	3,8 % (*)
		1998	3,2 % (*)
		1999	2,5 % (*)
		2000	1,9 % (*)
		2001	1,3 % (*)
	0808 20 47	1996	3,8 % (*)
		1997	3,2 % (*)
		1998	2,5 % (*)
		1999	1,9 % (*)
		2000	1,3 % (*)
Kiwifruit, fresh 15 May to 15 November			
ex 0810 90 10	ex 0810 50 00	1. 1. 1996	9,8 %
		1. 7. 1996	9,5 %
		1. 7. 1997	9,1 %
		1. 7. 1998	8,7 %
		1. 7. 1999	8,4 %
		1. 7. 2000	8,0 %

(*) Duty rates applied on the condition that the entry price is respected.

Summary description CN code	CN code 1996	Rate of duty to be applied on 1 January 1996 and in later years indicated
(1)	(2)	(3)
Dried apples 0813 30 00	0813 30 00	1. 1. 1996 7,2 % 1. 7. 1996 6,4 % 1. 7. 1997 5,6 % 1. 7. 1998 4,8 % 1. 7. 1999 4,0 % 1. 7. 2000 3,2 %
Other dried fruit 0813 40 92	0813 40 95	1. 1. 1996 5,4 % 1. 7. 1996 4,8 % 1. 7. 1997 4,2 % 1. 7. 1998 3,6 % 1. 7. 1999 3,0 % 1. 7. 2000 2,4 %

Section 3

Summary description CN code	CN code 1996	Quota quantity	Rate of duty
(1)	(2)	(3)	(4)
<i>Coregonus</i> spp (white fish) ex 0303 29 00	ex 0303 29 00	1 000 t	5,5 %
Cheddar ex 0406 90 21	ex 0406 90 21	Additional 1 250 t allocated to Canada	ECU 13,75/100 kg/net
Freshwater crayfish, frozen 0306 19 10	0306 19 10	3 000 t	0 %
Almonds in shell Almonds, shelled 0802 11 90 0802 12 90	0802 11 90 0802 12 90	Additional 45 000 t	2 %
Fresh (sweet) cherries 21 May to 15 July ex 0809 20 10 ex 2	0809 20 39 0809 20 49	800 t	4 %

Summary description CN code	CN code 1996	Quota quantity	Rate of duty
(1)	(2)	(3)	(4)
Durum wheat (minimum vitreous kernel content of 73 %) ex 1001 10 00	 ex 1001 10 00	 50 000 t	 0 %
Husked (brown) rice 1006 20 11 13 15 17 92 94 96 98	 1006 20 11 13 15 17 92 94 96 98	 20 000 t	 ECU 88/t
Semi-milled and wholly milled rice 1006 30 21 23 25 27 42 44 46 48 61 63 65 67 92 94 96 98	 1006 30 21 23 25 27 42 44 46 48 61 63 65 67 92 94 96 98	 63 000 t	 0 %
Other worked oats 1104 22 99	 1104 22 92 1104 22 99	 10 000 t	 0 %
Shrimps of the species <i>Pandalus Borealis</i> , shelled, boiled and frozen ex 1605 20 00	 ex 1605 20 10 ex 1605 20 91 ex 1605 20 99	 500 t	 0 %
Plywood ex 4412 19 00 ex 4412 92 99 ex 4412 99 80	 ex 4412 19 00 ex 4412 92 99 ex 4412 99 80	 650 000 m ³	 0 %

Summary description CN code	CN code 1996	Quota quantity	Rate of duty
(1)	(2)	(3)	(4)
'High quality' beef			
ex 2001	ex 0201 10 00	(1) Additional 2 000 t allocated to Australia	20 %
ex 0202	ex 0201 20 20		
ex 0206 10 95	30		
ex 0206 29 91	50		
	90		
	ex 0201 30 00		
	ex 0202 10 00		
	ex 0202 20 10		
	30		
	50		
	90		
	ex 0202 30 10		
	50		
	90		
	ex 0206 10 95		
	ex 0206 29 91		
ex 0201 20 90	ex 0201 20 90	300 t	20 %
ex 0201 30 00	ex 0201 30 00		
ex 0202 20 90	ex 0202 20 90		
ex 0202 30	ex 0202 30		
ex 0206 10 95	ex 0206 10 95		
ex 0206 29 91	ex 0206 29 91		
Meat of sheep or goats, fresh, chilled or frozen			
0204	0204 10 00	(1) Additional 1 150 t allocated to Australia	0 %
	0204 21 00		
	0204 22 10		
	30	(2) Additional 1 700 t allocated to New Zealand	0 %
	50		
	90		
	0204 23 00		
	0204 30 00		
	0204 41 00		
	0204 42 10	(3) Additional 1 510 t allocated to Chile	0 %
	30		
	50		
	90		
	0204 43 10		
	90		
	0204 50 11		
	13		
	15		
	19		
	31		
	39		
	51		
	53		
	55		
	59		
	71		
	79		
Frozen fillets of fish of the species <i>Pseudocyttus</i> <i>Maculatus</i> and <i>Alloctytus</i> spp.			
ex 0304 20 96	ex 0304 20 96	200 t	0 %

Summary description CN code	CN code 1996	Quota quantity	Rate of duty
(1)	(2)	(3)	(4)
Cheese for processing ex 0406 90 11	ex 0406 90 01	(1) Additional 1 000 t allocated to New Zealand	ECU 17,06/100 kg/net
Cheddar ex 0406 90 21	ex 0406 90 21	(1) Additional 750 t allocated to Australia (2) Additional 500 t allocated to New Zealand	ECU 17,06/100 kg/net
Milling oats ex 1004 00 50	ex 1004 00 00	21 000 t	ECU 89/t