



**▼B****COMMISSION REGULATION (EC) No 1464/2004****of 17 August 2004****concerning the authorisation for 10 years of the additive  
‘Monteban’ in feedingstuffs, belonging to the group of  
coccidiostats and other medicinal substances****(Text with EEA relevance)***Article 1*

Chapter I of Annex B to Directive 70/524/EEC is amended as follows:

the additive narasin, belonging to the group ‘Coccidiostats and other medical substances’, is deleted.

*Article 2*

The additive Monteban belonging to the group ‘Coccidiostats and other medical substances’, as set out in the Annex to the present Regulation, is authorised for use in animal nutrition under the conditions laid down in that Annex.

*Article 3*

A period of six months from the date of entry into force of this Regulation is permitted to use up the existing stocks of narasin.

*Article 4*

This Regulation shall enter into force on the third day following that of its publication in the *Official Journal of the European Union*.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

## ANNEX

Registration number of additive	Name and registration number of person responsible for putting additive into circulation	Additive (Trade name)	Composition, chemical formula, description	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation	Maximum residue limits (MRLs) in the relevant foodstuffs of animal origin from species or category of animal concerned
						mg of active substance/kg of complete feedingstuff				
<b>Coccidiostats and other medicinal substances</b>										
E 765	►M3 Elanco GmbH ◀	Narasin 100 g/kg (Monteban, Monteban G 100)	Additive composition: Narasin: 100 g activity/kg Soybean oil or mineral oil: 10-30 g/kg Vermiculite: 0-20 g/kg Soybean mill run or rice hulls qs 1 kg Active substance: Narasin, C <sub>43</sub> H <sub>72</sub> O <sub>11</sub> CAS number: 55134-13-9 polyether monocarboxylic acid produced by <i>Streptomyces aureofaciens</i> (NRRL 8092), in granular form Narasin A activity: ≥ 90 %	Chickens for fattening	—	60	70	►M2 ◀  Indicate in the instructions for use:  'Dangerous for equine species, turkeys and rabbits'  'This feedingstuff contains an ionophore: simultaneous use with certain medicinal substances (e.g. tiamulin) can be contraindicated'	21.8.2014	50 µg Narasin/kg for all wet tissues from chickens for fattening