

This text is meant purely as a documentation tool and has no legal effect. The Union's institutions do not assume any liability for its contents. The authentic versions of the relevant acts, including their preambles, are those published in the Official Journal of the European Union and available in EUR-Lex. Those official texts are directly accessible through the links embedded in this document

► B **COMMISSION REGULATION (EC) No 1292/2008**
of 18 December 2008
concerning the authorisation of *Bacillus amyloliquefaciens* CECT 5940 (Ecobiol and Ecobiol plus)
as a feed additive
 (Text with EEA relevance)
 (OJ L 340, 19.12.2008, p. 36)

Amended by:

		Official Journal		
		No	page	date
► <u>M1</u>	Commission Regulation (EU) No 336/2011 of 7 April 2011	L 94	17	8.4.2011
► <u>M2</u>	Commission Implementing Regulation (EU) 2017/173 of 1 February 2017	L 28	5	2.2.2017

▼B

COMMISSION REGULATION (EC) No 1292/2008

of 18 December 2008

**concerning the authorisation of *Bacillus amyloliquefaciens* CECT
5940 (Ecobiol and Ecobiol plus) as a feed additive**

(Text with EEA relevance)

Article 1

The preparation specified in the Annex, belonging to the additive category 'zootechnical additives' and to the functional group 'gut flora stabilisers', is authorised as an additive in animal nutrition subject to the conditions laid down in that Annex.

Article 2

This Regulation shall enter into force on the 20th day following its publication in the *Official Journal of the European Union*.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

ANNEX

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						CFU/kg of complete feedingstuff with a moisture content of 12 %			
Category of zootechnical additives. Functional group: gut flora stabilisers									
4b1822	►M2 Evonik Nutrition & Care GmbH ◀	<i>Bacillus amylo-liquefaciens</i> CECT 5940	<p><i>Additive composition</i></p> <p>Preparation of <i>Bacillus amyloliquefaciens</i> CECT 5940 containing a minimum of 1×10^9 CFU/g additive</p> <p><i>Characterisation of active substance</i></p> <p>Spores of <i>Bacillus amyloliquefaciens</i> CECT 5940</p> <p><i>Analytical methods</i> ⁽¹⁾</p> <p>Enumeration: spread plate method using tryptone soya agar following a heat treatment.</p> <p>Identification: pulsed-field gel electrophoresis (PFGE) method.</p>	Chickens for fattening	—	1×10^9	—	<p>1. In the directions for use of the additive and premixture, indicate the storage temperature, storage life and stability to pelleting.</p> <p>2. May be used in feed containing the permitted coccidiostats: diclazuril, monensin sodium, or nicarbazin.</p> <p>3. For safety reasons: breathing protection; glasses and gloves shall be used during handling</p>	8.1.2019

⁽¹⁾ Details of the analytical methods are available at the following address of the European Union Reference Laboratory: www.irmm.jrc.be/crl-feed-additives