Commission Regulation (EU) No 37/2010 of 22 December 2009 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin (Text with EEA relevance)

### COMMISSION REGULATION (EU) No 37/2010

of 22 December 2009

on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin

(Text with EEA relevance)

## THE EUROPEAN COMMISSION,

Having regard to the Treaty on the Functioning of the European Union,

Having regard to Regulation (EC) No 470/2009 of the European Parliament and of the Council of 6 May 2009 laying down Community procedures for the establishment of residue limits of pharmacologically active substances in foodstuffs of animal origin, repealing Council Regulation (EEC) No 2377/90 and amending Directive 2001/82/EC of the European Parliament and of the Council and Regulation (EC) No 726/2004 of the European Parliament and of the Council<sup>(1)</sup>, and in particular Article 27(1) thereof,

#### Whereas:

- (1) In order to protect public health, pharmacologically active substances, on the basis of the scientific assessment of the safety of those substances, were classified in four Annexes to Council Regulation (EEC) No 2377/90 of 26 June 1990 laying down a Community procedure for the establishment of maximum residue limits of veterinary medicinal products in foodstuffs of animal origin<sup>(2)</sup>. Annex I contained substances for which a maximum residue limit was established, Annex II contained substances for which it was not necessary to establish a maximum residue limit, Annex III contained substances for which a provisional maximum residue limit was established and Annex IV contained substances for which a maximum residue limit could not be established because residues of those substances, at whatever limit, constitute a hazard to human health.
- (2) For reasons of simplification, it is necessary to incorporate those pharmacologically active substances and their classification regarding maximum residue limits in a Commission Regulation. As this classification follows the classification system foreseen in Regulation (EC) No 470/2009, the classification should also be taken account of with regard to the possibility to administer those pharmacologically active substances to food-producing animals.
- (3) Existing information on the therapeutical classification of pharmacologically active substances contained in the Annexes to Regulation (EEC) No 2377/90 should be incorporated into a column on the therapeutical classification of substances.

Status: Point in time view as at 23/04/2018.

Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 37/2010. (See end of Document for details)

- (4) For reasons of ease of use, all pharmacologically active substances should be listed in one Annex in alphabetical order. For reasons of clarity, two separate tables should be established: one for allowed substances, listed in Annexes I, II and III of Regulation (EEC) No 2377/90, and one for prohibited substances, listed on Annex IV to that Regulation.
- (5) Provisional maximum residue limits for pharmacologically active substances, laid down in Annex III to Regulation (EEC) No 2377/90 for which the period of application has ended, should not be incorporated into this Regulation.
- (6) The measures provided for in this Regulation are in accordance with the opinion of the Standing Committee on Veterinary Medicinal Products,

## HAS ADOPTED THIS REGULATION:

#### Article 1

Pharmacologically active substances and their classification regarding maximum residue limits are set out in the Annex.

#### Article 2

This Regulation shall enter into force on the 20th day following its publication in the *Official Journal of the European Union*.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Status: Point in time view as at 23/04/2018.

Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 37/2010. (See end of Document for details)

## **ANNEX**

Pharmacologically active substances and their classification regarding maximum residue limits (MRL)

# TABLE 1

## Allowed substances

Pharmacol active Substance	og <b>Mall</b> ķer residue	Animal Species	MRL	Target Tissues	Other Provisions( to Article 14(7 of Regulation (EC) No 470/200	
Abamectin	Avermectin B1a	Bovine	10 μg/kg 20 μg/kg	Fat Liver	NO ENTRY	Antiparasitic agents/
		Ovine	20 μg/kg 50 μg/kg 25 μg/kg 20 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	Agents acting against endo- and ectoparasites
Absinthium extract	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Acetyl cysteine	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Acetylmethi	o <b>NiGE</b> APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Acetylsalicy acid	INOT APPLICABI	All food Froducing species except fin fish	No MRL required	NOT APPLICABI	Not for use Im animals from which milk or eggs are produced for human consumption	NO ENTRY
Acetylsalicy acid DL- lysine	INOT APPLICABI	All food Froducing species except fin fish	No MRL required	NOT APPLICABI	Not for use In animals from which milk or eggs are produced	NO ENTRY

					for human consumption	
Adenosine and its 5'-mono-, 5'-di-and 5' triphosphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Adonis vernalis	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in Momeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration in the products not exceeding one part per hundred only.	eias,
Aesculus hippocastant	NOT u <b>A</b> PPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at concentration in the products not exceeding one part per ten only.	eias
Agnus castus	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in homeopathic veterinary medicinal products prepared according	NO ENTRY

Status: Point in time view as at 23/04/2018.

					to homeopathic pharmacoporat concentration corresponding to the mother tincture and dilutions thereof only.	eias ns
Ailanthus altissima	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in Romeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration corresponding to the mother tincture and dilutions thereof only.	eias ns
Alanine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[FI Alarelin	NOT APPLICABI	All food- froducing species	No MRL required	NOT APPLICABI	NO ÆNTRY	Agents acting on the reproductive system]
Albendazole	Sum of albendazole sulphoxide, albendazole sulphone, and albendazole 2-amino sulphone, expressed	All ruminants	100 μg/kg 100 μg/kg 1 000 μg/ kg 500 μg/kg 100 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites

	as albendazole					
Albendazole oxide	Sum of albendazole oxide, albendazole sulphone, and albendazole 2-amino sulphone, expressed as albendazole	Bovine, ovine	100 μg/kg 100 μg/kg 1 000 μg/ kg 500 μg/kg 100 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
Alfacalcidol	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	For farturient cows only.	NO ENTRY
Alfaprostol	NOT APPLICABI	Bovine, Forcine, rabbit, Equidae	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Allantoin	NOT APPLICABI	All food- Froducing species	No MRL required	NOT APPLICABI	For topical  For topical	NO ENTRY
Allium cepa	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Formeopathic veterinary medicinal products prepared according to homeopathic pharmacoporat concentration corresponding to the mother tincture and dilutions thereof only.	eias 1s
Aloe vera gel and whole leaf extract of Aloe vera	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Latise only.	NO ENTRY

Status: Point in time view as at 23/04/2018.

Aloes, Barbados and Capae, their standardised dry extract and preparations thereof		All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Alphacypern	nethpermethri (sum of isomers)	nBovine, ovine	20 μg/kg 200 μg/kg 20 μg/kg 20 μg/kg 20 μg/kg	Muscle Fat Liver Kidney Milk	For milk MRL further provisions in Commission Directive 98/82/EC are to be observed.	Antiparasitic agents/ Agents against ectoparasites
[F2Altrenoge	Altrenogest	Porcine	4 μg/kg	Skin and fat	Only for zootechnical	
			2 μg/kg	Liver	use and in accordance	on the reproductive
		Equidae	4 μg/kg	Fat	with the	system
			4 μg/kg	Liver]	provisions of Directive 96/22/EC	
Aluminium distearate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Aluminium hydroxide	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Aluminium hydroxide acetate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Aluminium	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Aluminium phosphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F3 Aluminium salicylate, basic	Salicylic acid	Bovine, caprine, Equidae, rabbit	200 μg/kg 500 μg/kg 1 500 μg/ kg 1 500 μg/ kg	Muscle Fat Liver Kidney	NO ENTRY	Antidiarrheal and intestinal anti- inflammatory agents

		Bovine, caprine, Equidae	9 μg/kg	Milk		
	NOT APPLICABI	All food Producing species except bovine, caprine, Equidae, rabbit and fin fish	No MRL required	NOT APPLICABI	For topical Tise only	
Aluminium tristearate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
2- Aminoethan	NOT DAPPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
2- Aminoethano glucuronate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
2- Aminoethyl dihydrogenp	NOT APPLICABI hosphate	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Amitraz	Sum of amitraz and all metabolites	Bovine	200 μg/kg 200 μg/kg 200 μg/kg 10 μg/kg	Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
	containing the 2,4- DMA moiety, expressed	Ovine	400 μg/kg 100 μg/kg 200 μg/kg 10 μg/kg	Fat Liver Kidney Milk		
	as amitraz	Caprine	200 μg/kg 100 μg/kg 200 μg/kg 10 μg/kg	Fat Liver Kidney Milk		
		Porcine	400 μg/kg 200 μg/kg 200 μg/kg	Skin and fat Liver Kidney		
		Bees	200 μg/kg	Honey		
Ammonium chloride	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Status: Point in time view as at 23/04/2018.

Ammonium lauryl sulphate	NOT APPLICABI	All food- Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Ammonium sulfate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Amoxicillin	Amoxicillin	All food producing species	50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg 4 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	Anti- infectious agents/ Antibiotics
Ampicillin	Ampicillin	All food producing species	50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg 4 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish.	Anti- infectious agents/ Antibiotics

					For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	
Amprolium	NOT APPLICABI	Poultry LE	No MRL required	NOT APPLICABI		NO ENTRY
Angelicae radix aetheroleum	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Anisi aetheroleum	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Anisi stellati fructus, standardised extracts and preparations thereof	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Apocynum cannabinum	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at concentration in the products not exceeding one part per hundred only. For	eias,

Status: Point in time view as at 23/04/2018.

					oral use only.	
Apramycin	Apramycin	Bovine	1 000 μg/ kg 1 000 μg/ kg 10 000 μg/ kg 20 000 μg/ kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	Anti- infectious agents/ Antibiotics
	NOT APPLICABI	Ovine,  Diorcine, chicken, rabbit	No MRL required	NOT APPLICABI	For oral use of the form which milk or eggs are produced for human consumption	
Aqua levici	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Momeopathic veterinary medicinal products prepared according to homeopathic pharmacopolonly.	
Arginine	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Arnica montana (arnicae flos and arnicae planta tota)	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical trise only.	NO ENTRY
Arnicae radix	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopoopathic pharmacopoopathic products prepared according to homeopathic pharmacopoopathic pharmacopoopathic products are supplied to the product of the	

					at concentration corresponding in the products not exceeding one part per ten only.	
Artemisia abrotanum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration corresponding to the mother tincture and dilutions thereof only.	eias 1s
Asparagine	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Aspartic acid	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Atropa belladonna	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration in the products not exceeding one part per	eias,

Status: Point in time view as at 23/04/2018.

					hundred only.	
Atropine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Avilamycin	Dichloroisoe	Ponime, poultry, rabbit	50 μg/kg 100 μg/kg 300 μg/kg 200 μg/kg	Muscle Fat Liver Kidney	For porcine and poultry species this MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	Anti- infectious agents/ Antibiotics
Azagly- nafarelin	NOT APPLICABI	Salmonidae LE	No MRL required	NOT APPLICABI	Not for Thise in fish from which eggs are produced for human consumption	NO ENTRY
[F4Azamethi]	MQT APPLICABI	Fin fish LE	No MRL required	NOT APPLICABI	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites]
Azaperone	Sum of azaperone and azaperol	Porcine	100 μg/kg 100 μg/kg 100 μg/kg 100 μg/kg	Muscle Skin and fat Liver Kidney	NO ENTRY	Agents acting on the nervous system/ Agents acting on the central nervous system
Bacitracin	Sum of	Bovine	100 μg/kg	Milk	NO	Anti-
	bacitracin A, bacitracin B, and bacitracin C	bacitracin B, and bacitracin	150 μg/kg 150 μg/kg 150 μg/kg 150 μg/kg	Muscle Fat Liver Kidney	ENTRY	infectious agents/ Antibiotics

	NOT APPLICABI	Bovine LE	No MRL required for all tissues except milk.	NOT APPLICABI	For Fatramamma use in lactating cows only.	ry
Balsamum peruvianum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Fise only.	NO ENTRY
Baquiloprim	Baquiloprim	Bovine	10 μg/kg 300 μg/kg 150 μg/kg 30 μg/kg	Fat Liver Kidney Milk	NO ENTRY	Anti- infectious agents/ Chemotheurapeutics
		Porcine	40 μg/kg 50 μg/kg 50 μg/kg	Skin and fat Liver Kidney		
[F5Barium selenate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	Not for Administration by injection	Alimentary otract and metabolism/ mineral supplements]
Beclomethas dipropionate	oni⊕T APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For Inhalation use only.	NO ENTRY
Bellis perennis	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in Romeopathic veterinary medicinal products prepared according to homeopathic pharmacoporat concentration corresponding to the mother tincture and dilutions thereof only.	eias ns
Benzalkoniu chloride	nNOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For use Lets an excipient at concentration up	NO ENTRY ns

Status: Point in time view as at 23/04/2018.

					to 0,05 % only.	
Benzocaine	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use Let's local anaesthetic only.	NO ENTRY
		Salmonidae	No MRL required	NOT APPLICABI	NO ÆNTRY	
Benzyl alcohol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Benzyl benzoate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Benzyl p- hydroxybenz	NOT MARPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Benzylpenic	<b>iBa</b> nzylpenic	illiH food producing species	50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg 4 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions' Not for use in animals from which eggs are produced for human consumption	Anti- infectious agents/ Antibiotics

Betaine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Betaine glucuronate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Betamethaso	n <b>B</b> etamethaso	ræovine, porcine	0,75 μg/kg 2,0 μg/kg 0,75 μg/kg	Muscle Liver Kidney	NO ENTRY	Corticoides/ Glucocorticoide
		Bovine	0,3 μg/kg	Milk		
Biotin	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Bismuth subcarbonate	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For oral use forly.	NO ENTRY
Bismuth subgallate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For oral use forly.	NO ENTRY
Bismuth subnitrate	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For oral use finly.	NO ENTRY
		Bovine	No MRL required	NOT APPLICABI	For Intramamma use only.	NO r <b>E</b> NTRY
Bismuth subsalicylate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For oral use Imply.	NO ENTRY
Bituminosult ammonium and sodium salts	Oniones, APPLICABI	All finammalian food producing species	No MRL required	NOT APPLICABI	For topical drive only.	NO ENTRY
Boldo folium	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Boric acid and borates	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F6Bromelain	NOT APPLICABI	Porcine LE	No MRL required	NOT APPLICABI	NO LENTRY	Antidiarrheal agents]
Bromhexine	NOT APPLICABI	Bovine, Forcine, poultry	No MRL required	NOT APPLICABI	Not for use In animals from which milk or	NO ENTRY

Status: Point in time view as at 23/04/2018.

					eggs are produced for human consumption	
Bromide, potassium salt	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Bromide, sodium salt	NOT APPLICABI	All- finammalian food- producing species	No MRL required	NOT APPLICABI	For topical dise only.	NO ENTRY
Bronopol	NOT APPLICABI	Fin fish LE	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Brotizolam	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	For Herapeutic uses only.	NO ENTRY
Buserelin	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[ <sup>F7</sup> Butafosfar	NOT APPLICABI	All Finammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	Alimentary tract and metabolism/ mineral supplements]
n-Butane	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
n-Butanol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Butorphanolo tartrate	eNOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For Intravenous administrationly.	NO ENTRY on
Butyl 4- hydroxybenz	NOT MARPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Butylscopola bromide	nNiQilim APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F8Cabergolin	Cabergoline	Bovine	0,1 μg/kg	Fat	NO	Prolactin
			0,25 μg/kg	Liver	ENTRY	inhibitor
			0,5 μg/kg	Kidney		

			0,15 μg/kg	Muscle		
			0,1 μg/kg	Milk]		
Caffeine	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium acetate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium aspartate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium benzoate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium boroglucona	NOT teapplicabl	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium carbonate	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium chloride	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium citrate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium glucohepton	NOT at&PPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium gluconate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium glucono glucohepton	NOT APPLICABI ate	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium gluconolacta	NOT t&PPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium glutamate	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium glycerophos	NOT MARPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Status: Point in time view as at 23/04/2018.

Calcium hydroxide	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium hypophosphi	NOT t <b>≜</b> PPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium malate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium oxide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Calcium pantothenate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Calcium phosphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium polyphospha	NOT tespplicabl	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium propionate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium silicate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium stearate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium sulphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Calendula officinalis	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Romeopathic veterinary medicinal products prepared according to homeopathic pharmacopo at concentration corresponding in the	eias ns

Calendulae	NOT	All food	No MRL	NOT	products not exceeding one part per ten only. For topical	NO
flos	APPLICABI	producing species	required	APPLICABI		ENTRY
Camphor	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	External Liese only.	NO ENTRY
Camphora	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration in the products not exceeding one part per hundred only.	eias
Capsici fructus acer	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Carazolol	Carazolol	Bovine	5 μg/kg 5 μg/kg 15 μg/kg 15 μg/kg 1 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Agents acting on the nervous system/ Agents acting on the autonomic nervous system
		Porcine	5 μg/kg 5 μg/kg 25 μg/kg 25 μg/kg	Muscle Skin and fat Liver Kidney		
Carbasalate calcium	NOT APPLICABI	All food Producing species except fin fish	No MRL required	NOT APPLICABI	Not for use In animals from which milk or eggs are produced	NO ENTRY

Status: Point in time view as at 23/04/2018.

					for human consumption	
Carbetocin	NOT APPLICABI	All  Mammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cardamon extract	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cardiosperm	APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Momeopathic veterinary medicinal products prepared according to homeopathic pharmacoporat concentration corresponding to the mother tincture and dilutions thereof only.	eias 18
Carlinae radix	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For topical Lifese only.	NO ENTRY
Carnitine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Carprofen	Sum of carprofen and carprofen glucuronide conjugate	Bovine, Equidae	1 000 μg/ Fat Liver	- ***	NO ENTRY	Anti- inflammatory agents/ Nonsteroidal anti- inflammatory agents
	NOT APPLICABI	Bovine LE	No MRL required for milk	NOT APPLICABI	LE	
Carvi aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Caryophylli aetheroleum	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cefacetrile	Cefacetrile	Bovine	125 μg/kg	Milk	For	Anti-
	NOT APPLICABI	Bovine LE	No MRL required for all tissues except milk.	NOT APPLICABI		rinfectious agents/ Antibiotics
Cefalexin	Cefalexin	Bovine	200 μg/kg 200 μg/kg 200 μg/kg 1 000 μg/ kg 100 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Anti- infectious agents/ Antibiotics
Cefalonium	Cefalonium	Bovine	20 μg/kg	Milk	For intramamma use and eye treatment only.	Anti-
	NOT APPLICABI	Bovine LE	No MRL required for all tissues except milk.	NOT APPLICABI		rinfectious agents/ Antibiotics
Cefapirin	Sum of cephapirin and desacetylcep	Bovine hapirin	50 μg/kg 50 μg/kg 100 μg/kg 60 μg/kg	Muscle Fat Kidney Milk	NO ENTRY	Anti- infectious agents/ Antibiotics
Cefazolin	Cefazolin	Bovine, ovine, caprine	50 μg/kg	Milk	NO ENTRY	Anti- infectious agents/
	NOT APPLICABI	Bovine, Ewine, caprine	No MRL required for all tissues except milk.	NOT APPLICABI	For Entramamma use, except if the udder may be used as food for human consumption	
Cefoperazon	eCefoperazon	eBovine	50 μg/kg	Milk	For	Anti-
	NOT APPLICABI	Bovine LE	No MRL required for all tissues except milk.	NOT APPLICABI	intramamma use in factating cows only.	rinfectious agents/ Antibiotics
Cefquinome	Cefquinome	Bovine, porcine, Equidae	50 μg/kg 50 μg/kg 100 μg/kg	Muscle Fat Liver	For porcine species the fat MRL	Anti- infectious

Document Generated: 2023-08-29

Status: Point in time view as at 23/04/2018.

			200 μg/kg	Kidney	relates	agents/
		Bovine	20 μg/kg	Milk	to 'skin and fat in natural proportions'.	Antibiotics
Ceftiofur	Sum of all residues retaining the betalactam structure expressed as desfuroylcef	All mammalian food producing species	1 000 μg/ kg 2 000 μg/ kg 2 000 μg/ kg 6 000 μg/ kg 100 μg/kg	Muscle Fat Liver Kidney Milk	For porcine species the fat MRL relates to 'skin and fat in natural proportions'.	Anti- infectious agents/ Antibiotics
Centellae asiaticae extractum	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For topical Lifese only.	NO ENTRY
Cetostearyl alcohol	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cetrimide	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Chlorhexidir	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For topical Latese only.	NO ENTRY
Chlormadino	<b>K</b> chlormadino	n Recovine	4 μg/kg 2 μg/kg 2,5 μg/kg	Fat Liver Milk	For zootechnical use only.	Agents acting on the reproductive system
Chlorocresol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F9Chloroform	nNOT APPLICABI	All Frammalian food producing species	No MRL required	NOT APPLICABI	Only to be lised as an excipient in vaccines and only at concentration not exceeding 1 % w/v and total doses not exceeding 20 mg per animal.	NO ENTRY]

Chlorphenan		All  Mammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Chlortetracy	e <b>Sinm</b> of parent drug and its 4- epimer	All food- producing species	100 μg/kg 300 μg/kg 600 μg/kg 100 μg/kg 200 μg/kg	Muscle Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for liver and kidney do not apply to fin fish.	Anti- infectious agents/ Antibiotics
Choline	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Chrysanthen cinerariifolii flos	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Free only.	NO ENTRY
Chymotrypsi	nNOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cimicifugae racemosae rhizoma	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	Not for use Im animals from which milk is produced for human consumption	NO ENTRY
Cinchonae cortex, standardised extracts and preparations thereof	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Cinnamomi cassiae aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cinnamomi cassiae cortex, standardised extracts and	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY

Status: Point in time view as at 23/04/2018.

preparations thereof						
Cinnamomi ceylanici aetheroleum	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cinnamomi ceylanici cortex, standardised extracts and preparations thereof	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Citri aetheroleum	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Citronellae aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Citrulline	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Clavulanic acid	Clavulanic acid	Bovine, porcine	100 μg/kg 100 μg/kg 200 μg/kg 400 μg/kg	Muscle Fat Liver Kidney	species the fat MRL	Anti- infectious agents/ Antibiotics
		Bovine	200 μg/kg	Milk		
Clazuril	NOT APPLICABI	Pigeon LE	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Clenbuterol hydrochlorid	Clenbuterol e	Bovine, Equidae	0,1 μg/kg 0,5 μg/kg 0,5 μg/kg	Muscle Liver Kidney	NO ENTRY	Agents acting on the nervous
		Bovine	0,05 μg/kg	Milk		system/ Agents acting on the autonomic nervous system
[F10Clodronic acid (in the form of disodium salt)	NOT APPLICABI	Equidae LE	No MRL required	NOT APPLICABI	Not for use In animals from which milk is produced for human consumption	Musculoskeletal system/ drugs for treatment of bone diseases]

Cloprostenol	NOT APPLICABI	Bovine, Forcine, caprine, Equidae	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
R- Cloprostenol	NOT APPLICABI	Bovine, Forcine, caprine, Equidae	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F11Clorsulon	Clorsulon	Bovine	35 μg/kg	Muscle	NO	Antiparasitic
			100 μg/kg	Liver	ENTRY	agents/ Agents
			200 μg/kg	Kidney		against
			16 μg/kg	Milk]		endoparasites
[F12Closantel Clo	Closantel	Bovine	1 000 µg/kg 3 000 µg/kg 1 000 µg/kg 3 000 µg/kg 45 µg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
		Ovine	1 500 μg/ kg 2 000 μg/ kg 1 500 μg/ kg 5 000 μg/ kg 45 μg/kg	Muscle Fat Liver Kidney Milk]		
Cloxacillin	Cloxacillin	All food producing species	300 µg/kg 300 µg/kg 300 µg/kg 300 µg/kg 30 µg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL	Anti- infectious agents/ Antibiotics

Status: Point in time view as at 23/04/2018.

					relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	
Cobalt carbonate	NOT APPLICAB	All food  Producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cobalt dichloride	NOT APPLICAB	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cobalt gluconate	NOT APPLICAB	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cobalt oxide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cobalt sulphate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cobalt trioxide	NOT APPLICABL	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Coco alkyl dimethyl betaines	NOT APPLICAB	All food  Froducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Colistin	Colistin	All food producing species	150 μg/kg 150 μg/kg 150 μg/kg 200 μg/kg 50 μg/kg 300 μg/kg	Muscle Fat Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for fat, liver and kidney do not apply to fin fish.	Anti- infectious agents/ Antibiotics

Condunance	NOT	All food	No MRL	NOT	For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'.	NO
Condurango cortex, standardised extracts and preparations thereof	APPLICABI		required	APPLICABI		ENTRY
Convallaria majalis	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration in the products not exceeding one part per thousand only.	eias,
[F13Copper carbonate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ENTRY	Alimentary tract and metabolism/ Mineral supplement]
Copper chloride	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Copper gluconate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Copper heptanoate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Status: Point in time view as at 23/04/2018.

Copper methionate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Copper oxide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Copper sulphate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Coriandri aetheroleum	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Corticotropia	nNOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Coumafos	Coumafos	Bees	100 μg/kg	Honey	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
Crataegus	NOT APPLICABI	All food  Froducing species	No MRL required		For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration corresponding to the mother tincture and dilutions thereof only.	eias 1s g
Cupressi aetheroleum	NOT APPLICABI	All food  Foroducing species	No MRL required	NOT APPLICABI	For topical Lifese only.	NO ENTRY
Cyfluthrin	Cyfluthrin (sum of isomers)	Bovine, caprine	10 μg/kg 50 μg/kg 10 μg/kg 10 μg/kg 20 μg/kg	Muscle Fat Liver Kidney Milk	For milk further provisions in Council Directive 94/29/EC	Antiparasitic agents/ Agents against ectoparasites

					are to be observed.	
Cyhalothrin	Cyhalothrin (sum of isomers)	Bovine	500 μg/kg 50 μg/kg 50 μg/kg	Fat Kidney Milk	For milk further provisions in Council Directive 94/29/EC are to be observed.	Antiparasitic agents/ Agents against ectoparasites
Cypermethri	nCypermethri (sum of isomers)	nAll ruminants	20 μg/kg 200 μg/kg 20 μg/kg 20 μg/kg 20 μg/kg	Muscle Fat Liver Kidney Milk	For milk further provisions in Commission Directive 98/82/EC are to be observed.	Antiparasitic agents/ Agents against ectoparasites
		Salmonidae	50 μg/kg	Muscle and skin in natural proportions.		
Cyromazine	Cyromazine	Ovine	300 μg/kg 300 μg/kg 300 μg/kg 300 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	Antiparasitic agents/ Agents against ectoparasites
Cysteine	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cytidine and its 5'- mono-, 5'- di- and 5'- triphosphates	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Danofloxaci	nDanofloxacii	nBovine, ovine, caprine, poultry	200 μg/kg 100 μg/kg 400 μg/kg 400 μg/kg	Muscle Fat Liver Kidney	the muscle infector agent	Anti- infectious agents/ Antibiotics
		All other food producing species	100 μg/kg 50 μg/kg 200 μg/kg 200 μg/kg	Muscle Fat Liver Kidney		
		Bovine, ovine, caprine	30 μg/kg	Milk	fat, liver and kidney do not apply to fin fish.	

Status: Point in time view as at 23/04/2018.

				For porcine species the fat MRL relates to 'skin and fat in natural proportions'. For poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	
Decoquinate NOT APPLICAB	Bovine, Lowine	No MRL required	NOT APPLICABI	For oral use Dinly. Not for use in animals from which milk is produced for human consumption	NO ENTRY
Deltamethrin Deltamethrin	All ruminants	10 μg/kg 50 μg/kg 10 μg/kg 10 μg/kg 20 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
	Fin fish	10 μg/kg	Muscle and skin in natural proportions.		
Dembrexine NOT APPLICAB	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Denaverine NOT hydrochlorideAPPLICAB	Bovine LE	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F14DerquanteDerquantel	Ovine	2 μg/kg	Muscle	Not for use	Antiparasitic
		40 μg/kg	Fat	in animals from which	agents/ Agents
		20 μg/kg	Liver	milk is produced	against endoparasites

			5 μg/kg	Kidney]	for human consumption	
Deslorelin acetate	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Detomidine	NOT APPLICABI	Bovine, Equidae	No MRL required	NOT APPLICABI	For Herapeutic use only.	NO ENTRY
Dexamethase	oftexamethaso	oBovine, caprine, porcine, <i>Equidae</i>	0,75 μg/kg 2 μg/kg 0,75 μg/kg	Muscle Liver Kidney	NO ENTRY	Corticoides/ Glucocorticoide
		Bovine, caprine	0,3 μg/kg	Milk		
Dexpantheno	NOT APPLICABI	All food- Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Diazinon	Diazinon	Bovine, ovine, caprine, porcine	20 μg/kg 700 μg/kg 20 μg/kg 20 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural proportions'.	Antiparasitic agents/ Agents against ectoparasites
		Bovine, ovine, caprine	20 μg/kg	Milk		
[F15Diclazuri	NOT APPLICABI	All Fuminants, porcine	No MRL required	NOT APPLICABI	For oral use Donly	NO ENTRY
	Diclazuril	Poultry	500 μg/kg	Muscle	Not for use	Antiparasitic
			500 μg/kg	Skin and fat in natural proportions	eggs are produced	agents/ Agents acting againsts protozoa
			1 500 μg/ kg	Liver	consumption	
			1 000 μg/ kg	Kidney		
		Rabbit	150 μg/kg	Muscle		
			300 μg/kg	Fat		
			2 500 μg/ kg	Liver		
			1 000 μg/ kg	Kidney]		
Diclofenac	Diclofenac	Bovine	5 μg/kg 1 μg/kg	Muscle Fat	For porcine species the	Anti- inflammatory

Status: Point in time view as at 23/04/2018.

		Porcine	5 μg/kg 10 μg/kg 0,1 μg/kg 5 μg/kg 1 μg/kg 5 μg/kg 10 μg/kg	Liver Kidney Milk  Muscle Skin and fat Liver Kidney	fat MRL relates to 'skin and fat in natural proportions'.	agents/ Nonsteroidal anti- inflammatory agents
Dicloxacillin	Dicloxacillin	All food producing species	300 μg/kg 300 μg/kg 300 μg/kg 300 μg/kg 30 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions' Not for use in animals from which eggs are produced for human consumption	Anti- infectious agents/ Antibiotics
Dicopper oxide	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Dicyclanil	Sum of dicyclanil and 2, 4, 6-triamino-pyrimidine-5 carbonitrile	Ovine	200 μg/kg 150 μg/kg 400 μg/kg 400 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	Antiparasitic agents/ Agents against ectoparasites

Diethyl phthalate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY	
Diethyl sebacate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY	
[F16Diethyler glycol monethyl ether	<sub>e</sub> NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY]	
Difloxacin	Difloxacin	Bovine, ovine, caprine	400 μg/kg 100 μg/kg 1 400 μg/ kg 800 μg/kg	Muscle Fat Liver Kidney	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. Not for use in animals from which milk is produced for human consumption Not for use in animals from which eggs are produced for human consumption consumption	Anti- infectious agents/ Antibiotics	
		Porcine	400 μg/kg 100 μg/kg 800 μg/kg 800 μg/kg	Muscle Skin and fat Liver Kidney		in natural proportions'. MRLs for fat, liver	
		Poultry	300 μg/kg 400 μg/kg 1 900 μg/ kg 600 μg/kg	Muscle Skin and fat Liver Kidney			
		All other food producing species	300 μg/kg 100 μg/kg 800 μg/kg 600 μg/kg	Muscle Fat Liver Kidney			
Diflubenzuro	nDiflubenzur	<b>S</b> almonidae	1 000 μg/ kg	Muscle and skin in natural proportions	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites	
Dihydrostrep	<b>tDinhyclir</b> ostrep	tathycin ruminants, porcine, rabbit	500 μg/kg 500 μg/kg 500 μg/kg 1 000 μg/ kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in	Anti- infectious agents/ Antibiotics	

Status: Point in time view as at 23/04/2018.

		All ruminants	200 μg/kg	Milk	natural proportions'	
3,5-Diiodo- L-thyrosine	NOT APPLICABI	All Finammalian food producing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Dimanganese trioxide	eNOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For oral use July.	NO ENTRY
Dimethicone	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Dimethyl acetamide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Dimethyl phthalate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Dimethyl sulphoxide	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Dinoprost	NOT APPLICABI	All  Mammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Dinoprost tromethamin	NOT eAPPLICABI	All Finammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Dinoprostone		All Finammalian food producing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Diprophyllin	eNOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Doramectin	Doramectin	All mammalian food producing species	40 μg/kg 150 μg/kg 100 μg/kg 60 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in	Antiparasitic agents/ Agents acting against

					natural proportions'. Not for use in animals from which milk is produced for human consumption	endo- and ectoparasites
[F17] Double stranded ribonucleic acid homologous to viral ribonucleic acid coding for part of the coat protein and part of the intergenic region of the Israel Acute Paralysis Virus	NOT APPLICABI	Bees LE	No MRL required	Honey	NO ENTRY	NO ENTRY]
Doxapram	NOT APPLICABI	All Finammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F18Doxycycl	iPoxycycline	All food producing species	100 μg/kg 300 μg/kg 300 μg/kg 600 μg/kg	Muscle Fat Liver Kidney	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates	Anti- infectious agents/ Antibiotics]

Status: Point in time view as at 23/04/2018.

					to 'skin and fat in natural proportions'. Not for use in animals from which milk or eggs are produced for human consumption	
D- Phenylalanir (6) – luteinising- hormone releasing hormone	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Echinacea	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacoporat concentration corresponding to the mother tincture and dilutions thereof only. For topical use only. For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacoporat concentration	eias ns g

					corresponding in the products not exceeding one part per ten only.	g
Echinacea purpurea	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For topical Lifese only.	NO ENTRY
Emamectin	Emamectin B1a	Fin fish	100 μg/kg	Muscle and skin in natural proportions	NO ENTRY	Antiparasitic agents/ Agents acting against endo- and ectoparasites
Enilconazole	NOT APPLICABI	Bovine, <i>Equidae</i>	No MRL required	NOT APPLICABI	For topical Lifese only.	NO ENTRY
Enrofloxacin	Sum of enrofloxacin and ciprofloxacir	caprine	100 μg/kg 100 μg/kg 300 μg/kg 200 μg/kg 100 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	Anti- infectious agents/ Antibiotics
		Porcine, rabbit	100 μg/kg 100 μg/kg 200 μg/kg 300 μg/kg	Muscle Fat Liver Kidney		
		Poultry	100 μg/kg 100 μg/kg 200 μg/kg 300 μg/kg	Muscle Skin and fat Liver Kidney		
	food	producing	100 μg/kg 100 μg/kg 200 μg/kg 200 μg/kg	Muscle Fat Liver Kidney		<u>.</u>

Status: Point in time view as at 23/04/2018.

Epinephrine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[ <sup>F19</sup> Eprinome	Eprinomecti Bla	nAll ruminants	50 μg/kg 250 μg/kg 1 500 μg/ kg 300 μg/kg 20 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endo- and ectoparasites]
Ergometrine maleate		All mammalian food producing species	No MRL required	NOT APPLICABI	For use in Farturient animals only.	NO ENTRY
	nErythromyci A	nAll food producing species	200 μg/kg 200 μg/kg 200 μg/kg 200 μg/kg 40 μg/kg 150 μg/kg	Muscle Fat Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'.	Anti- infectious agents/ Antibiotics
Etamiphyllin camsylate	€NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Etamsylate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Ethanol	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY

Ethyl lactate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Ethyl oleate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Ethylenedian acid and salts	nNOtEtraaceti APPLICABI		No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Etiproston tromethamin	NOT eAPPLICABI	Bovine, Forcine	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Eucalypti aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Eucalyptol	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Eucalyptus globulus	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in Romeopathic veterinary medicinal products prepared according to homeopathic pharmacoporat concentration corresponding to the mother tincture and dilutions thereof only.	eias 1s
Euphrasia officinalis	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Romeopathic veterinary medicinal products prepared according to homeopathic pharmacopot at concentration corresponding	eias 1s

Status: Point in time view as at 23/04/2018.

					to the mother tincture and dilutions thereof only.	
Febantel	Sum of extractable residues which	All ruminants, porcine, <i>Equidae</i>	50 μg/kg 50 μg/kg 500 μg/kg 50 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates	e agents/ Agents against
	may be oxidised to oxfendazole sulphone	All ruminants	10 μg/kg	Milk	to 'skin and fat in natural proportions'	endoparasites
[ <sup>F20</sup> Fenbenda	extractable residues which may be oxidised to oxfendazole sulfone	All food- producing species except fin fish	50 μg/kg 50 μg/kg 500 μg/kg 50 μg/kg 10 μg/kg 1 300 μg/	Muscle Fat Liver Kidney Milk Eggs	For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'	Antiparasitic agents/ Agents against endoparasites]
Fenpipramid hydrochlorid	eNOT eAPPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For Intravenous use only.	NO ENTRY
Fenvalerate	Fenvalerate (sum of RR, SS, RS and SR isomers)	Bovine	25 μg/kg 250 μg/kg 25 μg/kg 25 μg/kg 40 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
Fertirelin acetate	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Firocoxib	Firocoxib	Equidae	10 μg/kg 15 μg/kg 60 μg/kg 10 μg/kg	Muscle Fat Liver Kidney	NO ENTRY	Anti- inflammatory agents/ Nonsteroidal anti- inflammatory agents
Florfenicol	Sum of florfenicol and its metabolites	Bovine, ovine, caprine	200 μg/kg 3 000 μg/ kg 300 μg/kg	Muscle Liver Kidney	Not for animals infectious from which milk is Antibiotic	infectious
measured as florfenicol- amine	Porcine	300 μg/kg 500 μg/kg 2 000 μg/ kg	Muscle Skin and fat Liver	for human consumption Not for animals		

			500 μg/kg	Kidney	from which	
		Poultry	100 μg/kg 200 μg/kg 2 500 μg/ kg 750 μg/kg	Muscle Skin and fat Liver Kidney	eggs are produced for human consumption	
		Fin fish	1 000 μg/ kg	Muscle and skin in natural proportions.		
		All other food producing species	100 μg/kg 200 μg/kg 2 000 μg/ kg 300 μg/kg	Muscle Fat Liver Kidney		
Fluazuron	Fluazuron	Bovine	200 μg/kg 7 000 μg/ kg 500 μg/kg 500 μg/kg	Muscle Fat Liver Kidney	Not for animals from which milk is produced for human consumption	Antiparasitic agents/ Agents against ectoparasites
Flubendazol	eSum of flubendazole and (2- amino 1H- benzimidazo yl) (4fluoropher methanone	1-5-	50 μg/kg 50 μg/kg 400 μg/kg 300 μg/kg	Muscle Skin and fat Liver Kidney	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
	Flubendazol	ePoultry	400 μg/kg	Eggs		
Flugestone acetate	Flugestone acetate	Ovine, caprine	0,5 μg/kg 0,5 μg/kg 0,5 μg/kg 0,5 μg/kg 1 μg/kg	Muscle Fat Liver Kidney Milk	For intravaginal use for zootechnical purposes only.	Agents acting on the reproductive system
Flumequine	Flumequine	Bovine, ovine, caprine, porcine	200 μg/kg 300 μg/kg 500 μg/kg 1 500 μg/ kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural proportions'. Not for use	Anti- infectious agents/ Antibiotics
		Bovine, ovine, caprine	50 μg/kg	Milk		
		Poultry	400 μg/kg 250 μg/kg	Muscle	in animals from which	

Status: Point in time view as at 23/04/2018.

		Fin Fish	800 μg/kg   1 000 μg/   kg   600 μg/kg	Skin and fat Liver Kidney  Muscle and skin in natural proportion.	eggs are produced for human consumption	
		All other food producing species	200 μg/kg 250 μg/kg 500 μg/kg 1 000 μg/ kg	Muscle Fat Liver Kidney		
Flumethrin	Flumethrin (sum of trans-Z- isomers)	Bovine	10 μg/kg 150 μg/kg 20 μg/kg 10 μg/kg 30 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
		Ovine	10 μg/kg 150 μg/kg 20 μg/kg 10 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	
	NOT APPLICABI	Bees LE	No MRL required	NOT APPLICABI	NO ÆNTRY	
Flunixin	Flunixin	Bovine	20 μg/kg 30 μg/kg 300 μg/kg 100 μg/kg	Muscle Fat Liver Kidney	NO ENTRY	Anti- inflammatory agents/ Nonsteroidal
		Porcine	50 μg/kg 10 μg/kg 200 μg/kg 30 μg/kg	Muscle Skin and fat Liver Kidney		anti- inflammatory agents
		Equidae	10 μg/kg 20 μg/kg 100 μg/kg 200 μg/kg	Muscle Fat Liver Kidney		
	5- Hydroxyflun	Bovine ixin	40 μg/kg	Milk		
[F21Fluralane	rFluralaner	Poultry	65 μg/kg	Muscle	NO ENTRY	Antiparasitic agents/
			650 μg/kg	Skin and fat in natural proportions		Agents against ectoparasites

			650 μg/kg	Liver		
			420 μg/kg	Kidney		
			1 300 μg/ kg	Eggs]		
Foeniculi aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Folic acid	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Follicle stimulating hormone (natural FSH from all species and their synthetic analogues)	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Food additives (substances with a valid E number approved as additives in foodstuffs for human consumption	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	Only Fubstances approved as additives in foodstuffs for human consumption with the exception of preservatives listed in part C of Annex III to European Parliament and Council Directive 95/2/EC.	
Formaldehyo	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Formic acid	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Document Generated: 2023-08-29

Status: Point in time view as at 23/04/2018.

Frangulae cortex, standardised extracts and preparations thereof	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Furosemide	NOT APPLICABI	Bovine, <i>Equidae</i>	No MRL required	NOT APPLICABI	For Intravenous administrationly.	NO ENTRY on
[F22Gamithro	16gamithromy	cÀnl	50 μg/kg	Muscle	Not for use	Anti-
		ruminants except	50 μg/kg	Fat	in animals producing	infectious agents/
		bovine	300 μg/kg	Liver	milk for	Antibiotics
			200 μg/kg	Kidney	human consumption	
		Bovine	20 μg/kg	Fat	1	
			200 μg/kg	Liver		
			100 μg/kg	Kidney		
		Porcine	100 μg/kg	Muscle	NO	
			100 μg/kg	Skin and fat in natural proportions	ENTRY	
			100 μg/kg	Liver		
			300 μg/kg	Kidney]		
[F23Gentamic	isum of gentamicin C1, gentamicin C1a, gentamicin C2 and gentamicin C2a	All mammalian food producing species and fin fish	50 μg/kg 50 μg/kg 200 μg/kg 750 μg/kg 100 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' For porcine species the fat relates to 'skin and fat in natural proportions'	Anti- infectious agents/ Antibiotics]
Gentianae radix, standardised extracts and preparations thereof	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Ginkgo biloba	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration in the products not exceeding one part per thousand only.	eias
Ginseng	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Romeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration corresponding to the mother tincture and dilutions thereof only.	eias 1s
Ginseng, standardised extracts and preparations thereof	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Glutamic acid	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Glutamine	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Status: Point in time view as at 23/04/2018.

Glutaraldehy	deOT APPLICABI		No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Glycerol formal	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Glycine	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Gonadotroph releasing hormone	niNOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Guaiacol	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Guanosine and its 5'-mono-, 5'-di- and 5'-triphosphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Halofuginon	eHalofuginon	eBovine	10 μg/kg 25 μg/kg 30 μg/kg 30 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	Antiparasitic agents/ Agents acting against protozoa
Hamamelis virginiana	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration in the products not exceeding one part per ten only.	eias
		All food producing species	No MRL required	NOT APPLICABI	For topical Itse only.	

	·		1			
Harpagophy procumbens		All food Froducing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration corresponding to the mother tincture and dilutions thereof only.	eias 1s
Harunga madagascari	NOT ienprLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration in the products not exceeding one part per thousand only	eias,
Heparin and its salts	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Heptaminol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Hesperidin	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Hesperidin methyl chalcone	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Status: Point in time view as at 23/04/2018.

[F24Hexaflum	n <b>iHex</b> aflumuro	Fin fish	500 μg/kg	Muscle and skin in natural proportions	NO ENTRY	Antiparasitic agents/ Agents (acting) against ectoparasites]
Hexetidine	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For topical Itse only.	NO ENTRY
Hippocastan semen	iNOT APPLICABI	All food  Producing species	No MRL required	NOT APPLICABI	For topical  Here only.	NO ENTRY
Histidine	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Human chorion gonadotroph	NOT APPLICABI in	All food  Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Human chorionic gonadotropii (natural HCG and its synthetic analogues)	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Human menopausal urinary gonadotroph		Bovine LE	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Humic acids and their sodium salts	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For oral use Amly.	NO ENTRY
Hyaluronic acid	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Hydrochloric	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Hydrochloro	tNozīde APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Hydrocortiso	INOT APPLICABI	All food  Producing species	No MRL required	NOT APPLICABI	For topical Latese only.	NO ENTRY

[F25Hydrocon	tisumeof	All	10 μg/kg	Milk	For	Corticosteroids
aceponate	hydrocortiso and its esters after alkaline hydrolysis expressed as hydrocortiso	Equidae			intramamma use only	ry
	NOT APPLICABI	All Fuminants, Equidae	No MRL required for all tissues except milk	NOT APPLICABI	LE]	
Hydrogen peroxide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Hydroxyethy	NADIFylate APPLICABI	All food- froducing species except fin fish	No MRL required	NOT APPLICABI	For topical Just only.	NO ENTRY
8- Hydroxyquii	NOT MARRELICABI	All Finammalian food- producing species	No MRL required	NOT APPLICABI	For topical Fise in newborn animals only.	NO ENTRY
Hyperici oleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical  Fise only.	NO ENTRY
Hypericum perforatum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacoporat concentration corresponding to the mother tincture and dilutions thereof only.	eias ns

Status: Point in time view as at 23/04/2018.

Imidocarb	Imidocarb	Bovine	300 μg/kg 50 μg/kg 2 000 μg/ kg 1 500 μg/ kg 50 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents acting against protozoa
		Ovine	300 μg/kg 50 μg/kg 2 000 μg/ kg 1 500 μg/ kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	
Inosine and its 5'-mono-, 5'-di- and 5'-triphosphates	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Inositol	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
and pot iod	assium-	All food Producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
iod — Iod inc	assium- ate ophors luding yvinylpyrroli	done-				
Iodine organic compounds — Iod	NOT APPLICABI oform	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Iron ammonium citrate	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Iron dextran	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Iron dichloride	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Iron fumarate	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Iron glucohepton	NOT atePPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Iron sulphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Isobutane	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F26]Isoeugen	oIsoeugenol	Fin fish	6 000 μg/ kg	Muscle and skin in natural proportions	NOT APPLICABI	Agents Ficting on the nervous system/ Agents acting on the central nervous system]
Isoflurane	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For Inaesthetic use only.	NO ENTRY
Isoleucine	NOT APPLICABI	All food  Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Isopropanol	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Isoxsuprine	NOT APPLICABI	Bovine, Equidae	No MRL required	NOT APPLICABI	For Merapeutic use only in accordance with Council Directive 96/22/EEC.	NO ENTRY
[F27]Ivermect	r22, 23- Dihydro-	All mammalian food	30 μg/kg 100 μg/kg 100 μg/kg	Muscle Fat Liver	For porcine species the fat MRL	Antiparasitic agents/ Agents

Status: Point in time view as at 23/04/2018.

	avermectin B 1a	producing species	30 μg/kg	Kidney	relates to 'skin and fat in natural proportions' Not for use in animals from which milk is produced for human consumption	acting against endo and ectoparasites]
Jecoris oleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Just only.	NO ENTRY
Juniperi fructus	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Kanamycin	Kanamycin A	All food producing species except fin fish	100 μg/kg 100 μg/kg 600 μg/kg 2 500 μg/ kg 150 μg/kg	Muscle Fat Liver Kidney Milk	For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	Anti- infectious agents/ Antibiotics
Ketamine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Ketanserin tartrate	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Ketoprofen	NOT APPLICABI	Bovine, Forcine, Equidae	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Lachnanthes tinctoria	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in Informeopathic veterinary medicinal products prepared according	NO ENTRY

					to homeopathic pharmacopoo at concentration in the products not exceeding one part per thousand only.	eias
Lactic acid	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Lanolin	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F28Lasalocid	Lasalocid A	Poultry	60 μg/kg 300 μg/kg 150 μg/kg 300 μg/kg 150 μg/kg	Muscle Liver Kidney Skin and fat in natural proportions Eggs	NO ENTRY	Anti- infectious agents/ Antibiotics
		Bovine	10 μg/kg 20 μg/kg 100 μg/kg 20 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	]
Lauri folii aetheroleum	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Lauri fructus	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Lavandulae aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Lese only.	NO ENTRY
Lecirelin	NOT APPLICABI	Bovine, Equidae, rabbit	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Lectin extracted from red	NOT APPLICABI	Porcine LE	No MRL required	NOT APPLICABI	For oral use Joinly.	NO ENTRY

Status: Point in time view as at 23/04/2018.

kidney beans Phaseolus vulgaris						
Lespedeza capitata	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Leucine	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Levamisole	Levamisole	Bovine, ovine, porcine, poultry	10 μg/kg 10 μg/kg 100 μg/kg 10 μg/kg	Muscle Fat Liver Kidney	For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which milk or eggs are produced for human consumption	Antiparasitic agents/ Agents against endoparasites
Levomethad	o <b>n</b> eot Applicabi	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For Intravenous use only.	NO ENTRY
Levothyroxi		All mammalian food producing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Lidocaine	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For local- legional anaesthesia only.	NO ENTRY
Lincomycin	Lincomycin	All food- producing species	100 μg/kg 50 μg/kg 500 μg/kg 1 500 μg/ kg 150 μg/kg 50 μg/kg	Muscle Fat Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for fat, liver	Anti- infectious agents/ Antibiotics

					and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'.	
Linear alkyl benzene sulphonic acids with alkyl chain lengths ranging from C <sub>9</sub> to C <sub>13</sub> , containing less than 2,5 % of chains longer than C <sub>13</sub>	NOT APPLICABI	Bovine,  Devine	No MRL required	NOT APPLICABI	For topical	NO ENTRY
Lini oleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Lobaria pulmonaria	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration corresponding to the mother tincture and dilutions thereof only.	eias ns

Status: Point in time view as at 23/04/2018.

Lobeline	NOT ADDITION DI	All food	No MRL	NOT	NO	NO
	APPLICABI	species	required	APPLICABI	LENIKY	ENTRY
I <sup>F29</sup> Lufenuro (RS- isomers)	nLufenuron (RS- isomers)	Fin fish	1 350 μg/ kg	Muscle and skin in natural proportions	NO ENTRY	Antiparasitic agents/ Agents (acting) against ectoparasites]
Luprostiol	NOT APPLICABI	All Finammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Luteinising hormone (natural LH from all species and their synthetic analogues)	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Lysine	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium acetate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Magnesium aluminium silicate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Magnesium aspartate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Magnesium carbonate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Magnesium chloride	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium citrate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Magnesium gluconate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium glutamate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium glycerophos	NOT MARPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium hydroxide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium hypophosphi	NOT t <b>A</b> PPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium orotate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium oxide	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium phosphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium stearate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium sulphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium trisilicate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Majoranae herba	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Malic acid	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
[F30]Mangane carbonate	sNOT APPLICABI	All food Froducing species	NO MRL REQUIRED	NOT APPLICABI	NO LENTRY	Alimentary tract and metabolism/ mineral supplements]

Status: Point in time view as at 23/04/2018.

Managanaga	NOT	All food	No MRL	NOT	For oral use	NO
Manganese chloride	NOT APPLICABI		required	APPLICABI		ENTRY
Manganese gluconate	NOT APPLICABI	All food  Aproducing species	No MRL required	NOT APPLICABI	For oral use Lonly.	NO ENTRY
Manganese glycerophosj	NOT MARPLICABI	All food  Peroducing species	No MRL required	NOT APPLICABI	For oral use Joinly.	NO ENTRY
Manganese oxide	NOT APPLICABI	All food  Producing species	No MRL required	NOT APPLICABI	For oral use Imply.	NO ENTRY
Manganese pidolate	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For oral use Imply.	NO ENTRY
Manganese ribonucleate	NOT APPLICABI	All food  Producing species	No MRL required	NOT APPLICABI	For oral use Imply.	NO ENTRY
Manganese sulphate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For oral use Joinly.	NO ENTRY
Mannitol	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Marbofloxaci <b>M</b> arbofloxa		iBovine, porcine	150 μg/kg 50 μg/kg 150 μg/kg 150 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates	Anti- infectious agents/ Antibiotics
		Bovine	75 μg/kg	Milk	to 'skin and fat in natural proportions'.	
Matricaria recutita and preparations thereof		All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Matricariae flos	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Mebendazolo	eSum of mebendazole methyl (5- (1-hydroxy, 1-phenyl) methyl-1H- benzimidazo yl)	Equidae	60 μg/kg 60 μg/kg 400 μg/kg 60 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	Antiparasitic agents/ Agents against endoparasites

	carbamate and (2- amino-1H- benzimidazo yl) phenylmetha expressed as mebendazole equivalents	none,				
Mecillinam	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	For Intrauterine use only.	NO ENTRY
Medicago sativa extractum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Juse only.	NO ENTRY
Medroxypro acetate	gMWFone APPLICABI	Ovine LE	No MRL required	NOT APPLICABI	For Intravaginal use for zootechnical purposes only.	NO ENTRY
Melatonin	NOT APPLICABI	Ovine, Æaprine	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Melissae aetheroleum	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Melissae folium	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Meloxicam	Meloxicam	Bovine, caprine, porcine, rabbit, Equidae	20 μg/kg 65 μg/kg 65 μg/kg	Muscle Liver Kidney	NO ENTRY	Anti- inflammatory agents/ Nonsteroidal anti-
		Bovine, caprine	15 μg/kg	Milk		inflammatory agents
Menadione	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Menbutone	NOT APPLICABI	Bovine, Equidae	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Status: Point in time view as at 23/04/2018.

Menthae arvensis aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Menthae piperitae aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Menthol	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Mepivacaine	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For intra- Articular and epidural use as local anaesthetic only.	NO ENTRY
Mercaptamin hydrochlorid	nNOT eAPPLICABI	All  Mammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Metamizole	4- Methylamino	Bovine, p <b>otițiye</b> in Equidae	100 μg/kg 100 μg/kg 100 μg/kg 100 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates	Anti- inflammatory agents/ Nonsteroidal
		Bovine	50 μg/kg	Milk	to 'skin and fat in natural proportions'	anti- inflammatory agents
Methionine	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Methyl nicotinate	NOT APPLICABI	Bovine, <b>E</b> quidae	No MRL required	NOT APPLICABI	For topical Juse only.	NO ENTRY
Methyl salicylate	NOT APPLICABI	All food Froducing species except fin fish	No MRL required	NOT APPLICABI	For topical dise only.	NO ENTRY
Methylbenzo	ANOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[ <sup>F31</sup> Methylpr	e <b>l/H</b> úsbybpædn	i <b>Koļoida</b> e	10 μg/kg 10 μg/kg 10 μg/kg 10 μg/kg 2 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Corticoides/ Glucocorticoide

		Bovine	10 μg/kg 10 μg/kg 10 μg/kg 10 μg/kg 2 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY]	
1- Methyl-2- pyrrolidone	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Millefolii herba	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Mineral hydrocarbon low to high viscosity including micorcristall waxes, approximate C10-C60, aliphatic, branched aliphatic and alicyclic compounds		All food Producing species	No MRL required	NOT APPLICABI	Excludes Fromatic and unsaturated compounds.	NO ENTRY
[F32Monensir	Monensin	Bovine	2 μg/kg	Muscle	NO	Anti-
-	A		10 μg/kg	Fat	ENTRY	infectious agents/ Antibiotics
			50 μg/kg	Liver		
			10 μg/kg	Kidney		
			2 μg/kg	Milk]		
[F33Monepan	Monepantel	Ovine,	700 μg/kg	Muscle	NO	Antiparasitic
	sulfone	caprine	7 000 μg/ kg	Fat	ENTRY	agents/ Agents (acting)
			5 000 μg/ kg	Liver		against endoparasites
			2 000 μg/ kg	Kidney		
			170 μg/kg	Milk		
		Bovine	300 μg/kg	Muscle	Not for use	
			7 000 μg/ kg	Fat	in animals producing milk for	
			2 000 μg/ kg	Liver	human consumption	

Status: Point in time view as at 23/04/2018.

			1 000 μg/ kg	Kidney]		
Monothiogly	dafaT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Montanide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Morantel	Sum of residues which may be hydrolysed to N-methyl-1,3-propanediam and expressed as morantel equivalents	All ruminants	100 μg/kg 100 μg/kg 800 μg/kg 200 μg/kg 50 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
Moxidectin Moxide	Moxidectin	Bovine, ovine, Equidae	50 μg/kg 500 μg/kg 100 μg/kg 50 μg/kg	Muscle Fat Liver Kidney	NO ENTRY	Antiparasitic agents/ Agents acting against endo- and ectoparasites
		Bovine, ovine	40 μg/kg	Milk		
Myglyol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Myristicae aetheroleum	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For use in fewborn animals only.	NO ENTRY
Nafcillin	Nafcillin	All ruminants	300 μg/kg 300 μg/kg 300 μg/kg 300 μg/kg 30 μg/kg	Muscle Fat Liver Kidney Milk	For intramamma use only.	Anti- rynfectious agents/ Antibiotics
Natamycin	NOT APPLICABI	Bovine, <b>E</b> quidae	No MRL required	NOT APPLICABI	For topical Large only.	NO ENTRY
[F34Neomycin		All food	500 μg/kg	Muscle	For fin fish	Anti-
(including framycetin)	В	producing species	500 μg/kg	Fat	the muscle MRL relates to 'muscle and skin	infectious agents/ Antibiotics
manny cctiii)			5 500 μg/ kg	Liver		

			9 000 μg/ kg	Kidney	in natural proportions' MRLs for	
			1 500 μg/ kg	Milk	fat, liver and kidney	
			500 μg/kg	Eggs]	do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'	
Neostigmine	NOT APPLICABI	All food  Producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Netobimin	Sum of albendazole oxide, albendazole sulphone, and albendazole 2-amino sulphone, expressed as albendazole	Bovine, ovine	100 μg/kg 100 μg/kg 1 000 μg/ kg 500 μg/kg 100 μg/kg	Muscle Fat Liver Kidney Milk	For oral use only.	Antiparasitic agents/ Agents against endoparasites
Nickel gluconate	NOT APPLICABI	All food  Producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Nickel sulphate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Nicoboxil	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For topical Juse only.	NO ENTRY
[F35Nitroxini	Nitroxinil	Bovine,	400 μg/kg	Muscle		Antiparasitic
		ovine	200 μg/kg	Fat		agents/
			20 μg/kg	Liver		against endoparasites
			400 μg/kg	Kidney		1
			20 μg/kg	Milk]		

Status: Point in time view as at 23/04/2018.

Nonivamide	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For topical Large only	NO ENTRY
Norgestomet	Norgestomet	Bovine	0,2 μg/kg 0,2 μg/kg 0,2 μg/kg 0,2 μg/kg 0,12 μg/kg	Muscle Fat Liver Kidney Milk	For therapeutic and zootechnical purposes only.	Agents acting on the reproductive system
Novobiocin	Novobiocin	Bovine	50 μg/kg	Milk	For intramamma use only.	agents/
	NOT APPLICABI	Bovine LE	No MRL required for all tissues except milk	NOT APPLICABI	NO LENTRY	Antibiotics
[F36Octenidin dihydrochlor	₽OT i∰PPLICABI	All Friammalian food- producing species	No MRL required	NOT APPLICABI	For Entaneous use only.	Anti- infectious agents/ Antiseptics]
17β- Oestradiol	NOT APPLICABI	All Friammalian food producing species	No MRL required	NOT APPLICABI	For Merapeutic and zootechnical use only.	NO ENTRY
Okoubaka aubrevillei	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacoporat concentration corresponding to the mother tincture and dilutions thereof only.	eias ns
Oleyloleate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For topical Lise only.	NO ENTRY

Omeprazole	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For oral use bonly.	NO ENTRY
Orgotein	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Ornithine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Orotic acid	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Oxacillin	Oxacillin	All food producing species	300 μg/kg 300 μg/kg 300 μg/kg 300 μg/kg 30 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions' Not for use in animals from which eggs are produced for human consumption	Anti- infectious agents/ Antibiotics
Oxalic acid	NOT APPLICABI	Bees LE	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	Anti- infectious agent
Oxfendazole	Sum of extractable residues which may be	All ruminants, porcine, Equidae	50 μg/kg 50 μg/kg 500 μg/kg 50 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin	Antiparasitic agents/ Agents against endoparasites

Status: Point in time view as at 23/04/2018.

	oxidised to oxfendazole sulphone	All ruminants	10 μg/kg	Milk	and fat in natural proportions'.	
Oxibendazol	eOxibendazol	ePorcine	100 μg/kg 500 μg/kg 200 μg/kg 100 μg/kg	Muscle Skin and fat Liver Kidney	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
Oxidation products of <i>Terebinthina</i> oleum	NOT APPLICABI e	Bovine, Evine, caprine, porcine	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Oxolinic acid	Oxolinic	All food producing species	100 μg/kg 50 μg/kg 150 μg/kg 150 μg/kg	Muscle Fat Liver Kidney	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which milk or eggs are produced for human consumption	Anti- infectious agents/ Antibiotics
Oxyclozanid	eOxyclozanid	eAll ruminants	20 μg/kg 20 μg/kg 500 μg/kg 100 μg/kg 10 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites

Oxytetracycl	i <b>Se</b> m of parent drug and its 4-epimer	All food- producing species	100 μg/kg 300 μg/kg 600 μg/kg 100 μg/kg 200 μg/kg	Muscle Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. [XIMRLs for liver and kidney do not apply to fin fish.]	Anti- infectious agents/ Antibiotics
Oxytocin	NOT APPLICABI	All Imammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Pancreatin	NOT APPLICABI	All mammalian food producing species	No MRL required	NOT APPLICABI	For topical Firse only.	NO ENTRY
Papain	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Papaverine	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	Newborn Æalves only.	NO ENTRY
Paracetamol	NOT APPLICABI	Porcine LE	No MRL required	NOT APPLICABI	For oral use Abuly.	NO ENTRY
Parconazole	NOT APPLICABI	Guinea <b>f</b> owl	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Paromomyci	<b>r</b> Paromomyci	nAll food producing species	500 μg/kg 1 500 μg/ kg 1 500 μg/ kg	Muscle Liver Kidney	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for liver and kidney do not apply to fin fish. Not for use in animals from which	Anti- infectious agents/ Antibiotics

Status: Point in time view as at 23/04/2018.

Peforelin	NOT	Porcine	No MRL	NOT	milk or eggs are produced for human consumption	NO
	APPLICABI	LE	required	APPLICABI	LENTRY	ENTRY
[F37Pegylated bovine granulocyte colony stimulating factor	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	NO LENTRY	Biological/ Immunomodulator]
Penethamate	Benzylpenic	mammalian food producing species	50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg 4 μg/kg	Muscle Fat Liver Kidney Milk	For porcine species the fat MRL relates to 'skin and fat in natural proportions'.	Anti- infectious agents/ Antibiotics
Pepsin	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Peracetic acid	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Permethrin	Permethrin (sum of isomers)	Bovine	50 μg/kg 500 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg	Muscle Fat Liver Kidney Milk	For milk further provisions in Commission Directive 98/82/EC are to be observed.	Antiparasitic agents/ Agents against ectoparasites
Phenol	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F38Phenoxyr	nettoylpæyireitt	ipopeinieillin	25 μg/kg	Muscle	NO	Anti-
			25 μg/kg	Liver	ENTRY	infectious agents/
			25 μg/kg	Kidney		Antibiotics
		Poultry	25 μg/kg	Muscle		
			25 μg/kg	Skin and fat		

			25 μg/kg	Liver		
			25 μg/kg	Kidney		
			25 μg/kg	Eggs]		
Phenylalanin	eNOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Phloroglucin	dNOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F39Phoxim	Phoxim	All food- producing species except fin fish.	25 μg/kg 550 μg/kg 50 μg/kg 30 μg/kg 60 μg/kg	Muscle Fat Liver Kidney Eggs	For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which milk is produced for human consumption	Antiparasitic agents/ Agents against ectoparasites.]
Phytolacca americana	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in  Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration in the products not exceeding one part per thousand only.	eias,
Phytomenad	MOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Status: Point in time view as at 23/04/2018.

Piceae turiones recentes extractum	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For oral use Amly.	NO ENTRY
Piperazine	Piperazine	Porcine	400 μg/kg 800 μg/kg 2 000 μg/ kg 1 000 μg/ kg	Muscle Skin and fat Liver Kidney	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
		Chicken	2 000 μg/ kg	Eggs		
Piperazine dihydrochlor	NOT i <b>A</b> PPLICABI	Chicken LE	No MRL required for all tissues except eggs	NOT APPLICABI	NO LENTRY	NO ENTRY
Piperonyl butoxide	NOT APPLICABI	Bovine, Evine, caprine, Equidae	No MRL required	NOT APPLICABI	For topical Larse only.	NO ENTRY
Pirlimycin	Pirlimycin	Bovine	100 μg/kg 100 μg/kg 1 000 μg/ kg 400 μg/kg 100 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Anti- infectious agents/ Antibiotics
Policresulen	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical  These only.	NO ENTRY
Poloxalene	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Poloxamer	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Polyethylene glycol 15 hydroxystear	APPLICABI	All food  Producing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Polyethylene glycol 7 glyceryl cocoate	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For topical  Free only.	NO ENTRY
Polyethylene glycol stearates with 8-40	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY

oxyethylene units						
Polyethylene glycols (molecular weight ranging from 200 to 10 000)	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Polyoxyethy sorbitan monooleate and trioleate	Ièni⊕T APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Polyoxyl castor oil with 30 to 40 oxyethylene units	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Polyoxyl hydrogenate castor oil with 40 to 60 oxyethylene units	NOT dapplicabi	All food  Froducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Polysorbate 80	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Polysulphate glycosamino	dNOT g <b>a</b> yrrahICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Potassium DL- aspartate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Potassium glucuronate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Potassium glycerophos <sub>l</sub>	NOT MARPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Potassium nitrate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Potassium selenate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Status: Point in time view as at 23/04/2018.

Praziquantel	NOT APPLICABI	Ovine, Æquidae	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F40Prednisol	oRædnisolone	Bovine	4 μg/kg	Muscle	NO	Corticoids/
			4 μg/kg	Fat	ENTRY	Glucocorticoid
			10 μg/kg	Liver		
			10 μg/kg	Kidney		
			6 μg/kg	Milk		
		Equidae	4 μg/kg	Muscle		
			8 μg/kg	Fat		
			6 μg/kg	Liver		
			15 μg/kg	Kidney]		
Pregnant mare serum gonadotroph	NOT APPLICABI in	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Prethcamide (crotethamid and cropropamid	eAPPLICABI	All finammalian food producing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Procaine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Progesterone	NOT APPLICABI	Bovine, Devine, caprine, Equidae (female)	No MRL required	NOT APPLICABI	Only for Intravaginal therapeutic or zootechnical use and in accordance with the provisions of Directive 96/22/EC.	NO ENTRY
Proline	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Propane	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[ <sup>F41</sup> Propyl 4- hydroxybenz	NOT APPLICABI oate	All food Froducing species	No MRL required	NOT APPLICABI	For use as a preservative only	NO ENTRY]

and its sodium salt						
Propylene glycol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Prunus laurocerasus	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration in the products not exceeding one part per thousand only.	eias
I <sup>F42</sup> Purified semi-solid extract from <i>Humulus lupulus L.</i> containing approximate 48 % of beta acids (as potassium salts)	NOT APPLICABI	Bees LE	No MRL required	Honey	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites]
Pyrantel embonate	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	NO <b>E</b> NTRY	NO ENTRY
Pyrethrum extract	NOT APPLICABI	All food  Producing species	No MRL required	NOT APPLICABI	For topical  For topical  For topical	NO ENTRY
2- Pyrrolidone	NOT APPLICABI	All food  Producing species	No MRL required	NOT APPLICABI	At Farenteral doses up to 40 mg/kg bw.	NO ENTRY

Status: Point in time view as at 23/04/2018.

Quatresin	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use as Pereservative only at concentration of up to 0,5 %.	NO ENTRY
Quercus cortex	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO	NO ENTRY
Quillaia saponins	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[ <sup>F43</sup> Rafoxanio	dRafoxanide	Bovine	30 μg/kg 30 μg/kg 10 μg/kg 40 μg/kg	Muscle Fat Liver Kidney	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
		Ovine	100 μg/kg 250 μg/kg 150 μg/kg 150 μg/kg	Muscle Fat Liver Kidney		
		Bovine, ovine	10 μg/kg	Milk	Provisional MRL shall expire on 31 December 2017]	
Rhei radix, standardised extracts and preparations thereof	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Ricini oleum	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Rifaximin	Rifaximin	Bovine	60 μg/kg	Milk	NO ENTRY	Anti- infectious
	NOT APPLICABI	Bovine LE	No MRL required for all tissues except milk	NOT APPLICABI	For Entramamma use, except if the udder may be used as food for human consumption and	

					intrauterine use only.	
		All mammalian food producing species	No MRL required	NOT APPLICABI	For topical disse only.	
Romifidine	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For Therapeutic uses only.	NO ENTRY
Rosmarini aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Rosmarini folium	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Ruscus aculeatus	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For topical Liese only.	NO ENTRY
Ruta graveolens	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration in the products not exceeding one part per thousand only. Not for use in animals from which milk is produced for human consumption	eias, ns
Salicylic acid	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For topical Liese only.	NO ENTRY

Status: Point in time view as at 23/04/2018.

		except fin fish				
Salviae folium	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sambuci flos	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sarafloxacin	Sarafloxacin	Chicken	10 μg/kg 100 μg/kg	Skin and fat Liver	Not for use in animals from which	Anti- infectious agents/ Antibiotics
		Salmonidae	30 μg/kg	Muscle and skin in natural proportions	eggs are produced for human consumption	
Selenicereus grandiflorus	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Romeopathic veterinary medicinal products prepared according to homeopathic pharmacoporat concentration in the products not exceeding one part per hundred only.	eias,
Serenoa repens	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For use in Romeopathic veterinary medicinal products prepared according to homeopathic pharmacopot at concentration corresponding to the mother tincture and	eias ns

					dilutions thereof only.	
Serine	NOT APPLICABI	All food  Aproducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Serotonin	NOT APPLICABI	All food  Producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Silybum marianum	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration corresponding to the mother tincture and dilutions thereof only.	eias ns
Sinapis nigrae semen	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F44Sisaproni	Sisapronil	Bovine, caprine	100 μg/kg 2 000 μg/ kg 200 μg/kg 100 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	Antiparasitic agents/ Agents against ectoparasites]
Sodium 2- methyl-2- phenoxy- propanoate	NOT APPLICABI	Bovine, Laporcine, caprine, Equidae	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium acetylsalicyl	NOT afePPLICABI	All food Froducing species except fin fish	No MRL required	NOT APPLICABI	Not for use fin animals from which milk or eggs are produced	NO ENTRY

Status: Point in time view as at 23/04/2018.

					for human consumption	
Sodium benzyl 4- hydroxybenz	NOT APPLICABI oate	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium boroformiate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium butyl 4- hydroxybenz	NOT APPLICABI oate	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium cetostearyl sulphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical  From the second of the second o	NO ENTRY
Sodium chloride	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium chlorite	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	For topical Tiese only.	NO ENTRY
Sodium	NOT eAPPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium dichloroisoc	NOT y <b>arpi</b> tecabi	Bovine, Evine, caprine	No MRL required	NOT APPLICABI	For topical Itse only.	NO ENTRY
Sodium dioctylsulpho	NOT SAIRPINIATSABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium formaldehyd	NOT esiPphologalad	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium glycerophosj	NOT MARPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium hypophosphi	NOT tapplicabi	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium lauryl sulphate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium nitrite	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	For topical Itse only.	NO ENTRY

Status: Point in time view as at 23/04/2018.

Sodium propionate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium pyrosulphite	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F45Sodium salicylate	NOT APPLICABI	Bovine, Forcine	No MRL required	NOT APPLICABI	For oral  Tise.  Not for use in animals from which milk is produced for human consumption	NO ENTRY
		All food producing species except fin fish	No MRL required	NOT APPLICABI	For topical Lise only.	
	Salicylic acid	Turkey	400 μg/kg 2 500 μg/ kg 200 μg/kg 150 μg/kg	Muscle Skin and fat in natural proportions Liver Kidney	Not for use in animals producing eggs for human consumption	Anti- inflammatory agents/ Non- steroidal .anti- inflammatory agents]
Sodium selenate	NOT APPLICABI	All food  Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium selenite	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Sodium stearate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Sodium thiosulphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Solidago virgaurea	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to	NO ENTRY

					homeopathic pharmacopoo at concentration corresponding to the mother tincture and dilutions thereof only.	eias 1s
[F46Solvent naphtha, light aromatic, with cumene concentration not exceeding 2,5 %, and benzene concentration not exceeding 0,0002 %		All food Froducing species	No MRL required	NOT APPLICABI	For Eutaneous use only. Only at volume not exceeding 15 µl solvent naphtha/kg bw.	NO ENTRY]
Somatosalm	NOT APPLICABI	Salmon LE	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sorbitan sesquioleate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sorbitan trioleate	NOT APPLICABI	All food- Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Spectinomyc	iSpectinomyc	i <b>©</b> vine	300 μg/kg 500 μg/kg 2 000 μg/ kg 5 000 μg/ kg 200 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural	Anti- infectious agents/ Antibiotics
		All other food producing species	300 μg/kg 500 μg/kg 1 000 μg/ kg 5 000 μg/ kg 200 μg/kg	Muscle Fat Liver Kidney Milk	proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry	

					species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	
Spiramycin	Sum of spiramycin and neospiramyc	Bovine	200 μg/kg 300 μg/kg 300 μg/kg 300 μg/kg 200 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Anti- infectious agents/ Antibiotics
		Chicken	200 μg/kg 300 μg/kg 400 μg/kg	Muscle Skin and fat Liver	Not for use in animals from which eggs are produced for human consumption	
	Spiramycin 1	Porcine	250 μg/kg 2 000 μg/ kg 1 000 μg/ kg	Muscle Liver Kidney	NO ENTRY	
Streptomycin	Streptomycii	nAll ruminants, porcine, rabbit	500 μg/kg 500 μg/kg 500 μg/kg 1 000 μg/ kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin	Anti- infectious agents/ Antibiotics
		All ruminants	200 μg/kg	Milk	and fat in natural proportions'.	
Strychni semen	NOT APPLICABI	Bovine,  Divine, caprine	No MRL required	NOT APPLICABI	For oral Thise only at doses up to the equivalent of 0,1 mg strychnine/ kg bw.	NO ENTRY
Strychnine	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	For oral Ese only at dose	NO ENTRY

Status: Point in time view as at 23/04/2018.

Substances used in homeopathic veterinary medicines	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	to 0,1 mg/kg bw.  All  Aubstances used in homeopathic veterinary medicinal products provided that their concentration in the product does not exceed one part per ten thousand.	
Sulfogaiacol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sulfonamide (all substances belonging to the sulfonamide group)	9	All food- producing species	100 μg/kg 100 μg/kg 100 μg/kg 100 μg/kg	Muscle Fat Liver Kidney	The combined total residues	Anti- infectious agents/ Chemotheurapeutics/
		Bovine, ovine, caprine	100 μg/kg	Milk	total agents/	

					produced for human consumption	
Sulphur	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Symphyti radix	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For topical Tise on intact skin only.	NO ENTRY
Syzygium cumini	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration corresponding to the mother tincture and dilutions thereof only.	eias 1s
Tanninum	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
L-tartaric acid and its mono- and di-basic salt of sodium, potassium and calcium	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Tau fluvalinate	NOT APPLICABI	Bees LE	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Teflubenzuro	offeflubenzuro	Salmonidae	500 μg/kg	Muscle and skin in natural proportions	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites

Status: Point in time view as at 23/04/2018.

Terebinthina aetheroleum rectificatum	eNOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Lise only.	NO ENTRY
Terebinthina laricina	eNOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Lifese only.	NO ENTRY
Terpin hydrate	NOT APPLICABI	Bovine, Levine, caprine, porcine	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Tetracaine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use as Inaesthetic only.	NO ENTRY
Tetracycline	Sum of parent drug and its 4- epimer	All food- producing species	100 μg/kg 300 μg/kg 600 μg/kg 100 μg/kg 200 μg/kg	Muscle Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for liver and kidney do not apply to fin fish.	Anti- infectious agents/ Antibiotics
Theobromine	eNOT APPLICABI	All food  Abroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Theophylline	NOT APPLICABI	All food  Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Thiabendazo	lSum of thiabendazol and 5- hydroxythial		100 μg/kg 100 μg/kg 100 μg/kg 100 μg/kg 100 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
Thiamphenic	dlhiamphenio	coll food producing species	50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for fat, liver and kidney	Anti- infectious agents/ Antibiotics

					do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	
Thiamylal	NOT APPLICABI	All Mammalian food producing species	No MRL required	NOT APPLICABI	For Entravenous administrationly.	NO ENTRY on
Thioctic acid	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Thiomersal	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use  Enly as preservatives in multidose vaccines at a concentration not exceeding 0,02 %.	
Thiopental sodium	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For Intravenous administratio only.	NO ENTRY on
Threonine	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Thuja occidentalis	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products	NO ENTRY

Status: Point in time view as at 23/04/2018.

					prepared according to homeopathic pharmacopolat concentration in the products not exceeding one part per hundred only.	eias,
Thymi aetheroleum	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Thymidine	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Thymol	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Tiamulin	Sum of metabolites	Porcine, rabbit	100 μg/kg 500 μg/kg	Muscle Liver	NO ENTRY	Anti- infectious
	that may be hydrolysed to 8-α-hydroxymuti	Chicken lin	100 μg/kg 100 μg/kg 1 000 μg/ kg	Muscle Skin and fat Liver		agents/ Antibiotics
		Turkey	100 μg/kg 100 μg/kg 300 μg/kg	Muscle Skin and fat Liver		
	Tiamulin	Chicken	1 000 μg/ kg	Eggs		
Tiaprost	NOT APPLICABI	Bovine,  Evine, porcine, Equidae	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F47Tildipiros	iKildipirosin	Bovine, caprine	400 μg/kg	Muscle	Not for use	Anti-
			200 μg/kg	Fat	in animals from which	infectious agents/
			2 000 μg/ kg	Liver	milk is produced	Antibiotics
			3 000 μg/ kg	Kidney	for human consumption	

	Note	Porcine	1 200 μg/kg 800 μg/kg 5 000 μg/kg 10 000 μg/kg	Muscle  Skin and fat in natural proportions  Liver  Kidney]	No	No
Tiliae flos	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Tilmicosin Til	Tilmicosin	Poultry	75 μg/kg 75 μg/kg 1 000 μg/ kg 250 μg/kg	Muscle Skin and fat Liver Kidney	For fin fish the muscle MRL relates to a 'muscle	Anti- infectious agents/ Antibiotics
		All other food producing species	50 μg/kg 50 μg/kg 1 000 μg/ kg 1 000 μg/ kg 50 μg/kg	Muscle Fat Liver Kidney Milk	and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	•
Tiludronic acid (in the form of	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For Intravenous use only.	NO ENTRY
disodium salt)		Poultry	No MRL required	NOT APPLICABI	For Farenteral use only and for use	

Status: Point in time view as at 23/04/2018.

					in laying and breeder birds only.	
Timerfonate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use Enly as preservatives in multidose vaccines at a concentration not exceeding 0,02 %.	
Toldimfos	NOT APPLICABI	All food  Abroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Tolfenamic acid	Tolfenamic acid	Bovine, porcine	50 μg/kg 400 μg/kg 100 μg/kg	Muscle Liver Kidney	NO ENTRY	Anti- inflammatory agents/ Nonsteroidal anti- inflammatory agents
		Bovine	50 μg/kg	Milk		
Toltrazuril	Toltrazuril sulfone	All mammalian food producing species	100 μg/kg 150 μg/kg 500 μg/kg 250 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin	Antiparasitic agents/ Agents acting against
		Poultry	100 μg/kg 200 μg/kg 600 μg/kg 400 μg/kg	Muscle Skin and fat Liver Kidney	and fat in natural proportions' Not for use in animals from which milk is produced for human consumption Not for use in animals from which eggs are produced for human consumption	
Tosylchlorar sodium	n <b>N</b> OT APPLICABI	Bovine, <i>Equidae</i>	No MRL required	NOT APPLICABI	For topical  These only.	NO ENTRY

Tragacanth	NOT APPLICABI	Fin fish  All food Froducing species	No MRL required  No MRL required	NOT APPLICABI NOT APPLICABI	only.	NO ENTRY
Tricaine mesilate	NOT APPLICABI	Fin fish	No MRL required	NOT APPLICABI	For water Forne use only.	NO ENTRY
Trichlormeth	iNOUE APPLICABI	All Mammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F48Triclaben	caunt of the extractable residues that may be oxidised to ketotriclaber	All ruminants	225 μg/kg 100 μg/kg 250 μg/kg 150 μg/kg 10 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites]
Trimethoprin	nTrimethoprin	nEquidae	100 μg/kg 100 μg/kg 100 μg/kg 100 μg/kg	Fat Muscle Liver Kidney	For fin fish the muscle MRL relates to	Anti- infectious agents/ Chemotheurapeutics
		All other food producing species	50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg	Muscle Fat Liver Kidney Milk	a 'muscle and skin in natural proportions' MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions' Not for use in animals from which eggs are produced for human consumption	

Status: Point in time view as at 23/04/2018.

Trimethylph	drogTucinol APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F49 Triptoreli acetate	nNOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ENTRY	Agents acting on the reproductive system]
Trypsin	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Tryptophan	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F50Tulathron	n(2Rn3S,4R,5	RQ&RneOR,111	R <b>4520S</b> µg/kg	Muscle	Not for use	Anti- infectious agents/
	13S,14R)-2- ethyl-3,4,10,		250 μg/kg	Fat	in animals from which	
tetra- hydroxy-3,5 hexamethyl- [[3,4,6- trideoxy-3-	8,10,12,14- 11-	5 400 μg/ kg	Liver	milk is produced for human consumption	Antibiotics	
		1 800 μg/ kg	Kidney			
	(dimethy- lamino)- ß-D-xylo-	Bovine	300 μg/kg	Muscle		
			200 μg/kg	Fat		
	hexopyranos oxa-6- azacyclopen		4 500 μg/ kg	Liver		
	decan-15- one		3 000 µg/ kg	Kidney		
	expressed as	Porcine	800 μg/kg	Muscle		
	tulathromyci equivalents	n	300 μg/kg	Skin and fat in natural proportions		
			4 000 μg/ kg	Liver		
			8 000 μg/ kg	Kidney]		
Turnera diffusa	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in  Fromeopathic veterinary medicinal products prepared according to homeopathic	

					pharmacoporat concentration corresponding to the mother tincture and dilutions thereof only.	ns
Tylosin	Tylosin A	All food producing species	100 μg/kg 100 μg/kg 100 μg/kg 100 μg/kg 50 μg/kg 200 μg/kg	Muscle Fat Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to a 'muscle and skin in natural proportions' MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'	Anti- infectious agents/ Antibiotics
[F51Tylvalosi	<sub>n</sub> Sum of	Porcine	50 μg/kg	Muscle	NO	Anti-
•	tylvalosin and 3-O- acetyltylosin		50 μg/kg	Skin and fat	ENTRY	infectious agents/ Antibiotics
			50 μg/kg	Liver		1 11101010 10 10 10
			50 μg/kg	Kidney		
		Poultry	50 μg/kg	Skin and fat		
			50 μg/kg	Liver		
	Tylvalosin	Poultry	200 μg/kg	Eggs]		
Tyrosine	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Status: Point in time view as at 23/04/2018.

Urea	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Urginea maritima	NOT APPLICABI	All food  Producing species	No MRL required	NOT APPLICABI	For use in Riomeopathic veterinary medicinal products prepared according to homeopathic pharmacopor at concentration in the products not exceeding one part per hundred only. For oral use only.	eias,
Uridine and its 5'-mono-5'-di- and 5'-triphosphates	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Urticae herba	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Valine	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F52Valnemul	i⊮alnemulin	Porcine, rabbit	50 μg/kg 500 μg/kg 100 μg/kg	Muscle Liver Kidney	NO ENTRY	Anti- infectious agents/ Antibiotics]
Vedaprofen	Vedaprofen	Equidae	50 μg/kg 20 μg/kg 100 μg/kg 1 000 μg/ kg	Muscle Fat Liver Kidney	NO ENTRY	Anti- inflammatory agents/ Nonsteroidal anti- inflammatory agents
Vetrabutine hydrochlorid	NOT eAPPLICABI	Porcine LE	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Vincamine	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	For use in fewborn animals only.	NO ENTRY
[ <sup>F53</sup> Virginian	Wirginiamyc factor S1	i <b>P</b> oultry	10 μg/kg 30 μg/kg 10 μg/kg 60 μg/kg	Muscle Skin and fat Liver Kidney	Not for use in animals from which eggs are produced for human consumption	Anti- infectious agents/ Antibiotics]
Virola sebifera	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Momeopathic veterinary medicinal products prepared according to homeopathic pharmacoporat concentration in the products not exceeding one part per thousand only.	eias,
Viscum album	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacoporat concentration corresponding to the mother tincture and dilutions thereof only.	eias 1s

Status: Point in time view as at 23/04/2018.

Vitamin A	NOT APPLICABI	All food- Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vitamin B1	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vitamin B2	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vitamin B3	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vitamin B5	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vitamin B6	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vitamin B12	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vitamin D	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vitamin E	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Wool alcohols	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For topical fise only.	NO ENTRY
Xylazine hydrochlorid	NOT eAPPLICABI	Bovine, <b>E</b> quidae	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Zinc acetate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Zinc aspartate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Zinc chloride	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Zinc gluconate	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Status: Point in time view as at 23/04/2018.

Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 37/2010. (See end of Document for details)

Zinc oleate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Zinc oxide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Zinc stearate	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Zinc sulphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY

#### **Editorial Information**

**X1** Substituted by Corrigendum to Commission Regulation (EU) No 37/2010 of 22 December 2009 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin (Official Journal of the European Union L 15 of 20 January 2010).

### **Textual Amendments**

- **F1** Inserted by Commission Implementing Regulation (EU) 2017/1559 of 14 September 2017 amending Regulation (EU) No 37/2010 to classify the maximum residue limit of the substance alarelin (Text with EEA relevance).
- **F2** Substituted by Commission Implementing Regulation (EU) No 85/2012 of 1 February 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance altrenogest (Text with EEA relevance).
- F3 Substituted by Commission Implementing Regulation (EU) 2016/2074 of 25 November 2016 amending Regulation (EU) No 37/2010 as regards the substance aluminium salicylate, basic (Text with EEA relevance).
- **F4** Substituted by Commission Implementing Regulation (EU) No 436/2012 of 23 May 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance azamethiphos (Text with EEA relevance).
- F5 Substituted by Commission Implementing Regulation (EU) 2015/446 of 17 March 2015 amending Regulation (EU) No 37/2010 as regards the substance 'barium selenate' (Text with EEA relevance).
- **F6** Inserted by Commission Implementing Regulation (EU) 2017/1558 of 14 September 2017 amending Regulation (EU) No 37/2010 to classify the substance bromelain as regards its maximum residue limit (Text with EEA relevance).
- F7 Substituted by Commission Implementing Regulation (EU) No 20/2014 of 10 January 2014 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance butafosfan (Text with EEA relevance).
- F8 Inserted by Commission Implementing Regulation (EU) No 677/2014 of 19 June 2014 amending Regulation (EU) No 37/2010, as regards the substance 'cabergoline' (Text with EEA relevance).
- **F9** Inserted by Commission Implementing Regulation (EU) No 19/2014 of 10 January 2014 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance chloroform (Text with EEA relevance).

Status: Point in time view as at 23/04/2018.

- **F10** Inserted by Commission Implementing Regulation (EU) 2015/1078 of 3 July 2015 amending Regulation (EU) No 37/2010 as regards the substance 'clodronic acid (in the form of disodium salt)' (Text with EEA relevance).
- F11 Substituted by Commission Implementing Regulation (EU) No 683/2014 of 20 June 2014 amending Regulation (EU) No 37/2010, as regards the substance 'clorsulon' (Text with EEA relevance).
- F12 Substituted by Commission Implementing Regulation (EU) No 682/2014 of 20 June 2014 amending Regulation (EU) No 37/2010, as regards the substance 'closantel' (Text with EEA relevance).
- F13 Inserted by Commission Implementing Regulation (EU) 2016/710 of 12 May 2016 amending Regulation (EU) No 37/2010 as regards the substance 'copper carbonate' (Text with EEA relevance).
- **F14** Inserted by Commission Regulation (EU) No 890/2010 of 8 October 2010 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance derquantel (Text with EEA relevance).
- F15 Substituted by Commission Implementing Regulation (EU) No 1235/2013 of 2 December 2013 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance diclazuril (Text with EEA relevance).
- **F16** Substituted by Commission Implementing Regulation (EU) 2015/1820 of 9 October 2015 amending Regulation (EU) No 37/2010 as regards the substance 'Diethylene glycol monoethyl ether' (Text with EEA relevance).
- F17 Inserted by Commission Implementing Regulation (EU) No 489/2013 of 27 May 2013 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance double stranded ribonucleic acid homologous to viral ribonucleic acid coding for part of the coat protein and part of the intergenic region of the Israel Acute Paralysis Virus (Text with EEA relevance).
- **F18** Substituted by Commission Implementing Regulation (EU) 2015/151 of 30 January 2015 amending the Annex to Regulation (EU) No 37/2010 as regards the substance 'doxycycline' (Text with EEA relevance).
- **F19** Substituted by Commission Implementing Regulation (EU) 2016/885 of 3 June 2016 amending Regulation (EU) No 37/2010 as regards the substance 'eprinomectin' (Text with EEA relevance).
- **F20** Substituted by Commission Implementing Regulation (EU) No 1161/2012 of 7 December 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance fenbendazole (Text with EEA relevance).
- **F21** Inserted by Commission Implementing Regulation (EU) 2017/201 of 6 February 2017 amending Regulation (EU) No 37/2010 to classify the substance fluralaner as regards its maximum residue limit (Text with EEA relevance).
- **F22** Substituted by Commission Implementing Regulation (EU) 2016/2045 of 23 November 2016 amending Regulation (EU) No 37/2010 as regards the substance gamithromycin (Text with EEA relevance).
- **F23** Substituted by Commission Implementing Regulation (EU) 2016/305 of 3 March 2016 amending Regulation (EU) No 37/2010 as regards the substance 'gentamicin' (Text with EEA relevance).
- **F24** Inserted by Commission Implementing Regulation (EU) 2015/1079 of 3 July 2015 amending Regulation (EU) No 37/2010 as regards the substance 'hexaflumuron' (Text with EEA relevance).
- **F25** Inserted by Commission Implementing Regulation (EU) 2016/1444 of 31 August 2016 amending Regulation (EU) No 37/2010 as regards the substance hydrocortisone aceponate (Text with EEA relevance).
- **F26** Inserted by Commission Regulation (EU) No 363/2011 of 13 April 2011 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance isoeugenol (Text with EEA relevance).
- **F27** Substituted by Commission Implementing Regulation (EU) No 418/2014 of 24 April 2014 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance ivermectin (Text with EEA relevance).

Status: Point in time view as at 23/04/2018.

- **F28** Substituted by Commission Implementing Regulation (EU) No 1277/2014 of 1 December 2014 amending Regulation (EU) No 37/2010, as regards the substance 'lasalocid' (Text with EEA relevance).
- **F29** Inserted by Commission Implementing Regulation (EU) No 967/2014 of 12 September 2014 amending Regulation (EU) No 37/2010, as regards the substance 'lufenuron' (Text with EEA relevance).
- **F30** Substituted by Commission Implementing Regulation (EU) No 1057/2013 of 29 October 2013 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance manganese carbonate (Text with EEA relevance).
- **F31** Substituted by Commission Implementing Regulation (EU) 2015/149 of 30 January 2015 amending the Annex to Regulation (EU) No 37/2010 as regards the substance 'methylprednisolone' (Text with EEA relevance).
- **F32** Substituted by Commission Implementing Regulation (EU) No 59/2013 of 23 January 2013 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance monensin (Text with EEA relevance).
- **F33** Substituted by Commission Implementing Regulation (EU) 2016/1834 of 17 October 2016 amending Regulation (EU) No 37/2010 as regards the substance monepantel (Text with EEA relevance).
- **F34** Substituted by Commission Implementing Regulation (EU) No 1056/2013 of 29 October 2013 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance neomycin (Text with EEA relevance).
- **F35** Substituted by Commission Implementing Regulation (EU) No 201/2012 of 8 March 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance nitroxinil (Text with EEA relevance).
- **F36** Inserted by Commission Implementing Regulation (EU) No 107/2012 of 8 February 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance octenidine dihydrochloride (Text with EEA relevance).
- **F37** Inserted by Commission Implementing Regulation (EU) No 202/2012 of 8 March 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance pegylated bovine granulocyte colony stimulating factor (Text with EEA relevance).
- **F38** Substituted by Commission Implementing Regulation (EU) No 84/2012 of 1 February 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance phenoxymethylpenicillin (Text with EEA relevance).
- **F39** Substituted by Commission Implementing Regulation (EU) No 1186/2012 of 11 December 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance phoxim (Text with EEA relevance).
- **F40** Substituted by Commission Implementing Regulation (EU) No 406/2013 of 2 May 2013 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance prednisolone (Text with EEA relevance).
- **F41** Inserted by Commission Implementing Regulation (EU) 2015/1080 of 3 July 2015 amending Regulation (EU) No 37/2010 as regards the substance 'propyl 4-hydroxybenzoate and its sodium salt' (Text with EEA relevance).
- **F42** Inserted by Commission Implementing Regulation (EU) 2016/129 of 1 February 2016 amending Regulation (EU) No 37/2010 as regards the substance 'Purified semi-solid extract from Humulus lupulus L. containing approximately 48 % of beta acids (as potassium salts)' (Text with EEA relevance).
- **F43** Substituted by Commission Implementing Regulation (EU) 2016/576 of 14 April 2016 amending Regulation (EU) No 37/2010 as regards the substance 'rafoxanide' (Text with EEA relevance).

Status: Point in time view as at 23/04/2018.

Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 37/2010. (See end of Document for details)

- **F44** Inserted by Commission Implementing Regulation (EU) 2015/2062 of 17 November 2015 amending Regulation (EU) No 37/2010 as regards the substance 'sisapronil' (Text with EEA relevance).
- **F45** Substituted by Commission Implementing Regulation (EU) No 1191/2012 of 12 December 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance sodium salicylate (Text with EEA relevance).
- **F46** Inserted by Commission Implementing Regulation (EU) 2018/520 of 28 March 2018 amending Regulation (EU) No 37/2010 to classify the substance solvent naphtha, light aromatic, as regards its maximum residue limit (Text with EEA relevance).
- **F47** Substituted by Commission Implementing Regulation (EU) No 201/2014 of 3 March 2014 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance tildipirosin (Text with EEA relevance).
- **F48** Substituted by Commission Implementing Regulation (EU) No 676/2014 of 19 June 2014 amending Regulation (EU) No 37/2010, as regards the substance 'triclabendazole' (Text with EEA relevance).
- **F49** Inserted by Commission Implementing Regulation (EU) No 200/2014 of 3 March 2014 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance triptorelin acetate (Text with EEA relevance).
- **F50** Substituted by Commission Implementing Regulation (EU) 2015/394 of 10 March 2015 amending the Annex to Regulation (EU) No 37/2010 as regards the substance 'tulathromycin' (Text with EEA relevance).
- **F51** Substituted by Commission Implementing Regulation (EU) 2016/312 of 4 March 2016 correcting Regulation (EU) No 37/2010 as regards the substance 'tylvalosin' (Text with EEA relevance).
- **F52** Substituted by Commission Regulation (EU) No 758/2010 of 24 August 2010 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance valnemulin (Text with EEA relevance).
- **F53** Inserted by Commission Implementing Regulation (EU) 2015/1491 of 3 September 2015 amending Regulation (EU) No 37/2010 as regards the substance 'virginiamycin' (Text with EEA relevance).

#### TABLE 2

### Prohibited substances

Pharmacologically active substance	MRL
Aristolochia spp. and preparations thereof	MRL cannot be established
Chloramphenicol	MRL cannot be established
[F54]	
Chlorpromazine	MRL cannot be established
Colchicine	MRL cannot be established
Dapsone	MRL cannot be established
Dimetridazole	MRL cannot be established
Metronidazole	MRL cannot be established
Nitrofurans (including furazolidone)	MRL cannot be established
Ronidazole	MRL cannot be established

Status: Point in time view as at 23/04/2018.

Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 37/2010. (See end of Document for details)

### **Textual Amendments**

**F54** Deleted by Commission Implementing Regulation (EU) No 19/2014 of 10 January 2014 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance chloroform (Text with EEA relevance).

101

Document Generated: 2023-08-29

Status: Point in time view as at 23/04/2018.

- **(1)** OJ L 152, 16.6.2009, p. 11.
- (2) OJ L 224, 18.8.1990, p. 1.

## **Status:**

Point in time view as at 23/04/2018.

# **Changes to legislation:**

There are currently no known outstanding effects for the Commission Regulation (EU) No 37/2010.