Status: Point in time view as at 03/11/2015.

Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 37/2010. (See end of Document for details)

ANNEX

Pharmacologically active substances and their classification regarding maximum residue limits (MRL)

TABLE 1

Allowed substances

Pharmacol active Substance	og MaHl yer residue	Animal Species	MRL	Target Tissues	Other Provisions(to Article 14(7 of Regulation (EC) No 470/200	
Abamectin	Avermectin B1a	Bovine	10 μg/kg 20 μg/kg	Fat Liver	NO ENTRY	Antiparasitic agents/
		Ovine	20 μg/kg 50 μg/kg 25 μg/kg 20 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	Agents acting against endo- and ectoparasites
Absinthium extract	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	NO L E NTRY	NO ENTRY
Acetyl cysteine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L E NTRY	NO ENTRY
Acetylmethi	o ni©e APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L E NTRY	NO ENTRY
Acetylsalicy acid	INOT APPLICABI	All food froducing species except fin fish	No MRL required	NOT APPLICABI	Not for use In animals from which milk or eggs are produced for human consumption	NO ENTRY
Acetylsalicy acid DL- lysine	INOT APPLICABI	All food froducing species except fin fish	No MRL required	NOT APPLICABI	Not for use In animals from which milk or eggs are produced	NO ENTRY

					for human consumption	
Adenosine and its 5'-mono-, 5'-di-and 5' triphosphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Adonis vernalis	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in Momeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration in the products not exceeding one part per hundred only.	eias,
Aesculus hippocastant	NOT u A PPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at concentration in the products not exceeding one part per ten only.	eias
Agnus castus	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in homeopathic veterinary medicinal products prepared according	NO ENTRY

					to homeopathic pharmacopoo at concentration corresponding to the mother tincture and dilutions thereof only.	eias ns
Ailanthus altissima	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Romeopathic veterinary medicinal products prepared according to homeopathic pharmacoporat concentration corresponding to the mother tincture and dilutions thereof only.	eias ns
Alanine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Albendazole	Sum of albendazole sulphoxide, albendazole sulphone, and albendazole 2-amino sulphone, expressed as albendazole	All ruminants	100 μg/kg 100 μg/kg 1 000 μg/ kg 500 μg/kg 100 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
Albendazole oxide	Sum of albendazole oxide, albendazole sulphone,	Bovine, ovine	100 μg/kg 100 μg/kg 1 000 μg/ kg 500 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites

	and albendazole 2-amino sulphone, expressed as albendazole		100 μg/kg			
Alfacalcidol	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	For Farturient cows only.	NO ENTRY
Alfaprostol	NOT APPLICABI	Bovine, Forcine, rabbit, Equidae	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Allantoin	NOT APPLICABI	All food- Froducing species	No MRL required	NOT APPLICABI	For topical Fise only.	NO ENTRY
Allium cepa	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Momeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration corresponding to the mother tincture and dilutions thereof only.	eias 1s g
Aloe vera gel and whole leaf extract of Aloe vera	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical times only.	NO ENTRY
Aloes, Barbados and Capae, their standardised dry extract and	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY

preparations thereof						
Alphacypern	nellypiermethri (sum of isomers)	nBovine, ovine	20 μg/kg 200 μg/kg 20 μg/kg 20 μg/kg 20 μg/kg	Muscle Fat Liver Kidney Milk	For milk MRL further provisions in Commission Directive 98/82/EC are to be observed.	Antiparasitic agents/ Agents against ectoparasites
[F1Altrenoge	Altrenogest	Porcine	4 μg/kg	Skin and fat	Only for zootechnical	
			2 μg/kg	Liver	use and in accordance	on the reproductive
		Equidae	4 μg/kg	Fat	with the	system
			4 μg/kg	Liver]	provisions of Directive 96/22/EC	
Aluminium distearate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Aluminium hydroxide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Aluminium hydroxide acetate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Aluminium	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Aluminium phosphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F2Aluminium salicylate, basic	Salicylic acid	Bovine, caprine, Equidae, rabbit	200 μg/kg 500 μg/kg 1 500 μg/ kg 1 500 μg/ kg	Muscle Fat Liver Kidney	Provisional MRLs expire on 31 December 2016.	Antidiarrhoeal and intestinal anti- inflammatory agents
		Bovine, caprine, Equidae	9 μg/kg	Milk		
	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Lese only.	1

		except bovine, caprine, Equidae, rabbit and fin fish				
Aluminium tristearate	NOT APPLICABI	All food Deroducing species	No MRL required	NOT APPLICABI	NO L E NTRY	NO ENTRY
2- Aminoethan	NOT oapplicabl	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
2- Aminoethane glucuronate	NOT oapplicabl	All food Peroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
2- Aminoethyl dihydrogenp	NOT APPLICABI hosphate	All food Producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Amitraz	Sum of amitraz and all metabolites	Bovine	200 μg/kg 200 μg/kg 200 μg/kg 10 μg/kg	Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
	containing the 2,4- DMA moiety, expressed	Ovine	400 μg/kg 100 μg/kg 200 μg/kg 10 μg/kg	Fat Liver Kidney Milk		
	as amitraz	Caprine	200 μg/kg 100 μg/kg 200 μg/kg 10 μg/kg	Fat Liver Kidney Milk		
		Porcine	400 μg/kg 200 μg/kg 200 μg/kg	Skin and fat Liver Kidney		
		Bees	200 μg/kg	Honey		
Ammonium chloride	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Ammonium lauryl sulphate	NOT APPLICABI	All food- producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Ammonium sulfate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Status: Point in time view as at 03/11/2015.

Amoxicillin	Amoxicillin	All food producing species	50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg 4 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions' Not for use in animals from which eggs are produced for human consumption	Anti- infectious agents/ Antibiotics
Ampicillin	Ampicillin	All food producing species	50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg 4 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in	Anti- infectious agents/ Antibiotics

					natural proportions'. Not for use in animals from which eggs are produced for human consumption	
Amprolium	NOT APPLICABI	Poultry LE	No MRL required	NOT APPLICABI	For oral use forly.	NO ENTRY
Angelicae radix aetheroleum	NOT APPLICABI	All food Peroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Anisi aetheroleum	NOT APPLICABI	All food Abroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Anisi stellati fructus, standardised extracts and preparations thereof	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Apocynum cannabinum	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacoporat concentration in the products not exceeding one part per hundred only. For oral use only.	eias,
Apramycin	Apramycin	Bovine	1 000 μg/ kg 1 000 μg/ kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced	Anti- infectious agents/ Antibiotics

Status: Point in time view as at 03/11/2015.
Changes to legislation: There are currently no known outstanding effects for

Changes to legislation: There are currently no known outstanding effects for	
the Commission Regulation (EU) No 37/2010. (See end of Document for details)	,

	NOT APPLICABI	Ovine, Diorcine, chicken, rabbit	10 000 μg/ kg 20 000 μg/ kg No MRL required	NOT APPLICABI	For oral use Enly. Not for use in animals from which milk or eggs are produced for human	
Aqua levici	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopoonly.	NO ENTRY
Arginine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Arnica montana (arnicae flos and arnicae planta tota)	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical trise only.	NO ENTRY
Arnicae radix	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopot at concentration corresponding in the products not	eias 1s

					exceeding one part per ten only.	
Artemisia abrotanum	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration corresponding to the mother tincture and dilutions thereof only.	eias 1s
Asparagine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Aspartic acid	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Atropa belladonna	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration in the products not exceeding one part per hundred only.	eias,
Atropine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Avilamycin	Dichloroisoe	verine, poultry, rabbit	50 μg/kg 100 μg/kg 300 μg/kg 200 μg/kg	Muscle Fat Liver Kidney	For porcine and poultry species this MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	Anti- infectious agents/ Antibiotics
Azagly- nafarelin	NOT APPLICABI	Salmonidae LE	No MRL required	NOT APPLICABI	Not for Lise in fish from which eggs are produced for human consumption	NO ENTRY
[^{F3} Azamethi]	MGT APPLICABI	Fin fish LE	No MRL required	NOT APPLICABI	NO LENTRY	Antiparasitic agents/ Agents against ectoparasites]
Azaperone	Sum of azaperone and azaperol	Porcine	100 μg/kg 100 μg/kg 100 μg/kg 100 μg/kg	Muscle Skin and fat Liver Kidney	NO ENTRY	Agents acting on the nervous system/ Agents acting on the central nervous system
Bacitracin	Sum of	Bovine	100 μg/kg	Milk	NO	Anti-
	bacitracin A, bacitracin B, and bacitracin C	Rabbit	150 μg/kg 150 μg/kg 150 μg/kg 150 μg/kg	Muscle Fat Liver Kidney	ENTRY	infectious agents/ Antibiotics
	NOT APPLICABI	Bovine LE	No MRL required for all tissues except milk.	NOT APPLICABI	For Intramamma use in lactating cows only.	ry

Balsamum peruvianum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Fise only.	NO ENTRY
Baquiloprim	Baquiloprim	Bovine	10 μg/kg 300 μg/kg 150 μg/kg 30 μg/kg	Fat Liver Kidney Milk	NO ENTRY	Anti- infectious agents/ Chemotheurapeutics
		Porcine	40 μg/kg 50 μg/kg 50 μg/kg	Skin and fat Liver Kidney		
[F4Barium selenate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	Not for additional stration by injection	Alimentary neract and metabolism/ mineral supplements]
Beclomethas dipropionate	ONIOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For Jahalation use only.	NO ENTRY
Bellis perennis	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in Diomeopathic veterinary medicinal products prepared according to homeopathic pharmacoporat concentration corresponding to the mother tincture and dilutions thereof only.	eias ns
Benzalkoniu chloride	nNOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use Its an excipient at concentration up to 0,05 % only.	NO ENTRY ns
Benzocaine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use Lats local	NO ENTRY

					anaesthetic only.	
		Salmonidae	No MRL required	NOT APPLICABI	NO LENTRY	
Benzyl alcohol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Benzyl benzoate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Benzyl p- hydroxybenz	NOT MARPLICABI	All food Producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Benzylpenic	i li e nzylpenic	illith food producing species	50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg 4 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	
Betaine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Betaine glucuronate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Betamethaso	r l& etamethaso	rBovine, porcine	0,75 μg/kg 2,0 μg/kg 0,75 μg/kg	Muscle Liver Kidney	NO ENTRY	Corticoides/ Glucocorticoides
		Bovine	0,3 μg/kg	Milk		
Biotin	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Bismuth subcarbonate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For oral use finly.	NO ENTRY
Bismuth subgallate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI		NO ENTRY
Bismuth subnitrate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For oral use finly.	NO ENTRY
		Bovine	No MRL required	NOT APPLICABI	For Intramamma use only.	NO rENTRY
Bismuth subsalicylate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For oral use follows.	NO ENTRY
Bituminosult ammonium and sodium salts	OMOUES, APPLICABI	All Finammalian food producing species	No MRL required	NOT APPLICABI	For topical Tise only.	NO ENTRY
Boldo folium	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Boric acid and borates	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Bromhexine	NOT APPLICABI	Bovine, Forcine, poultry	No MRL required	NOT APPLICABI	Not for use fin animals from which milk or eggs are produced for human consumption	NO ENTRY
Bromide, potassium salt	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Bromide, sodium salt	NOT APPLICABI	All- Jammalian	No MRL required	NOT APPLICABI	For topical Lise only.	NO ENTRY

		food- producing species				
Bronopol	NOT APPLICABI	Fin fish LE	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Brotizolam	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	For Merapeutic uses only.	NO ENTRY
Buserelin	NOT APPLICABI	All food Peroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[^{F5} Butafosfar	nNOT APPLICABI	All mammalian food producing species	No MRL required	NOT APPLICABI	NO ÆNTRY	Alimentary tract and metabolism/ mineral supplements]
n-Butane	NOT APPLICABI	All food Peroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
n-Butanol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Butorphanol tartrate	eNOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For Intravenous administrationly.	NO ENTRY on
Butyl 4- hydroxybenz	NOT MARPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Butylscopola bromide	an Willim APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F6Cabergolin	n©abergoline	Bovine	0,1 μg/kg	Fat	NO	Prolactin
			0,25 μg/kg	Liver	ENTRY	inhibitor
			0,5 μg/kg	Kidney		
			0,15 μg/kg	Muscle		
			0,1 μg/kg	Milk]		
Caffeine	NOT APPLICABI	All food Peroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium acetate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Calcium aspartate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium benzoate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium boroglucona	NOT teAPPLICAB	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium carbonate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium chloride	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium citrate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium glucohepton	NOT ataPPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium gluconate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium glucono glucohepton	NOT APPLICABI ate	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium gluconolacta	NOT teAPPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium glutamate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium glycerophos	NOT planePLICAB	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium hydroxide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium hypophosph	NOT itAPPLICAB	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium malate	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Calcium oxide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium pantothenate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium phosphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium polyphospha	NOT t <i>e</i> sPPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium propionate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium silicate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium stearate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium sulphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calendula officinalis	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Momeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration corresponding in the products not exceeding one part per ten only.	eias 1s
Calendulae flos	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical fise only.	NO ENTRY

Camphor	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	External Fise only.	NO ENTRY
Camphora	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Momeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration in the products not exceeding one part per hundred only.	eias
Capsici fructus acer	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Carazolol	Carazolol	Bovine	5 μg/kg 5 μg/kg 15 μg/kg 15 μg/kg 1 μg/kg	Muscle Fat Liver Kidney Milk	the nervo system/ Agents acting on the	acting on the nervous system/ Agents
		Porcine	5 μg/kg 5 μg/kg 25 μg/kg 25 μg/kg	Muscle Skin and fat Liver Kidney		on the autonomic nervous
Carbasalate calcium	NOT APPLICABI	All food Froducing species except fin fish	No MRL required	NOT APPLICABI	Not for use Imanimals from which milk or eggs are produced for human consumption	NO ENTRY
Carbetocin	NOT APPLICABI	All Finammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Cardamon extract	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L E NTRY	NO ENTRY
Cardiosperm	alwOT APPLICABI	All food Droducing species	No MRL required	NOT APPLICABI	For use in Foregonathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration corresponding to the mother tincture and dilutions thereof only.	eias 18
Carlinae radix	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Itse only.	NO ENTRY
Carnitine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L E NTRY	NO ENTRY
Carprofen	Sum of carprofen and carprofen glucuronide conjugate	Bovine, Equidae	500 μg/kg 1 000 μg/ kg 1 000 μg/ kg 1 000 μg/ kg	Muscle Fat Liver Kidney	NO ENTRY	Anti-inflammatory agents/ Nonsteroidal anti-inflammatory agents
	NOT APPLICABI	Bovine LE	No MRL required for milk	NOT APPLICABI	LE	
Carvi aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Caryophylli aetheroleum		All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cefacetrile	Cefacetrile	Bovine	125 μg/kg	Milk	For	Anti-
	NOT APPLICABI	Bovine LE	No MRL required for all tissues	NOT APPLICABI	intramamma use only. LE	

			except milk.			
Cefalexin	Cefalexin	Bovine	200 μg/kg 200 μg/kg 200 μg/kg 1 000 μg/ kg 100 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Anti- infectious agents/ Antibiotics
Cefalonium	Cefalonium	Bovine	20 μg/kg	Milk	For	Anti-
	NOT APPLICABI	Bovine LE	No MRL required for all tissues except milk.	NOT APPLICABI	intramamma use and eye freatment only.	rynfectious agents/ Antibiotics
Cefapirin	Sum of cephapirin and desacetylcep	Bovine hapirin	50 μg/kg 50 μg/kg 100 μg/kg 60 μg/kg	Muscle Fat Kidney Milk	NO ENTRY	Anti- infectious agents/ Antibiotics
Cefazolin	Cefazolin	Bovine, ovine, caprine	50 μg/kg	Milk	NO ENTRY	Anti- infectious agents/
	NOT APPLICABI	Bovine, Avine, caprine	No MRL required for all tissues except milk.	NOT APPLICABI	For Intramamma use, except if the udder may be used as food for human consumption	
Cefoperazon	eCefoperazon	eBovine	50 μg/kg	Milk	For	Anti-
	NOT APPLICABI	Bovine LE	No MRL required for all tissues except milk.	NOT APPLICABI	intramamma use in factating cows only.	rinfectious agents/ Antibiotics
Cefquinome	Cefquinome	Bovine, porcine, Equidae	50 μg/kg 50 μg/kg 100 μg/kg 200 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates	Anti- infectious agents/ Antibiotics
		Bovine	20 μg/kg	Milk	to 'skin and fat in natural proportions'.	
Ceftiofur	Sum of all residues retaining	All mammalian food	1 000 μg/ kg	Muscle Fat Liver	For porcine species the fat MRL	Anti- infectious

	the betalactam structure expressed as desfuroylcef	producing species tiofur	2 000 µg/ kg 2 000 µg/ kg 6 000 µg/ kg 100 µg/kg	Kidney Milk	relates to 'skin and fat in natural proportions'.	agents/ Antibiotics
Centellae asiaticae extractum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Lifese only.	NO ENTRY
Cetostearyl alcohol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cetrimide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Chlorhexidir	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Lifese only.	NO ENTRY
Chlormadino	K ehlormadino	n Recovine	4 μg/kg 2 μg/kg 2,5 μg/kg	Fat Liver Milk	For zootechnical use only.	Agents acting on the reproductive system
Chlorocresol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F7Chloroform	nNOT APPLICABI	All finammalian food producing species	No MRL required	NOT APPLICABI	Only to be dissed as an excipient in vaccines and only at concentration not exceeding 1 % w/v and total doses not exceeding 20 mg per animal.	NO ENTRY]
Chlorphenan		All Mammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Chlortetracy	cSinen of parent drug and its 4- epimer	All food- producing species	100 μg/kg 300 μg/kg 600 μg/kg 100 μg/kg 200 μg/kg	Muscle Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for liver and kidney do not apply to fin fish.	Anti- infectious agents/ Antibiotics
Choline	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Chrysanthen cinerariifolii flos	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Fise only.	NO ENTRY
Chymotryps	iNOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cimicifugae racemosae rhizoma	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	Not for use In animals from which milk is produced for human consumption	NO ENTRY
Cinchonae cortex, standardised extracts and preparations thereof	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Cinnamomi cassiae aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cinnamomi cassiae cortex, standardised extracts and preparations thereof	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Cinnamomi ceylanici aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Status: Point in time view as at 03/11/2015.

Cinnamomi ceylanici cortex, standardised extracts and preparations thereof	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Citri aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Citronellae aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Citrulline	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Clavulanic acid Clavulanic acid		Bovine, porcine	100 μg/kg 100 μg/kg 200 μg/kg 400 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural proportions'	Anti- infectious agents/ Antibiotics
		Bovine	200 μg/kg	Milk		
Clazuril	NOT APPLICABI	Pigeon LE	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Clenbuterol hydrochlorid		Bovine, <i>Equidae</i>	0,1 μg/kg 0,5 μg/kg 0,5 μg/kg	Muscle Liver Kidney	NO ENTRY	Agents acting on the nervous
		Bovine	0,05 μg/kg	Milk		system/ Agents acting on the autonomic nervous system
[F8Clodronic acid (in the form of disodium salt)	NOT APPLICABI	Equidae LE	No MRL required	NOT APPLICABI	Not for use Im animals from which milk is produced for human consumption	Musculoskeleta system/ drugs for treatment of bone diseases]
Cloprostenol	NOT APPLICABI	Bovine, porcine, caprine, Equidae	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

R- Cloprostenol	NOT APPLICABI	Bovine, Forcine, caprine, Equidae	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F9Clorsulon	Clorsulon	Bovine	35 μg/kg	Muscle	NO	Antiparasitic
			100 μg/kg	Liver	ENTRY	agents/ Agents
			200 μg/kg	Kidney		against endoparasites
			16 μg/kg	Milk]		
[F10Closantel Closantel	Closantel	Bovine	1 000 µg/ kg 3 000 µg/ kg 1 000 µg/ kg 3 000 µg/ kg 45 µg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
		Ovine	1 500 µg/ kg 2 000 µg/ kg 1 500 µg/ kg 5 000 µg/ kg 45 µg/kg	Muscle Fat Liver Kidney Milk]		
Cloxacillin	Cloxacillin	All food producing species	300 μg/kg 300 μg/kg 300 μg/kg 300 μg/kg 30 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'	Anti- infectious agents/ Antibiotics

Status: Point in time view as at 03/11/2015.

					Not for use in animals from which eggs are produced for human consumption	
Cobalt carbonate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cobalt dichloride	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cobalt gluconate	NOT APPLICABI	All food Peroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cobalt oxide	NOT APPLICABI	All food Peroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cobalt sulphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cobalt trioxide	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Coco alkyl dimethyl betaines	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Colistin	Colistin	All food producing species	150 μg/kg 150 μg/kg 150 μg/kg 200 μg/kg 50 μg/kg 300 μg/kg	Muscle Fat Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin	Anti- infectious agents/ Antibiotics

					and fat in natural proportions'.	
Condurango cortex, standardised extracts and preparations thereof	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Convallaria majalis	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration in the products not exceeding one part per thousand only.	eias,
Copper chloride	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Copper gluconate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Copper heptanoate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Copper methionate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Copper oxide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Copper sulphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Coriandri aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Corticotropin	nNOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Coumafos	Coumafos	Bees	100 μg/kg	Honey	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
Crataegus	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in Romeopathic veterinary medicinal products prepared according to homeopathic pharmacoporat concentration corresponding to the mother tincture and dilutions thereof only.	eias ns
Cupressi aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Fise only.	NO ENTRY
Cyfluthrin	Cyfluthrin (sum of isomers)	Bovine, caprine	10 μg/kg 50 μg/kg 10 μg/kg 10 μg/kg 20 μg/kg	Muscle Fat Liver Kidney Milk	For milk further provisions in Council Directive 94/29/EC are to be observed.	Antiparasitic agents/ Agents against ectoparasites
Cyhalothrin	Cyhalothrin (sum of isomers)	Bovine	500 μg/kg 50 μg/kg 50 μg/kg	Fat Kidney Milk	For milk further provisions in Council Directive 94/29/EC are to be observed.	Antiparasitic agents/ Agents against ectoparasites

Cypermethri	CypermethrinCypermethr (sum of isomers)	nAll ruminants	20 μg/kg 200 μg/kg 20 μg/kg 20 μg/kg 20 μg/kg	Muscle Fat Liver Kidney Milk	For milk further provisions in Commission	Antiparasitic agents/ Agents against ectoparasites
		Salmonidae	50 μg/kg	Muscle and skin in natural proportions.	Directive 98/82/EC are to be observed.	
Cyromazine	Cyromazine	Ovine	300 μg/kg 300 μg/kg 300 μg/kg 300 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	Antiparasitic agents/ Agents against ectoparasites
Cysteine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cytidine and its 5'-mono-, 5'-di- and 5'-triphosphates	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Danofloxaci	nDanofloxaci	nBovine, ovine, caprine, poultry	200 μg/kg 100 μg/kg 400 μg/kg 400 μg/kg	Muscle Fat Liver Kidney	For fin fish the muscle MRL relates to	Anti- infectious agents/ Antibiotics
		All other food producing species	100 μg/kg 50 μg/kg 200 μg/kg 200 μg/kg	Muscle Fat Liver Kidney	'muscle and skin in natural proportions'. MRLs for	
		Bovine, ovine, caprine	30 μg/kg	Milk	fat, liver and kidney do not apply to fin fish. For porcine species the fat MRL relates to 'skin and fat in natural proportions'. For poultry species the fat MRL relates	

Status: Point in time view as at 03/11/2015.

					to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	
Decoquinate	NOT APPLICABI	Bovine, Jowine	No MRL required	NOT APPLICABI		NO ENTRY
Deltamethrin	Deltamethrir	All ruminants	10 μg/kg 50 μg/kg 10 μg/kg 10 μg/kg 20 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
		Fin fish	10 μg/kg	Muscle and skin in natural proportions.		
Dembrexine	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Denaverine hydrochlorid	NOT eAPPLICABI	Bovine LE	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
[F11Derquanto	Perquantel	Ovine	2 μg/kg	Muscle	Not for use	Antiparasitic
			40 μg/kg	Fat	in animals from which	agents/ Agents
			20 μg/kg	Liver	milk is	against
			5 μg/kg	Kidney]	produced for human consumption	endoparasites
Deslorelin acetate	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Detomidine	NOT APPLICABI	Bovine, <i>Equidae</i>	No MRL required	NOT APPLICABI	For Merapeutic use only.	NO ENTRY
Dexamethase	oftexamethas	oBevine, caprine,	0,75 μg/kg 2 μg/kg 0,75 μg/kg	Muscle Liver Kidney	NO ENTRY	Corticoides/ Glucocorticoides

		porcine, Equidae				
		Bovine, caprine	0,3 μg/kg	Milk		
Dexpantheno	NOT APPLICABI	All food- producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Diazinon	Diazinon	Bovine, ovine, caprine, porcine	20 μg/kg 700 μg/kg 20 μg/kg 20 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates	Antiparasitic agents/ Agents against ectoparasites
		Bovine, ovine, caprine	20 μg/kg	Milk	to 'skin and fat in natural proportions'.	
[F12Diclazuri	NOT APPLICABI	All Fuminants, porcine	No MRL required	NOT APPLICABI	For oral use Forly	NO ENTRY
	Diclazuril	Poultry	500 μg/kg	Muscle	Not for use in animals	Antiparasitic agents/ Agents acting againsts protozoa
			500 μg/kg	Skin and fat in natural proportions	from which eggs are produced for human	
			1 500 μg/ kg	Liver	consumption	
			1 000 μg/ kg	Kidney		
		Rabbit	150 μg/kg	Muscle		
			300 μg/kg	Fat		
			2 500 μg/ kg	Liver		
			1 000 μg/ kg	Kidney]		
Diclofenac	Diclofenac	Bovine	5 μg/kg 1 μg/kg 5 μg/kg 10 μg/kg 0,1 μg/kg	Muscle Fat Liver Kidney Milk	For porcine species the fat MRL relates to 'skin and fat in natural proportions'	inflammatory agents/ Nonsteroidal anti- inflammatory agents
		Porcine	5 μg/kg 1 μg/kg 5 μg/kg 10 μg/kg	Muscle Skin and fat Liver Kidney		

D: 1 '11'	D: 1 '11'	A 11 C 1	200 /	3.6 1	г с с 1	A
Dicloxacillin	Dicloxacillin	All food producing species	300 μg/kg 300 μg/kg 300 μg/kg 300 μg/kg 30 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions' Not for use in animals from which eggs are produced for human consumption	Anti- infectious agents/ Antibiotics
Dicopper oxide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Dicyclanil	Sum of dicyclanil and 2, 4, 6-triamino-pyrimidine-5 carbonitrile	Ovine	200 μg/kg 150 μg/kg 400 μg/kg 400 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	Antiparasitic agents/ Agents against ectoparasites
Diethyl phthalate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Diethyl sebacate	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Diethylene glycol monoethyl ether	NOT APPLICABI	All Fuminants and porcine	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Difloxacin Difloxacin	Difloxacin	Bovine, ovine, caprine	400 μg/kg 100 μg/kg 1 400 μg/ kg 800 μg/kg	Muscle Fat Liver Kidney	For fin fish the muscle MRL relates to 'muscle	Anti- infectious agents/ Antibiotics	
		Porcine	400 μg/kg 100 μg/kg 800 μg/kg 800 μg/kg	Muscle Skin and fat Liver Kidney	and skin in natural proportions'. MRLs for fat, liver and kidney		
		Poultry	300 μg/kg 400 μg/kg 1 900 μg/ kg 600 μg/kg	Muscle Skin and fat Liver Kidney	do not apply to fin fish. Not for use in animals		
		All other food producing species	300 μg/kg 100 μg/kg 800 μg/kg 600 μg/kg	Muscle Fat Liver Kidney	from which milk is produced for human consumption Not for use in animals from which eggs are produced for human consumption		
Diflubenzuro	nDiflubenzur	Salmonidae	1 000 μg/ kg	Muscle and skin in natural proportions	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites	
Dihydrostrep	tiðinhyclir ostrep	tAthycin ruminants, porcine, rabbit	500 μg/kg 500 μg/kg 500 μg/kg 1 000 μg/ kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin	Anti- infectious agents/ Antibiotics	
		All ruminants	200 μg/kg	Milk	and fat in natural proportions'.		
3,5-Diiodo- L-thyrosine	NOT APPLICABI	All mammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY	
Dimanganes trioxide	eNOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For oral use Amly.	NO ENTRY	

Dimethicone	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Dimethyl acetamide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Dimethyl phthalate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Dimethyl sulphoxide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Dinoprost	NOT APPLICABI	All mammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Dinoprost tromethamin	NOT eAPPLICABI	All mammalian food producing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Dinoprostone	eNOT APPLICABI	All mammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Diprophyllin	enot Applicabi	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Doramectin	Doramectin	All mammalian food producing species	40 μg/kg 150 μg/kg 100 μg/kg 60 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which milk is produced for human consumption	Antiparasitic agents/ Agents acting against endo- and ectoparasites
[F13Double stranded ribonucleic	NOT APPLICABI	Bees LE	No MRL required	Honey	NO ENTRY	NO ENTRY]

acid homologous to viral ribonucleic acid coding for part of the coat protein and part of the intergenic region of the Israel Acute Paralysis Virus						
Doxapram	NOT APPLICABI	All Finammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F14Doxycycl	iPoxycycline	All food producing species	100 μg/kg 300 μg/kg 300 μg/kg 600 μg/kg	Muscle Fat Liver Kidney	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions' Not for use in animals from which milk or eggs are produced for human consumption	Anti- infectious agents/ Antibiotics]

D-Phenylalanin (6) – luteinising-hormone releasing hormone	NOT eAPPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Echinacea	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopod at concentration corresponding to the mother tincture and dilutions thereof only. For topical use only. For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopod at concentration corresponding in the products not exceeding one part per ten only.	eias ns g
Echinacea purpurea	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Firse only.	NO ENTRY

Emamectin	Emamectin B1a	Fin fish	100 μg/kg	Muscle and skin in natural proportions	NO ENTRY	Antiparasitic agents/ Agents acting against endo- and ectoparasites
Enilconazole	NOT APPLICABI	Bovine, <i>Equidae</i>	No MRL required	NOT APPLICABI	For topical Inse only.	NO ENTRY
Enrofloxacin	Sum of enrofloxacin and ciprofloxacir	caprine	100 μg/kg 100 μg/kg 300 μg/kg 200 μg/kg 100 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	Anti- infectious agents/ Antibiotics
		Porcine, rabbit	100 μg/kg 100 μg/kg 200 μg/kg 300 μg/kg	Muscle Fat Liver Kidney		
		Poultry	100 μg/kg 100 μg/kg 200 μg/kg 300 μg/kg	Muscle Skin and fat Liver Kidney		
		All other food producing species	100 μg/kg 100 μg/kg 200 μg/kg 200 μg/kg	Muscle Fat Liver Kidney		
Epinephrine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[^{F15} Eprinome	सिमांnomectii B1a	nBovine	50 μg/kg 250 μg/kg 1 500 μg/ kg 300 μg/kg 20 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents acting against endo- and ectoparasites
		Ovine, caprine	50 μg/kg 250 μg/kg	Muscle Fat Liver	Provisional maximum residue	

Status: Point in time view as at 03/11/2015.

			1 500 μg/ kg 300 μg/kg 20 μg/kg	Kidney Milk	limits expire on 30 June 2016]	
Ergometrine maleate		All Fnammalian food producing species	No MRL required	NOT APPLICABI	For use in parturient animals only.	NO ENTRY
Erythromyci	nErythromyci A	nAll food producing species	200 μg/kg 200 μg/kg 200 μg/kg 200 μg/kg 40 μg/kg 150 μg/kg	Muscle Fat Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'	Anti- infectious agents/ Antibiotics
Etamiphyllin		All food	No MRL	NOT	NO	NO
camsylate	APPLICABI	producing species	required	APPLICABI	LENTRY	ENTRY
Etamsylate	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Ethanol	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Ethyl lactate	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Ethyl oleate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Ethylenedian acid and salts	nN@tEtraaceti APPLICABI		No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Etiproston tromethamin	NOT eAPPLICABI	Bovine, Forcine	No MRL required	NOT APPLICABI	NO L E NTRY	NO ENTRY
Eucalypti aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Eucalyptol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Eucalyptus globulus	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Momeopathic veterinary medicinal products prepared according to homeopathic pharmacoporat concentration corresponding to the mother tincture and dilutions thereof only.	eias 1s
Euphrasia officinalis	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Momeopathic veterinary medicinal products prepared according to homeopathic pharmacoporat concentration corresponding to the mother tincture and dilutions thereof only.	eias 1s

Status: Point in time view as at 03/11/2015.

Febantel	Sum of extractable residues which may be oxidised to oxfendazole sulphone	All ruminants, porcine, Equidae All ruminants	50 μg/kg 50 μg/kg 500 μg/kg 50 μg/kg 10 μg/kg	Muscle Fat Liver Kidney Milk	For porcine species the fat MRL relates to 'skin and fat in natural proportions'.	Antiparasitic agents/ Agents against endoparasites
[F16Fenbenda	extractable residues which may be oxidised to oxfendazole sulfone	All food- producing species except fin fish	50 μg/kg 50 μg/kg 500 μg/kg 50 μg/kg 10 μg/kg 1 300 μg/	Muscle Fat Liver Kidney Milk Eggs	For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'	Antiparasitic agents/ Agents against endoparasites]
Fenpipramic hydrochloric	eNOT eAPPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For Intravenous use only.	NO ENTRY
Fenvalerate	Fenvalerate (sum of RR, SS, RS and SR isomers)	Bovine	25 μg/kg 250 μg/kg 25 μg/kg 25 μg/kg 40 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
Fertirelin acetate	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Firocoxib	Firocoxib	Equidae	10 μg/kg 15 μg/kg 60 μg/kg 10 μg/kg	Muscle Fat Liver Kidney	NO ENTRY	Anti- inflammatory agents/ Nonsteroidal anti- inflammatory agents
	Sum of florfenicol and its metabolites	Bovine, ovine, caprine	200 μg/kg 3 000 μg/ kg 300 μg/kg	Muscle Liver Kidney	Not for animals from which milk is produced for human consumption Not for animals from which eggs are produced for human consumption	Anti- infectious agents/ Antibiotics
	measured as florfenicol- amine	Porcine	300 μg/kg 500 μg/kg 2 000 μg/ kg 500 μg/kg	Muscle Skin and fat Liver Kidney		
		Poultry	100 μg/kg 200 μg/kg 2 500 μg/ kg 750 μg/kg	Muscle Skin and fat Liver Kidney		

		Fin fish	1 000 μg/ kg	Muscle and skin in natural proportions.		
		All other food producing species	100 μg/kg 200 μg/kg 2 000 μg/ kg 300 μg/kg	Muscle Fat Liver Kidney		
Fluazuron	Fluazuron	Bovine	200 μg/kg 7 000 μg/ kg 500 μg/kg 500 μg/kg	Muscle Fat Liver Kidney	Not for animals from which milk is produced for human consumption	Antiparasitic agents/ Agents against ectoparasites
Flubendazol	eSum of flubendazole and (2- amino 1H- benzimidazo yl) (4fluoropher methanone	l-5-	50 μg/kg 50 μg/kg 400 μg/kg 300 μg/kg	Muscle Skin and fat Liver Kidney	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
	Flubendazol	Poultry	400 μg/kg	Eggs		
Flugestone acetate	Flugestone acetate	Ovine, caprine	0,5 μg/kg 0,5 μg/kg 0,5 μg/kg 0,5 μg/kg 1 μg/kg	Muscle Fat Liver Kidney Milk	For intravaginal use for zootechnical purposes only.	Agents acting on the reproductive system
Flumequine	Flumequine	Bovine, ovine, caprine, porcine	200 μg/kg 300 μg/kg 500 μg/kg 1 500 μg/ kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin	Anti- infectious agents/ Antibiotics
		Bovine, ovine, caprine	50 μg/kg	Milk	and fat in natural proportions'. Not for use	
		Poultry	400 μg/kg 250 μg/kg 800 μg/kg 1 000 μg/ kg	Muscle Skin and fat Liver Kidney	in animals from which eggs are produced for human consumption	
		Fin Fish	600 μg/kg	Muscle and skin		

Status: Point in time view as at 03/11/2015.

				in natural proportion.		
		All other food producing species	200 μg/kg 250 μg/kg 500 μg/kg 1 000 μg/ kg	Muscle Fat Liver Kidney		
Flumethrin	Flumethrin (sum of trans-Z- isomers)	Bovine	10 μg/kg 150 μg/kg 20 μg/kg 10 μg/kg 30 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
		Ovine	10 μg/kg 150 μg/kg 20 μg/kg 10 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	
	NOT APPLICABI	Bees LE	No MRL required	NOT APPLICABI	NO ÆNTRY	
Flunixin	Flunixin	Bovine	20 μg/kg 30 μg/kg 300 μg/kg 100 μg/kg	Muscle Fat Liver Kidney	NO ENTRY	Anti- inflammatory agents/ Nonsteroidal
		Porcine	50 μg/kg 10 μg/kg 200 μg/kg 30 μg/kg	Muscle Skin and fat Liver Kidney		anti- inflammatory agents
		Equidae	10 μg/kg 20 μg/kg 100 μg/kg 200 μg/kg	Muscle Fat Liver Kidney		
	5- Hydroxyflun	Bovine ixin	40 μg/kg	Milk		
Foeniculi aetheroleum	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	NO L E NTRY	NO ENTRY
Folic acid	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Follicle stimulating hormone (natural FSH from	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

all species and their synthetic analogues)						
Food additives (substances with a valid E number approved as additives in foodstuffs for human consumption	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	Only Substances approved as additives in foodstuffs for human consumption with the exception of preservatives listed in part C of Annex III to European Parliament and Council Directive 95/2/EC.	
Formaldehyo	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Formic acid	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Frangulae cortex, standardised extracts and preparations thereof	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Furosemide	NOT APPLICABI	Bovine, <i>Equidae</i>	No MRL required	NOT APPLICABI	For Intravenous administrationly.	NO ENTRY on
[F17Gamithro	nGamithromy	d Pro rcine	100 μg/kg	Muscle	NO	Anti-
			100 μg/kg	Skin and fat in natural proportions	ENTRY	infectious agents/ Antibiotics
			100 μg/kg	Liver		
			300 μg/kg	Kidney		

Status: Point in time view as at 03/11/2015.

		Bovine	20 μg/kg	Fat	Not for use	
			200 μg/kg	Liver	in animals producing	
			100 μg/kg	Kidney]	milk for human consumption	
Gentamicin	Sum of gentamicin C1, gentamicin	Bovine, porcine	50 μg/kg 50 μg/kg 200 μg/kg 750 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates	Anti- infectious agents/ Antibiotics
	C1a, gentamicin C2 and gentamicin C2a	Bovine	100 μg/kg	Milk	to 'skin and fat in natural proportions'.	
Gentianae radix, standardised extracts and preparations thereof	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Ginkgo biloba	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Momeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration in the products not exceeding one part per thousand only.	eias
Ginseng	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopoe	

					at concentration corresponding to the mother tincture and dilutions thereof only.	
Ginseng, standardised extracts and preparations thereof	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Glutamic acid	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Glutamine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Glutaraldehy	deOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Glycerol formal	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Glycine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Gonadotroph releasing hormone	MOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Guaiacol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Guanosine and its 5'-mono-, 5'-di- and 5'-triphosphate:	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Halofuginon	eHalofuginon	eBovine	10 μg/kg 25 μg/kg 30 μg/kg 30 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	Antiparasitic agents/ Agents acting against protozoa

Status: Point in time view as at 03/11/2015.

Hamamelis	NOT	All food	No MRL	NOT	For use in	NO
virginiana	APPLICABI	producing species	required	APPLICABI	Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacoporat concentration in the products not exceeding one part per ten only.	eias
		All food producing species	No MRL required	NOT APPLICABI	For topical Fise only.	
Harpagophy procumbens	MOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacoporat concentration corresponding to the mother tincture and dilutions thereof only.	eias 1s
Harunga madagascari	NOT ANPRLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopoo at	

					concentration in the products not exceeding one part per thousand only	ns
Heparin and its salts	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Heptaminol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Hesperidin	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Hesperidin methyl chalcone	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[^{F18} Hexaflun	uH⊕xaflumuro	Fin fish	500 μg/kg	Muscle and skin in natural proportions	NO ENTRY	Antiparasitic agents/ Agents (acting) against ectoparasites]
Hexetidine	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For topical Lifese only.	NO ENTRY
Hippocastan semen	iNOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Fise only.	NO ENTRY
Histidine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Human chorion gonadotroph	NOT APPLICABI in	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Human chorionic gonadotropii (natural HCG and its synthetic analogues)	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Human menopausal urinary gonadotroph	NOT APPLICABI in	Bovine LE	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Status: Point in time view as at 03/11/2015.

Humic acids	NOT APPLICABI	All food	No MRL required	NOT APPLICABI	For oral use	NO ENTRY
and their sodium salts		species				
Hyaluronic acid	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Hydrochloric acid	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Hydrochloro	tN@ZTde APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Hydrocortiso	MOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For topical Fise only.	NO ENTRY
Hydrogen peroxide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Hydroxyethy	IMDTylate APPLICABI	All food- producing species except fin fish	No MRL required	NOT APPLICABI	For topical First only.	NO ENTRY
8- Hydroxyquii	NOT M HE LICABI	All Minammalian food- producing species	No MRL required	NOT APPLICABI	For topical Fise in newborn animals only.	NO ENTRY
Hyperici oleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Lese only.	NO ENTRY
Hypericum perforatum	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacoporat concentration corresponding to the mother tincture and	eias ns

					dilutions thereof only.	
Imidocarb	Imidocarb	Bovine	300 μg/kg 50 μg/kg 2 000 μg/ kg 1 500 μg/ kg 50 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents acting against protozoa
		Ovine	300 μg/kg 50 μg/kg 2 000 μg/ kg 1 500 μg/ kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	
Inosine and its 5'- mono-, 5'- di- and 5'- triphosphates	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Inositol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Iodine and iodine inorganic compounds including:	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
and pot iod	assium-					
iod — Iod inc	assium- ate ophors luding yvinylpyrroli	done-				
Iodine organic compounds — Iod	NOT APPLICABI oform	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Iron ammonium citrate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Status: Point in time view as at 03/11/2015.

Iron dextran	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Iron dichloride	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Iron fumarate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Iron glucohepton	NOT at&PPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Iron sulphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Isobutane	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F19]Isoeugene	oIsoeugenol	Fin fish	6 000 μg/ kg	Muscle and skin in natural proportions	NOT APPLICABI	Agents Ecting on the nervous system/ Agents acting on the central nervous system]
Isoflurane	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For Imaesthetic use only.	NO ENTRY
Isoleucine	NOT APPLICABI	All food All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Isopropanol	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Isoxsuprine	NOT APPLICABI	Bovine, Equidae	No MRL required	NOT APPLICABI	For Merapeutic use only in accordance with Council Directive 96/22/EEC.	NO ENTRY
[F20]Ivermecti	n22, 23- Dihydro-	All mammalian food	30 μg/kg 100 μg/kg 100 μg/kg	Muscle Fat Liver	For porcine species the fat MRL	Antiparasitic agents/ Agents

	avermectin B 1a	producing species	30 μg/kg	Kidney	relates to 'skin and fat in natural proportions' Not for use in animals from which milk is produced for human consumption	acting against endo and ectoparasites]
Jecoris oleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Just only.	NO ENTRY
Juniperi fructus	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Kanamycin	Kanamycin A	All food producing species except fin fish	100 μg/kg 100 μg/kg 600 μg/kg 2 500 μg/ kg 150 μg/kg	Muscle Fat Liver Kidney Milk	For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	Anti- infectious agents/ Antibiotics
Ketamine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Ketanserin tartrate	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Ketoprofen	NOT APPLICABI	Bovine, Forcine, Equidae	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Lachnanthes tinctoria	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in Informeopathic veterinary medicinal products prepared according	NO ENTRY

Status: Point in time view as at 03/11/2015.

					to homeopathic pharmacopoo at concentration in the products not exceeding one part per thousand only.	eias
Lactic acid	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Lanolin	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F21Lasalocid	Lasalocid A	Poultry	60 μg/kg 300 μg/kg 150 μg/kg 300 μg/kg 150 μg/kg	Muscle Liver Kidney Skin and fat in natural proportions Eggs	NO ENTRY	Anti- infectious agents/ Antibiotics
		Bovine	10 μg/kg 20 μg/kg 100 μg/kg 20 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption]
Lauri folii aetheroleum	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Lauri fructus	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Lavandulae aetheroleum	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For topical Free only.	NO ENTRY
Lecirelin	NOT APPLICABI	Bovine, Equidae, rabbit	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Lectin extracted from red	NOT APPLICABI	Porcine LE	No MRL required	NOT APPLICABI	For oral use Fonly.	NO ENTRY

kidney beans Phaseolus vulgaris						
Lespedeza capitata	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L E NTRY	NO ENTRY
Leucine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Levamisole	Levamisole	Bovine, ovine, porcine, poultry	10 μg/kg 10 μg/kg 100 μg/kg 10 μg/kg	Muscle Fat Liver Kidney	For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which milk or eggs are produced for human consumption	Antiparasitic agents/ Agents against endoparasites
Levomethad	o n ©T APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For Intravenous use only.	NO ENTRY
Levothyroxi		All Imammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Lidocaine	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For local- legional anaesthesia only.	NO ENTRY
Lincomycin	Lincomycin	All food- producing species	100 μg/kg 50 μg/kg 500 μg/kg 1 500 μg/ kg 150 μg/kg 50 μg/kg	Muscle Fat Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for fat, liver	Anti- infectious agents/ Antibiotics

Status: Point in time view as at 03/11/2015.

					and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'.	
Linear alkyl benzene sulphonic acids with alkyl chain lengths ranging from C ₉ to C ₁₃ , containing less than 2,5 % of chains longer than C ₁₃	NOT APPLICABI	Bovine, Levine	No MRL required	NOT APPLICABI	For topical	NO ENTRY
Lini oleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Lobaria pulmonaria	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Romeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration corresponding to the mother tincture and dilutions thereof only.	eias 1s

Lobeline	NOT APPLICABI	All food Peroducing species	No MRL required	NOT APPLICABI	NO L E NTRY	NO ENTRY
[F22Lufenuro (RS- isomers)	nLufenuron (RS- isomers)	Fin fish	1 350 μg/ kg	Muscle and skin in natural proportions	NO ENTRY	Antiparasitic agents/ Agents (acting) against ectoparasites]
Luprostiol	NOT APPLICABI	All mammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Luteinising hormone (natural LH from all species and their synthetic analogues)	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Lysine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L E NTRY	NO ENTRY
Magnesium	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Magnesium acetate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Magnesium aluminium silicate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L E NTRY	NO ENTRY
Magnesium aspartate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium carbonate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium chloride	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Magnesium citrate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Status: Point in time view as at 03/11/2015.

Magnesium gluconate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium glutamate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium glycerophos	NOT MARPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium hydroxide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium hypophosphi	NOT t&PPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium orotate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium oxide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium phosphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium stearate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium sulphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium trisilicate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Majoranae herba	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Malic acid	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
[F23Mangane carbonate	_S NOT APPLICABI	All food Froducing species	NO MRL REQUIRED	NOT APPLICABI	NO LENTRY	Alimentary tract and metabolism/ mineral supplements]

Manganese chloride	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For oral use Joinly.	NO ENTRY
Manganese gluconate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For oral use Joinly.	NO ENTRY
Manganese glycerophosp	NOT MARPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For oral use fonly.	NO ENTRY
Manganese oxide	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For oral use fonly.	NO ENTRY
Manganese pidolate	NOT APPLICABI	All food Abroducing species	No MRL required	NOT APPLICABI	For oral use fonly.	NO ENTRY
Manganese ribonucleate	NOT APPLICABI	All food Abroducing species	No MRL required	NOT APPLICABI	For oral use Joinly.	NO ENTRY
Manganese sulphate	NOT APPLICABI	All food Peroducing species	No MRL required	NOT APPLICABI	For oral use fonly.	NO ENTRY
Mannitol	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Marbofloxaci Marbofloxac		iBovine, porcine	150 μg/kg 50 μg/kg 150 μg/kg 150 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates	Anti- infectious agents/ Antibiotics
		Bovine	75 μg/kg	Milk	to 'skin and fat in natural proportions'	
Matricaria recutita and preparations thereof	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Matricariae flos	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Mebendazolo	eSum of mebendazole methyl (5- (1-hydroxy, 1-phenyl) methyl-1H- benzimidazo yl)	Equidae	60 μg/kg 60 μg/kg 400 μg/kg 60 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	Antiparasitic agents/ Agents against endoparasites

Status: Point in time view as at 03/11/2015.

	carbamate and (2- amino-1H- benzimidazo yl) phenylmetha expressed as mebendazole equivalents	none,				
Mecillinam	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	For Intrauterine use only.	NO ENTRY
Medicago sativa extractum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Juse only.	NO ENTRY
Medroxypro acetate	gMæfone APPLICABI	Ovine LE	No MRL required	NOT APPLICABI	For Intravaginal use for zootechnical purposes only.	NO ENTRY
Melatonin	NOT APPLICABI	Ovine, Æaprine	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Melissae aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Melissae folium	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Meloxicam	Meloxicam	Bovine, caprine, porcine, rabbit, Equidae	20 μg/kg 65 μg/kg 65 μg/kg	Muscle Liver Kidney	NO ENTRY	Anti- inflammatory agents/ Nonsteroidal anti-
		Bovine, caprine	15 μg/kg	Milk		inflammatory agents
Menadione	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Menbutone	NOT APPLICABI	Bovine, Divine, caprine, porcine, Equidae	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Menthae arvensis aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Menthae piperitae aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Menthol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Mepivacaine	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For intra- firticular and epidural use as local anaesthetic only.	NO ENTRY
Mercaptamir hydrochlorid	eAPPLICABI	All Finammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Metamizole	4- Methylamino	Bovine, p otițiyi in Equidae	100 μg/kg 100 μg/kg 100 μg/kg 100 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates	Anti- inflammatory agents/ Nonsteroidal
		Bovine	50 μg/kg	Milk	to 'skin and fat in natural proportions'.	anti- inflammatory agents
Methionine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Methyl nicotinate	NOT APPLICABI	Bovine, E quidae	No MRL required	NOT APPLICABI	For topical Turnse only.	NO ENTRY
Methyl salicylate	NOT APPLICABI	All food Froducing species except fin fish	No MRL required	NOT APPLICABI	For topical Larse only.	NO ENTRY
Methylbenzo	aniot Applicabi	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[^{F24} Methylpr	e Másbybpæ dn	i Eoloida e	10 μg/kg 10 μg/kg 10 μg/kg 10 μg/kg 2 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Corticoides/ Glucocorticoide

Status: Point in time view as at 03/11/2015.

		Bovine	10 μg/kg 10 μg/kg 10 μg/kg 10 μg/kg 2 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY]	
1- Methyl-2- pyrrolidone	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L E NTRY	NO ENTRY
Millefolii herba	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Mineral hydrocarbon low to high viscosity including micorcristall waxes, approximate C10-C60, aliphatic, branched aliphatic and alicyclic compounds		All food producing species	No MRL required	NOT APPLICABI	Excludes Fromatic and unsaturated compounds.	NO ENTRY
[F25Monensir		Bovine	2 μg/kg	Muscle	NO ENTRY	Anti-
	A		10 μg/kg	Fat	ENIKI	infectious agents/
			50 μg/kg	Liver		Antibiotics
			10 μg/kg	Kidney		
			2 μg/kg	Milk]		
[F26Monepan	Monepantel-	Ovine,	700 μg/kg	Muscle		Antiparasitic
	sulfone	caprine	7 000 μg/ kg	Fat		agents/ Agents acting
			5 000 μg/ kg	Liver		against endoparasites
			2 000 μg/ kg	Kidney		
			170 μg/kg	Milk]		
Monothiogly	confoT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Montanide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Morantel	Sum of residues which may be hydrolysed to N-methyl-1,3-propanediam and expressed as morantel equivalents	All ruminants	100 μg/kg 100 μg/kg 800 μg/kg 200 μg/kg 50 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
Moxidectin	Moxidectin	Bovine, ovine, Equidae	50 μg/kg 500 μg/kg 100 μg/kg 50 μg/kg	Muscle Fat Liver Kidney	NO ENTRY	Antiparasitic agents/ Agents acting against endo- and ectoparasites
		Bovine, ovine	40 μg/kg	Milk		
Myglyol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L E NTRY	NO ENTRY
Myristicae aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in fewborn animals only.	NO ENTRY
Nafcillin	Nafcillin	All ruminants	300 μg/kg 300 μg/kg 300 μg/kg 300 μg/kg 30 μg/kg	Muscle Fat Liver Kidney Milk	For intramamma use only.	Anti- rynfectious agents/ Antibiotics
Natamycin	NOT APPLICABI	Bovine, E quidae	No MRL required	NOT APPLICABI	For topical Juse only.	NO ENTRY
[F27]Neomycii	Neomycin	All food	500 μg/kg	Muscle	For fin fish	Anti-
(including framycetin)	В	producing species	500 μg/kg	Fat	the muscle MRL	infectious agents/
namyeetiii)			5 500 μg/ kg	Liver	relates to 'muscle and skin in natural proportions'.	Antibiotics
			9 000 μg/ kg	Kidney		
		1 500 μg/ kg	Milk	MRLs for fat, liver and kidney		
			500 μg/kg	Eggs]	do not	

Status: Point in time view as at 03/11/2015.

					apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'	
Neostigmine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Netobimin	Sum of albendazole oxide, albendazole sulphone, and albendazole 2-amino sulphone, expressed as albendazole	Bovine, ovine	100 μg/kg 100 μg/kg 1 000 μg/ kg 500 μg/kg 100 μg/kg	Muscle Fat Liver Kidney Milk	For oral use only.	Antiparasitic agents/ Agents against endoparasites
Nickel gluconate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Nickel sulphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Nicoboxil	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For topical Lise only.	NO ENTRY
[F28Nitroxini]	Nitroxinil	Bovine,	400 μg/kg	Muscle		Antiparasitic
		ovine	200 μg/kg	Fat		agents/ agents
			20 μg/kg	Liver		against
			400 μg/kg	Kidney		endoparasites
			20 μg/kg	Milk]		
Nonivamide	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For topical Lates only	NO ENTRY
Norgestomet	Norgestomet	Bovine	0,2 μg/kg 0,2 μg/kg 0,2 μg/kg 0,2 μg/kg 0,12 μg/kg	Muscle Fat Liver Kidney Milk	For therapeutic and zootechnical	Agents acting on the reproductive system

					purposes only.	
Novobiocin	Novobiocin	Bovine	50 μg/kg	Milk	For intramamma use only.	agents/
	NOT APPLICABI	Bovine LE	No MRL required for all tissues except milk	NOT APPLICABI	NO LENTRY	Antibiotics
[F29Octenidir dihydrochlor	₽OT ¡₳₽PLICABI	All mammalian food- producing species	No MRL required	NOT APPLICABI	For Eutaneous use only.	Anti- infectious agents/ Antiseptics]
17β- Oestradiol	NOT APPLICABI	All Mammalian food producing species	No MRL required	NOT APPLICABI	For Therapeutic and zootechnical use only.	NO ENTRY
Okoubaka aubrevillei	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Momeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration corresponding to the mother tincture and dilutions thereof only.	eias 1s
Oleyloleate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Lifese only.	NO ENTRY
Omeprazole	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For oral use fonly.	NO ENTRY
Orgotein	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Status: Point in time view as at 03/11/2015.

Ornithine	NOT APPLICABI	All food Peroducing species	No MRL required	NOT APPLICABI	NO L E NTRY	NO ENTRY
Orotic acid	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Oxacillin	Oxacillin	All food producing species	300 μg/kg 300 μg/kg 300 μg/kg 300 μg/kg 30 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions' Not for use in animals from which eggs are produced for human consumption	Anti- infectious agents/ Antibiotics
Oxalic acid	NOT APPLICABI	Bees LE	No MRL required	NOT APPLICABI	NO L E NTRY	Anti- infectious agent
Oxfendazole	extractable residues which	ctable ruminants, ues porcine,	50 μg/kg 50 μg/kg 500 μg/kg 50 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural proportions'.	Antiparasitic agents/ Agents against
	may be oxidised to oxfendazole sulphone	All ruminants	10 μg/kg	Milk		endoparasites
Oxibendazol	eOxibendazol	ePorcine Porcine	100 μg/kg 500 μg/kg 200 μg/kg	Muscle Skin and fat	NO ENTRY	Antiparasitic agents/ Agents

			100 μg/kg	Liver Kidney		against endoparasites
Oxidation products of <i>Terebinthina oleum</i>	NOT APPLICABI e	Bovine, Lowine, caprine, porcine	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Oxolinic	Oxolinic	All food producing species	100 μg/kg 50 μg/kg 150 μg/kg 150 μg/kg	Muscle Fat Liver Kidney	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which milk or eggs are produced for human consumption	Anti- infectious agents/ Antibiotics
Oxyclozanid	eOxyclozanid	eAll ruminants	20 μg/kg 20 μg/kg 500 μg/kg 100 μg/kg 10 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
Oxytetracycl	i Se m of parent drug and its 4- epimer	All food- producing species	100 μg/kg 300 μg/kg 600 μg/kg 100 μg/kg 200 μg/kg	Muscle Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'.	Anti- infectious agents/ Antibiotics

Status: Point in time view as at 03/11/2015.

					[XIMRLs for liver and kidney do not apply to fin fish.]	
Oxytocin	NOT APPLICABI	All Finammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Pancreatin	NOT APPLICABI	All mammalian food producing species	No MRL required	NOT APPLICABI	For topical drive only.	NO ENTRY
Papain	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Papaverine	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	Newborn Æalves only.	NO ENTRY
Paracetamol	NOT APPLICABI	Porcine LE	No MRL required	NOT APPLICABI	For oral use Lonly.	NO ENTRY
Parconazole	NOT APPLICABI	Guinea Fowl	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Paromomyci	nParomomyci	nAll food producing species	500 μg/kg 1 500 μg/ kg 1 500 μg/ kg	Muscle Liver Kidney	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for liver and kidney do not apply to fin fish. Not for use in animals from which milk or eggs are produced	Anti- infectious agents/ Antibiotics
					for human consumption	

[F30Pegylated bovine granulocyte colony stimulating factor	NOT Applicabi	Bovine LE	No MRL required	NOT APPLICABI	NO LENTRY	Biological/ Immunomodulato
Penethamate	Benzylpenic	ilAH mammalian food producing species	50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg 4 μg/kg	Muscle Fat Liver Kidney Milk	For porcine species the fat MRL relates to 'skin and fat in natural proportions'.	Anti- infectious agents/ Antibiotics
Pepsin	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Peracetic acid	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Permethrin	Permethrin (sum of isomers)	Bovine	50 μg/kg 500 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg	Muscle Fat Liver Kidney Milk	For milk further provisions in Commission Directive 98/82/EC are to be observed.	Antiparasitic agents/ Agents against ectoparasites
Phenol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F31Phenoxyr	nettoytoxyiicitt	hPopeini eillin	25 μg/kg	Muscle	NO	Anti-
			25 μg/kg	Liver	ENTRY	infectious agents/
			25 μg/kg	Kidney		Antibiotics
		Poultry	25 μg/kg	Muscle		
			25 μg/kg	Skin and fat		
			25 μg/kg	Liver		
			25 μg/kg	Kidney		
			25 μg/kg	Eggs]		
Phenylalanin	eNOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Status: Point in time view as at 03/11/2015.

Phloroglucin	dNOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F32Phoxim	Phoxim	All food- producing species except fin fish.	25 μg/kg 550 μg/kg 50 μg/kg 30 μg/kg 60 μg/kg	Muscle Fat Liver Kidney Eggs	For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which milk is produced for human consumption	Antiparasitic agents/ Agents against ectoparasites.
Phytolacca americana	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration in the products not exceeding one part per thousand only.	eias,
Phytomenad	OMOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Piceae turiones recentes extractum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For oral use Forly.	NO ENTRY
Piperazine	Piperazine	Porcine	400 μg/kg 800 μg/kg 2 000 μg/ kg	Muscle Skin and fat Liver Kidney	NO ENTRY	Antiparasitic agents/ Agents against endoparasites

			1 000 μg/ kg			
		Chicken	2 000 μg/ kg	Eggs		
Piperazine dihydrochlor	NOT i A &PPLICABI	Chicken LE	No MRL required for all tissues except eggs	NOT APPLICABI	NO LENTRY	NO ENTRY
Piperonyl butoxide	NOT APPLICABI	Bovine, Evine, caprine, Equidae	No MRL required	NOT APPLICABI	For topical Lifese only.	NO ENTRY
Pirlimycin	Pirlimycin	Bovine	100 μg/kg 100 μg/kg 1 000 μg/ kg 400 μg/kg 100 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Anti- infectious agents/ Antibiotics
Policresulen	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Lifese only.	NO ENTRY
Poloxalene	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Poloxamer	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Polyethylene glycol 15 hydroxystean	APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Polyethylene glycol 7 glyceryl cocoate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Fise only.	NO ENTRY
Polyethylene glycol stearates with 8-40 oxyethylene units	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Polyethylene glycols (molecular weight ranging from 200 to 10 000)	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY

Status: Point in time view as at 03/11/2015.

Polyoxyethy sorbitan monooleate and trioleate	IMOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Polyoxyl castor oil with 30 to 40 oxyethylene units	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Polyoxyl hydrogenated castor oil with 40 to 60 oxyethylene units	NOT dapplicabi	All food Froducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Polysorbate 80	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Polysulphate glycosamino	dNOT g a yrrahICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	NO L E NTRY	NO ENTRY
Potassium DL-aspartate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Potassium glucuronate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Potassium glycerophosp	NOT MARPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Potassium nitrate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Potassium selenate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Praziquantel	NOT APPLICABI	Ovine, E quidae	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
rF33p 1 · 1	oRædnisolone	Bovine	4 μg/kg 4 μg/kg	Muscle Fat	NO ENTRY	Corticoids/ Glucocorticoids
Prednisol						
Prednisol			10 μg/kg	Liver		

			6 μg/kg	Milk		
		Equidae	4 μg/kg	Muscle		
			8 μg/kg	Fat		
			6 μg/kg	Liver		
			15 μg/kg	Kidney]		
Pregnant mare serum gonadotroph	NOT APPLICABI in	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Prethcamide (crotethamid and cropropamid	eAPPLICABI	All Finammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Procaine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Progesterone	NOT APPLICABI	Bovine, Ewine, caprine, Equidae (female)	No MRL required	NOT APPLICABI	Only for Entravaginal therapeutic or zootechnical use and in accordance with the provisions of Directive 96/22/EC.	NO ENTRY
Proline	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Propane	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F34Propyl 4- hydroxybenz and its sodium salt	NOT APPLICABI coate	All food Froducing species	No MRL required	NOT APPLICABI	For use as a preservative only	NO ENTRY]
Propylene glycol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Prunus laurocerasus	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal	NO ENTRY

Status: Point in time view as at 03/11/2015.

					products prepared according to homeopathic pharmacopoe at concentration in the products not exceeding one part per thousand only.	eias
Pyrantel embonate	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Pyrethrum extract	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Lifese only.	NO ENTRY
2- Pyrrolidone	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	At Farenteral doses up to 40 mg/kg bw.	NO ENTRY
Quatresin	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use as preservative only at concentration of up to 0,5 %.	NO ENTRY
Quercus cortex	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Quillaia saponins	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F35Rafoxanio	Rafoxanide	Bovine	30 μg/kg	Muscle	NO	Antiparasitic
			30 μg/kg	Fat	ENTRY	agents/ Agents
			10 μg/kg	Liver		against
			40 μg/kg	Kidney		endoparasites
		Ovine	100 μg/kg	Muscle		
			250 μg/kg	Fat		
			150 μg/kg	Liver		
			150 μg/kg	Kidney		

		Bovine, ovine	10 μg/kg	Milk	Provisional MRL shall expire on 31 December 2015]	
Rhei radix, standardised extracts and preparations thereof	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Ricini oleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Rifaximin	Rifaximin	Bovine	60 μg/kg	Milk	NO ENTRY	Anti- infectious
	NOT APPLICABI	All	No MRL required for all tissues except milk	NOT	For Intramamma use, except if the udder may be used as food for human consumption and intrauterine use only. For topical	
		mammalian food producing species	required	APPLICABI	Arise only.	
Romifidine	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For Herapeutic uses only.	NO ENTRY
Rosmarini aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Rosmarini folium	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Ruscus aculeatus	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Lifese only.	NO ENTRY

Ruta graveolens Salicylic	NOT APPLICABI	All food	No MRL required	NOT	For use in Romeopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at concentration in the products not exceeding one part per thousand only. Not for use in animals from which milk is produced for human consumption	eias, ns NO
acid	APPLICABI	producing species except fin fish	required	APPLICABI	Arrise only.	ENTRY
Salviae folium	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sambuci flos	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sarafloxacin	Sarafloxacin	Chicken	10 μg/kg 100 μg/kg	Skin and fat Liver	Not for use in animals from which	Anti- infectious agents/
		Salmonidae	30 μg/kg	Muscle and skin in natural proportions	eggs are produced for human consumption	Antibiotics
Selenicereus grandiflorus	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products	NO ENTRY

					prepared according to homeopathic pharmacopoo at concentration in the products not exceeding one part per hundred only.	eias,
Serenoa repens	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in December 19 Properties of the Manager 19 Properties of the Mana	eias ns
Serine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Serotonin	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Silybum marianum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Romeopathic veterinary medicinal products prepared according to homeopathic pharmacopot at concentration	eias

Status: Point in time view as at 03/11/2015.

					corresponding to the mother tincture and dilutions thereof only.	g
Sinapis nigrae semen	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium 2- methyl-2- phenoxy- propanoate	NOT APPLICABI	Bovine, Forcine, caprine, Equidae	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium acetylsalicyls	NOT af&PPLICABI	All food Froducing species except fin fish	No MRL required	NOT APPLICABI	Not for use The animals from which milk or eggs are produced for human consumption	NO ENTRY
Sodium benzyl 4- hydroxybenz	NOT APPLICABI oate	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium boroformiate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium butyl 4- hydroxybenz	NOT APPLICABI oate	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium cetostearyl sulphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Fise only.	NO ENTRY
Sodium chloride	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium chlorite	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	For topical Lise only.	NO ENTRY
Sodium cromoglycate	NOT eAPPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium dichloroisocy	NOT y a rr pa tecabl	Bovine, Evine, caprine	No MRL required	NOT APPLICABI	For topical firse only.	NO ENTRY

Sodium dioctylsulpho	NOT ARPIMABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium formaldehyd	NOT eadipholyabl	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium glycerophos _l	NOT MARPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium hypophosphi	NOT t A PPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium lauryl sulphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium nitrite	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	For topical Juse only.	NO ENTRY
Sodium propionate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L E NTRY	NO ENTRY
Sodium pyrosulphite	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F36Sodium salicylate	NOT APPLICABI	Bovine, Forcine	No MRL required	NOT APPLICABI	For oral Mise. Not for use in animals from which milk is produced for human consumption	NO ENTRY
		All food producing species except fin fish	No MRL required	NOT APPLICABI	For topical larse only.	
	Salicylic acid	Turkey	400 μg/kg 2 500 μg/ kg 200 μg/kg 150 μg/kg	Muscle Skin and fat in natural proportions Liver Kidney	Not for use in animals producing eggs for human consumption	Anti- inflammatory agents/ Non- steroidal .anti- inflammatory agents]

Status: Point in time view as at 03/11/2015.

Sodium selenate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium selenite	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium stearate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium thiosulphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Solidago virgaurea	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Momeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration corresponding to the mother tincture and dilutions thereof only.	eias 1s
Somatosalm	NOT APPLICABI	Salmon LE	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sorbitan sesquioleate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sorbitan trioleate	NOT APPLICABI	All food- Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Spectinomyc	inpectinomyc	All other	300 μg/kg 500 μg/kg 2 000 μg/ kg 5 000 μg/ kg 200 μg/kg 300 μg/kg	Muscle Fat Liver Kidney Milk Muscle	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'.	Anti- infectious agents/ Antibiotics
		food	500 μg/kg	Fat		

		producing species	1 000 μg/ kg 5 000 μg/ kg 200 μg/kg	Liver Kidney Milk	MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	
Spiramycin	Sum of spiramycin and neospiramyc	Bovine	200 μg/kg 300 μg/kg 300 μg/kg 300 μg/kg 200 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Anti- infectious agents/ Antibiotics
		Chicken	200 μg/kg 300 μg/kg 400 μg/kg	Muscle Skin and fat Liver	Not for use in animals from which eggs are produced for human consumption	
	Spiramycin 1	Porcine	250 μg/kg 2 000 μg/ kg 1 000 μg/ kg	Muscle Liver Kidney	NO ENTRY	
Streptomyci	nStreptomyci	nAll ruminants, porcine, rabbit All ruminants	500 μg/kg 500 μg/kg 500 μg/kg 1 000 μg/ kg 200 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural proportions'.	Anti- infectious agents/ Antibiotics
Strychni semen	NOT APPLICAB	Bovine, Dovine, caprine	No MRL required	NOT APPLICABI	For oral Trise only at doses	NO ENTRY

Status: Point in time view as at 03/11/2015.

Strychnine	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	up to the equivalent of 0,1 mg strychnine/ kg bw. For oral tise only at dose to 0,1 mg/ kg bw.	NO ENTRY
Substances used in homeopathic veterinary medicines	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	All Fubstances used in homeopathic veterinary medicinal products provided that their concentration in the product does not exceed one part per ten thousand.	
Sulfogaiacol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sulfonamide (all substances belonging to the sulfonamide group)	sParent drug	All food-producing species Bovine, ovine, caprine	100 μg/kg 100 μg/kg 100 μg/kg 100 μg/kg 100 μg/kg	Muscle Fat Liver Kidney Milk	The combined total residues of all substances within the sulfonamide group should not exceed 100 µg/kg. For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for fat, liver	Anti- infectious agents/ Chemotheurapeutics/

					and kidney do not apply to fin fish. Not for use in animals from which eggs are produced for human consumption	
Sulphur	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Symphyti radix	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical lise on intact skin only.	NO ENTRY
Syzygium cumini	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration corresponding to the mother tincture and dilutions thereof only.	eias 1s
Tanninum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
L-tartaric acid and its mono- and di-basic salt of sodium, potassium and calcium	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY

Tau fluvalinate	NOT APPLICABI	Bees LE	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Teflubenzuro	offeflubenzuro	Salmonidae	500 μg/kg	Muscle and skin in natural proportions	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
Terebinthina aetheroleum rectificatum	eNOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For topical Here only.	NO ENTRY
Terebinthina laricina	eNOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical For topical	NO ENTRY
Terpin hydrate	NOT APPLICABI	Bovine, Evine, caprine, porcine	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Tetracaine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use as Imaesthetic only.	NO ENTRY
Tetracycline	Sum of parent drug and its 4- epimer	All food- producing species	100 μg/kg 300 μg/kg 600 μg/kg 100 μg/kg 200 μg/kg	Muscle Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for liver and kidney do not apply to fin fish.	Anti- infectious agents/ Antibiotics
Theobromin	eNOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L E NTRY	NO ENTRY
Theophylline	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Thiabendazo	lSum of thiabendazol and 5- hydroxythial	•	100 μg/kg 100 μg/kg 100 μg/kg 100 μg/kg 100 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
Thiamphenic	dihiamphenio	old food producing species	50 μg/kg 50 μg/kg 50 μg/kg	Muscle Fat Liver	For fin fish the muscle MRL	Anti- infectious

			50 μg/kg 50 μg/kg	Kidney Milk	relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	agents/ Antibiotics
Thiamylal	NOT APPLICABI	All mammalian food producing species	No MRL required	NOT APPLICABI	For Intravenous administration only.	NO ENTRY on
Thioctic acid	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Thiomersal	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use Enly as preservatives in multidose vaccines at a concentration not exceeding 0,02 %.	
Thiopental sodium	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For Intravenous administrationally.	NO ENTRY on

Threonine	NOT	All food	No MRL	NOT	NO	NO
	APPLICABI	species	required	APPLICABI	LENTRY	ENTRY
Thuja occidentalis	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration in the products not exceeding one part per hundred only.	eias,
Thymi aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Thymidine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Thymol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Tiamulin	Sum of metabolites	Porcine, rabbit	100 μg/kg 500 μg/kg	Muscle Liver	NO ENTRY	Anti- infectious
	that may be hydrolysed to 8-α-hydroxymuti	Chicken lin	100 μg/kg 100 μg/kg 1 000 μg/ kg	Muscle Skin and fat Liver		agents/ Antibiotics
		Turkey	100 μg/kg 100 μg/kg 300 μg/kg	Muscle Skin and fat Liver		
	Tiamulin	Chicken	1 000 μg/ kg	Eggs		
Tiaprost	NOT APPLICABI	Bovine, Equidae	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

[F37Tildiniros	iTildipirosin	Bovine,	400 μg/kg	Muscle	Not for use	Anti-
1		caprine	200 μg/kg	Fat	in animals from which	infectious agents/
			2 000 μg/ kg	Liver	milk is produced	Antibiotics
			3 000 μg/ kg	Kidney	for human consumption	1.
		Porcine	1 200 μg/ kg	Muscle		
			800 μg/kg	Skin and fat in natural proportions		
			5 000 μg/ kg	Liver		
			10 000 μg/ kg	Kidney]		
Tiliae flos	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Tilmicosin	Tilmicosin	Poultry	75 μg/kg 75 μg/kg 1 000 μg/ kg 250 μg/kg	Muscle Skin and fat Liver Kidney	For fin fish the muscle MRL relates to a 'muscle	Anti- infectious agents/ Antibiotics
		All other food producing species	50 μg/kg 50 μg/kg 1 000 μg/ kg 1 000 μg/ kg 50 μg/kg	Muscle Fat Liver Kidney Milk	and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced	

Status: Point in time view as at 03/11/2015.

					for human consumption	
Tiludronic acid (in the form of	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For Intravenous use only.	NO ENTRY
disodium salt)		Poultry	No MRL required	NOT APPLICABI	For Farenteral use only and for use in laying and breeder birds only.	
Timerfonate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use Enly as preservatives in multidose vaccines at a concentration not exceeding 0,02 %.	
Toldimfos	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Tolfenamic acid	Tolfenamic acid	Bovine, porcine	50 μg/kg 400 μg/kg 100 μg/kg	Muscle Liver Kidney	ENTRY inf ag No ant inf	Anti- inflammatory agents/
		Bovine	50 μg/kg	Milk		Nonsteroidal anti- inflammatory agents
Toltrazuril	Toltrazuril sulfone	All mammalian food producing species	100 μg/kg 150 μg/kg 500 μg/kg 250 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin	Antiparasitic agents/ Agents acting against
		Poultry	100 μg/kg 200 μg/kg 600 μg/kg 400 μg/kg	Muscle Skin and fat Liver Kidney	and fat in natural proportions'. Not for use in animals from which milk is produced for human consumption Not for use in animals	protozoa

Tosylchloran	n Nil ⊛T	Bovine,	No MRL	NOT	from which eggs are produced for human consumption For topical	NO
sodium	APPLICABI		No MRL required	APPLICABI NOT APPLICABI	Arse only. For water-	ENTRY
Tragacanth	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Tricaine mesilate	NOT APPLICABI	Fin fish LE	No MRL required	NOT APPLICABI	For water Forne use only.	NO ENTRY
Trichlormeth	iiMAIE APPLICABI	All Finammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[^{F38} Triclaben	caum of the extractable residues that may be oxidised to ketotriclaben	All ruminants dazole	225 μg/kg 100 μg/kg 250 μg/kg 150 μg/kg 10 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites]
Trimethoprir	nTrimethoprir	nEquidae	100 μg/kg 100 μg/kg 100 μg/kg 100 μg/kg	Fat Muscle Liver Kidney	For fin fish the muscle MRL relates to	Anti- infectious agents/ Chemotheurapeutics
		All other food producing species	50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg	Muscle Fat Liver Kidney Milk	a 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in	

					natural proportions'. Not for use in animals from which eggs are produced for human consumption	
Trimethylph	MOTucinol APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F39Triptoreli acetate	nNOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	Agents acting on the reproductive system]
Trypsin	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Tryptophan	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F40 Tulathron	n(2Rn3S,4R,5	RQ&Rn&0R,111	R.415 2 05µg/kg	Muscle	Not for use	Anti-
_	13S,14R)-2- ethyl-3,4,10,		250 μg/kg	Fat	in animals from which	infectious agents/
	tetra- hydroxy-3,5,	8,10,12,14-	5 400 μg/ kg	Liver	milk is produced	Antibiotics
	hexamethyl- [[3,4,6- trideoxy-3-	11-	1 800 μg/ kg	Kidney	for human consumption	
	(dimethy- lamino)-	Bovine	300 μg/kg	Muscle		
	ß-D-xylo-		200 μg/kg	Fat		
	hexopyranos oxa-6- azacyclopen		4 500 μg/ kg	Liver		
	decan-15- one		3 000 μg/ kg	Kidney		
	expressed as	Porcine	800 μg/kg	Muscle		
	tulathromyci equivalents	n	300 μg/kg	Skin and fat in natural proportions		
			4 000 μg/ kg	Liver		
			8 000 μg/ kg	Kidney]		

Turnera diffusa	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacoporat concentration corresponding to the mother tincture and dilutions	eias ns
Tylosin	Tylosin A	All food producing species	100 μg/kg 100 μg/kg 100 μg/kg 100 μg/kg 50 μg/kg 200 μg/kg	Muscle Fat Liver Kidney Milk Eggs	thereof only. For fin fish the muscle MRL relates to a 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'.	Anti- infectious agents/ Antibiotics
[^{F41} Tylvalosi	_n Tylvalosin	Porcine	50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg	Muscle Skin and fat Liver Kidney	NO ENTRY	Anti- infectious agents/ Antibiotics
		Poultry	200 μg/kg	Eggs		
	Sum of Tylvalosin	Poultry	50 μg/kg 50 μg/kg	Skin and fat		

Status: Point in time view as at 03/11/2015.

	and 3-0-acetyltylosin			Liver]		
Tyrosine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Urea	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Urginea maritima	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration in the products not exceeding one part per hundred only. For oral use only.	eias,
Uridine and its 5'-mono-5'-di- and 5'-triphosphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Urticae herba	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Valine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F42Valnemu]	i∦alnemulin	Porcine, rabbit	50 μg/kg 500 μg/kg 100 μg/kg	Muscle Liver Kidney	NO ENTRY	Anti- infectious agents/ Antibiotics]
Vedaprofen	Vedaprofen	Equidae	50 μg/kg 20 μg/kg 100 μg/kg	Muscle Fat Liver Kidney	NO ENTRY	Anti- inflammatory agents/ Nonsteroidal

			1 000 μg/ kg			anti- inflammatory agents
Vetrabutine hydrochlorid	NOT eAPPLICABI	Porcine LE	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vincamine	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	For use in fewborn animals only.	NO ENTRY
[F43Virginian	Virginiamyc factor S1	i P oultry	10 μg/kg 30 μg/kg 10 μg/kg 60 μg/kg	Muscle Skin and fat Liver Kidney	Not for use in animals from which eggs are produced for human consumption	Anti- infectious agents/ Antibiotics]
Virola sebifera	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration in the products not exceeding one part per thousand only.	eias,
Viscum album	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopot at concentration corresponding to the mother	eias ns

					tincture and dilutions thereof only.	
Vitamin A	NOT APPLICABI	All food- Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vitamin B1	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vitamin B2	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vitamin B3	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vitamin B5	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vitamin B6	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vitamin B12	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vitamin D	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vitamin E	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Wool alcohols	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Fise only.	NO ENTRY
Xylazine hydrochloric	NOT eAPPLICABI	Bovine, <i>Equidae</i>	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Zinc acetate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Zinc aspartate	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Zinc chloride	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Status: Point in time view as at 03/11/2015.

Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 37/2010. (See end of Document for details)

Zinc gluconate	NOT APPLICAB	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Zinc oleate	NOT APPLICAB	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Zinc oxide	NOT APPLICAB	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Zinc stearate	NOT APPLICAB	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Zinc sulphate	NOT APPLICAB	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Editorial Information

X1 Substituted by Corrigendum to Commission Regulation (EU) No 37/2010 of 22 December 2009 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin (Official Journal of the European Union L 15 of 20 January 2010).

Textual Amendments

- **F1** Substituted by Commission Implementing Regulation (EU) No 85/2012 of 1 February 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance altrenogest (Text with EEA relevance).
- **F2** Substituted by Commission Implementing Regulation (EU) 2015/1308 of 29 July 2015 amending Regulation (EU) No 37/2010 as regards the substance 'aluminium salicylate, basic' (Text with EEA relevance).
- **F3** Substituted by Commission Implementing Regulation (EU) No 436/2012 of 23 May 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance azamethiphos (Text with EEA relevance).
- **F4** Substituted by Commission Implementing Regulation (EU) 2015/446 of 17 March 2015 amending Regulation (EU) No 37/2010 as regards the substance 'barium selenate' (Text with EEA relevance).
- F5 Substituted by Commission Implementing Regulation (EU) No 20/2014 of 10 January 2014 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance butafosfan (Text with EEA relevance).
- **F6** Inserted by Commission Implementing Regulation (EU) No 677/2014 of 19 June 2014 amending Regulation (EU) No 37/2010, as regards the substance 'cabergoline' (Text with EEA relevance).
- **F7** Inserted by Commission Implementing Regulation (EU) No 19/2014 of 10 January 2014 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance chloroform (Text with EEA relevance).
- **F8** Inserted by Commission Implementing Regulation (EU) 2015/1078 of 3 July 2015 amending Regulation (EU) No 37/2010 as regards the substance 'clodronic acid (in the form of disodium salt)' (Text with EEA relevance).

Status: Point in time view as at 03/11/2015.

- Substituted by Commission Implementing Regulation (EU) No 683/2014 of 20 June 2014 amending Regulation (EU) No 37/2010, as regards the substance 'clorsulon' (Text with EEA relevance).
- **F10** Substituted by Commission Implementing Regulation (EU) No 682/2014 of 20 June 2014 amending Regulation (EU) No 37/2010, as regards the substance 'closantel' (Text with EEA relevance).
- F11 Inserted by Commission Regulation (EU) No 890/2010 of 8 October 2010 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance derquantel (Text with EEA relevance).
- **F12** Substituted by Commission Implementing Regulation (EU) No 1235/2013 of 2 December 2013 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance diclazuril (Text with EEA relevance).
- F13 Inserted by Commission Implementing Regulation (EU) No 489/2013 of 27 May 2013 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance double stranded ribonucleic acid homologous to viral ribonucleic acid coding for part of the coat protein and part of the intergenic region of the Israel Acute Paralysis Virus (Text with EEA relevance).
- **F14** Substituted by Commission Implementing Regulation (EU) 2015/151 of 30 January 2015 amending the Annex to Regulation (EU) No 37/2010 as regards the substance 'doxycycline' (Text with EEA relevance).
- F15 Substituted by Commission Implementing Regulation (EU) No 1390/2014 of 19 December 2014 amending the Annex to Regulation (EU) No 37/2010, as regards the substance 'eprinomectin' (Text with EEA relevance).
- **F16** Substituted by Commission Implementing Regulation (EU) No 1161/2012 of 7 December 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance fenbendazole (Text with EEA relevance).
- **F17** Substituted by Commission Implementing Regulation (EU) 2015/150 of 30 January 2015 amending the Annex to Regulation (EU) No 37/2010 as regards the substance 'gamithromycin' (Text with EEA relevance).
- F18 Inserted by Commission Implementing Regulation (EU) 2015/1079 of 3 July 2015 amending Regulation (EU) No 37/2010 as regards the substance 'hexaflumuron' (Text with EEA relevance).
- **F19** Inserted by Commission Regulation (EU) No 363/2011 of 13 April 2011 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance isoeugenol (Text with EEA relevance).
- **F20** Substituted by Commission Implementing Regulation (EU) No 418/2014 of 24 April 2014 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance ivermectin (Text with EEA relevance).
- **F21** Substituted by Commission Implementing Regulation (EU) No 1277/2014 of 1 December 2014 amending Regulation (EU) No 37/2010, as regards the substance 'lasalocid' (Text with EEA relevance).
- F22 Inserted by Commission Implementing Regulation (EU) No 967/2014 of 12 September 2014 amending Regulation (EU) No 37/2010, as regards the substance 'lufenuron' (Text with EEA relevance).
- **F23** Substituted by Commission Implementing Regulation (EU) No 1057/2013 of 29 October 2013 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance manganese carbonate (Text with EEA relevance).
- **F24** Substituted by Commission Implementing Regulation (EU) 2015/149 of 30 January 2015 amending the Annex to Regulation (EU) No 37/2010 as regards the substance 'methylprednisolone' (Text with EEA relevance).
- **F25** Substituted by Commission Implementing Regulation (EU) No 59/2013 of 23 January 2013 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification

Status: Point in time view as at 03/11/2015.

- regarding maximum residue limits in foodstuffs of animal origin, as regards the substance monensin (Text with EEA relevance).
- **F26** Substituted by Commission Implementing Regulation (EU) No 394/2013 of 29 April 2013 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance monepantel (Text with EEA relevance).
- **F27** Substituted by Commission Implementing Regulation (EU) No 1056/2013 of 29 October 2013 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance neomycin (Text with EEA relevance).
- **F28** Substituted by Commission Implementing Regulation (EU) No 201/2012 of 8 March 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance nitroxinil (Text with EEA relevance).
- **F29** Inserted by Commission Implementing Regulation (EU) No 107/2012 of 8 February 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance octenidine dihydrochloride (Text with EEA relevance).
- **F30** Inserted by Commission Implementing Regulation (EU) No 202/2012 of 8 March 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance pegylated bovine granulocyte colony stimulating factor (Text with EEA relevance).
- **F31** Substituted by Commission Implementing Regulation (EU) No 84/2012 of 1 February 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance phenoxymethylpenicillin (Text with EEA relevance).
- **F32** Substituted by Commission Implementing Regulation (EU) No 1186/2012 of 11 December 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance phoxim (Text with EEA relevance).
- **F33** Substituted by Commission Implementing Regulation (EU) No 406/2013 of 2 May 2013 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance prednisolone (Text with EEA relevance).
- **F34** Inserted by Commission Implementing Regulation (EU) 2015/1080 of 3 July 2015 amending Regulation (EU) No 37/2010 as regards the substance 'propyl 4-hydroxybenzoate and its sodium salt' (Text with EEA relevance).
- F35 Substituted by Commission Implementing Regulation (EU) No 681/2014 of 20 June 2014 amending Regulation (EU) No 37/2010, as regards the substance 'rafoxanide' (Text with EEA relevance).
- **F36** Substituted by Commission Implementing Regulation (EU) No 1191/2012 of 12 December 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance sodium salicylate (Text with EEA relevance).
- **F37** Substituted by Commission Implementing Regulation (EU) No 201/2014 of 3 March 2014 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance tildipirosin (Text with EEA relevance).
- **F38** Substituted by Commission Implementing Regulation (EU) No 676/2014 of 19 June 2014 amending Regulation (EU) No 37/2010, as regards the substance 'triclabendazole' (Text with EEA relevance).
- **F39** Inserted by Commission Implementing Regulation (EU) No 200/2014 of 3 March 2014 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance triptorelin acetate (Text with EEA relevance).

Status: Point in time view as at 03/11/2015.

Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 37/2010. (See end of Document for details)

- **F40** Substituted by Commission Implementing Regulation (EU) 2015/394 of 10 March 2015 amending the Annex to Regulation (EU) No 37/2010 as regards the substance 'tulathromycin' (Text with EEA relevance).
- **F41** Substituted by Commission Implementing Regulation (EU) 2015/1492 of 3 September 2015 amending Regulation (EU) No 37/2010 as regards the substance 'tylvalosin' (Text with EEA relevance).
- **F42** Substituted by Commission Regulation (EU) No 758/2010 of 24 August 2010 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance valnemulin (Text with EEA relevance).
- **F43** Inserted by Commission Implementing Regulation (EU) 2015/1491 of 3 September 2015 amending Regulation (EU) No 37/2010 as regards the substance 'virginiamycin' (Text with EEA relevance).

TABLE 2

Prohibited substances

Pharmacologically active substance	MRL
Aristolochia spp. and preparations thereof	MRL cannot be established
Chloramphenicol	MRL cannot be established
[^{F44}]	
Chlorpromazine	MRL cannot be established
Colchicine	MRL cannot be established
Dapsone	MRL cannot be established
Dimetridazole	MRL cannot be established
Metronidazole	MRL cannot be established
Nitrofurans (including furazolidone)	MRL cannot be established
Ronidazole	MRL cannot be established

Textual Amendments

F44 Deleted by Commission Implementing Regulation (EU) No 19/2014 of 10 January 2014 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance chloroform (Text with EEA relevance).

Status:

Point in time view as at 03/11/2015.

Changes to legislation:

There are currently no known outstanding effects for the Commission Regulation (EU) No 37/2010.