#### ANNEX

# Pharmacologically active substances and their classification regarding maximum residue limits (MRL)

#### TABLE 1

#### Allowed substances

Pharmacole active Substance	og <b>MaH</b> yer residue	Animal Species	MRL	Target Tissues	Other Provisions( to Article 14(7 of Regulation (EC) No 470/200	
Abamectin	Avermectin B1a	Bovine	10 μg/kg 20 μg/kg	Fat Liver	NO ENTRY	Antiparasitic agents/ Agents acting against endo- and ectoparasites
		Ovine	20 μg/kg 50 μg/kg 25 μg/kg 20 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	
Absinthium extract	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Acetyl cysteine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Acetylmethi	ONIGET APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Acetylsalicy acid	INOT APPLICABI	All food producing species except fin fish	No MRL required	NOT APPLICABI	Not for use In animals from which milk or eggs are produced for human consumption	NO ENTRY
Acetylsalicy acid DL- lysine	NOT APPLICABI	All food producing species except fin fish	No MRL required	NOT APPLICABI	Not for use In animals from which milk or eggs are produced	NO ENTRY

					for human consumption	
Adenosine and its 5'- mono-, 5'- di-and 5' triphosphates	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO JENTRY	NO ENTRY
Adonis vernalis	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Fomeopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at concentration in the products not exceeding one part per hundred only.	eias,
Aesculus hippocastant	NOT #APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Foreopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at concentration in the products not exceeding one part per ten only.	eias
Agnus castus	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Fomeopathic veterinary medicinal products prepared according	NO ENTRY

					to homeopathic pharmacopor at concentration correspondin to the mother tincture and dilutions thereof only.	eias ns
<i>Ailanthus</i> <i>altissima</i>	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in Formeopathic veterinary medicinal products prepared according to homeopathic pharmacopor at concentration correspondin to the mother tincture and dilutions thereof only.	eias
Alanine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[ <sup>F1</sup> Alarelin	NOT APPLICABI	All food- producing species	No MRL required	NOT APPLICABI	NO LENTRY	Agents acting on the reproductive system]
Albendazole	Sum of albendazole sulphoxide, albendazole sulphone, and albendazole 2-amino sulphone, expressed	All ruminants	100 μg/kg 100 μg/kg 1 000 μg/ kg 500 μg/kg 100 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites

	as albendazole					
Albendazole oxide	Sum of albendazole oxide, albendazole sulphone, and albendazole 2-amino sulphone, expressed as albendazole	Bovine, ovine	100 μg/kg 100 μg/kg 1 000 μg/ kg 500 μg/kg 100 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
Alfacalcidol	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	For Farturient cows only.	NO ENTRY
Alfaprostol	NOT APPLICABI	Bovine, Forcine, rabbit, <i>Equidae</i>	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Allantoin	NOT APPLICABI	All food- Froducing species	No MRL required	NOT APPLICABI	For topical Fese only.	NO ENTRY
Allium cepa	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Formeopathic veterinary medicinal products prepared according to homeopathic pharmacopot at concentration correspondin to the mother tincture and dilutions thereof only.	eias 15
Aloe vera gel and whole leaf extract of Aloe vera	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Juse only.	NO ENTRY

Aloes, Barbados and Capae, their standardised dry extract and preparations thereof	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Alphacypern	nethpiarmethri (sum of isomers)	nBovine, ovine	20 μg/kg 200 μg/kg 20 μg/kg 20 μg/kg 20 μg/kg	Muscle Fat Liver Kidney Milk	For milk MRL further provisions in Commission Directive 98/82/EC are to be observed.	Antiparasitic agents/ Agents against ectoparasites
[ <sup>F2</sup> Altrenoge	stAltrenogest	Porcine	4 μg/kg	Skin and fat	Only for zootechnical	0
			2 µg/kg	Liver	use and in accordance with the	on the reproductive
		Equidae	4 μg/kg	Fat		system
			4 μg/kg	Liver]	provisions of Directive 96/22/EC	
Aluminium distearate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Aluminium hydroxide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Aluminium hydroxide acetate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Aluminium monostearate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Aluminium phosphate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[ <sup>F3</sup> Aluminiur salicylate, basic	nSalicylic acid	Bovine, caprine, <i>Equidae</i> , rabbit	200 μg/kg 500 μg/kg 1 500 μg/ kg 1 500 μg/ kg	Muscle Fat Liver Kidney	NO ENTRY	Antidiarrheal and intestinal anti- inflammatory agents

		Bovine, caprine, <i>Equidae</i>	9 µg/kg	Milk		
	NOT APPLICABI	All food producing species except bovine, caprine, <i>Equidae</i> , rabbit and fin fish	No MRL required	NOT APPLICABI	For topical	]
Aluminium tristearate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
2- Aminoethan	NOT DAPPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
2- Aminoethano glucuronate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
2- Aminoethyl dihydrogenp		All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Amitraz	Sum of amitraz and all metabolites	Bovine	200 μg/kg 200 μg/kg 200 μg/kg 10 μg/kg	Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
	containing the 2,4- DMA moiety, expressed	Ovine	400 μg/kg 100 μg/kg 200 μg/kg 10 μg/kg	Fat Liver Kidney Milk		
	as amitraz	Caprine	200 μg/kg 100 μg/kg 200 μg/kg 10 μg/kg	Fat Liver Kidney Milk		
		Porcine	400 μg/kg 200 μg/kg 200 μg/kg	Skin and fat Liver Kidney		
		Bees	200 µg/kg	Honey		
Ammonium chloride	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Ammonium lauryl sulphate	NOT APPLICABI	All food- producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Ammonium sulfate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Amoxicillin	Amoxicillin	All food producing species	50 μg/kg 50 μg/kg 50 μg/kg 4 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions' Not for use in animals from which eggs are produced for human consumption	Anti- infectious agents/ Antibiotics
Ampicillin	Ampicillin	All food producing species	50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg 4 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for fat, liver and kidney do not apply to fin fish.	Anti- infectious agents/ Antibiotics

					For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	
Amprolium	NOT APPLICABI	Poultry LE	No MRL required	NOT APPLICABI		NO ENTRY
Angelicae radix aetheroleum	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Anisi aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Anisi stellati fructus, standardised extracts and preparations thereof	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Apocynum cannabinum	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Fomeopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at concentration in the products not exceeding one part per hundred only. For	eias,

					oral use only.	
Apramycin	Apramycin	Bovine	1 000 μg/ kg 1 000 μg/ kg 10 000 μg/ kg 20 000 μg/ kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	Anti- infectious agents/ Antibiotics
	NOT APPLICABI	Ovine, Forcine, chicken, rabbit	No MRL required	NOT APPLICABI	For oral use Enly. Not for use in animals from which milk or eggs are produced for human consumption	
Aqua levici	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Fomeopathic veterinary medicinal products prepared according to homeopathic pharmacopoo only.	
Arginine	NOT APPLICABI	All food Forducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Arnica montana (arnicae flos and arnicae planta tota)	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For topical Juse only.	NO ENTRY
Arnicae radix	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Fomeopathic veterinary medicinal products prepared according to homeopathic pharmacopoo	

					at concentration corresponding in the products not exceeding one part per ten only.	
Artemisia abrotanum	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Foreopathic veterinary medicinal products prepared according to homeopathic pharmacopoo at concentration correspondin to the mother tincture and dilutions thereof only.	eias ns
Asparagine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Aspartic acid	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Atropa belladonna	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Foreopathic veterinary medicinal products prepared according to homeopathic pharmacopos at concentration in the products not exceeding one part per	eias,

					hundred only.	
Atropine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Avilamycin	Dichloroisoe acid	Roninie, poultry, rabbit	50 μg/kg 100 μg/kg 300 μg/kg 200 μg/kg	Muscle Fat Liver Kidney	For porcine and poultry species this MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	Anti- infectious agents/ Antibiotics
Azagly- nafarelin	NOT APPLICABI	Salmonidae LE	No MRL required	NOT APPLICABI	Not for Tise in fish from which eggs are produced for human consumption	NO ENTRY
[ <sup>F4</sup> Azamethi	PNGT APPLICABI	Fin fish LE	No MRL required	NOT APPLICABI	NO LENTRY	Antiparasitic agents/ Agents against ectoparasites
Azaperone	Sum of azaperone and azaperol	Porcine	100 μg/kg 100 μg/kg 100 μg/kg 100 μg/kg	Muscle Skin and fat Liver Kidney	NO ENTRY	Agents acting on the nervous system/ Agents acting on the central nervous system
bacitra A, bacitra B, and	Sum of	Bovine	100 µg/kg	Milk	NO	Anti-
	bacitracin A, bacitracin B, and bacitracin		150 μg/kg 150 μg/kg 150 μg/kg 150 μg/kg	Muscle Fat Liver Kidney	ENTRY	infectious agents/ Antibiotics

	NOT APPLICABI	Bovine LE	No MRL required for all tissues except milk.	NOT APPLICABI	For Entramamma use in lactating cows only.	ry	
Balsamum peruvianum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical	NO ENTRY	
Baquiloprim	Baquiloprim	Bovine	10 μg/kg 300 μg/kg 150 μg/kg 30 μg/kg	Fat Liver Kidney Milk	NO ENTRY	Anti- infectious agents/ Chemotheurapeutics	
		Porcine	40 μg/kg 50 μg/kg 50 μg/kg	Skin and fat Liver Kidney			
[ <sup>F5</sup> Barium selenate	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	Not for Administratic by injection	Alimentary paract and metabolism/ mineral supplements]	
Beclomethas dipropionate	ର୍ମାତT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For Finhalation use only.	NO ENTRY	
<i>Bellis</i> <i>perennis</i>	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Formeopathic veterinary medicinal products prepared according to homeopathic pharmacopod at concentration correspondin to the mother tincture and dilutions thereof only.	eias 1s g	
Benzalkoniu chloride	nNOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use As an excipient at concentration up	NO ENTRY 15	

					to 0,05 % only.	
Benzocaine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use Æs local anaesthetic only.	NO ENTRY
		Salmonidae	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	
Benzyl alcohol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Benzyl benzoate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Benzyl p- hydroxybenz	NOT MPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Benzylpenic	il <b>Be</b> nzylpenic	il <b>AiH</b> food producing species	50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg 4 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	Anti- infectious agents/ Antibiotics

Betaine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Betaine glucuronate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Betamethaso	r <b>B</b> etamethaso	ræovine, porcine	0,75 μg/kg 2,0 μg/kg 0,75 μg/kg	Muscle Liver Kidney	NO ENTRY	Corticoides/ Glucocorticoide
		Bovine	0,3 µg/kg	Milk		
Biotin	NOT APPLICABI	All food	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Bismuth subcarbonate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For oral use	NO ENTRY
Bismuth subgallate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For oral use Forly.	NO ENTRY
Bismuth subnitrate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For oral use Joinly.	NO ENTRY
		Bovine	No MRL required	NOT APPLICABI	For Antramamma use only.	NO r€NTRY
Bismuth subsalicylate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For oral use Jonly.	NO ENTRY
Bituminosult ammonium and sodium salts	iniates, APPLICABI	All Inframmalian food producing species	No MRL required	NOT APPLICABI	For topical Juse only.	NO ENTRY
Boldo folium	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Boric acid and borates	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[ <sup>F6</sup> Bromelain	NOT APPLICABI	Porcine LE	No MRL required	NOT APPLICABI	NO LENTRY	Antidiarrheal agents]
Bromhexine	NOT APPLICABI	Bovine, Forcine, poultry	No MRL required	NOT APPLICABI	Not for use In animals from which milk or	NO ENTRY

					eggs are produced for human consumption	
Bromide, potassium salt	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Bromide, sodium salt	NOT APPLICABI	All- Inammalian food- producing species	No MRL required	NOT APPLICABI	For topical	NO ENTRY
Bronopol	NOT APPLICABI	Fin fish LE	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Brotizolam	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	For Herapeutic uses only.	NO ENTRY
Buserelin	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[ <sup>F7</sup> Butafosfar	NOT APPLICABI	All mammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	Alimentary tract and metabolism/ mineral supplements]
n-Butane	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
n-Butanol	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Butorphanolo tartrate	eNOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For Fatravenous administrationaly.	NO ENTRY m
Butyl 4- hydroxybenz	NOT MARPLICABI	All food Forducing species	No MRL required	NOT APPLICABI	NO JENTRY	NO ENTRY
Butylscopola bromide	uniditum APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
[ <sup>F8</sup> Cabergolin	n Cabergoline	Bovine	0,1 µg/kg	Fat	NO	Prolactin
			0,25 µg/kg	Liver	ENTRY	inhibitor
			0,5 µg/kg	Kidney		

			0,15 µg/kg	Muscle		
			0,1 µg/kg	Milk]		
Caffeine	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium acetate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium aspartate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium benzoate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium boroglucona	NOT t&APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium carbonate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium chloride	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Calcium citrate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Calcium glucohepton	NOT at&PPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium gluconate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium glucono glucoheptona	NOT APPLICABI ate	All food Foroducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Calcium gluconolacta	NOT t&PPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium glutamate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium glycerophosj	NOT MARPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY

Calcium hydroxide	NOT APPLICABI	All food	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium hypophosphi	NOT t&PPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium malate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium oxide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium pantothenate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium phosphate	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium polyphospha	NOT tespPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium propionate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium silicate	NOT APPLICABI	All food peroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium stearate	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium sulphate	NOT APPLICABI	All food peroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calendula officinalis	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Formeopathic veterinary medicinal products prepared according to homeopathic pharmacopoo at concentration correspondin in the	eias ns

					products not exceeding one part per ten only.	
Calendulae flos	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical	NO ENTRY
Camphor	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	External Firse only.	NO ENTRY
Camphora	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Formeopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at concentration in the products not exceeding one part per hundred only.	eias
Capsici fructus acer	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Carazolol	Carazolol	Bovine	5 μg/kg 5 μg/kg 15 μg/kg 15 μg/kg 1 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Agents acting on the nervous system/ Agents
		Porcine	5 μg/kg 5 μg/kg 25 μg/kg 25 μg/kg	Muscle Skin and fat Liver Kidney		acting on the autonomic nervous system
Carbasalate calcium	NOT APPLICABI	All food producing species except fin fish	No MRL required	NOT APPLICABI	Not for use The animals from which milk or eggs are produced	NO ENTRY

					for human consumption	
Carbetocin	NOT APPLICABI	All mammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cardamon extract	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cardiosperm halicacabum	uwot APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Formeopathic veterinary medicinal products prepared according to homeopathic pharmacopoo at concentration correspondint to the mother tincture and dilutions thereof only.	eias ns
Carlinae radix	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical	NO ENTRY
Carnitine	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Carprofen	Sum of carprofen and carprofen glucuronide conjugate	Bovine, Equidae	500 μg/kg 1 000 μg/ kg 1 000 μg/ kg 1 000 μg/ kg	Muscle Fat Liver Kidney	NO ENTRY	Anti- inflammatory agents/ Nonsteroidal anti- inflammatory agents
	NOT APPLICABI	Bovine LE	No MRL required for milk	NOT APPLICABI	LE	
Carvi aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Caryophylli aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cefacetrile	Cefacetrile	Bovine	125 µg/kg	Milk	For	Anti- rjnfectious agents/ Antibiotics
	NOT APPLICABI	Bovine LE	No MRL required for all tissues except milk.	NOT APPLICABI	use only	
Cefalexin	Cefalexin	Bovine	200 μg/kg 200 μg/kg 200 μg/kg 1 000 μg/ kg 100 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Anti- infectious agents/ Antibiotics
Cefalonium	Cefalonium	Bovine	20 µg/kg	Milk	For	Anti-
	NOT APPLICABI	Bovine LE	No MRL required for all tissues except milk.	NOT APPLICABI	intramammar use and eye freatment only.	rinfectious agents/ Antibiotics
Cefapirin	Sum of cephapirin and desacetylcep	Bovine hapirin	50 μg/kg 50 μg/kg 100 μg/kg 60 μg/kg	Muscle Fat Kidney Milk	NO ENTRY	Anti- infectious agents/ Antibiotics
Cefazolin	Cefazolin	Bovine, ovine, caprine	50 µg/kg	Milk	NO ENTRY	Anti- infectious agents/
	NOT APPLICABI	Bovine, Ævine, caprine	No MRL required for all tissues except milk.	NOT APPLICABI	For Entramamma use, except if the udder may be used as food for human consumption	
Cefoperazon	eCefoperazon	eBovine	50 µg/kg	Milk	For	Anti-
	NOT APPLICABI	Bovine LE	No MRL required for all tissues except milk.	NOT APPLICABI	intramamma use in Tactating cows only.	rjnfectious agents/ Antibiotics
Cefquinome	Cefquinome	Bovine, porcine, <i>Equidae</i>	50 μg/kg 50 μg/kg 100 μg/kg	Muscle Fat Liver	For porcine species the fat MRL	Anti- infectious

			200 µg/kg	Kidney	relates	agents/
		Bovine	20 µg/kg	Milk	to 'skin and fat in natural proportions'.	Antibiotics
Ceftiofur	Sum of all residues retaining the betalactam structure expressed as desfuroylcef	All mammalian food producing species	1 000 μg/ kg 2 000 μg/ kg 2 000 μg/ kg 6 000 μg/ kg 100 μg/kg	Muscle Fat Liver Kidney Milk	For porcine species the fat MRL relates to 'skin and fat in natural proportions'.	Anti- infectious agents/ Antibiotics
Centellae asiaticae extractum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical	NO ENTRY
Cetostearyl alcohol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cetrimide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Chlorhexidir	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical	NO ENTRY
Chlormadino	Mchlormadino	on the second seco	4 μg/kg 2 μg/kg 2,5 μg/kg	Fat Liver Milk	For zootechnical use only.	Agents acting on the reproductive system
Chlorocreso	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[ <sup>F9</sup> Chlorofor	nNOT APPLICABI	All Frammalian food producing species	No MRL required	NOT APPLICABI	Only to be Desed as an excipient in vaccines and only at concentration not exceeding 1 % w/v and total doses not exceeding 20 mg per animal.	NO ENTRY] ns

011 1	NOT	4.11		NOT	NO	
Chlorphenan		All Frammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Chlortetracy	c <b>Sinen</b> of parent drug and its 4- epimer	All food- producing species	100 μg/kg 300 μg/kg 600 μg/kg 100 μg/kg 200 μg/kg	Muscle Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for liver and kidney do not apply to fin fish.	Anti- infectious agents/ Antibiotics
Choline	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Chrysanthen cinerariifolii flos	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	For topical	NO ENTRY
Chymotrypsi	nNOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cimicifugae racemosae rhizoma	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	Not for use The animals from which milk is produced for human consumption	NO ENTRY
<i>Cinchonae</i> <i>cortex</i> , standardised extracts and preparations thereof	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cinnamomi cassiae aetheroleum	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
<i>Cinnamomi</i> <i>cassiae</i> <i>cortex</i> , standardised extracts and	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

preparations thereof						
Cinnamomi ceylanici aetheroleum	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
<i>Cinnamomi</i> <i>ceylanici</i> <i>cortex</i> , standardised extracts and preparations thereof	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Citri aetheroleum	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Citronellae aetheroleum	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Citrulline	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Clavulanic acid	Clavulanic acid	Bovine, porcine	100 μg/kg 100 μg/kg 200 μg/kg 400 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural proportions'.	Anti- infectious agents/ Antibiotics
		Bovine	200 µg/kg	Milk		
Clazuril	NOT APPLICABI	Pigeon LE	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Clenbuterol hydrochlorid	Clenbuterol e	Bovine, <i>Equidae</i>	0,1 μg/kg 0,5 μg/kg 0,5 μg/kg	Muscle Liver Kidney	NO ENTRY	Agents acting on the nervous
		Bovine	0,05 μg/kg	Milk		system/ Agents acting on the autonomic nervous system
[ <sup>F10</sup> Clodronic acid (in the form of disodium salt)	NOT APPLICABI	Equidae LE	No MRL required	NOT APPLICABI	Not for use In animals from which milk is produced for human consumption	Musculoskeletal system/ drugs for treatment of bone diseases]

Cloprostenol	NOT APPLICABI	Bovine, Forcine, caprine, <i>Equidae</i>	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
R- Cloprostenol	NOT APPLICABI	Bovine, Forcine, caprine, <i>Equidae</i>	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
[ <sup>F11</sup> Clorsulor	Clorsulon	Bovine	35 µg/kg	Muscle	NO	Antiparasitic
			100 µg/kg	Liver	ENTRY	agents/ Agents
			200 µg/kg	Kidney		against
			16 µg/kg	Milk]		endoparasites
[ <sup>F12</sup> Closantel	Closantel	Bovine	1 000 μg/ kg 3 000 μg/ kg 1 000 μg/ kg 3 000 μg/ kg 45 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
		Ovine	1 500 μg/ kg 2 000 μg/ kg 1 500 μg/ kg 5 000 μg/ kg 45 μg/kg	Muscle Fat Liver Kidney Milk]		
Cloxacillin	Cloxacillin	All food producing species	300 µg/kg 300 µg/kg 300 µg/kg 300 µg/kg 30 µg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL	Anti- infectious agents/ Antibiotics

					relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	
Cobalt carbonate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cobalt dichloride	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cobalt gluconate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cobalt oxide	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cobalt sulphate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cobalt trioxide	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Coco alkyl dimethyl betaines	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Colistin	Colistin	All food producing species	150 μg/kg 150 μg/kg 150 μg/kg 200 μg/kg 50 μg/kg 300 μg/kg	Muscle Fat Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish.	Anti- infectious agents/ Antibiotics

Status: Point in time view as at 23/04/2018.

**Changes to legislation:** There are currently no known outstanding effects for the Commission Regulation (EU) No 37/2010. (See end of Document for details)

<i>Condurango</i> <i>cortex</i> , standardised extracts and preparations	APPLICAB	All food Froducing species	No MRL required	NOT APPLICABI	For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. NO LENTRY	NO ENTRY
thereof Convallaria majalis	NOT APPLICAB	All food producing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at concentration in the products not exceeding one part per thousand only.	eias,
[ <sup>F13</sup> Copper carbonate	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO	Alimentary tract and metabolism/ Mineral supplement]
Copper chloride	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Copper gluconate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Copper heptanoate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Copper methionate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Copper oxide	NOT APPLICABI	All food peroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Copper sulphate	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Coriandri aetheroleum	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Corticotropin	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Coumafos	Coumafos	Bees	100 µg/kg	Honey	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
Crataegus	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopos at concentration correspondin to the mother tincture and dilutions thereof only.	eias ns
Cupressi aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical	NO ENTRY
Cyfluthrin	Cyfluthrin (sum of isomers)	Bovine, caprine	10 μg/kg 50 μg/kg 10 μg/kg 10 μg/kg 20 μg/kg	Muscle Fat Liver Kidney Milk	For milk further provisions in Council Directive 94/29/EC	Antiparasitic agents/ Agents against ectoparasites

					are to be observed.	
Cyhalothrin	Cyhalothrin (sum of isomers)	Bovine	500 μg/kg 50 μg/kg 50 μg/kg	Fat Kidney Milk	For milk further provisions in Council Directive 94/29/EC are to be observed.	Antiparasitic agents/ Agents against ectoparasites
Cypermethri	nCypermethri (sum of isomers)	nAll ruminants	20 μg/kg 200 μg/kg 20 μg/kg 20 μg/kg 20 μg/kg	Muscle Fat Liver Kidney Milk	For milk further provisions in Commission	Antiparasitic agents/ Agents against ectoparasites
		Salmonidae	50 µg/kg	Muscle and skin in natural proportions.	Directive 98/82/EC are to be observed.	
Cyromazine	Cyromazine	Ovine	300 µg/kg 300 µg/kg 300 µg/kg 300 µg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	Antiparasitic agents/ Agents against ectoparasites
Cysteine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Cytidine and its 5'- mono-, 5'- di- and 5'- triphosphate	NOT APPLICABI s	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Danofloxaci	nDanofloxacir	nBovine, ovine, caprine, poultry	200 μg/kg 100 μg/kg 400 μg/kg 400 μg/kg	Muscle Fat Liver Kidney	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish.	Anti- infectious agents/ Antibiotics
		All other food producing species	100 μg/kg 50 μg/kg 200 μg/kg 200 μg/kg	Muscle Fat Liver Kidney		
		Bovine, ovine, caprine	30 µg/kg	Milk		

				For porcine species the fat MRL relates to 'skin and fat in natural proportions'. For poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	
Decoquinate NOT APPLICAB	Bovine, Dovine	No MRL required	NOT APPLICABI	For oral use Joinly. Not for use in animals from which milk is produced for human consumption	NO ENTRY
Deltamethrin Deltamethrin	All ruminants	10 μg/kg 50 μg/kg 10 μg/kg 10 μg/kg 20 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
	Fin fish	10 µg/kg	Muscle and skin in natural proportions.		
Dembrexine NOT APPLICAB	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Denaverine NOT hydrochlorideAPPLICAB	Bovine LE	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[ <sup>F14</sup> DerquanteDerquantel	Ovine	2 µg/kg	Muscle	Not for use in animals from which milk is produced	Antiparasitic
		40 µg/kg	Fat		agents/ Agents
		20 µg/kg	Liver		against endoparasites

			5 µg/kg	Kidney]	for human consumption		
Deslorelin acetate	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY	
Detomidine	NOT APPLICABI	Bovine, <i>Equidae</i>	No MRL required	NOT APPLICABI	For Herapeutic use only.	NO ENTRY	
Dexamethaso Dexametha		b <b>Bo</b> vine, caprine, porcine, <i>Equidae</i>	0,75 μg/kg 2 μg/kg 0,75 μg/kg	Muscle Liver Kidney	NO ENTRY	Corticoides/ Glucocorticoide	
		Bovine, caprine	0,3 µg/kg	Milk			
Dexpanthene	NOT APPLICABI	All food- Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY	
Diazinon	Diazinon	Bovine, ovine, caprine, porcine	20 μg/kg 700 μg/kg 20 μg/kg 20 μg/kg	Muscle Fat Liver Kidney	species the fat MRL relates	Antiparasitic agents/ Agents against ectoparasites	
		Bovine, ovine, caprine	20 µg/kg	Milk			
[ <sup>F15</sup> Diclazuri	INOT APPLICABI	All Æiminants, porcine	No MRL required	NOT APPLICABI	For oral use Joinly	NO ENTRY	
	Diclazuril	Poultry	500 µg/kg	Muscle	Not for use	Antiparasitic	
			500 μg/kg	Skin and fat in natural proportions	in animals from which eggs are produced for human	agents/ Agents acting againsts protozoa	
			1 500 μg/ kg	Liver	consumption	• •	
			1 000 μg/ kg	Kidney			
		Rabbit	150 µg/kg	Muscle			
			300 µg/kg	Fat			
			2 500 μg/ kg	Liver			
			1 000 μg/ kg	Kidney]			
Diclofenac	Diclofenac	Bovine	5 μg/kg 1 μg/kg	Muscle Fat	For porcine species the	Anti- inflammatory	

		Porcine	5 μg/kg 10 μg/kg 0,1 μg/kg 5 μg/kg 1 μg/kg 5 μg/kg 10 μg/kg	Liver Kidney Milk Muscle Skin and fat Liver Kidney	fat MRL relates to 'skin and fat in natural proportions'.	agents/ Nonsteroidal anti- inflammatory agents
Dicloxacillin	Dicloxacillin	All food producing species	300 μg/kg 300 μg/kg 300 μg/kg 300 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	Anti- infectious agents/ Antibiotics
Dicopper oxide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Dicyclanil	Sum of dicyclanil and 2, 4, 6- triamino- pyrimidine-5 carbonitrile	Ovine -	200 μg/kg 150 μg/kg 400 μg/kg 400 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	Antiparasitic agents/ Agents against ectoparasites

Diethyl phthalate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Diethyl sebacate	NOT APPLICABI	All food	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[ <sup>F16</sup> Diethylen glycol monethyl ether	NOT APPLICABI	All food Forducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY]
Difloxacin	Difloxacin	Bovine, ovine, caprine	400 μg/kg 100 μg/kg 1 400 μg/ kg 800 μg/kg	Muscle Fat Liver Kidney	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. Not for use in animals	Anti- infectious agents/ Antibiotics
	Porcine   Poultry   All other   food   producing   species	Porcine	400 μg/kg 100 μg/kg 800 μg/kg 800 μg/kg	Muscle Skin and fat Liver Kidney		
		Poultry	300 μg/kg 400 μg/kg 1 900 μg/ kg 600 μg/kg	Muscle Skin and fat Liver Kidney		
		300 μg/kg 100 μg/kg 800 μg/kg 600 μg/kg	Muscle Fat Liver Kidney	from which milk is produced for human consumption Not for use in animals from which eggs are produced for human consumption		
Diflubenzuro	Diflubenzuro	o <b>S</b> almonidae	1 000 μg/ kg	Muscle and skin in natural proportions	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
Dihydrostrep	)tDinhyclinostrep	t <b>Ath</b> ycin ruminants, porcine, rabbit	500 μg/kg 500 μg/kg 500 μg/kg 1 000 μg/ kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in	Anti- infectious agents/ Antibiotics

		All ruminants	200 µg/kg	Milk	natural proportions'	
3,5-Diiodo- L-thyrosine	NOT APPLICABI	All mammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Dimanganes trioxide	eNOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	For oral use Joinly.	NO ENTRY
Dimethicone	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Dimethyl acetamide	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Dimethyl phthalate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Dimethyl sulphoxide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Dinoprost	NOT APPLICABI	All Frammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Dinoprost tromethamin	NOT eAPPLICABI	All Frammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Dinoproston		All Frammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Diprophyllin	eNOT APPLICABI	All food peroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Doramectin	Doramectin	All mammalian food producing species	40 μg/kg 150 μg/kg 100 μg/kg 60 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in	Antiparasitic agents/ Agents acting against

Status: Point in time view as at 23/04/2018.

### **Changes to legislation:** There are currently no known outstanding effects for the Commission Regulation (EU) No 37/2010. (See end of Document for details)

					natural proportions'. Not for use in animals from which milk is produced for human consumption	endo- and ectoparasites
[ <sup>F17</sup> Double stranded ribonucleic acid homologous to viral ribonucleic acid coding for part of the coat protein and part of the intergenic region of the Israel Acute Paralysis Virus	NOT APPLICABI	Bees LE	No MRL required	Honey	NO ENTRY	NO ENTRY]
Doxapram	NOT APPLICABI	All Frammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[ <sup>F18</sup> Doxycyc]	i₽oxycycline	All food producing species	100 μg/kg 300 μg/kg 300 μg/kg 600 μg/kg	Muscle Fat Liver Kidney	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates	Anti- infectious agents/ Antibiotics]

					to 'skin and fat in natural proportions'. Not for use in animals from which milk or eggs are produced for human consumption	
D- Phenylalanin (6) – luteinising- hormone releasing hormone	NOT &PPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO JENTRY	NO ENTRY
Echinacea	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Formeopathic veterinary medicinal products prepared according to homeopathic pharmacopoo at concentration correspondin to the mother tincture and dilutions thereof only. For topical use only. For use in homeopathic veterinary medicinal products prepared according to homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoo at concentration	eias ns g

Status: Point in time view as at 23/04/2018.

## **Changes to legislation:** There are currently no known outstanding effects for the Commission Regulation (EU) No 37/2010. (See end of Document for details)

					correspondin in the products not exceeding one part per ten only.	g
Echinacea purpurea	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	For topical	NO ENTRY
Emamectin	Emamectin B1a	Fin fish	100 μg/kg	Muscle and skin in natural proportions	NO ENTRY	Antiparasitic agents/ Agents acting against endo- and ectoparasites
Enilconazole	NOT APPLICABI	Bovine, <i>Equidae</i>	No MRL required	NOT APPLICABI	For topical Juse only.	NO ENTRY
Enrofloxacin	Sum of enrofloxacin and ciprofloxacir	caprine	100 μg/kg 100 μg/kg 300 μg/kg 200 μg/kg 100 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	Anti- infectious agents/ Antibiotics
		Porcine, rabbit	100 μg/kg 100 μg/kg 200 μg/kg 300 μg/kg	Muscle Fat Liver Kidney		
		Poultry	100 μg/kg 100 μg/kg 200 μg/kg 300 μg/kg	Muscle Skin and fat Liver Kidney		
		All other food producing species	100 μg/kg 100 μg/kg 200 μg/kg 200 μg/kg	Muscle Fat Liver Kidney		

Epinephrine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
[ <sup>F19</sup> Eprinome	Eprinomecti B1a	nAll ruminants	50 μg/kg 250 μg/kg 1 500 μg/ kg 300 μg/kg 20 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endo- and ectoparasites]
Ergometrine maleate		All Inammalian food producing species	No MRL required	NOT APPLICABI	For use in Farturient animals only.	NO ENTRY
Erythromyci	nErythromyci A	nAll food producing species	200 μg/kg 200 μg/kg 200 μg/kg 40 μg/kg 150 μg/kg	Muscle Fat Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'	Anti- infectious agents/ Antibiotics
Etamiphyllin camsylate	eNOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Etamsylate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Ethanol	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY

Ethyl	NOT	All food	No MRL	NOT	NO	NO
lactate	APPLICABI	species	required	APPLICABI	LENIKY	ENTRY
Ethyl oleate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Ethylenediar acid and salts	nMØtEtraaceti APPLICABI		No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Etiproston tromethamin	NOT eAPPLICABI	Bovine, Forcine	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Eucalypti aetheroleum	NOT APPLICABI	All food	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Eucalyptol	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Eucalyptus globulus	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopoo at concentration correspondin to the mother tincture and dilutions thereof only.	eias 15
Euphrasia officinalis	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopoo at concentration correspondin	eias 15

					to the mother tincture and dilutions thereof only.	
Febantel	Sum of extractable residues which	All ruminants, porcine, <i>Equidae</i>	50 μg/kg 50 μg/kg 500 μg/kg 50 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates	Antiparasitic agents/ Agents against
	may be oxidised to oxfendazole sulphone	All ruminants	10 µg/kg	Milk	to 'skin and fat in natural proportions	endoparasites
[ <sup>F20</sup> Fenbenda	extractable residues which may be oxidised to oxfendazole sulfone	All food- producing species except fin fish	50 μg/kg 50 μg/kg 500 μg/kg 50 μg/kg 10 μg/kg 1 300 μg/ kg	Muscle Fat Liver Kidney Milk Eggs	For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'	Antiparasitic agents/ Agents against endoparasites]
Fenpipramic hydrochloric	leNOT leAPPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For Intravenous use only.	NO ENTRY
Fenvalerate	Fenvalerate (sum of RR, SS, RS and SR isomers)	Bovine	25 μg/kg 250 μg/kg 25 μg/kg 25 μg/kg 40 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
Fertirelin acetate	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Firocoxib	Firocoxib	Equidae	10 μg/kg 15 μg/kg 60 μg/kg 10 μg/kg	Muscle Fat Liver Kidney	NO ENTRY	Anti- inflammatory agents/ Nonsteroidal anti- inflammatory agents
Florfenicol	Sum of florfenicol and its metabolites	Bovine, ovine, caprine	200 μg/kg 3 000 μg/ kg 300 μg/kg	Muscle Liver Kidney	Not for animals from which milk is	Anti- infectious agents/ Antibiotics
	measured as florfenicol- amine	Porcine	300 μg/kg 500 μg/kg 2 000 μg/ kg	Muscle Skin and fat Liver	produced for human consumptior Not for animals	

		Poultry Fin fish	500 μg/kg 100 μg/kg 200 μg/kg 2 500 μg/ kg 750 μg/kg 1 000 μg/ kg	Kidney Muscle Skin and fat Liver Kidney Muscle and skin in natural	from which eggs are produced for human consumption	
		All other food producing species	100 μg/kg 200 μg/kg 2 000 μg/ kg 300 μg/kg	Muscle Fat Liver Kidney		
Fluazuron	Fluazuron	Bovine	200 μg/kg 7 000 μg/ kg 500 μg/kg 500 μg/kg	Muscle Fat Liver Kidney	Not for animals from which milk is produced for human consumption	Antiparasitic agents/ Agents against ectoparasites
Flubendazol	eSum of flubendazole and (2- amino 1H- benzimidazo yl) (4fluoropher methanone	1-5-	50 μg/kg 50 μg/kg 400 μg/kg 300 μg/kg	Muscle Skin and fat Liver Kidney	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
	Flubendazol	ePoultry	400 µg/kg	Eggs		
Flugestone acetate	Flugestone acetate	Ovine, caprine	0,5 μg/kg 0,5 μg/kg 0,5 μg/kg 0,5 μg/kg 1 μg/kg	Muscle Fat Liver Kidney Milk	For intravaginal use for zootechnical purposes only.	Agents acting on the reproductive system
Flumequine	Flumequine	Bovine, ovine, caprine, porcine	200 μg/kg 300 μg/kg 500 μg/kg 1 500 μg/ kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural proportions'. Not for use	Anti- infectious agents/ Antibiotics
		Bovine, ovine, caprine	50 µg/kg	Milk		
		Poultry	400 μg/kg 250 μg/kg	Muscle	in animals from which	

			800 μg/kg 1 000 μg/ kg	Skin and fat Liver Kidney	eggs are produced for human consumption	
		Fin Fish	600 μg/kg	Muscle and skin in natural proportion.		
		All other food producing species	200 μg/kg 250 μg/kg 500 μg/kg 1 000 μg/ kg	Muscle Fat Liver Kidney		
Flumethrin	Flumethrin (sum of trans-Z- isomers)	Bovine	10 μg/kg 150 μg/kg 20 μg/kg 10 μg/kg 30 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
		Ovine	10 μg/kg 150 μg/kg 20 μg/kg 10 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	
	NOT APPLICABI	Bees LE	No MRL required	NOT APPLICABI	NO ÆNTRY	
Flunixin	Flunixin	Bovine	20 μg/kg 30 μg/kg 300 μg/kg 100 μg/kg	Muscle Fat Liver Kidney	NO ENTRY	Anti- inflammatory agents/ Nonsteroidal
		Porcine	50 μg/kg 10 μg/kg 200 μg/kg 30 μg/kg	Muscle Skin and fat Liver Kidney		anti- inflammatory agents
		Equidae	10 μg/kg 20 μg/kg 100 μg/kg 200 μg/kg	Muscle Fat Liver Kidney		
	5- Hydroxyflun	Bovine ixin	40 µg/kg	Milk		
[ <sup>F21</sup> Fluralane	rFluralaner	Poultry	65 μg/kg 650 μg/kg	Muscle Skin and fat in natural proportions	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites

			650 µg/kg	Liver		
			420 µg/kg	Kidney		
			1 300 μg/ kg	Eggs]		
Foeniculi aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Folic acid	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Follicle stimulating hormone (natural FSH from all species and their synthetic analogues)	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Food additives (substances with a valid E number approved as additives in foodstuffs for human consumption	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	Only Substances approved as additives in foodstuffs for human consumption with the exception of preservatives listed in part C of Annex III to European Parliament and Council Directive 95/2/EC.	
Formaldehyd	INOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Formic acid	NOT APPLICABI	All food	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

<i>Frangulae</i> <i>cortex</i> , standardised extracts and	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
preparations thereof						
Furosemide	NOT APPLICABI	Bovine, <i>Equidae</i>	No MRL required	NOT APPLICABI	For Fatravenous administrationaly.	NO ENTRY n
[ <sup>F22</sup> Gamithro	mamithromy	càdl	50 µg/kg	Muscle	Not for use	Anti-
		ruminants except	50 µg/kg	Fat	in animals producing	infectious agents/
		bovine	300 µg/kg	Liver	milk for	Antibiotics
			200 µg/kg	Kidney	human consumption	
		Bovine	20 µg/kg	Fat	consumption	
			200 µg/kg	Liver		
			100 µg/kg	Kidney		
		Porcine	100 µg/kg	Muscle	NO	
			100 µg/kg	Skin and fat in natural proportions	ENTRY	
			100 µg/kg	Liver		
			300 µg/kg	Kidney]		
[ <sup>F23</sup> Gentamic	isum of gentamicin C1, gentamicin C1a, gentamicin C2 and gentamicin C2a	All mammalian food producing species and fin fish	50 μg/kg 50 μg/kg 200 μg/kg 750 μg/kg 100 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' For porcine species the fat relates to 'skin and fat in natural proportions'	Anti- infectious agents/ Antibiotics]
<i>Gentianae</i> <i>radix</i> , standardised extracts and preparations thereof	NOT APPLICABI	All food Fooducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Ginkgo	NOT	All food	No MRL	NOT	For use in	NO
biloba	APPLICABI	perioducing species	required	APPLICABI	Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at concentration in the products not exceeding one part per thousand only.	eias
Ginseng	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Foreopathic veterinary medicinal products prepared according to homeopathic pharmacopoo at concentration correspondint to the mother tincture and dilutions thereof only.	eias 15
<i>Ginseng</i> , standardised extracts and preparations thereof	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Glutamic acid	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Glutamine	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Glutaraldehy	deot Applicabi	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Glycerol formal	NOT APPLICABI	All food peroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Glycine	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Gonadotroph releasing hormone	NOT APPLICABI	All food peroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Guaiacol	NOT APPLICABI	All food peroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Guanosine and its 5'- mono-, 5'- di- and 5'- triphosphates	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Halofuginon	eHalofuginon	eBovine	10 μg/kg 25 μg/kg 30 μg/kg 30 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	Antiparasitic agents/ Agents acting against protozoa
Hamamelis virginiana	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Formeopathic veterinary medicinal products prepared according to homeopathic pharmacopoo at concentration in the products not exceeding one part per ten only.	eias
		All food producing species	No MRL required	NOT APPLICABI	For topical	

Harpagophy procumbens	nMOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Foreopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at concentration correspondin to the mother tincture and dilutions thereof only.	eias 15
Harunga madagascar	NOT ienPRLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Foreopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at concentration in the products not exceeding one part per thousand only	eias,
Heparin and its salts	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Heptaminol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Hesperidin	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Hesperidin methyl chalcone	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

[ <sup>F24</sup> Hexaflum	u <mark>H⊖x</mark> aflumuro	ðfrin fish	500 μg/kg	Muscle and skin in natural proportions	NO ENTRY	Antiparasitic agents/ Agents (acting) against ectoparasites]
Hexetidine	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For topical Juse only.	NO ENTRY
Hippocastan semen	iNOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical	NO ENTRY
Histidine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Human chorion gonadotroph	NOT APPLICABI in	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Human chorionic gonadotropir (natural HCG and its synthetic analogues)	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Human menopausal urinary gonadotroph	NOT APPLICABI in	Bovine LE	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Humic acids and their sodium salts	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For oral use Inly.	NO ENTRY
Hyaluronic acid	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Hydrochlorid acid	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Hydrochloro	tNo2Tde APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Hydrocortisc	APPLICAB	All food Froducing species	No MRL required	NOT APPLICABI	For topical	NO ENTRY

[ <sup>F25</sup> Hydrocor	tisomeof	All	10 µg/kg	Milk	For	Corticosteroids
aceponate	hydrocortiso and its esters after alkaline hydrolysis expressed as hydrocortiso	Equidae			intramamma use only	ry
	NOT APPLICABI	All Æuminants, Equidae	No MRL required for all tissues except milk	NOT APPLICABI	LE]	
Hydrogen peroxide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Hydroxyethy	(MOTylate APPLICABI	All food- producing species except fin fish	No MRL required	NOT APPLICABI	For topical bise only.	NO ENTRY
8- Hydroxyquii	NOT MARALICABI	All Inframmalian food- producing species	No MRL required	NOT APPLICABI	For topical fise in newborn animals only.	NO ENTRY
Hyperici oleum	NOT APPLICABI	All food Forducing species	No MRL required	NOT APPLICABI	For topical	NO ENTRY
<i>Hypericum</i> <i>perforatum</i>	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Formeopathic veterinary medicinal products prepared according to homeopathic pharmacopoo at concentration correspondin to the mother tincture and dilutions thereof only.	eias 15

Imidocarb	Imidocarb	Bovine	300 µg/kg 50 µg/kg 2 000 µg/ kg 1 500 µg/ kg 50 µg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents acting against protozoa
		Ovine	300 μg/kg 50 μg/kg 2 000 μg/ kg 1 500 μg/ kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	
Inosine and its 5'- mono-, 5'- di- and 5'- triphosphates	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Inositol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
and pot iod — Soo and	assium- ide lium l	All food	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
— Iod inc	ophors luding yvinylpyrroli	done-				
Iodine organic compounds — Iod	NOT APPLICABI oform	All food Forducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Iron ammonium citrate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Iron dextran	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Iron dichloride	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Iron fumarate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Iron glucohepton	NOT at&PPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Iron sulphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Isobutane	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[ <sup>F26</sup> Isoeugen	oIsoeugenol	Fin fish	6 000 μg/ kg	Muscle and skin in natural proportions	NOT APPLICABI	Agents Acting on the nervous system/ Agents acting on the central nervous system]
Isoflurane	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For Enaesthetic use only.	NO ENTRY
Isoleucine	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Isopropanol	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Isoxsuprine	NOT APPLICABI	Bovine, <i>Equidae</i>	No MRL required	NOT APPLICABI	For Herapeutic use only in accordance with Council Directive 96/22/EEC.	NO ENTRY
[ <sup>F27</sup> Ivermecti	n22, 23- Dihydro-	All mammalian food	30 μg/kg 100 μg/kg 100 μg/kg	Muscle Fat Liver	For porcine species the fat MRL	Antiparasitic agents/ Agents

	avermectin B 1a	producing species	30 μg/kg	Kidney	relates to 'skin and fat in natural proportions' Not for use in animals from which milk is produced for human consumption	acting against endo and ectoparasites]
Jecoris oleum	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	For topical	NO ENTRY
Juniperi fructus	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Kanamycin	Kanamycin A	All food producing species except fin fish	100 μg/kg 100 μg/kg 600 μg/kg 2 500 μg/ kg 150 μg/kg	Muscle Fat Liver Kidney Milk	For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions' Not for use in animals from which eggs are produced for human consumption	Anti- infectious agents/ Antibiotics
Ketamine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Ketanserin tartrate	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Ketoprofen	NOT APPLICABI	Bovine, Forcine, <i>Equidae</i>	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Lachnanthes tinctoria	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according	NO ENTRY

					to homeopathic pharmacopoo at concentration in the products not exceeding one part per thousand only.	eias
Lactic acid	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Lanolin	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[ <sup>F28</sup> Lasalocid	Lasalocid A	Poultry	60 μg/kg 300 μg/kg 150 μg/kg 300 μg/kg 150 μg/kg	Muscle Liver Kidney Skin and fat in natural proportions Eggs	NO ENTRY	Anti- infectious agents/ Antibiotics
		Bovine	10 μg/kg 20 μg/kg 100 μg/kg 20 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	]
Lauri folii aetheroleum	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Lauri fructus	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Lavandulae aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Firse only.	NO ENTRY
Lecirelin	NOT APPLICABI	Bovine, <i>Equidae</i> , rabbit	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Lectin extracted from red	NOT APPLICABI	Porcine LE	No MRL required	NOT APPLICABI	For oral use Forly.	NO ENTRY

kidney beans Phaseolus vulgaris						
Lespedeza capitata	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Leucine	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Levamisole	Levamisole	Bovine, ovine, porcine, poultry	10 μg/kg 10 μg/kg 100 μg/kg 10 μg/kg	Muscle Fat Liver Kidney	For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which milk or eggs are produced for human consumption	Antiparasitic agents/ Agents against endoparasites
Levomethad	ontoT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For Intravenous use only.	NO ENTRY
Levothyroxi		All Imammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Lidocaine	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For local- Fegional anaesthesia only.	NO ENTRY
Lincomycin	Lincomycin	All food- producing species	100 μg/kg 50 μg/kg 500 μg/kg 1 500 μg/ kg 150 μg/kg 50 μg/kg	Muscle Fat Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for fat, liver	Anti- infectious agents/ Antibiotics

					and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'	
Linear alkyl benzene sulphonic acids with alkyl chain lengths ranging from $C_9$ to $C_{13}$ , containing less than 2,5 % of chains longer than $C_{13}$	NOT APPLICABI	Bovine, Avine	No MRL required	NOT APPLICABI	For topical	NO ENTRY
Lini oleum	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Lobaria pulmonaria	NOT APPLICAB	All food producing species	No MRL required	NOT APPLICABI	For use in Formeopathic veterinary medicinal products prepared according to homeopathic pharmacopot at concentration correspondint to the mother tincture and dilutions thereof only.	eias ns

Lobeline	NOT APPLICAB	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
[ <sup>F29</sup> Lufenuro (RS- isomers)	nLufenuron (RS- isomers)	Fin fish	1 350 μg/ kg	Muscle and skin in natural proportions	NO ENTRY	Antiparasitic agents/ Agents (acting) against ectoparasites]
Luprostiol	NOT APPLICABI	All Intrammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Luteinising hormone (natural LH from all species and their synthetic analogues)	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Lysine	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Magnesium acetate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Magnesium aluminium silicate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Magnesium aspartate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Magnesium carbonate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium chloride	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium citrate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY

Magnesium gluconate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Magnesium glutamate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium glycerophos	NOT plareLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium hydroxide	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium hypophosphi	NOT itapplicabi	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium orotate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium oxide	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium phosphate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium stearate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium sulphate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium trisilicate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Majoranae herba	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Malic acid	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
[ <sup>F30</sup> Mangane carbonate	s⊉OT APPLICABI	All food producing species	NO MRL REQUIRED	NOT APPLICABI	NO LENTRY	Alimentary tract and metabolism/ mineral supplements]

Manganese chloride	NOT APPLICABI	All food	No MRL required	NOT APPLICABI	For oral use	NO ENTRY
		species	required			
Manganese gluconate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	For oral use	NO ENTRY
Manganese glycerophosj	NOT MARPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For oral use Jonly.	NO ENTRY
Manganese oxide	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	For oral use Inly.	NO ENTRY
Manganese pidolate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For oral use Jonly.	NO ENTRY
Manganese ribonucleate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	For oral use	NO ENTRY
Manganese sulphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For oral use Forly.	NO ENTRY
Mannitol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
MarbofloxaciMarbofloxa		i <b>B</b> ovine, porcine	150 μg/kg 50 μg/kg 150 μg/kg 150 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates	Anti- infectious agents/ Antibiotics
		Bovine	75 μg/kg	Milk	to 'skin and fat in natural proportions'	
<i>Matricaria</i> <i>recutita</i> and preparations thereof	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Matricariae flos	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Mebendazolo	eSum of mebendazole methyl (5- (1-hydroxy, 1-phenyl) methyl-1H- benzimidazo yl)	Equidae	60 μg/kg 60 μg/kg 400 μg/kg 60 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	Antiparasitic agents/ Agents against endoparasites

	carbamate and (2- amino-1H- benzimidazo yl) phenylmetha expressed as mebendazole equivalents	none,				
Mecillinam	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	For Intrauterine use only.	NO ENTRY
Medicago sativa extractum	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	For topical	NO ENTRY
Medroxypro	gMttFone APPLICABI	Ovine LE	No MRL required	NOT APPLICABI	For Entravaginal use for zootechnical purposes only.	NO ENTRY
Melatonin	NOT APPLICABI	Ovine, Æaprine	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Melissae aetheroleum	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Melissae folium	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Meloxicam	Meloxicam	Bovine, caprine, porcine, rabbit, <i>Equidae</i>	20 μg/kg 65 μg/kg 65 μg/kg	Muscle Liver Kidney	NO ENTRY	Anti- inflammatory agents/ Nonsteroidal anti-
		Bovine, caprine	15 μg/kg	Milk		inflammatory agents
Menadione	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Menbutone	NOT APPLICABI	Bovine, dovine, caprine, porcine, <i>Equidae</i>	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Menthae arvensis aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Menthae piperitae aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Menthol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Mepivacaine	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For intra- Articular and epidural use as local anaesthetic only.	NO ENTRY
Mercaptamir hydrochlorid	NOT APPLICABI	All fnammalian food producing species	No MRL required	NOT APPLICABI	NO JENTRY	NO ENTRY
Metamizole	4- Methylamino	Bovine, poticiyisin Equidae	100 μg/kg 100 μg/kg 100 μg/kg 100 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates	Anti- inflammatory agents/ Nonsteroidal
		Bovine	50 μg/kg	Milk	to 'skin and fat in natural proportions'	anti- inflammatory agents
Methionine	NOT APPLICABI	All food	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Methyl nicotinate	NOT APPLICABI	Bovine, <i>Equidae</i>	No MRL required	NOT APPLICABI	For topical	NO ENTRY
Methyl salicylate	NOT APPLICABI	All food producing species except fin fish	No MRL required	NOT APPLICABI	For topical Juse only.	NO ENTRY
Methylbenzo	aniot APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[ <sup>F31</sup> Methylpr	e <b>Másbyðpæ</b> dn	i <b>Sopointa</b> e	10 μg/kg 10 μg/kg 10 μg/kg 10 μg/kg 2 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Corticoides/ Glucocorticoide

		Bovine	10 μg/kg 10 μg/kg 10 μg/kg 10 μg/kg 2 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY]	
1- Methyl-2- pyrrolidone	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Millefolii herba	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Mineral hydrocarbon low to high viscosity including micorcristall waxes, approximate C10-C60, aliphatic, branched aliphatic and alicyclic compounds		All food producing species	No MRL required	NOT APPLICABI	Excludes Aromatic and unsaturated compounds.	NO ENTRY
[ <sup>F32</sup> Monensir	Monensin A	Bovine	2 μg/kg 10 μg/kg 50 μg/kg 10 μg/kg 2 μg/kg	Muscle Fat Liver Kidney Milk]	NO ENTRY	Anti- infectious agents/ Antibiotics
[ <sup>F33</sup> Monepante sulfone	tMonepantel sulfone	sulfone caprine	700 μg/kg 7 000 μg/ kg 5 000 μg/ kg	Muscle Fat Liver	NO ENTRY	Antiparasitic agents/ Agents (acting) against endoparasites
			2 000 μg/ kg 170 μg/kg	Kidney Milk		
		Bovine	300 μg/kg 7 000 μg/ kg	Muscle Fat	Not for use in animals producing milk for	
			2 000 μg/ kg	Liver	human consumption	

			1 000 μg/ kg	Kidney]		
Monothiogly	def@T APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Montanide	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Morantel	Sum of residues which may be hydrolysed to N- methyl-1,3- propanediam and expressed as morantel equivalents	All ruminants	100 μg/kg 100 μg/kg 800 μg/kg 200 μg/kg 50 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
Moxidectin	Moxidectin	Bovine, ovine, <i>Equidae</i>	50 μg/kg 500 μg/kg 100 μg/kg 50 μg/kg	Muscle Fat Liver Kidney	NO ENTRY	Antiparasitic agents/ Agents acting against
		Bovine, ovine	40 µg/kg	Milk		endo- and ectoparasites
Myglyol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Myristicae aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in frewborn animals only.	NO ENTRY
Nafcillin	Nafcillin	All ruminants	300 µg/kg 300 µg/kg 300 µg/kg 300 µg/kg 30 µg/kg	Muscle Fat Liver Kidney Milk	For intramamma use only.	Anti- rynfectious agents/ Antibiotics
Natamycin	NOT APPLICABI	Bovine, <i>Equidae</i>	No MRL required	NOT APPLICABI	For topical Juse only.	NO ENTRY
[ <sup>F34</sup> Neomycin	nNeomycin	All food	500 µg/kg	Muscle	For fin fish	Anti-
(including framycetin)	В	producing species	500 µg/kg	Fat	the muscle MRL relates to 'muscle and skin	infectious agents/ Antibiotics
namyeeun)			5 500 μg/ kg	Liver		

			9 000 μg/ kg 1 500 μg/ kg 500 μg/kg	Kidney Milk Eggs]	in natural proportions' MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'	
Neostigmine	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Netobimin	Sum of albendazole oxide, albendazole sulphone, and albendazole 2-amino sulphone, expressed as albendazole	Bovine, ovine	100 μg/kg 100 μg/kg 1 000 μg/ kg 500 μg/kg 100 μg/kg	Muscle Fat Liver Kidney Milk	For oral use only.	Antiparasitic agents/ Agents against endoparasites
Nickel gluconate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Nickel sulphate	NOT APPLICABI	All food Forducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Nicoboxil	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For topical Juse only.	NO ENTRY
[ <sup>F35</sup> Nitroxini	Nitroxinil	Bovine, ovine	400 µg/kg	Muscle		Antiparasitic
		ovine	200 µg/kg	Fat	agents/ agents	agents
			20 μg/kg	Liver		against endoparasites
			400 μg/kg	Kidney		
			20 µg/kg	Milk]		

Nonivamide	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For topical Juse only	NO ENTRY
Norgestomet	Norgestomet	Bovine	0,2 μg/kg 0,2 μg/kg 0,2 μg/kg 0,2 μg/kg 0,12 μg/kg	Muscle Fat Liver Kidney Milk	For therapeutic and zootechnical purposes only.	Agents acting on the reproductive system
Novobiocin	Novobiocin	Bovine	50 µg/kg	Milk	For intramamma use only.	agents/
	NOT APPLICABI	Bovine LE	No MRL required for all tissues except milk	NOT APPLICABI	NO LENTRY	Antibiotics
[ <sup>F36</sup> Octenidin dihydrochlor	<sub>€</sub> NOT i&PPLICABI	All Fnammalian food- producing species	No MRL required	NOT APPLICABI	For Æutaneous use only.	Anti- infectious agents/ Antiseptics]
17β- Oestradiol	NOT APPLICABI	All Frammalian food producing species	No MRL required	NOT APPLICABI	For Herapeutic and zootechnical use only.	NO ENTRY
Okoubaka aubrevillei	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Formeopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at concentration correspondin to the mother tincture and dilutions thereof only.	eias 15
Oleyloleate	NOT APPLICABI	All food Forducing species	No MRL required	NOT APPLICABI	For topical	NO ENTRY

Omeprazole	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For oral use Joinly.	NO ENTRY
Orgotein	NOT APPLICABI	All food	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Ornithine	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Orotic acid	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Oxacillin	Oxacillin	All food producing species	300 μg/kg 300 μg/kg 300 μg/kg 300 μg/kg 30 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	Anti- infectious agents/ Antibiotics
Oxalic acid	NOT APPLICABI	Bees LE	No MRL required	NOT APPLICABI	NO LENTRY	Anti- infectious agent
Oxfendazole	Sum of extractable residues which may be	All ruminants, porcine, <i>Equidae</i>	50 μg/kg 50 μg/kg 500 μg/kg 50 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin	Antiparasitic agents/ Agents against endoparasites

	oxidised to oxfendazole sulphone	All ruminants	10 µg/kg	Milk	and fat in natural proportions'	
Oxibendazo	eOxibendazol	ePorcine	100 μg/kg 500 μg/kg 200 μg/kg 100 μg/kg	Muscle Skin and fat Liver Kidney	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
Oxidation products of <i>Terebinthina</i> oleum	NOT APPLICABI e	Bovine, Evine, caprine, porcine	No MRL required	NOT APPLICAB	NO LENTRY	NO ENTRY
Oxolinic acid	Oxolinic acid	All food producing species	100 μg/kg 50 μg/kg 150 μg/kg 150 μg/kg	Muscle Fat Liver Kidney	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions' Not for use in animals from which milk or eggs are produced for human consumption	Anti- infectious agents/ Antibiotics
Oxyclozanic	eOxyclozanid	eAll ruminants	20 μg/kg 20 μg/kg 500 μg/kg 100 μg/kg 10 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites

Oxytetracyc	i <b>Se</b> m of parent drug and its 4- epimer	All food- producing species	100 μg/kg 300 μg/kg 600 μg/kg 100 μg/kg 200 μg/kg	Muscle Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' [ <sup>X1</sup> MRLs for liver and kidney do not apply to fin fish.]	Anti- infectious agents/ Antibiotics
Oxytocin	NOT APPLICABI	All Inframmalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Pancreatin	NOT APPLICABI	All Inframmalian food producing species	No MRL required	NOT APPLICABI	For topical Here only.	NO ENTRY
Papain	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Papaverine	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	Newborn Æalves only.	NO ENTRY
Paracetamol	NOT APPLICABI	Porcine LE	No MRL required	NOT APPLICABI	For oral use Joinly.	NO ENTRY
Parconazole	NOT APPLICABI	Guinea L <b>fo</b> wl	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Paromomyci	nParomomyci	nAll food producing species	500 μg/kg 1 500 μg/ kg 1 500 μg/ kg	Muscle Liver Kidney	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for liver and kidney do not apply to fin fish. Not for use in animals from which	Anti- infectious agents/ Antibiotics

Peforelin	NOT	Porcine	No MRL	NOT	milk or eggs are produced for human consumption	 NO
reforenni	APPLICABI		required	APPLICABI		ENTRY
[ <sup>F37</sup> Pegylated bovine granulocyte colony stimulating factor	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	NO LENTRY	Biological/ Immunomodulator]
Penethamate	Benzylpenic	il <b>AiH</b> mammalian food producing species	50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg 4 μg/kg	Muscle Fat Liver Kidney Milk	For porcine species the fat MRL relates to 'skin and fat in natural proportions'.	Anti- infectious agents/ Antibiotics
Pepsin	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Peracetic acid	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Permethrin	Permethrin (sum of isomers)	Bovine	50 μg/kg 500 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg	Muscle Fat Liver Kidney Milk	For milk further provisions in Commission Directive 98/82/EC are to be observed.	Antiparasitic agents/ Agents against ectoparasites
Phenol	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[ <sup>F38</sup> Phenoxyr	netionipeniaett	<b>R</b> penieillin	25 µg/kg	Muscle	NO	Anti-
			25 µg/kg	Liver	ENTRY	infectious agents/
			25 µg/kg	Kidney		Antibiotics
		Poultry	25 µg/kg	Muscle		
			25 μg/kg	Skin and fat		

			25 µg/kg	Liver		
			25 µg/kg	Kidney		
			25 µg/kg	Eggs]		
Phenylalanin	eNOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Phloroglucin	dNOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[ <sup>F39</sup> Phoxim	Phoxim	All food- producing species except fin fish.	25 μg/kg 550 μg/kg 50 μg/kg 30 μg/kg 60 μg/kg	Muscle Fat Liver Kidney Eggs	For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which milk is produced for human consumption	Antiparasitic agents/ Agents against ectoparasites
Phytolacca americana	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at concentration in the products not exceeding one part per thousand only.	eias,
Phytomenad	IMIOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO	NO ENTRY

Piceae turiones recentes extractum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For oral use Inly.	NO ENTRY
Piperazine	Piperazine	Porcine	400 μg/kg 800 μg/kg 2 000 μg/ kg 1 000 μg/ kg	Muscle Skin and fat Liver Kidney	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
		Chicken	2 000 μg/ kg	Eggs		
Piperazine dihydrochlor	NOT i <b>A</b> PPLICABI	Chicken LE	No MRL required for all tissues except eggs	NOT APPLICABI	NO LENTRY	NO ENTRY
Piperonyl butoxide	NOT APPLICABI	Bovine, Evine, caprine, <i>Equidae</i>	No MRL required	NOT APPLICABI	For topical Juse only.	NO ENTRY
Pirlimycin	Pirlimycin	Bovine	100 μg/kg 100 μg/kg 1 000 μg/ kg 400 μg/kg 100 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Anti- infectious agents/ Antibiotics
Policresulen	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical	NO ENTRY
Poloxalene	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Poloxamer	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Polyethylene glycol 15 hydroxystear	APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Polyethylene glycol 7 glyceryl cocoate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Hese only.	NO ENTRY
Polyethylene glycol stearates with 8-40	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY

oxyethylene units						
Polyethylene glycols (molecular weight ranging from 200 to 10 000)	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Polyoxyethy sorbitan monooleate and trioleate	IÈNIOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Polyoxyl castor oil with 30 to 40 oxyethylene units	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Polyoxyl hydrogenated castor oil with 40 to 60 oxyethylene units	NOT dAPPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Polysorbate 80	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Polysulphate glycosamino	dNOT g <b>ayRa</b> hICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Potassium DL- aspartate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Potassium glucuronate	NOT APPLICAB	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Potassium glycerophosj	NOT MARPLICAB	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Potassium nitrate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Potassium selenate	NOT APPLICAB	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Praziquantel	NOT APPLICABI	Ovine, <i>Equidae</i>	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[ <sup>F40</sup> Prednisol	offrednisolone	Bovine	4 μg/kg	Muscle	NO	Corticoids/
			4 μg/kg	Fat	ENTRY	Glucocorticoid
			10 µg/kg	Liver		
			10 µg/kg	Kidney		
			6 μg/kg	Milk		
		Equidae	4 μg/kg	Muscle		
			8 μg/kg	Fat		
			6 μg/kg	Liver		
			15 µg/kg	Kidney]	-	
Pregnant mare serum gonadotroph	NOT APPLICABI in	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Prethcamide (crotethamid and cropropamid	eAPPLICABI	All fnammalian food producing species	No MRL required	NOT APPLICABI	NO JENTRY	NO ENTRY
Procaine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Progesterone	NOT APPLICABI	Bovine, Devine, caprine, <i>Equidae</i> (female)	No MRL required	NOT APPLICABI	Only for Entravaginal therapeutic or zootechnical use and in accordance with the provisions of Directive 96/22/EC.	NO ENTRY
Proline	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Propane	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[ <sup>F41</sup> Propyl 4- hydroxybenz	NOT APPLICABI oate	All food	No MRL required	NOT APPLICABI	For use as a preservative only	NO ENTRY]

and its sodium salt						
Propylene glycol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Prunus laurocerasus	NOT APPLICAB	All food producing species	No MRL required	NOT APPLICABI	For use in Formeopathic veterinary medicinal products prepared according to homeopathic pharmacopoo at concentration in the products not exceeding one part per thousand only.	eias
[ <sup>F42</sup> Purified semi-solid extract from <i>Humulus</i> <i>lupulus L.</i> containing approximate 48 % of beta acids (as potassium salts)	NOT APPLICABI	Bees LE	No MRL required	Honey	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites]
Pyrantel embonate	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
<i>Pyrethrum</i> extract	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	For topical	NO ENTRY
2- Pyrrolidone	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	At parenteral doses up to 40 mg/ kg bw.	NO ENTRY

Quatresin	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use as preservative only at concentration of up to 0,5 %.	NO ENTRY 15
Quercus cortex	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
<i>Quillaia</i> saponins	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
[ <sup>F43</sup> Rafoxanio	d₿afoxanide	Bovine	30 μg/kg 30 μg/kg 10 μg/kg 40 μg/kg	Muscle Fat Liver Kidney	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
		Ovine	100 μg/kg 250 μg/kg 150 μg/kg 150 μg/kg	Muscle Fat Liver Kidney		
		Bovine, ovine	10 μg/kg	Milk	Provisional MRL shall expire on 31 December 2017]	
<i>Rhei radix</i> , standardised extracts and preparations thereof	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Ricini oleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Rifaximin	Rifaximin	Bovine	60 µg/kg	Milk	NO ENTRY	Anti- infectious
	NOT APPLICABI	Bovine LE	No MRL required for all tissues except milk	NOT APPLICABI	For Intramamma use, except if the udder may be used as food for human consumption and	

					intrauterine use only.	
		All mammalian food producing species	No MRL required	NOT APPLICABI	For topical	
Romifidine	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For Herapeutic uses only.	NO ENTRY
Rosmarini aetheroleum	NOT APPLICABI	All food peroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Rosmarini folium	NOT APPLICABI	All food	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Ruscus aculeatus	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	For topical	NO ENTRY
Ruta graveolens	NOT APPLICABI	species	No MRL required		For use in For use in Foreopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at concentration in the products not exceeding one part per thousand only. Not for use in animals from which milk is produced for human consumption	eias, 1s
Salicylic acid	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	For topical	NO ENTRY

		except fin fish				
Salviae folium	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sambuci flos	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Sarafloxacin	Sarafloxacin	Chicken	10 μg/kg 100 μg/kg	Skin and fat Liver	Not for use in animals from which eggs are	Anti- infectious agents/ Antibiotics
		Salmonidae	30 μg/kg	Muscle and skin in natural proportions	produced for human consumption	
Selenicereus grandiflorus		All food producing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at concentration in the products not exceeding one part per hundred only.	eias,
Serenoa repens	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopos at concentration correspondin to the mother tincture and	eias 15

					dilutions thereof only.	
Serine	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Serotonin	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Silybum marianum	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Formeopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at concentration correspondin to the mother tincture and dilutions thereof only.	eias 15
Sinapis nigrae semen	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
[ <sup>F44</sup> Sisaproni	Sisapronil	Bovine, caprine	100 μg/kg 2 000 μg/ kg 200 μg/kg 100 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	Antiparasitic agents/ Agents against ectoparasites]
Sodium 2- methyl-2- phenoxy- propanoate	NOT APPLICABI	Bovine, Forcine, caprine, <i>Equidae</i>	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium acetylsalicyl	NOT at&PPLICABI	All food producing species except fin fish	No MRL required	NOT APPLICABI	Not for use In animals from which milk or eggs are produced	NO ENTRY

					for human consumption	
Sodium benzyl 4- hydroxybenz	NOT APPLICABI toate	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium boroformiate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium butyl 4- hydroxybenz	NOT APPLICABI toate	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium cetostearyl sulphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Fese only.	NO ENTRY
Sodium chloride	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium chlorite	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	For topical Juse only.	NO ENTRY
Sodium cromoglycate	NOT eAPPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium dichloroisocy	NOT ARPAtECABI	Bovine, Ævine, caprine	No MRL required	NOT APPLICABI	For topical	NO ENTRY
Sodium dioctylsulpho	NOT AIEPInkteABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium formaldehyd	NOT е <b>А:∏₱ħ₫€у́А₿₿</b>	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium glycerophosp	NOT MARPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium hypophosphi	NOT t&PPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium lauryl sulphate	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium nitrite	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	For topical	NO ENTRY

Sodium propionate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Sodium pyrosulphite	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[ <sup>F45</sup> Sodium salicylate	NOT APPLICABI	Bovine,	No MRL required	NOT APPLICABI	For oral Fise. Not for use in animals from which milk is produced for human consumption	NO ENTRY
		All food producing species except fin fish	No MRL required	NOT APPLICABI	For topical Here only.	
	Salicylic acid	Turkey	400 μg/kg 2 500 μg/ kg 200 μg/kg 150 μg/kg	Muscle Skin and fat in natural proportions Liver Kidney	Not for use in animals producing eggs for human consumption	Anti- inflammatory agents/ Non- steroidal .anti- inflammatory agents]
Sodium selenate	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium selenite	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium stearate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Sodium thiosulphate	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Solidago virgaurea	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Formeopathic veterinary medicinal products prepared according to	NO ENTRY

					homeopathic pharmacopoo at concentration correspondin to the mother tincture and dilutions thereof only.	eias ns
[ <sup>F46</sup> Solvent naphtha, light aromatic, with cumene concentration not exceeding 2,5 %, and benzene concentration not exceeding 0,0002 %		All food producing species	No MRL required	NOT APPLICABI	For Eutaneous use only. Only at volume not exceeding 15 µl solvent naphtha/kg bw.	NO ENTRY]
Somatosalm	NOT APPLICABI	Salmon LE	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Sorbitan sesquioleate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sorbitan trioleate	NOT APPLICABI	All food- Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Spectinomyc	in pectinomyc	iOvine	300 μg/kg 500 μg/kg 2 000 μg/ kg 5 000 μg/ kg 200 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural	Anti- infectious agents/ Antibiotics
		All other food producing species	300 μg/kg 500 μg/kg 1 000 μg/ kg 5 000 μg/ kg 200 μg/kg	Muscle Fat Liver Kidney Milk	proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry	

					species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	
Spiramycin	Sum of spiramycin and neospiramyc	Bovine in	200 μg/kg 300 μg/kg 300 μg/kg 300 μg/kg 200 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Anti- infectious agents/ Antibiotics
		Chicken	200 μg/kg 300 μg/kg 400 μg/kg	Muscle Skin and fat Liver	Not for use in animals from which eggs are produced for human consumption	
	Spiramycin 1	Porcine	250 μg/kg 2 000 μg/ kg 1 000 μg/ kg	Muscle Liver Kidney	NO ENTRY	
Streptomycin	nStreptomyci	nAll ruminants, porcine, rabbit	500 μg/kg 500 μg/kg 500 μg/kg 1 000 μg/ kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin	Anti- infectious agents/ Antibiotics
		All ruminants	200 µg/kg	Milk	and fat in natural proportions'.	
Strychni semen	NOT APPLICABI	Bovine, Dovine, caprine	No MRL required	NOT APPLICABI	For oral Ease only at doses up to the equivalent of 0,1 mg strychnine/ kg bw.	NO ENTRY
Strychnine	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	For oral For only at dose	NO ENTRY

Substances used in homeopathic veterinary medicines		species	No MRL required	NOT APPLICABI	used in homeopathic veterinary medicinal products provided that their concentration in the product does not exceed one part per ten thousand.	1
Sulfogaiacol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sulfonamide (all substances belonging	sParent drug	All food- producing species	100 μg/kg 100 μg/kg 100 μg/kg 100 μg/kg	Muscle Fat Liver Kidney	The combined total residues	Anti- infectious agents/ Chemotheurapeutics/
		Bovine, ovine, caprine	100 μg/kg	Milk	combined total	

					produced for human consumption	
Sulphur	NOT APPLICAB	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Symphyti radix	NOT APPLICAB	All food Froducing species	No MRL required	NOT APPLICABI	For topical fise on intact skin only.	NO ENTRY
Syzygium cumini	NOT APPLICAB	All food Froducing species	No MRL required	NOT APPLICABI	For use in Formeopathic veterinary medicinal products prepared according to homeopathic pharmacopod at concentration correspondin to the mother tincture and dilutions thereof only.	eias 15
Tanninum	NOT APPLICAB	All food Defroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
L-tartaric acid and its mono- and di-basic salt of sodium, potassium and calcium	NOT APPLICAB	All food producing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Tau fluvalinate	NOT APPLICAB	Bees LE	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Teflubenzur	offeflubenzuro	Salmonidae	500 μg/kg	Muscle and skin in natural proportions	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites

Terebinthina aetheroleum rectificatum		All food Froducing species	No MRL required	NOT APPLICABI	For topical	NO ENTRY
Terebinthina laricina	eNOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical	NO ENTRY
Terpin hydrate	NOT APPLICABI	Bovine, Evine, caprine, porcine	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Tetracaine	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	For use as Anaesthetic only.	NO ENTRY
Tetracycline	Sum of parent drug and its 4- epimer	All food- producing species	100 μg/kg 300 μg/kg 600 μg/kg 100 μg/kg 200 μg/kg	Muscle Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for liver and kidney do not apply to fin fish.	Anti- infectious agents/ Antibiotics
Theobromine	eNOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Theophylline	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Thiabendazo	lSum of thiabendazol and 5- hydroxythial	-	100 μg/kg 100 μg/kg 100 μg/kg 100 μg/kg 100 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
Thiamphenic	dlhiamphenio	will food producing species	50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for fat, liver and kidney	Anti- infectious agents/ Antibiotics

					do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	
Thiamylal	NOT APPLICABI	All Inframmalian food producing species	No MRL required	NOT APPLICABI	For Intravenous administratic only.	NO ENTRY m
Thioctic acid	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Thiomersal	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use Enly as preservatives in multidose vaccines at a concentration not exceeding 0,02 %.	
Thiopental sodium	NOT APPLICABI	All food Forducing species	No MRL required	NOT APPLICABI	For Intravenous administratic only.	NO ENTRY m
Threonine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Thuja occidentalis	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Fomeopathic veterinary medicinal products	NO ENTRY

					prepared according to homeopathic pharmacopoe at concentration in the products not exceeding one part per hundred only.	-
Thymi aetheroleum	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Thymidine	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Thymol	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Tiamulin	Sum of metabolites	Porcine, rabbit	100 μg/kg 500 μg/kg	Muscle Liver	ENTRY	Anti- infectious
	that may be hydrolysed to 8-α- hydroxymuti	Chicken lin	100 μg/kg 100 μg/kg 1 000 μg/ kg	Muscle Skin and fat Liver		agents/ Antibiotics
		Turkey	100 μg/kg 100 μg/kg 300 μg/kg	Muscle Skin and fat Liver	-	
	Tiamulin	Chicken	1 000 μg/ kg	Eggs		
Tiaprost	NOT APPLICABI	Bovine, Ævine, porcine, <i>Equidae</i>	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[ <sup>F47</sup> Tildipiros	iTildipirosin	Bovine,	400 µg/kg	Muscle	Not for use	Anti-
_		caprine	200 µg/kg	Fat	in animals from which	infectious agents/
			2 000 µg/ kg	Liver	milk is produced	Antibiotics
			3 000 μg/ kg	Kidney	for human consumption	

		Porcine	1 200 μg/ kg	Muscle		
			800 µg/kg	Skin and fat in natural proportions		
			5 000 μg/ kg	Liver		
			10 000 μg/ kg	Kidney]		
Tiliae flos	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Tilmicosin	Tilmicosin	Poultry	75 μg/kg 75 μg/kg 1 000 μg/ kg 250 μg/kg	Muscle Skin and fat Liver Kidney	For fin fish the muscle MRL relates to a 'muscle	Anti- infectious agents/ Antibiotics
		All other food producing species	50 μg/kg 50 μg/kg 1 000 μg/ kg 1 000 μg/ kg 50 μg/kg	Muscle Fat Liver Kidney Milk	and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	
Tiludronic acid (in the form of disodium	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For Intravenous use only.	NO ENTRY
alsodium salt)		Poultry	No MRL required	NOT APPLICABI	For Dearenteral use only and for use	

					in laying and breeder birds only.	
Timerfonate	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use Forly as preservatives in multidose vaccines at a concentration not exceeding 0,02 %.	
Toldimfos	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Tolfenamic acid	Tolfenamic acid	Bovine, porcine	50 μg/kg 400 μg/kg 100 μg/kg	Muscle Liver Kidney	NO ENTRY	Anti- inflammatory agents/
		Bovine	50 μg/kg	Milk		Nonsteroidal anti- inflammatory agents
Toltrazuril	Toltrazuril sulfone	All mammalian food producing species	100 μg/kg 150 μg/kg 500 μg/kg 250 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin	Antiparasitic agents/ Agents acting against
		Poultry	100 μg/kg 200 μg/kg 600 μg/kg 400 μg/kg	Muscle Skin and fat Liver Kidney	and fat in natural proportions'. Not for use in animals from which milk is produced for human consumption Not for use in animals from which eggs are produced for human consumption	
Tosylchloran sodium	n <b>NIO</b> T APPLICABI	Bovine, <i>Equidae</i>	No MRL required	NOT APPLICABI	For topical	NO ENTRY

		Fin fish	No MRL required	NOT APPLICABI	For water- Forne use only.	
Tragacanth	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Tricaine mesilate	NOT APPLICABI	Fin fish LE	No MRL required	NOT APPLICABI	For water Deforme use only.	NO ENTRY
Trichlormeth	ikkolle APPLICABI	All Mammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[ <sup>F48</sup> Triclaben	caunof the extractable residues that may be oxidised to ketotriclaben	All ruminants dazole	225 μg/kg 100 μg/kg 250 μg/kg 150 μg/kg 10 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites]
Trimethoprir	nTrimethoprir	nEquidae	100 μg/kg 100 μg/kg 100 μg/kg 100 μg/kg	Fat Muscle Liver Kidney	For fin fish the muscle MRL relates to a 'muscle	Anti- infectious agents/ Chemotheurapeutics
		All other food producing species	50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg	Muscle Fat Liver Kidney Milk	and skin in natural proportions' MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions' Not for use in animals from which eggs are produced for human consumption	

Trimethylph		All food	No MRL	NOT	NO	NO	
	APPLICAB	species	required	APPLICABI	LENTRY	ENTRY	
[ <sup>F49</sup> Triptoreli acetate	nNOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	Agents acting on the reproductive system]	
Trypsin	NOT APPLICAB	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY	
Tryptophan	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY	
[ <sup>F50</sup> Tulathror	n(20Rn3S,4R,5	RQ8Rn&0R,111	R4,1520Sµg/kg	Muscle	Not for use	Anti-	
	13S,14R)-2- ethyl-3,4,10,	*	250 µg/kg	Fat	in animals from which	infectious agents/	
	tetra- hydroxy-3,5		5 400 μg/ kg	Liver	milk is produced	Antibiotics	
	[[3,4,6-	hexamethyl- [[3,4,6- trideoxy-3-	11-	1 800 μg/ kg	Kidney	for human consumption	l
	(dimethy- lamino)-	Bovine	300 µg/kg	Muscle			
	ß-D-xylo-		200 µg/kg	Fat			
	oxa-6-	opyranosyl]oxy]-1- -6- cyclopent-	4 500 μg/ kg	Liver			
	decan-15-	decan-15- one	-	3 000 μg/ kg	Kidney		
		Porcine	800 µg/kg	Muscle			
	tulathromyci equivalents	n	300 µg/kg	Skin and fat in natural proportions			
			4 000 μg/ kg	Liver			
			8 000 μg/ kg	Kidney]			
Turnera diffusa	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Fomeopathic veterinary medicinal products prepared according to homeopathic		

					pharmacopo at concentration correspondin to the mother tincture and dilutions thereof only.	ns
Tylosin	Tylosin A	All food producing species	100 μg/kg 100 μg/kg 100 μg/kg 50 μg/kg 200 μg/kg	Muscle Fat Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to a 'muscle and skin in natural proportions' MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'	Anti- infectious agents/ Antibiotics
[ <sup>F51</sup> Tylvalosi	<sub>n</sub> Sum of	Porcine	50 µg/kg	Muscle	NO	Anti-
-	tylvalosin and 3-O- acetyltylosin		50 µg/kg	Skin and fat	ENTRY	infectious agents/ Antibiotics
	J J		50 µg/kg	Liver	-	
			50 µg/kg	Kidney		
		Poultry	50 µg/kg	Skin and fat		
			50 µg/kg	Liver		
	Tylvalosin	Poultry	200 µg/kg	Eggs]		
Tyrosine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY

Urea	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Urginea maritima	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Formeopathic veterinary medicinal products prepared according to homeopathic pharmacopos at concentration in the products not exceeding one part per hundred only. For oral use only.	eias,
Uridine and its 5'- mono-5'- di- and 5'- triphosphates	NOT APPLICABI	All food peroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Urticae herba	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Valine	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[ <sup>F52</sup> Valnemul	i∦alnemulin	Porcine, rabbit	50 μg/kg 500 μg/kg 100 μg/kg	Muscle Liver Kidney	NO ENTRY	Anti- infectious agents/ Antibiotics]
Vedaprofen	Vedaprofen	Equidae	50 μg/kg 20 μg/kg 100 μg/kg 1 000 μg/ kg	Muscle Fat Liver Kidney	NO ENTRY	Anti- inflammatory agents/ Nonsteroidal anti- inflammatory agents
Vetrabutine hydrochlorid	NOT APPLICABI	Porcine LE	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY

Vincamine	NOT APPLICABI		No MRL required	NOT APPLICABI	For use in Frewborn animals only.	NO ENTRY
[ <sup>F53</sup> Virginian	Vinginiamyc factor S1	i <b>P</b> oultry	10 μg/kg 30 μg/kg 10 μg/kg 60 μg/kg	Muscle Skin and fat Liver Kidney	Not for use in animals from which eggs are produced for human consumption	Anti- infectious agents/ Antibiotics]
Virola sebifera	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in For use in Fomeopathic veterinary medicinal products prepared according to homeopathic pharmacopoo at concentration in the products not exceeding one part per thousand only.	eias,
Viscum album	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in For use in Fomeopathic veterinary medicinal products prepared according to homeopathic pharmacopoo at concentration correspondin to the mother tincture and dilutions thereof only.	eias 15

Vitamin A	NOT APPLICABI	All food- producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vitamin B1	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vitamin B2	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vitamin B3	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vitamin B5	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vitamin B6	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vitamin B12	NOT APPLICABI	All food Forducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vitamin D	NOT APPLICABI	All food peroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vitamin E	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Wool alcohols	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical	NO ENTRY
Xylazine hydrochloric	NOT IeAPPLICABI	Bovine, <i>Equidae</i>	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Zinc acetate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Zinc aspartate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Zinc chloride	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Zinc gluconate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Zinc oleate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Zinc oxide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Zinc stearate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Zinc sulphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

## **Editorial Information**

X1 Substituted by Corrigendum to Commission Regulation (EU) No 37/2010 of 22 December 2009 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin (Official Journal of the European Union L 15 of 20 January 2010).

## **Textual Amendments**

- **F1** Inserted by Commission Implementing Regulation (EU) 2017/1559 of 14 September 2017 amending Regulation (EU) No 37/2010 to classify the maximum residue limit of the substance alarelin (Text with EEA relevance).
- F2 Substituted by Commission Implementing Regulation (EU) No 85/2012 of 1 February 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance altrenogest (Text with EEA relevance).
- **F3** Substituted by Commission Implementing Regulation (EU) 2016/2074 of 25 November 2016 amending Regulation (EU) No 37/2010 as regards the substance aluminium salicylate, basic (Text with EEA relevance).
- F4 Substituted by Commission Implementing Regulation (EU) No 436/2012 of 23 May 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance azamethiphos (Text with EEA relevance).
- **F5** Substituted by Commission Implementing Regulation (EU) 2015/446 of 17 March 2015 amending Regulation (EU) No 37/2010 as regards the substance 'barium selenate' (Text with EEA relevance).
- F6 Inserted by Commission Implementing Regulation (EU) 2017/1558 of 14 September 2017 amending Regulation (EU) No 37/2010 to classify the substance bromelain as regards its maximum residue limit (Text with EEA relevance).
- F7 Substituted by Commission Implementing Regulation (EU) No 20/2014 of 10 January 2014 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance butafosfan (Text with EEA relevance).
- **F8** Inserted by Commission Implementing Regulation (EU) No 677/2014 of 19 June 2014 amending Regulation (EU) No 37/2010, as regards the substance 'cabergoline' (Text with EEA relevance).
- F9 Inserted by Commission Implementing Regulation (EU) No 19/2014 of 10 January 2014 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance chloroform (Text with EEA relevance).

- **F10** Inserted by Commission Implementing Regulation (EU) 2015/1078 of 3 July 2015 amending Regulation (EU) No 37/2010 as regards the substance 'clodronic acid (in the form of disodium salt)' (Text with EEA relevance).
- **F11** Substituted by Commission Implementing Regulation (EU) No 683/2014 of 20 June 2014 amending Regulation (EU) No 37/2010, as regards the substance 'clorsulon' (Text with EEA relevance).
- **F12** Substituted by Commission Implementing Regulation (EU) No 682/2014 of 20 June 2014 amending Regulation (EU) No 37/2010, as regards the substance 'closantel' (Text with EEA relevance).
- **F13** Inserted by Commission Implementing Regulation (EU) 2016/710 of 12 May 2016 amending Regulation (EU) No 37/2010 as regards the substance 'copper carbonate' (Text with EEA relevance).
- F14 Inserted by Commission Regulation (EU) No 890/2010 of 8 October 2010 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance derquantel (Text with EEA relevance).
- F15 Substituted by Commission Implementing Regulation (EU) No 1235/2013 of 2 December 2013 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance diclazuril (Text with EEA relevance).
- **F16** Substituted by Commission Implementing Regulation (EU) 2015/1820 of 9 October 2015 amending Regulation (EU) No 37/2010 as regards the substance 'Diethylene glycol monoethyl ether' (Text with EEA relevance).
- **F17** Inserted by Commission Implementing Regulation (EU) No 489/2013 of 27 May 2013 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance double stranded ribonucleic acid homologous to viral ribonucleic acid coding for part of the coat protein and part of the intergenic region of the Israel Acute Paralysis Virus (Text with EEA relevance).
- **F18** Substituted by Commission Implementing Regulation (EU) 2015/151 of 30 January 2015 amending the Annex to Regulation (EU) No 37/2010 as regards the substance 'doxycycline' (Text with EEA relevance).
- **F19** Substituted by Commission Implementing Regulation (EU) 2016/885 of 3 June 2016 amending Regulation (EU) No 37/2010 as regards the substance 'eprinomectin' (Text with EEA relevance).
- **F20** Substituted by Commission Implementing Regulation (EU) No 1161/2012 of 7 December 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance fenbendazole (Text with EEA relevance).
- **F21** Inserted by Commission Implementing Regulation (EU) 2017/201 of 6 February 2017 amending Regulation (EU) No 37/2010 to classify the substance fluralaner as regards its maximum residue limit (Text with EEA relevance).
- **F22** Substituted by Commission Implementing Regulation (EU) 2016/2045 of 23 November 2016 amending Regulation (EU) No 37/2010 as regards the substance gamithromycin (Text with EEA relevance).
- **F23** Substituted by Commission Implementing Regulation (EU) 2016/305 of 3 March 2016 amending Regulation (EU) No 37/2010 as regards the substance 'gentamicin' (Text with EEA relevance).
- **F24** Inserted by Commission Implementing Regulation (EU) 2015/1079 of 3 July 2015 amending Regulation (EU) No 37/2010 as regards the substance 'hexaflumuron' (Text with EEA relevance).
- **F25** Inserted by Commission Implementing Regulation (EU) 2016/1444 of 31 August 2016 amending Regulation (EU) No 37/2010 as regards the substance hydrocortisone aceponate (Text with EEA relevance).
- **F26** Inserted by Commission Regulation (EU) No 363/2011 of 13 April 2011 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance isoeugenol (Text with EEA relevance).
- **F27** Substituted by Commission Implementing Regulation (EU) No 418/2014 of 24 April 2014 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance ivermectin (Text with EEA relevance).

Document Gener	<i>ilea.</i> 2024-05-1
<i>Status:</i> Point in time view as at 23/04/2018.	
<b>Changes to legislation:</b> There are currently no known outstanding effects for	
the Commission Regulation (EU) No 37/2010. (See end of Document for details)	

- **F28** Substituted by Commission Implementing Regulation (EU) No 1277/2014 of 1 December 2014 amending Regulation (EU) No 37/2010, as regards the substance 'lasalocid' (Text with EEA relevance).
- **F29** Inserted by Commission Implementing Regulation (EU) No 967/2014 of 12 September 2014 amending Regulation (EU) No 37/2010, as regards the substance 'lufenuron' (Text with EEA relevance).
- **F30** Substituted by Commission Implementing Regulation (EU) No 1057/2013 of 29 October 2013 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance manganese carbonate (Text with EEA relevance).
- **F31** Substituted by Commission Implementing Regulation (EU) 2015/149 of 30 January 2015 amending the Annex to Regulation (EU) No 37/2010 as regards the substance 'methylprednisolone' (Text with EEA relevance).
- **F32** Substituted by Commission Implementing Regulation (EU) No 59/2013 of 23 January 2013 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance monensin (Text with EEA relevance).
- **F33** Substituted by Commission Implementing Regulation (EU) 2016/1834 of 17 October 2016 amending Regulation (EU) No 37/2010 as regards the substance monepantel (Text with EEA relevance).
- **F34** Substituted by Commission Implementing Regulation (EU) No 1056/2013 of 29 October 2013 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance neomycin (Text with EEA relevance).
- **F35** Substituted by Commission Implementing Regulation (EU) No 201/2012 of 8 March 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance nitroxinil (Text with EEA relevance).
- **F36** Inserted by Commission Implementing Regulation (EU) No 107/2012 of 8 February 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance octenidine dihydrochloride (Text with EEA relevance).
- **F37** Inserted by Commission Implementing Regulation (EU) No 202/2012 of 8 March 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance pegylated bovine granulocyte colony stimulating factor (Text with EEA relevance).
- **F38** Substituted by Commission Implementing Regulation (EU) No 84/2012 of 1 February 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance phenoxymethylpenicillin (Text with EEA relevance).
- **F39** Substituted by Commission Implementing Regulation (EU) No 1186/2012 of 11 December 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance phoxim (Text with EEA relevance).
- **F40** Substituted by Commission Implementing Regulation (EU) No 406/2013 of 2 May 2013 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance prednisolone (Text with EEA relevance).
- **F41** Inserted by Commission Implementing Regulation (EU) 2015/1080 of 3 July 2015 amending Regulation (EU) No 37/2010 as regards the substance 'propyl 4-hydroxybenzoate and its sodium salt' (Text with EEA relevance).
- **F42** Inserted by Commission Implementing Regulation (EU) 2016/129 of 1 February 2016 amending Regulation (EU) No 37/2010 as regards the substance 'Purified semi-solid extract from Humulus lupulus L. containing approximately 48 % of beta acids (as potassium salts)' (Text with EEA relevance).
- **F43** Substituted by Commission Implementing Regulation (EU) 2016/576 of 14 April 2016 amending Regulation (EU) No 37/2010 as regards the substance 'rafoxanide' (Text with EEA relevance).

- **F44** Inserted by Commission Implementing Regulation (EU) 2015/2062 of 17 November 2015 amending Regulation (EU) No 37/2010 as regards the substance 'sisapronil' (Text with EEA relevance).
- **F45** Substituted by Commission Implementing Regulation (EU) No 1191/2012 of 12 December 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance sodium salicylate (Text with EEA relevance).
- **F46** Inserted by Commission Implementing Regulation (EU) 2018/520 of 28 March 2018 amending Regulation (EU) No 37/2010 to classify the substance solvent naphtha, light aromatic, as regards its maximum residue limit (Text with EEA relevance).
- F47 Substituted by Commission Implementing Regulation (EU) No 201/2014 of 3 March 2014 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance tildipirosin (Text with EEA relevance).
- **F48** Substituted by Commission Implementing Regulation (EU) No 676/2014 of 19 June 2014 amending Regulation (EU) No 37/2010, as regards the substance 'triclabendazole' (Text with EEA relevance).
- **F49** Inserted by Commission Implementing Regulation (EU) No 200/2014 of 3 March 2014 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance triptorelin acetate (Text with EEA relevance).
- **F50** Substituted by Commission Implementing Regulation (EU) 2015/394 of 10 March 2015 amending the Annex to Regulation (EU) No 37/2010 as regards the substance 'tulathromycin' (Text with EEA relevance).
- **F51** Substituted by Commission Implementing Regulation (EU) 2016/312 of 4 March 2016 correcting Regulation (EU) No 37/2010 as regards the substance 'tylvalosin' (Text with EEA relevance).
- **F52** Substituted by Commission Regulation (EU) No 758/2010 of 24 August 2010 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance valuemulin (Text with EEA relevance).
- **F53** Inserted by Commission Implementing Regulation (EU) 2015/1491 of 3 September 2015 amending Regulation (EU) No 37/2010 as regards the substance 'virginiamycin' (Text with EEA relevance).

TABLE	2
-------	---

### Prohibited substances

MRL
MRL cannot be established
MRL cannot be established
MRL cannot be established
-

### **Textual Amendments**

**F54** Deleted by Commission Implementing Regulation (EU) No 19/2014 of 10 January 2014 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance chloroform (Text with EEA relevance).

# Status:

Point in time view as at 23/04/2018.

# Changes to legislation:

There are currently no known outstanding effects for the Commission Regulation (EU) No 37/2010.