
Commission Delegated Regulation (EU) No 626/2011 of 4 May 2011 supplementing Directive 2010/30/EU of the European Parliament and of the Council with regard to energy labelling of air conditioners

## ANNEX III

#### The label

- 5. LABEL OF SINGLE DUCT AIR CONDITIONERS
- 5.1. Reversible single duct air conditioners classified in energy efficiency classes A+ ++ to D



<sup>(</sup>a) The following information shall be included in the label:


I. supplier's name or trade mark;

- II. supplier's model identifier;
- III. text 'EER' and 'COP' for cooling and heating, with a blue fan and air wave indication for EER and red fan and air wave indication for COP;
- IV. the energy efficiency; the head of the arrow containing the energy efficiency class of the appliance shall be placed at the same height as the head of the arrow of the relevant energy efficiency class. Energy efficiency must be indicated for cooling and heating;
- V. rated capacity for cooling and heating mode in kW, rounded up to one decimal;
- VI. EER<sub>rated</sub> and COP<sub>rated</sub>, rounded up to one decimal;
- VII. [<sup>F1</sup>hourly energy consumption in kWh per 60 minutes, for cooling and heating, rounded up to the nearest integer;]
- VIII. sound power level for indoor unit expressed in dB(A) re1 pW, rounded to the nearest integer.

All the requested values shall be determined in accordance with Annex VII.

#### **Textual Amendments**

- F1 Substituted by Commission Delegated Regulation (EU) 2020/1059 of 27 April 2020 correcting certain language versions of Delegated Regulations (EU) No 1059/2010, (EU) No 1060/2010, (EU) No 1061/2010, (EU) No 1062/2010, (EU) No 626/2011, (EU) No 392/2012 and (EU) No 874/2012 with regard to the labelling of certain energy-related products (Text with EEA relevance).
- (b) The design of the label shall be in accordance with point 5.2. By way of derogation, where a model has been granted an 'EU eco-label' under Regulation (EC) No 66/2010, a copy of the EU eco-label may be added.
- 5.2. Label Design



#### Whereby:

- (i) The label shall be at least 100 mm wide and 200 mm high. Where the label is printed in a larger format, its content shall nevertheless remain proportionate to the specifications above.
- (ii) The background shall be white.
- (iii) Colours are coded as CMYK cyan, magenta, yellow and black, following this example: 00-70-X-00: 0 % cyan, 70 % magenta, 100 % yellow, 0 % black.
- (iv) The label shall fulfil all of the following requirements (numbers refer to the figure above):
  - 1 **EU label border:** stroke: 5 pt colour: cyan 100 % round corners: 3,5 mm.
  - 2 **EU logo:** Colours: X-80-00-00 and 00-00-X-00.
  - 3 Energy label: Colour: X-00-00-00.

Pictogram as depicted: EU logo + energy label: width: 82 mm, height: 16 mm.

- 4 **Sub-logos border:** 1 pt colour: cyan 100 % length: 92,5 mm.
- 5 **EER and COP indication**:
  - Border: 2 pt colour: cyan 100 % round corners: 3,5 mm.
     Text: Calibri regular 10 pt, capitals, 100 % black.
- 6 A-G scale:

 Arrow: height: 7 mm, gap: 1,3 mm – colours: Highest class: X-00-X-00,

Second class: 70-00-X-00, Third class: 30-00-X-00, Fourth class: 00-00-X-00, Fifth class: 00-30-X-00, Sixth class: 00-70-X-00, Last class(es): 00-X-X-00.

Text:	Calibri bold 18 pt, capitals, white;
	Calibri bold 7 pt, white.

7 **Energy efficiency classes:** 

- Arrow: Width: 11 mm, height: 10 mm, 100 % black;
  - **Text:** Calibri bold 18 pt, capitals, white.
- 8 Energy:
  - Text: Calibri regular 8 pt, capitals, 100 % black.

# 9 **'Minutes'-translation:**

— **Text:** Calibri regular 7 pt, 100 % black.

- 10 **Rated capacity for cooling and heating in kW:** 
  - Text 'kW': Calibri regular 14 pt, 100 % black.

Value 'XY,Z': Calibri bold 22 pt, 100 % black.

#### 11 EER and COP values, rounded up to one decimal:

- **Text:** Calibri regular 14 pt, capitals, 100 % black.
- Value 'X,Y': Calibri bold 22 pt, 100 % black.

# 12 Hourly energy consumption in kWh/60min:

- Text 'kWh/60min\*': Calibri regular 14 pt, 100 % black.
- Value 'XY': Calibri bold 22 pt, 100 % black.

# 13 Noise emissions:

- **Border:** 2 pt colour: cyan 100 % round corners: 3,5 mm.
- Value: Calibri bold 22 pt, 100 % black.
  - **Text:** Calibri regular 14 pt, 100 % black.

## 14 Supplier's name or trademark.


## 15 Supplier's model identifier:

The suppliers' name or trade mark and model identifier should fit in a space of  $82 \times 10,5$  mm.

# 16 **Reference period:**

Text: Calibri bold 10 pt.

5.3. Cooling-only single duct air conditioners classified in energy efficiency classes A +++ to D




<sup>(</sup>a) The following information shall be included in the label:


I. supplier's name or trade mark;

- II. supplier's model identifier;
- III. text 'EER', with a blue fan and air wave indication;
- IV. the energy efficiency; the head of the arrow containing the energy efficiency class of the appliance shall be placed at the same height as the head of the arrow of the relevant energy efficiency class;
- V. rated capacity for cooling in kW, rounded up to one decimal;
- VI. EER<sub>rated</sub>, rounded up to one decimal;
- VII. [<sup>F1</sup>hourly energy consumption in kWh per 60 minutes, rounded up to the nearest integer;]
- VIII. sound power level for indoor unit expressed in dB(A) re1 pW, rounded to the nearest integer.

All the requested values shall be determined in accordance with Annex VII.

- (b) The design of the label shall be in accordance with point 5.4. By way of derogation, where a model has been granted an 'EU eco-label' under Regulation (EC) No 66/2010, a copy of the EU eco-label may be added.
- 5.4. Label Design





Document Generated: 2023-09-17

Changes to legislation: There are outstanding changes not yet made to Commission Delegated Regulation (EU) No 626/2011. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

#### Whereby:

- The label shall be at least 100 mm wide and 200 mm high. Where the label is printed in (i) a larger format, its content shall nevertheless remain proportionate to the specifications above.
- The background shall be white. (ii)
- (iii) Colours shall be CMYK — cyan, magenta, yellow and black, following this example: 00-70-X-00: 0 % cyan, 70 % magenta, 100 % yellow, 0 % black.
- (iv) The label shall fulfil all of the following requirements (numbers refer to the figure above):
  - EU label border: stroke: 5 pt colour: cyan 100 % round corners: 3,5 mm. 1
  - 2 EU logo: Colours: X-80-00-00 and 00-00-X-00.
  - 3 Energy label: Colour: X-00-00-00.

Pictogram as depicted: EU logo + energy label: width: 82 mm, height: 16 mm.

Sub-logos border: 1 pt – colour: cyan 100 % – length: 92,5 mm. 4

#### 5 **EER indication**:

Text: Calibri regular 10 pt, capitals, 100 % black.

6 A-G scale:

	Arrow: height: 7 mm, gap: 1,3 mm – co	olours.
	Highest class: X-00-X-00,	
	Second class: 70-00-X-00,	
	Third class: 30-00-X-00,	
	Fourth class: 00-00-X-00,	
	Fifth class: 00-30-X-00,	
	Sixth class: 00-70-X-00,	
	Last class(es): 00-X-X-00.	
—	Text: Calibre white:	i bold 18

_	Calibri bold 18 pt, capitals, white;
	Calibri bold 7 pt, white.

•. •

7 **Energy efficiency class:** 

Arrow: Width: 20 mm, height: 15 mm, 100 % black;

 Text:	Calibri bold 30 pt, capitals, white;
	Calibri bold 14 pt, capitals, white.

8 **Energy:** 

Text: Calibri regular 8 pt, capitals, 100 % black.

9 'Minutes'-translation:

**Text:** Calibri regular 7 pt, 100 % black.

- 10 **Rated capacity in kW:** 
  - Text 'kW': Calibri regular 14 pt, 100 % black.
  - Value 'XY,Z': Calibri bold 22 pt, 100 % black.
- EER value, rounded up to one decimal:
   Text 'EER': Calibri regular 14 pt, capitals, 100 % black.
  - Value 'X,Y': Calibri bold 22 pt, 100 % black.

## 12 Hourly energy consumption in kWh/60min:

- Text 'kWh/60min\*': Calibri regular 14 pt, 100 % black.
  - Value 'XY': Calibri bold 22 pt, 100 % black.

## 13 Noise emissions:

- Border: 2 pt colour: 100 % cyan round corners: 3,5 mm.
- Value: Calibri bold 22 pt, 100 % black.
- **Text:** Calibri regular 14 pt, 100 % black.
- 14 Supplier's name or trademark.


## 15 **Supplier's model identifier:**

The suppliers' name or trade mark and model identifier should fit in a space of  $82 \times 10,5$  mm.

16 **Reference period:** 

Text: Calibri bold 10 pt.

#### 5.5. Heating-only single duct air conditioners classified in energy efficiency classes A +++ to D




- (a) The following information shall be included in the label:
- I. supplier's name or trade mark;

- II. supplier's model identifier;
- III. text 'COP' with red fan and air wave indication;
- IV. the energy efficiency; the head of the arrow containing the energy efficiency class of the appliance shall be placed at the same height as the head of the arrow of the relevant energy efficiency class;
- V. rated capacity for heating in kW, rounded up to one decimal;
- VI. COP<sub>rated</sub>, rounded up to one decimal;
- VII. [<sup>F1</sup>hourly energy consumption in kWh per 60 minutes, rounded up to the nearest integer;]
- VIII. sound power level for indoor unit expressed in dB(A) re1 pW, rounded to the nearest integer.

All the requested values shall be determined in accordance with Annex VII.

- (b) The design of the label shall be in accordance with point 5.6. By way of derogation, where a model has been granted an 'EU eco-label' under Regulation (EC) No 66/2010, a copy of the EU eco-label may be added.
- 5.6. Label Design



#### Whereby:

- (i) The label shall be at least 100 mm wide and 200 mm high. Where the label is printed in a larger format, its content shall nevertheless remain proportionate to the specifications above.
- (ii) The background shall be white.
- (iii) Colours shall be CMYK cyan, magenta, yellow and black, following this example: 00-70-X-00: 0 % cyan, 70 % magenta, 100 % yellow, 0 % black.
- (iv) The label shall fulfil all of the following requirements (numbers refer to the figure above):
  - 1 **EU label border:** stroke: 5 pt colour: cyan 100 % round corners: 3,5 mm.
  - 2 **EU logo:** Colours: X-80-00-00 and 00-00-X-00.
  - 3 Energy label: Colour: X-00-00-00.

Pictogram as depicted: EU logo + energy label: width: 82 mm, height: 16 mm.

- 4 **Sub-logos border:** 1 pt colour: cyan 100 % length: 92,5 mm.
- 5 **COP indication**:

Text: Calibri regular 10 pt, capitals, 100 % black

6 A-G scale:

 
 —
 Arrow: height: 7 mm, gap: 1,3 mm – colours: Highest class: X-00-X-00, Second class: 70-00-X-00, Third class: 30-00-X-00, Fourth class: 00-00-X-00, Fifth class: 00-30-X-00, Sixth class: 00-70-X-00, Last class(es): 00-X-X-00.

 —
 Text:

 Calibri bold 18 white:

_	Text:	Calibri bold 18 pt, capitals, white;
		Calibri bold 7 pt, white.

7 **Energy efficiency class:** 

Arrow: Width: 20 mm, height: 15 mm, 100 % black;

 Text:	Calibri bold 30 pt, capitals, white;
	Calibri bold 14 pt, capitals, white.

8 Energy:

Text: Calibri regular 8 pt, capitals, 100 % black.

9 **'Minutes'-translation:** 

**Text:** Calibri regular 7 pt, 100 % black.

## 10 **Rated capacity in kW:**

- Text 'kW': Calibri regular 14 pt, 100 % black.
- Value 'XY,Z': Calibri bold 22 pt, 100 % black.

# 11 **COP value, rounded up to one decimal**:

- Text 'COP': Calibri regular 14 pt, capitals, 100 % black.
- Value 'X,Y': Calibri bold 22 pt, 100 % black.

## 12 Hourly energy consumption in kWh/60 minutes:

- Text 'kWh/60min\*': Calibri regular 14 pt, 100 % black.
  - Value 'XY': Calibri bold 22 pt, 100 % black.

## 13 Noise emissions:

- **Border:** 2 pt colour: cyan 100 % round corners: 3,5 mm.
- Value: Calibri bold 22 pt, 100 % black.
- Text: Calibri regular 14 pt, 100 % black.
- 14 Supplier's name or trademark.

# 15 **Supplier's model identifier:**

The suppliers' name or trade mark and model identifier should fit in a space of  $82 \times 10,5$  mm.

#### 16 **Reference period**:

Text: Calibri bold 10 pt.

#### **Changes to legislation:**

There are outstanding changes not yet made to Commission Delegated Regulation (EU) No 626/2011. Any changes that have already been made to the legislation appear in the content and are referenced with annotations.

View outstanding changes

#### Changes and effects yet to be applied to the whole legislation item and associated provisions

Signature words omitted by S.I. 2019/539 Sch. 5 para. 5(5) Annex 1(8) substituted by S.I. 2019/539 Sch. 5 para. 5(6)

- Annex 5(c) word substituted by S.I. 2019/539 Sch. 5 para. 5(9)
- Annex 3 para. 1.4 image substituted by S.I. 2020/1528 Sch. 5 para. 6(2)
- Annex 3 para. 1.5 image substituted by S.I. 2020/1528 Sch. 5 para. 6(3) Annex 3 para. 2.4 image substituted by S.I. 2020/1528 Sch. 5 para. 6(4) Annex 3 para. 2.5 image substituted by S.I. 2020/1528 Sch. 5 para. 6(5)
- Annex 3 para. 3.4 image substituted by S.I. 2020/1528 Sch. 5 para. 6(6) Annex 3 para. 3.5 image substituted by S.I. 2020/1528 Sch. 5 para. 6(7)
- Annex 3 para. 4.1 image substituted by S.I. 2020/1528 Sch. 5 para. 6(8)
- Annex 3 para. 4.2 image substituted by S.I. 2020/1528 Sch. 5 para. 6(9)
- Annex 3 para. 4.3 image substituted by S.I. 2020/1528 Sch. 5 para. 6(10) Annex 3 para. 4.4 image substituted by S.I. 2020/1528 Sch. 5 para. 6(11)
- Annex 3 para. 4.5 image substituted by S.I. 2020/1528 Sch. 5 para. 6(12)
- Annex 3 para. 4.6 image substituted by S.I. 2020/1528 Sch. 5 para. 6(13)
- Annex 3 para. 5.1 image substituted by S.I. 2020/1528 Sch. 5 para. 6(14) Annex 3 para. 5.2 image substituted by S.I. 2020/1528 Sch. 5 para. 6(15)
- Annex 3 para. 5.3 image substituted by S.I. 2020/1528 Sch. 5 para. 6(16)
- Annex 3 para. 5.4 image substituted by S.I. 2020/1528 Sch. 5 para. 6(17)
  - Annex 3 para. 5.6 image substituted by S.I. 2020/1528 Sch. 5 para. 6(19)
- Annex 3 para. 5.5 image substituted by S.I. 2020/1528 Sch. 5 para. 6(18) Annex 3 s.0001para. 1.1 words inserted by S.I. 2019/539 Sch. 5 para. 5(7)(a)
- Annex 3 s.0002para. 2.1 words inserted by S.I. 2019/539 Sch. 5 para. 5(7)(b)
- Annex 3 s.0003para. 3.1 words inserted by S.I. 2019/539 Sch. 5 para. 5(7)(c) Annex 3 s.0004para. 4.1 words inserted by S.I. 2019/539 Sch. 5 para. 5(7)(d)
  - Annex 3 s.0004para. 4.3 words inserted by S.I. 2019/539 Sch. 5 para. 5(7)(d) Annex 3 s.0004para. 4.5 words inserted by S.I. 2019/539 Sch. 5 para. 5(7)(d)
  - Annex 3 s.0005para. 5.1 words inserted by S.I. 2019/539 Sch. 5 para. 5(7)(e) Annex 3 s.0005para. 5.3 words inserted by S.I. 2019/539 Sch. 5 para. 5(7)(e) Annex 3 s.0005para. 5.5 words inserted by S.I. 2019/539 Sch. 5 para. 5(7)(e) Annex 3 para. 1.5(iv) words substituted by S.I. 2020/1528 Sch. 5 para. 6(20)(a)

    - Annex 3 para. 2.5(iv) words substituted by S.I. 2020/1528 Sch. 5 para. 6(20)(a)

Annex 3 para. 5.2(iv) words substituted by S.I. 2020/1528 Sch. 5 para. 6(20)(a) Annex 3 para. 5.4(iv) words substituted by S.I. 2020/1528 Sch. 5 para. 6(20)(a) Annex 3 para. 5.6(iv) words substituted by S.I. 2020/1528 Sch. 5 para. 6(20)(a) Annex 3 para. 1.5(iv) words substituted by S.I. 2020/1528 Sch. 5 para. 6(20)(b) Annex 3 para. 2.5(iv) words substituted by S.I. 2020/1528 Sch. 5 para. 6(20)(b) Annex 3 para. 3.5(iv) words substituted by S.I. 2020/1528 Sch. 5 para. 6(20)(b) Annex 3 para. 4.2(iv) words substituted by S.I. 2020/1528 Sch. 5 para. 6(20)(b) Annex 3 para. 4.4(iv) words substituted by S.I. 2020/1528 Sch. 5 para. 6(20)(b) Annex 3 para. 4.6(iv) words substituted by S.I. 2020/1528 Sch. 5 para. 6(20)(b) Annex 3 para. 5.2(iv) words substituted by S.I. 2020/1528 Sch. 5 para. 6(20)(b)

Annex 3 para. 5.4(iv) words substituted by S.I. 2020/1528 Sch. 5 para. 6(20)(b) Annex 3 para. 5.6(iv) words substituted by S.I. 2020/1528 Sch. 5 para. 6(20)(b)

Annex 3 para. 3.5(iv) words substituted by S.I. 2020/1528 Sch. 5 para. 6(20)(a) Annex 3 para. 4.2(iv) words substituted by S.I. 2020/1528 Sch. 5 para. 6(20)(a) Annex 3 para. 4.4(iv) words substituted by S.I. 2020/1528 Sch. 5 para. 6(20)(a) Annex 3 para. 4.6(iv) words substituted by S.I. 2020/1528 Sch. 5 para. 6(20)(a)

\_

-	- Annex 3 para. 1.1 words substituted in earlier amending provision S.I. 2019/539,
	Sch. 5 para. 5(7)(a) by S.I. 2020/1528 reg. 4
-	- Annex 3 para. 2.1 words substituted in earlier amending provision S.I. 2019/539,
	Sch. 5 para. 5(7)(b) by S.I. 2020/1528 reg. 4
-	- Annex 3 para. 3.1 words substituted in earlier amending provision S.I. 2019/539,
	Sch. 5 para. 5(7)(c) by S.I. 2020/1528 reg. 4
-	- Annex 3 para. 4.1 words substituted in earlier amending provision S.I. 2019/539,
	Sch. 5 para. 5(7)(d) by S.I. 2020/1528 reg. 4
-	- Annex 3 para. 4.3 words substituted in earlier amending provision S.I. 2019/539,
	Sch. 5 para. 5(7)(d) by S.I. 2020/1528 reg. 4
-	- Annex 3 para. 4.5 words substituted in earlier amending provision S.I. 2019/539,
	Sch. 5 para. 5(7)(d) by S.I. 2020/1528 reg. 4
-	- Annex 3 para. 5.1 words substituted in earlier amending provision S.I. 2019/539,
	Sch. 5 para. 5(7)(e) by S.I. 2020/1528 reg. 4
-	- Annex 3 para. 5.3 words substituted in earlier amending provision S.I. 2019/539,
	Sch. 5 para. 5(7)(e) by S.I. 2020/1528 reg. 4
-	- Annex 3 para. 5.5 words substituted in earlier amending provision S.I. 2019/539,
	Sch. 5 para. 5(7)(e) by S.I. 2020/1528 reg. 4
-	- Annex 7 para. 1 words substituted by S.I. 2019/539 Sch. 5 para. 5(10)
-	- Annex 8(7) omitted by S.I. 2019/539 Sch. 5 para. 5(11)(b)
-	- Annex 4 para. 1(c) substituted by S.I. 2019/539 Sch. 5 para. 5(8)
-	- Annex 4 para. 1(c) words substituted in earlier amending provision S.I. 2019/539,
	Sch. 5 para. 5(8) by S.I. 2020/1528 reg. 4
-	- Art. 3(1)(c) words substituted by S.I. 2019/539 Sch. 5 para. 5(2)
-	- Art. 3(1)(c) words substituted in earlier amending provision S.I. 2019/539, Sch. 5
	para. 5(2) by S.I. 2020/1528 reg. 6(1)reg. 6(2)(c)(v)
1	